
22500149247

Public Health Dept.
Received 28 FEB. 1918
Ack.
Answered

SEVENTY-NINTH ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES

IN ENGLAND AND WALES.

(1916.)

Presented to Parliament by Command of His Majesty.



LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased through any Bookseller or directly from
H.M. STATIONERY OFFICE at the following addresses:
IMPERIAL HOUSE, KINGSWAY, LONDON, W.C.2, and 28, ABINGDON STREET, LONDON, S.W.1;
37, PETER STREET, MANCHESTER; 1, ST. ANDREW'S CRESCENT, CARDIFF;
23, FORTH STREET, EDINBURGH;
or from E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

1918.

[Cd. 8869.] *Price 5s. 0d. Net.*

WELLCOME INSTITUTE
LIBRARY
Coll. welMOmec
Call No.

CONTENTS

OF THE

REGISTRAR-GENERAL'S ANNUAL REPORT FOR 1916.

PAGE

INTRODUCTORY REMARKS—

Salient Features of the Vital Statistics of the Year ... vii
Changes in the Report ... viii

REVIEW by DR. STEVENSON of the VITAL STATISTICS of the YEAR—

POPULATION—

Estimated Civil Population by Sex and Age ... x
Estimated Population for calculation of Birth-rate and Marriage-rate ... xi
Estimated Civil Populations and "Birth-rate" Populations of separate localities ... xi
Consequent alterations in tables ... xi
New Estimates of Population under Five Years of Age ... xxiii

MARRIAGES—

Number and rate ... xi
Changes in the Marriage-rate ... xi
Methods of Calculating Marriage-rates ... xii
First Marriages and Re-marriages ... xii
Marriages of Minors ... xiv
Mean Age at Marriage ... xiv
Buildings in which Marriages may be Solemnized ... xvi
Registered Buildings under the Operation of the Marriage Act, 1898 ... xvi

BIRTHS—

Number and rate ... xvii
Changes in the Birth-rate ... xvii
Birth-rates in Different Classes of Areas and Parts of the Country ... xvii
Geographical Divisions employed (North, Midlands, South, Wales) ... xvii
Sex Proportions at Birth ... xviii
Illegitimate Births ... xix
Illegitimate Birth-rates in Different Classes of Areas and Parts of the Country ... xx
Natural Increase ... xx

DEATHS—

Number and rate ... xx
Changes in the Death-rate ... xx
Standardization of Death-rates for differences of Sex- and Age-constitution between Total Populations and for differences of Age-constitution between Sex Populations ... xx
Mortality of each Sex : Male Excess at Various Ages ... xxi
Mortality at Different Ages : Effect of War conditions ... xxi
Standardized Death-rates approximately corrected for War conditions ... xxii
Effect of falling Birth-rate on estimates of Child Population : New estimates ... xxii
Infant Mortality in 1916 and other Recent Years ... xxiv
in Different Classes of Areas and Parts of the Country and other Countries ... xxv
in Separate Weeks and Months ... xxvii
Causes of Infant Mortality ... xxxviii
Increase or Decrease at Various Ages as compared with 1911–15 and 1915 ... xxxviii
Infant Mortality from Developmental and Wasting Diseases, 1886–1916 ... xxxix
By Sex, Age, and Legitimacy, 1916 ... xxxix
From Overlying ... xl
Mortality at Ages 1–5 ... xliii
At each Year of Age ... xliv
From Various Causes ... xliv
Improvement since 1871 ... xlv
Sex-incidence of Mortality, particularly from Violence ... xlvi
Mortality of the Aged ... xlviii
Centenarians ... xlix

CAUSES OF DEATH—

Details shown for Various Areas ... xlix
Comparison of Registrar-General's with International Short List ... xlix

ENTERIC FEVER—

Trend of Mortality ... l

SMALL-POX ... li

(12010—42.) Wt. L 3078/17. 1250 1/18. D & S. G. 46/2.

PAGE

REVIEW by DR. STEVENSON of the VITAL STATISTICS of the YEAR—*continued.*

MEASLES—
Trend of Mortality ... li
Mortality in Different Classes of Areas and Parts of the Country, 1915–16 ... lii

SCARLET FEVER—
Trend of Mortality ... lii

WHOOPING COUGH—
Trend of Mortality ... lii

VACCINIA ... liii

TUBERCULOSIS—
Trend of Mortality ... liii
Crude and Standardized Death-rates ... liii
Mortality by Sex and Age ... liii
Effect of War conditions ... liii

PHTHISIS—
The Title more comprehensive than in Old List ... liv
Crude and Standardized Death-rates ... lv
Mortality by Sex and Age ... lv

TUBERCULOUS MENINGITIS—
Trend of Mortality ... lv

TUBERCULOSIS OF THE PERITONEUM AND INTESTINES—
Trend of Mortality ... lv

SYPHILIS—
Understatement of deaths ... lvi
Deaths in each Sex at Various Ages, 1871–1916 ... lviii
Mortality by Sex and Age, 1871–1916 ... lix

CANCER—
Trend of Mortality ... lx
Crude and Standardized Mortality ... lxi
Mortality by Sex and Age ... lxi
Sites of Fatal Cancer at Ages in each Sex ... lxii
Mortality by Sex and Age from Cancer of Various Parts of the Body ... lxiv
Frequency of fatal Cancer of Various Sites in Institutions and elsewhere, with distinction of Sex and Age ... lxiv
Age-distribution of Deaths from Cancer of Various Sites in Institutions and elsewhere ... lxv

TUMOURS (not returned as Malignant)—
Classification by Sex, Age, and Part of the Body affected ... lxvi

ALCOHOLISM—
The Title less comprehensive than in Old List ... lxvii
Trend of Mortality ... lxvii
Alcoholism as a Secondary Cause of Death :
Classification of Deaths by Sex, Age, and Primary Cause ... lxviii
Deaths from Alcoholism and from the principal causes associated with it, 1911–16 lxix

POLIOMYELITIS ... lxx

CEREBRO-SPINAL FEVER—
Trend of Mortality ... lxxi
Mortality and Fatality ... lxxi

ARTERIO-SCLEROSIS—
Increase in Numbers of Deaths so returned ... lxxi
Age-distribution of Mortality, 1911–16 ... lxxii
Mortality by Sex and Age, 1911–16 ... lxxiii
Trend of Certification ... lxxiv

PNEUMONIA—
Trend of Mortality ... lxxv
Mortality in Different Classes of Areas and Parts of the Country ... lxxv

THE PUERPERAL STATE—
Trend of Mortality ... lxxv
Details of Cause of Death, distinguishing Age ... lxxvi
Deaths at Ages from various Causes associated with Pregnancy or Childbirth ... lxxviii

ANÆSTHETICS—
Difference from former Practice in Tabulation ... lxxix
Deaths connected with the Administration of various Anæsthetics, distinguishing Sex and Age ... lxxix
Conditions for which Anæsthetics were administered ... lxxix

STATUS LYMPHATICUS ... lxxxi

SUICIDE—
Trend of Mortality ... lxxxi
Mortality by Sex and Age ... lxxxi

PAGE.

REVIEW by DR. STEVENSON of the VITAL STATISTICS of the YEAR—*continued.*

ILL-DEFINED CAUSES OF DEATH—
Deaths so classified and Comparison with previous Years lxxxii
Effects upon Tabulation of the Inquiries addressed to Medical Practitioners and Coroners lxxxiii

DEATHS IN INSTITUTIONS FOR THE SICK OR INFIRM—
Proportion of total Mortality occurring in various Classes of Institutions lxxxiii

UNITED KINGDOM—
Population lxxxiv
Marriages lxxxiv
Births lxxxiv
Deaths lxxxv
Infant Mortality lxxxv

BIRTHS AND DEATHS AT SEA lxxxvi

PROGRESS OF REGISTRATION lxxxvi

OFFENCES AGAINST THE REGISTRATION ACTS lxxxvi

SEARCHES AND CERTIFICATES lxxxvi

METEOROLOGY OF THE YEAR 1916 lxxxviii

TABLES*—

1. United Kingdom: Population of its several portions estimated to the middle of each of the years 1867–1916 2
2. Marriages, Births, and Deaths, 1867–1916 4
3. Annual Marriage-, Birth-, and Death-rates and Infant Mortality, 1838–1916 5
4. Annual Marriage-, Birth-, and Crude Death-rates in each Quarter in Groups of Years, 1838–1916, and in each year, 1907–1916 6
5. Churches and Chapels of the Established Church and Registered Buildings in which Marriages could be legally solemnized, 31st December, 1916 6
6. Annual Death-rates at Twelve Groups of Ages, General Death-rate standardized for Sex- and Age-constitution of population, and Infant Mortality, 1838–1916—Males ... 7
7. „ „ „ „ Females... 8
8. „ „ „ „ Persons ... 9
9. Deaths from Various Causes at all Ages, 1902–1916—Males, Females, and Persons (List of Causes as in use prior to 1911) 10
10. Crude Annual Death-rates from Various Causes at all Ages to a Million living, 1902–1916—Males, Females, and Persons (List of Causes as in use prior to 1911) 20
11. Crude Death-rates at all Ages from Various Causes, 1916—Males, Females, and Persons (International List of Causes) 30
12. Annual Death-rates from the Principal Epidemic Diseases, 1838–1916 35
13. Administrative Counties and County Boroughs: Mortality from the principal Epidemic Diseases and from certain Other Causes, 1915 and 1916 36
14. Infant Mortality by Sex, Age, Cause, and Legitimacy, 1916 41
15. Infant Mortality by Age, Cause, and Legitimacy, 1916—Classes of Administrative Areas 43
16. Names on the Registers, Searches, and Fees received at the General Register Office, 1867–1916 48
17. Islands in the British Seas. Area and Population; and Births and Deaths, 1892–1916 49
18. Balance inward or outward on Passenger Movement into and out of the United Kingdom, 1897–1916 49
19. United Kingdom and its several Divisions. Vital Statistics 50
20. Meteorological Elements, Greenwich, 1867–1916 52
21. „ „ „ Quarterly, 1916 54
22. Meteorological Table for London, 1916 56
23. Meteorological Elements at Several Stations, 1916 58

*Several tables which appeared in the Report for 1914 are omitted from the present Report. For list of these *see* page 1.

PAGE.

ABSTRACTS*—

MARRIAGES—

In Registration Counties and Districts 62

In England and Wales—

Civil Condition of Persons Married at each Year of Age 65

Of Divorced Persons 66

Ages in Combination—

At each Year of Age—

All Marriages 67

Bachelors and Spinsters 70

At Groups of Ages—

Bachelors and Widows 73

Widowers and Spinsters 74

Widowers and Widows 75

In England and Wales and Registration Counties by Age and Condition 76

ESTIMATED "BIRTH-RATE" POPULATION and CIVIL POPULATION, BIRTHS (Legitimate and Illegitimate), Birth-rate, DEATHS, Crude Death-rate and Infant Mortality in each Administrative Area and in summarized Areas 80

DEATHS—

By Sex, and for Females by Condition as to Marriage, at each Year of Age 113

By Sex and Age—

Metropolitan Boroughs 114

County Boroughs 116

Urban and Rural Portions of Counties... 121

From Various Causes by Sex and Age—

England and Wales 128

London 158

County Boroughs 176

Other Urban Districts 194

Rural Districts 212

In each Quarter of the Year, distinguishing Sex and Cause, in Different Classes of Area 230

Of Non-Civilians in England and Wales, distinguishing Age and Cause 248

By Sex and Short List of Causes and Ages—

Summarized Areas 249

Metropolitan Boroughs 260

County Boroughs 275

Urban and Rural Portions of Counties 316

By Sex and Short List of Causes in Administrative Areas 377

Deaths from Accident, Negligence, Battle, and Execution in England and Wales, distinguishing Age, and Cause or Nature of Accident; Males and Females ... 477

Deaths from Suicide in England and Wales, distinguishing Age and Method; Males and Females 489

Deaths from Murder in England and Wales, distinguishing Age and Method; Males and Females 491

Deaths from Manslaughter and Justifiable Homicide in England and Wales, distinguishing Age and Method; Males and Females 492

---

* The following statistics formerly published in the Abstracts of the Annual Reports have been omitted from this issue.

MARRIAGES—
Analysis of, in Registration Divisions and Counties; showing (*a*) mode of solemnization, (*b*) number in each quarter of the year, and (*c*) Signatures by mark in Marriage Register.

ESTIMATED POPULATION, BIRTHS, DEATHS, &C.—
Standardizing factors, Standardized Death-Rates and Natural Increase in each Administrative Area.

DEATHS and POPULATIONS used in calculating STANDARDIZING FACTORS—
Enumerated Populations and Calculated Deaths corrected for changes in boundary to 31st December, 1916.

DEATHS in various Classes of INSTITUTIONS, distinguishing Sex, Cause, and Class of Institution in Different Classes of Area.

SECONDARY CAUSES OF DEATH.

REPORT

TO

THE RIGHT HONOURABLE W. HAYES FISHER, M.P.,

PRESIDENT OF THE LOCAL GOVERNMENT BOARD, &c., &c.

(1916.)

SIR,

I HAVE the honour to submit to you my Report on the estimated population, and on the marriages, births, and deaths registered in England and Wales during the year 1916.

The provisional numbers of marriages, births, and deaths during 1916 in the registration counties of England and Wales, and of births and deaths in towns with a census population of 20,000 or more, were published early in March, 1917, in the "Annual Summary," which was incorporated with the Return for the Fourth Quarter of the year, the numbers being derived from returns furnished by the registrars acting throughout the country.

The present Report also relates to the year 1916, but the statistics have been compiled from the registers deposited in this Office, and they have been analysed in much greater detail than was possible in the Annual Summary.

The salient features of the vital statistics of 1916 are as follows :—The marriage-rate was 14·9 per 1,000, being 4·5 below the phenomenally high rate in the preceding year (19·4) and 0·5 below the average in the ten years 1905–1914 (15·4) which were unaffected by war conditions. The provisional figures for the first two quarters of 1917 indicate a further fall.

The birth-rate in 1916 was 20·9 per 1,000, being the lowest rate on record. Although this rate is 4·6 below the average for the ten years 1905–1914 which were unaffected by the war, and 1·0 below the rate (21·9) in 1915, the fall during 1916 is little greater than several which have been recorded recently under peace conditions. The fall would have been greater but for the circumstances as regards recruiting for the army which forced up the marriage-rate during the last three quarters of 1915. On the whole the reduction of natality in this country which has accompanied the war, amounting in all to about 12 per cent. in 1916 as compared with 1914, is less than might have been expected, and compares very favourably with the experience of other belligerent countries. The provisional figures for the first three quarters of 1917, however, indicate an acceleration of the rate of decline.

The civilian death-rate in 1916 was 14·4 per 1,000, being 1·3 below the rate in 1915 and 0·1 below the average rate both of the ten years 1905–1914 (before the war) and of the ten years 1906–1915, the latter being based mainly upon the mortality of the total population. Although the rate in 1916 is higher than in some of the years immediately preceding the war, reasons are put forward in this Report for regarding it as representing a mortality approximately equal to the lowest hitherto recorded, if due allowance is made for the effect of enlistment upon the population. The provisional figures for the first three quarters of 1917 indicate a somewhat higher death-rate.

The mortality of young children is a remarkable feature of the year, being very much lower than any previously recorded. On the other hand there was a further increase in the abnormally high death-rate of civilian males of military age as a consequence of further withdrawal of the more healthy men by enlistment, and an excess of mortality among the aged which was not quite so marked as in 1915.

Infant mortality was 91 per 1,000 births, being 19 per 1,000 below the rate in the preceding year and 22 per 1,000 below the average of the 10 years 1906–1915. It is the lowest rate hitherto recorded. The provisional figures for the first three quarters of 1917 point to a higher rate in the current year. The decline in the birth-rate has proved such

a stimulant of interest in the preservation of the diminishing numbers of new lives produced that it has seemed appropriate to give more space than usual to examination of the mortality of the first five years of life. The additional matter has been in part devoted to the causes of death at ages 1–5, and in part to a review of the infant mortality of the last twelve years without distinction of its causes, but with minute distinction of age. This matter supplements the material of the five preceding Reports in the direction indicated, and can itself be supplemented if required by information in equal detail of age, &c., regarding the various causes of infantile deaths. In other cases as well as this it is impossible to publish all the information tabulated, and it would be well therefore if investigators, before assuming from its non-inclusion in these Reports that any required detail of tabulation is not available, would satisfy themselves on the point by inquiry at this Office.

Compared with 1915 most of the principal causes of death showed decreased mortality, the death-rates from enteric fever, scarlet fever and measles being the lowest on record, and those from whooping cough and diarrhœal diseases the lowest but one. Mortality from diphtheria, influenza, and diseases of the respiratory and circulatory systems, although below that in 1915, was above the average of recent years.

On the other hand mortality from phthisis and from tuberculosis as a whole showed a further advance, though slight, upon the increased mortality reported in 1915. It is satisfactory, however, to note that this tendency to increase has not extended to the mortality of young children, the death-rate from tuberculosis among children under five years of age being the lowest yet recorded.

Cancer caused a higher mortality than in any other year; but if the comparison be made by means of standardized rates, which allow for the present abnormal age-constitution of the male civilian population, it will be seen that the excess over the highest rate previously recorded—that of 1914—is very small and is due to increase among males only.

The mortality from cerebro-spinal fever remained abnormally high, although considerably below that recorded for 1915; and the remarkable fall in the proportion of male suicides recorded in 1915 was almost maintained, and is now for the first time accompanied by an appreciable decline in suicide amongst women.

In Dr. Stevenson's Review of the Vital Statistics of the year special attention has been devoted to the following matters :—estimates of population (pages x–xi), especially of population under five years of age (pages xxii–xxiii); infant mortality, particularly the incidence of this mortality during the various parts of the first year of life, and the share borne by overlying in the causation of infant deaths (pages xxiv–xliii); mortality of young children (pages xliii–xlviii), and of the aged (pages xlviii–xlix); also, among the causes of death syphilis (pages lvi–lx), alcoholism (pages lxvii–lxx), arterio-sclerosis (pages lxxi–lxxv), and suicide (pages lxxxi–lxxii).

The difficulty of estimating local populations which always increases as the last Census becomes more distant is greatly accentuated, as I have more than once pointed out, by the unprecedented movement which the war has caused in our population; and as was the case in 1915 the populations used in the calculation of the death-rates of the various areas are civil populations only. No estimate of these numbers by sex and age has been attempted except for England and Wales as a whole. In the present Report, however, an additional population suitable for the calculation of marriage-rates and birth-rates is given for the reasons stated on page xi. This, however, must not be regarded as equivalent to the total population resident in this country. Both the "birth-rate" population and the civil population are shown for every administrative area on pages 80–112.

As before, the limitation of the population estimates to persons without distinction of age or sex has necessitated the modification or omission of several tables of mortality rates.

With regard to the contents of this Report, I am glad to say it has been possible to reinstate the tables relating to age at marriage in England and Wales and the Registration Counties which had to be omitted from the preceding Report, additional information being afforded in the case of the Registration Counties by a remodelling of the form of the table. On the other hand, as a measure of war economy, the figures respecting the manner of solemnization of marriage and some other marriage statistics have still to be discontinued, while for the same reason the table of deaths by place of occurrence is also omitted this year, and, as before, the tables of secondary causes of death.

The section relating to International Vital Statistics has also been withdrawn, but in this case additional justification is afforded for this step by the fact that these figures are now published by the *Institut International de Statistique*. That part of the table

which relates to the United Kingdom is, however, retained, and it is hoped that in future years these figures may be given in greater detail.

A list of the changes made in the Abstracts will be found in the table of contents (page vi) and one of those made in the numbered tables on page 1.

I am glad to be able to record that, in spite of a diminished staff and war pressure, it has yet been possible to issue this Report after an interval of only ten months from the date of publication of the preceding one. The present Report appears at an earlier date after the close of the year to which it relates than has been the case at any time since the publication of the Report for the year 1908.

I have to convey my thanks to the Registrars-General of Scotland and Ireland for the information from which the tables of vital statistics of the United Kingdom have been compiled, to medical officers of health throughout the country, especially county medical officers of health, for their valuable assistance in securing accurate transfer of deaths from the district of occurrence to that of residence, and to Sir Napier Shaw, F.R.S., for the Meteorological Report upon the year 1916.

I have the honour to be,

Sir,

Your obedient Servant,

BERNARD MALLET,

Registrar-General.

General Register Office,
Somerset House,
London, W.C.2,
December, 1917.

REVIEW OF THE VITAL STATISTICS OF THE YEAR 1916.

Population.

The difficulties of framing estimates of population naturally increase with the duration of the war and have now become so formidable that it is no longer possible to put forward figures which can be regarded otherwise than as rough approximations, as indicated by the round numbers in which the estimates for England and Wales are framed. All the known circumstances have been carefully taken into account in arriving at these figures ; but the processes by which they have been obtained, being neither very satisfactory in themselves nor such as can readily or profitably be described at the present time, can only be summarised in the general statement that they are derived from the census of 1911 and the National Register of 1915 by allowance for natural increase and balance of migration. As the estimates (except those for birth- and marriage-rate purposes) are for civil population only, enlistment has been treated as equivalent to emigration.

Totals at all ages having been fixed in this manner, those at the several age-groups have been calculated by applying to the figures estimated for each in 1915 the death- and migration-rates appropriate to it, and reducing the numbers so obtained to the grand totals already fixed for each sex. Unfortunately it has been necessary in doing so to treat males of 15–45 as a single age-group. The results are shown in the following table :—

Table I.—England and Wales : Estimated Civil Population by Sex and Age, Mid. 1916.

Age-group.	Males.	Females.	Persons.
All Ages	15,000,000	19,500,000	34,500,000
0—	1,966,224	1,946,445	3,912,669
5—	1,929,888	1,934,724	3,864,612
10—	1,826,615	1,835,301	3,661,916
15—		1,757,158	
20—		1,739,665	
25—		1,703,050	
30—	5,381,023	1,579,941	14,821,793
35—		1,430,491	
40—		1,230,465	
45—	976,810	1,056,263	2,033,073
50—	848,675	886,565	1,735,240
55—	686,044	711,453	1,397,497
60—	536,876	570,817	1,107,693
65—	385,041	459,840	844,881
70—	249,454	333,027	582,481
75—	132,382	191,992	324,374
80—	57,776	90,526	148,302
85 and upwards ...	23,192	42,277	65,469

This is the first time that the estimate of numbers living at various ages has been prepared by means of this group survivorship method. In previous intercensal periods and up to the year 1914 estimation had always been effected upon the basis of the age-distribution at the previous census, fresh estimates being prepared after the results of the succeeding census became available. In 1915 the age distribution assumed was still largely that of the census of 1911, but with material modifications based upon the results of the National Register. The reasons for the change of policy now made are, apart from the necessity of taking enlistment into account, that as the result of the accelerated fall in the birth-rate the error introduced by adhering to the proportions of the previous census has been accentuated, and that the data required for the new method have been greatly improved of recent years by tabulation of deaths with fuller detail of age and by changes in the migration returns. The modification thus caused in the estimates of population under five years of age is of special importance : and the results of a complete application at these ages of the survivorship method of estimation, dating back to birth in each case, will be found on page xxiii.

Throughout this Report death-rates in 1916 are invariably based upon civil deaths and civil population. So far as localities are concerned this was necessary, both because of the impossibility of ascertaining the average military population of each district during the year and because experience has shown that under the present system of transferring deaths to the area of previous residence civilian deaths alone can be tabulated for local areas. The reasons for dealing similarly with the country at large were the desirability of maintaining a uniform practice in the matter throughout the Report, the fact that a large proportion of the military deaths were of sick and wounded men sent home from the theatres of war for treatment and so were not referable to the military population stationed in the country, and the impossibility during the war of stating a total death-rate comparable with those of former years.

This method of statement, however, is clearly inapplicable to the birth-rate, as a large proportion of the year's births must be those of infants whose fathers were serving at the time in the army or navy. For this reason the population to which the births are related cannot exclude the military element; nor can it be, as in peace time, the population estimated to be actually present in the country at the mid-year, for married men in the services who are given occasional home leave remain an effective element in the population so far as the birth-rate is concerned even though spending nearly all their time abroad. On similar grounds also an estimate of the total population, including forces serving overseas, is required for the calculation of marriage-rates. On consideration of all the methods which suggested themselves it was decided to assume a population for marriage- and birth-rate purposes which ignores the war altogether. This has been done by applying to the population estimated for the middle of 1914 the excess of births over deaths during the two following years, the resultant figure being 37,536,607. This method ignores the great bulk of the permanent losses of population due to the war, but this is largely compensated for by the fact that a considerable gain by balance of civilian migration is also ignored.

The civilian populations of separate localities are derived from a count of the National Register at the end of the second quarter of 1916. From this count estimates of the total civilian population of each area were made by the method described on page ix of the Report for 1915. The aggregate of these estimates was found to be 34,628,163, or ·37 per cent. in excess of the estimate for the whole country already arrived at. They were accordingly reduced to this extent in every case.

The local populations used for birth-rate purposes, which, as well as the civilian populations used for death-rates, have been furnished to the medical officer of health concerned in each case, and which are shown along with the civilian population estimates on pages 80 112, were obtained by increasing the local civilian population estimate to the extent by which the birth-rate population of the whole country exceeds the civilian population.

The want of estimates of sex- and age-populations in local areas* has necessitated the omission, or substantial modification, of many of the tables usually appearing in these Reports. For instance, the tables showing mortality by sex and age in England and Wales and in groups of Administrative Areas, which since 1911 have been incorporated in this Review of Vital Statistics, have now to be restricted to the country as a whole. Among the main tables of the Report, Tables 2–4 (1914 numbering), showing the estimated sex- and age-population in Administrative Counties and County Boroughs and in certain groups of these, cannot be given; although, as mentioned before, the estimated total civil populations in Administrative Areas will be found on pages 80–112. The Standardizing Factors are moreover omitted from these pages, as being no longer applicable. The absence of requisite populations also accounts for the suspension of Tables 16–18, dealing with sex- and age-mortality in Administrative Counties and County Boroughs, and of Tables 24–28 dealing with mortality by sex, age and cause in Administrative Groups, while for the same reason the mortality from measles, whooping-cough, scarlet fever, and diphtheria and croup in Table 13 (23 in 1914) could no longer be based upon those ages on which the mortality from these causes more particularly falls, but is stated in terms of population at all ages.

Marriages.

The marriages in England and Wales during the year 1916 numbered 279,846, corresponding to a rate of 14·9 persons married per 1,000 of the population at all ages. (*See* above as to population estimate used for this purpose.) This rate was 4·5

* The preparation of these estimates by the method employed for the country at large would have involved an amount of labour disproportionate to their value, and, indeed, prohibitive.

below the exceptionally high level attained in 1915, and 0·6 below the average rate of the decade 1901–1910. The proportion to total population of persons married since 1838 has ranged from a maximum of 19·4 per 1,000 living in 1915 to a minimum of 14·2 per 1,000 in 1886, the mean annual rate for the whole period (1838-1916) being 15·9 per 1,000 (*see* Table 3, page 5).

The proportion of marriageable persons in the population at different dates is not, however, a fixed one, and a more accurate measure is given by a rate in terms of the marriageable population only. Marriage-rates so calculated are shown for a series of years in Table 3. The rates for 1916 are 49·5 for males and 41·0 for females, which the table shows to be the lowest hitherto recorded for females, and the lowest but one—49·0 in 1909 when the rate for females equalled that in 1916—for males. The proportion of persons married to total population has on the other hand been lower in a number of previous years, when marriageable persons formed a smaller fraction of our population than at present.

We have thus the curious phenomenon of an unprecedentedly high marriage-rate in 1915 succeeded by an almost unprecedentedly low one in 1916. When the rates of the two years are examined quarter by quarter we find that the flood of marriages which set in with the second quarter of 1915 did not ebb till a year later, so that considerably more marriages were registered in the first quarter of 1916 than in the corresponding quarter of any previous year. By the second quarter the number had come down to about the normal level, and for the third and fourth quarters the rates were the lowest recorded in recent years, or in the case of the fourth quarter, which used to be the favourite for marriages till about the commencement of the present century, in any year since the commencement of registration. This ebb, however, did not equal in extent the flood which had preceded it, and has since been partially recovered from. These violent changes, which have thus involved in the one year the highest first and the lowest fourth quarter rates on record, are no doubt the direct consequence of the war, and appear in 1917 to be giving place to a less abnormal state of affairs. It may be pointed out that the sudden fall of the marriage-rate excess (as measured by comparison with the same quarter of previous years) occurred just at the time when compulsion for military service was applied to married men.

First Marriages and Re-marriages.—Table II gives a general view of the changes in the proportion of first marriages and re-marriages since the year 1876. Tabulation in this respect was not complete for 1915, but for 1916 it has been found possible by a change in method to provide, as in former years, tables showing marriages in all the possible combinations of bachelors, spinsters, widowers, and widows. These tables will be found on pages 67–75. In order to economise in space full detail of age is given only for all marriages and for marriages of bachelors and spinsters, but the same detail is available, if required, for marriages of bachelors with widows and of widowers with spinsters and with widows. It is hoped at a later date to fill in the figures for 1915 in Tables II–V.

TABLE II.—ENGLAND AND WALES, 1876–1916.—PROPORTIONS OF FIRST MARRIAGES and RE-MARRIAGES in 1,000 MARRIAGES.

Period.	Men.		Women.		Bachelors who married.		Widowers who married.	
	Bachelors.	Widowers.	Spinsters.	Widows.	Spinsters.	Widows.	Spinsters.	Widows.
1876–80 ...	864	136	902	98	820	44	82	54
1881–85 ...	874	126	911	89	834	40	77	49
1886–90 ...	881	119	917	83	844	37	73	46
1891–95 ...	887	113	921	79	851	36	70	43
1896–1900	904	96	931	69	871	33	60	36
1901–05 ...	911	89	933	67	877	34	56	33
1906–10 ...	916	84	938	62	884	32	54	30
1911 ...	918	82	939	61	887	31	52	30
1912 ...	918	82	938	62	886	32	52	30
1913 ...	919	81	936	64	885	34	51	30
1914 ...	920	80	934	66	884	36	50	30
1915 ...	?	?	?	?	890	?	?	?
1916 ...	908	92	915	85	860	48	55	37

It will be seen from Table II that the proportion of first to total marriages, which had been increasing throughout the whole of the period covered to a maximum in 1915, shows a sharp decline in 1916. Conversely the proportion of widowers and especially of widows to the total has increased, and indeed marriages of widows with bachelors have been relatively more common than at any previous period covered by the table. It would be interesting to trace the fluctuations in the marriage-rates of the various classes of persons concerned, but the uncertainties of estimation of the number of bachelors, widowers, etc., in the population are so considerable that these rates have hitherto been calculated only for periods adjacent to the census.

TABLE III.—ENGLAND AND WALES, 1886–1916.*—MARRIAGES of BACHELORS, SPINSTERS, WIDOWERS and WIDOWS at VARIOUS AGES per 1,000 MARRIAGES at ALL AGES.

Period.	All Ages.	Under 18 Years.	18—	19—	20—	21—	25—	30—	35—	40—	45—	50—	55 and upwards.	Age not Stated.
						All Bachelor Bridegrooms.								
1886–1890	1,000	0	4	20	47	424	309	96	33	13	6	3	2	43
1891–1895	1,000	0	3	17	43	415	333	108	37	14	6	3	2	19
1896–1900	1,000	0	3	15	39	411	346	110	39	15	6	3	2	11
1901–1905	1,000	0	3	13	35	390	360	122	41	16	7	3	2	8
1906–1910	1,000	0	3	11	30	370	372	132	46	17	8	3	2	6
1911 ...	1,000	0	3	11	28	350	380	139	50	19	9	3	3	5
1912 ...	1,000	0	3	11	28	347	378	140	52	20	9	4	3	5
1913 ...	1,000	0	3	12	30	348	372	141	53	21	9	4	3	4
1914 ...	1,000	0	3	13	29	350	367	139	54	23	10	4	3	5
1916 ...	1,000	1	4	11	24	335	355	144	65	31	14	6	4	6
						All Spinster Brides.								
1886–1890	1,000	9	37	72	97	417	219	62	23	10	5	2	1	46
1891–1895	1,000	7	31	66	94	425	241	70	25	11	5	2	1	22
1896–1900	1,000	6	27	59	89	434	253	74	26	11	5	2	1	13
1901–1905	1,000	5	23	53	82	428	272	79	28	12	5	2	1	10
1906–1910	1,000	5	21	48	75	420	284	87	30	12	6	2	2	8
1911 ...	1,000	5	21	46	70	404	298	93	32	13	7	3	2	6
1912 ...	1,000	5	22	47	71	399	295	95	34	14	7	3	2	6
1913 ...	1,000	5	25	50	72	397	290	95	34	14	7	3	2	6
1914 ...	1,000	7	25	50	71	399	286	95	35	14	7	3	2	6
1916 ...	1,000	5	21	46	68	402	278	100	41	18	9	3	2	7
						Bachelors with Spinsters.								
1896–1900	1,000	0	3	15	40	424	349	106	34	11	4	2	1	11
1901–1905	1,000	0	3	14	36	401	363	118	36	13	5	2	1	8
1906–1910	1,000	0	3	12	31	379	376	129	41	14	6	2	1	6
1911–1915	1,000	0	3	12	29	360	379	136	48	17	7	3	2	4
1911 ...	1,000	0	3	12	29	360	386	135	45	15	6	2	2	5
1912 ...	1,000	0	3	12	29	357	385	137	46	16	6	3	2	4
1913 ...	1,000	0	3	13	31	358	378	137	48	17	6	3	2	4
1914 ...	1,000	0	3	13	30	361	376	135	48	18	7	3	2	4
1915 ...	1,000	0	2	11	26	365	376	135	50	18	7	3	2	5
1916 ...	1,000	1	4	12	26	349	363	140	58	25	10	4	2	6
						Spinsters with Bachelors.								
1896–1900	1,000	6	28	62	94	454	254	65	18	5	2	1	0	11
1901–1905	1,000	5	25	56	86	444	274	72	20	6	2	1	0	9
1906–1910	1,000	5	22	50	78	436	288	81	23	7	2	1	0	7
1911–1915	1,000	6	24	49	73	417	296	89	28	8	3	1	1	5
1911 ...	1,000	5	22	48	73	419	303	87	25	8	3	1	1	5
1912 ...	1,000	6	23	49	74	414	300	89	27	8	3	1	1	5
1913 ...	1,000	7	26	53	76	412	294	87	27	8	3	1	1	5
1914 ...	1,000	7	26	52	74	415	290	89	28	9	3	1	1	5
1915 ...	1,000	5	22	46	70	422	295	90	30	9	4	1	1	5
1916 ...	1,000	6	23	48	72	417	282	94	34	12	4	1	1	6

* For the year 1915 only figures relating to first marriages of both contracting parties are available.

TABLE III—*continued.*

Period.	All Ages.	Minors.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Age not stated.
						All Widower Bridegrooms.								
1886–1890	1,000	0	13	81	133	151	139	120	94	70	53	27	15	104
1891–1895	1,000	0	12	76	132	153	148	126	106	74	55	29	18	71
1896–1900	1,000	0	10	73	131	158	150	136	109	84	56	30	19	44
1901–1905	1,000	0	10	68	130	155	152	136	116	83	62	32	20	36
1906–1910	1,000	0	8	61	123	153	152	141	119	90	62	37	24	30
1911 ...	1,000	0	7	56	115	155	146	144	119	93	68	40	33	24
1912 ...	1,000	0	7	55	108	150	145	142	125	99	68	45	33	23
1913 ...	1,000	0	8	51	109	149	150	145	125	97	69	42	30	25
1914 ...	1,000	0	7	52	108	148	152	145	126	97	70	40	31	24
1916 ...	1,000	0	6	43	94	130	162	163	133	105	73	40	29	22
						All Widow Brides.								
1886–1890	1,000	1	30	119	164	173	145	117	73	46	26	10	3	93
1891–1895	1,000	1	27	115	170	177	157	119	78	47	29	10	4	66
1896–1900	1,000	1	26	113	175	188	157	127	81	50	28	11	3	40
1901–1905	1,000	1	28	122	182	190	158	118	78	47	29	11	4	32
1906–1910	1,000	1	23	106	177	192	160	129	82	52	30	14	6	28
1911 ...	1,000	0	22	102	164	192	166	135	82	54	32	17	13	21
1912 ...	1,000	1	19	95	166	195	166	134	87	54	34	17	12	20
1913 ...	1,000	1	21	102	170	195	164	133	82	53	32	16	11	20
1914 ...	1,000	1	20	93	170	196	176	133	84	51	31	15	11	19
1916 ...	1,000	3	41	119	161	183	166	127	84	50	26	16	8	16

Table III shows that, whilst there has been in 1916 a continuance of the postponement of marriages of bachelors, widowers, and spinsters to a later period of life than was formerly customary, there has been, as was to be expected, a notable increase in the proportion of marriages of young widows. The population of widows under 30 years of age must have been greatly increased as a result of the war, and it has naturally furnished more marriages. Thus the marriage prospects of spinsters are decreased for two reasons —there are fewer marriageable males in consequence of the losses of unmarried combatants, and more marriageable females in consequence of the losses of married combatants.

Marriages of Minors.—The proportion of marriages under age was at its maximum in the year 1874 both for males and females, since when the ratio of marriage under age to total marriages declined continuously till 1911. In 1912 the decline was arrested, and in 1913 there was an appreciable increase for both sexes. Since then, however, the decline has recommenced, and the proportions for 1916 are the lowest in Table IV, though when those for 1915 are available they will probably be found to be lower still, as they are lower for bachelor-spinster marriages.

TABLE IV.—ENGLAND AND WALES, 1876–1916.—MINORS MARRIED per 1,000 MARRIAGES at ALL AGES.

——	Husbands.	Wives.	——	Husbands.	Wives.
1876–80	77·8	217·0	1911...	39·3	133·3
1881–85	73·0	215·0	1912...	39·2	135·4
1886–90	63·2	200·2	1913...	42·1	143·8
1891–95	56·2	182·6	1914...	41·6	142·5
1896–1900	51·2	168·0	1915...	?	?
1901–05	46·3	153·1	1916...	36·2	129·1
1906–10	40·3	139·4			

Mean Age at Marriage.—The great reduction which has taken place of recent years in the proportion of marriages without statement of the ages of the contracting parties has rendered it possible to measure the mean age at marriage with approximate accuracy from the returns in which age is recorded. The degree of accuracy obtained has been

appreciably increased from 1914 onwards as a result of the tabulation by single years of age at all periods of life, first carried out in that year. These mean ages are shown in Table V for the years 1896 onwards.

TABLE V.—ENGLAND AND WALES.—MEAN AGE at MARRIAGE, 1896–1916.

MALES.

Year.	All Bridegrooms.*	All Bachelor Bridegrooms.	All Widower Bridegrooms.	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
1896 ...	28·43	26·59	44·49	26·30	33·93	41·38	49·60
1897 ...	28·38	26·63	44·53	26·35	34·10	41·43	49·73
1898 ...	28·34	26·62	44·70	26·34	33·94	41·82	49·69
1899 ...	28·34	26·65	44·90	26·37	34·29	41·87	49·81
1900 ...	28·41	26·68	45·02	26·39	34·35	42·19	49·75
1901 ...	28·55	26·76	45·18	26·48	33·94	42·43	49·69
1902 ...	28·53	26·88	44·96	26·60	33·94	42·11	49·81
1903 ...	28·49	26·91	44·94	26·63	34·24	42·16	49·72
1904 ...	28·46	26·93	45·03	26·66	34·06	42·25	49·98
1905 ...	28·56	27·01	45·27	26·74	34·26	42·47	50·18
1906 ...	28·56	27·03	45·37	26·76	34·39	42·59	50·25
1907 ...	28·66	27·10	45·62	26·84	34·58	42·85	50·56
1908 ...	28·78	27·19	45·69	26·92	34·57	42·92	50·66
1909 ...	28·88	27·29	45·93	27·02	35·00	43·23	50·85
1910 ...	28·92	27·36	45·93	27·09	34·96	43·14	50·89
1911 ...	29·03	27·46	46·42	27·19	35·19	43·49	51·46
1912 ...	29·12	27·56	46·77	27·27	35·75	43·96	51·67
1913 ...	29·11	27·56	46·65	27·25	35·68	43·91	51·35
1914 ...	28·94	27·40	46·66	27·05	35·90	43·79	51·39
1915 ...	?	?	?	27·12	?	?	?
1916 ...	29·70	27·93	47·32	27·47	36·20	44·79	51·07

FEMALES.

Year.	All Brides.*	All Spinster Brides.	All Widow Brides.	Spinsters with Bachelors.	Spinsters with Widowers.	Widows with Bachelors.	Widows with Widowers.
1896 ...	26·21	25·08	40·58	24·54	32·43	35·69	44·81
1897 ...	26·18	25·10	40·74	24·59	32·31	35·95	45·00
1898 ...	26·18	25·14	40·59	24·62	32·68	35·85	45·04
1899 ...	26·21	25·16	40·83	24·65	32·83	36·12	45·16
1900 ...	26·29	25·23	40·74	24·71	32·97	36·19	44·95
1901 ...	26·39	25·31	40·43	24·77	33·04	35·65	44·96
1902 ...	26·37	25·36	40·25	24·86	32·86	35·62	44·95
1903 ...	26·35	25·37	40·27	24·89	32·93	35·69	45·01
1904 ...	26·32	25·37	40·35	24·90	33·03	35·82	45·22
1905 ...	26·38	25·43	40·53	24·96	33·08	36·02	45·29
1906 ...	26·41	25·46	40·79	24·99	33·30	36·27	45·53
1907 ...	26·49	25·54	40·91	25·06	33·43	36·32	45·68
1908 ...	26·61	25·63	41·02	25·13	33·71	36·43	45·86
1909 ...	26·69	25·73	41·27	25·22	33·85	36·71	45·98
1910 ...	26·75	25·79	41·33	25·30	33·85	36·83	46·07
1911 ...	26·80	25·81	41·74	25·32	34·13	37·01	46·63
1912 ...	26·84	25·85	41·89	25·36	34·25	37·44	46·69
1913 ...	26·80	25·78	41·57	25·29	34·23	37·22	46·59
1914 ...	26·68	25·61	41·64	25·12	34·28	37·53	46·57
1915 ...	?	?	?	25·28	?	?	?
1916 ...	27·17	25·91	40·73	25·36	34·58	36·79	45·85

* The apparent anomaly that the mean age of all bridegrooms shows a smaller increase than the mean age of either bachelor or widower bridegrooms is due to the fact that in the earlier years the total number of bridegrooms included a larger proportion of widowers, and this, of course, had the effect of raising the mean age of the total (*see* Table II.). A similar explanation applies to the mean ages of wives up to 1914, the position in 1916 being reversed for females owing to the increased proportion of widows married.

The mean age at marriage gradually increased from 1896 to 1914 for bachelors and spinsters, and also, with some fluctuations, for widowers. (The apparent reduction in 1914 of the mean ages of bachelors and spinsters was entirely due to the more precise method of calculation then introduced, which reduced them by about ·18 of one year, but

scarcely affected the calculation for the widowed.) In the case of widows the increase did not set in till 1903. If we may judge by the bachelor-spinster marriages this increase was continued in 1915, and it has been greatly accelerated in 1916 so far as all bridegrooms and spinster brides are concerned, but as already pointed out there is a decline in the mean age of widows remarrying, which corresponds with that prevalent about ten years earlier. It would be unwise to attribute any great significance to the rapid changes which war has brought with it, and which may not be maintained after the restoration of peace.

On pages 76–79 will be found a table giving the numbers of marriages in Registration Counties by groups of ages. This table is similar to that published in the Report for 1914, but the form has been modified to some extent in order to afford additional information showing combinations of bachelors, spinsters, widowers and widows.

Buildings in which Marriages may be Solemnized.—At the end of the year 1916 the numbers of churches or chapels of the Established Church, and of registered buildings, in which marriages could be legally solemnized, were as follows :—

Established Church	16,059
All other Religious Denominations	16,958
Total	33,017

The increase upon the numbers at the end of the previous year was : Established Church 32, other religious denominations 133. The number of these buildings belonging to the various denominations is shown for each registration county in Table 5, (p. 6).

By the Acts 15 and 16 Vict. c. 36, and 18 and 19 Vict., c. 81, it was enacted that all places of religious worship not being churches or chapels of the Established Church should, if the congregations desired, but not otherwise, be certified to the Registrar-General, certification for public worship being a necessary preliminary to the registration of a building for the solemnization of marriages. The number of places of meeting for religious worship on the official register on 31st December, 1916, and the number of buildings registered for the solemnization of marriages are shown in the following table :—

TABLE VI.

Denomination.	Buildings certified to the Registrar-General as Meeting-places for Religious Worship.	Buildings registered for the Solemnization of Marriages.*	Denomination.	Buildings certified to the Registrar-General as Meeting-places for Religious Worship.	Buildings registered for the Solemnization of Marriages.*
Roman Catholics ...	1,490	1,414	New Church	53	59
Wesleyan Methodists ...	7,525	3,959	Catholic Apostolic Church	69	49
Congregationalists ...	3,302	2,991	Countess of Huntingdon's Connexion	47	42
Baptists	3,117	2,710			
Primitive Methodists ...	4,311	1,809	Salvation Army	1,183	68
United Methodist Church	1,965	1,199	Society of Friends ...	428	—†
Calvinistic Methodists ...	1,243	942	Jews	231	—†
Presbyterians	440	445	Other Denominations ...	3,056	1,075
Unitarians	182	196			
			All Denominations ...	28,642	16,958

* Of these buildings nearly 1,000 were certified before 1852, as Places of Meeting for Religious Worship, to some other Authority than the Registrar-General and therefore are not included in the preceding column.

† It is not necessary for buildings to be registered for the solemnization of Quaker or Jewish marriages. Under section 31 of the Births, Deaths, and Marriages Registration Act (1836) Registering Officers of the Society of Friends and Secretaries of Jewish Synagogues who have been certified to the Registrar-General record the marriages in each case.

The Marriage Act, 1898, provided that under specified conditions marriages might be solemnized in registered buildings in the presence of duly authorised persons without the attendance of a Registrar of Marriages. The governing bodies of some of the registered buildings have availed themselves of this provision, and at the end of the year 1916 the number of such buildings which had been brought under the operation of the

Act, and so remained, was 4,167 out of the total of 16,958 ; the numbers of these buildings and the denominations to which they belonged, were as follows :—

1,742	Wesleyan Methodists.
637	Congregationalists.
625	Primitive Methodists.
427	Baptists.
368	United Methodist Church.
104	Calvinistic Methodists.
264	Other Denominations, and Unsectarian.
4,167	All Denominations.

Births.

The births registered during 1916 numbered 785,520, or 29,094 fewer than in the previous year, during which 64,482 fewer births had been registered than in 1914, the last year which so far as births are concerned was unaffected by the war.

In proportion to the total population of both sexes and all ages in 1916, as estimated for this purpose (*see* page xi), the births registered yield a birth-rate of 20·9 per 1000 living. This rate is 1·1 per 1000 below that recorded for 1915, but if the population for that year had been similarly estimated to that for 1916 the fall would have been 1·0 per 1000. This fall is little greater than several that have been recently recorded under peace conditions, as for instance, from 26·7 in 1908 to 25·8 in 1909. As the fall recorded in 1915, though greater, was also of moderate dimensions, the total reduction in natality accompanying the war must be regarded as surprisingly light, amounting in all to about 12 per cent. This is due to some extent to the abnormal height of the marriage-rate during the last three quarters of 1915 and the first quarter of 1916, for examination of the corresponding quarters nine months later shows that the fall in the birth-rate was stayed at that period, to be resumed after its expiry.

We have no information of any corresponding rise in the marriage-rate in any of the principal belligerent European countries, in most of which, and notably in the Central Empires, the birth-rate has declined very much more than here, the difference being far more than can be ascribed to the effect of increase of marriages in England and Wales. Official figures are lacking, but German and Austrian statements have been noted which, with every appearance of derivation from official sources, point to exceedingly heavy declines in the birth-rate of those countries. Thus we are informed that in Germany 1,820,000 births occurred in 1914, 1,416,000 in 1915, and 1,103,000 in 1916, a fall in the two years of 40 per cent. ; while in Hungary the births in 1916 are stated to have numbered only 333,551, the fall from the 1914 figure being approximately 56 per cent.

Birth-rates of different parts of the Country.—The birth-rates of individual administrative areas, tabulated on pages 80–112, are summarized in Table VII. The reasons for employing this form of table have been stated in previous Reports, and the limits of the four geographical divisions dealt with are indicated in a footnote.*

Table VII.—Births in 1916 per Thousand Total Population.

—	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	21·5	—	21·5
County Boroughs	21·8	21·9	19·8	23·0	21·7
Other Urban Districts	20·5	20·7	19·0	24·6	20·7
Rural Districts	21·6	19·5	17·8	21·3	19·7
All areas	21·4	20·8	20·0	23·2	20·9

* The "North" includes the administrative counties and county boroughs corresponding to the registration counties in the eighth, ninth, and tenth "registration divisions" of the Registrar-General, *i.e.*, Lancashire, Cheshire, and Yorkshire, and counties north of them. The "South" includes England south of the Thames, with the whole of the County of London and the five south-western counties, forming the first, second, and fifth registration divisions. "Wales" corresponds to the

The highest birth-rates recorded in Table VII are those of Wales, and next to them those of the North of England, while those of the South are the lowest. Moreover, if it were not for the inclusion of London in the South the rate for this portion of the country as a whole would fall short of those recorded elsewhere to a considerably greater extent than appears in the table.

The highest rates are as usual yielded by the small towns of Wales, and the lowest by the rural districts of the South of England. Indeed all the features of the table, which are very constant, remain practically the same as in peace-time, the effect of the war being manifested by a lowering of the rates all round, which, however, has affected the areas of higher rather more than those of lower birth-rates.

Sex Proportions at Birth.—Births of males in England and Wales numbered 402,137 and those of females 383,383 ; the proportion of male to female births being, therefore, 1,049 to 1,000. The corresponding proportions in each year from 1867 onwards and in groups of years since the commencement of registration are shown in Table 3, page 5 ; the extreme range during the last 50 years has been from 1,032 per 1,000 in 1898 to 1,043 in 1867 and 1875, and 1,049 in 1916.

It will only be possible after the war, when the official statistics of all the countries concerned are published, to determine to what extent the old idea that war conditions lead to male conceptions has been justified by the huge experiment now in progress. It is, however, very interesting to note the support which the theory receives from the English figures even though the physical distress, characteristic of warfare, has not fallen upon our population. It can hardly be dismissed as an accidental coincidence that by far the highest proportion recorded during the last fifty years should have characterised the first calendar year entirely subject in this respect to the influences of war.

TABLE VIII.—MALE BIRTHS per THOUSAND FEMALE BIRTHS, 1911-15 and 1916.

—		North.	Midlands.	South.	Wales.	England and Wales.
London	1911–15	—	—	1,038	—	1,038
	1916 ...	—	—	1,055	—	1,055
County Boroughs	1911–15	1,040	1,034	1,038	1,031	1,038
	1916 ...	1,047	1,046	1,043	1,013	1,045
Other Urban Districts	1911–15	1,035	1,036	1,039	1,039	1,037
	1916 ...	1,055	1,051	1,064	1,033	1,053
Rural Districts	1911–15	1,044	1,042	1,040	1,047	1,043
	1916 ...	1,068	1,036	1,039	1,051	1,046
All areas	1911–15	1,039	1,037	1,038	1,040	1,038
	1916 ...	1,052	1,046	1,053	1,034	1,049

Table VIII shows that the increased proportion of male births is very unequally shared by different parts of the country. In the towns of Wales in fact the divergence

eleventh or Welsh registration division and so includes Monmouthshire. All the rest of the country, corresponding to the third, fourth, sixth, and seventh registration divisions, is included in the Midland area. The counties in the four areas are as follows :—

North.	Midlands.		South.	Wales.
Cheshire.	Middlesex.	Gloucestershire.	London.	Monmouthshire.
Lancashire.	Hertfordshire.	Herefordshire.	Surrey.	Glamorganshire.
Yorks, West Riding.	Buckinghamshire.	Shropshire.	Kent.	Carmarthenshire.
„ East Riding.	Oxfordshire.	Staffordshire.	Sussex, East.	Pembrokeshire.
„ North Riding.	Northamptonshire	Worcestershire.	„ West.	Cardiganshire.
Durham.	Soke of Peterborough.	Warwickshire.	Southampton.	Brecknockshire.
Northumberland.	Huntingdonshire.	Leicestershire.	Isle of Wight.	Radnorshire.
Cumberland	Bedfordshire.	Rutlandshire.	Berkshire.	Montgomeryshire.
Westmorland.	Cambridgeshire.	Lincolnshire,	Wiltshire.	Flintshire.
	Isle of Ely.	Parts of Holland.	Dorsetshire.	Denbighshire.
	Essex.	„ Kesteven.	Devonshire.	Merionethshire.
	Suffolk, East.	„ Lindsey.	Cornwall.	Carnarvonshire.
	„ West.	Nottinghamshire.	Somersetshire.	Anglesey.
	Norfolk.	Derbyshire.		

from the experience of the previous five years has been in the opposite direction, the preponderance of male births in 1916 being distinctly less than average. The country districts of Wales show a slight increase, but those of the Midlands and South a decrease, so that notwithstanding the large increase shown for the North, the rural districts as a whole record but a slight increase, and instead of yielding a ratio larger than that of the towns, as in previous years, now yield one below that for the country as a whole. The highest ratio shown in the table is, however, that for the northern rural districts, 1,068, and next to it that for the smaller towns of the South, these two ratios also involving the largest increases on those of previous years.

The materials for further investigation of this matter are to be found on pages 80–112, where the male and female births of each district in the country are recorded.

Illegitimate Births.—The births registered during 1916 include 37,689 of illegitimate children, an increase over the previous year of 1,444, notwithstanding the decline of 29,094 in total births.

Illegitimacy may be stated as the ratio of illegitimate births to (1) total births, (2) total population or, best, (3) to the unmarried and widowed female population of conceptive age. The results of these three methods of statement are compared in the following table, which carries the record back to the period of maximum registered fertility in this country. The rates for single years are shown in Table 3, page 5.

TABLE IX.—ENGLAND AND WALES.—ILLEGITIMATE BIRTHS, 1876-1916.

Period.	In proportion to total Births.		In proportion to total Population.		In proportion to the Unmarried and Widowed Female Population aged 15–45 years.	
	Rate per 1,000.	Compared with rate in 1876–80 taken as 100.	Rate per 1,000.	Compared with rate in 1876–80 taken as 100.	Rate per 1,000.	Compared with rate in 1876–80 taken as 100.
1876–1880... ...	47·5	100·0	1·7	100·0	14·4	100·0
1881–1885... ...	48·0	101·1	1·6	94·1	13·5	93·8
1886–1890... ...	46·3	97·5	1·5	88·2	11·8	81·9
1891–1895... ...	42·4	89·3	1·3	76·5	10·1	70·1
1896–1900... ...	41·0	86·3	1·2	70·6	9·2	63·9
1901–1905	39·5	83·2	1·1	64·7	8·4	58·3
1906–1910... ...	40·2	84·6	1·1	64·7	8·1	56·3
1911–1915... ...	43·1	90·7	1·0	58·8	7·8	54·2
1915	44·5	93·7	1·0	58·8	7·4	51·4
1916	48·0	101·1	1·0	58·8	7·6	52·8

This table shows how misleading the first form of statement, considered alone, may be. It might be thought from it that no decrease in illegitimacy had occurred during the past forty years, whereas the other columns of the table show that in proportion to the population concerned the rate of illegitimacy has never been so low as at present, its fall having continued without interruption throughout the period, and the rate for 1915, 7·4 per 1,000 single and widowed women of fertile age, being the lowest on record. The apparent rise shown by the first two columns is of course due to the fact that in 1916 the accelerated fall in legitimate fertility has practically caught up with that in illegitimate, legitimate fertility (legitimate births per 1,000 married women aged 15–45) having in 1916 been 55·9 per cent. of the corresponding rate in 1876–80, a ratio which compares with that of 52·8 per cent. shown in Table IX for illegitimate fertility.

It may be seen from Table 2, page 4, that the annual number of illegitimate births has remained practically stationary during the present century, and that during the latter third of the nineteenth century it was gradually declining, notwithstanding increase of population, and of legitimate births. Only two previous years in the table show so small a number of illegitimate births as 1915, and the slight increase in this number recorded for 1916 is not surprising in view of the exceptional circumstances of the year, including the freedom from home restraints for the first time of exceptionally large numbers of young persons of both sexes.

Some idea of the extent of illegitimacy in different classes of area and parts of the country may be gathered from Table X, but it must be borne in mind that statement in proportion to total population, to which we are restricted for 1916 (*see* page xi), reduces the excess of illegitimacy in the rural districts which is found to exist when

statement can be made in terms of the single and widowed female population of fertile ages.

TABLE X.—ILLEGITIMATE BIRTHS in 1916 per THOUSAND TOTAL POPULATION.

—	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	0·95	—	0·95
County Boroughs	1·03	0·95	1·34	0·94	1·03
Other Urban Districts	0·92	0·97	1·17	0·90	0·99
Rural Districts	1·02	1·02	1·00	1·10	1·02
All areas	0·99	0·98	1·06	0·97	1·00

Natural Increase.—In 1916 the excess of births over deaths registered in England and Wales was 277,303, as compared with 252,361 in 1915 and 362,354 in 1914, births having decreased less than deaths in 1916. These figures of course exclude all war casualties except the 3,604 deaths from wounds registered in this country (page 248). It is not possible to state the number of fatal casualties incurred by English and Welsh troops during the year 1916, but there can be no doubt that it must be very much lower than 277,303. As the adverse balance of migration for the United Kingdom apart from troop movements amounted only to 1,832 (Table 18), the increase in our population under war conditions noted in the report for 1915 must have continued.

This is not the experience of some other belligerent countries. The German statistics already referred to record 1,331,000 deaths, apparently exclusive of at least the great majority of fatal war casualties, in 1916, as against 1,103,000 births ; and the Hungarian figures are for deaths "not in action," 428,057, as against 333,551 births.

DEATHS.

The deaths of 508,217 persons were registered in England and Wales during 1916, 265,030 (viz : 253,958 civilians and 11,072 non-civilians) of these being males and 243,187 females.

The 497,145 civilian deaths correspond to a rate of 14·4 per 1000 of the estimated civil population. When standardized* to correct for the deviation of the sex- and age-distribution of the civilian population from that of the standard population of 1901 this rate is reduced to 13·3 (Table 3). The extent of the reduction is due to the withdrawal from the civilian population of males of an age when mortality is below the average for all ages. The mortality of the remaining population is, of course, raised by this withdrawal, and it is the correction for this circumstance which has increased the difference between the crude and standardized rates from 0·4 per 1,000 in 1914 to 1·1 in 1915 and 1916.

The standardized rate is of course comparable with that for any other year notwithstanding that it applies to civilians only in 1916. But though this is true so far as correction for the altered sex- and age-distribution of the population is concerned, the change has involved a source of increase in the death-rate to which the methods of correction in use are inapplicable. The males withdrawn from the population were selected lives, so the death-rate amongst the remainder of military age has necessarily been higher than would have been recorded for the total male population of these ages. Standardization cannot correct for this deterioration in the quality of the population dealt with in 1916, but it may be shown that, assuming the correctness of the estimates of population used, mortality was as low in 1916 as in any previous year if allowance for this deterioration is made. A lower standardized mortality than that of 1916 has indeed been twice recorded, 13·2 in 1910 and 13·0 in 1912. The reasons for believing that notwithstanding these figures the mortality of 1910 and probably that of 1912 was higher than that of 1916 are discussed on page xxii.

* The term "standardized death-rate" means the death-rate corrected for differences of sex- and age-constitution of the population. For a description of two methods of effecting this "standardization" of recorded death-rates *see* the Annual Report for 1911 (pp. xxvii–xxxi). Standardized death-rates for the sexes separately quoted in this report are based upon the age-distribution of persons of undistinguished sex in the general population of England and Wales in 1901. (*See* Annual Report for 1913, p. xx.)

Mortality of each Sex.—The standardized mortality of males regularly exceeds that of females. Up to 1860 or so the excess was only about nine per cent., but for the 15 years ending with 1914 it averaged about 20 per cent. In 1915, on account of the deterioration in quality of a section of the male population just referred to, the excess rose to 25 and in 1916 to 32 per cent. Between 1841–1845 and 1911–15, the first and the last quinquennia in Table 3, the standardized mortality of females has fallen by 36·9 per cent. while the fall in that of males has been only 29·6 per cent.

Table XI and Tables 6 and 7 show that the excess in the mortality of males manifested itself at all ages in 1916 except at 10–15 years, at which that of females was very slightly the greater.

The ratios of male per cent. of female mortality at the various age-periods during the years 1911–1914, 1915 and 1916 are as follows:—

—	All Ages (standardized).	0—	5—	10—	15—	45—	55—	65—	75—	85—
1911–14	122	120	102	95	121	130	132	125	117	111
1915	125	122	101	100	150	126	126	126	114	108
1916	132	123	106	99	169	130	128	129	119	107

At the ages affected by military service, *i.e.*, 15–45, the ratios have risen so considerably that they are now wholly abnormal. The deaths concerned, it may be repeated, are those of civilians only, and the abnormal male mortality at military age is therefore quite independent of casualties.

Mortality at different Ages.—In the absence of estimates of the ages of the population in the various sections of the country (see page xi) the tables in the reports for the years 1911–1914 showing mortality at different ages and standardized mortality at all ages by sex for the different classes of areas, urban and rural, cannot be repeated for 1916. Table XI, however, gives the crude and standardized rates for sexes and persons for the whole country as well as the mortality per million living at different ages for the civil population in 1915 and in 1916, and for the total population in 1911–1914. For the reason stated on page x males aged 15–45 have had to be dealt with as forming a single large age-group in preparing the figures for 1916.

TABLE XI.—ENGLAND AND WALES: MORTALITY FROM ALL CAUSES per MILLION POPULATION, 1911–1914, 1915 and 1916.

—	Males.			Females.			Persons.		
	1911–14.	1915 (Civilians only).	1916 (Civilians only).	1911–14.	1915.	1916.	1911–14.	1915 (Civilians only).	1916. (Civilians only).
All Ages { Crude ...	14,870	17,732	16,884	13,041	13,936	12,437	13,926	15,653	14,371
All Ages { Standardized.	14,951	16,311	15,267	12,318	13,063	11,609	13,556	14,597	13,333
0–	40,084	39,812	30,863	33,444	32,534	25,165	36,779	36,190	28,028
5–	3,277	3,772	3,211	3,223	3,717	3,035	3,250	3,744	3,123
10–	1,954	2,309	2,171	2,052	2,308	2,190	2,003	2,309	2,181
15–	2,911	3,826	?	2,664	2,972	2,935	2,787	3,328	?
20–	3,683	5,902	?	3,093	3,244	3,244	3,372	4,112	?
25–	4,824	6,182	?	3,979	4,054	3,869	4,381	4,887	?
35–	8,171	9,089	?	6,561	6,796	6,306	7,337	7,844	?
15–45	*5,177*	*6,684*	*7,195*	*4,289*	*4,466*	*4,267*	*4,716*	*5,366*	*5,330*
45–	15,030	15,449	14,494	11,530	12,274	11,163	13,211	13,819	12,777
55–	30,514	31,897	29,589	23,178	25,233	23,112	26,642	28,493	26,274
65–	64,626	71,413	68,846	51,620	56,881	53,392	57,383	63,320	60,262
75–	139,418	160,731	159,262	119,363	140,461	133,311	127,485	148,669	143,751
85 and upwards	271,307	313,776	305,771	244,248	289,228	284,858	253,855	297,950	292,266

The most remarkable feature of this table is the extraordinarily low death rates at age 0–5 in 1916, which, as may be seen from Tables 6–8, are much lower than any previously recorded, and indeed are less than half of those prevalent in the concluding years of the last century—less than 20 years ago. As about 25 per cent. of the total mortality

still occurs at this period of life this great reduction has brought the standardized mortality of females below that of any other year (Table 7) although, speaking generally, the rates at later ages are not remarkably low, and in old age (75 and upwards) they are much above the experience of recent years except 1915. The same statements apply to the death-rates for males recorded in Table 6, if the age-groups affected by the war, 15–45, are left out of account. The heavy mortality amongst civilians at these ages, however, caused by the physical deterioration resulting from selection of the fittest men for military service, suffices to mask the general improvement, and thus the standardized mortality of males, 15·3 per 1,000 of all ages, is higher than that of four previous years, 1910 and 1912–1914.

In order to obtain a comparison of the mortality in 1916 with that of other recent years which shall be free from this disturbing influence of the war two methods have been adopted. By the first the standardized death-rates of the past six years have been re-calculated on the assumption that each of them suffered from similar deterioration of the male population aged 15–45 to that of 1916, and consequently experienced the same death-rate at these ages, namely 7,195 per million. This assumption if anything under-estimates the necessary correction, for as the year was one of low mortality generally, except amongst old people, the presumption is that if the population of young men had been a normal one it also would have experienced a lower death-rate than that of most of the other years compared, whereas the method only assumes equality.

The second method ignores males aged 15–45 altogether, and states a standardized death-rate for the remainder of the population unaffected by the difficulty under discussion. It will be seen that the comparative results of both methods are very similar, the mortality of 1916 being shown by both as slightly lower than that of 1912, the lowest actual rate yet recorded.

—	Crude death-rate per million living.	Standardized death-rate per million living.	Standardized death-rate taking that of males aged 15–45 at the figure applying to civilians in 1916.	Standardized death-rate of the population other than males aged 15–45.
1911	14,585	14,299	14,773	17,043
1912	13,347	12,970	13,497	15,384
1913	13,795	13,446	13,977	16,008
1914	13,981	13,607	14,057	16,112
1915	15,653*	14,597*	14,788*	17,062*
1916	14,371*	13,333*	13,333*	15,171*

* Civilians only.

By either method of comparison the death-rate obtained for 1916 is about 0·2 per thousand living below that of 1912.

This result, however, depends as already stated upon the correctness of the estimates of population upon which the age-group death-rates used in standardization are based. There is good reason to believe that the population at ages 0–5, which is of great importance in the calculation, is somewhat overstated in Table I, with resultant under-statement of the death-rates at that age. Any corresponding understatement of population at ages over five could not compensate for this, since the death-rate at 0–5 is much in excess of that for the whole period 5 and upwards.

This overstatement of population at 0–5 is due to the failure of the methods of estimation in use prior to 1916 to allow for the decrease in the proportion of the total population formed by children of these ages, as a consequence of the fall in the birth-rate. The population at these ages has accordingly been re-estimated for each year from 1911 onwards on a survivorship basis, starting with the births in the twelve months preceding the middle of each year and deducting the deaths of these infants during the same twelve months (which are found in all years to be little under or over 70 per cent. of the total infantile deaths of the period) to ascertain survivors aged 0–1, and similarly for later years of life, in which the deaths have to be taken as evenly distributed.* This method, which

* The record of infant deaths during the twelve months preceding each mid-year, classified by week and month of age as in Table XVII, is available from 1911 onwards. From this it is easy to ascertain which of these infants were born during these twelve months and which in the preceding

entirely ignores the census enumeration, fails to allow for migration, and in the absence of any precise record of the ages of migrants no correction for the effects of migration can be applied to it. Probably, however, these effects are normally of minor importance in the first five years of life, and at the present time they must be especially insignificant.

The results so obtained are as follows :—

TABLE XII.—ENGLAND and WALES, 1911–1916: POPULATION in each of the FIRST FIVE YEARS of LIFE estimated from BIRTHS and DEATHS.

——		0—1	1—2	2—3	3—4	4—5	0—5
1911 ...	M.	416,566	400,321	394,115	394,277	381,548	1,986,827
	F.	407,308	395,541	391,082	392,561	379,410	1,965,902
1912 ...	M.	401,711	389,894	388,687	389,519	391,357	1,961,168
	F.	393,860	384,173	384,488	386,526	389,727	1,938,774
1913 ...	M.	412,084	381,195	380,704	384,376	386,699	1,945,058
	F.	404,286	377,102	375,871	380,415	383,732	1,921,406
1914 ...	M.	410,889	390,346	372,411	376,844	381,767	1,932,257
	F.	404,622	385,801	369,025	372,170	377,907	1,909,525
1915 ...	M.	405,638	385,169	378,806	367,214	373,598	1,910,425
	F.	399,425	383,522	375,378	364,104	368,948	1,891,377
1916 ...	M.	369,857	386,156	376,474	374,669	364,428	1,871,584
	F.	360,105	382,922	375,486	371,596	361,531	1,851,640
1911–14 ... (Average)	M.	410,313	390,439	383,979	386,254	385,343	1,956,328
	F.	402,519	385,654	380,117	382,918	382,694	1,933,902

This estimate of population aged 0–5 in 1916 falls short of that on page x by 189,445. The result of this is to raise mortality at this age from 28,028 per million living to 29,535 and with it slightly to raise the standardized death-rate at all ages, though probably not sufficiently to wipe out the advantage which 1916 has been shown above as holding over 1912. All that can be said with confidence is that mortality in 1916 was about equal to that in 1912 and lower than in any other year.

To show that in this country a death-rate of males aged 15–45 amounting to 7,195 per million is wholly anomalous, corresponding rates for recent years up to and including 1914 may be quoted. The lowest this century was that for 1913—5,023 ; and the highest that for 1901—6,461, the rate for each year from 1908 onwards having been less than 5,500. In 1915 this rate rose to 6,684, and in 1916, as already stated, to 7,195. To find a rate exceeding this we have to go back to 1893, when mortality generally was much higher than at present, the standardized death-rate for that year having been 18·9 per 1000 persons.

year. Deduction of the former number from the births of the twelve months gives the survivors aged 0–1 at the mid-year. From the same mortality table for the succeeding twelve months the number of infants dying in that year and born in the previous one, *i.e.*, the remainder of the deaths under one year of age of children born during the twelve months first dealt with, is ascertained ; and so the total deaths under one year from amongst these births. Deduction of these from the births gives survivors at the exact age of 1 year and from these the population aged 1–2 at the mid-year twelve months later than that first dealt with is ascertained by deduction of half the deaths in the second year of life during the twelve months between the two mid-year dates (the average exposure to risk of dying being for six months), and so for higher ages. This method assumes that for the second and subsequent years of life the deaths in the second half of the year are equal to those in the first. This is of course not the case, for mortality, especially in the second year, must decline appreciably as age advances, but in the absence of detailed tables of ages for these years similar to Tables XVII this decline cannot be measured. The resultant overstatement even of population age 1–2 cannot be serious, and is not to be compared with the errors introduced by other methods of estimation. Indeed the census returns for the first two years of life are so much open to question (*see* Report on the census of 1911, vol. vii, pages xxxi and xliii) that the results of this method of estimation for census years are probably more reliable at these ages than the census enumeration.

Taking the rates in Table XI for the four years 1911–1914 as 100, the proportionate rates in 1915 and 1916 are as follows :—

		All Ages (standardized).	0—*	5—	10—	15—	45—	55—	65—	75—	85—
Males	1915	109	99	115	118	129	103	105	111	115	116
	1916	102	77	98	111	139	96	97	107	114	113
Females	1915	106	97	115	112	104	106	109	110	118	118
	1916	94	75	94	107	99	97	100	103	112	117

* The rates given for this age are probably too low, and over-estimate the fall which has occurred. *See* page xxiii.

For both sexes a great drop in mortality under five years of age is recorded for 1916, which although more correctly stated on the basis of Table XII at 20 than at the 24 per cent. indicated above, is still most remarkable.

As in 1915 there is a considerable rise in mortality at ages over 75, while at intermediate ages the divergence from the previous average is comparatively unimportant, if the effect of special circumstances upon the mortality of males at military ages is allowed for.

Infant Mortality.—Of the 508,217 deaths registered during the year in England and Wales, 71,646, or 14·1 per cent., were those of infants under one year of age, corresponding to a mortality rate of 91 per 1,000 births.

This rate is the lowest ever recorded, and is 22 per 1,000 births, or 19·5 per cent., below the average in the preceding ten years. Table XIII shows that this decline is in part due to a low rate of diarrhœal mortality, probably connected with the fact that the year was dull and wet as a whole, though the critical third quarter was both dry and rather warm. The greater part of the decrease, however, is accounted for under other headings less subject to climatic influences, and therefore gives the greater promise of permanence. The table shows, for instance, that the improvement upon the rate for 1912, the lowest hitherto recorded, is increased by exclusion of diarrhœa from the comparison. In other words, the low rate of 1912 owed more to the accidental circumstance that the season was unfavourable to diarrhœa than did the still lower rate of 1916. And if comparison be made with the two other years in the table recording an equally low diarrhœal mortality, 1885 and 1888, we find that the mortality from other causes in those years was almost 60 per cent. higher than in 1916.

TABLE XIII.—ENGLAND and WALES.—INFANT MORTALITY, 1885–1916.

Year.	Deaths under one year of age per 1,000 Births.			Year.	Deaths under one year of age per 1,000 Births.		
	Total.	Diarrhœal Diseases.	Total less Diarrhœal Diseases.		Total.	Diarrhœal Diseases.	Total less Diarrhœal Diseases.
1885	138	11	127	1901	151	32	119
1886	149	20	129	1902	133	15	118
1887	145	18	127	1903	132	18	114
1888	136	11	125	1904	145	30	115
1889	144	16	128	1905	128	21	107
1890	151	16	135	1906	132	31	101
1891	149	13	136	1907	118	13	105
1892	148	15	133	1908	120	20	100
1893	159	28	131	1909	109	13	96
1894	137	12	125	1910	105	13	92
1895	161	28	133	1911	130	36	94
1896	148	21	127	1912	95	8	87
1897	156	31	125	1913	108	19	89
1898	160	37	123	1914	105	17	88
1899	163	40	123	1915	110	15	95
1900	154	28	126	1916	91	11	80

The arrangement of the table has been designed to show the irregularity from year to year of that portion of the infant mortality rate caused by diarrhœa, resulting from its dependence on heat and drought, the steady fall which is taking place in mortality of infants from other causes, and the limitation of this fall to the present century. If the final columns in each section of the table are compared the steadiness with which a rate of 125–135 was maintained in the last sixteen years of the nineteenth century is seen to be in striking contrast to the rapid and well sustained fall recorded for the first sixteen years of the present century.

It would be of interest, in view of the fact that war has not arrested the fall in infant mortality, to compare the experience of other countries affected. It does not as yet, however, seem to be possible to do this in any satisfactory manner, but such figures as are available for France and Germany do not suggest any startling variation from pre-war conditions.

Table XIV shows how the infant mortality of 1916 was distributed between the sexes and throughout the country. For infants of both sexes jointly the rate varied from 114 in the county boroughs of the North to 61 in the rural districts of the South. This maximum and minimum form one of the most constant features of the yearly records. From 1911 onwards there has been no year in which the rate for the southern rural districts was not the lowest recorded for each sex, and with two trifling exceptions in 1912 and 1914 the converse statement applies to the county boroughs of the North.

Table XIV.—Infant Mortality (Deaths under 1 Year per 1,000 Births), 1916.

	Males.					Females.					Both Sexes.				
	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	100	—	100	—	—	78	—	78	—	—	89	—	89
County Boroughs	128	110	88	110	117	100	88	76	91	94	114	99	82	101	106
Other Urban Districts ...	113	89	78	102	96	86	69	63	81	75	100	79	71	91	86
Rural Districts	101	81	68	102	85	81	62	54	74	66	92	72	61	88	76
All areas	119	94	88	104	102	93	74	70	81	80	107	84	79	92	91

The extent to which the large towns other than London, are responsible for the maintenance of this mortality is illustrated by the fact that these towns alone record a rate in excess of that for the whole country. Table XV, moreover, shows that this statement applies to no less than four out of the last six years.

Table XV.—Infant Mortality in the Six Years, 1911–1916.

	Males.						Females.						Both Sexes.					
	1911.	1912.	1913.	1914.	1915.	1916.	1911.	1912.	1913.	1914.	1915.	1916.	1911.	1912.	1913.	1914.	1915.	1916.
London	141	100	115	114	125	100	119	82	96	94	100	78	130	91	106	104	112	89
County Boroughs	161	120	137	134	137	117	133	96	111	107	107	94	147	108	124	121	122	106
Other Urban Districts ...	142	103	118	110	121	96	118	80	93	88	93	75	131	92	105	99	107	86
Rural Districts	115	90	99	96	101	85	91	71	77	75	79	66	104	81	88	85	90	76
North	159	118	140	136	139	119	133	94	112	108	109	93	147	106	126	122	124	107
Midlands	135	102	110	107	114	94	110	79	89	85	88	74	123	90	100	96	102	84
South	126	91	102	98	110	88	104	73	82	79	87	70	115	82	92	89	99	79
Wales	150	117	130	120	125	104	120	94	103	100	99	81	135	106	117	110	112	92
England and Wales ...	142	106	120	116	123	102	117	84	96	93	96	80	130	95	108	105	110	91

The fact that the London rate exceeded that for the country at large in only one of these six years is a most remarkable one, and of most hopeful import, since it proves that there is nothing in urbanization *per se* to prevent a further large reduction of the rate. If this had been no higher in the other large towns than in London in 1916, the general rate for the whole country would have been 86 instead of 91, but the connexion generally between urbanization and infant mortality is so close as to suggest that if equal

care were taken everywhere the rate for the county boroughs should be appreciably lower than that for London.

The table also shows that in not a single instance in any of the six years compared did the infant mortality of either sex fail to exceed the general rate in the North of England or in Wales, or to fall below it in the Midlands or South. That this astonishing consistency of record is not due merely to greater urbanization in the North is shown by the fact that Table XIV and similar tables for earlier years consistently show the North to disadvantage even when the comparison is restricted to areas of similar character in each case. And any possible disadvantage which the North may suffer in the comparison from the urban character of a number of its nominally rural areas is seen to be of small significance in view of the fact that in every one of the six years the Northern mortality recorded for each sex, taking urban and rural areas together, was considerably in excess of the London rate. It is evident that, great as has been the progress of the past sixteen years, much remains to be done merely in levelling up conditions in the rest of the country to those now prevalent in London and the South of England generally; and the figures convey no suggestion that that standard is approaching finality.

Although all these differences between town and country in regard to infant mortality are so well marked and so stable in this country they are by no means of general application elsewhere. Even the fundamental rule, as one might judge it from English experience to be, that the mortality of infants is higher in town than country, is widely departed from. In Austria, Hungary, and South Germany the mortality has long been higher in the country than in the towns, while in the remainder of Europe the English experience is generally met with. But in Prussia, where the urban mortality used to be higher than the rural, it has for many years declined more rapidly, so that from 1907 onwards the rate for urban districts has been lower than that for rural. No similar tendency, it may be noted, is discernible in the English figures. Furthermore, in Prussia the largest towns record rates lower than those applying to towns of moderate size, their experience therein resembling that of London. In France the difference is by no means well marked, and though the urban rate is generally higher the position is sometimes reversed.

In the first month of life, when the difference in favour of the rural districts is least in English experience (*see* Table XVI), and when London enjoys a considerable advantage over the country, it is interesting to find that Prussian rural mortality has long been higher than urban, even when the rural areas held a considerable advantage for infant mortality generally. Many explanations might, of course, be suggested, and amongst others the greater opportunities enjoyed by the towns for affording competent obstetric assistance in confinements.

The whole subject is evidently obscured by the difficulty of distinguishing the effects of local or national idiosyncrasies from those of the circumstances common respectively to urban and rural domicile in all lands. And at a time when infant mortality has been falling so rapidly as of late years, and when the consequences of the war may further profoundly affect it, the experience of the past might prove an unreliable guide to the future, even if its lessons could be completely understood.

Table 15 compares towns of various sizes and rural districts in respect of infant mortality from various causes. The total mortality in the urban areas as a whole exceeded that in the rural by nearly 25 per cent., but this excess was very unevenly distributed over the different age-periods into which the first year of life is divided in the table, being only 2 per cent. in the first month, and thereafter increasing with age. The constancy of this feature in the reports for different years is shown by the following table :—

TABLE XVI.—INFANT MORTALITY in URBAN DISTRICTS per cent. of that in RURAL DISTRICTS, 1911–16.

	Under 1 month.	1–3 months.	3–6 months.	6–9 months.	9–12 months.	Total under 1 year.
1911	106	136	145	155	164	132
1912	103	123	141	145	157	122
1913	105	141	144	149	157	129
1914	106	138	150	143	149	128
1915	103	128	148	153	154	128
1916	102	133	150	151	156	125

The chances of survival seem to differ but little at birth in town and in the country, but the noxious influences of the former soon come into play, and make themselves felt to an increasing extent as the first year of life progresses, and to a still greater extent in the second and third years, when the urban excess generally approaches 100 per cent., thereafter gradually declining.

The approximate equality of mortality in the first month of life, however, only applies as between the towns as a whole and the rural districts as a whole, and is partly due to the fact that the excess in mortality manifested by the county boroughs even at this age is largely offset by the low mortality of London. As between London and the county boroughs Table 15 shows an excess of mortality at this period in the latter amounting to 24 per cent. This ratio is a very constant one, having varied only between 20 and 24 per cent. during the six years 1911–1916. The constant superiority of the London figures is of course a very definite indication that the mortality of the other large towns is to a considerable extent preventable, even at this age, and that too without making any allowance for the extent, which may be large, to which the London mortality is itself preventable. This conclusion is confirmed by the figures for individual towns during the period 1907–10 published in Appendix II of the Second Report on Infant and Child Mortality of the Medical Officer of the Local Government Board. Here we find that mortality under one month per 1,000 births in the towns of over 50,000 population varied from 27·1 in Hornsey to 56·7 in Dewsbury. Generally speaking, mortality is higher at this as at other ages in the North of England than in the South.

Further support of the conclusion that a large proportion of the mortality even of the first month of life is preventable may be found in the figures relating to occupational infant mortality in 1911, published in the report for that year. Of the social classes dealt with, as represented by groups of occupations, the highest, upper and middle class, had a mortality under one month of 30·2 per 1,000 births and the lowest, unskilled labour, 42·5. The latter, however, was exceeded by the two occupations of textile workers and coal miners, which were treated as social classes in themselves and yielded rates of 44·4 and 46·5 respectively. Dealing with individual occupations yielding at least 1,000 births during the year the range of variation was from 20·2 deaths per 1,000 births for medical practitioners to 47·1 for general labourers, 49·6 for costermongers and 51·1 for railway pointsmen, &c., and for masons' labourers.

When comparison is made between towns of varying size it is seen that apart from London, those of larger size are at a disadvantage at every age, in the case both of legitimate and illegitimate infants. The mortality of legitimate infants in London however, was little more than that in the smaller towns. This is due mainly to the low mortality in London during the first month of life, which, as also in each of the preceding five years, was below that even of the rural districts. After the first month London comes between the county boroughs and the smaller towns.

Apart from the special case of London, Table 15 shows that the mortality from all of the five groups of diseases under which it summarizes infantile deaths increases regularly from the rural areas to the large towns, but the difference in the case of the wasting diseases is small.

The harmful effect of town life is well marked in regard to the respiratory diseases, but it is especially evident in the case of diarrhœa, the mortality from which in London was more than twice that in the rural districts. Syphilis shows a similar variation with urban conditions, the mortality in the country districts, whether of legitimate or illegitimate children, being less than one-third of that returned in the great towns. Another cause of infant mortality particularly associated with the great towns is overlying, which caused nearly three times as great a mortality in London as in the rural districts (*see* Table XXIX.)

Mortality of separate weeks and months.—The fall of infant mortality in 1916 to the lowest level hitherto recorded has suggested the presentation of a more minute analysis by age of this mortality than has been customary in these reports since 1910, with a view to showing in detail how the different portions of the first year of life have shared in the decline. The numbers of deaths registered in each year from 1911 onwards are accordingly shown in Table XVII, and the proportions of these per 1,000 births in Table XVIII, with the same subdivisions of age as were shown in the tables of rates published in the Reports for the years 1905-1910. This series of tables is accordingly brought up to date so far as mortality from all causes is concerned; and the same information is available if required, though not published, for all the causes dealt with in Tables 14 and 15.

Table XVII.—England and Wales and Classes of Administrative Areas, 1911–16.—Deat under One Year by Month and Week of Age.

		Under 1 Day.	1—7 Days.	Weeks. 1—	2—	3—	Under 1 Month.	Months. 1—	2—	3—	4—	5—	6—	7—	8—	9—	10—	11—	To un Y
England and Wales:—All Infants																			
1911	M	5,818	6,521	2,949	3,015	2,222	20,525	7,093	5,289	4,776	4,237	3,715	3,582	3,310	3,013	2,972	2,737	2,625	6
	F	4,418	4,667	2,281	2,227	1,699	15,292	5,159	4,275	3,845	3,441	3,001	2,943	2,778	2,747	2,452	2,350	2,443	5
	P	10,236	11,188	5,230	5,242	3,921	35,817	12,252	9,564	8,621	7,678	6,716	6,525	6,088	5,760	5,424	5,087	5,068	11
1912	M	5,666	6,527	2,803	2,477	1,875	19,348	5,268	3,791	2,794	2,305	2,126	2,052	2,024	1,998	1,852	1,721	1,725	4
	F	4,180	4,719	2,068	1,874	1,358	14,199	3,651	2,681	2,259	1,822	1,627	1,612	1,530	1,679	1,568	1,583	1,564	3
	P	9,846	11,246	4,871	4,351	3,233	33,547	8,919	6,472	5,053	4,127	3,753	3,664	3,554	3,677	3,420	3,304	3,289	8
1913	M	5,952	6,390	2,915	2,731	1,947	19,935	6,008	4,362	3,717	3,096	2,908	2,669	2,539	2,342	2,325	1,991	2,072	5
	F	4,472	4,769	2,130	2,025	1,450	14,846	4,236	3,325	3,003	2,515	2,194	2,132	2,036	1,908	1,930	1,779	1,740	4
	P	10,424	11,159	5,045	4,756	3,397	34,781	10,244	7,687	6,720	5,611	5,102	4,801	4,575	4,250	4,255	3,770	3,812	9
1914	M	5,809	6,364	2,754	2,548	1,914	19,389	5,648	4,194	3,543	3,046	2,741	2,524	2,346	2,301	2,130	2,097	1,950	5
	F	4,231	4,774	2,083	1,840	1,498	14,426	4,047	3,129	2,718	2,299	2,155	2,071	1,958	2,001	1,842	1,740	1,676	4
	P	10,040	11,138	4,837	4,388	3,412	33,815	9,695	7,323	6,261	5,345	4,896	4,595	4,304	4,302	3,972	3,837	3,626	9
1915	M	5,071	5,869	2,724	2,431	1,828	17,923	5,228	3,798	3,188	2,887	2,744	2,644	2,624	2,686	2,474	2,398	2,419	5
	F	3,729	4,324	1,924	1,721	1,246	12,944	3,654	2,807	2,557	2,127	2,058	2,031	2,001	2,053	2,083	2,037	2,015	8
	P	8,800	10,193	4,648	4,152	3,074	30,867	8,882	6,605	5,745	5,014	4,802	4,675	4,625	4,739	4,557	4,435	4,434	8
1916	M	4,864	5,651	2,516	2,230	1,531	16,792	4,580	3,133	2,601	2,346	1,879	1,792	1,765	1,615	1,559	1,429	1,525	4
	F	3,714	4,029	1,833	1,523	1,088	12,187	3,134	2,377	1,953	1,637	1,503	1,389	1,381	1,287	1,325	1,190	1,267	5
	P	8,578	9,680	4,349	3,753	2,619	28,979	7,714	5,510	4,554	3,983	3,382	3,181	3,146	2,902	2,884	2,619	2,792	7
1911–16	M	33,180	37,322	16,661	15,432	11,317	113,912	33,825	24,567	20,619	17,917	16,113	15,263	14,608	13,955	13,312	12,373	12,316	36
	F	24,744	27,282	12,319	11,210	8,339	83,894	23,881	18,594	16,335	13,841	12,538	12,178	11,684	11,675	11,200	10,679	10,705	23
	P	57,924	64,604	28,980	26,642	19,656	197,806	57,706	43,161	36,954	31,758	28,651	27,441	26,292	25,630	24,512	23,052	23,021	54
England and Wales:—Legitimate Infants.																			
1911	M	5,350	6,090	2,718	2,790	2,029	18,977	6,406	4,771	4,352	3,915	3,427	3,310	3,092	2,827	2,785	2,569	2,470	6
	F	4,009	4,314	2,105	2,044	1,550	14,022	4,643	3,861	3,490	3,102	2,746	2,701	2,569	2,588	2,295	2,211	2,290	4
	P	9,359	10,404	4,823	4,834	3,579	32,999	11,049	8,632	7,842	7,017	6,173	6,011	5,661	5,365	5,080	4,780	4,760	10
1912	M	5,201	6,092	2,616	2,286	1,731	17,926	4,797	3,436	2,560	2,073	1,937	1,906	1,858	1,851	1,731	1,615	1,621	4
	F	3,772	4,370	1,899	1,718	1,252	13,011	3,313	2,390	2,055	1,643	1,465	1,465	1,404	1,565	1,473	1,479	1,461	3
	P	8,973	10,462	4,515	4,004	2,983	30,937	8,110	5,826	4,555	3,716	3,402	3,371	3,262	3,416	3,204	3,094	3,082	7
1913	M	5,420	5,970	2,699	2,509	1,789	18,387	5,469	3,933	3,340	2,772	2,668	2,422	2,352	2,153	2,153	1,845	1,941	4
	F	4,035	4,445	1,979	1,878	1,334	13,671	3,824	2,980	2,686	2,289	1,969	1,922	1,881	1,770	1,808	1,656	1,635	3
	P	9,455	10,415	4,678	4,387	3,123	32,058	9,293	6,913	6,026	5,061	4,637	4,344	4,233	3,923	3,961	3,501	3,576	8
1914	M	5,310	5,944	2,544	2,366	1,776	17,940	5,117	3,767	3,190	2,759	2,477	2,310	2,175	2,140	1,986	1,960	1,836	4
	F	3,812	4,390	1,898	1,711	1,359	13,170	3,683	2,796	2,430	2,083	1,965	1,911	1,798	1,862	1,718	1,619	1,567	3
	P	9,122	10,334	4,442	4,077	3,135	31,110	8,800	6,563	5,620	4,842	4,442	4,221	3,973	4,002	3,704	3,579	3,403	8
1915	M	4,569	5,458	2,518	2,264	1,678	16,487	4,749	3,390	2,867	2,641	2,500	2,428	2,438	2,499	2,328	2,255	2,303	4
	F	3,335	4,015	1,783	1,592	1,147	11,872	3,295	2,526	2,274	1,922	1,851	1,856	1,868	1,918	1,933	1,915	1,896	3
	P	7,904	9,473	4,301	3,856	2,825	28,359	8,044	5,916	5,141	4,563	4,351	4,284	4,306	4,417	4,261	4,170	4,199	8
1916	M	4,377	5,211	2,301	2,052	1,392	15,333	4,045	2,743	2,279	2,061	1,712	1,630	1,615	1,505	1,455	1,320	1,442	4
	F	3,293	3,694	1,650	1,386	985	11,008	2,768	2,083	1,726	1,441	1,358	1,259	1,261	1,187	1,228	1,103	1,184	3
	P	7,670	8,905	3,951	3,438	2,377	26,341	6,813	4,826	4,005	3,502	3,070	2,889	2,876	2,692	2,683	2,423	2,626	6
1911–16	M	30,227	34,765	15,396	14,267	10,395	105,050	30,583	22,040	18,528	16,221	14,721	14,006	13,530	12,975	12,438	11,564	11,613	2
	F	22,256	25,228	11,314	10,329	7,627	76,754	21,526	16,636	14,661	12,480	11,354	11,114	10,781	10,840	10,455	9,983	10,033	2
	P	52,483	59,993	26,710	24,596	18,022	181,804	52,109	38,676	33,189	28,701	26,075	25,120	24,311	23,815	22,893	21,547	21,646	4
England and Wales:—Illegitimate Infants.																			
1911	M	468	431	231	225	193	1,548	687	518	424	322	288	272	218	186	187	168	155	
	F	409	353	176	183	149	1,270	516	414	355	339	255	242	209	209	157	139	153	
	P	877	784	407	408	342	2,818	1,203	932	779	661	543	514	427	395	344	307	308	
1912	M	465	435	187	191	144	1,422	471	355	294	232	189	146	166	147	121	106	104	
	F	408	349	169	156	106	1,188	338	291	204	179	162	147	126	114	95	104	103	
	P	873	784	356	347	250	2,610	809	646	498	411	351	293	292	261	216	210	207	
1913	M	532	420	216	222	158	1,548	539	429	377	324	240	247	187	189	172	146	131	
	F	437	324	151	147	116	1,175	412	345	317	226	225	210	155	138	122	123	105	
	P	969	744	367	369	274	2,723	951	774	694	550	465	457	342	327	294	269	236	
1914	M	499	420	210	182	138	1,449	531	427	353	287	264	214	171	161	144	137	114	
	F	419	384	185	129	139	1,256	364	333	288	216	190	160	160	139	124	121	109	
	P	918	804	395	311	277	2,705	895	760	641	503	454	374	331	300	268	258	223	
1915	M	502	411	206	167	150	1,436	479	408	321	246	244	216	186	187	146	143	116	
	F	394	309	141	129	99	1,072	359	281	283	205	207	175	133	135	150	122	119	
	P	896	720	347	296	249	2,508	838	689	604	451	451	391	319	322	296	265	235	
1916	M	487	440	215	178	139	1,459	535	390	322	285	167	162	150	110	104	109	83	
	F	421	335	183	137	103	1,179	366	294	227	196	145	130	120	100	97	87	83	
	P	908	775	398	315	242	2,638	901	684	549	481	312	292	270	210	201	196	166	
1911–16	M	2,953	2,557	1,265	1,165	922	8,862	3,242	2,527	2,091	1,696	1,392	1,257	1,078	980	874	809	703	
	F	2,488	2,054	1,005	881	712	7,140	2,355	1,958	1,674	1,361	1,184	1,064	903	835	745	696	672	
	P	5,441	4,611	2,270	2,046	1,634	16,002	5,597	4,485	3,765	3,057	2,576	2,321	1,981	1,815	1,619	1,505	1,375	

BLE XVII.—England and Wales and Classes of Administrative Areas, 1911–16.—Deaths under One Year by Month and Week of Age.—*contd.*

—		Under 1 Day.	1–7 Days.	Weeks. 1—	2—	3—	Months. Under 1 Month.	1—	2—	3—	4—	5—	6—	7—	8—	9—	10—	11—	Total Under 1 Year.
London:—All Infants.																			
1911	M	636	690	345	341	261	2,273	825	663	609	571	508	458	443	442	429	362	414	7,997
	F	536	492	272	232	211	1,743	661	550	476	454	405	376	387	389	348	359	363	6,511
	P	1,172	1,182	617	573	472	4,016	1,486	1,213	1,085	1,025	913	834	830	831	777	721	777	14,508
1912	M	646	654	343	271	222	2,136	660	492	376	308	278	256	261	255	250	229	228	5,729
	F	516	499	241	198	151	1,605	448	378	321	261	211	217	209	214	205	200	204	4,473
	P	1,162	1,153	584	469	373	3,741	1,108	870	697	569	489	473	470	469	455	429	432	10,202
1913	M	631	656	317	293	216	2,113	700	605	490	391	354	339	321	309	307	267	290	6,486
	F	502	535	229	225	161	1,652	539	439	422	341	295	275	268	261	241	224	244	5,201
	P	1,133	1,191	546	518	377	3,765	1,239	1,044	912	732	649	614	589	570	548	491	534	11,687
1914	M	671	649	334	317	213	2,184	669	534	540	387	408	316	294	298	259	270	250	6,409
	F	485	479	246	198	177	1,585	526	472	401	312	296	267	243	259	229	232	246	5,068
	P	1,156	1,128	580	515	390	3,769	1,195	1,006	941	699	704	583	537	557	488	502	496	11,477
1915	M	591	615	312	260	214	1,992	660	542	461	392	347	371	347	362	331	342	295	6,442
	F	425	468	217	167	130	1,407	495	429	369	328	279	285	288	264	265	302	311	5,022
	P	1,016	1,083	529	427	344	3,399	1,155	971	830	720	626	656	635	626	596	644	606	11,464
1916	M	568	577	331	245	173	1,894	550	448	370	371	265	215	212	208	195	170	223	5,116
	F	404	396	215	158	113	1,286	379	331	294	199	219	199	195	164	166	152	164	3,748
	P	972	973	546	403	286	3,180	929	774	664	570	484	414	407	372	361	322	387	8,864
1–16	M	3,743	3,841	1,982	1,727	1,299	12,592	4,064	3,279	2,846	2,420	2,160	1,955	1,878	1,874	1,771	1,640	1,700	38,179
	F	2,868	2,869	1,420	1,178	943	9,278	3,048	2,599	2,283	1,895	1,705	1,619	1,590	1,551	1,454	1,469	1,532	30,023
	P	6,611	6,710	3,402	2,905	2,242	21,870	7,112	5,878	5,129	4,315	3,865	3,574	3,468	3,425	3,225	3,109	3,232	68,202
County Boroughs:—All Infants.																			
1911	M	1,913	2,171	1,034	1,074	781	6,973	2,664	1,916	1,709	1,513	1,285	1,276	1,209	1,088	1,070	1,036	993	22,732
	F	1,423	1,545	809	819	581	5,177	1,880	1,558	1,352	1,248	1,054	1,137	1,036	991	861	866	954	18,114
	P	3,336	3,716	1,843	1,893	1,362	12,150	4,544	3,474	3,061	2,761	2,339	2,413	2,245	2,079	1,931	1,902	1,947	40,846
1912	M	1,896	2,276	1,013	917	666	6,768	1,952	1,418	1,086	937	843	793	786	763	714	699	696	17,455
	F	1,397	1,654	742	686	501	4,980	1,363	1,008	848	675	643	609	619	692	647	652	667	13,403
	P	3,293	3,930	1,755	1,603	1,167	11,748	3,315	2,426	1,934	1,612	1,486	1,402	1,405	1,455	1,361	1,351	1,363	30,858
1913	M	2,004	2,291	1,091	1,029	722	7,137	2,289	1,704	1,448	1,211	1,211	1,051	1,031	975	914	817	856	20,644
	F	1,529	1,688	792	782	547	5,338	1,659	1,330	1,199	1,012	889	880	836	784	782	740	716	16,165
	P	3,533	3,979	1,883	1,811	1,269	12,475	3,948	3,034	2,647	2,223	2,100	1,931	1,867	1,759	1,696	1,557	1,572	36,809
1914	M	2,041	2,332	1,064	993	765	7,195	2,307	1,678	1,390	1,259	1,072	1,069	991	935	907	896	808	20,507
	F	1,468	1,703	788	708	571	5,238	1,594	1,270	1,124	950	874	818	820	845	785	764	708	15,790
	P	3,509	4,035	1,852	1,701	1,336	12,433	3,901	2,948	2,514	2,209	1,946	1,887	1,811	1,780	1,692	1,660	1,516	36,297
1915	M	1,775	2,168	1,003	911	673	6,530	1,991	1,455	1,300	1,171	1,097	1,097	1,066	1,097	971	946	972	19,693
	F	1,367	1,558	744	652	456	4,777	1,375	1,075	1,052	846	851	824	806	832	830	783	801	14,852
	P	3,142	3,726	1,747	1,563	1,129	11,307	3,366	2,530	2,352	2,017	1,948	1,921	1,872	1,929	1,801	1,729	1,773	34,545
1916	M	1,732	2,084	924	830	593	6,163	1,868	1,248	1,079	934	777	750	759	706	706	607	633	16,230
	F	1,338	1,491	689	588	423	4,529	1,264	965	816	696	632	600	616	589	579	530	555	12,371
	P	3,070	3,575	1,613	1,418	1,016	10,692	3,132	2,213	1,895	1,630	1,409	1,350	1,375	1,295	1,285	1,137	1,188	28,601
1–16	M	11,361	13,322	6,129	5,754	4,200	40,766	13,071	9,419	8,012	7,025	6,285	6,036	5,842	5,564	5,282	5,001	4,958	117,261
	F	8,522	9,639	4,564	4,235	3,079	30,039	9,135	7,206	6,391	5,427	4,943	4,868	4,733	4,733	4,484	4,335	4,401	90,695
	P	19,883	22,961	10,693	9,989	7,279	70,805	22,206	16,625	14,403	12,452	11,228	10,904	10,575	10,297	9,766	9,336	9,359	207,956
Other Urban Districts:—All Infants.																			
1911	M	1,994	2,322	1,036	1,065	813	7,230	2,435	1,864	1,698	1,524	1,340	1,300	1,182	1,052	1,045	963	841	22,477
	F	1,528	1,700	809	755	599	5,391	1,807	1,503	1,441	1,224	1,115	1,037	968	975	889	825	833	18,008
	P	3,522	4,022	1,845	1,820	1,412	12,621	4,242	3,367	3,139	2,748	2,455	2,337	2,150	2,027	1,934	1,788	1,677	40,485
1912	M	1,955	2,306	966	824	661	6,712	1,732	1,237	898	727	693	692	671	699	619	585	563	15,828
	F	1,412	1,590	697	630	471	4,800	1,214	890	743	610	528	532	486	539	485	502	495	11,824
	P	3,367	3,896	1,663	1,454	1,132	11,512	2,946	2,127	1,641	1,337	1,221	1,224	1,157	1,238	1,104	1,087	1,058	27,652
1913	M	2,099	2,164	988	958	667	6,876	2,082	1,428	1,240	1,016	923	875	807	738	767	642	643	18,037
	F	1,505	1,633	719	675	496	5,028	1,429	1,063	954	799	696	688	661	590	646	571	567	13,692
	P	3,604	3,797	1,707	1,633	1,163	11,904	3,511	2,491	2,194	1,815	1,619	1,563	1,468	1,328	1,413	1,213	1,210	31,729
1914	M	1,968	2,122	899	819	622	6,430	1,799	1,350	1,097	980	866	781	718	734	658	634	619	16,666
	F	1,413	1,699	683	607	516	4,918	1,322	968	817	734	705	673	604	633	570	513	499	12,956
	P	3,381	3,821	1,582	1,426	1,138	11,348	3,121	2,318	1,914	1,714	1,571	1,454	1,322	1,367	1,228	1,147	1,118	29,622
1915	M	1,672	1,929	957	824	618	6,000	1,735	1,184	965	916	902	831	841	842	839	786	808	16,649
	F	1,187	1,417	605	596	441	4,246	1,199	868	801	646	628	644	628	679	694	677	638	12,348
	P	2,859	3,346	1,562	1,420	1,059	10,246	2,934	2,052	1,766	1,562	1,530	1,475	1,469	1,521	1,533	1,463	1,446	28,997
1916	M	1,578	1,879	803	750	495	5,505	1,477	933	780	715	585	562	548	488	435	455	470	12,953
	F	1,252	1,317	601	494	361	4,025	987	735	565	511	450	390	399	349	419	342	374	9,546
	P	2,830	3,196	1,404	1,244	856	9,530	2,464	1,668	1,345	1,226	1,035	952	947	837	854	797	844	22,499
1–16	M	11,266	12,722	5,649	5,240	3,876	38,753	11,260	7,996	6,678	5,878	5,309	5,041	4,767	4,553	4,363	4,065	3,947	102,610
	F	8,297	9,356	4,111	3,757	2,884	28,408	7,958	6,027	5,321	4,524	4,122	3,964	3,746	3,765	3,703	3,430	3,406	78,374
	P	19,563	22,078	9,763	8,997	6,760	67,161	19,218	14,023	11,999	10,402	9,431	9,005	8,513	8,318	8,066	7,495	7,353	180,984

Table XVII.—England and Wales and Classes of Administrative Areas, 1911–16.—Deaths under One Year by Month and Week of Age—*contd.*

		Under 1 Day.	1–7 Days.	Weeks. 1—	2—	3—	Months. Under 1 Month.	1—	2—	3—	4—	5—	6—	7—	8—	9—	10—	11—	Total under 1 Year.
Rural Districts:—All Infants.																			
1911	M	1,275	1,338	534	535	367	4,049	1,169	846	760	629	582	548	476	431	428	376	374	10,668
	F	931	930	391	421	308	2,981	811	664	576	515	427	393	387	392	354	300	293	8,093
	P	2,206	2,268	925	956	675	7,030	1,980	1,510	1,336	1,144	1,009	941	863	823	782	676	667	18,761
1912	M	1,169	1,291	481	465	326	3,732	924	644	434	333	312	311	306	281	269	208	238	7,995
	F	855	976	388	360	235	2,814	626	405	347	276	245	254	216	234	231	229	198	6,076
	P	2,024	2,237	869	825	561	6,546	1,550	1,049	781	609	557	565	522	515	500	437	436	14,067
1913	M	1,218	1,279	519	451	342	3,809	937	625	539	478	420	404	380	320	337	265	283	8,797
	F	936	913	390	343	246	2,828	609	493	428	363	314	289	271	273	261	244	213	6,586
	P	2,154	2,192	909	794	588	6,637	1,546	1,118	967	841	734	693	651	593	598	509	496	15,385
1914	M	1,129	1,261	457	419	314	3,580	873	632	516	420	395	358	343	334	306	297	273	8,327
	F	865	893	366	327	234	2,685	605	419	376	303	280	313	291	264	258	231	223	6,218
	P	1,994	2,154	823	746	548	6,265	1,478	1,051	892	723	675	671	634	598	564	528	496	14,573
1915	M	1,033	1,157	452	436	323	3,401	842	617	462	408	398	345	370	385	333	324	344	8,229
	F	750	881	358	306	219	2,514	585	435	335	307	300	278	279	278	294	275	265	6,145
	P	1,783	2,038	810	742	542	5,915	1,427	1,052	797	715	698	623	649	663	627	599	609	14,374
1916	M	986	1,111	458	405	270	3,230	685	509	372	326	252	265	246	213	223	197	199	6,717
	F	720	825	328	283	191	2,347	504	346	278	231	202	200	171	185	161	166	174	4,965
	P	1,706	1,936	786	688	461	5,577	1,189	855	650	557	454	465	417	398	384	363	373	11,682
1911–16	M	6,810	7,437	2,901	2,711	1,942	21,801	5,430	3,873	3,083	2,594	2,359	2,231	2,121	1,964	1,896	1,667	1,711	50,730
	F	5,057	5,418	2,221	2,040	1,433	16,169	3,740	2,762	2,340	1,995	1,768	1,727	1,615	1,626	1,559	1,445	1,366	38,112
	P	11,867	12,855	5,122	4,751	3,375	37,970	9,170	6,635	5,423	4,589	4,127	3,958	3,736	3,590	3,455	3,112	3,077	88,842

In order to provide a standard summing up recent experience with which the rates of individual years may be compared, the total deaths during the six years are shown in Table XVII, and mortality rates per 1,000 births resulting from these deaths are shown in Table XVIII as well as the rates for each of the six years.

Table XVIII.—England and Wales and Classes of Administrative Areas, 1911–16.—Infant Mortality by Month and Week of Age.

		Under 1 Day.	1—7 Days.	Weeks. 1—	2—	3—	Months. Under 1 Month.	1—	2—	3—	4—	5—	6—	7—	8—	9—	10—	11—	Total under 1 Year.
		Proportion of Deaths to 1,000 Births.																	
England and Wales:—All Infants.																			
1911	M	12·97	14·53	6·57	6·71	4·95	45·73	15·80	11·78	10·64	9·43	8·27	7·98	7·37	6·71	6·62	6·10	5·85	142·28
	F	10·23	10·80	5·28	5·15	3·93	35·39	11·93	9·89	8·90	7·96	6·94	6·81	6·43	6·36	5·67	5·44	5·65	117·37
	P	11·62	12·69	5·94	5·95	4·45	40·65	13·91	10·85	9·78	8·71	7·62	7·41	6·91	6·54	6·16	5·77	5·75	130·06
1912	M	12·73	14·67	6·30	5·56	4·21	43·47	11·84	8·52	6·28	5·18	4·78	4·61	4·55	4·49	4·16	3·87	3·88	105·63
	F	9·78	11·04	4·84	4·38	3·17	33·21	8·53	6·27	5·28	4·26	3·80	3·77	3·58	3·92	3·66	3·70	3·66	83·64
	P	11·28	12·89	5·58	4·99	3·70	38·44	10·21	7·42	5·79	4·73	4·30	4·20	4·07	4·21	3·92	3·79	3·77	94·85
1913	M	13·25	14·23	6·49	6·08	4·33	44·38	13·39	9·71	8·28	6·89	6·48	5·94	5·65	5·21	5·17	4·43	4·61	120·11
	F	10·34	11·03	4·92	4·68	3·35	34·32	9·78	7·68	6·94	5·81	5·07	4·93	4·71	4·41	4·46	4·11	4·02	96·24
	P	11·82	12·66	5·72	5·39	3·85	39·44	11·62	8·72	7·62	6·36	5·79	5·44	5·19	4·82	4·82	4·27	4·32	108·41
1914	M	12·99	14·23	6·16	5·70	4·28	43·36	12·64	9·39	7·92	6·81	6·13	5·64	5·24	5·14	4·76	4·69	4·36	116·08
	F	9·80	11·06	4·82	4·26	3·47	33·41	9·37	7·25	6·29	5·32	4·99	4·79	4·53	4·63	4·27	4·03	3·88	92·76
	P	11·42	12·67	5·50	4·99	3·88	38·46	11·04	8·33	7·12	6·08	5·57	5·23	4·90	4·89	4·52	4·36	4·12	104·62
1915	M	12·22	14·12	6·56	5·86	4·40	43·16	12·58	9·15	7·69	6·95	6·61	6·37	6·32	6·48	5·96	5·77	5·82	122·86
	F	9·33	10·82	4·82	4·31	3·12	32·40	9·16	7·03	6·40	5·32	5·15	5·09	5·01	5·14	5·22	5·10	5·04	96·06
	P	10·80	12·52	5·71	5·10	3·77	37·90	10·90	8·11	7·05	6·16	5·89	5·74	5·68	5·82	5·59	5·44	5·44	109·72
1916	M	12·10	14·05	6·26	5·55	3·81	41·77	11·38	7·79	6·47	5·83	4·67	4·46	4·39	4·02	3·88	3·55	3·79	102·00
	F	9·69	10·52	4·78	3·97	2·84	31·80	8·18	6·20	5·09	4·27	3·92	3·62	3·60	3·36	3·45	3·10	3·30	79·89
	P	10·92	12·33	5·54	4·78	3·33	36·90	9·83	7·01	5·80	5·07	4·31	4·05	4·00	3·69	3·67	3·33	3·55	91·21
1911–16	M	12·72	14·31	6·39	5·92	4·34	43·68	12·97	9·42	7·91	6·87	6·18	5·86	5·60	5·35	5·11	4·74	4·72	118·41
	F	9·87	10·88	4·91	4·47	3·33	33·46	9·51	7·42	6·51	5·52	5·00	4·86	4·66	4·66	4·47	4·26	4·27	94·60
	P	11·32	12·63	5·67	5·21	3·84	38·67	11·29	8·44	7·22	6·21	5·60	5·36	5·14	5·01	4·79	4·51	4·50	106·74

Table XVIII.—England and Wales and Classes of Administrative Areas, 1911–16.—Infant Mortality by Month and Week of Age—*contd.*

Proportion of Deaths to 1,000 Births.

		Under 1 Day.	1–7 Days.	Weeks. 1—	2—	3—	Months. Under 1 Month.	1—	2—	3—	4—	5—	6—	7—	8—	9—	10—	11—	Total under 1 Year.
England and Wales:—Legitimate Infants.																			
1911	...P	11·10	12·34	5·72	5·73	4·24	39·13	13·09	10·23	9·30	8·32	7·32	7·13	6·71	6·36	6·02	5·67	5·64	124·92
1912	...P	10·74	12·53	5·41	4·79	3·57	37·04	9·71	6·98	5·45	4·45	4·07	4·04	3·91	4·09	3·84	3·70	3·69	90·97
1913	...P	11·20	12·35	5·54	5·20	3·70	37·99	11·00	8·19	7·14	6·00	5·49	5·15	5·02	4·65	4·69	4·15	4·24	103·71
1914	...P	10·84	12·27	5·28	4·84	3·72	36·95	10·46	7·81	6·68	5·75	5·28	5·01	4·72	4·75	4·40	4·25	4·04	100·10
1915	...P	10·15	12·17	5·53	4·95	3·63	36·43	10·34	7·61	6·61	5·86	5·59	5·50	5·53	5·67	5·47	5·36	5·39	105·36
1916	...P	10·26	11·91	5·28	4·60	3·18	35·23	9·10	6·45	5·36	4·68	4·11	3·86	3·85	3·60	3·59	3·24	3·51	86·58
1911–16	M	12·12	13·94	6·18	5·72	4·17	42·13	12·26	8·84	7·43	6·51	5·90	5·62	5·43	5·20	4·99	4·64	4·66	113·61
	F	9·28	10·52	4·72	4·31	3·18	32·01	8·98	6·94	6·12	5·21	4·74	4·64	4·50	4·52	4·36	4·16	4·18	90·36
	P	10·73	12·27	5·46	5·03	3·68	37·17	10·64	7·91	6·79	5·87	5·33	5·14	4·97	4·87	4·68	4·41	4·43	102·21
England and Wales:—Illegitimate Infants.																			
1911	...P	23·31	20·84	10·81	10·84	9·09	74·89	31·96	24·76	20·70	17·56	14·43	13·66	11·35	10·50	9·14	8·16	8·18	245·29
1912	...P	23·26	20·89	9·49	9·25	6·66	69·55	21·55	17·21	13·27	10·95	9·35	7·81	7·78	6·95	5·76	5·60	5·52	181·30
1913	...P	25·56	19·63	9·68	9·73	7·23	71·83	25·08	20·41	18·30	14·50	12·27	12·06	9·02	8·63	7·76	7·10	6·23	213·19
1914	...P	24·60	21·54	10·58	8·33	7·42	72·47	23·98	20·36	17·17	13·47	12·16	10·02	8·87	8·04	7·18	6·91	5·97	206·60
1915	...P	24·73	19·86	9·57	8·17	6·87	69·20	23·13	19·01	16·66	12·44	12·44	10·79	8·80	8·88	8·17	7·31	6·48	203·31
1916	...P	24·10	20·56	10·56	8·36	6·42	70·00	23·91	18·15	14·57	12·76	8·28	7·75	7·16	5·57	5·33	5·20	4·40	183·08
1911–16	M	25·83	22·36	11·06	10·19	8·06	77·50	28·35	22·10	18·29	14·83	12·17	10·99	9·43	8·57	7·64	7·07	6·15	223·09
	F	22·62	18·68	9·14	8·01	6·47	64·92	21·42	17·81	15·22	12·37	10·77	9·67	8·21	7·59	6·77	6·33	6·11	187·19
	P	24·26	20·55	10·12	9·12	7·28	71·33	24·95	19·99	16·78	13·63	11·48	10·35	8·83	8·09	7·22	6·71	6·13	205·49
London:—All Infants.																			
1911	...P	10·18	10·58	5·52	5·13	4·22	35·93	13·29	10·85	9·71	9·17	8·17	7·46	7·43	7·43	6·95	6·45	6·95	129·79
1912	...P	10·42	10·33	5·23	4·20	3·34	33·52	9·94	7·80	6·25	5·10	4·38	4·24	4·21	4·20	4·08	3·85	3·87	91·44
1913	...P	10·25	10·79	4·94	4·69	3·41	34·08	11·20	9·44	8·25	6·62	5·87	5·56	5·33	5·16	4·96	4·44	4·85	105·76
1914	...P	10·51	10·26	5·28	4·68	3·55	34·28	10·86	9·15	8·56	6·36	6·40	5·30	4·88	5·07	4·44	4·57	4·51	104·38
1915	...P	9·95	10·60	5·18	4·18	3·37	33·28	11·31	9·51	8·13	7·05	6·13	6·42	6·22	6·13	5·84	6·31	5·93	112·26
1916	...P	9·78	9·80	5·50	4·06	2·88	32·02	9·35	7·79	6·68	5·74	4·87	4·17	4·10	3·74	3·63	3·24	3·90	89·23
1911–16	M	11·38	11·67	6·02	5·25	3·95	38·27	12·35	9·97	8·65	7·36	6·57	5·94	5·71	5·70	5·38	4·98	5·17	116·05
	F	9·07	9·08	4·49	3·72	2·98	29·34	9·64	8·22	7·22	5·99	5·39	5·12	5·03	4·90	4·60	4·64	4·84	94·93
	P	10·25	10·40	5·27	4·50	3·47	33·89	11·02	9·11	7·95	6·69	5·99	5·54	5·37	5·31	5·00	4·82	5·01	105·70
County Boroughs:—All Infants.																			
1911	...P	12·00	13·35	6·63	6·81	4·90	43·69	16·34	12·49	11·01	9·93	8·41	8·68	8·07	7·48	6·94	6·84	7·00	146·88
1912	...P	11·51	13·74	6·13	5·60	4·08	41·06	11·60	8·48	6·76	5·63	5·19	4·90	4·91	5·09	4·76	4·72	4·76	107·86
1913	...P	11·94	13·45	6·36	6·12	4·29	42·16	13·34	10·25	8·95	7·51	7·10	6·53	6·31	5·94	5·73	5·26	5·31	124·39
1914	...P	11·68	13·43	6·17	5·66	4·45	41·39	12·99	9·81	8·37	7·35	6·48	6·28	6·03	5·93	5·63	5·53	5·05	120·84
1915	...P	11·12	13·19	6·19	5·54	4·00	40·04	11·94	8·97	8·34	7·14	6·90	6·80	6·63	6·83	6·38	6·12	6·28	122·37
1916	...P	11·36	13·22	5·97	5·24	3·76	39·55	11·58	8·19	7·01	6·03	5·21	4·99	5·09	4·79	4·75	4·21	4·39	105·79
1911–16	M	13·02	15·26	7·02	6·59	4·81	46·70	14·98	10·79	9·18	8·05	7·20	6·91	6·69	6·37	6·05	5·73	5·68	134·33
	F	10·14	11·48	5·43	5·04	3·66	35·75	10·87	8·58	7·61	6·46	5·88	5·79	5·63	5·63	5·34	5·16	5·24	107·94
	P	11·61	13·41	6·24	5·83	4·25	41·34	12·97	9·70	8·41	7·27	6·55	6·36	6·17	6·01	5·70	5·45	5·46	121·39
Other Urban Districts:—All Infants.																			
1911	...P	11·37	12·98	5·95	5·87	4·55	40·72	13·67	10·86	10·13	8·86	7·92	7·54	6·94	6·54	6·24	5·77	5 41	130·60
1912	...P	11·19	12·95	5·53	4·83	3·76	38·26	9·78	7·06	5·45	4·44	4·06	4·07	3·84	4·11	3·67	3·61	3·52	91·87
1913	...P	11·97	12·62	5·67	5·43	3·86	39·55	11·67	8·28	7·29	6·03	5·38	5·19	4·88	4·41	4·69	4·03	4·02	105·42
1914	...P	11·34	12·83	5·31	4·78	3·82	38·08	10·46	7·78	6·42	5·75	5·27	4·88	4·44	4·59	4·12	3·85	3·75	99·39
1915	...P	10·58	12·38	5·78	5·26	3·92	37·92	10·86	7·59	6·54	5·78	5·66	5·46	5·44	5·63	5·67	5·41	5·35	107·31
1916	...P	10·79	12·18	5·36	4·75	3·27	36·35	9·41	6·36	5·13	4·68	3·95	3·63	3·61	3·19	3·26	3·04	3·22	85·83
1911–16	M	12·69	14·32	6·36	5·90	4·37	43·64	12·68	9·01	7·52	6·62	5·98	5·68	5·37	5·13	4·91	4·58	4·45	115·57
	F	9·71	10·96	4·81	4·40	3·38	33·26	9·31	7·05	6·23	5·29	4·82	4·64	4·38	4·41	4·33	4·01	3·99	91·72
	P	11·23	12·67	5·60	5·16	3·88	38·54	11·03	8·05	6·89	5·97	5·41	5·17	4·89	4·77	4·63	4·30	4·22	103·87
Rural Districts:—All Infants.																			
1911	...P	12·18	12·52	5·10	5·27	3·72	38·79	10·92	8·33	7·37	6·31	5·57	5·19	4·76	4·54	4·31	3·73	3·68	103·50
1912	...P	11·63	13·02	4·99	4·74	3·22	37·60	8·89	6·03	4·49	3·50	3·20	3·25	3·00	2·96	2·87	2·51	2·50	80·80
1913	...P	12·34	12·56	5·21	4·55	3·37	38·03	8·86	6·41	5·54	4·82	4·21	3·97	3·73	3·40	3·43	2·92	2·84	88·16
1914	...P	11·68	12·61	4·82	4·37	3·21	36·69	8·67	6·17	5·22	4·23	3·95	3·93	3·71	3·50	3·30	3·09	2·90	85·36
1915	...P	11·14	12·75	5·06	4·64	3·39	36·98	8·92	6·58	4·98	4·47	4·36	3·89	4·06	4·14	3·92	3·74	3·81	89·85
1916	...P	11·09	12·59	5·11	4·48	3·09	36·27	7·75	5·56	4·23	3·62	2·95	3·03	2·71	2·59	2·50	2·36	2·43	76·00
1911–16	M	13·15	14·36	5·60	5·23	3·75	42·09	10·49	7·48	5·95	5·01	4·56	4·31	4·10	3·79	3·66	3·22	3·30	97·96
	F	10·19	10·92	4·47	4·11	2·89	32·58	7·53	5·56	4·71	4·02	3·56	3·48	3·25	3·28	3·14	2·91	2·75	76·77
	P	11·70	12·68	5·05	4·68	3·33	37·44	9·04	6·54	5·35	4·52	4·07	3·90	3·68	3·54	3·41	3·07	3·03	87·59

In order to present the mass of detail embodied in Table XVIII in a form in which the yearly fluctuations in mortality at each age can be more easily studied, Tables XIX-XXI have been prepared, corresponding to each of the sections of Table XVIII and showing in each case the ratio of the year's record to the corresponding rate for 1911-1916 taken as 100.

The scope of the survey has been extended by including the figures for years previous to 1911 so far as the tables of rates published in the Reports for these years permit.

TABLE XIX.—ENGLAND and WALES.—INFANT MORTALITY in each YEAR, 1905–16, PER CENT. of that at the same AGE in 1911–1916.

—	Under 1 day.	1–7 days.	Weeks.			Months.												Total under 1 year.
			1—	2—	3	Under 1 month	1—	2—	3—	4—	5—	6—	7—	8—	9—	10—	11—	
BOTH SEXES.																		
1905	105		107	114	119	108	123	129	129	130	132	132	126	127	127	123	118	120
1906	104	105	107	120	120	108	127	135	141	140	144	138	132	131	128	125	121	124
1907	100	103	105	112	116	105	119	117	113	112	110	114	110	110	111	110	107	110
1908	102	101	104	111	113	104	120	125	125	126	121	116	115	112	108	106	104	113
1909	102	104	101	102	104	103	103	104	98	104	102	100	100	102	103	99	98	102
1910	102	99	96	99	99	99	101	103	98	99	98	97	98	95	97	98	92	99
1911	103	100	105	114	116	105	123	129	135	140	136	138	134	131	129	128	128	122
1912	100	102	98	96	96	99	90	88	80	76	77	78	79	84	82	84	84	89
1913	104	100	101	103	100	102	103	103	106	102	103	101	101	96	101	95	96	102
1914	101	100	97	96	101	99	98	99	99	98	99	98	95	98	94	97	92	98
1915	95	99	101	98	98	98	97	96	98	99	105	107	111	116	117	121	121	103
1916	96	98	98	92	87	95	87	83	80	82	77	76	78	74	77	74	79	85
MALES.																		
1905	105		106	111	118	107	122	130	129	125	130	134	127	129	125	122	117	119
1906	104	105	106	117	121	108	125	133	138	133	142	135	127	128	128	125	118	122
1907	101	103	105	113	117	106	118	118	112	109	110	114	110	109	112	111	105	110
1908	103	103	104	108	112	105	119	124	125	123	120	115	113	112	107	107	102	112
1909	102	103	100	101	105	102	101	104	98	103	100	99	101	103	104	98	97	101
1910	102	99	93	98	101	99	98	102	97	98	99	99	96	94	97	100	90	98
1911	102	102	103	113	114	105	122	125	135	137	134	136	132	125	130	129	124	120
1912	100	103	99	94	97	100	91	90	79	75	77	79	81	84	81	82	82	89
1913	104	99	102	103	100	102	103	103	105	100	105	101	101	97	101	93	98	101
1914	102	99	96	96	99	99	97	100	100	99	99	96	94	96	93	99	92	98
1915	96	99	103	99	101	99	97	97	97	101	107	109	113	121	117	122	123	104
1916	95	98	98	94	88	96	88	83	82	85	76	76	78	75	76	75	80	86
FEMALES.																		
1905	105		110	118	120	109	126	129	128	137	134	130	125	124	128	123	121	121
1906	103	105	109	123	116	109	129	138	144	149	146	141	138	134	128	125	123	127
1907	98	103	107	112	114	105	120	117	116	116	111	114	110	112	109	108	109	110
1908	99	100	104	114	114	104	122	127	125	129	124	118	118	111	109	106	106	114
1909	102	106	101	105	102	104	106	104	97	104	103	100	100	100	101	100	99	102
1910	101	100	100	100	97	100	105	104	101	101	98	94	101	95	96	95	95	100
1911	104	99	108	115	118	106	125	133	137	144	139	140	138	136	127	128	132	124
1912	99	101	99	98	95	99	90	85	81	77	76	78	77	84	82	87	86	88
1913	105	101	100	105	101	103	103	104	107	105	101	101	101	95	100	96	94	102
1914	99	102	98	95	104	100	99	98	97	96	100	99	97	99	96	95	91	98
1915	95	99	98	96	94	97	96	95	98	96	103	105	108	110	117	120	118	102
1916	98	97	97	89	85	95	86	84	78	77	78	74	77	72	77	73	77	84

Table XIX brings out more clearly perhaps even than Table XVIII the fact that mortality was lower in 1916 than in any previous year for which the comparison can be made for almost all the periods dealt with. The fifth is the only month of life in which a substantially lower mortality has been recorded in any previous year, though in the fourth and sixth months also the rates in 1912 were very slightly lower. It is from the fourth to the seventh months that the greatest improvement has been secured. The greatest fall of all for infants of both sexes is from 8·05 in the sixth month in 1906 to 4·30 in 1912, a decline of 47 per cent. This is the age of greatest decline also for males

(47 per cent. from 8·77 in 1906 to 4·67 in 1916), but for females the range in the fifth month is a little greater, from 8·24 in 1906 to 4·26 in 1912 and 4·27 in 1916, a decline of 48 per cent. In every month except the tenth the proportionate decline is greater for females.

The years of highest mortality were 1906 and 1911 for each sex, 1906 being as a rule the highest in the first six months of life and 1911 in the second, and next to these comes 1905 at almost all ages. There is in fact, if allowance be made for the exceptional heat of the summer of 1911, a general tendency of mortality to decline at each month of the year, though this is at a minimum in the first month and abates somewhat after its maximum in the sixth. Even in the first month, however, the progress recorded is quite substantial, the fall from 41·90 in 1906 to 36·90 in 1916 representing a gradual and progressive decline of 12 per cent. in the eleven years for each sex.

When the mortality of the first month is further analysed by weeks it may be seen that there is a sharp distinction between the first and the second fortnights. It is the relatively stable mortality of the first fortnight which by reason of its greater dimensions dominates the figure for the whole month; for with the third week a sudden increase in the range of yearly fluctuation and of progress secured occurs which brings the mortality of the third and fourth weeks into the same group as those of later months and marks off the first two weeks as the period at which comparatively little progress is being made. Even here, however, some decline is recorded, although the constancy of the figures, in good years and in bad, is very striking. For the first week there is a decline of 8 per cent. in 1916, the best year of the series, from the 25·16 recorded for 1905, which was the worst. This fact suggests that the mortality of the first fortnight is not by any means entirely due to the elimination of non-viable infants, and strong confirmation of this view will be met with when the records of the various classes of area dealt with in Table XX are examined.

TABLE XX.—CLASSES of ADMINISTRATIVE AREAS.—INFANT MORTALITY of BOTH SEXES in each YEAR 1911–16 per cent. of that at the same AGE in 1911–16.

—	Under 1 day.	1—7 days.	Weeks.			Months.												Total under 1 year
			1—	2—	3—	Under 1 month	1—	2—	3—	4—	5—	6—	7—	8—	9—	10—	11—	
LONDON.																		
1911	102	102	105	114	122	106	121	119	122	137	136	135	138	140	139	134	139	123
1912	102	99	99	93	96	99	90	86	79	76	73	77	78	79	82	80	77	87
1913	100	104	94	104	98	101	102	104	104	99	98	100	99	97	99	92	97	100
1914	103	99	100	104	102	101	99	100	108	95	107	96	91	95	89	95	90	99
1915	97	102	98	93	97	98	103	104	102	105	102	116	116	115	117	131	118	106
1916	95	94	104	90	83	94	85	86	84	86	81	75	76	70	73	67	78	84
COUNTY BOROUGHS.																		
1911	103	100	106	117	115	106	126	129	131	137	128	136	131	124	122	126	128	121
1912	99	102	98	96	96	99	89	87	80	77	79	77	80	85	84	87	87	89
1913	103	100	102	105	101	102	103	106	106	103	108	103	102	99	101	97	97	102
1914	101	100	99	97	105	100	100	101	100	101	99	99	98	99	99	101	92	100
1915	96	98	99	95	94	97	92	92	99	98	105	107	107	114	112	112	115	101
1916	98	99	96	90	88	96	89	84	83	83	80	78	82	80	83	77	80	87
OTHER URBAN DISTRICTS.																		
1911	101	102	106	114	117	106	124	135	147	148	146	146	142	137	135	134	128	126
1912	100	102	99	94	97	99	89	88	79	74	75	79	79	86	79	84	83	88
1913	107	100	101	105	99	103	106	103	106	101	99	100	100	92	101	94	95	101
1914	101	101	95	93	98	99	95	97	93	96	97	94	91	96	89	90	89	96
1915	94	98	103	102	101	98	98	94	95	97	105	106	111	118	122	126	127	103
1916	96	96	96	92	84	94	85	79	74	78	73	70	74	67	70	71	76	83
RURAL DISTRICTS.																		
1911	104	99	101	113	112	104	121	127	138	140	137	133	129	128	126	121	121	118
1912	99	103	99	101	97	100	98	92	84	77	79	83	82	84	84	82	83	92
1913	105	99	103	97	101	102	98	98	104	107	103	102	101	96	101	95	94	101
1914	100	99	95	93	96	98	96	94	98	94	97	101	101	99	97	101	96	97
1915	95	101	100	99	102	99	99	101	93	99	107	100	110	117	115	122	126	103
1916	95	99	101	96	90	97	86	85	79	80	72	78	74	73	73	77	80	87

The mortality of the third and fourth weeks quite clearly moves up and down with infant mortality in general, and some trace of such movement can be seen even in the second week, but it is undiscernible in the first, the deaths in which seem to be uninfluenced by climatic conditions.

The very considerable mortality of the first day of life has declined in a most interesting manner since the outbreak of war. Up to 1915 it varied remarkably little from year to year, but in that year it suddenly fell 6 per cent. below the average of the nine preceding years and has almost maintained this level in 1916. The inference that this sudden change, which is common to all the classes of area in Table XX, is in some way dependent upon the war seems almost unavoidable, but it is difficult to see how it can have been caused. Deaths during the first 24 hours of life must be in large measure the consequence of difficulties in child-birth, and if, as the result of war, the proportion of women delivered by medical practitioners has declined, it might have been thought that these deaths should have increased. It may be recalled, however, that some years ago a good deal of attention was drawn in the medical journals to excessive use of the forceps in delivery, and it is just conceivable that some infants' lives may be saved in the practice of midwives, who do not practise instrumental delivery, which the forceps might destroy. On the other hand it might have been thought that the forceps, properly used in the cases where they are required, would save more infants' lives than their misuse could sacrifice. Of course, the reduction may not be dependent upon any change in midwifery methods at all. The conditions under which confinements take place may, for instance, have been improved by separation allowances.

From Table XX it may be seen that the reduction in mortality during the six years dealt with has been fairly uniform in the four classes of area, varying from a minimum of 26·6 per cent. in the rural districts to 34·3 in the small towns. In all four cases the highest rate was recorded in 1911 and the lowest in 1916. In the case of the smaller urban and the rural districts the 1916 rate is the lowest at each month of life except the fifth, when a lower level was reached in 1912, but in London and in the county boroughs the mortality of 1912 was lower at several months. In all cases the highest rate is furnished by 1911 except in the eleventh and twelfth months in the rural districts, when mortality in 1915 was slightly higher. The mortality of 1915 was peculiar in that with one trifling exception—the third month in the rural districts—it was below the 1911-1916 average in all classes of area outside London until the sixth month of life, after which a rapidly increasing excess over the average developed, especially outside the large towns.

The greatest variations are those for the seventh and ninth months of life in the small towns, for which mortality in 1916 was less than half that in 1911. These towns showed the greatest excess in 1911 over their average for 1911-1916 of all classes of area and the greatest decline below it in 1916 both for the first year of life as a whole and for most of its constituent months.

The reduction of the mortality of the first day of life in 1916 is greatest in London and the rural districts, and least in the county boroughs, but as already pointed out it is distinctly in evidence for both war years in all classes of area. The slight movement of mortality in the second week of life in accordance with the conditions, largely climatic, leading to its variation at higher ages is most distinct in the case of the county boroughs and smaller towns, and is quite undiscernible in that of the rural districts. In the third week it is well marked for all classes of area.

Table XXI shows that the range of variation between years of high and low mortality is about the same for legitimate and for illegitimate infants even in the individual months. Their mortality experience, however, has differed in some other respects. The year 1906, for instance, yielded the highest mortality of the eleven years compared at every single month of the life of illegitimate infants, whereas the record of 1911 was as bad or worse for each of the second six months of the life of legitimate children. Furthermore, whereas 1916 has yielded the lowest mortality of legitimate children at every month except the fifth and sixth, lower rates had been previously recorded for illegitimate infants in each of the first five months of life and in the year as a whole. But the most striking difference between the two classes of infants is in regard to the mortality of the first week of life. The improvement at this period, and especially in the first day, recorded for legitimate infants has not been shared by the illegitimate. In fact their mortality at this age was appreciably lower up to 1910 than it has been since, whereas that of the legitimate was higher. In consequence of this movement in opposite directions it may be seen from Table XXII that the ratio of illegitimate to legitimate mortality in the first week of life has increased from 170 per cent. in 1907 to 201 in 1916. The mortality of the illegitimates in the first day of life

has increased from 23·31 in 1911 to 24·73 in 1915 and 24·10 in 1916. These facts have a somewhat ominous aspect and suggest that infant welfare organisations might well devote special attention to the first days of the life of illegitimate children.

TABLE XXI.—ENGLAND and WALES. INFANT MORTALITY of LEGITIMATE and ILLEGITIMATE CHILDREN at each AGE in each YEAR 1906–16 per cent. of that in 1911–16.

—	Under 1 day.	1–7 days.	Under 1 week.	Weeks.			Months.											Total under 1 year.
				1–	2–	3–	Under 1 month.	1–	2–	3–	4–	5–	6–	7–	8–	9–	10–	11–	
LEGITIMATE INFANTS.																		
1906 ...	?	?	106	107	118	118	109	127	135	143	141	146	139	133	131	128	125	119	124
1907 ...	?	?	103	106	113	116	106	120	118	114	112	111	115	111	111	112	110	107	111
1908 ...	?	?	103	104	110	114	105	121	126	126	126	122	117	115	112	108	106	104	113
1909 ...	?	?	104	100	101	105	103	103	104	98	104	102	99	101	101	102	99	98	102
1910 ...	?	?	101	97	99	101	100	102	104	99	100	99	97	98	95	97	98	93	99
1911 ...	103	101	102	105	114	115	105	123	129	137	142	137	139	135	131	129	129	127	122
1912 ...	100	102	101	99	95	97	100	91	88	80	76	76	79	79	84	82	84	83	89
1913 ...	104	101	102	101	103	101	102	103	104	105	102	103	100	101	95	100	94	96	101
1914 ...	101	100	100	97	96	101	99	98	99	98	98	99	97	95	98	94	96	91	98
1915 ...	95	99	97	101	98	99	98	97	96	97	100	105	107	111	116	117	122	122	103
1916 ...	96	97	96	97	91	86	95	86	82	79	80	77	75	77	74	77	73	79	85
ILLEGITIMATE INFANTS.																		
1906 ...	?	?	93	118	151	141	109	138	145	133	144	128	134	133	134	137	124	148	127
1907 ...	?	?	90	106	111	126	99	115	118	116	117	106	110	96	110	100	99	111	107
1908 ...	?	?	93	105	130	107	101	125	125	120	126	118	115	123	112	114	112	106	113
1909 ...	?	?	96	106	118	100	100	107	106	99	105	105	106	94	110	110	96	101	103
1910 ...	?	?	94	92	98	90	94	99	90	95	93	95	97	99	99	96	96	90	95
1911 ...	96	101	99	107	119	125	105	128	124	123	129	126	132	129	130	127	122	133	119
1912 ...	96	102	99	94	101	91	98	86	86	79	80	81	75	88	86	80	83	90	88
1913 ...	105	96	101	96	107	99	101	101	102	109	106	107	117	102	107	107	106	102	104
1914 ...	101	105	103	105	91	102	102	96	102	103	99	106	97	100	99	99	103	97	101
1915 ...	102	97	100	95	90	94	97	93	95	99	91	108	104	100	110	113	109	106	99
1916 ...	99	100	100	104	92	88	98	96	91	87	94	72	75	81	69	74	77	72	89

It may not be without significance also that, as shown by Table XXII, the excess of mortality amongst the illegitimate is so much greater in the first day than in the remainder of the first week. This table, moreover, shows that the increasing excess of the mortality of illegitimates during the first week has been due, from 1911 on at all events, mainly to rapid increase in that of the first day, which makes the appearance of the facts all the more disquieting.

TABLE XXII.—ENGLAND and WALES. INFANT MORTALITY of ILLEGITIMATE CHILDREN PER CENT. of LEGITIMATE at each AGE in each YEAR 1906–16.

—	Under 1 day.	1–7 days.	Under 1 week.	Weeks.			Months.											Total under 1 year.
				1–	2–	3–	Under 1 month.	1–	2–	3–	4–	5–	6–	7–	8–	9–	10–	11–	
1906 ...	?	?	171	205	232	236	192	255	271	230	238	189	195	178	171	165	150	172	206
1907 ...	?	?	170	186	178	216	179	225	252	253	242	205	193	153	166	138	137	144	194
1908 ...	?	?	177	187	215	186	185	243	251	234	232	208	197	190	167	163	161	141	201
1909 ...	?	?	179	196	211	190	187	243	256	249	235	223	215	166	181	166	148	142	202
1910 ...	?	?	180	178	181	176	180	229	218	238	214	206	202	179	173	153	150	134	192
1911 ...	210	169	188	189	189	214	191	244	242	223	211	197	192	169	165	152	144	145	196
1912 ...	217	167	190	175	193	187	188	222	247	243	246	230	193	199	170	150	151	150	199
1913 ...	228	159	192	175	187	195	189	228	249	256	242	223	234	180	186	165	171	147	206
1914 ...	227	176	200	200	172	199	196	229	261	257	234	230	200	188	169	163	163	148	206
1915 ...	244	163	200	173	165	189	190	224	250	252	212	223	196	159	157	149	136	120	193
1916 ...	235	173	201	200	182	202	199	263	281	272	273	201	201	186	155	148	161	125	211
1911–16 M	213	160	185	179	178	193	184	231	250	246	228	206	196	174	165	153	152	132	196
1911–16 F	244	178	209	194	186	203	203	239	257	249	237	27	208	182	168	155	152	146	207
1911–16 P	226	167	195	185	181	198	192	234	253	247	232	215	201	178	166	154	152	138	201

After the first week the excess shown for the illegitimates gradually increases till the third month, when their mortality is more than 2½ times as great as that of the legitimate. Beyond this age the excess gradually declines, reaching a comparatively moderate figure at the end of the twelve months. It is somewhat greater for females than for males throughout, but especially in the first month and particularly the first day of life. This fact again is open to a sinister construction, for it is generally, though by no means universally, characteristic of infanticide that female infants suffer most. From this point of view it is of interest to inquire how the growth in the excess of mortality of illegitimates in the first day of life has been distributed between the sexes during the six years for which the facts are available. The mortality of illegitimate infants per cent. of that of legitimate has been as follows :—

—	Males.	Females.	Both Sexes.
1911	196	229	210
1912	199	240	217
1913	216	244	228
1914	213	246	227
1915	237	252	244
1916	221	253	235

It will be seen that the growth of the illegitimate excess has been almost equal in both sexes, though it has occurred in different years. The suspicion above suggested therefore receives no further support from the sex increases during the past six years.

There is no great tendency for the excess in the mortality of illegitimate infants to be greater in years of high or of low mortality, so the mortality of both classes of infants seems to be similarly affected by the varying conditions of favourable and unfavourable years. It is true that the excess has been greater in the case of the low mortality of 1916 in each of the first five months of life than in any previous year dealt with, but 1912 shows no similar rise at these ages.

TABLE XXIII.—INFANT MORTALITY : MORTALITY of MALES at each AGE PER CENT. of that of FEMALES, 1905–16.

—		Under 1 Day.	1–7 Days.	Weeks.			Months.											Total under 1 year.
				1–	2–	3–	Under 1 mth.	1–	2–	3–	4–	5–	6–	7–	8–	9–	10–	11–	
England and Wales.	1905	?	?	125	125	128	128	132	128	122	114	120	124	122	120	112	110	107	123
	1906	130	131	126	127	136	130	132	122	116	111	120	115	111	109	115	111	106	121
	1907	133	131	128	134	135	132	134	128	117	117	123	120	120	111	118	115	107	125
	1908	133	135	130	126	129	132	133	124	121	118	120	118	114	116	112	112	106	124
	1909	129	127	128	127	135	129	130	127	123	124	120	120	122	119	117	108	108	124
	1910	130	130	122	130	136	129	127	125	117	121	125	127	114	114	116	117	106	123
	1911	127	135	124	130	126	129	132	119	120	118	119	117	115	106	117	112	104	121
	1912	130	133	130	127	133	131	139	136	119	122	126	122	127	115	114	105	106	126
	1913	128	129	132	130	129	129	137	126	119	119	128	120	120	118	116	108	115	125
	1914	133	129	128	134	123	130	135	130	126	128	123	118	116	111	111	116	112	125
	1915	131	130	136	136	141	133	137	130	120	131	128	125	126	126	114	113	115	128
	1916	125	134	131	140	134	131	139	126	127	137	119	123	122	120	112	115	115	128
England and Wales.	Total ...	1911–16.	129	132	130	132	130	131	136	127	122	124	124	121	120	115	114	111	111	125
	Legitimate		131	133	131	133	131	132	137	127	121	125	124	121	121	115	114	112	111	126
	Illegitimate		114	120	121	127	125	119	132	124	120	120	113	114	115	113	113	112	101	119
London			125	129	134	141	133	130	128	121	120	123	122	116	114	116	117	107	107	122
County Boroughs ...			128	133	129	131	131	131	138	126	121	125	122	119	119	113	113	111	108	124
Other Urban Districts			131	131	132	134	129	131	136	128	121	125	124	122	123	116	113	114	112	126
Rural Districts ...			129	132	125	127	130	129	139	135	126	125	128	124	126	116	117	111	120	128

The same statement is shown by Table XXIII to apply to the distinction of sex as has just been made with regard to that of legitimacy. There is no clear evidence of a tendency for either sex to be more affected by favourable or unfavourable seasonal conditions than the other, though it may be noted that the two years showing the lowest excess of male deaths, 1906 and 1911, are the two of highest mortality in the period covered. The male excess, it will be seen, is greatest in the first and second months, especially the latter, and thereafter gradually declines. For the first day of life this excess is almost equal to that in the remainder of the first week in the case of legitimate infants,

but, in accordance with the facts observed in regard to the excess mortality of the illegitimate (Table XXII) it is considerably less in their case. The male excess is less for the illegitimate than for the legitimate generally, but especially in the first month, and particularly the first day, periods at which, as already noted, the mortality of female illegitimates is comparatively heavy.

When we examine the relative effect of urban and rural environment upon the sexes we find that at almost all ages after the completion of the first month the excess mortality of males is least in the great towns and greatest in the rural districts. It appears, therefore, that the unfavourable circumstances of town life increase female rather more than male mortality, though still leaving the latter greatly in excess.

TABLE XXIV.—INFANT MORTALITY, 1911–16, in CLASSES of AREAS PER CENT. of that in ENGLAND and WALES.

		Under 1 day.	1—7 days.	Weeks.			Months.											Total under 1 Year.
				1—	2—	3—	Under 1 mnth.	1—	2—	3—	4—	5—	6—	7—	8—	9—	10—	11—	
LONDON.																		
1911		90	83	93	86	95	88	96	100	99	105	107	101	108	114	113	112	121	100
1912		92	80	94	84	90	87	97	105	108	108	102	101	103	100	104	102	103	96
1913		87	85	86	87	89	86	96	108	108	104	101	102	103	107	103	104	112	98
1914		92	81	96	94	91	89	98	110	120	105	115	101	100	104	98	105	109	99
1915		92	85	91	82	89	88	104	117	115	114	104	112	110	105	104	116	109	102
1916		90	79	99	85	86	87	95	111	115	113	113	103	103	101	99	97	110	98
1911–16	M	89	82	94	89	91	88	95	106	109	107	106	101	102	107	105	105	110	98
	F	92	83	91	83	89	88	101	111	111	109	108	105	108	105	103	109	113	100
	P	91	82	93	86	90	88	98	108	110	108	107	103	104	106	104	107	111	99
COUNTY BOROUGHS.																		
1911		103	105	112	114	110	107	117	115	113	114	110	117	117	114	113	119	122	113
1912		102	107	110	112	110	107	114	114	117	119	121	117	121	121	121	125	126	114
1913		101	106	111	114	111	107	115	118	117	118	123	120	122	123	119	123	123	115
1914		102	106	112	113	115	108	118	118	118	121	116	120	123	121	125	127	123	116
1915		103	105	108	109	106	106	110	111	118	116	117	118	117	117	114	113	115	112
1916		104	107	108	110	113	107	118	117	121	119	121	123	127	130	129	126	124	116
1911–16	M	102	107	110	111	111	107	115	115	116	117	117	118	119	119	118	121	120	113
	F	103	106	111	113	110	107	114	116	117	117	118	119	121	121	119	121	123	114
	P	103	106	110	112	111	107	115	115	116	117	117	119	120	120	119	121	121	114
OTHER URBAN DISTRICTS.																		
1911		98	102	100	99	102	100	98	100	104	102	104	102	100	100	101	100	94	100
1912		99	100	99	97	102	100	96	95	94	94	94	97	94	98	94	95	93	97
1913		101	100	99	101	100	100	100	95	96	95	93	95	94	91	97	94	93	97
1914		99	101	97	96	98	99	95	93	90	95	95	93	91	94	91	88	91	95
1915		98	99	101	103	104	100	100	94	93	94	96	95	96	97	101	99	98	98
1916		99	99	97	99	98	99	96	91	88	92	92	90	90	86	89	91	91	94
1911–16	M	100	100	100	100	101	100	98	96	95	96	97	97	96	96	96	97	94	98
	F	98	101	98	98	102	99	98	95	96	96	96	95	94	95	97	94	93	97
	P	99	100	99	99	101	100	98	95	95	96	97	96	95	95	97	95	94	97
RURAL DISTRICTS.																		
1911		105	99	86	89	84	95	79	77	75	72	73	70	69	69	70	65	64	80
1912		103	101	89	95	87	98	87	81	78	74	74	77	74	70	73	66	66	85
1913		104	99	91	84	88	96	76	74	73	76	73	73	72	71	71	68	66	81
1914		102	100	88	88	83	95	79	74	73	70	71	75	76	72	73	71	70	82
1915		103	102	89	91	90	98	82	81	71	73	74	68	71	71	70	69	70	82
1916		102	102	92	94	90	98	79	79	73	71	68	75	68	70	68	71	68	83
1911–16	M	103	100	88	88	86	96	81	79	75	73	74	74	73	71	72	68	70	83
	F	103	100	91	92	87	97	79	75	72	73	71	72	70	70	70	68	64	81
	P	103	100	89	90	87	97	80	77	74	73	73	73	72	71	71	68	67	82

Finally, Table XXIV enables us to compare the mortality of large and small towns and of rural districts at each age dealt with. It shows that, except in the first month of life, when London has a notable advantage, the rural districts furnish the lowest rates at all ages. Even in the first month the advantage of London over the rural districts is practically confined to the first week. Its extent at this period is very remarkable, the

London death-rate after the first day is passed being no less than 18 per cent. below that of the country as a whole. This fact, together with the decline during the first week in 1915 and 1916, clearly shows that, contrary to views sometimes expressed, there is a considerable amount of avoidable mortality not only during the first month of life (*see* page xxvii) but even during the first week.

The excess of the rural mortality on the first day can be readily explained by the relative difficulty of securing skilled assistance in confinements, but the consistently low rates for London during the remainder of the week, when the rural rates show no advantage over the remainder of the country, are hard to understand except on the hypothesis that the new-born infant is better cared for in London than elsewhere. At all ages after the first day the county boroughs furnish the highest rates. The difference between them and those of the rural districts continues to grow throughout the whole year of life, the exposure to the adverse influences of the town having even by the second month a very considerable effect, which thereafter increases but slowly.

It is a remarkable fact that London has a lower infant mortality than the rest of the country. The table shows that this is entirely due to relatively low mortality in the first two months, after which the London rates at all ages show a moderate excess. Even the small towns have very little advantage over London though at every month after the second their rates are considerably lower.

The distinction of sex in making these comparisons yields little of interest, urban and rural conditions affecting both sexes very similarly. The range of variation appears to be slightly greater for females, and the advantage held by London in the first week of life applies particularly to male births.

Causes of Infant Mortality.—It will be seen from Table XXV, which compares the rates recorded in Table 14 with the experience of previous years, that infant mortality from almost all causes declined in 1916, the chief reductions being recorded for infectious diseases and diarrhœa. The rate ascribed to tuberculosis, 2·39 deaths per 1000 births, is much the lowest recorded, an appreciable fall having occurred under each of the three sub-headings in Table 14. Mortality from non-tuberculous meningitis was also low.

TABLE XXV.—ENGLAND AND WALES, 1916.—PERCENTAGE INCREASE OR DECREASE OF INFANT MORTALITY as compared with 1911–15 and with 1915.

	Under 1 month.		1–3 months.		3–6 months.		6–9 months.		9–12 months.		Under 1 year.	
	1911–15.	1915	1911–15.	1915.	1911–15.	1915.	1911–15.	1915.	1911–15.	1915.	1911–15.	1915.
Whooping cough	− 9	−17	−18	−16	−20	−24	−21	−28	− 5	−20	−15	−23
Other common infectious diseases.	−25	−40	−13	−30	−22	−42	−50	−63	−51	−64	−47	−61
Diarrhœa and enteritis ...	−26	−16	−39	−22	−45	−29	−51	−38	−53	−40	−45	−30
Premature birth	− 5	− 1	− 9	− 8	− 5	—	—	−25	—	—	− 5	− 2
Congenital defects... ...	+ 3	− 0	+ 6	+ 4	+ 5	− 2	—	−14	+ 9	−14	+ 4	− 1
Atrophy, debility, marasmus	− 9	− 4	−19	−11	−27	−18	−38	−30	−35	−32	−17	−10
Developmental and wasting diseases	− 5	− 2	−12	− 8	−21	−14	−30	−26	−25	−27	− 8	− 4
Tuberculous diseases ...	−40	−40	−32	−28	−19	− 9	−24	−22	−19	−13	−22	−17
Convulsions	−11	− 6	−12	− 9	−21	−19	−18	−22	− 9	−16	−14	−13
Bronchitis and pneumonia	−10	−12	− 6	− 7	− 6	−21	−12	−31	−14	−36	−10	−25
Other causes	+ 4	+ 2	− 8	−10	− 6	−11	−11	−16	−11	−21	− 5	− 9
All causes	− 5	− 3	−17	−11	−23	−21	−27	−32	−27	−36	−17	−17

The important group of developmental and wasting diseases, which includes the whole of the three lines appearing above it in Tables XXV and XXVI, shows a decrease on the previous year of 4·3 per cent., the rate being the lowest yet recorded in Table XXVI. In 1915 there was a decrease of 1·4 per cent.

Table XXVII, which contrasts the mortality of male with that of female, and of legitimate with that of illegitimate infants, shows that the mortality of males was 28 per cent. greater than that of females, and that all the principal causes of death except whooping cough display the same feature, and on the whole to a very uniform extent. The excess in the mortality of males was greatest in the first three months of life, decreasing thereafter. All these features of the table—excess in male mortality of about 25 per cent. from all causes and from the principal groups of causes, excess of female mortality from whooping cough, and the decrease with advancing age of the excess in male mortality—reproduce themselves with curious

fidelity from year to year. The proportionate male excess was less in the case of illegitimate infants, as it has been in (at least) each of the past eleven years, and that for all infants was greater than in any other of the last twelve years except 1915, when it stood at the same figure (Table XXIII).

TABLE XXVI.—ENGLAND AND WALES.—DEATHS of CHILDREN under ONE YEAR OF AGE from DEVELOPMENTAL and WASTING DISEASES per 1,000 BIRTHS, 1886–1916.

—	Sex.	Proportion of Deaths to 1,000 Births of each Sex.						
		1886–1890.	1891–1895.	1896–1900.	1901–1905.	1906–1910.	1911–1915.	1916.
Premature birth (151A) ...	M.	17·8	20·3	21·7	22·4	22·0	21·7	20·6
	F.	14·4	16·4	17·5	18·1	17·8	17·6	16·6
	P.	16·1	18·4	19·6	20·2	19·9	19·7	18·6
Congenital defects (150 and 152B).	M.	3·5	3·9	4·3	6·4	7·3	6·2	6·4
	F.	2·9	3·3	3·5	5·0	5·9	4·9	5·1
	P.	3·2	3·6	3·9	5·7	6·6	5·6	5·8
Atrophy, Debility, Marasmus (151 B–E)	M.	24·9	25·0	23·9	20·8	17·5	15·3	13·0
	F.	20·6	20·3	19·3	16·6	13·7	11·6	9·4
	P.	22·8	22·7	21·7	18·7	15·6	13·5	11·2
Total: Developmental and wasting diseases.	M.	46·2	49·2	49·9	49·6	46·8	43·2	40·0
	F.	37·9	40·0	40·3	39·7	37·4	34·1	31·1
	P.	42·1	44·7	45·2	44·6	42·1	38·8	35·6

The excess in mortality of illegitimate children varied greatly for different causes of death. It was comparatively slight for infectious disease and congenital defects, but heavy for diarrhœa and for atrophy, &c. These are all very constant features of this table.

TABLE XXVII.—ENGLAND AND WALES, 1916: INFANT MORTALITY by SEX and LEGITIMACY.

	—	Deaths per 1,000 Births.						Mortality per cent.				
		All Infants.		Legitimate Infants.		Illegitimate Infants.		Male of Female Infants.			Illegitimate of Legitimate Infants.	
		Male.	Female.	Male.	Female.	Male.	Female.	All Infants.	Legitimate.	Illegitimate.	Male.	Female.
All causes	under one month ...	41·77	31·80	40·04	30·16	75·78	63·94	131	133	119	189	212
	1–3 months	19·18	14·37	17·73	13·29	48·05	35·80	133	133	134	271	269
	3–6 „	16·97	13·28	15·81	12·40	40·21	30·81	128	128	131	254	248
	6–9 „	12·86	10·58	12·41	10·16	21·92	18·98	122	122	115	177	187
	9–12 „	11·22	9·86	11·01	9·63	15·38	14·48	114	114	106	140	150
	Total under one year ...	102·00	79·89	97·00	75·64	201·34	164·01	128	128	123	208	217
All ages under one year.	Whooping cough ...	3·21	3·70	3·19	3·67	3·69	4·34	87	87	85	116	118
	Other common infectious diseases.	1·92	1·63	1·90	1·59	2·43	2·12	118	119	115	128	133
	Diarrhœa and enteritis	11·86	9·24	10·98	8·48	29·30	24·35	128	129	120	267	287
	Premature birth ...	20·59	16·55	19·93	15·82	33·87	31·02	124	126	109	170	196
	Congenital defects ...	6·40	5·11	6·27	5·06	8·73	6·07	125	124	144	139	120
	Atrophy, debility and marasmus.	13·01	9·36	12·02	8·68	32·83	22·83	139	138	144	273	263
	Developmental and wasting diseases.	40·00	31·02	38·22	29·56	75·43	59·92	129	129	126	198	203
	Tuberculous diseases ...	2·60	2·17	2·46	2·05	5·40	4·55	120	120	119	220	222
	Convulsions	8·75	6·38	8·34	6·09	16·88	12·15	137	137	139	202	199
	Bronchitis and pneumonia.	19·57	14·95	19·15	14·58	27·89	22·13	131	131	126	146	152
	Other causes	14·09	10·80	12·76	9·62	40·32	34·45	130	133	117	316	358
	All causes	102·00	79·89	97·00	75·64	201·34	164·01	128	128	123	208	217

Overlying.—One of the most interesting contributions to the fall of infant mortality in 1916 is to be found under this heading, which generally accounts for rather more than 1 per cent. of all deaths of infants in this country. These deaths were made the subject of a special study in the Report for 1890, in which it was shown that an excessive proportion of them occurred on Saturday night and so, being discovered on Sunday morning, were registered as having taken place on Sunday. The excess was so great, and applied so particularly to deaths from this cause, as to suggest that drunkenness on the part of the parents was the explanation of the peculiar weekly distribution of these deaths, and, as will be seen, this hypothesis has received additional support from recent experience. Attention has been directed to this matter again by the desire of the Chairman of the Board of Liquor Control to obtain evidence of the effect upon the public health of the measures recently put in force for restricting consumption of alcohol. It has been found that this mortality has fallen considerably during the past two years, as is shown by the following death-rates from suffocation in bed of infants under one year per 100,000 births :—

1883	129	1887	141	1913	129
1884	125	1888	155	1914	130
1885	124	1889	157	1915	117
1886	136	1890	174	1916	84

It will be seen that the frequency of these deaths, which had declined a little, but not very greatly, during the previous quarter century, has sustained a great and sudden fall since the outbreak of war.

The deaths dealt with do not include those of all infants certified as due to suffocation, which numbered 744 in 1916. They are made up of those certified either as "overlain" (90 in 1916) or "suffocated in bed" (572 in 1916). Other deaths of infants from suffocation included two on sofa, six at the breast, 18 in cot or cradle, three in push-cart or perambulator, two from noxious fumes, three certified as suffocated "during sleep," and 48 certified simply as "suffocated."

It may be taken for granted that parental heedlessness probably contributed to a large proportion of these deaths also, and for this reason all the deaths classified to heading No. 168 of the International List are dealt with in Tables 14 and 15, except for the rare cases where the cause of suffocation is obviously of a quite different nature from smothering in bed. In the Report for 1890, however, although 1,776 deaths of infants in the first year of life were classified to suffocation, only those of 1,517 who were returned as suffocated in bed were made the subject of special investigation. The recent material has, therefore, been similarly restricted for purposes of comparison in the following table :—

TABLE XXVIII.—DEATHS of INFANTS under ONE YEAR of AGE from SUFFOCATION in BED, arranged by Day of Occurrence, 1890 and 1913-1916.

Day of Week.	Number of Deaths Registered.								Proportion, per 1,000 total Deaths, occurring on each Day of Week (both sexes).				
	1913.		1914.		1915.		1916.						
	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	Boys.	Girls.	1890.	1913.	1914.	1915.	1916.
Sunday ...	172	136	143	116	123	87	68	56	283	270	227	219	188
Monday ...	79	83	72	67	72	69	50	54	124	142	122	147	157
Tuesday ...	79	66	72	80	66	66	51	40	137	127	133	138	137
Wednesday ...	56	58	78	55	55	55	40	41	116	100	117	115	122
Thursday ...	72	65	59	66	59	44	42	38	115	120	110	108	121
Friday ...	57	69	87	64	63	66	54	46	107	110	132	135	151
Saturday ...	65	84	97	84	71	61	52	30	118	131	159	138	124
	580	561	608	532	509	448	357	305	1000	1000	1000	1000	1000

It will be seen that the heaping up of these deaths at the week-end was almost as pronounced in 1913 and 1914 as in 1890, though the proportion returned as occurring on Saturday increased somewhat at the expense of that on Sunday. Taking the two

days together the proportion recorded in 1890, 40·1 per cent., was exactly maintained in 1913, while for 1914 it was 38·6. In 1915 it fell to 35·7 and in 1916 to 31·2, or very little more than the 28·6 per cent. (two-sevenths) which would represent an even distribution of the deaths over all the days of the week. So long as the mortality attributed to this cause maintained approximately its former level, as it did until the war, its peculiar week-end distribution was also maintained, but this has been very largely lost simultaneously with the great reduction in mortality of the last two years.

The Saturday night mortality from this cause appears to be most readily explained by the hypothesis that it is due to drunkenness on the part of the parents. When the association of these deaths with parental intemperance and the reality of their causation by accidental suffocation has been called in question it has been felt necessary also to question the week-end distribution of mortality, but in view of the figures in the table this must now be admitted.

Of course, it is possible that only a proportion of these deaths have been accidental in origin, and that a number of sudden deaths from unobserved disease are included in their number. Prevention of accidental deaths by enforced sobriety during the past two years would account for the altered week-day incidence and for the substantial drop in mortality, while deaths from disease put to this heading through mistaken diagnosis might account for the maintenance of a large proportion of the former mortality without abnormal week-day distribution.

In considering such a possibility two further facts have to be borne in mind—that the deaths in question are practically all the subject of inquest and that they occur chiefly in the great towns, especially London. This geographical distribution is shown in the following table, which includes all deaths of infants from suffocation.

Table XXIX.—Infant Mortality from Suffocation (Cause No. 168), 1913–16.

	Deaths per 100,000 Births.					Mortality per cent. of that for England and Wales.			
	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales	London.	County Boroughs.	Other Urban Districts.	Rural Districts.
1913	265	184	90	68	139	191	132	65	49
1914	274	188	87	64	140	196	134	62	46
1915	202	171	84	66	125	162	137	67	53
1916	154	124	62	62	95	162	131	65	65
1913–1916 ...	226	168	81	65	126	179	133	64	52

The excess in the great towns is not to be accounted for by their excess of infant mortality generally, for in the county boroughs the general excess over the rural districts is only about one-fourth, and in London one-twelfth, of that shown for suffocation in the table. Moreover the county boroughs exceed London in general mortality though their death-rate from suffocation is much lower. The distribution of mortality from suffocation conforms much more with the relative frequency of inquests in the four classes of area, which in 1915 was as follows, the figures denoting the percentage of deaths under one year of age investigated by inquest :—

London 9·8, County Boroughs 5·4, Other Urban Districts 3·5, Rural Districts 3·7.

The idea almost inevitably suggests itself that deaths in the country are attributed to natural causes and escape the coroner's investigation which in London are made the subject of inquest resulting in a verdict of suffocation in bed. These may either be actual deaths from suffocation which escape recognition in the country or deaths from natural causes under circumstances which in London would lead to an inquest and a mistaken verdict of suffocation. In either case it is conceivable that a modification of the practice of coroners as to holding inquests on such deaths might account for the reduction in mortality of the last two years.

Some such modification appears to have occurred, as a result presumably of the war, for the proportion of inquests on infants to deaths of infants in London, which had been 11·3 per cent. in 1913 and 11·5 in 1914, fell to 9·8 in 1915, although the total number of inquests held in London, including those on war victims, increased in 1915. The proportion for England and Wales also fell from 5·6 in 1913 and 5·8 in 1914 to 5·1 in 1915.

It will be prudent therefore for the present not to assume that the whole of the decline in this form of infant mortality is due to increased sobriety, though the striking change in the weekly distribution of the deaths suggests this as the most important cause. Also it must be admitted that if this abnormal distribution indicates inebriety as the cause of the deaths now avoided its approach to disappearance in 1916 points to absence of this factor in the causation of the great bulk of those still returned.

If the four classes of area are examined separately the distribution of the deaths is more subject to chance irregularities on account of their smaller numbers, but still some points of interest are brought out.

TABLE XXX.—DEATHS of INFANTS under ONE YEAR of AGE from SUFFOCATION.—PROPORTION per 1,000 on each DAY of WEEK in various CLASSES of AREAS.

—	London.					County Boroughs.					Other Urban Districts.					Rural Districts.				
	1913.	1914.	1915.	1916.	1913-16.	1913.	1914.	1915.	1916.	1913-16.	1913.	1914.	1915.	1916.	1913-16.	1913.	1914.	1915.	1916.	1913-16.
Sunday	242	223	146	131	197	303	221	228	212	244	204	252	260	179	227	271	193	217	211	224
Monday	130	143	141	183	145	137	127	158	170	145	159	89	119	148	128	144	110	170	116	136
Tuesday	157	139	175	118	149	127	136	131	114	128	107	109	110	167	119	110	147	151	221	154
Wednesday	68	130	121	163	114	110	104	118	96	108	119	120	92	136	115	110	119	132	105	117
Thursday	137	103	82	111	110	108	126	104	135	117	130	97	137	86	114	127	110	113	126	119
Friday	130	126	141	183	140	94	128	133	135	121	122	151	154	161	145	85	147	113	126	117
Saturday	136	136	194	111	145	121	158	128	138	137	159	182	128	123	152	153	174	104	95	133

From this table we see that in London, where even in 1916 mortality was much the highest (Table XXIX), the weekly distribution of the deaths in 1916 was no longer characteristic, but that in all the provincial groups the Saturday night predominance has been retained in greater or less degree, though everywhere much reduced. It is in London that the reduction in mortality has been greatest, as shown in the following table, and it is natural, therefore, that the change in distribution, which has accompanied the fall in mortality, should have occurred earliest and been carried furthest in London.

TABLE XXXI.—INFANT MORTALITY from SUFFOCATION in each of the YEARS 1914–16 per cent. of that in 1913.

—	London.	County Boroughs.	Other Urban Districts.	Rural Districts.	England and Wales.
1914	103	102	97	94	101
1915	76	93	93	97	90
1916	58	67	69	91	68

Another point brought out by the figures is that the London pre-eminence in mortality has been maintained during 1916 (Table XXIX) without any evidence in the figures of Table XXX that drunkenness has contributed to it in any degree. Judged by the test of weekly distribution alcohol still plays a part, though one of diminishing importance, in all the other areas, whose mortalities are far below that of London. There must, therefore, be some other factor at work, of much more importance now than drunkenness, and particularly affecting London and other large towns ; and it seems possible that this may be found in the frequency with which inquests are held on the deaths of infants in general. Suffocation as a cause of death is in practice only met with in the verdicts of coroners' juries. Of the 1,021 deaths of infants in 1915 from suffocation 1,005 were so certified, 12 were certified by medical practitioners, and 4 were uncertified. It is natural, therefore, that they should be most frequent where most inquests are held. Many unexpected deaths of infants are doubtless made the subjects of inquest in London, with resultant verdicts of suffocation in bed, which in the country districts would be otherwise certified without inquest. Whether the true cause of most of these deaths is suffocation is another question, not to be decided upon the evidence under consideration. The considerable proportion of them which in normal times furnishes the Saturday night excess seems on the statistical evidence likely to be due to parental heedlessness, frequently, it may be supposed, the result of drink, and operating in the manner assumed by the verdict. It is possible, however, that close investigation of the individual cases might not support

the conclusion to which the statistics appear to point, and in any case the correctness of the verdict in the residue of the cases remaining after the Saturday excess has disappeared is much more open to question. Whether these are to be accepted as deaths from suffocation will depend upon the view taken of the reliability of inquest verdicts.

It has been suggested that these deaths are more common in the cities because of greater overcrowding. But a baby in a cradle in an overcrowded room is practically free from risk whereas in bed with its mother it is subject to risk however large the room. To account for the excessive London mortality it would be necessary to prove that cradles are less used there than elsewhere.

The seasonal distribution of these deaths is of some interest. They occur most in the coldest weather and least in the warmest, as shown by the following table :—

TABLE XXXII.—INFANT MORTALITY from SUFFOCATION in each QUARTER of the YEARS 1913–1916.

Quarter ending	Deaths per 100,000 Births.					Quarterly Mortality per cent. of Annual.				
	1913.	1914.	1915.	1916.	1913 to 1916.	1913.	1914	1915.	1916.	1913 to 1916.
March	171	182	172	121	163	123	130	138	127	129
June	124	126	116	79	112	89	90	93	83	89
September	115	104	73	67	91	83	74	58	71	72
December	148	152	136	115	138	106	109	109	121	110

This distribution to a certain extent supports the certification, as it is only natural that the risk of suffocation in bed should be greater in winter when more bed clothes are in use, but as other causes than suffocation might lead to similar distribution, this evidence is inconclusive.

Mortality at 1–5.—The causes of the decline in mortality at 0–5 have been for the most part already dealt with under the head of infant mortality, as 65 per cent. of deaths under 5 in 1916 occurred in the first year of life. The decline at ages 1–5 also, however, demands consideration.

If the fall in mortality at each of the first five years of life from 1911–1914, taken as representative of recent peace experience, to 1916, is calculated upon the population estimates given in Table XII, the results are as shown in Table XXXIII.

The decline is seen to have reached its maximum in the second year of life, after which it progressively diminishes until at 5–10, as shown on page xxiv, it is reduced to quite small proportions. For the whole group 1–5 the decline, 17·1 per cent., is the same as that at 0–1.

At 0–1 the decline is practically the same as that recorded for infant mortality. Indeed the death-rate so calculated for the first year of life is in some respects preferable to the infant mortality rate, for it states mortality at this age in a form comparable with the statements made for other ages, whereas infant mortality, being necessarily lower than a rate based upon the population living at age 0–1, has the effect of minimizing the death-rate at this age when compared with the mortalities returned for other ages.

The advantages of the " infant mortality " measure are its simplicity, rendering it of general application, and the reliability of the data on which it is based. Where, however, the necessary data are available, in the form of a detailed classification of the ages of infantile deaths, the population aged 0–1 at any date can be calculated from the births of the preceding twelve months, by the deduction of deaths during the same period, with an accuracy little less than that of the record of births. It is advisable, therefore, to employ the death-rate at 0–1 (*i.e.* a rate based upon the estimated numbers living at this age) rather than the infant mortality rate, when comparison has to be made between mortality at this and at other ages. This can only be done at present, however, for England and Wales and for London and the grouped county boroughs, other urban districts, and rural districts.

A further argument for the use of the ordinary death-rate at age 0–1 lies in the fact that, if it be admitted that where this can be done with reasonable accuracy it is preferable to express mortality in infancy in the same way as at other periods of life, it can be shown that the infant mortality rate has the disadvantage of understating the decline at present in progress. For as mortality during the first year of life declines the population under one year of age resulting from each thousand births increases. The

death-rate based on population is accordingly decreased, not only by the decline in the number of deaths but by the increase in population resulting from these births. Infant mortality only takes the decrease in deaths into account and therefore to some extent under-estimates the progress achieved. Thus a decline in infant mortality from 150 to 100, such as has occurred since 1900, means a decline from about 168 to 108 in mortality at 0–1. Stated as infant mortality, the probability of dying within one year of birth, the death-rate has declined by 33⅓ per cent., but when it is based upon population aged 0–1 the decline is 35·7 per cent.

TABLE XXXIII.—ENGLAND and WALES.—MORTALITY per 1,000 LIVING in each of the FIRST FIVE YEARS of LIFE, 1911–1914 and 1916.

Year of Life.	Males.			Females.			Persons.		
	1911–14.	1916.	1916 % of 1911–14.*	1911–14.	1916.	1916 % of 1911–14,*	1911–14.	1916.	1916 % of 1911–14.*
0–1	132·06	110·90	84·0	104·47	85·06	81·4	118·40	98·15	82·9
1–2	35·12	26·96	76·8	32·43	25.04	77·2	33·79	26·01	77·0
2–3	13·71	11·87	86·6	13·37	11·03	82·5	13·54	11·45	84·6
3–4	8·26	7·69	93·1	8·13	7·22	88·8	8·19	7·46	91·1
4–5	6·08	5·69	93·6	6·05	5·73	94·7	6·07	5·71	94·1
0–5	40·23	32·51	80·8	33·65	26·53	78·8	36·96	29·54	79·9
1–5	15·85	13·21	83·3	15·03	12·39	82·4	15·44	12·80	82·9

When the causes of the decline in mortality at 1–5 years are examined it appears from Table XXXIV that of the total fall of 2·64 per 1,000 living, as compared with 1911–14, no less than 1·39, or 53 per cent., is accounted for under the head of measles alone. Diarrhœal diseases contribute a further 0·72 per 1,000, these two causes thus accounting for 80 per cent. of the total fall. There is, moreover, a fall of 0·26 from pneumonia, which may also be attributable to the remarkable freedom of the year from measles mortality (see page li). If so, measles and diarrhœa account altogether for 90 per cent. of the total fall. Scarlet fever and whooping cough contributed respectively 0·14 and 0·15 to the decline, while the only cause showing appreciably increased mortality is diphtheria, the death-rate from which was 871 per million, as against 769 in 1911–1914.

As both measles and diarrhœa are liable to great variations from year to year, it will be seen that there is the less promise of permanence in the progress chronicled for 1916. Measles mortality was unprecedentedly low, partly, no doubt, as a result of the great prevalence of the disease in 1915, and hotter summers will lead to more mortality from diarrhœa, so the record of 1916 may remain unbroken for some years.

* At first sight the figures showing the ratios of the 1916 to the earlier death rates may appear anomalous. Put in the form of percentage declines they are as follows :—

	Males.	Females.	Persons.
0–1	16·0	18·6	17·1
1–2	23·2	22·8	23·0
2–3	13·4	17·5	15·4
3–4	6·9	11·2	8·9
4–5	6·4	5·3	5·9
0–5	19·2	21·2	20·1
1–5	16·7	17·6	17·1

It might be assumed from these figures, especially in view of the preponderant importance of mortality at the period 0–1, that the decline at 0–5 is too high to correspond with those for the single years. The explanation lies in the fact that the 0–5 population of 1916 is more favourably constituted than that of 1911–1914, as it contains a smaller proportion of young infants. A decline in the mortality of the whole group would have resulted from this fact even if the rates for single years of life had remained unchanged. In other words, mortality at 0–5 requires to be standardized to allow for the altering age-distribution of this population, just as mortality at all ages does, if a true comparison is to be obtained. The decline in such a standardized mortality would correctly represent the general effect of the declines at the constituent single years of life.

TABLE XXXIV.—MORTALITY PER MILLION LIVING at AGES 1–5 YEARS in 1911–14 and in 1916.—BOTH SEXES.

—	Death-rate.		Increase (+) or Decrease (−) between 1911–14 and 1916.		—	Death-rate.		Increase (+) or Decrease (−) between 1911–14 and 1916.	
	1911–14.	1916.	+	−		1911–14.	1916.	+	−
6. Measles	2,643	1,255	—	1,388	87B. Laryngitis	141	138	—	3
7. Scarlet fever	369	227	—	142	89 & 90 Bronchitis ...	862	834	—	28
8. Whooping cough ...	1,202	1,050	—	152	91. Broncho-pneumonia...	2,146	1,981	—	165
9A. Diphtheria	769	871	102	—	92. Pneumonia, lobar and undefined.	856	761	—	95
28 & 29. Pulmonary tuberculosis, acute and chronic.	307	294	—	13	103A. Gastritis	93	123	30	—
					104 & 105. Diarrhœa and enteritis.	1,621	904	—	717
30. Tuberculous meningitis	697	716	19	—	119. Acute nephritis ...	88	99	11	—
31. Tuberculous peritonitis	387	363	—	24	150. Congenital malformations.	84	94	10	—
32–35. Other tuberculous diseases.	212	191	—	21					
36A. Rickets	170	181	11	—	167. Burns	356	362	6	—
61. Meningitis	480	458	—	22	Other violence ...	271	279	8	—
71. Convulsions	455	452	—	3					
					All causes	15,445	12,802	—	2,643

But it should be borne in mind that the exceptional improvement manifested in 1916 is only a temporary acceleration of a long continued movement. This can be seen from Table 8, which shows that from 1871 onwards to 1900 mortality at 0–5 gradually fell from close on 70 to 56·7 per 1,000 persons living, although infant mortality was not falling at all throughout this period. As infant mortality mainly determines mortality at 0–5, the rate at 1–5 must have fallen very considerably.

This may be shown to have been the case by comparison of mortality at each of the years from 1 to 5 in succeeding decades, as in the following table :—

TABLE XXXV.—ENGLAND and WALES.—MORTALITY at AGES 1—5 during different PERIODS.

Age.	Mortality per 1,000 living.						Decline on 1871–80 (per cent.)				
	1871–80.	1881–90.	1891–1900.	1901–10.	1911–14.	1916.	1881–90.	1891–1900.	1901–10.	1911–14.	1916.
1—2	66·1	50·1	54·7	41·8	33·8	26·0	10·6	17·2	36·8	48·9	60·7
2—3	27·8	23·2	20·3	15·4	13·5	11·5	16·5	27·0	44·6	51·4	58·6
3—4	18·1	14·9	12·9	9·8	8·2	7·5	17·7	28·7	45·9	54·7	58·6
4—5	13·2	10·9	9·3	7·2	6·1	5·7	17·4	29·5	45·5	53·8	56·8
1—5	31·3	27·0	24·3	18·4	15·4	12·8	13·7	22·4	41·2	50·8	59·1

Thus we may say that at the ages under consideration the mortality of 1916 was only two-fifths of that prevalent during the eighth decade of the nineteenth century.

The progress of the fall during the present century may be seen from the fact that in the decennium 1891-1900 the rate recorded was 24·3—almost double the 1916 figure of 12·8 per thousand living. This extraordinary change in the short period of twenty years seems to be attracting less attention than is its due at a time when, to judge by contributions on the subject in the public press, it might be thought that everything still remained to be done to check preventable deaths at these ages. It is well to aim high and to shun content with progress made, but it should be realized that so far as the ages lying between infancy and school life are concerned more than half the amelioration which was possible twenty years ago has already been secured, for the death-rate has been practically halved, and it can never be reduced to vanishing point.

No instance of life saving on such a scale can be found at any other age in Table 8. The magnitude of the change largely explains the fact that whereas infant mortality fell

by 41 per cent. from 1891–1900 to 1916, mortality at 0–5 fell by 51 per cent., or 49 per cent. if the rate based upon the new estimate of population (Table XII) is taken into account. The apparent anomaly that falls of 41 per cent. in infant mortality and of 47 per cent. in mortality at 1–5 during this period combine to produce a total fall for the group of 49 per cent. is due to the altered age distribution of its members (see footnote to Table XXXIII) and to the fact, already pointed out, that the fall in infant mortality is less than that in mortality at 0–1. Standardizing the death-rates to allow for the change in age-constitution the fall at 0–5 becomes 46·6 per cent., which compares with falls of 45·8 per cent. at 0–1 and 47·3 at 1–5.

The extent of the recent decline in mortality at 1–5 is largely explained by the nature of the chief diseases causing death at this age. They are few in number and very largely of a preventable nature. During the years 1911-1916 five causes contributed 65 per cent. of the total deaths. These were, in order of importance, pneumonia, measles, tuberculosis, diarrhœa and whooping cough. The extent of their various contributions may be seen in the following table :—

TABLE XXXVI.—ENGLAND and WALES, 1911–16.—MORTALITY at AGES 1–5 YEARS from SEVERAL CAUSES per cent. of that from ALL CAUSES.

——	Males.	Females.	Persons.	——	Males.	Females.	Persons.
6. Measles	16·82	16·83	16·83	91. Broncho-pneumonia ...	14·57	14·48	14·53
7. Scarlet fever	2·16	2·34	2·24	92. Pneumonia, lobar and undefined.	5·87	5·38	5·63
8. Whooping cough	6·35	9·35	7·80	91& 92. Pneumonia, all forms	20·44	19·86	20·16
9A. Diphtheria	5·22	5·24	5·23	103A. Gastritis	0·63	0·70	0·66
28 & 29. Phthisis	2·06	1·93	2·00	104 & 105. Diarrhœa and enteritis.	9·31	9·46	9·38
30. Tuberculous meningitis	4·73	4·47	4·60	119. Acute nephritis ...	0·61	0·63	0·62
31. Tuberculous peritonitis	2·65	2·31	2·49	150. Congenital malformations.	0·62	0·48	0·55
32–35. Other tuberculous diseases.	1·43	1·23	1·33	167. Burns	2·30	2·32	2·31
28–35. Tuberculosis,all forms	10·87	9·94	10·42	Other forms of violence	2·18	1·32	1·77
36A. Rickets	1·23	0·99	1·11	Other causes	8·20	7·76	8·00
61. Meningitis	3·23	3·05	3·15				
71. Convulsions	3·02	2·95	2·98				
87B. Laryngitis	0·99	0·88	0·93				
89 & 90. Bronchitis	5·82	5·90	5·86	All Causes	100·00	100·00	100·00

As so large a proportion of the mortality is still of a preventable nature there seems even yet to be great room for improvement, and it may even be that the death-rate at 1–5 will be reduced in time to the level now prevalent at 5–15. This will depend largely upon the extent to which the diseases commonly classed as preventable are really subject to control.

Table XXXVII calls attention to a curious feature in the sex-incidence of the mortality under consideration. Deaths from burns and scalds are very common at this age, accounting for 2·3 per cent. of the total mortality, and other forms of violence account for a further 1·8 per cent. But while boys and girls die of burns in almost equal numbers, the mortality of boys from other forms of violence far exceeds that of girls.

TABLE XXXVII.—ENGLAND AND WALES, 1911–16.—DEATHS from VARIOUS FORMS of VIOLENCE at 1–5 YEARS of AGE.

——	Boys.	Girls.	Boys per cent. of Girls.
164. Food poisoning	43	29	148
165. Other acute poisonings	77	66	117
166. Conflagration	39	40	98
167. Burns	3,378	3,180	106
168. Deleterious gases (suffocation)	64	59	108
169. Accidental drowning	1,076	377	285
172. Falls	480	284	169
175. Crushing by vehicles, &c.	935	603	155
179. Effects of heat (mainly sunstroke in 1911) ...	90	68	132
182–4. Homicide	65	65	100
Other forms of violence	337	223	151

It will be seen that in every instance where the greater enterprise or mischievousness of the boy comes into play the deaths of boys are much more numerous, except in the

case of burns. The difference in the case of drowning is astonishingly great. It is interesting to note this evidence of the innate difference between the sexes, manifesting itself at a time when environment is the same for both.

Even the important exception of burns is apparent rather than real, for it has been pointed out by a recent investigator that so long as both sexes are dressed alike in petticoats the deaths of boys are considerably in excess, but that after the boys have been put into breeches there are far fewer fatal burns sustained by them. This view is fully borne out by the following figures of fatal burns and scalds during 1901–1910 and 1911–1916.

TABLE XXXVIII.—ENGLAND AND WALES.—DEATHS of BOYS and GIRLS from BURNS and SCALDS.

Age.	1901–1910.			1911–1916.		
	Boys.	Girls.	Boys per cent. of Girls.	Boys.	Girls.	Boys per cent. of Girls.
0–1	699	659	106	387	324	119
1–2	1,828	1,536	119	1,050	877	120
2–3	2,240	1,605	140	1,111	804	138
3–4	1,573	1,564	101	781	757	103
4–5	867	1,363	64	436	742	59
0–5	7,207	6,727	107	3,765	3,504	107
5–10... ...	976	2,660	37	492	1,460	34
10–15... ...	154	621	25	79	416	19

The close correspondence of the ratios in the two periods covered by the table is noteworthy as showing how small is the element of chance variation in the figures. In both periods the excess of male mortality increases with the development of the spirit and opportunity for adventure till it reaches a maximum in the third year of life, after which a sudden and rapid decline sets in concurrently with a decline in the total mortality which may be readily explained as a result of the change in male attire. This decline is maintained, as may be seen from Table XXXVIII, till the age 10–15, at which deaths of females from burns and scalds are more than four times as numerous as those of males. It would be of no advantage in this connexion to trace the matter beyond this age, as occupation must largely decide it at ages over 15.

If any further support of the indictment against feminine attire in this connexion be needed it may be supplied by the following figures relating to death from accidental drowning.

TABLE XXXIX.—ENGLAND AND WALES.—DEATHS of BOYS and GIRLS from ACCIDENTAL DROWNING.

Age.	1901–1910.			1911–1916.		
	Boys.	Girls.	Boys per cent. of Girls.	Boys.	Girls.	Boys per cent. of Girls.
0–1	161	174	93	87	77	113
1–2	362	221	164	225	111	203
2–3	519	277	187	316	148	214
3–4	384	148	259	271	70	387
4–5	328	72	456	264	48	550
0–5	1,754	892	197	1,163	454	256
5–10... ...	2,081	247	843	1,443	197	732
10–15... ...	1,301	165	788	976	103	948

Here we get equality of risk in infancy, followed by rapidly increasing preponderance of male mortality as the spirit of adventure develops and gradually attains greater freedom for its manifestation, until in the second and third quinquennia of life deaths of boys are

eight or nine times as numerous as those of girls, there being in this case no environmental safeguard to obscure the effect of the male instinct.

The figures in Table XXXIX show a maximum mortality in the third year of life for both sexes which is in close conformity with the figures for burns and scalds in Table XXXVIII, but they also suggest for boys a second maximum, somewhere between the ages of 5 and 10, of which there is no hint in Table XXXVIII. It is tempting to surmise that the earlier maximum is the result of individual, and the later of gang initiative, the toddlers of two adventuring singly to their deaths, whereas at 7 or 8 bands of schoolboys dare each other to misadventure. But on this and other points relating to the accidental deaths of children further light may be thrown by a more detailed examination of the figures than can be undertaken at the present moment.

Mortality of the Aged.—There is reason to believe that the increase during the war in mortality over 65, and especially over 75 years of age, referred to on page xxiv, is an experience shared by other belligerent countries, but the facts published as yet are insufficient to permit of any satisfactory examination of the subject so far as the principal continental countries are concerned. The Irish and Scottish records show some increase of mortality at these ages in 1915, but not nearly so marked as in England and Wales.

A phenomenon of such general occurrence amongst the warring nations as this appears to be, and so closely associated in time of occurrence with the war—the commencement of the rise in the year 1914 can be observed in Tables 6–8, though it only becomes distinct in the first complete year of war—inevitably suggests its own dependence in some way upon the abnormal circumstances accompanying its occurrence; and indeed it appears only natural that the anxieties and bereavements of the time, as well as any exceptional hardships endured, should take their toll of these relatively feeble existences. Adaptation to the exceptional circumstances now prevalent, and the early loss of the lives most susceptible to such influences, may account for the fall in mortality in 1916, notwithstanding the increase which must have occurred in the number of persons affected by the private anxieties and griefs of the war.

If we examine the causes to which this increase in mortality is attributed in the death certificates we may still use the period 1911–1914 as a standard of comparison, for the increase in 1914, though it applies to each of the causes chiefly concerned as well as to mortality in general, is so slight as to be negligible in its effect upon the average mortality of the four years.

Three causes stand out as accounting for almost two-thirds of the total excess—influenza, heart disease and bronchitis—and it must be remembered that the increased mortality from the first of these, which was part of a general increase at other ages also, may have contributed in some degree to that attributed to the two latter.

The records may be tabulated as follows :—

TABLE XL.—ENGLAND AND WALES.—DEATHS AT AGES 70 YEARS AND UPWARDS, BOTH SEXES, 1911–14 AND 1914, 1915 AND 1916.

	Number.				Percentage of Total Deaths at ages 70 years and upwards.			
	All Causes.	Influenza.	Heart Disease. (79.)	Bronchitis.	Three specified causes.	Influenza.	Heart Disease (79)	Bronchitis.
1911–14 (average)	116,791	1,656	16,214	15 948	29·0	1·4	13·9	13·7
1914 ...	120,649	1,773	17,414	17,052	30·0	1·5	14·4	14·1
1915 ...	137,669	3,707	20,281	22,207	38·5	2·7	14·7	16·1
1916 ...	132 291	3,427	20,323	19,968	33·1	2·6	15·4	15·1

	Excess over 1911–14.								Excess from separate causes per cent. of Total Excess.			
	All Causes.		Influenza.		Heart Disease. (79.)		Bronchitis.		Three specified causes.	Influenza.	Heart Disease. (79.)	Bronchitis.
	Actual.	Per cent.	Actual.	Per cent.	Actual.	Per cent.	Actual.	Per cent.				
1914 ...	3,858	3·3	117	7·1	1,200	7·4	1,104	6·9	62·7	3·0	31·1	28·6
1915 ...	20.878	17·9	2,051	123·9	4,067	25·1	6,259	39·2	59·3	9·8	19·5	30·0
1916 ...	15,500	13·3	1,771	106 9	4,109	25·3	4,020	25·2	63·8	11·4	26·5	25·9

The numbers of deaths may be accepted as indicating mortality with sufficient accuracy in a comparison limited to six years only. It will be noted that though the three causes dealt with accounted for only 29 per cent. of the total mortality before the war, no less than 63·8 per cent. of the increase in 1916 is attributed to them. The increased mortality from these three causes, moreover, is not in the main a part of a movement in progress before the commencement of the war, but appears to date from 1914, though heart disease mortality at this age had shown a tendency to increase for several years before the war, greatly accentuated, however, in 1915. Other causes contributory to the general increase of mortality at the ages in question have grown in consequence of a tendency already well established, notably cancer, diabetes and arterial degeneration, the increased mortality recorded in the latter instance at least being presumably the result merely of a change in fashion of certification. Mortality of the aged from pneumonia has also risen since the war, but this is not so marked a feature in 1916 as in 1915.

Centenarians.—Among the deaths registered during the year there were 88 of reputed centenarians, 18 of whom were males and 70 females. In the preceding three years the numbers were 52, 88, and 73 respectively. Particulars of the ages returned and of the classes of area concerned are given in Table XLI.

TABLE XLI.—ENGLAND AND WALES, 1916.—DEATHS of CENTENARIANS.

	Males.						Females.							
	Age.						Age.							
	100 and over.	100.	101.	102.	103.	104.	100 and over.	100.	101.	102.	103.	104.	105.	106.
London	1	—	—	—	—	1	10	4	4	1	1	—	—	—
County Boroughs	3	1	1	—	1	—	17	6	5	3	—	1	1	1
Other Urban Districts ...	4	1	1	1	1	—	18	10	3	3	1	1	—	—
Rural Districts	10	5	2	2	1	—	25	10	7	4	4	—	—	—
All areas	18	7	4	3	3	1	70	30	19	11	6	2	1	1

CAUSES OF DEATH.

The causes of death of males and females at 27 groups of ages are stated in the abstracts at pages 128–229 for the whole country, for London, for county boroughs in the aggregate, for other urban districts in the aggregate, and for rural districts in the aggregate ; and at pages 230–247 the deaths in these areas are shown by cause but not by age for each quarter of the year. So far as they relate to the whole country these tables include all deaths registered during the year ; but owing to the special circumstances arising from the war, it has been found necessary to exclude naval and military deaths from all tables relating to portions of the country (*see* page xi). A condensed table stating, by ages, the causes of these latter deaths will be found on page 248. The tables on pages 128–247 include the full International List of Causes of Death with certain subdivisions introduced for reasons stated in the "Manual of the International List" (page vi). All other abstracts of the causes of death are arranged in the form of the short list of causes adopted by the Registrar-General and the Local Government Board in 1911. The relation of this list to the detailed and condensed International Lists as revised by the International Commission which met for the purpose at Paris, in 1909, is as follows :—

Short List of Registrar-General and of Local Government Board.	Corresponding Number.	
	Detailed International List.	Abridged International List.
1. Enteric fever	1	1
2. Small-pox	5	4
3. Measles	6	5
4. Scarlet fever	7	6
5. Whooping cough	8	7

Short List of Registrar-General and of Local Government Board.		Corresponding Number.	
		Detailed International List.	Abridged International List.
6.	Diphtheria and croup	9	8
7.	Influenza	10	9
8.	Erysipelas	18	12 in part.
9.	Phthisis (pulmonary tuberculosis) ...	28, 29	13
10.	Tuberculous meningitis...	30	14
11.	Other tuberculous diseases	31–35	15
12.	Cancer, malignant disease	39–45	16
13.	Rheumatic fever...	47	37 in part.
14.	Meningitis	61	17
15.	Organic heart disease	79	19
16.	Bronchitis	89, 90	20, 21
17.	Pneumonia (all forms)	91, 92	22, and 23 in part.
18.	Other diseases of respiratory organs ...	86–88, 93–98	23 in part.
19.	Diarrhœa and enteritis, ages stated ...	104, 105	25, and 37 in part.
	,, ,, ages unstated ...	104	25
20.	Appendicitis and typhlitis	108	26
21.	Cirrhosis of liver	113	28
21A.	Alcoholism	56	37 in part.
22.	Nephritis and Bright's disease	119, 120	29
23.	Puerperal fever	137	31
24.	Other accidents and diseases of pregnancy and parturition.	134–136, 138–141	32
25.	Congenital debility and malformation, including premature birth.	150, 151	33
26.	Violent deaths, excluding suicide ...	164–186	35
27.	Suicide	155–163	36
28.	Other defined diseases	2–4, 11–17, 19–27, 36–38, 46, 48–55, 57–60, 62–78, 80–85, 99–103, 105–107, 109–112, 114–118, 121–133, 142–149, 152–154.	37 plus detailed list Nos. 2–4, 11–17, 19, 64, 65, 102, 103,109, 128–132, 154 ; and less detailed list Nos. 47, 56, and, where ages are stated, 105.
29.	Diseases ill-defined or unknown ...	187–189	38

The contents of every heading in both the short and the detailed list now in use, and their relation to the items in the list previously used, are defined in the Manual, which should be consulted in all cases where it is desired to ascertain the precise significance of any heading in the lists.

On pages 250–376 deaths of civilians are shown for urban and rural portions of administrative counties, and for county and metropolitan boroughs, arranged by sex, age, and the short list of causes as above. For all other administrative areas the deaths are shown on pages 378–476 arranged by sex and short list of causes without distinction of age.

In addition to the above presentations, all of which follow the International List, the deaths and death-rates of the year are shown in Tables 9 and 10 for England and Wales only, and with distinction of sex but not of age, arranged according to the list in use up to 1910. In these tables the figures for each cause in the old list are shown for each of the last 15 years, the series being uninterrupted by the adoption in 1911 of the International List. The method by which this result is secured is described in the "Manual" above referred to (pages vi and xxvi–xxxi).

General Diseases.

1. **Enteric Fever.**—The deaths of 1,122 persons (viz., 1,045 civilians and 77 non-civilians) of all ages and of both sexes were classified to enteric fever during 1916. The lowest number heretofore recorded was 1,388 in 1915, but it must be remembered that both in 1915 and in 1916 a large number of males of the ages at which this disease causes

most deaths were absent from the country. The following crude and standardized rates may be of interest as showing the proportion of the decrease of mortality probably due to the absence of men at ages specially liable to attack* :—

TABLE XLII.—ENTERIC FEVER—MORTALITY per MILLION LIVING 1901–1916.

	Crude Rates.			Standardized Rates.		
	Males.	Females.	Persons.	Males.	Females.	Persons.
1901–10 (Total Population) ...	109	74	91	109	74	91
1911–14 „ „ ...	60	39	49	60	39	49
1915 (Civil Population) ...	43	29	35	46	29	38
1916 „ „ ...	37	25	30	41	25	32

As there is no reason to suppose that the men who have enlisted were more or less liable to fatal attack by enteric fever than others of the same ages the standardized death-rates from this disease before and during the war should be fully comparable notwithstanding the restriction of the latter to the civilian population. The position in respect to such diseases differs entirely from that applying to chronic maladies such as tubercle, in the case of which the unenlisted section of the population contains an abnormal proportion of invalids. The genuine fall in mortality from such a recent period as 1901–1910 is therefore from 91 to 32 per million, or 65 per cent. The disease is rapidly losing its importance as a factor in our mortality (*see* pages 21, 30 and 35).

5. **Small-pox.**—Eighteen deaths (two of non-civilians) were attributed to this disease, being five more than in 1915. Of these, five had apparently been vaccinated in infancy and ten were apparently unvaccinated, the evidence in the remaining three cases being doubtful. No death occurred of any person re-vaccinated before infection. A fuller statement on this subject is given in the Annual Report of the Medical Officer of the Local Government Board for 1916–1917.

6. **Measles.**—The deaths registered from this cause numbered only 5,413 (viz., 5,347 of civilians and 66 of non-civilians), against 16,445 in 1915. The civil deaths correspond to a death-rate of 155 per million civil population at all ages. At ages under 15 years, for which comparison is unaffected by the calculation of the rate upon civil population only, the mortality was 462 per million living at those ages, and Table 12 shows that this is by far the lowest rate ever recorded in this country. It followed a high rate in the preceding year, but equally high rates in the past have not been followed by falls of such a magnitude. The fall was common to all parts of the country, mortality in 1916 being less than half that in 1915 in all the areas shown in Table XLIII except the Welsh county boroughs, where in consequence of high mortality in Swansea the fall was only 15 per cent. It was greatest, 85 per cent., in the Northern rural districts, which suffered severely in 1915. As then mortality was concentrated on the first half of the year, during which 3,680 deaths were registered, as against 1,733 in the second half (page 230).

In consequence of the high death-rate of 1915 measles was made a notifiable disease throughout the whole country by an Order of the Local Government Board dated 27th November, 1915, and remained so throughout 1916. German measles was made notifiable by the same Order, and the number of cases of the two diseases (undistinguished in the returns) notified by medical practitioners or by parents and guardians during the year was 348,090.

It cannot escape remark that the first year of general compulsory notification of the disease is signalised by a mortality far lower than any previously recorded.

Whether or in what degree these two phenomena are related as cause and effect is a question on which the statistics of the year throw no light. We do not know what the prevalence of the disease in previous years has been, and so cannot say how the case mortality of 1916 compares with that of other years. It seems improbable that notification can have reduced the mortality to the level recorded by arresting the spread of the

* The fact has not been lost sight of that owing to the special protective measures taken, few deaths have occurred abroad amongst members of the fighting forces. But the standardized death-rate is quoted as showing what English mortality would presumably have been under ordinary peace conditions, and so in the absence of special preventive measures amongst one section of the population.

disease; but very possible that it may have had a substantial effect by reducing case mortality. In so far as notification has been followed by administrative action directed towards improved care of the sick and increased realisation by parents of the dangers of the disease it may well be that it has formed at least one factor in causing the reduction recorded. On this point however an opinion of value can only be formed by those familiar with the nature and amount of administrative action which has resulted from notification.

TABLE XLIII.—MEASLES, 1915–16.—CRUDE DEATH-RATES per MILLION CIVIL POPULATION AT ALL AGES.

		North.	Midlands.	South.	Wales.	England and Wales.
London	1915	—	—	530	—	530
	1916	—	—	194	—	194
County Boroughs	1915	583	524	403	389	538
	1916	239	247	102	330	231
Other Urban Districts	1915	657	457	250	503	488
	1916	168	98	76	106	118
Rural Districts	1915	540	219	128	182	262
	1916	83	77	54	64	71
All Areas	1915	602	413	369	374	462
	1916	194	142	127	134	155

The likelihood of a low rate in 1916 was increased by the fact that the high mortality of the preceding year did not extend into its fourth quarter, the rate for which was well below the average. The year 1916 had thus everything in its favour—a good start with low prevalence of the disease and a child population well protected by a heavy recent epidemic. But this favourable conjunction of circumstances has been met with before, notably in 1875 and 1890. The rate for the former year was 704 per million living under 15, the lowest recorded before 1916, but for the latter it was 1,240, about the average rate at that period, when mortality was rather high. It appears, therefore, that while the low mortality of 1916 may be largely due to the exceptionally favourable circumstances described, it cannot be assumed that a low rate will always be met with under such circumstances. Table 13 shows that mortality was low in 1916 even in most areas unprotected by high prevalence during the previous year, but that in a few of the county boroughs, Great Yarmouth, Newport, Southport, Swansea, and particularly Rochdale, comparative immunity in 1915 was followed by high mortality in 1916.

7. **Scarlet Fever.**—The deaths allocated to this disease during 1916 numbered 1,381 (viz., 1,346 of civilians and 35 of non-civilians). The civil deaths were equal to a rate of 39 per million civil population at all ages, and of 109 per million at ages under 15 years.

Table 12 shows that both these rates are by far the lowest ever recorded in this country. The fall is best measured by mortality under the age of 15, both because this rate is unaffected by the exclusion of non-civilian deaths in 1915 and 1916, and because the diminishing proportion of children in the population has of itself caused some fall in the mortality at all ages from children's diseases. Table 12 shows that the lowest mortality previously recorded at this period of life was 159 in 1911, and that the 1916 rate is less than one-twentieth of those prevalent fifty years ago. The low mortality of 1916 was entirely due to low prevalence of the disease, only 75,722 cases having been notified as against an average of 126,999 in the preceding five years for which alone returns are available. The case mortality seems indeed to have been a trifle above the average, there having been 17·78 deaths per 1,000 cases notified, as against 17·56 in the previous five years.

8. **Whooping Cough.**—The deaths allocated to this heading numbered 6,075—2,681 of males and 3,394 of females. All these deaths occurred among the civil population.

The corresponding rates of mortality are 176 per million living at all ages, and 529 at ages under 15 years. With the exception of those for the year 1913 both

of these rates are the lowest recorded in Table 12. Mortality from whooping cough has been falling rapidly during the last 40 years, to some extent, of course, as a result of the fall in the birth-rate. It was not till 1902 that the mortality at all ages fell below 300, but since 1904 it has never reached that figure. Forty-five per cent. of the deaths occurred in the first and thirty-one per cent. in the second year of life. Naturally, therefore, diminishing mortality from whooping cough has contributed appreciably to the fall in infant mortality. During the past quarter of a century this contribution has been almost 3 per 1,000 births, infant mortality from whooping cough having been 6·44 in 1891, and only 3·45 in 1916. Moreover, diminishing prevalence of whooping cough may have contributed sensibly to the fall in infant mortality from respiratory diseases.

20c. **Vaccinia.**—Two deaths have been assigned to this cause, one of them being that of a soldier from toxaemia following inoculation (probably anti-typhoid). Two deaths from septicaemia following vaccination, which up to 1911 would have been assigned to vaccination, have been assigned to septicaemia. Previous to 1911 deaths from such causes as septicaemia following slight wounds were assigned to the septicaemia, &c., except in the case of vaccination. The exception has since then been discontinued, but the total number of death certificates on which any mention of vaccination is made has been stated each year.

28–35. **Tuberculosis.**—The deaths assigned to tuberculous affections in the aggregate numbered 53,858, or 437 fewer than those so classified in the previous year. Of these 960 were deaths of non-civilians. The mortality amongst the civil population amounted to 1,529 per million, a figure in excess of the total mortality recorded for any year since 1909 (Table 10). We have to go back to the same year also to find total numbers of deaths as large as those registered in 1915 and 1916, notwithstanding the absence from the country in these latter years of a large number of males on military service.

TABLE XLIV.—ENGLAND AND WALES: MORTALITY from TUBERCULOSIS (ALL FORMS) per MILLION POPULATION, 1911–14, 1915, and 1916.

	Males.			Females.			Persons.		
	1911–14.	1915 (Civilians only.)	1916 (Civilians only).	1911–14.	1915.	1916.	1911–14.	1915 (Civilians only).	1916 (Civilians only).
All Ages { Crude	1,594	1,851	1,912	1,194	1,237	1,234	1,388	1,515	1,529
All Ages { Standardized.	1,571	1,888	2,035	1,195	1,237	1,236	1,373	1,546	1,618
0–	2,145	2,053	1,830	1,784	1,703	1,511	1,966	1,879	1,672
5–	577	616	616	596	610	662	586	613	639
10–	443	529	571	693	749	776	568	639	674
15–	948	1,332	?	1,225	1,387	1,469	1,087	1,364	?
20–	1,505	2,659	?	1,343	1,372	1,527	1,419	1,793	?
25–	1,801	2,453	?	1,402	1,426	1,429	1,592	1,828	?
35–	2,246	2,698	?	1,430	1,524	1,519	1,823	2,061	?
15–45	*1,703*	*2,345*	*2,665*	*1,366*	*1,436*	*1,480*	*1,528*	*1,805*	*1,910*
45–	2,445	2,547	2,531	1,218	1,298	1,212	1,807	1,906	1,851
55–	2,298	2,273	2,265	1,033	1,042	1,029	1,630	1,644	1,632
65–	1,464	1,411	1,529	792	814	766	1,090	1,078	1,105
75–	652	638	771	487	552	526	554	587	625
85 and upwards	272	85	344	245	256	401	255	195	381

Mortality from tuberculosis was at its lowest in this country during the three years 1912–1914, but the rise of the last two years, although accentuated by standardization, is nevertheless largely an accidental result of the enlistment of a large army, and to that extent without significance. The increase is accentuated on standardization because mortality from tubercle at military age is normally somewhat above the average at all ages, and particularly so at the present time when the non-tuberculous have been selected for military service. The mortality amongst the civilian remainder is naturally exceptionally high, and in standardization this exceptional mortality is applied to a normal proportion of men of military age, and not to the reduced proportion remaining in the civilian population and so contributing to the crude death-rate. Hence the rise on

standardization, although the crude death-rate of males is itself artificially inflated by the withdrawal from the population of large numbers of healthy men who would if remaining in it have contributed little to the tale of deaths.

As standardization then, though designed to reduce the effects of population anomalies under ordinary circumstances, has the opposite and undesirable result in the present instance of accentuating them, its use can only darken instead of illuminating comparisons of present with past male mortality from such causes of death as tubercle.

It is advisable therefore to restrict our comparison for 1916 to the female sex, knowing as we do that the curves of mortality for the two sexes normally run so nearly parallel in their yearly fluctuations (*see* Table 10) that the recorded history of female mortality forms the best guide by which to estimate, under the present abnormal circumstances, the extent of the tendency to death from this cause amongst males. In applying this test the crude figures supplied in Table 10 can be used without correction as the effect of standardization on the death-rate of females from tubercle is almost nil. The table shows that the mortality after a fairly steady decline (which had continued for many years) reached its lowest level during the three years 1912–1914. From the lowest level touched in these years, 1,154 per million females living in 1913, there has been a rise of 7 per cent. to 1,235 in 1915 and 1,234 in 1916.

Of course the circumstances of the female population have been profoundly changed by the war, and it is possible that with peace the improvement of former years would have been maintained. Table XLIV shows that, apart from fluctuations in the small numbers of deaths at ages over 75, the increase in mortality of females does not extend to ages over 45 and that in 1916 it particularly affects the most active working period of life, 15–45. Many thousands of women are now for the first time subjected to the workshop conditions which have probably tended so much to maintain the mortality of males at working ages in recent years. Young women of the most susceptible age have thus been subjected to risks of infection as well as of pulmonary disease predisposing to tubercle which they would have escaped in following their normal occupations; and both from this cause and from the effect of workshop conditions on women already infected a number of women have probably died who would have survived under peace conditions. It is quite possible therefore that with the return to these conditions the fall in tuberculous mortality may be resumed, though whether this will be so must largely depend upon the nature of the peace conditions to be established.

The general tendency to increase over the average of the four years 1911–1914 is not shared in by the rates for children under five years, the rapid decline of which has been such a notable feature of the history of tuberculosis in England since the commencement of the century. At these ages the death-rate is the lowest yet recorded, and for the first time is exceeded in both sexes by the rates for adults of certain ages. The rapid fall of mortality at these ages is a recent and hopeful feature of our returns, the improvement at ages 0–5 during last century having been less than at any other age up to 35 for males, and less than at any other time of life at all for females. In 1906–1910 mortality was still at its highest for both sexes at this period of life, but this has since ceased to be true, first of males and now also of females.

The mortality in each administrative county and county borough from tuberculosis of all forms and from phthisis is stated in Table 13. These, however, are uncorrected for peculiarities of sex- and age-distribution. Comparison of crude rates without such correction is probably more fallacious than usual owing to the disturbance of population distribution by the war, but it follows from the extent of these disturbances that the factors for correction by which the Medical Officer of the Local Government Board has been enabled to publish standardized rates for these localities from the year 1911 onwards are no longer applicable.

28 and 29. **Phthisis.**—These headings in the international list of causes of death now in use include acute miliary tuberculosis in addition to the deaths so classified prior to 1911. The addition under this heading in 1916 amounts to 776 deaths, and the total contents of the headings to 41,545 deaths, of which 26,965 were returned as pulmonary tuberculosis, 10,762 as "phthisis," and the remainder as acute forms of the disease. In comparison with those for 1915 these numbers show a continuance of the transfer from the less to the more definite form of return. The 41,545 deaths form 77 per cent. of the total deaths allocated to tuberculosis, the mortality amongst civilians amounting to 1,178 per million living, or 8·2 per cent. of the death-rate from all causes.

Deaths of non-civilians numbered 798 (page 248) of which 513 were certified as due to pulmonary tuberculosis, 89 to phthisis not otherwise defined, 171 to acute phthisis, and 25 to acute miliary tuberculosis.

Table XLV shows that whereas the standardized mortality of females was 916 in 1916 as against 863 in 1911–1914, that of males increased from 1,191 to no less than 1,635. This result, which has arisen from the causes referred to under tuberculosis, shows, when compared with the increases at separate age-periods, how misleading the standardized rate is under present circumstances. For the changes at the various ages are on the whole small, except at the ages of enlistment. As the increases at these ages are mainly factitious it would be desirable to have a means of eliminating so much of them as is due merely to enlistment, but for the reason stated above standardization only increases its effect.

For the female sex there is shown a considerable increase of mortality at ages 5–45 as compared with the years 1911–1914, but after 45 the rates remain much as before. Any harmful effect of workshop labour would of course naturally be most apparent at ages 15–45, but the increase at 25–45 was quite as great in 1915, when little result from increased workshop employment of women could be looked for, as in 1916. It is conceivable that the increase in both sexes during school age may have some connexion with the medical inspection of school children, which has directed a good deal of attention to the occurrence of phthisis at this age.

Deaths from phthisis are usually most numerous in the first quarter of the year and least so in the third. In 1916 the mortality of the third quarter was, as usual, much the lowest, but the deaths of the second quarter were about equal to those of the first. The seasonal variation was as usual more marked in the male sex.

Table XLV—England and Wales: Mortality from Phthisis (28 and 29) per Million Population, 1911–14, 1915, and 1916.

	Males.			Females.			Persons.		
	1911–14.	1915. (Civilians only.)	1916. (Civilians only.)	1911–14.	1915.	1916.	1911–14.	1915 (Civilians only.)	1916. (Civilians only.)
All Ages { Crude ...	1,222	1,438	1,492	882	932	936	1,046	1,161	1,178
All Ages { Standardized.	1,191	1,487	1,635	863	912	916	1,018	1,185	1,259
0—	346	357	315	306	294	262	326	325	289
5—	146	176	172	197	196	246	171	186	209
10—	190	236	234	424	473	468	307	355	351
15—	740	1,030	?	1,008	1,155	1,207	875	1,103	?
20—	1,342	2,367	?	1,198	1,229	1,354	1,266	1,601	?
25—	1,667	2,277	?	1,282	1,317	1,307	1,465	1,693	?
35—	2,116	2,561	?	1,315	1,405	1,401	1,701	1,933	?
15—45	*1,550*	*2,142*	*2,419*	*1,224*	*1,295*	*1,324*	*1,381*	*1,639*	*1,721*
45—	2,307	2,421	2,401	1,109	1,192	1,085	1,684	1,791	1,723
55—	2,144	2,135	2,130	903	929	919	1,489	1,519	1,510
65—	1,324	1,258	1,375	661	706	645	955	950	970
75—	545	471	629	361	384	381	436	419	481
85 and upwards	206	85	215	156	163	259	174	135	244

30. **Tuberculous Meningitis.**—The sudden rise discussed in last year's report in the mortality attributed to this cause, which had been steadily falling for many years, was largely maintained in 1916, when the mortality, though lower than in 1915, was otherwise the highest since 1911. The cause of this rise, accompanying as it does in 1916 an exceptionally favourable mortality experience of children at the ages chiefly concerned, both from all causes and from tuberculosis generally, is puzzling. It will be interesting to note whether it is maintained after the return of peace.

31. **Tuberculosis of the Peritoneum and Intestines.**—There is no such increase to account for under this heading as from tuberculous meningitis, the deaths so classified amounting to 3,492, the smallest number recorded except 3,246 in 1912 and 3,457 in 1914. The decline in mortality from this form of tubercle shown in Tables 9 and 10 is much more rapid than that from meningeal infection.

37. **Syphilis.**—The total deaths registered as due to this disease numbered 1946, those among civilians corresponding to a mortality of 55 per million living. These figures notoriously represent a very small proportion of the mortality actually caused by the disease, which is believed by those best qualified to judge to rank very high indeed in the order of destructiveness to life. It has indeed been recently stated by one of our leading authorities to rank "at the top, an easy first among the infections" as a cause of death, being more destructive to life than tuberculosis, pneumonia, or cancer. Even if we add, as we are entitled to do, the deaths certified as due to locomotor ataxy and general paralysis of the insane, as representing particular manifestations of syphilis, so obtaining a total of 4,832 deaths and a mortality among civilians of 136 per million living, the understatement is still enormous. To obtain a correct total the majority of deaths from aneurysm and a varying but unascertained proportion of deaths from many other causes, such as cerebral hæmorrhage, paralysis, organic heart disease, cancer of the tongue, premature birth, &c. would have to be added.

In arriving at such an estimate of the frequency of fatal syphilis as that quoted above no doubt all deaths from diseased conditions due to syphilis have been taken into account. To do so, however, raises the very difficult question—what is the primary cause of death, the cause to which the death should be allocated? This is at present understood by the Registrar-General, as is pointed out on every form of medical certificate of cause of death now issued, to mean (in the case of deaths from disease) "the disease, present at the time of death, which initiated the train of events leading thereto." Under such a definition syphilis is returnable as the cause of death only if the practitioner has reason to believe that the disease has maintained its existence till then. If the local lesion causing death had already outlasted the disease which gave rise to it, then, under the definition, the death should be ascribed to the local lesion. This must often be a very difficult point to decide. It is a question regarding which opinion is in a particularly rapid state of development at present as a consequence of the new knowledge of the pathology of the disease acquired during the last twelve years. The tendency of the new light being thrown on the subject is more and more to prove continued activity of the disease where formerly it might have been considered that only the consequences of a former attack were in question. Still, knowledge is as yet very incomplete, and the extent to which the presence of the later consequences of syphilis, even in such form as to be fatal, proves the continued existence of the infection itself, or in other words the presence in the body of living spirochaetes still capable of mischief, has yet largely to be worked out. Till this has been done, and till the knowledge has had time to spread throughout the profession, it is only natural that a practitioner, when faced with the question whether syphilis should be mentioned as a disease present at the time of death or not, should decide against such a course in doubtful cases.

Of course it may be urged that the present rule is too restricted and that practitioners should be asked to ascribe *all* deaths from diseases believed to be of syphilitic origin to the disease primarily responsible for them. The danger of encouraging the return of the more remote causes of death is, however, obvious. The further inquiry is pushed back beyond what the medical attendant has had an opportunity of verifying for himself the more uncertain its results become, and the attempt to trace out the more remote causation of the same classes of deaths would naturally be carried further in some cases than in others. Moreover the opportunity of doing so from personal observation would vary greatly in different cases. It was for these reasons that the limiting clause, "present at the time of death" was inserted in the definition, but an exception to this had to be admitted in the case of acute specific diseases of recent occurrence in order to make the definition conform with recognised practice in certification, and if it ultimately proves to be advisable it would be possible to extend this exception so as to cover syphilis. Probably, however, the fact that the spirochaete has now been found in all the lesions of syphilis will soon lead to the view that its presence, and with that the continued existence of the disease, may be assumed wherever such lesions are found. In that case no exception to the rule would be required to provide for the attribution to syphilis of all deaths even remotely caused by it, except possibly where cured syphilis has left a permanent lesion behind it, such as an aneurysm. Medical views on the subject are developing so rapidly at the present time, however, as to suggest the postponement of any change of the kind till the position is more clearly defined.

The reason for the understatement in the death returns, so far as cases are concerned where the disease is still demonstrably present, is two-fold. Many deaths recognised to

be due to syphilis are not returned as such from a natural reluctance on the part of medical practitioners to violate the confidence or offend the susceptibilities of their patients. It seems probable, however, that even if this cause of understatement were done away with by the introduction of a satisfactory system of confidential certification a very large proportion of deaths from syphilis, or in the causation of which syphilis still existent at the time of death had a considerable share, would still be put to other headings, from failure to suspect or inability to verify the underlying cause of the condition to which the death is ascribed. It is barely forty years since the syphilitic origin of locomotor ataxy and general paralysis of the insane was first established, and the frequency of syphilitic heart disease has only attained full recognition of recent years. Moreover, the true nature of many of the latter and other cases has only been established by a costly and difficult laboratory test of recent introduction, though it may be hoped that the difficulties of applying such specific tests will be greatly reduced. Professional knowledge being thus still unavoidably imperfect, complete returns cannot be looked for. And even if this difficulty did not exist it would still be hard to decide, in certifying the deaths of many syphilitics, whether the syphilitic taint contributed in such a degree to the causation of the death as to justify its assignment to this cause. For all these reasons the actual mortality caused by the disease must probably long remain to some extent a matter of speculation, but it is admittedly high.

The deaths actually assigned to syphilis probably form a fairly definite fraction of the whole. In the presence of certain manifestations of the disease and of certain social circumstances a certificate of syphilis may be expected, and as the proportion of cases where these conditions are met with probably fluctuates little from year to year the mortality returned is not without significance as throwing light upon the probable movement and distribution of the unrecorded total mortality.

Two events have lent additional interest to the recent records—the Royal Commission on Venereal Diseases and the war. If the death-rates of the last 15 years are examined (Table 10) we find that they remained fairly steady at about 50 per million living down to 1913. In that year there was a sudden rise to 57, and to 58 in 1914, which has not since been fully maintained. There can be little doubt that the rise in 1913 and 1914 is ascribable to the interest excited by the Commission which sat during 1913-1915. Table XLVII shows that the mortality in these two years considerably exceeded that of the preceding two at most periods of life. Much of the decline in numbers in 1915 and 1916 is ascribable to the fall in the birth-rate, since about two-thirds of the total deaths recorded occur during the first year of life, and when allowance is made for this fall in Table XLVII by statement of infant deaths in proportion to births the infant mortality of 1913-1914 is practically maintained. There has, however, been a fall at later ages. It is only natural that some of the immediate effect produced by the periodical reports of the Commission's proceedings should have passed off when these ceased to appear.

Particular interest attaches to the mortality of males aged 20–45 during the past two years. The deaths recorded were 292 as against 349 in the preceding two years and 329 in 1911 and 1912. The fall below the earlier figure may no doubt be ascribed to the foreign service of so many young men, but until the experiment was made it might well have been thought that war conditions would have increased the number of deaths returned even from the smaller population. During both years a considerable fraction of the population concerned was serving in this country under conditions which should secure complete candour in certification. Deaths from heart disease or cerebral hæmorrhage or any other malady of syphilitic origin could be returned as such by the military surgeons without hesitation, yet for all the troops and other non-civilians, British or Colonial, serving in this country or invalided home from foreign service, only 11 deaths from syphilis between twenty and forty-five were returned in 1915, and 26 in 1916 (*see* page 248), or about 13 per cent. of the 292 male deaths from syphilis recorded at these ages during the two years for the total population. Outside these limits of age 7 more deaths were returned, or 44 in all. In view of the number of deaths from aneurysm, cerebral hæmorrhage, and general paralysis of the insane occurring amongst the same population the proportion is surprisingly small, and certainly does not suggest that complete freedom in certification would at present bring the number of deaths from syphilis up to any high figure. Suppression of the facts exists as a result of the present system of certification—there is positive evidence of that—but if, as we are told, syphilis should occupy a foremost place numerically in our returns, the conspicuous failure of the present system to elicit the facts must be ascribed to their non-statement by practitioners even when absolutely free to report them.

For instance, although it is generally admitted by those best qualified to judge that the great majority of deaths from cerebral hæmorrhage under fifty years of age are due to

syphilis, there were 155 deaths of non-civilians under fifty returned during 1915 and 1916 as due to cerebral hæmorrhage or apoplexy, without mention of syphilis on the certificate, whereas the deaths from syphilis under fifty amounted to 41. Aneurysm can furnish another test. It is generally agreed that most fatal aneurysms are of syphilitic origin, yet during the two years 107 deaths of non-civilians from aneurysm were reported without mention of syphilis. It is evident that no reform in the system of civil certification will enable us to get full returns of deaths from syphilis so long as these escape record to this extent under the conditions of military service.

It probably does not follow that because a military surgeon certifies the death of a young syphilitic man as due to cerebral hæmorrhage he does not recognise that the disease originated in syphilis. The conditions have for so long prevented such a return in these cases that "cerebral hæmorrhage" is probably regarded from habit as tracing the cause of death back as far as can be expected, notwithstanding the definition of primary cause given on every certificate form. Whatever appeals or suggestions are addressed to the practitioner, habit in such matters is so strongly rooted that in many cases it probably never occurs to him that "cerebral hæmorrhage" is not always in itself a perfectly adequate form of certification. If the gross defects in the national statistics of syphilitic mortality to which various leaders of the medical profession have recently directed much attention are to be removed the reform must come from within the profession itself, and mainly in connexion with a general reform in medical certification. The leaders of the profession have the matter largely in their own hands, for if the pace of such reform is to be accelerated the profession generally must receive more guidance and training in regard to certification than it has done in the past. It is true that, as pointed out on page lxxiv, the certification of the primary cause of death rather than its secondary consequence is becoming increasingly prevalent. The instruction in certification now commonly given to medical students has probably contributed to this result, but the improvement as yet secured is so slight compared with the ground still to be covered if the great opportunities for collating medical experience on the large scale provided by the registration system are ever to be fully taken advantage of, that it may be hoped that the attention devoted to the matter by medical teachers will be increased as rapidly and as much as circumstances admit.

Tables XLVI and XLVII collate the returns of syphilis mortality as certified during the last 46 years. Those for the last six years distinguish the years 1913 and 1914 to show the influence of the Venereal Diseases Commission and of the press campaign which preceded it, and 1915 and 1916 to show the effects of the war.

TABLE XLVI.—SYPHILIS: DEATHS at various AGES, 1871–1916.

Periods.	Sex.	Numbers of Deaths Registered.							Deaths at various Ages per cent. of total Deaths.						
		Months.		Years.					Months.		Years.				
		0–3.	3–12.	0–1.	1–20.	20–45.	45 on.	All ages.	0–3.	3–12.	0–1.	1–20.	20–45.	45 on.	All ages.
1871–80 ...	M	?	?	8,064	767	1,078	574	10,483	?	?	76·9	7·3	10·3	5·5	100·0
	F	?	?	6,941	879	1,340	506	9,666	?	?	71·8	9·1	13·9	5·2	100·0
	P	?	?	15,005	1,646	2,418	1,080	20,149	?	?	74·5	8·2	12·0	5·3	100·0
1881–90 ...	M	4,842	3,810	8,652	846	961	678	11,137	43·5	34·2	77·7	7·6	8·6	6·1	100·0
	F	3,998	3,434	7,432	919	1,287	669	10,307	38·8	33·3	72·1	8·9	12·5	6·5	100·0
	P	8,840	7,244	16,084	1,765	2,248	1,347	21,444	41·2	33·8	75·0	8·2	10·5	6·3	100·0
1891–1900 ...	M	4,329	2,938	7,267	717	1,483	1,060	10,527	41·1	27·9	69·0	6·8	14·1	10·1	100·0
	F	3,407	2,656	6,063	736	1,260	830	8,889	38·3	29·9	68·2	8·3	14·2	9·3	100·0
	P	7,736	5,594	13,330	1,453	2,743	1,890	19,416	39·9	28·8	68·7	7·5	14·1	9·7	100·0
1901–10 ...	M	4,189	2,263	6,452	555	1,476	1,158	9,641	43·5	23·5	67·0	5·7	15·3	12·0	100·0
	F	3,212	1,979	5,191	550	1,084	815	7,640	42·0	25·9	67·9	7·2	14·2	10·7	100·0
	P	7,401	4,242	11,643	1,105	2,560	1,973	17,281	42·8	24·6	67·4	6·4	14·8	11·4	100·0
1911 and 1912	M	950	361	1,311	122	329	388	2,150	44·2	16·8	61·0	5·7	15·3	18·0	100·0
	F	659	341	1,000	121	207	239	1,567	42·1	21·7	63·8	7·7	13·2	15·3	100·0
	P	1,609	702	2,311	243	536	627	3,717	43·3	18·9	62·2	6·5	14·4	16·9	100·0
1913 and 1914	M	1,091	415	1,506	142	349	425	2,422	45·0	17·2	62·2	5·9	14·4	17·5	100·0
	F	747	394	1,141	163	241	248	1,793	41·6	22·0	63·6	9·1	13·5	13·8	100·0
	P	1,838	809	2,647	305	590	673	4,215	43·6	19·2	62·8	7·2	14·0	16·0	100·0
1915 and 1916	M	1,013	393	1,406	144	292	402	2,244	45·2	17·5	62·7	6·4	13·0	17·9	100·0
	F	664	331	995	131	229	232	1,587	41·8	20·9	62·7	8·3	14·4	14·6	100·0
	P	1,677	724	2,401	275	521	634	3,831	43·8	18·9	62·7	7·2	13·6	16·5	100·0

TABLE XLVI. (*contd*).—DEATHS of MALES registered per 100 DEATHS of FEMALES.

—	Months.				Years.				
	0–1.	1–3.	0–3.	3–12.	0–1.	1–20.	20–45.	45 on.	All ages.
1871–80 ...	?	?	?	?	116	87	80	113	108
1881–90 ...	?	?	121	111	116	92	75	101	108
1891–1900 ...	?	?	127	111	120	97	118	128	118
1901–10 ...	141*	130*	130	114	124	101	136	142	126
1911 and 1912	139	148	144	106	131	101	159	162	137
1913 and 1914	147	146	146	105	132	87	145	171	135
1915 and 1916	174	137	153	119	141	110	128	173	141

* In 1906–10.

From this table it may be seen that either the incidence of the disease on persons of differing sex and age has changed remarkably during the period dealt with, or, what is much more likely, the practice in regard to certification has varied. The moderate decline in the proportion of the total mortality occurring under one year of age might be explained by the fall in the birth-rate were it not for a notable change in the distribution of this mortality within the first year of life. While the proportion of the total deaths occurring under three months of age has very slightly increased that at 3–12 months is now little more than half what it was thirty years ago. For the remainder of life the chief point of interest is the great increase in the proportion of deaths at ages over 45.

TABLE XLVII.—SYPHILIS : ANNUAL MORTALITY at VARIOUS AGES, 1871–1916

Periods.	Sex.	Deaths per Million Births.			Deaths per Million Living at Subjoined Ages.									
		0–3 mos.	3–12 mos.	Under 1 year.	1–	5–	20–	25–	35–	*5–45*	45–	55–	65–	75–	All Ages (Standardized).
1871–1880...	M	?	?	1843	55	2	12	28	36	*14*	34	24	14	15	77
	F	?	?	1647	60	3	18	35	34	—	27	22	9	4	70
	P	?	?	1747	58	2	15	32	35	—	30	23	12	9	74
1881–1890...	M	1069	842	1911	54	2	9	21	30	*12*	32	29	22	10	75
	F	916	787	1703	57	3	13	28	33	—	29	25	17	9	68
	P	994	815	1809	55	2	11	24	31	—	30	27	19	10	72
1891–1900...	M	929	631	1560	42	2	14	28	37	*16*	44	40	30	13	68
	F	757	591	1348	42	3	10	20	32	—	31	28	18	10	56
	P	845	611	1456	42	3	12	24	35	—	37	33	24	12	62
1901–1910...	M	884	478	1362	30	2	10	22	35	*14*	40	36	30	12	58
	F	704	434	1138	30	2	7	14	24	—	25	22	17	10	45
	P	796	456	1252	30	2	8	18	29	—	32	29	23	11	51
1911–1912...	M	1063	404	1467	30	3	9	23	36	*15*	52	58	56	36	62
	F	766	397	1163	28	3	6	13	21	—	32	32	25	10	44
	P	918	400	1318	29	3	7	18	28	—	42	44	39	20	53
1913 & 1914	M	1217	463	1680	36	3	10	20	42	*16*	54	70	52	45	68
	F	864	456	1320	41	3	10	13	24	—	32	37	21	9	50
	P	1044	459	1503	38	3	10	16	33	—	43	52	35	24	59
1915 & 1916	M	1239	481	1720	34	?	?	?	?	*15*	51	56	50	28	64
	F	848	423	1271	30	3	9	13	22	—	28	24	31	22	43
	P	1048	452	1500	32	?	?	?	?	*12*	39	40	39	24	54

Table XLVII further illustrates the remarkable changes in age incidence of mortality from syphilis as returned during the past 46 years.

Accompanying the heavy fall at 3–12 months, mortality at 1–5 years has also fallen to considerably more than the average extent for all ages. From 5 to 20 years the very low death-rate recorded has varied little, but in early adult life, 20–35, when the effect of acquired infection begins to manifest itself, the recorded mortality has fallen to little more than half of its former figure. From 45 onwards on the other hand a great rise in the figures is to be seen and at ages over 65 the rates have trebled. In fact, the changes that have occurred may be summarised in the statement that mortality during the first three months of life shows little alteration, that from three months to 45 years of age there is a great reduction in mortality, and that over 45 years there is a great increase. The reduction applies to the later stages of congenital and to the earlier stages of the acquired disease. This apparently somewhat anomalous development can be explained if we may assume that fatal congenital disease is more readily recognisable in its later, and acquired in its earlier, stages. It is during the first few weeks of life that deaths caused by syphilis are most liable to be certified as due to premature birth, marasmus and so forth. On the other hand it seems probable that the true nature of the later manifestations of the acquired disease is more liable to escape observation than that of the earlier. This has notoriously been the case where the nervous system is involved. Making these assumptions as to ease of recognition it follows that improvement in diagnosis and certification, which has certainly occurred, would tend to show greater relative mortality under three months and over 45 years of age, as does Table XLVI.

A further deduction, if these premises be admitted, is that a greater fall in the real mortality from the disease than indicated by the recorded death-rates has probably occurred. For if large numbers of deaths under three months and over 45 years of age really due to syphilis but formerly attributed to other causes are now correctly certified then the recorded fall in syphilis mortality must to that extent understate the facts. It may of course be suggested that increased reluctance to certify has prevented increase in the proportion of deaths correctly certified, notwithstanding improvement in diagnosis and consequent alteration in age distribution. In that case the argument for a decline in true mortality falls to the ground. But this hypothesis can neither be proved nor disproved by appeal to facts, and can hardly be used as an argument, since it is equally conceivable, in the absence of knowledge on the point, that reluctance to certify has diminished.

Another point of interest in Table XLVII is the sudden increase in mortality over 45 in 1911-1912. A gradual increase at these ages had characterised the earlier records but this is suddenly much accentuated. It is tempting to associate this feature with the increased knowledge of the specific nature of some of the later manifestations of the disease resulting from the discovery of the infective organism in 1905, and with the improved means of diagnosis resulting from this discovery, which would bear fruit just at the point of time indicated by the table. This feature supports the explanation suggested above of the increased mortality shown at ages over 45, for the improved means of diagnosis would establish the nature of the more obscure cases, while the fact that no such increase at this date is discernible under 45 supports the hypothesis that the deaths recorded at these ages are of a more obviously syphilitic origin, so that improved diagnosis has not added in the same way to their number.

The variations at different ages in sex mortality and the changes which have occurred in regard to it since 1870 are brought out in the lower section of Table XLVI. Except in regard to the later mortality from congenital syphilis, at ages 1–20 years, the male sex is recorded as suffering most, and this difference has been increasing throughout the period under survey. The diminished proportion of male to female deaths at 20–45 during 1915–1916 hardly forms an exception to this statement, as it corresponds with a diminished male population. But as the naval and military cases would for the most part be invalided home before death the failure of this mortality to rise under military conditions of certification is very remarkable.

The increase in the proportion of deaths of males of adult age is hard to explain, but may be in some way connected with reluctance to certify the true cause of death. This however could scarcely apply to the somewhat less marked, but still considerable, increase in the proportion of deaths of male infants under three months of age. There is no corresponding increase in later infancy. The proportion of total deaths occurring at 0-3 months has been consistently higher for males than females throughout the period covered, whereas the reverse has been the case at 3–12 months from 1891–1900 onwards.

39–45. **Cancer.**—The deaths ascribed to cancer during 1916 number 40,630, 17,787 of males and 22,843 of females. For both sexes these are the highest figures and imply

the highest crude mortalities yet recorded. There are, indeed, unfortunately very few years when a similar statement cannot be made.

Of the 40,630 deaths 26,418 were referred to carcinoma, 2,089 to sarcoma, and 12,123 to "cancer," not otherwise defined. The carcinoma figures are also the highest, and provide the highest mortality rates yet recorded, and both the deaths and mortality ascribed to "cancer" show an increase over the records of the most recent preceding years; but the deaths from sarcoma are fewer than in any year since 1910, the death-rate also being the lowest since that date (Tables 9 and 10).

This decline in sarcoma mortality is probably associated with the increase in that from undefined "cancer," for the former had been increasing and the latter decreasing for many years up to the commencement of the war, since when the movement has been reversed. The most likely explanation may be found in the withdrawal from civil practice of so many of the younger practitioners, who would probably distinguish sarcoma as such in their certificates somewhat more frequently than the older men upon whom the added burden of their work has now fallen.

The disturbance of continuity in the death-rates recorded for males and for persons in 1915 and 1916 by their necessary limitation to the civilian population is so great that comparison with previous years is best made for females. The crude male death-rates show a large increase owing to the exclusion from the population of a large number of men furnishing very few deaths from cancer. The rate recorded for females is not influenced by these considerations, and is shown by Table XLVIII to have remained practically stationary during the past three years. The slight excess of the crude rate over that for 1914 is entirely removed by standardization, which allows for the increase which is going on in the proportion of women of the ages most liable to cancer.

TABLE XLVIII.—ENGLAND AND WALES: MORTALITY from CANCER per MILLION POPULATION, 1911–14, 1914, 1915 and 1916.

	Males.				Females.				Persons.			
	1911–14.	1914.	1915 (Civilians only).	1916 (Civilians only).	1911–14.	1914.	1915.	1916.	1911–14.	1914.	1915 (Civilians only).	1916 (Civilians only).
All Ages { Crude...	934	971	1,076	1,163	1,134	1,161	1,158	1,168	1,037	1,069	1,121	1,166
All Ages { Standardized.	915	952	921	959	995	1,018	1,015	1,017	955	985	969	988
0—	25	24	24	21	20	21	17	19	22	23	20	20
15—	44	42	63	?	35	32	32	34	39	37	44	?
25—	111	104	129	?	156	160	147	145	135	133	140	?
35—	280	285	311	?	564	546	575	546	427	420	459	?
40—	634	655	607	?	1,137	1,172	1,136	1,080	895	923	885	?
15–45	*179*	*179*	*220*	*242*	*299*	*301*	*296*	*286*	*241*	*242*	*265*	*270*
45—	1,286	1,278	1,204	1,186	1,914	1,862	1,934	1,933	1,612	1,581	1,582	1,574
50—	2,267	2,347	2,205	2,241	2,862	2,981	2,977	2,942	2,577	2,677	2,598	2,599
55—	3,700	3,790	3,621	3,540	4,011	4,064	4,088	4,115	3,863	3,933	3,858	3,833
60—	5,598	5,782	5,414	5,387	5,338	5,551	5,536	5,435	5,459	5,659	5,447	5,412
65—	7,282	7,819	7,417	7,892	6,562	6,739	6,648	6,985	6,889	7,229	6,997	7,399
70—	9,197	9,824	9,346	9,439	8,300	8,355	8,591	8,394	8,684	8,984	8,914	8,841
75—	10,038	10,558	10,861	11,285	9,541	9,924	9,854	10,113	9,745	10,185	10,268	10,591
80—	9,174	9,814	9,772	9,563	9,242	9,989	9,538	10,388	9,215	9,921	9,629	10,067
85 and upwards	8,380	8,995	8,116	8,815	9,303	10,641	8,805	9,530	8,975	10,057	8,560	9,277

This table shows that so far as male mortality in 1916 can be compared with that of 1911–14, which is given as representing the most recent experience under peace conditions, *i.e.* for ages 45 and upwards, there has been some decline at all ages up to 65, accompanied by more considerable increases at later ages. This is consistent with the apparent tendency of the disease, pointed out in previous reports, to become more and more one of old age, but although this tendency has shown itself chiefly in the female sex, it is less clearly manifest for that sex in the present comparison, though evidence of its existence may be traced here also.

The deaths of non-civilians registered in this country numbered only 292, 168 of these being of men aged 40 and over. There were thus only 124 military deaths at the age, speaking broadly, of ordinary military service, or rather less than one-sixth of the total deaths from cancer of males aged 15–40. It is probable that these deaths represent the cancer mortality of the whole Army, as cases met with abroad would be sent home before death. The 17,787 deaths of males registered may therefore be regarded as

representing practically the complete mortality of the year, notwithstanding the absence of so large a proportion of the normal population. Even taking the number as complete, however, it probably implies a higher male death-rate than in any previous year.

The parts of the body affected by fatal cancer in 1916 are shown in Tables XLIX and L in greater detail than that provided by the international classification, five out of its seven headings (Nos. 39–45) relating to cancer being subdivided according to a scheme approved by the Director of the Cancer Research Fund, at whose request also deaths returned from institutions are separately tabulated.

TABLE XLIX.—ENGLAND AND WALES, 1916.—SITES of FATAL CANCER—MALES.*

	—	All Ages.	0–	5–	15–	25–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–
	All Deaths.																
	Total	17,787	56	66	134	297	333	720	1,210	1,949	2,450	2,906	3,048	2,361	1,498	554	205
39	Lip	242	—	—	—	—	2	3	6	13	19	25	46	45	45	18	20
39	Tongue	986	—	—	1	5	6	39	72	160	167	169	168	107	49	31	12
39	Mouth	465	—	2	1	4	5	20	38	80	74	79	68	38	31	16	9
39	Jaw	523	2	2	2	6	10	26	28	71	72	86	91	67	47	9	4
40	Pharynx	209	—	—	3	4	4	11	20	29	37	26	41	23	8	3	—
40	Œsophagus	1,204	—	—	—	4	7	35	99	154	221	227	211	125	79	37	5
40	Stomach	3,758	—	1	5	51	63	180	288	412	544	686	642	501	281	86	18
40	Liver and gall bladder	1,886	2	2	10	22	40	69	104	198	259	318	348	282	143	65	24
41	Mesentery and peritoneum ...	98	—	—	4	6	3	6	10	8	12	13	17	11	5	1	2
41	Intestines	1,888	—	4	17	34	42	78	115	163	235	277	339	320	192	59	13
41	Rectum	1,906	—	—	8	18	38	69	104	173	257	340	356	288	177	62	16
43	Breast	28	—	—	—	—	—	1	—	7	2	8	1	2	6	—	1
44	Skin...	644	—	1	5	13	10	18	35	54	63	76	82	86	106	49	46
45	Larynx	492	1	—	—	5	4	18	47	70	86	87	75	54	31	9	5
45	Lung and pleura	269	—	3	7	16	13	22	29	33	40	33	45	20	5	2	1
45	Pancreas	301	1	—	—	11	8	15	21	40	45	48	59	20	21	7	5
45	Kidneys and suprarenal glands ...	179	19	7	3	4	8	13	18	18	25	23	20	10	9	2	—
45	Bladder	538	2	—	2	4	4	10	23	48	55	84	107	88	75	28	8
45	Prostate	538	—	1	2	—	1	3	11	28	39	75	127	119	94	31	7
45	Testes	80	2	2	6	22	8	6	3	5	4	4	5	6	5	2	—
45	Brain	39	2	2	1	10	4	6	5	1	5	2	1	—	—	—	—
45	Bones (jaw excepted)	321	7	14	32	25	13	11	32	23	40	39	37	18	23	6	1
45	Other specified organs	540	15	20	11	19	20	32	50	74	72	70	76	49	22	8	2
45	Abdominal cavity, organ unspecified.	125	—	1	2	2	3	9	4	9	11	22	20	21	14	5	2
45	Other and undefined	528	3	4	12	12	17	20	48	78	66	89	66	61	30	18	4
	Deaths in Institutions.																
	Total	5,139	18	20	56	146	128	309	468	640	742	832	831	507	295	108	39
39	Lip	77	—	—	—	—	—	1	3	4	7	13	16	11	12	6	4
39	Tongue	403	—	—	1	2	2	14	28	64	73	68	81	40	16	12	2
39	Mouth	170	—	1	—	3	—	10	9	35	30	27	28	10	7	5	5
39	Jaw	193	1	—	—	3	1	11	10	33	20	37	36	24	14	3	—
40	Pharynx	70	—	—	1	2	2	4	6	8	17	5	15	6	3	1	—
40	Œsophagus	389	—	—	—	3	4	16	41	58	79	76	62	27	18	4	1
40	Stomach	916	—	1	4	26	28	74	116	115	152	151	129	74	32	12	2
40	Liver and gall bladder	328	—	—	5	9	14	21	26	40	31	56	53	44	17	8	4
41	Mesentery and peritoneum ...	27	—	—	1	4	1	2	4	1	4	5	2	2	1	—	—
41	Intestines	569	—	1	13	16	23	41	59	57	73	94	90	62	33	6	1
41	Rectum	525	—	—	5	8	9	25	39	53	75	99	99	66	34	13	—
43	Breast	7	—	—	—	—	—	—	—	2	—	2	1	1	1	—	—
44	Skin...	236	—	—	—	4	5	13	19	23	23	32	32	23	33	15	14
45	Larynx	141	1	—	—	2	—	6	14	20	29	23	22	9	11	2	2
45	Lung and pleura	83	—	—	3	9	4	12	12	12	12	7	7	4	—	1	—
45	Pancreas	123	—	—	—	8	5	7	12	13	18	18	23	8	9	1	1
45	Kidneys and suprarenal glands ...	67	7	2	1	3	3	7	8	9	13	5	8	—	1	—	—
45	Bladder	158	—	—	1	3	3	6	9	17	24	18	34	22	14	5	2
45	Prostate	150	—	1	1	—	1	2	7	14	15	20	31	33	21	3	1
45	Testes	19	—	1	2	6	3	1	2	1	—	1	1	1	—	—	—
45	Brain	18	—	—	1	7	2	3	3	—	1	1	—	—	—	—	—
45	Bones (jaw excepted)	93	2	4	9	14	5	3	6	8	10	12	11	2	4	3	—
45	Other specified organs	188	7	8	6	10	8	14	22	22	15	29	26	14	4	3	—
45	Abdominal cavity, organ unspecified.	31	—	—	1	—	1	5	—	1	3	5	5	5	3	2	—
45	Other and undefined	158	—	1	1	4	4	11	13	30	18	28	19	19	7	3	—

* Including deaths of non-civilians.

Table L.—England and Wales, 1916.—Sites of Fatal Cancer—Females.

		All Ages.	0–	5–	15–	25–	35–	40–	45–	50–	55–	60–	65–	70–	75–	80–	85–
	All Deaths.																
	Total...	22,843	58	49	118	476	783	1,332	2,047	2,615	2,936	3,111	3,221	2,803	1,947	943	404
39	Lip	19	—	—	—	—	—	—	1	3	2	2	5	1	2	3	—
	Tongue	97	—	—	—	3	1	6	8	12	16	9	10	18	7	5	2
	Mouth	73	—	1	—	1	3	5	10	5	8	10	8	7	6	8	1
	Jaw	181	4	2	6	7	8	12	15	26	36	15	12	14	15	5	4
40	Pharynx	65	1	—	1	3	1	4	10	5	10	14	3	5	7	1	—
	Œsophagus	355	—	—	1	3	16	19	47	50	43	47	43	41	22	15	8
	Stomach	3,424	—	—	—	55	73	129	242	301	435	512	617	532	330	148	50
	Liver and gall bladder	2,735	3	2	1	18	45	77	151	261	356	435	481	430	299	132	44
41	Mesentery and peritoneum ...	289	—	5	4	9	8	22	21	28	44	39	48	25	23	9	4
	Intestines...	2,651	3	3	8	43	62	79	152	226	295	367	463	423	335	138	54
	Rectum	1,430	1	1	2	32	45	62	87	160	171	219	208	211	134	71	26
42	Ovary and fallopian tube ...	525	1	—	18	33	26	51	57	92	77	68	51	27	13	7	4
	Uterus	4,047	—	—	4	115	211	403	518	640	573	542	431	314	192	80	24
	Vagina and vulva	267	—	—	—	2	7	6	22	18	32	43	49	30	34	18	6
43	Breast	4,131	—	—	1	70	204	343	513	541	564	449	455	393	321	169	108
44	Skin	365	2	1	1	4	2	2	12	14	22	37	46	59	62	63	38
	Larynx	148	—	—	1	9	6	12	24	22	17	20	15	7	7	5	3
	Lung and pleura...	144	2	1	3	5	6	8	12	25	25	23	19	8	6	1	—
	Pancreas	275	—	—	2	4	9	12	22	33	32	47	47	40	19	7	1
	Kidneys and suprarenal glands...	143	18	5	—	4	7	7	11	14	11	20	20	14	7	4	1
	Bladder	205	1	1	—	3	2	4	13	14	17	36	33	49	18	11	3
45	Brain	37	3	1	6	4	6	3	3	2	5	2	1	1	—	—	—
	Bones (jaw excepted)	275	7	12	29	24	6	17	21	22	34	31	21	25	15	8	3
	Other specified organs	433	10	11	19	14	12	26	33	52	42	56	58	55	31	7	7
	Abdominal cavity, organ unspecified.	264	2	2	2	4	7	5	15	26	37	42	37	41	25	13	6
	Other and undefined	265	—	1	9	7	10	18	27	23	32	26	40	33	17	15	7
	Deaths in Institutions.																
	Total...	4,501	24	16	46	165	244	331	482	589	572	592	556	429	266	131	58
39	Lip	6	—	—	—	—	—	—	1	1	1	1	1	1	—	—	—
	Tongue	28	—	—	—	—	—	5	2	4	5	4	3	4	—	1	—
	Mouth	11	—	—	—	—	1	2	—	1	1	2	—	2	1	1	—
	Jaw	44	3	1	3	2	4	4	2	5	7	2	2	6	2	—	1
40	Pharynx	11	1	—	1	1	—	1	1	1	1	3	—	1	—	—	—
	Œsophagus	66	—	—	1	3	7	4	8	14	8	11	5	4	1	—	—
	Stomach	497	—	—	—	18	27	32	61	56	75	62	72	46	30	13	5
	Liver and gall bladder	334	1	—	—	5	14	14	25	46	43	54	62	34	20	13	3
41	Mesentery and peritoneum ...	60	—	3	3	3	5	4	4	7	12	4	7	3	2	2	1
	Intestines...	586	1	—	4	21	24	27	57	71	77	95	94	58	37	14	6
	Rectum	330	—	—	1	13	14	18	25	43	36	50	48	42	28	10	2
42	Ovary and fallopian tube ...	166	1	—	10	16	14	16	14	27	20	26	11	6	3	1	1
	Uterus	970	—	—	3	36	70	105	129	151	123	113	94	78	47	15	6
	Vagina and vulva	74	—	—	—	1	4	1	5	4	11	10	15	9	6	6	2
43	Breast	746	—	—	—	15	41	63	89	93	96	91	79	72	58	33	16
44	Skin	90	1	—	—	1	1	1	5	8	5	6	8	17	13	13	11
	Larynx	28	—	—	—	4	1	2	3	4	4	3	3	3	—	—	1
	Lung and pleura...	20	1	—	1	1	—	1	3	4	2	3	2	1	1	—	—
	Pancreas	76	—	—	2	3	4	3	10	13	11	7	10	8	4	1	—
	Kidneys and suprarenal glands...	35	9	3	—	2	2	2	4	5	—	4	2	1	1	—	—
	Bladder	44	1	—	—	1	—	—	4	5	9	5	5	12	1	—	1
45	Brain	13	—	1	3	3	2	2	1	—	1	—	—	—	—	—	—
	Bones (jaw excepted)	60	2	3	6	6	2	5	3	5	6	10	4	6	—	2	—
	Other specified organs	116	3	5	6	6	3	12	15	9	9	15	16	8	7	1	1
	Abdominal cavity, organ unspecified.	45	—	—	2	—	2	2	3	8	7	4	5	5	3	1	—
	Other and undefined	45	—	—	—	4	2	5	5	4	2	7	8	2	1	4	1

A few only of the most important sites have been selected for incorporation in Table LI, which shows the rates of mortality at different ages from cancer of certain organs, and in Tables LII and LIII, which compare the returns of deaths at various ages in private houses with those occurring in institutions. The principal features of all these tables remain very much the same year after year—for instance, the differences between the sexes. The mortality of females from cancer of the upper portion of the alimentary canal, that above the stomach, is a small fraction only of that of males, but females suffer more from intestinal cancer. Disease of the stomach and rectum attacks males principally, but not at all with the overwhelming preponderance applying from the oesophagus

TABLE LI.—ENGLAND AND WALES, 1916.—MORTALITY PER MILLION CIVIL POPULATION AT SEVERAL AGES FROM CANCER OF VARIOUS PARTS OF THE BODY.

Part of Body affected.		All Ages.	0—	25—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85—
Tongue	M.	65	4*	?	?	?	71	184	243	312	435	428	369	535	516
	F.	5	—	1	1	5	8	13	22	16	22	54	36	55	47
Œsophagus	M.	79	4*	?	?	?	94	179	317	422	544	500	595	639	215
	F.	18	0	1	11	15	44	56	60	82	93	123	114	165	189
Stomach	M.	245	23*	?	?	?	280	476	786	1,271	1,663	2,003	2,117	1,484	774
	F.	175	—	17	51	105	228	339	610	895	1,338	1,593	1,714	1,630	1,179
Liver & gall bladder.	M.	124	12*	?	?	?	101	227	376	589	901	1,127	1,077	1,122	1,032
	F.	140	1	5	31	62	143	294	499	760	1,043	1,288	1,553	1,454	1,038
Intestines	M.	123	13*	?	?	?	112	188	339	513	878	1,279	1,446	1,018	559
	F.	136	2	13	43	64	144	254	414	641	1,004	1,267	1,740	1,520	1,274
Rectum	M.	126	11*	?	?	?	104	199	374	632	922	1,151	1,333	1,070	688
	F.	73	0	10	31	50	82	180	240	383	451	632	696	782	613
Uterus	M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	207	0	35	147	327	489	720	803	947	935	940	997	881	566
Breast	M.	2	0*	?	?	?	—	8	3	15	3	8	45	—	43
	F.	211	0	21	142	278	484	609	791	784	987	1,177	1,667	1,862	2,548
Skin	M.	43	4*	?	?	?	35	63	92	141	212	344	799	846	1,978
	F.	19	0	1	1	2	11	16	31	65	100	177	322	694	896

* Age-group 0—45 years.

TABLE LII.—ENGLAND AND WALES, 1916.—SITES OF FATAL CANCER: PERCENTAGE of DEATHS at VARIOUS AGES to TOTAL DEATHS from CANCER at the same AGES in the TOTAL POPULATION.

	0—		25—		35—		45—		55—		65—		75—		85—		All Ages.	
	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.	Instn.	Private.
MALES.																		
Tongue	1·1	—	1·4	2·0	3·7	4·7	8·3	6·8	9·0	5·2	9·0	3·8	6·9	3·2	5·1	6·0	7·8	4·6
Œsophagus	—	—	2·1	0·7	4·6	3·6	8·9	7·5	9·8	7·7	6·7	6·1	5·5	5·7	2·6	2·4	7·6	6·4
Stomach	5·3	0·6	17·8	16·6	23·3	22·9	20·8	22·9	19·3	24·5	15·2	23·1	10·9	19·6	5·1	9·6	17·8	22·5
Liver and gall bladder.	5·3	5·6	6·2	8·6	8·0	12·0	6·0	11·5	5·5	13·0	7·2	13·1	6·2	11·1	10·3	12·0	6·4	12·3
Intestines	14·9	4·3	11·0	11·9	14·6	9·1	10·5	7·9	10·6	9·1	11·4	12·5	9·7	12·9	2·6	7·2	11·1	10·4
Rectum	5·3	1·9	5·5	6·6	7·8	11·9	8·3	9·0	11·1	11·2	12·3	11·8	11·7	11·6	—	9·6	10·2	10·9
Skin	—	3·7	2·7	6·0	4·1	1·6	3·8	2·3	3·5	2·2	4·1	2·8	11·9	6·5	35·9	19·3	4·6	3·2
Other organs	68·1	83·9	53·3	47·6	33·9	34·2	33·4	32·1	31·2	27·1	34·1	26·8	37·2	29·4	38·4	33·9	34·5	29·7
All sites	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0
FEMALES.																		
Œsophagus	1·2	—	1·8	—	1·9	1·6	2·1	2·1	1·6	1·5	0·9	1·5	0·3	1·4	—	2·3	1·5	1·6
Stomach	—	—	10·9	11·9	10·3	9·3	10·9	11·9	11·8	16·6	12·0	20·4	10·8	17·5	8·6	13·0	11·0	16·0
Liver and gall bladder.	1·2	3·6	3·0	4·2	4·9	6·1	6·6	9·5	8·3	14·2	9·7	16·2	8·3	16·0	5·2	11·9	7·4	13·1
Intestines	5·8	6·5	12·7	7·1	8·9	5·8	12·0	7·0	14·8	10·0	15·4	14·6	12·8	16·9	10·3	13·9	13·0	11·3
Rectum	1·2	2·2	7·9	6·1	5·6	4·9	6·3	5·0	7·4	6·2	9·1	6·5	9·6	6·7	3·4	6·9	7·3	6·0
Uterus	3·5	0·7	21·8	2·4	30·3	28·5	26·2	24·4	20·3	18·0	17·6	11·4	15·6	8·4	10·3	5·2	21·6	16·7
Breast	—	0·7	9·1	17·7	18·1	28·8	17·0	24·2	16·1	16·9	15·3	13·8	23·0	16·0	27·7	26·6	16·6	18·4
Skin	1·2	2·2	0·6	1·0	0·3	0·1	1·2	0·4	0·9	1·0	2·5	1·6	6·5	4·0	19·0	7·8	2·0	1·5
Other organs	85·9	84·1	32·2	26·6	19·7	14·9	17·7	15·5	18·8	15·6	17·5	14·0	13·1	13·1	15·5	12·4	19·6	15·4
All sites	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0	100·0

TABLE LIII.—ENGLAND AND WALES, 1916.—SITES OF FATAL CANCER: PERCENTAGE OF DEATHS AT VARIOUS AGES TO DEATHS FROM CANCER OF THE SAME SITE AT ALL AGES in the TOTAL POPULATION.

		0—	25—	35—	45—	55—	65—	75—	85—	All Ages.
		MALES.								
Tongue	Instn.	0·2	0·5	4·0	22·8	35·1	30·0	6·9	0·5	100·0
	Private	—	0·5	5·0	24·0	33·5	26·4	8·9	1·7	100·0
Œsophagus	Instn.	—	0·8	5·1	25·4	39·8	22·9	5·7	0·3	100·0
	Private	—	0·1	2·7	18·9	36·0	30·3	11·5	0·5	100·0
Stomach	Instn.	0·5	2·8	11·1	25·2	33·2	22·2	4·8	0·2	100·0
	Private	0·0	0·9	5·0	16·5	32·6	33·0	11·4	0·6	100·0
Liver and gall bladder	Instn.	1·5	2·7	10·7	20·1	26·5	29·7	7·6	1·2	100·0
	Private	0·6	0·8	4·7	15·1	31·5	34·3	11·7	1·3	100·0
Intestines	Instn.	2·5	2·8	11·2	20·4	29·3	26·7	6·9	0·2	100·0
	Private	0·5	1·4	4·2	12·3	26·2	38·4	16·1	0·9	100·0
Rectum	Instn.	1·0	1·5	6·5	17·5	33·1	31·4	9·0	—	100·0
	Private	0·2	0·7	5·3	13·4	30·6	34·7	13·9	1·2	100·0
Skin	Instn.	—	1·7	7·6	17·8	23·4	23·3	20·3	5·9	100·0
	Private	1·5	2·2	2·5	11·5	20·6	27·7	26·2	7·8	100·0
Other organs	Instn.	3·6	4·4	8·3	20·9	27·8	25·7	8·5	0·8	100·0
	Private	3·6	1·9	5·6	17·6	27·4	29·4	13·0	1·5	100·0
All sites	Instn.	1·8	2·8	8·5	21·6	30·7	26·0	7·8	0·8	100·0
	Private	1·3	1·2	4·9	16·2	29·9	32·2	13·0	1·3	100·0
		FEMALES.								
Œsophagus	Instn.	1·5	4·5	16·7	33·4	28·8	13·6	1·5	—	100·0
	Private	—	—	8·3	25·9	24·6	25·9	12·5	2·8	100·0
Stomach	Instn.	—	3·6	11·9	23·5	27·6	23·7	8·7	1·0	100·0
	Private	—	1·3	4·9	14·6	27·7	35·1	14·9	1·5	100·0
Liver and gall bladder	Instn.	0·3	1·5	8·4	21·3	29·0	28·7	9·9	0·9	100·0
	Private	0·2	0·5	3·9	14·2	28·9	34·0	16·6	1·7	100·0
Intestines	Instn.	0·9	3·6	8·7	21·8	29·4	25·9	8·7	1·0	100·0
	Private	0·4	1·1	4·4	12·1	23·7	35·6	20·4	2·3	100·0
Rectum	Instn.	0·3	3·9	9·7	20·6	26·1	27·3	11·5	0·6	100·0
	Private	0·3	1·7	6·8	16·3	27·6	29·9	15·2	2·2	100·0
Uterus	Instn.	0·3	3·7	18·0	29·0	24·3	17·7	6·4	0·6	100·0
	Private	0·0	2·6	14·3	28·5	28·6	18·6	6·8	0·6	100·0
Breast	Instn.	—	2·0	13·9	24·4	25·2	20·2	12·2	2·1	100·0
	Private	0·0	1·6	13·1	25·8	24·4	20·6	11·8	2·7	100·0
Skin	Instn.	1·1	1·1	2·2	14·4	12·2	27·8	29·0	12·2	100·0
	Private	1·1	1·1	0·7	4·7	17·5	29·1	36·0	9·8	100·0
Other organs	Instn.	8·4	6·0	12·8	21·5	24·9	19·5	5·9	1·0	100·0
	Private	4·1	2·9	8·1	19·7	27·1	25·0	11·6	1·5	100·0
All sites	Instn.	1·9	3·7	12·8	23·8	25·8	21·9	8·8	1·3	100·0
	Private	0·8	1·7	8·4	19·6	26·6	27·4	13·6	1·9	100·0

upwards. Cancer of the skin is also very much more fatal to males. The excess of cancer mortality in the female sex is dependent upon disease of the breast and generative organs. If such deaths are excluded in both sexes, deaths of females are reduced from 22,843 to 13,873, but of males only from 17,787 to 16,978. The deduction made for

Table LIV.—England and Wales, 1916.—Tumours not returned as Malignant.

Part affected.		All Ages.		0—		15—		35—		45—		55—		65—		75—	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Tumours classed with other disease of organ affected.																	
74C. Cerebral tumour...	Cyst	12	9	2	1	4	4	4	2	1	—	1	1	—	1	—	—
	Glioma	41	52	8	10	10	13	8	9	11	11	2	6	2	3	—	—
	Other benign ...	4	5	1	—	1	2	—	—	1	1	—	1	1	1	—	—
	Nature unstated ...	470	421	80	68	119	101	94	96	98	75	56	58	19	18	4	5
	Total (74C) ...	527	487	91	79	134	120	106	107	111	87	59	66	22	23	4	5
129. Uterine tumour ...	Fibroid	—	258	—	—	—	15	—	62	—	79	—	52	—	33	—	17
	Fibro-myoma ...	—	25	—	—	—	—	—	10	—	11	—	4	—	—	—	—
	Myoma	—	17	—	—	—	2	—	3	—	6	—	3	—	2	—	1
	Polypus	—	4	—	—	—	—	—	3	—	1	—	—	—	—	—	—
	Other benign ...	—	5	—	—	—	2	—	—	—	1	—	—	—	1	—	1
	Nature unstated ...	—	12	—	—	—	1	—	1	—	4	—	4	—	1	—	1
	Total (129)... ...	—	321	—	—	—	20	—	79	—	102	—	63	—	37	—	20
131. Ovarian tumour ...	Cyst	—	237	—	1	—	30	—	35	—	46	—	39	—	51	—	35
	Cyst-adenoma ...	—	3	—	—	—	—	—	—	—	1	—	1	—	—	—	1
	Fibroid	—	3	—	—	—	—	—	1	—	2	—	—	—	—	—	—
	Papilloma	—	3	—	—	—	2	—	—	—	1	—	—	—	—	—	—
	Other benign ...	—	2	—	—	—	1	—	—	—	—	—	1	—	—	—	—
	Nature unstated ...	—	59	—	—	—	1	—	5	—	10	—	15	—	20	—	8
	Total (131)... ...	—	307	—	1	—	34	—	41	—	60	—	56	—	71	—	44
In 63. Spinal cord ...	Glioma	1	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—
	Nature unstated ...	6	5	—	—	1	2	—	1	—	1	3	1	2	—	—	—
„ 75. Eye	Glioma	2	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—
	Other benign ...	2	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—
	Nature unstated ...	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
„ 86. Nose	Polypus	9	4	—	—	—	—	—	—	3	1	3	1	2	2	1	—
„ 87. Larynx ...	Papilloma	9	3	5	1	—	—	—	—	2	2	1	—	1	—	—	—
	Polypus	1	2	1	1	—	—	—	—	—	1	—	—	—	—	—	—
	Nature unstated ...	3	3	1	—	1	—	—	1	—	1	—	1	1	—	—	—
„ 88. Thyroid ...	Adenoma	—	11	—	1	—	2	—	2	—	2	—	2	—	1	—	1
	Other benign ...	—	4	—	—	—	—	—	—	—	—	—	1	—	1	—	2
„ 98. Lung	Nature unstated ...	14	7	—	—	2	—	3	2	4	2	3	1	2	2	—	—
„ 101. Œsophagus ...	Nature unstated ...	1	4	—	—	—	—	—	2	—	1	—	—	—	1	1	—
„ 110. Intestine ...	Papilloma	1	2	—	—	—	—	—	—	—	—	—	—	—	—	1	2
	Other benign ...	2	5	1	—	—	—	1	—	—	1	—	—	—	2	—	2
	Nature unstated ...	11	16	—	—	—	2	—	2	—	2	4	2	4	3	3	5
„ 115. Liver	Non-malignant ...	—	4	—	—	—	—	—	1	—	—	—	—	—	1	—	2
	Nature unstated ...	7	14	1	1	1	—	—	1	2	4	1	3	1	3	1	2
„ 116. Spleen ...	Non-malignant ...	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Nature unstated ...	3	2	—	—	2	1	—	1	—	—	—	—	—	—	1	—
„ 118. Pancreas ...	Cyst	5	9	1	—	1	—	—	1	2	—	1	5	—	1	—	2
	Nature unstated ...	1	3	—	—	—	—	—	—	—	—	—	—	1	1	—	2
„ 122. Kidney ...	Cyst	3	1	—	—	—	—	—	—	—	1	2	—	1	—	—	—
	Other benign ...	2	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—
	Nature unstated ...	3	6	2	2	—	1	—	—	—	2	—	1	—	—	1	—
„ 124. Bladder ...	Papilloma or villous	77	31	—	—	3	—	5	3	14	1	12	4	26	18	17	5
	Other benign ...	4	2	—	—	—	—	1	—	—	1	1	—	2	—	—	1
	Nature unstated ...	16	3	—	—	2	1	—	—	1	1	3	—	4	1	6	—
„ 126. Prostate ...	Adenoma	45	—	—	—	—	—	—	—	3	—	6	—	17	—	19	—
	Other benign ...	3	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—
	Nature unstated ...	8	—	—	—	—	—	—	—	—	—	2	—	5	—	1	—
Other sites ...	Non-malignant ...	13	20	1	3	3	3	—	2	1	2	2	3	4	3	2	4
	Nature unstated ...	7	6	2	1	—	—	—	2	—	—	3	1	2	1	—	1
	Total	259	171	18	12	17	12	10	21	33	26	48	27	78	42	55	31
Tumours not classed with other disease of organ or part of body affected.																	
46. Pituitary body ...	Non-malignant ...	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	Nature unstated ...	1	3	—	—	—	2	—	—	—	1	1	—	—	—	—	—
Mediastinum ...	Non-malignant ...	2	2	—	—	—	—	—	—	2	1	—	—	—	1	—	—
	Nature unstated ...	37	22	—	1	5	1	10	8	5	6	7	4	8	2	2	—
Abdomen	Non-malignant ...	3	4	1	—	1	—	—	—	1	—	—	1	—	2	—	1
	Nature unstated ...	18	41	2	1	—	1	2	2	2	4	5	9	3	13	4	11
Other ill-defined sites	Non-malignant ...	10	14	1	1	1	3	—	2	3	3	2	1	—	3	3	1
	Nature unstated ...	14	12	1	1	2	3	—	1	3	1	6	2	2	3	—	1
Site not stated ...	Adenoma	2	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—
	Angioma	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
	Other benign ...	3	1	2	—	—	—	—	—	—	—	—	—	1	1	—	—
	Nature unstated ...	—	7	—	—	—	—	—	1	—	1	—	1	—	2	—	2
	Total (46)	93	106	7	4	10	10	13	14	17	17	22	18	14	27	10	16
Total, all tumours ...		879	1392	116	96	161	196	129	262	161	292	129	230	114	200	69	116
„ benign tumours ...		259	745	27	20	26	79	20	136	46	176	35	127	60	129	45	78
„ nature unstated ...		620	647	89	76	135	117	109	126	115	116	94	103	54	71	24	38

males includes 163 deaths, not distinguished in Table XLIX, in addition to those from disease of the breast, prostate and testes included in that table. Two of these were from cancer of the urethra and the remainder from cancer of the penis and scrotum.

The object of the separate tabulation of institutional deaths in Tables XLIX, L, LII, and LIII, is to compare the the experience of institutions, where presumably the details of the cause of death have, as a rule, been confirmed by *post mortem* examination, with the certification of other deaths from cancer in the case of which such facilities are, as a rule, lacking.

It cannot be assumed, however, that the institutional deaths are a fair sample of the whole. That they are subject to some selection by age is shown by the fact that the average age at death is lower in institutions that elsewhere. Moreover, it is very possible that there may be greater relative frequency of cancer of certain sites amongst that section of the population which chiefly furnishes the deaths reported from institutions. The tables, however, are of interest as showing, in institutional and private practice respectively, the chance of fatal cancer at any given age in either sex affecting any particular organ (Table LII) ; and the chance of death from cancer of any organ occurring at any given age (Table LIII). The principal features in these tables also recur with regularity from year to year.

46. **Other Tumours (situation undefined).**—This title includes only tumours not ascertained to be malignant, and (excepting only tumours of the pituitary body, for which there is no appropriate local heading) of which the situation either cannot be ascertained or is of an ill-defined nature. Other benign tumours, *i.e.*, those returned as affecting the various organs, are classified in the International List under the organ concerned ; but in order to secure a comprehensive presentation of all deaths attributed to tumours, all those not returned as due to cancer are assembled in Table LIV from the various headings to which that list of causes of death allocates them. It will be convenient, therefore, to deal here not only with tumours of undefined situation (46) but with all other tumours not returned as malignant.

The table includes 2,271 deaths, of which 1,004 were returned as due to tumours of non-malignant nature, and 1,267 as due to tumours the nature of which had not been ascertained. It will be seen that even if all the latter could be assumed to have been malignant the mortality from cancer would be increased by only a little over 3 per cent. Of these 1,267 cases of undetermined nature no less than 891 were cerebral tumours, respecting which in the majority of cases, even in institutional practice, no further information can be furnished in response to inquiry as to their nature.

The age-distribution of the deaths from tumour of unstated nature is sufficient in itself to show that a great many of them were non-malignant, for it does not at all resemble that of cancer mortality. A large proportion of the deaths, especially of those from cerebral tumour, occur before middle age, so it seems probable that these latter at least include a fair proportion of tuberculous cases, as more than half the deaths returned from tuberculous brain tumour occur at ages under 20 years (Annual Report for 1912, page 589). More than half the deaths from cerebral syphilis are at ages under 45 (*Ib.*, page 608).

While the mortality from tumours of doubtful nature does not differ greatly in the two sexes, growths of known non-malignant nature caused the deaths of nearly three times as many females as males. This is due to the comparatively large number of deaths from uterine and ovarian tumour in Table LIV. Apart from these two organs the male mortality considerably exceeds the female, as a result of the comparative frequency among males of fatal non-malignant tumours of the bladder and prostate.

56. **Alcoholism.**—This heading in the International List of causes of death excludes organic disease attributed to alcoholism, therein differing from the "alcoholism, delirium tremens" of the list in use prior to 1911. The effect of the change may be gathered from comparison of the number of deaths (356) from alcoholism in the new list on page 134 with that (1,054) of deaths referred to the same heading in the old list in Table 9.

Although exact comparison with previous years cannot be made owing to the restriction of the 1915 and 1916 death-rates in Table 10 to civilians, it may be inferred from this table that the decline in mortality from 53 deaths per million persons living in 1914 to 29 in 1916 is far too great to be dependent on this circumstance. Females are of course unaffected by the change, and their mortality is not quite half what it was two years earlier, when it was higher than in any year since 1908. The fall for males, from 64 in 1914, also the highest rate recorded since 1908, to 40 in 1916, is not quite so great, but as about three-quarters of the deaths occur normally over military age it may be that restriction to civilians somewhat overstates the mortality.

TABLE LV.—ENGLAND AND WALES, 1916.—DEATHS from or CONNECTED with ALCOHOLISM.

—	All Ages.		Under 25.		25—		35—		45—		55—		65—		75—	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Deaths attributed directly to alcoholism ...	237	119	4	—	31	10	74	27	61	35	44	25	15	15	8	7
Deaths of which alcoholism was recorded as a secondary cause :																
10. Influenza	7	2	—	—	2	—	2	—	3	—	—	—	—	2	—	—
18. Erysipelas	1	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—
20. Pyæmia, Septicæmia	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
28, 29. Phthisis	6	5	—	—	2	—	1	2	2	2	1	—	—	1	—	—
37, 38. Venereal diseases	3	2	—	—	—	—	—	—	1	2	1	—	1	—	—	—
39–45. Cancer	1	3	—	—	—	—	—	—	1	2	—	1	—	—	—	—
47. Rheumatic fever	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Other general diseases	8	3	—	—	—	—	2	2	3	1	2	—	1	—	—	—
61. Meningitis	1	2	—	—	—	—	1	1	—	1	—	—	—	—	—	—
64. Cerebral hæmorrhage, apoplexy ...	20	17	—	—	2	—	4	3	9	7	4	5	1	2	—	—
65. Softening of brain	4	2	—	—	—	—	—	—	1	1	—	1	3	—	—	—
67 { General paralysis of the insane / Alcoholic paralysis ... ... }	2	3	—	—	—	—	—	—	—	3	2	—	—	—	—	—
69. Epilepsy	5	5	—	—	1	—	1	2	2	2	1	—	—	1	—	—
73B. Neuritis	7	26	—	—	1	—	3	12	2	6	1	7	—	1	—	—
Other diseases of nervous system ...	8	3	—	—	—	—	—	—	1	2	3	—	4	1	—	—
78. Acute endocarditis	3	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—
79A. Valvular disease of the heart ...	7	9	1	—	1	1	1	1	3	2	—	5	1	—	—	—
79B. Fatty degeneration of the heart ...	13	13	—	—	1	1	2	3	5	4	2	3	3	2	—	—
79C. Other organic disease of the heart ...	28	13	—	—	—	—	9	4	8	2	6	5	5	1	—	1
81. Disease of the arteries, atheroma, aneurysm, &c.	7	5	—	—	—	—	1	1	—	1	3	1	3	1	—	1
Other diseases of circulatory system	6	3	—	—	—	1	1	2	2	—	2	—	1	—	—	—
89, 90. Bronchitis	23	11	—	—	2	—	4	5	9	2	3	1	4	2	1	1
91. Broncho-pneumonia	5	—	—	—	—	—	2	—	3	—	—	—	—	—	—	—
92A. Lobar pneumonia	54	15	1	—	5	2	15	2	13	10	16	1	4	—	—	—
93. Pleurisy	4	—	—	—	—	—	3	—	1	—	—	—	—	—	—	—
Other diseases of respiratory system	4	3	—	—	—	1	—	1	1	1	2	—	1	—	—	—
103. Diseases of stomach (not ulcer) ...	21	15	—	1	1	2	4	3	12	6	3	2	1	1	—	—
104, 105. Diarrhœa and enteritis	5	—	—	—	—	—	1	—	2	—	2	—	—	—	—	—
113B Cirrhosis of liver	133	114	1	—	7	6	17	25	46	38	46	36	14	6	2	3
Other diseases of digestive system ...	6	6	—	—	—	—	2	1	1	2	1	3	1	—	1	—
120. Bright's disease	19	14	—	—	1	—	5	3	3	6	7	2	3	3	—	—
Other diseases of the kidney ...	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
129–132. Diseases of the female genital organs	—	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—
144. Phlegmon, acute abscess	3	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—
145B. Eczema	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
146. Diseases of the bones	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
155–163. Suicide...	8	5	—	—	—	—	4	3	1	—	3	2	—	—	—	—
172. Injury by fall	47	13	—	—	4	3	11	5	17	3	10	—	4	1	1	1
175. Injury by crushing (vehicles, railways, &c.).	14	2	—	—	1	—	4	1	4	1	5	—	—	—	—	—
Other violence...	28	11	2	—	5	1	7	4	7	3	7	3	—	—	—	—
Total	753	447	9	1	68	28	181	114	229	146	181	103	72	41	13	14

It is impossible to avoid associating this sudden drop in mortality with the restriction in the output of alcoholic liquors and of public house hours brought about by the war, but it is advisable to bear in mind that many other changes have occurred since 1914 some of which might have a bearing upon the matter. For instance, so many medical men were serving with the forces during 1916 that many of the deaths of the year were certified by practitioners who were not the regular medical attendants of the deceased. It is hard to say what effect this would have upon the statement of an unpopular cause of death such as alcoholism, but it is at least conceivable that it might lead to a reduction in the number of deaths returned from ignorance of the alcoholic habits or history of the deceased patients. On the other hand it might be argued that it is easier for a practitioner to be candid in such a matter about a person whose relatives are not his regular patients. Whatever the net result of this change may have been it can hardly have been sufficient to account for the great drop in mortality recorded, and the assumption that it largely at least represents a decline in alcoholism is supported by the remarkable changes in the returns of deaths of infants from suffocation in bed, discussed on pages xl–xliii. Further evidence in favour of this view is provided by the Abstract of Statistics bearing on Alcoholism published by the Central Control Board (Liquor Traffic). The weekly convictions for drunkenness in 1917 up to the time of its publication in August were about 27 per cent. of the weekly numbers in 1913–14. In Greater London the proportion was 29 per cent. and similar falls occurred in other large towns. The reduction in beer and spirits consumed was, however, slight in comparison

TABLE LVI.—ENGLAND AND WALES, 1911–16.—DEATHS in each YEAR from the PRINCIPAL CAUSES ASSOCIATED with ALCOHOLISM, with their PROPORTION to the AVERAGE for 1911–14 taken as 100.

Cause of Death.		Number of Deaths.							Proportion to Average in 1911–14.					
		Average 1911–14.	1911.	1912.	1913.	1914.	1915.	1916.	1911.	1912.	1913.	1914.	1915.	1916.
56. Deaths attributed directly to alcoholism	M	408	439	344	406	441	293	237	108	84	100	108	72	58
	F	231	240	203	245	235	204	119	104	88	106	102	88	52
	P	638	679	547	651	676	497	356	106	86	102	106	78	56
10. Influenza ...	M	7	7	6	5	11	8	7	100	86	71	157	114	100
	F	2	2	2	2	—	5	2	100	100	100	—	250	100
	P	9	9	8	7	11	13	9	100	89	78	122	144	100
28 & 29. Phthisis ...	M	20	19	17	25	18	16	6	95	85	125	90	80	30
	F	10	9	9	7	17	14	5	90	90	70	170	140	50
	P	30	28	26	32	35	30	11	93	87	107	117	100	37
64. Cerebral hæmorrhage, apoplexy	M	35	28	32	37	42	33	20	80	91	106	120	94	57
	F	41	30	51	47	37	30	17	73	124	115	90	73	41
	P	76	58	83	84	79	63	37	76	109	111	104	83	49
69. Epilepsy ...	M	16	13	20	11	22	12	5	81	125	69	138	75	31
	F	7	7	7	7	8	7	5	100	100	100	114	100	71
	P	24	20	27	18	30	19	10	83	113	75	125	79	42
73B. Neuritis ...	M	26	20	24	30	30	23	7	77	92	115	115	88	27
	F	70	60	59	85	76	49	26	86	84	121	109	70	37
	P	96	80	83	115	106	72	33	83	86	120	110	75	34
79A. Valvular disease of the heart	M	15	10	14	15	22	15	7	67	93	100	147	100	47
	F	9	8	3	12	14	10	9	89	33	133	156	111	100
	P	25	18	17	27	36	25	16	72	68	108	144	100	64
79B. Fatty degeneration of the heart	M	25	13	26	44	18	18	13	52	104	176	72	72	52
	F	25	15	31	26	28	31	13	60	124	104	112	124	52
	P	50	28	57	70	46	49	26	56	114	140	92	98	52
79C. Other organic heart disease	M	56	50	53	69	51	38	28	89	95	123	91	68	50
	F	37	35	43	37	34	32	13	95	116	100	92	86	35
	P	93	85	96	106	85	70	41	91	103	114	91	75	44
81B. Arterio-sclerosis	M	8	5	6	7	13	10	7	63	75	88	163	125	88
	F	4	3	1	4	8	6	5	75	25	100	200	150	125
	P	12	8	7	11	21	16	12	67	58	92	175	133	100
89 & 90. Bronchitis	M	22	23	17	25	22	29	23	105	77	114	100	132	105
	F	13	6	12	17	15	15	11	46	92	131	115	115	85
	P	34	29	29	42	37	44	34	85	85	124	109	129	100
92A. Lobar pneumonia	M	110	80	121	114	125	86	54	73	110	104	114	78	49
	F	30	24	24	30	41	26	15	80	80	100	137	87	50
	P	140	104	145	144	166	112	69	74	104	103	119	80	49
102 & 103. Diseases of the stomach	M	31	39	28	24	32	19	21	126	90	77	103	61	68
	F	16	16	12	21	15	18	15	100	75	131	94	113	94
	P	47	55	40	45	47	37	36	117	85	96	100	79	77
113. Cirrhosis of the liver	M	155	126	145	176	174	160	133	81	94	114	112	103	86
	F	148	111	135	146	201	161	114	75	91	99	136	109	77
	P	303	237	280	322	375	321	247	78	92	106	124	106	82
120. Bright's disease	M	34	35	43	30	28	31	19	103	126	88	82	91	56
	F	34	24	35	43	35	26	14	71	103	126	103	76	41
	P	68	59	78	73	63	57	33	87	115	107	93	84	49
155–186. Violence	M	145	135	153	159	135	135	97	93	106	110	93	93	67
	F	48	45	46	51	48	56	31	94	96	106	100	117	65
	P	193	180	199	210	183	191	128	93	103	109	95	99	66
Other causes ...	M	107	92	99	111	126	101	69	86	93	104	118	94	64
	F	69	48	73	85	69	55	33	70	106	123	100	80	48
	P	176	140	172	196	195	156	102	80	98	111	111	89	58
Total	M	1,220	1,134	1,148	1,288	1,310	1,027	753	93	94	106	107	84	62
	F	794	683	746	865	881	745	447	86	94	109	111	94	56
	P	2,014	1,817	1,894	2,153	2,191	1,772	1,200	90	94	107	109	88	60

with these figures, and it may be that the falling off in convictions has been to some extent due to the strain which the war has put upon the police, as well as to diminution of drunkenness.

In order that the change in classification referred to above might not lessen the information afforded with regard to mortality from over indulgence in alcohol, all the death certificates in which any mention of alcohol appears have been assembled in Table LV.

It will be seen that these deaths make up a total of 1,200, or only 146 in excess of the 1,054 referable to the old heading, the difference being accounted for mainly by causes of death formerly selected in preference to alcoholism when recorded in conjunction with it.

The contents of Table LV are on the whole very much what might have been expected from the general medical experience of the connexion of intemperance with disease, cirrhosis of the liver, lobar pneumonia in males, and neuritis in females being the diseases most frequently associated with alcoholism on death certificates.

The decline in mortality from the standard of 1911–1914 taken as representing the latest pre-war experience, is analysed by sex and by form of disease in Table LVI. The decline is greatest for females even though the form of the table makes no allowance for the decrease of the male population in 1915 and 1916, to which, therefore, some share of the reduction in male mortality shown is attributable. The alarm created at the commencement of the war by accounts of the increased drinking habits of women may be relieved by the fact that since that time the deaths of women attributed in any degree to alcoholism have been reduced by one-half. The same ratio applies to deaths attributed primarily and directly to alcohol.

The constancy with which large reductions in 1916 are shown for most of the principal forms of alcoholic disease is a prominent feature of Table LVI., and the few exceptions can for the most part be readily explained. Fatal influenza was much more prevalent in 1916 than in 1911–1914. The extremely rapid growth in vogue of arterio-sclerosis in death certification, discussed on pages lxxi–lxxv, explains the absence of decline under that heading. The bronchitis figure may be to some extent accounted for by the increased mortality of the aged from this cause during the war, for deaths over 65 are unusually numerous.

Cirrhosis of the liver shows a decline which though considerable is much below the average for other forms of alcoholic disease. No doubt the decline in mortality from this disease should be slower than that in its causation, as a fatal case generally represents the effect of intemperance prolonged for a number of years. But this applies also to other forms of alcoholism in the table which show a much more rapid decline ; and indeed the very suddeness of the drop in alcoholic mortality generally suggests the need for caution in attributing it solely to diminished consumption of alcohol. Where an organic disease represents the cumulative effect of years of intemperance one would not expect a drop in consumption to be accompanied by such a sudden decline in mortality ; unless indeed even in these cases the effect of involuntary temperance is to postpone the evil day when the abused organ fails in the struggle to continue its function.

Poliomyelitis.—Deaths from poliomyelitis and polioencephalitis are included under title 63, "other diseases of the spinal cord." So much interest, however, attaches to this disease at the present time that it seems desirable to state its mortality separately.

Including the encephalic form the total number of deaths registered was 200, of which ten (five of males and five of females) were, under the rules for classification, allocated to some other cause of death mentioned on the certificate. The sex- and age-distribution was as follows :—

—	All Ages.	Under 1 month.	1—3 months.	3—6 months.	6—12 months.	1—	2—	3—	4—	5—	10—	15—	20—	25—	35—	45—	55—	65—
Males ...	103	—	1	4	2	15	14	10	5	20	5	10	3	4	3	3	2	2
Females ...	97	—	—	5	3	16	8	8	7	25	8	5	3	3	1	2	2*	1

* One death certified as Infantile paralysis, 58 years.

The proportion of deaths occurring under five years of age was 49 per cent., and under 20 years 86 per cent.

The number of cases notified was 704, so that the fatality experienced was 28·4 deaths per 100 cases notified.

61A. **Cerebro-spinal Fever.**—The deaths allocated to this cause number 1,214, as against 1,974 in 1915, the highest numbers previously recorded having been 194 in 1914 and 163 in 1913. The epidemic outbreak of 1915, which had subsided in the third and fourth quarters of that year, revived again in the first two quarters of 1916 and again declined in the latter half of the year. Sixty-eight per cent. of the total deaths of the year were returned for the first half of 1916 as against 78 per cent. in 1915.

In other respects the distribution of the deaths was very similar to that described in last year's report. London and the South of England generally again suffered far more than the rest of the country, as shown in the following table of civil deaths per million civil population.

TABLE LVII.—CEREBRO-SPINAL FEVER: CRUDE DEATH-RATES per MILLION CIVIL POPULATION, 1916.

—	North.	Midlands.	South.	Wales.	England and Wales.
London	—	—	53	—	53
County Boroughs	13	23	54	23	21
Other Urban Districts	7	21	36	6	18
Rural Districts	6	13	23	9	14
All areas	10	20	43	10	22

The mortality was more concentrated on the great towns than in 1915, when it was much the same in all classes of area outside London.

The deaths of non-civilians, 449 in number, were fewer by 26 per cent. than those of the previous year, whereas the decline for the civilian population was 44 per cent. The former figure however is largely meaningless in the absence of a return of the military population at risk, and it is possible that the mortality of this population may have been as high or higher than in 1915.

Notification of this as of other notifiable diseases became obligatory for the military population only in May. Some voluntary notifications had been received previous to this date, bringing up the naval and military total for the year to 778. As, however, notification was not compulsory during the season of greatest prevalence the ratio of this number to the 449 non-civilian deaths is of little significance. For the civilian population the recorded case mortality rate amounted to 59 per cent. as against 53 in the previous year. It was lowest in London, at 52 per cent., as was perhaps to be expected in view of the fact that London practitioners have been officially instructed to notify cases of posterior basal meningitis, while no similar instruction has been issued elsewhere. If in view of this fact deaths from posterior basal meningitis are included in calculating the case rate for London, it comes to 58 per cent., or nearly as high as elsewhere. The rate in the county boroughs was 61 per cent., in the smaller towns 63, and in the rural districts 60. These figures may have very little bearing upon the real fatality of the disease, as many slight cases are doubtless overlooked, and notified cases are not always confirmed on verification, but they do form some measure of the prospects of recovery of cases sufficiently typical to be recognised.

The notification figures bring out very clearly the degree to which the disease specially affected the metropolitan area, for of 489 notifications received from the whole of England and Wales, outside the County of London and the county boroughs, 200 came from Essex, Kent, Middlesex and Surrey. Together with 428 notifications from the County of London and 32 from the County Boroughs of Croydon, West Ham and East Ham these make up 660 civil notifications from the London area out of 1306 for the whole country.

81B. **Arterio-sclerosis.**—No heading in the list of causes of death illustrates better than this the influence of vogue in certification. The title was only given a place in our tables for the first time in 1911, as a sub-division of No. 81 of the International List, which does not even now distinguish this from other diseases of the arteries, yet the deaths so returned have grown continuously from 3,675 in 1911 to 8,012 in 1916. It is impossible to suppose that the disease can have shown any corresponding increase of fatality during so short a period as six years, or to avoid associating the growth in the returns with the attention directed to the condition of late years in medical literature. In fact the coincidence in time of the two phenomena is most striking. If the deaths of 1911 are

taken at 1,000, then those of the five succeeding years are respectively 1,388, 1,769, 2,010, 2,174 and 2,180. The chief growth therefore occurred in the period 1911–1914, the number of deaths doubling during these three years.

Now it was in 1912 that the report of the Medical Officer to the Local Government Board directed special attention to the subject of arterial disease and included the first of a series of important reports upon the subject by Dr. F. W. Andrewes. The matter attracted considerable attention in the public press at the time, and the interest of the profession in the subject, already considerable and increasing, was no doubt further stimulated. It is not suggested that the suddenly increased use of the term in certification was due to these reports, though even this is probably true to some extent, but rather that their publication may be taken as evidence of the increase of professional interest in the subject at this time, and as fixing the date of a stimulation of opinion as to the importance of the condition, which may have been partly cause as well as partly result of the official reports.

Another cause which may have contributed to the same result was the issue by the Registrar-General in 1912 of suggestions to medical practitioners in regard to certification pointing out amongst other matters the inadequacy of "old age" as a form of death certification in cases where the disease causing death could be stated. These suggestions are appended to each book of certificate forms, and that they have had some effect in this matter may be inferred from the following figures, which state the male deaths from "old age" per 1,000 total deaths at ages over 75 in each of the last ten years :—

1907	343	1912	311	
1908	339	1913	295	
1909	335	1914	284	
1910	334	1915	267	
1911	346	1916	267	

Coincidently with the issue of the "suggestions" a very appreciable decrease is seen in the proportion, previously stationary, of deaths from old age. It is probable that in many cases the change was brought about by mention of that disease of old age which at the time was attracting so much attention. This surmise is supported by the fact that the growth from 1911 to 1916 in mortality attributed to arterio-sclerosis is greatest in old age, increasing with each quinquennium of age from 55–60 onwards (Table LIX).

The deaths attributed to this cause are indeed very predominantly those of old people. Only about three per cent. occur under 50 years of age, and 40 per cent. under 70, as shown by the following table, which displays the age distribution of the 38,666 deaths (23,155 of males and 15,511 of females) during the six years 1911–1916.

TABLE LVIII.—AGE-DISTRIBUTION OF MORTALITY FROM ARTERIO-SCLEROSIS, 1911–1916.

—	Deaths at each Age-Period per 1,000 Deaths at all Ages.			Deaths up to and including each Age-Period per 1,000 Deaths at all Ages.		
	Males.	Females.	Persons.	Males.	Females.	Persons.
0–	3	2	3	3	2	3
35–	4	2	3	7	4	6
40–	8	7	8	15	11	14
45–	20	14	17	35	25	31
50–	41	29	36	76	54	67
55–	73	50	64	149	104	131
60–	119	86	106	268	190	237
65–	177	134	159	445	324	396
70–	203	199	202	648	523	598
75–	179	201	188	827	724	786
80–	110	151	126	937	875	912
85–	63	125	88	1,000	1,000	1,000
All Ages	1,000	1,000	1,000	1,000	1,000	1,000

The restriction to old age applies a good deal more to females than to males, 67·6 per cent. of all the deaths of females occurring after 70 years of age as against 55·5 in the male sex. This, however, is only what is to be expected in view of the fact that the proportion of women living at these ages is so much greater than that of men. For this reason, it is advisable in making further comparison between the sexes to deal with their mortalities at different ages, as in the following table.

TABLE LIX.—MORTALITY from ARTERIO-SCLEROSIS (81B), 1911–1916.

		Mortality per Million Living at subjoined Ages.										
		All ages (Standardised).	0—	45—	50—	55—	60—	65—	70—	75—	80—	85—
1911	M	133	2	52	141	325	612	1,240	1,856	2,964	3,588	5,265
	F	62	1	21	49	119	261	416	834	1,508	2,442	3,790
	P	94	2	36	93	217	425	790	1,271	2,107	2,891	4,313
1912	M	182	4	75	167	384	767	1,477	2,812	4,248	5,580	7,665
	F	87	1	20	52	179	370	653	1,247	2,089	3,226	5,201
	P	129	2	46	107	276	556	1,027	1,917	2,977	4,147	6,075
1913	M	226	4	88	234	425	982	1,778	3,263	5,275	7,702	10,295
	F	116	3	46	105	206	453	824	1,686	2,772	4,097	7,105
	P	164	3	67	167	310	700	1,257	2,361	3,801	5,508	8,238
1914	M	257	5	77	234	538	1,055	2,015	3,872	6,200	8,219	12,094
	F	128	2	42	102	195	421	820	1,887	3,292	5,140	8,935
	P	185	3	59	165	358	718	1,362	2,736	4.488	6,345	10,057
1915*	M	268	5	97	187	507	1,087	2,164	3,871	6,408	9,653	13,653
	F	137	3	29	114	238	425	882	1,923	3,427	5,591	10,389
	P	195	4	62	150	370	746	1,463	2,756	4,653	7,180	11,549
1916*	M	264	6	77	197	464	996	2,207	3,674	6,577	9,528	13,674
	F	139	2	50	109	196	472	987	1,914	3,537	5,497	10,473
	P	194	4	63	152	328	726	1,543	2,667	4,778	7,068	11,607
1911–16 ...	M	222	4	78	194	442	921	1,819	3,234	5,295	7,401	10,473
	F	112	2	35	89	189	401	766	1,587	2,782	4,346	7,676
	P	160	3	55	140	311	648	1,244	2,292	3,814	5,541	8,669
		Mortality in 1916 per cent. of that in 1911.										
Males		198	300	148	140	143	163	178	198	222	266	260
Females		224	200	238	222	165	181	237	229	235	225	276
Persons		206	200	175	163	151	171	195	210	227	244	269
		Mortality of Males per cent. of that of Females.										
1911		215	200	248	288	273	234	298	223	197	147	139
1912		209	400	375	321	215	207	226	226	203	173	147
1913		195	133	191	223	206	217	216	194	190	188	145
1914		201	250	183	229	276	251	246	205	188	160	135
1915*		196	167	334	164	213	256	245	201	187	173	131
1916*		190	300	154	181	237	211	224	192	186	173	131
1911–1916		198	200	223	218	234	230	237	204	190	170	136

* Civilians only.

From this table it appears that the excess of male mortality is greatest at from 55 to 70 years, and thereafter progressively diminishes to comparatively moderate dimensions in extreme old age. The table also shows that at nearly all ages this excess has been declining, according to the records of the six years, as a consequence of the greater increase in mortality recorded for females, especially at the earlier ages where the original male excess was greatest. The general tendency to accentuation of the increase in both sexes as age advances has been already referred to.

Although the records of the last six years only are available for tracing the mortality ascribed to arterio-sclerosis, a very fair indication of the trend of certification in earlier years may be found in the figures recorded for the heading "other diseases of blood-vessels" in Tables 9 and 10. This heading includes the arterio-sclerosis of the present list and also "cerebral atheroma," 64D, which equally implies arterial degeneration as the primary cause of death. These two headings made up over 97 per cent. of the old "other diseases of blood-vessels" in 1911 and almost 99 per cent. in 1916, so a very fair guide to the mortality attributed to arterial degeneration is thus afforded. Table 10 shows that the mortality ascribed to the heading has grown from 40 per million persons living in 1902 and 39 in 1903 to 244 in 1916, and that the growth has been most rapid from 1911 onwards. Its history can be traced back only to 1901, when the mortality was 38 per million. Probably in earlier years there were few deaths so certified, as it was not thought worth while to distinguish them.

The change in certification which substitutes mention of arterial disease for that of its more immediately fatal consequence, or at least supplements the latter by the former, is only a later development of a process which can be watched in an earlier stage within the narrow limits of the present century. Till 1901 nearly all deaths from lesions of the cerebral arteries were grouped together under the heading "apoplexy." No doubt the vast majority were so certified, for in 1901 when the heading was first sub-divided into "cerebral hæmorrhage, cerebral embolism" and "apoplexy, hemiplegia," 55 per cent. of the deaths so dealt with fell to the latter heading. In 1916 this proportion has fallen to 25 per cent. Twenty years ago accordingly it was customary in such cases to certify the condition, apoplexy or paralysis, resulting from the cerebral hæmorrhage; then the matter was traced one step further back to the vascular lesion; and now, as will be seen shortly, another change is in progress by which the cause of the cerebral hæmorrhage is recorded, and the death is therefore allocated to arterio-sclerosis. A further stage of the same process may possibly be even now transferring some of these deaths to Bright's disease, in so far as this is regarded as causing arterio-sclerosis; while still a further stage would transfer them to the toxin (lead, gout, etc.) underlying the renal or arterial disease. Such developments are bound to occur as knowledge increases, but the rapidity of the change in this instance shows how difficult it is to compare the frequency of any but the most distinctive causes of death at even short intervals of time. The growth in the number of deaths attributed to arterio-sclerosis of course implies a corresponding diminution in numbers listed to other causes, and a wholly artificial decline in mortality from certain causes dependent on arterial disease must result. It is of importance, therefore, to ascertain as far as possible to what causes these deaths would have been allocated in the absence of mention of arterio-sclerosis, and how the numbers so lost to various other headings compare with the numbers still allocated to them.

The material for such an investigation would have been supplied by the tabulation of the secondary causes of deaths occurring in 1914 and allocated to cause 81B but for the interruption by the war of the programme of such tabulation initiated in 1911. As, however, the necessary steps for resuming this work with the return of peace have been taken it has been possible to examine the full certification of the 1914 deaths, and for this purpose the 550 deaths of London males in that year have been selected as a sufficient sample. Of these certificates 218 mentioned only the arterial disease as cause of death, 12 of which mentioned that the coronary arteries were involved. Inference as to alternate certification can therefore only be drawn in the case of the remaining three-fifths of the total in which another cause was mentioned.

The headings to which, in the absence of mention of arterio-sclerosis, these deaths would have been allocated, and the numbers which would have gone to each, are as follows, the figures in brackets showing, in each case, the number of deaths actually so tabulated in the Report for 1914:—

No. 64, cerebral hæmorrhage, apoplexy 84 (1046); No. 65, cerebral softening 12 (46); No. 66, paralysis 6 (105); other nervous diseases 2; No. 79A, valvular disease of the heart (largely aortic) 20 (1337); No. 79B, fatty degeneration of the heart 5 (301); No. 79C, other organic disease of the heart (largely dilatation and myocardial degeneration) 45 (1351); No. 80, angina pectoris 17 (92); No. 82A, cerebral embolism and thrombosis 11 (134); other circulatory diseases 1; No. 90, bronchitis 47 (2533); No. 91, broncho-pneumonia 7 (1402); No. 92B, pneumonia, nature unspecified 3 (891); No. 94B, pulmonary œdema and congestion 7 (56); No. 94C, hypostatic pneumonia 6 (10); other respiratory diseases 4; digestive diseases 7; No. 120, chronic Bright's disease 29 (1010); other genito-urinary diseases 3; No. 142, gangrene 13 (80); other diseases 3.

It will be seen that cerebral hæmorrhage apparently loses more deaths than any other one cause from the increasing popularity of arterio-sclerosis as a form of certificate. The substitution of primary for secondary cause is not in this instance wholly advantageous, since cerebral hæmorrhage may almost be said to imply arterial disease, so that statement of the secondary cause of death is in this as in some other cases (*e.g.*, tabes dorsalis and general paralysis of the insane) more informative than statement of the primary. There is much to be said indeed for deliberate tabulation under the secondary cause in such cases.

The figures relating to angina pectoris and to gangrene are of special interest, as they also arise from arterial disease and the proportion of their total mortality concealed by the allocation of the deaths to their primary cause is much higher than with cerebral hæmorrhage. The concealment in this way of almost one-fifth of the deaths from angina pectoris would be of serious concern to a student of the history of that disease, especially as it is probably such a recent development. Consideration of these difficulties points to the insufficiency of tabulation of deaths by single causes and the importance of the more elaborate scheme of tabulation at present unfortunately suspended.

91 and 92. **Pneumonia.**—The total deaths assigned to pneumonia in its various forms numbered 37,916,—21,805 of males and 16,111 of females. These numbers, which include 1,070 deaths of non-civilians, represent a return from the high mortality of 1915 to the lower level figures experienced during the four or five preceding years. The rate for persons of both sexes fell from 1,359 deaths per million population in 1915 to 1,070 in 1916 (Table 10). The lowest rate in this table is 1,026 in 1912, but this applied to the whole population, whereas the 1915 and 1916 rates are for the civilian population only. As the figure for females, on which under present circumstances reliance as an index to comparative mortality must chiefly be placed, is lower at 830 per million living than in any previous year since 1884, it may be taken that the experience of the year was very favourable. The death-rate of females from broncho-pneumonia, 406 per million, is the lowest recorded since the various forms of the disease were first distinguished in 1901, but slightly lower rates were reached for lobar and undefined pneumonia (No. 92) in 1912 and 1913.

The distribution of this mortality throughout the country is shown in the following table, the crude rates of which may be accepted as fairly indicative of pneumonia mortality, seeing that standardization affects pneumonia death-rates but slightly :—

TABLE LX.—PNEUMONIA (ALL FORMS), 1916.—CRUDE DEATH-RATES per MILLION CIVIL POPULATION.

	North.	Midlands.	South.	Wales.	England and Wales.
London...	—	—	1,232	—	1,232
County Boroughs	1,585	1,114	877	1,260	1,352
Other Urban Districts	1,119	823	746	1,074	931
Rural Districts	933	665	630	890	739
All areas	1,342	876	956	1,048	1,065

Outside London, where it was fairly high, mortality decreased from North to South in all classes of area, the position of Wales being intermediate between those of the North and Midlands. The table also shows a steady and considerable decrease in mortality with decreasing urbanization. Both these features are repeated with such regularity from year to year that they may be accepted as defining the normal type of distribution of mortality from pneumonia in this country.

134–141. **The Puerperal State.**—The number of deaths assigned to pregnancy or childbirth was 3,239 (Table LXI), corresponding to a rate of 4·12 per 1,000 births. It will be seen from Table 9 that this number is 201 in excess of that assignable to these causes of death under the classification in use up to 1910 (*see* Manual of Causes of Death, pages xxvi. and xxx.). Deducting these 201 deaths, which are those allocated to puerperal nephritis and albuminuria, formerly not distinguished as puerperal, the mortality amounted to 3·87 per 1,000 births, as against an average rate of 3·77 in the ten years immediately preceding and 3·94 in 1915. Inclusion of the 739 deaths in Table LXII raises the proportion to 5·06 deaths stated to have been caused by or associated with pregnancy and childbirth for every 1,000 births.

The mortality amongst women aged 15–45 years from all the causes included in Tables LXI and LXII was 413 per million living, against 482 per million in 1914,

and 453 in 1915, the considerable fall in this rate being due chiefly to the diminished number of births.

Table LXI gives particulars of the deaths assigned to the puerperal state, and in the case of the headings "other accidents of pregnancy," "other accidents of childbirth," and "puerperal fever" amplifies the information on pages 150 and 151 by giving details of the causes comprised by those titles.

Table LXII shows the causes of deaths stated to have been complicated by the existence of the puerperal state. Heart disease was the commonest of these, and after it pneumonia and tuberculosis.

TABLE LXI.—ENGLAND and WALES, 1916.—DEATHS of WOMEN CLASSED to PREGNANCY and CHILDBEARING.

Cause of Death.	All Ages.	Ages.						
		15—	20—	25—	30—	35—	40—	45 and upwards.
134A. Abortion	106	1	15	16	23	36	12	3
B. Hæmorrhage of pregnancy	79	—	—	9	22	26	17	5
C. Uncontrollable vomiting	38	2	6	9	5	11	3	2
D. Ectopic gestation	74	1	7	14	20	21	7	4
E. Other accidents of pregnancy :—								
Carneous mole	1	—	—	—	—	—	—	1
Hydatid mole	6	—	—	—	—	3	—	3
Hydramnios	1	—	—	—	—	1	—	—
Retroversion of gravid uterus	5	1	1	1	1	1	—	—
Pregnancy apart from above complications :—								
(*a*) With secondary causes as follows :—								
Varicose veins	2	—	—	—	—	1	1	—
Pneumonia	1	—	—	—	—	1	—	—
Acute yellow atrophy of liver	3	—	2	—	—	—	1	—
Atrophy of liver	1	—	—	—	1	—	—	—
Pyelitis	2	—	2	—	—	—	—	—
Pyuria	1	—	—	—	1	—	—	—
(*b*) Without stated secondary cause	3	—	—	1	1	1	—	—
135. Placenta praevia	195	1	7	37	46	66	33	5
Other puerperal hæmorrhage	252	4	24	51	62	73	36	2
136. Other accidents of childbirth :—								
Contracted pelvis	41	—	5	14	12	7	2	1
Craniotomy	10	—	2	4	2	2	—	—
Cæsarean section	24	1	2	9	5	5	2	—
Version	4	—	1	1	1	—	1	—
Instrumental delivery	9	2	1	2	1	1	1	1
Rupture of uterus	35	—	3	3	8	10	11	—
Rupture of perineum and vagina	1	—	—	1	—	—	—	—
Rupture of perineum	2	—	—	—	—	1	—	1
Laceration of uterus, vagina, &c.	5	—	—	1	1	3	—	—
Malpresentation	25	—	4	1	5	11	4	—
Impacted fœtus	3	—	—	1	1	—	—	1
Inversion of uterus	8	—	1	3	3	—	1	—
Retroversion of uterus	1	—	1	—	—	—	—	—
Sub-involution of uterus	2	—	—	—	—	1	1	—
Inertia of uterus	3	—	—	1	2	—	—	—
Prolapse of uterus	1	—	—	—	—	—	1	—
Hydrocephalic fœtus	4	—	—	1	—	2	1	—
Diseased placenta	1	—	—	—	1	—	—	—
Difficult and prolonged labour	42	2	5	12	6	10	6	1
Childbirth apart from above complications :—								
(*a*) With secondary causes as follows :—								
Anæmia	11	—	—	3	4	2	2	—
Congestion of brain	1	—	—	1	—	—	—	—
Acute endocarditis	2	1	—	—	—	—	1	—
Dilatation of heart	3	—	—	1	—	2	—	—
Tachycardia	1	—	—	—	—	1	—	—

TABLE LXI.—*continued.*

Cause of Death.	All Ages.	Ages. 15—	20—	25—	30—	35—	40—	45 and upwards.
136. Other accidents of childbirth—*cont.*								
Childbirth apart from above complications—*cont.*								
(*a*) With secondary causes as follows—*cont.*								
Bronchitis	11	1	1	1	1	4	2	1
Broncho-pneumonia ...	8	1	2	2	—	2	1	—
Pneumonia	48	1	5	16	6	14	6	—
Pleurisy	4	—	—	1	1	1	1	—
Congestion of lungs	1	—	—	—	1	—	—	—
Gastritis	7	1	1	2	3	—	—	—
Dilatation of stomach ...	1	—	—	—	—	—	1	—
Vomiting	3	—	—	2	—	1	—	—
Diarrhœa and enteritis ...	12	—	3	4	3	2	—	—
Intestinal paralysis	5	—	—	1	1	1	2	—
Acute yellow atrophy of liver	3	1	—	—	—	2	—	—
Jaundice	2	—	—	1	1	—	—	—
Congestion of liver	1	—	—	—	—	—	1	—
Intestinal obstruction ...	2	—	—	—	1	1	—	—
Pyelitis, pyelonephritis ...	2	1	1	—	—	—	—	—
Congestion of kidney ...	1	1	—	—	—	—	—	—
Bedsores	1	—	—	1	—	—	—	—
Dropsy	4	—	—	—	3	1	—	—
(*b*) Without stated secondary cause	35	—	7	8	4	12	4	—
137. Puerperal fever :—								
streptococcal infection	3	—	1	1	—	1	—	—
pneumococcal infection	1	—	—	—	—	1	—	—
bacillus coli and streptococcal infection.	1	—	—	—	1	—	—	—
streptococcus and staphylococcus infection.	1	—	1	—	—	—	—	—
septic phlebitis, septic thrombosis...	19	1	1	2	1	12	2	—
septic pneumonia	14	—	2	2	4	5	1	—
septic endocarditis	3	—	1	2	—	—	—	—
septicæmia, sepsis	604	17	100	159	173	111	41	3
septic intoxication, sapræmia ...	44	2	5	12	15	6	4	—
pelvic peritonitis	11	1	3	3	3	1	—	—
peritonitis	107	4	25	30	19	14	15	—
salpingitis	7	1	—	3	2	1	—	—
metritis	18	1	5	3	5	4	—	—
endometritis	9	—	2	1	3	3	—	—
parametritis	15	—	1	7	3	3	1	—
perimetritis	3	—	—	2	1	—	—	—
lymphangitis	1	—	1	—	—	—	—	—
erysipelas	6	—	—	5	—	1	—	—
pyæmia	28	1	2	3	8	8	6	—
pelvic cellulitis	25	2	5	6	7	2	3	—
cellulitis	3	1	1	—	1	—	—	—
pelvic abscess	5	—	2	2	1	—	—	—
blood poisoning	3	—	—	—	—	2	1	—
other specified septic conditions ...	6	1	1	1	—	3	—	—
"puerperal fever"	146	3	31	43	40	20	7	2
138A. Puerperal nephritis and uræmia ...	152	5	19	38	40	35	14	1
B. Puerperal albuminuria and Bright's disease.	49	1	6	12	20	5	5	—
C. Puerperal convulsions	455	36	112	115	88	57	43	4
139A. Puerperal phlegmasia alba dolens and phlebitis.	64	—	2	14	17	13	17	1
B. Puerperal embolism and sudden death	243	5	27	59	56	66	21	9
140. Puerperal insanity	27	1	5	10	5	3	1	2
141. Puerperal diseases of the breast ...	6	1	—	1	3	1	—	—
Total	3,239	107	470	772	775	718	344	53

TABLE LXII.—ENGLAND and WALES, 1916.—DEATHS of WOMEN not CLASSED to PREGNANCY and CHILDBEARING, but RETURNED as ASSOCIATED THEREWITH.

Cause of Death.	All Ages.	Ages.						
		15—	20—	25—	30—	35—	40—	45 and upwards.
Enteric fever	6	—	2	1	1	1	1	—
Malaria	1	—	1	—	—	—	—	—
Measles	3	—	1	1	—	—	1	—
Scarlet fever	7	—	1	2	2	2	—	—
Diphtheria	1	—	1	—	—	—	—	—
Influenza	31	—	4	5	10	8	4	—
Tetanus	1	—	—	—	—	—	1	—
Pulmonary tuberculosis	50	—	9	11	14	12	4	—
Phthisis (not defined as tuberculous)	18	—	4	7	4	2	1	—
Acute phthisis	13	—	1	4	5	3	—	—
Acute miliary tuberculosis	4	—	—	2	—	—	2	—
Tuberculous meningitis	1	—	1	—	—	—	—	—
Tuberculosis of peritoneum and intestines	2	—	—	—	2	—	—	—
Other forms of tubercle	1	—	—	—	1	—	—	—
Rickets	1	—	—	1	—	—	—	—
Syphilis	1	—	—	—	1	—	—	—
Cancer	11	—	—	2	1	6	2	—
Rheumatic fever	15	—	4	5	3	1	2	—
Osteo-arthritis	1	—	—	—	—	—	1	—
Diabetes	4	—	—	1	—	2	1	—
Exophthalmic goître	4	—	—	—	2	2	—	—
Leucocythæmia	2	—	—	—	—	2	—	—
Anæmia	23	—	3	3	7	6	3	1
Purpura	1	—	—	—	—	1	—	—
Hæmophilia	1	—	—	—	—	1	—	—
Other general diseases	1	—	—	—	—	1	—	—
Meningitis	2	—	—	1	1	—	—	—
Diseases of the spinal cord	4	—	—	3	1	—	—	—
Cerebral hæmorrhage	3	—	1	—	1	1	—	—
Epilepsy	17	—	4	2	4	4	3	—
Chorea	7	2	3	2	—	—	—	—
Other diseases of the nervous system	1	—	—	—	—	1	—	—
Pericarditis	2	—	—	2	—	—	—	—
Acute myocarditis	5	—	—	—	2	2	—	1
Infective endocarditis	2	—	1	—	—	1	—	—
Acute endocarditis	9	—	1	2	2	3	1	—
Valvular disease	94	1	16	22	21	21	13	—
Fatty degeneration of the heart	13	—	—	2	4	5	2	—
Other organic disease of the heart	65	1	7	11	11	20	14	1
Varicose veins	2	—	—	—	2	—	—	—
Laryngitis	2	—	1	1	—	—	—	—
Diseases of the thyroid body	3	—	1	—	—	—	2	—
Bronchitis	31	—	3	5	8	8	6	1
Broncho-pneumonia	18	1	3	6	1	5	1	1
Lobar pneumonia	73	—	13	17	18	15	9	1
Pneumonia (type not stated)	58	—	3	11	15	21	6	2
Pleurisy	8	—	1	1	2	3	1	—
Asthma	8	—	—	1	4	1	2	—
Pulmonary emphysema	1	—	—	—	—	1	—	—
Diseases of the teeth and gums	2	—	1	—	1	—	—	—
Tonsillitis	1	—	—	—	—	1	—	—
Perforating ulcer of stomach	14	—	1	1	2	9	1	—
Inflammation of stomach	3	—	—	1	1	1	—	—
Diarrhœa and enteritis	13	—	2	6	1	4	—	—
Appendicitis	7	1	2	4	—	—	—	—
Hernia	1	—	—	—	1	—	—	—
Intestinal obstruction	8	—	1	4	1	2	—	—
Other diseases of the intestines	1	1	—	—	—	—	—	—
Acute yellow atrophy of liver	4	—	1	2	1	—	—	—
Biliary calculi	1	—	1	—	—	—	—	—
Other diseases of the liver	1	—	—	—	—	—	—	1
Bright's disease	29	—	3	3	9	7	6	1
Other diseases of the kidney	1	—	—	—	—	—	1	—
Uterine tumour	8	—	—	2	1	2	1	2
Ovarian cyst	4	—	1	—	2	1	—	—

TABLE LXII—*continued.*

Cause of Death.	All Ages.	Ages. 15—	20—	25—	30—	35—	40—	45 and upwards.
Other diseases of the female genital organs...	1	—	—	—	—	1	—	—
Eczema	1	—	1	—	—	—	—	—
Diseases of the bones	1	—	—	1	—	—	—	—
Violence	6	—	1	1	1	2	1	—
Total	739	7	105	159	171	192	93	12

Anæsthetics.—Deaths during or connected with the administration of an anæsthetic have all, from 1911 onwards, been classified to the condition for which the anæsthetic was administered. In order, however, to continue the information previously afforded as to such cases a secondary tabulation is now made of all deaths on the certificates relating to which any mention is made of the administration of an anæsthetic. These are classified in Table LXIII according to sex and age and to the nature of anæsthetic, while the list appended to the table shows for each sex the condition for which the anæsthetic was administered and the age of the patient, but not the kind of anæsthetic. Causes of death in this list are numbered in International List order. The bracketed figures following them denote the exact ages of the deceased, ages of males being printed thus (3), and of females thus (*3*).

TABLE LXIII.—ENGLAND and WALES, 1916.—DEATHS UNDER or CONNECTED WITH the ADMINISTRATION of VARIOUS ANÆSTHETICS.

Anæsthetic.		Age. All Ages.	0–	1–	2–	3–	4–	5–	10–	15–	20–	25–	30–	35–	40–	45–	50–	55–	65–
A.C.E. Mixture	M.	6	—	1	—	1	1	—	—	1	—	1	—	—	—	—	—	1	—
	F.	*2*	—	—	—	—	—	—	—	—	—	—	—	*1*	—	—	—	*1*	—
Chloroform	M.	76	3	5	—	1	1	4	10	2	8	8	7	8	5	3	4	4	3
	F.	*36*	*1*	*1*	—	—	*1*	*5*	*3*	*2*	*4*	*3*	*4*	*5*	*2*	*2*	*1*	*1*	*1*
Chloroform and alcohol ...	M.	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chloroform and A.C.E. mixture.	F.	*1*	—	—	—	—	—	*1*	—	—	—	—	—	—	—	—	—	—	—
Chloroform and ether ...	M.	24	—	3	—	1	—	4	—	—	1	1	2	2	2	2	1	4	1
	F.	*15*	—	—	—	*1*	—	*2*	—	—	—	*1*	*5*	*2*	—	*2*	—	—	*2*
Ether	M.	15	—	1	1	—	—	1	—	—	2	2	—	2	2	—	—	3	1
	F.	*12*	—	—	—	—	—	*1*	*1*	—	*1*	*2*	*1*	*1*	*2*	*2*	—	—	*1*
Ether and A.C.E. mixture	F.	*2*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	*1*	—	*1*
Ethyl chloride	M.	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Nitrous oxide and chloroform.	M.	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
Nitrous oxide and ether ...	M.	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Stovaine	M.	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	*2*	—	—	—	—	—	—	—	—	—	—	—	—	—	*1*	—	—	*1*
Stovaine and ether ...	M.	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F.	*1*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	*1*	—
Kind not stated	M.	65	4	1	1	3	3	8	3	4	5	2	2	5	5	3	3	8	5
	F.	*41*	—	—	*2*	*2*	—	*4*	*4*	*3*	*4*	*3*	*1*	*3*	*5*	*1*	*3*	*3*	*3*
Total	M.	194	9	11	5	7	5	17	13	7	17	14	11	17	15	8	8	20	10
	F.	*112*	*1*	*1*	*2*	*3*	*1*	*13*	*8*	*5*	*9*	*9*	*11*	*12*	*9*	*8*	*5*	*6*	*9*

CONDITIONS FOR WHICH ANÆSTHETICS WERE ADMINISTERED IN THE ABOVE CASES.

9. Diphtheria, tracheotomy (*4, 5*). **14.** Dysenteric abscess of liver (42). **20.** Incision of hand for blood poisoning (1); operation on septic finger (38); removal of finger poisoned by needle (*27*). **28.** Operation on tuberculous glands of throat (11); operation on tuberculous ribs (53). **31.** Tuberculous peritonitis (2); tuberculous appendix and mesenteric glands (3); tapping for fluid (4). **33.** Tuberculous hip (*8*).

34. Tuberculous glands of neck (9, 10, 12, 12) ; tuberculous tumour of leg (16). **35.** Disseminated tuberculosis (5). **39–45.** Cancer of—tongue (57, 58) ; tongue, operation for extraction of teeth (46) ; mouth (55) ; mouth, operation on neck glands (60) ; jaw (68) ; œsophagus (56, 68) ; small intestine (58) ; large intestine (62, *43*) ; rectum (51) ; uterus (*48*, *57*, *60*, *65*) ; uterus, exploratory operation (*60*) ; breast (*32*, *51*) ; prostate (55) ; testicle (53) ; pelvic cavity (*49*) ; axilla (9). **46.** Facial tumour (20) ; tumour of neck (*14*) ; cystic tumour of genital region (*26*). **51.** Exophthalmic goître (*28*, *43*). **61.** Cerebro-spinal fever, lumbar puncture (16). **66.** Operation for facial paralysis (*15*). **76.** Mastoid disease (30, 33, *1*, *2*) ; operation on middle ear (23). **83.** Hæmorrhoids (33, 35, 35, 38, 42, 44, 45) ; varicose veins of leg (50). **84.** Enlarged lymphatic glands (2) ; removal of abscess of armpit and breast (*19*). **86.** Adenoids (6, 8, 10, *6*) ; nasal catarrh (20) ; operation for polypus of nose (46) ; operation on nose (29, 41). **87.** Tumour of epiglottis (1). **88.** Cystic adenoma of thyroid (*41*) ; goître (10, *36*) ; excision of thyroid glands (*26*, *66*). **90.** Bronchiectasis (7, 37). **91.** Broncho-pneumonia, removal of pus (*0*). **93.** Empyema (1, 2, 4, 5, 11, 24, 37, 40, 48, *3*, *5*, *38*, *40*). **98.** Abscess of lung (24, 36). **99.** Extraction of teeth (21, 21, 25, 52, *8*, *9*, *17*, *26*, *33*, *37*, *50*, *50*) ; fibroma of tongue (*2*). **100.** Enlarged tonsils (2, 20, 24, *10*, *11*, *12*) ; enlarged tonsils and adenoids (3, 5, 6, 6, 6, 7, 7, 11, *6*, *7*, *11*) ; abscess of pharynx (15). **102.** Gastric ulcer (39, 43, 45, 64). **103.** Perforation of stomach (59, *48*). **104.** Ulcerative colitis (*3*) ; duodenal ulcer (60, 60). **108.** Appendicitis (6, 8, 9, 16, 17, 20, 24, 42, 42, 61, *6*, *7*, *7*, *10*, *10*, *14*, *19*, *22*, *23*, *26*, *32*, *52*, *54*, *57*) ; appendicitis, restitching abdominal wall (3) ; appendicitis, closing abdominal sinus (*31*). **109.** Hernia (0, 0, 0, 1, 1, 1, 1, 3, 4, 4, 25, 25, 27, 39, 43, 50, 56, 69, *64*, *65*, *66*, *69*, *69*, *77*) ; intestinal obstruction (2, 3, 34, *5*, *35*, *74*) ; intussusception (0, 0, 0) ; **110.** Abscess of anus (46) ; abscess of rectum (41) ; fæcal fistula (66). **113.** Cirrhosis of liver, operation for ascites (*42*). **114.** Gallstones (59, 67, *71*). **115.** Abscess of liver (34). **117.** Peritonitis (*3*). **118.** Pancreatitis (39, *36*). **120.** Bright's disease, operation, peeling of capsule (*21*). **124.** Operation on bladder (48) ; washing out septic bladder (37) ; retention of urine (72). **125.** Stricture of urethra (58) ; stricture of urethra, operation on bladder (49). **126.** Enlarged prostate (67, 68, 71). **127.** Paraphimosis (27) ; hydrocele (42) ; phimosis (44). **129.** Fibroid tumour of uterus (*43*, *45*) **130.** Prolapsus uteri (*48*, *49*) ; curetting for chronic endometritis (*44*). **131.** Ovarian tumour (*44*, *45*). **132.** Abscess of ovary (*32*) ; pyo-salpingitis (*20*, *42*). **134.** Abortion (*22*, *26*, *35*, *35*, *36*) ; ante-partum hæmorrhage, induction of labour (*34*) ; ectopic gestation, abdominal section (*26*). **135.** Placenta prævia (*24*, *37*). **136.** Contracted pelvis (*31*) ; craniotomy (*23*); instrumental delivery (*29*, *40*); malpresentation (*23*) ; difficult birth (*35*, *39*). **138.** Puerperal nephritis, instrumental delivery (*31*). **144.** Abscess of neck (3, 35) ; whitlow (34). **146.** Periostitis of jaw (58) ; removal of turbinate bone (*17*) ; abscess of jaw-bone (*31*) ; necrosis of jaw (*32*). **147.** Genu valgum (*5*). **149.** Talipes (1). **150.** Circumcision (0, 0, 0, 1) ; cleft palate (1) ; harelip (1) ; webbed fingers (3) ; undescended testicle (8) ; congenital deflected nasal septum (10). **155–186.** Various forms of violence (10, 11, 13, 14, 19, 19, 20, 21, 21, 23, 24, 24, 25, 25, 26, 26, 26, 26, 27, 28, 30, 30, 31, 33, 34, 36, 38, 39, 39, 41, 42, 43, 44, 50, 52, 56, 58, 59, 72, *20*, *34*, *46*, *59*). **189.** Removal of ring from finger (4).

The total number of deaths in Table LXIII, 306, is the highest for any of the six years 1911–1916 for which comparable figures are available, but as the total for 1915, 261, is the lowest it will be seen that the numbers returned vary but little. As 25 of the deaths classed to violence were those of males of military age (18–41) as against a maximum of 9 in any of the years before the war it may be taken that, apart from operations in military hospitals resulting from wounds, deaths under anæsthetics have not been more frequently returned in 1916 than the average of other recent years. The nature of the anæsthetic was stated in only 65 per cent. of the cases. In 56 per cent. of those in which it was stated, chloroform is recorded as the only anæsthetic administered, and in 26 per cent., as administered in combination with some other agent, so that in only 18 per cent. of these cases was chloroform not used. These proportions remain much the same from year to year, but that for chloroform alone is the lowest, while that for chloroform in combination is the highest, for any of the six years.

Operations for tubercle, cancer, the removal of tonsils and adenoids, extraction of teeth, piles, empyema, appendicitis, hernia, intestinal obstruction, and various forms of injury, have involved the greatest mortality under or related to anæsthetics. In some cases this is evidently due to the frequency with which the operation is performed and in others to its gravity or the severity of the condition requiring it.

84A. **Status Lymphaticus.**—In addition to the 198 deaths primarily classified to status lymphaticus (page 140) its presence was noted in the case of 31 deaths under anæsthetics, which were referred to the condition leading to the administration of the anæsthetic.

The sex- and age-distribution of these was as follows :—

—	All Ages.	0—	5—	10—	15—	20—	25—	35—
Males	22	6	6	5	1	2	2	—
Females	9	—	2	3	2	1	1	—

In 8 of the cases the nature of the anæsthetic was not stated ; in 18 of the remainder it was chloroform only, in 2 chloroform and ether, in 1 A.C.E. mixture, in 1 ether, and in 1 stovaine. The operations during which these deaths occurred seem for the most part not to have been of a dangerous nature.

155–163. **Suicide.**—The remarkable fall in the mortality of males from suicide from a very constant pre-war level, noted in 1915, has been almost, but not quite, maintained in 1916, and the proportion of female suicides also now shows substantial decrease. Suicides of males of 25–45 are seen from Table LXIV to have increased to some extent upon the 1915 figures, and in view of the diminished numbers of young men in the country, the suicide rates at these ages must have increased in larger proportion than the deaths.

TABLE LXIV.—ENGLAND AND WALES.—SUICIDE : DEATHS in 1914, 1915 and 1916 and MORTALITY in 1901–10, 1914, 1915 and 1916.

—	Deaths.						Mortality per Million Living.							
	Males (Including Non-civilians).			Females.			Males.				Females.			
	1914.	1915.	1916.	1914.	1915.	1916.	1901–10.	1914.	1915 (Civilians only).	1916 (Civilians only).	1901–10.	1914.	1915.	1916.
All Ages...	2,802	2,029	2,063	922	937	792	157*	151*	104*	111*	47*	45*	45*	38*
0— ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5— ...	—	—	—	—	—	—	0	—	—	—	—	—	—	—
10— ...	7	4	4	4	4	3	4	4	2	2	3	2	2	2
15— ...	65	33	38	47	63	57	36	38	21	?	34	27	36	32
20— ...	121	103	83	76	68	53	91	79	72	?	45	44	39	30
25— ...	457	274	344	161	131	124	152	157	95	?	56	50	40	38
35— ...	596	436	481	203	208	177	252	249	166	?	80	79	80	66
15–45 ...	*1,239*	*846*	*946*	*487*	*470*	*411*	*144*	*145*	*102*	*117*	*56*	*53*	*50*	*43*
45— ...	603	433	416	212	214	156	397	348	226	217	109	113	112	80
55— ...	571	446	367	132	156	133	523	514	368	294	109	106	124	103
65— ...	311	229	260	73	75	69	508	504	366	409	88	94	95	87
75— ...	71	71	70	14	18	20	382	336	331	327	49	44	56	61

* Standardized rates.

For the whole group of males aged 15–45 the mortality, which had fallen from 145 per million in 1914 to 102 in 1915, rose again to 117. On the other hand the table indicates a slight further fall at ages over 45 taken as a whole.

The only age at which male suicides do not greatly outnumber female is 15–20, where the reverse obtains. Normally the mortality at this age is about equal in the two sexes, the greater general tendency of the male to suicide being offset doubtless by the liability of the female to special emotional stress in this case. The excess of female deaths in 1916 is to be accounted for by the diminution of the male population. At this age the female suicide rate maintains about its usual level, but at ages 20–55 there is a marked reduction on the 1901–1910 standard. It is most noteworthy that

this change should have accompanied such a period of stress as the womanhood of the country has passed through in 1916, and it certainly does not suggest that their moral has been in any way injured by their wide-spread employment upon work hitherto thought suitable only for men. For women beyond the working age, on the other hand, the suicide rate has not been reduced. In the male sex the greatest reduction of all has occurred at the ages 45–65, but there is some reduction also at higher ages.

The experience of both sexes seems to point to employment as an effective preventive of suicide, for except for possible increase of household duties in the absence of younger members of the family women over 55 have probably had little additional work thrown upon them, whereas there has been increased employment of men even at the highest ages. Moreover the fact that the reduction set in first and has been carried furthest in the male sex harmonises with this hypothesis, for increase of employment arose earlier for men than for women, and the demand for male labour has remained in excess of that for female.

Increased employment would presumably operate in at least two ways. In the first place it provides an interest in life calculated to divert the mind from personal worries, in which respect interest in the war itself may also have an effect. And in the second place the opportunity of useful work at a living wage must suggest an alternative to suicide in many cases where loss of capital or of employment would otherwise lead to despair. The decrease in alcoholism, to the evidence of which attention has already been directed, may also have contributed to the general reduction in suicides, but would not explain the changes in age and sex distribution.

Although the comparison of rates in Table LXIV has had to be restricted to the civilian population, the 338 deaths of non-civilians registered in this country are included in the portion of the table dealing with numbers, in order to minimize the difficulty of comparison at military ages. The number of non-civilian deaths appears to be high, but in the absence of a statement of the average strength of the naval and military forces in this country during the year it is impossible to measure the mortality. At ages 15–45, however, the military deaths, 313 in number, form almost exactly one-third of the total suicides of males at these ages, whereas from all causes other than wounds received in battle the proportion is only one-seventh.

The frequency of suicide amongst the non-civilian population increases regularly with age as it does amongst civilians, for the table on page 248 records an increase in the deaths at each quinquennial age-group from 20 to 40, although the number of men serving must progressively diminish. As the men concerned were all subject to military conditions, which would be similar for all ages, the progressive increase in mortality would seem to be due to increasing innate tendency to suicide as age advances rather than to increasing difficulty of circumstances, to which it might, in the light of purely civilian experience, be attributed.

Cases of attempted suicide coming to the knowledge of the police have declined to an even greater extent than deaths from suicide. The returns collected by the Home Office show that in 1914 there were 1,366 such attempts by males and 1,049 by females and that in 1915 these numbers fell to 792 and 816 and in 1916 to 509 and 436, reductions of 42 per cent. for males and 22 per cent. for females in 1915, and of 63 and 58 in 1916.

189. **Ill-defined Causes of Death.**—This heading in the International List of Causes of Death, to which 2,487 deaths were allocated, excludes the ill-defined diseases of infancy and old age, which furnish the great majority of the deaths so classified in the Tables—Nos. 9 and 10—comparing mortality from year to year according to the list of causes in use before 1911. In this more comprehensive sense the deaths from ill-defined causes in 1916 numbered 40,481, of which 30,705 were ascribed to "old age." Although this number, the most important item in the total, has maintained an almost constant level during the 15 years covered by these tables (for its ratio to the total deaths of old persons, *see* page lxxii) the grand total of ill-defined deaths has fallen from 51,449 in 1904 and 50,529 in 1906 to its present level of 40,481, a fall of 20 per cent. in 10 years. The fall has occurred chiefly under the heading "atrophy, debility," deaths attributed to which have declined steadily from 17,708 in 1902 to 8,659 (of which 8,091 occurred at ages under one year) in 1916.

Inquiries sent to medical practitioners and coroners requesting further information as to indefinitely certified deaths have been considerably reduced in number owing to the war. They amounted to 6,255, and to these, notwithstanding the special difficulties created by the war, no less than 5,451 replies were received, with results to classification the most important of which are set out in Table LXV.

Table LXV.—England and Wales, 1916.—Replies to Inquiries respecting Indefinitely Certified Causes of Death.

Subject of Inquiry.	Replies received.	Replies amplifying previous information.	Deaths allocated as the result of inquiry to various important headings.
Croup	89	85	Diphtheria 5, Laryngismus stridulus 16, Laryngitis 44.
Membranous laryngitis	23	23	Diphtheria 10, Laryngitis 9.
Pyæmia, septicæmia, &c.	156	120	Syphilis 4, Diseases of the teeth and gums 4, Puerperal fever 20, Diseases of the skin 15.
Tuberculosis	318	315	Pulmonary tuberculosis 134, Acute phthisis 52, Acute miliary tuberculosis 27, Tuberculosis of peritoneum 22, Disseminated tuberculosis 61, Other forms of tubercle 17.
Cancer (part or organ not stated)	990	895	Part or organ stated in 892 cases.
Tumour, growth, &c.	465	309	Tuberculosis 3, Syphilis 6, Cancer 208.
Rheumatism	53	53	Gonorrhœa 1, Rheumatic fever 20, Chronic rheumatism 10.
Basal or basic meningitis	69	64	Tuberculous meningitis 37, Cerebro-spinal fever 11, Posterior basal meningitis 1, Meningitis—other forms 7
Cerebro-spinal meningitis	275	262	Tuberculous meningitis 9, Cerebro-spinal fever 236.
Paraplegia	111	80	Syphilis 7, Diseases of the spinal cord 44, Cerebral hæmorrhage, apoplexy 12.
General paralysis (outside asylums)	106	99	Cerebral hæmorrhage, apoplexy 11, General paralysis of the insane 61.
Paralysis	75	64	Diseases of the spinal cord 11, Cerebral hæmorrhage, apoplexy 24.
Cerebral tumour (P.M. cases) ...	13	10	Syphilis 1, Cancer 3, Glioma 4.
Fibroid phthisis	172	165	Pulmonary tuberculosis 109, Fibroid disease of lung 46.
Hæmoptysis	81	62	Pulmonary tuberculosis 27, Phthisis 3, Aneurysm 3.
Stomatitis	47	46	Syphilis 5, Thrush, aphthous stomatitis 25.
Stricture of œsophagus	67	54	Cancer 41.
Hæmatemesis	47	36	Cancer 4, Gastric ulcer 14, Cirrhosis of liver 7.
Pyloric obstruction, stenosis, &c....	36	26	Cancer 13, Gastric ulcer 6.
Jaundice	51	36	Cancer 15, Gallstones 4.
Peritonitis	256	164	Tuberculosis of peritoneum, &c. 17, Cancer 6, Gastric ulcer 8, Appendicitis 51, Hernia, intestinal obstruction 7, Diseases of female genital organs 12, Puerperal fever 9.
Pemphigus (of infants)	134	112	Syphilis 53.
Hydrocephalus	128	120	Tuberculous meningitis 21, Syphilis 5, Congenital hydrocephalus 71.
Violence	264	251	Precise form of suicide 13, Injury by fall 71, Injury in mines and quarries 30, Injury by machines 10, Injury by crushing 53.
Ascites, dropsy	42	35	Diseases of the heart 14, Cirrhosis of liver 5, Bright's disease 5.
Syncope, heart failure (ages 1–70)	182	142	Alcoholism 7, Diseases of the heart 77, Arterial sclerosis 12.
Operation	125	113	Cancer 14, Hernia, intestinal obstruction 7. Uterine tumour 12, Ovarian tumour 6.
Other indefinite forms of certificate	1,076	861	—
All Subjects	5,451	4,602	—

Deaths in Institutions for the Sick or Infirm.

The number of deaths in public institutions, including those of 8,851 non-civilians, was 123,741. Of these 60,033 occurred in Poor Law institutions (workhouses and workhouse infirmaries), 14,560 in lunatic asylums, and 49,148 in hospitals. In addition to these, 1,127 occurred at addresses known as those of nursing homes, but it is probable that many more deaths in nursing homes were not recognised as such. The numbers quoted above yield the proportions in the following table, which is continued from previous Reports :—

Table LXVI.

Public Institutions.	Percentage of Total Deaths.			Rate per 1,000 living.		
	Ten years, 1906–15.	1915.	1916.	Ten years, 1906–15.	1915.*	1916.*
Poor Law Institutions	10·75	11·40	11·82	1·56	1·81	1·73
Lunatic and Idiot Asylums ...	2·15	2·56	2·86	0·31	0·40	0·42
Hospitals...	7·52	8·51	9·67	1·07	1·18	1·17
Total	20·42	22·47	24·35	2·94	3·39	3·32

* Civilians only ; based upon estimated civilian populations, 1915 and 1916.

The detailed table of deaths in institutions classified by class of area, sex, and cause of death has been omitted as dispensable during the war.

United Kingdom.

Population.

The first complete census of the United Kingdom was taken in 1821, when the population numbered 20,893,584 persons; during the 90 years, 1821–1911, the population more than doubled itself, the numbers enumerated at the beginning of April, 1911, amounting to 45,221,615 persons.

The populations of the several divisions of the United Kingdom are provisionally estimated as follows:—

Table LXVII.—Population Estimated to the Middle of the Year 1916.

—	Persons.	Males.	Females.
England and Wales (Civil population only) ...	34,500,000	15,000,000	19,500,000
Scotland	4,824,308	2,339,587	2,484,721
Ireland (Movements of Military taken into account).†	4,337,000	2,139,000	2,198,000

† Population in 1915, adopted provisionally for 1916.

Marriages.

The marriages in the United Kingdom during the year 1916 numbered 333,570, corresponding to a rate of 14·2 persons married per 1,000 of the total population in 1916 as estimated for the purpose of calculating marriage and birth rates (*see* page xi).

This rate was 4·0 per 1,000 below the corresponding rate in 1915 and 0·9 per 1,000 below the average rate in the ten years 1906–1915.

Table LXVIII.

—	Marriages, 1916.	Persons Married per 1,000 Living.	
		Ten Years, 1906–1915.	1916.
England and Wales	279,846	15·8	14·9
Scotland	31,479	13·9	13·1
Ireland	22,245	10·5	10·3
United Kingdom	333,570	15·1	14·2

Births.

The births registered in the United Kingdom in the year 1916 numbered 986,892 and were in the proportion of 21·1 per 1,000 of the total population in 1916.

This rate was 1·0 per 1,000 below the corresponding rate in 1915; compared with the average in the ten years 1906–1915 it shows a decrease of 3·8 per 1,000.

The year 1915 was the first in which a higher (crude) birth-rate was recorded for Ireland than for England and Wales, and this excess has now been repeated. The rate is the lowest hitherto recorded in each of the three countries.

TABLE LXIX.

—	Births, 1916.	Births per 1,000 Living.	
		Ten Years, 1906–1915.	1916.
England and Wales	785,520	24·9	20·9
Scotland	109,935	26·5	22·8
Ireland	91,437	23·0	21·1
United Kingdom	986,892	24·9	21·1

Deaths.

The deaths registered in the United Kingdom in the year 1916 numbered 650,250 and were in the proportion of 14·6 per 1,000 of the population at all ages.

This rate was 1·0 per 1,000 below the corresponding rate in 1915; compared with the average in the ten years 1906–1915 the death-rate in 1916 showed a decrease of 0·2 per 1,000.

TABLE LXX.

—	Deaths, 1916.	Deaths per 1,000 living.	
		Ten years, 1906–1915.	1916.
England and Wales	508,217*	14·5	14·4†
Scotland	70,642	15·9	14·6
Ireland	71,391	17·0	16·5
United Kingdom	650,250	14·8	14·6‡

* Including deaths of non-civilians. † Civilian death-rate.
‡ Including civilian deaths only for England and Wales.

Infant Mortality.

The following Table shows the proportion of deaths of infants under one year of age to 1,000 births in each division of the United Kingdom. The rate is the lowest yet recorded for each of the three countries.

TABLE LXXI.

	Deaths under 1 year per 1,000 Births.	
	1906–1915.	1916.
England and Wales	113	91
Scotland	113	97
Ireland	93	83
United Kingdom	111	91

In Table 19 (pages 50 and 51) the population, marriages, births, deaths and principal causes of death are given for a series of years for the United Kingdom and for each of its three divisions.

Births and Deaths at Sea.

Marine Register Book.—In accordance with the Births and Deaths Registration Act of 1874 and the Merchant Shipping Act of 1894, Commanding Officers of ships trading to or from British ports are required, under penalty, to transmit returns of all births and deaths occurring on board their ships to the Registrar-General of Shipping and Seamen, who furnishes certified copies of such returns to the Registrars-General of Births and Deaths for England, Scotland, and Ireland. Similar returns are furnished to the Registrars-General of Births and Deaths by officers in charge of His Majesty's ships. These returns of births and deaths at sea constitute the "Marine Register Book." During the year 1916, this register was increased by the addition of 88 entries of birth and 4,870 entries of death.

Progress of Registration.

The names in the alphabetical indexes of births, deaths, and marriages recorded in the national registers of England and Wales were increased during the year 1916 by 1,853,429, this addition raising the total of names in the indexes, which at the end of 1916 embraced a period of 79½ years, to 132,394,170. (Table 16.)

The following statements as to the number of prosecutions for offences against the Registration Acts and of searches in the registers have been prepared by the Secretary:—

Offences against the Registration Acts.

In 1916, 27 persons, on prosecution by order of the Registrar-General, were convicted of different offences against the Registration Acts. The offences for which convictions were obtained were as under :—

For giving a false age when registering the death of an old-age pensioner	14
For otherwise giving false information to the registrar when registering a birth or death	3
For falsifying certificate of birth or death and using same as true ...	5
For burying a live-born child as still-born	2
For failing (1) to register a birth and (2) to comply with a requisition to register the same	3

In addition to the above prosecutions initiated by the Registrar-General, proceedings were taken—

(1) by the Public Prosecutor in several cases for offences including the following :—
  (1) personating a medical practitioner ;
  (2) falsifying a birth certificate ;
  (3) registering illegitimate children as legitimate ; and
  (4) making false declaration for marriage ; and

(2) by Chief Constables for offences including bigamy and making false declarations, and signing false notices for marriage.

Searches and Certificates.

Besides the certified copies of the registered births, deaths, and marriages kept in England and Wales pursuant to the Registration Acts, a large number of other registers and records are deposited in this Office under statute or other arrangement. A list of these various registers and records will be found on pages xxix–xxxii of the Annual Report for 1895. Searches may be made in any of these registers, and certificates obtained on payment of the prescribed fees.

Table LXXII affords an indication of the extent to which the copies of the records kept in this Office have been utilised by the public for legal evidence of births, deaths, and marriages since 1866. It will be observed that the number of searches, &c. in 1916 is much above the highest level previously attained. The growth is enormously increased if gratuitous searches are included.

Table LXXII.

Years.	Total Searches.	Gratuitous Searches.	Searches paid for by Fees.	Certificates Issued.	Amount Received.
					£ s. d.
1866 (52 weeks) ...	12,135	—	12,135	10,017	1,860 15 6
1875 (52 weeks) ...	26,356	—	26,356	20,282	3,879 15 6
1885 (52 weeks) ...	36,450	—	36,450	27,682	5,317 13 6
1895 (52 weeks) ...	53,289	—	53,289	35,727	7,200 12 6
1905 (52 weeks) ...	65,142	—	65,142	50,310	9,611 9 0
1906 (52 weeks) ...	64,340	—	64,340	49,429	9,458 6 0
1907 (52 weeks) ...	69,249	—	69,249	53,058	10,194 9 0
1908 (53 weeks) ...	72,370	—	72,370	54,870	10,550 8 0
1909 (52 weeks) ...	132,169	58,626*	73,543	54,674	10,568 8 0
1910 (52 weeks) ...	126,716	51,347	75,369	57,019	10,939 5 6
1911 (52 weeks) ...	140,496	65,491	75,005	56,347	10,875 6 0
1912 (52 weeks) ...	149,752	69,151	80,601	61,143	11,752 6 0
1913 (52 weeks) ...	242,457	163,142	79,315	60,356	11,613 19 0
1914 (53 weeks) ...	188,040	104,593	83,447	65,817	12,482 11 6
1915 (52 weeks) ...	202,939	118,788	84,151	69,746	13,007 10 0
1916 (52 weeks) ...	303,334	197,669	105,665	88,265	16,379 17 0

* Including some searches made in 1908.

The 197,669 gratuitous searches during 1916 include 58,124 searches made for the purpose of verifying the ages of persons claiming old age pensions, and 139,545 searches made to assist dependents of men serving with H.M. Forces to produce evidence of marriage and of the births of children under 16 years of age in connexion with claims to Naval and Military Separation Allowances, Pensions, &c., and to verify the ages of certain classes of youths and men in connexion with Army service, and of other persons in connexion with service in Government Munitions of War establishments.

T. H. C. Stevenson.

METEOROLOGY OF THE YEAR 1916.

Remarks on the Conspicuous Occurrences in the British Isles in 1916.

(Prepared in the Meteorological Office under the direction of
Sir Napier Shaw, LL.D., Sc.D., F.R.S., Director.)

A Dull and Wet Year.

The following are the outstanding features of the meteorology of the year 1916 :—

Gales.—The most stormy months were January, February, October, and November. On the very first day of the year a violent Southerly to South-Westerly gale attended the movement North-Eastward of a deep depression centred on the Atlantic. At Weaver Point (Cork Harbour) the velocity of the gusts attained 39 m/s, at Southport 38 m/s ; and force 10 was reported at several stations. Many large trees were uprooted and much structural damage was wrought. Gales continued on various parts of the coast for several days, but were not of exceptional violence. On the 13th, however, a very severe North-Westerly gale was experienced over the north of these islands and the whole of the North Sea region. At Dyce and Aberdeen the maximum gust velocity was 34 m/s. The next gale of a general character occurred on the 19th and 20th, its direction being South and South-West.

The first general gale during a stormy February was due to a depression with its centre far to the westward of Ireland on the 3rd. Gales from the Southward raged extensively, the force being strongest on our southern and south-eastern coasts. Another general gale occurred on the 6th, and between the 7th and 17th gales, sometimes from the North-West and North, were experienced locally on various sections of the coast. On the 16th the gust velocity reached 36 m/s at Southport and 39 m/s at Holyhead. A change to a North-Easterly type occurred after the 21st, and gales from that quarter blew on various parts of the English coast on the 23rd and 24th.

During most of March the wind was persistenly between East and North-East and of little force, but a deep depression to the northward of Scotland on the 25th and 26th brought it into South-West, veering to West or North-West, and gales were felt over a large area. This was followed on the 27th and 28th by a secondary depression which travelled eastward over southern England and at the same time developed great intensity. A violent gale, mainly from between East and North, accompanied by either heavy rain and sleet or blinding snow, raged over all the more southern parts of England and the Channel. The gale began late on the 27th, and after a brief lull, recommenced with increased violence towards the evening of the 28th. Force 9 or 10 was reported over an extensive area, and the gusts attained 31 m/s at Spurn Head, 32 m/s at Richmond, Surrey, 34 m/s at Gorleston, and 38 m/s at Dover. The gusts at Richmond were the highest recorded since the records started in 1895. Aided by the weight of the clinging snow the gale did an enormous amount of damage ; 95 trees were uprooted in Kensington Gardens, London ; telegraph poles were blown down and railways blocked over a very extensive region, and in Guernsey nearly 100 greenhouses were wrecked. April brought no sustained gale, although gale force was reached on various parts of the coast some time during the month, and the succeeding months of spring and summer were quiet. It was not until after the middle of September that any gale of importance was experienced.

With October came a succession of Atlantic depressions, and gales from between South and West were common. Many of them during the earlier half of the month affected the most western and northern coasts only, and the first general gale occurred on the 14th. At Wick and Lerwick there was a "whole gale," force 10, and at Blacksod Point a "storm," force 11 ; the highest gust velocity recorded was 36 m/s at Edinburgh. From the 21st onward the depressions increased in intensity. Gales from between South-East and South-West or West became general, and were occasionally very severe. Gusts of unusual fury were experienced in the west and south-west, the most striking being 35 m/s at Quilty, on the coast of Clare, on the 25th, 41 m/s (the highest gust velocity of the year) at Pendennis Castle on the 28th, and 36 m/s at Southport and Holyhead on the 30th. November prolonged the stormy period. On the 3rd a depression off the Irish coast caused a general South to South-West gale ; gusts of 35 m/s were attained at

Weaver Point and Pendennis Castle (Falmouth), and much damage was done along the beach at Bournemouth. This depression was followed immediately by another coming over these islands from the Bay of Biscay, and a very general gale prevailed during the 4th and 5th, giving a gust velocity of 35 m/s at Dover and 36 m/s at Plymouth. The arrival of a secondary depression on the 7th caused a renewal of the gale in several parts of England ; at Dungeness force 10 was reported. After a week of quietude a deep depression that subsequently travelled in an irregular track, caused a South-Easterly gale over a large portion of the Kingdom. The gale continued through the 17th, 18th and 19th, mainly from South-East and East, and did not entirely subside on our most northern coasts until the 26th. Force 10 was reported at Lerwick and Dungeness, and force 9 at a number of stations. A considerable amount of structural damage and shipping loss was caused, especially along the east and south-east coast of Ireland on the 17th.

In spite of its numerous depressions December brought no general gale, and few on any part of the coast. The chief occurrences were on the 21st and 23rd, when isolated stations reported 8 or 9 from South or South-West, and Dover and Dungeness force 10.

*Rainfall**.—As in 1914 and 1915 the total fall over the Kingdom generally exceeded the normal. The only months with less rain than usual over the country as a whole were January, July, August and September. March was dry in most western and wet in the eastern districts. In England the dryest months were January, April, July and September, and the wettest February and October. The total fall for the whole year was less than the normal at some individual stations in England North-West and elsewhere, but the only district showing a deficit was Scotland West, the percentage of the normal being 98. The highest district percentage in the Kingdom was in Scotland E., 135, while the next highest was 125 in England South-East.

Heavy rains were few in January, but tremendous downpours occurred in Scotland on the 24th and 25th, and a resulting landslip stopped railway communication between Fort William and Fort Augustus for several days. The heavy totals of February and March were due mainly to steady rain. On February 3rd, however, the south-western districts experienced large quantities of rain, 46 mm. at Redruth and Ashburton, 54 mm. at Falmouth, and 70 mm. at Princetown, and on the 5th as much as 88 mm. fell at Pen-y-Gwryd (Snowdonia). Another heavy fall of rain, sleet, or snow occurred in the south-west with the severe storm of March 27th. At Greenwich the greatest fall in one day was only 22 mm., although the aggregate of 104 mm. exceeded that of any March since 1841. A depression on April 17th and 18th gave further heavy falls to Wales and also to the north of England, and on the 23rd and 24th large amounts fell in Ireland and in the western counties of Great Britain ; at Killarney 41 mm. fell on the 23rd and 46 mm. on the 24th.

During May considerable portions of the Kingdom—principally in the west—experienced heavy downpours, some of them being more or less intimately associated with thunderstorms. On the 5th there was much rain in central and eastern Ireland ; Birr Castle and Newtownforbes had 44 mm., Newcastle (Co. Wicklow) 57 mm., and Kingstown and Shankill 61 mm. On the following day an additional 41 mm. fell at Newcastle and 28 mm. at Kingstown. There were some further heavy falls in the west on the 24th and 25th, and at the end of the month a south-westerly gale brought much rain to the north-west of England ; the amount measured at Seathwaite in the Lake District on the 31st was 114 mm. Although thunderstorms were very prevalent during June heavy local rains were very few, but during a line squall at Southport on the 23rd nearly 10 mm. fell in ten minutes. In July heavy downpours were more plentiful. On the 7th as much as 25 mm. came down at Bridlington in about fifteen minutes. On the same day, with winds between south-east and north-east, unusually large quantities fell in the east of Scotland ; 67 mm. at St. Andrews, 74 mm. at Kettins, 78 mm. at Edinburgh, 87 mm. at Perth, and 91 mm. at Dundee ; at Kirkcaldy the fall in 36 hours was 99 mm.

A large portion of the August rain came in heavy falls—in many instances connected with thunderstorms. On the 14th there was 36 mm. at Hovingham (N. Riding), on the 15th as much as 94 mm. at Morecambe, on the 17th 55 mm. at Eye, near Peterborough, and 89 mm. at Cheshunt (Herts.) ; at Eye 52 mm. fell in two hours. On the 25th with south-easterly and easterly winds a large area in Scotland had heavy rain ; 44 mm. at Glasgow and 55 mm. at Dyce, near Aberdeen. A depression moving slowly up the English Channel on the 29th and 30th yielded enormous

* Rainfall is given in millimetres ; 1mm. is nearly ·04 in., 25·4mm.=1 in.

quantities of rain with the easterly wind ; many stations recorded more than 50 mm. in 24 hours ; amongst them Torquay and Portland Bill each had the abnormal fall of 99 mm. Most of the rain of the generally dry September came in heavy downpours during thundery conditions. On the 3rd numerous places had more than 25 mm., and further heavy falls, not associated with thunderstorms, occurred as a depression approached the western districts on the 17th ; the highest values were 52 mm. at Lampeter and 59 mm. at Pen-y-Gwryd. Thunderstorm rains gave large measurements in many southern localities after the 25th. The depressions of October, with their southerly and south-westerly gales, yielded many heavy, and some abnormal, rains mostly in the west and north-west. Among the chief were about 112 mm. at Glencarron and Fort William and as much as 208 mm. at Kinlochquoich (Invernesshire) on the 11th. The value at Kinlochquoich appears to be the heaviest fall of the year. At Fort William 94 mm. more fell on the 14th, and the very unusual amount of 136 mm. at Killarney on the 21st. Some of the storms of November yielded further heavy falls. On the 6th 44 mm. at Ashburton (Devon), and on the 7th 38 mm. at Warlingham (Surrey), and 42 mm. at Dorchester. Between the 16th and 19th extremely heavy rain was again common ; 89 mm. at Killarney, 55 mm. at Cahirciveen (Co. Kerry), 50 mm. at Ranelagh (Dublin), 57 mm. at Plymouth, and 48 mm. at Fulbeck (Lincoln). Various places had more than 25 mm. on December 9th, and on the 20th heavy falls were widespread, the largest being 42 mm. at Rousdon (Lyme Regis), 44 mm. at Wilton (Salisbury), 46 mm. at Dorchester, and 49 mm. at Weymouth.

Day and Night Rainfall.—The reports from stations measuring rainfall twice in 24 hours show that the hourly rate of fall was less during the daytime than at night. At 8 stations it was found the amount for the 12 hours ending at 21 h. was only 90 per cent. of that for the 12 hours following. At 19 stations the hourly rate of fall for the 9 hours ending at 18 h. was only 87 per cent. of that for the 15 hours ending at 9 h. During the summer months, however, the hourly rate of fall was higher in the day than in the night. It must be noted that nearly all the stations measuring rain both at 9 h. and 18 h. are on the south-east, south, or south-west coasts.

Excess of rain during the night as compared with the day is a well-known characteristic of coast stations. Examination of the mean hourly values for 40 years at Falmouth and Cahirciveen shows that normally the rainfall between 9 h. and 21 h. is about 14 per cent. less than that between 21 h. and 9 h.

Snowstorms.—The mild January was without snow, but in the colder parts of February there was a layer of considerable depth in Scotland and many parts of England. At West Linton, under the Pentland Hills, the depth was 30 to 36 cm. on the 8th, and later in the month about 30 cm. covered much of the Midlands and Eastern England, while on Dartmoor there were drifts 3 to 4 metres deep. Most of the March snow melted as it fell, but late in the month some Midland localities had a covering of about 27 cm., and Ardross near Cromarty Firth, an accumulation of 38 cm. In the Dartmoor region the fall was again heavy, drifts from 3 to 5 metres deep being found in some places. Very little snow fell in November, but December gave a heavy fall in North Ireland on the 8th or 9th, and after the middle of the month snow was again common in Scotland and northern and central England. Large tracts of country were covered for some days. The deepest measurements reported were 23 cm. at Glasgow on the 20th, and 31 cm. at Darleith (Dumbarton) on the 18th. England was by no means exempt, but the fall was not generally heavy and disappeared within a few days.

Floods.—High floods were caused in the Nene valley at Oundle by the storm of March 27th. Extensive inundations occurred in the Thames valley for a brief time in November, and on the 18th serious floods were raised by the storm in the south and south-west of Ireland.

Dry Periods.—Although both the aggregate fall and the total number of days with rain exceeded the normal the weather was not without periods of drought. The first dry spell was in England—mostly in the south—in April, little or no rain falling after the 20th. In May there was a longer period, beginning on the 14th, and continuing—mostly in the eastern half of England—until the end of the month. In June large portions of England and Ireland were without rain for about 10 days subsequent to the 10th or 11th. The longest dry period of the year, however, began on the 10th or 11th of July, and continued until the corresponding dates in August. During this interval many places had practically no rain, and others but a very slight measurement. Many stations in England were rainless for 25 or 26 days, Plymouth for 29 days, and Totland Bay (I. of W.) for

30 days. In Ireland Seskin (Carrick-on-Suir) had 25 and Ballincurra (Cork Harbour) 27 consecutive rainless days. September gave two dry spells—from the 5th till the 16th, and from the 19th till the close of the month.

Thunderstorms.—Thunderstorms accompanying the depressions of the winter months were, as usual, more common in the western and north-western parts of the Kingdom than in the more central and eastern districts. During the spring, summer and autumn electrical disturbances were rather frequent, but seldom of great violence. In June a marked feature of the thunderstorms was the very small quantity of rain ; in many instances they passed over large areas with no more than a millimetre or two. The same remark, in a lesser degree, applies to the storms of July, the month of most frequent thunderstorms, but large hailstones accompanied a storm at Belper (Derbyshire) on the 27th. At Benson (Oxon) on August 17th one thunder-shower yielded 5·4 mm. of rain in 3½ minutes and another 13 mm. in 23 minutes. Thunderstorms were very widespread in Great Britain on September 3rd and 4th, and again on the 26th and 28th, but during that month generally they were little more than half as prevalent as in August. At Sheepstor (Dartmoor) a storm began at 19 h. on the 28th, and continued through 12 hours ; at times it was very severe. On October 27th, 30th, and 31st thunderstorms were extremely numerous for the time of year in England, and were often accompanied by hail.

*Air Temperature**.—January, April, August, October and November were warm in all or nearly all districts, and May was warm in England. February, March, June and December were cold generally, and July was cold in England. The mildness of January was abnormal ; its mean temperature was higher than that of February and March ; in most parts of the Kingdom it was higher than that of November, and in Ireland it exceeded that of April. With the strong South-Westerly winds early in the month maximum readings of 288·5 a were recorded in many localities, the highest being 290 a at Rhyl. Minimum readings of about 283 a were very common, and at numerous stations there was no reading below 273 a. The mild South-Westerly conditions continued until well into February, but after the middle of that month the wind current came from a colder quarter, causing a great reduction of temperature, and the subsequent readings were almost continuously below the normal until April. Late in February severe frost was experienced over considerable areas, and the lowest temperature of the year was recorded ; 256·4 a at Braemar and 259 a at Balmoral. Some sharp night frosts occurred in various districts during March, but generally the temperature of the night was higher relatively than that of the day. The lowest reading was 259·5 a at Newton Rigg (Penrith) on the 24th. A sudden burst of warmth occurred on April 3rd, but as a whole the temperature was rather below the normal than above it until late in the month, and slight frost at night was the rule. After the 25th the thermometer rose to between 294 a and 298 a, but fell again briskly and remained below the normal until half through May. After May 20th a marked increase of warmth had become general, and maxima above 300 a were recorded over the greater part of England. There were readings as high as 302·5 a in the Home Counties. At the beginning of June there was another fall, and the temperature of the month proved almost as abnormal in a negative as January did in a positive sense. At Dublin it was the coldest June for 50 years, and at Hodsock Priory, Worksop, for 40 years. The persistently cold days greatly retarded the growth of vegetation, and the ground frosts had an injurious effect. The cold spell continued, with somewhat diminished intensity, into July, and it was not until after the 15th that the thermometer regained the normal level. Towards the end of the month a further rise was experienced, and readings consistently exceeded the normal until towards the end of August. The maximum heat of the year, 302 a to 303 a, occurred either late in July or early in August. The third week of September was decidedly cold, but as a whole the temperature deviated little from the normal. Late in this month there was a sharp rise of temperature, and the first fortnight of October was unusually mild for the time of year. After the 14th the rapid current of air from the South and South-West, which had occasioned the high temperature, was interrupted, but for some weeks the temperature remained a little above the normal. Late in November a strong North to North-West wind in the rear of a deep depression sent the thermometer very suddenly below the normal, where it remained until the last few days of the year. On the 6th, 16th and 27th December some stations had maximum readings below 273 a, and occasionally the night minima were very low. The exceptionally cold day of the

* Temperature is given on the Absolute Centigrade Scale. To the nearest degree 255a=0°F., 273a=32°F., 280a=45°F., 290a=63°F., 300a=81°F. and 310a=99°F.

27th was the last of the low-temperature regime. By the morning of the 28th brisk to very strong South and South-West winds were sweeping over the country, causing an extremely rapid rise of temperature. Over England many districts recorded maxima between 286 a and 288 a, and minima between 281 a and 283 a.

For the whole year the mean temperature differed little from the normal. Except in Scotland East, Ireland North, and the English Channel it was above it, but the greatest deviation was only 0·3 a.

Sea Temperature.—The mean temperature of the sea surface water ranged from 281·5 a off Orkney and 282·5 a off the east of England to 284 a off the west of Ireland and to 285·3 a off the south-west of England. Except off the east of England the temperature of the sea was on the average rather higher than that of the air. Fog was, as usual, more prevalent along our west and south-west coasts than elsewhere, but it did not form a marked feature of the weather conditions.

Bright Sunshine was deficient in all districts in March, May, September and October, while no month had an excess over the whole Kingdom. In England East the mean daily loss for the whole year was 0·76 h., and over the eastern half of Great Britain generally more than 0·5 h. The least deficiency was in England South-West, where it was only 0·2 h. per day.

Pressure.—As a rule the readings were below the normal, the only months with pressure above the normal over the entire Kingdom being July and September. The trend of the mean isobars and their relative distance apart differed little from the normal, but the mean pressure was low by about 2 mb. The highest pressure occurred in January or February in most parts of the Kingdom, and the lowest over England and Ireland during November. In Scotland pressure sank to its lowest point in February or March. The most notable features of the monthly charts were the great difference in pressure between the north and south in January, the complete reversal of the ordinary distribution in March, and the gradient for North and North-West winds in June.

Aurora, etc.—A display of aurora was observed from some part of the Kingdom in every month except July. The phenomenon was seen from Scotland more generally than elsewhere, but on several occasions it was reported from Ireland, and in March as far south as Benson and South Kensington. Sun pillars were observed in a few places in southern England in April, June, August and December, and mock suns in February, May, July, August and November. Earthquake shocks were felt at several places in the midlands in January, and at Penrhyn in October. On October 13th–15th the water of Loch Awe was higher than at any time since the records began.

Extremes of Temperature, etc.—As in previous Annual Reports the following notes refer exclusively to the stations the results from which are given in the tables on pages 58–61.

The highest temperatures of the air were 86° F at Salisbury (Wilton); 85° at Camden Square and Southampton; and 84° at Westminster, Greenwich and Durham.

The lowest temperatures were 16° at Durham; 18° at Buxton, Belvoir Castle, Morpeth and Hull; and 19° at Coventry, Oxford, Wistanstow and Aspatria.

The heaviest totals of rain were 1,429 millimetres at Bettws-y-Coed; 1,248 millimetres at Stonyhurst; and 1,228 millimetres at Falmouth.

The least falls of rain were 590 millimetres at Cromer; 605 millimetres at Cambridge; and 607 millimetres at Clacton and York.

The stations with the greatest number of days of rain were Bettws-y-Coed and Scilly with 244; Buxton with 232; and Aspatria with 220.

The stations with the least number of days of rain were Tottenham with 167; Portsmouth and Portland Bill with 170; and Cambridge with 172.

Further Information.—Charts showing the distribution of pressure, temperature, sunshine, and rainfall for the year will be found in the Annual Summary of the Monthly Weather Report (issued by the Meteorological Office) for 1916.

A list of publications concerning the weather will be found in Meteorological Office Circular 001 "Statement of Provisions for the Supply of Information to the Public," which can be obtained on application at the Meteorological Office.

TABLES.

NOTE.—The following tables are temporarily discontinued :—

No. in Report for 1914.	Description.
2—4	Estimated Populations in the middle of the year by sexes and ages : England and Wales and Main Divisions, Urban and Rural Aggregates in Administrative Counties, and County Boroughs.*
9—12	Marriages ; England and Wales, London and other Registration Counties : Manner of Solemnization, First Marriages, Re-marriages, Marriages of Minors, Signatures by Mark, and Marriage-rates.
16—18	Mortality by Sex and Age : Main Divisions of England and Wales, Administrative Counties, and County Boroughs.
24—28	Mortality from Several Causes by Sex and Age : England and Wales, Main Divisions, London, County Boroughs, Other Urban Districts, and Rural Districts.
34—36	Army : Strength and Mortality. Navy : Mortality in Service Afloat. Merchant Service : Numbers and Mortality of Masters and Seamen.

All death-rates in 1915 and 1916 relate to civilians only, and mortality from measles, whooping cough, scarlet fever, and diphtheria and croup is stated in Table 13 in terms of the population at all ages. Deaths in Table 9 include those of non-civilians, but the corresponding rates in Table 10 relate to civilians only.

The table showing the sex- and age-constitution of the populations of various countries (Table 28 in the Report for 1915) has been discontinued, and Table 19 (No. 29 in 1915) is now restricted to the United Kingdom.

* The estimated civil population by sex and age in England and Wales as a whole in 1916 is given on page x.

TABLE 1.—UNITED KINGDOM: POPULATION of its several DIVISIONS ESTIMATED to the in the BRITISH SEAS, and of the PORTIONS of

YEAR.	UNITED KINGDOM. AREA 76,457,356 ACRES.†			ENGLAND AND WALES.* AREA 37,337,537 ACRES.‡		
	Persons.	Males.	Females.	Persons.	Males.	Females.
1867	30,409,135	14,781,925	15,627,210	21,677,525	10,557,066	11,120,459
1868	30,689,980	14,917,164	15,772,816	21,948,713	10,688,600	11,260,113
1869	30,978,282	15,056,680	15,921,602	22,223,299	10,821,775	11,401,524
1870	31,256,540	15,189,552	16,066,988	22,501,316	10,956,608	11,544,708
1871	31,555,699	15,331,182	16,224,517	22,788,594	11,092,620	11,695,974
1872	31,874,184	15,485,220	16,388,964	23,096,495	11,242,495	11,854,000
1873	32,177,551	15,630,140	16,547,411	23,408,556	11,394,394	12,014,162
1874	32,501,517	15,788,489	16,713,028	23,724,834	11,548,346	12,176,488
1875	32,838,758	15,957,608	16,881,150	24,045,385	11,704,378	12,341,007
1876	33,199,993	16,138,193	17,061,800	24,370,267	11,862,519	12,507,748
1877	33,575,940	16,325,250	17,250,690	24,699,539	12,022,796	12,676,743
1878	33,943,773	16,508,370	17,435,403	25,033,259	12,185,238	12,848,021
1879	34,304,037	16,688,039	17,615,998	25,371,489	12,349,875	13,021,614
1880	34,622,930	16,844,178	17,778,752	25,714,288	12,516,737	13,197,551
1881	34,934,476	16,995,578	17,938,898	26,046,142	12,673,435	13,372,707
1882	35,206,616	17,122,483	18,084,133	26,334,942	12,808,460	13,526,482
1883	35,449,721	17,237,226	18,212,495	26,626,949	12,944,923	13,682,026
1884	35,724,229	17,367,248	18,356,981	26,922,192	13,082,837	13,839,355
1885	36,015,501	17,505,359	18,510,142	27,220,706	13,222,216	13,998,490
1886	36,313,581	17,646,573	18,667,008	27,522,532	13,363,079	14,159,453
1887	36,599,143	17,780,591	18,818,552	27,827,706	13,505,441	14,322,265
1888	36,881,271	17,912,257	18,969,014	28,136,258	13,649,314	14,486,944
1889	37,178,928	18,052,088	19,126,840	28,448,239	13,794,721	14,653,518
1890	37,484,763	18,196,143	19,288,620	28,763,673	13,941,671	14,822,002
1891	37,802,440	18,346,840	19,455,600	29,085,819	14,092,535	14,993,284
1892	38,134,110	18,504,779	19,629,331	29,421,392	14,252,190	15,169,202
1893	38,490,333	18,674,558	19,815,775	29,760,842	14,413,657	15,347,185
1894	38,859,067	18,851,843	20,007,224	30,104,201	14,576,948	15,527,253
1895	39,221,109	19,027,140	20,193,969	30,451,528	14,742,091	15,709,437
1896	39,599,072	19,209,015	20,390,057	30,802,858	14,909,104	15,893,754
1897	39,987,294	19,396,275	20,591,019	31,158,245	15,078,010	16,080,235
1898	40,380,792	19,586,134	20,794,658	31,517,725	15,248,823	16,268,902
1899	40,774,296	19,774,970	20,999,326	31,881,365	15,421,578	16,459,787
1900	41,154,646	19,956,716	21,197,930	32,249,187	15,596,283	16,652,904
1901	41,538,211	20,142,628	21,395,583	32,612,022	15,769,412	16,842,610
1902	41,892,680	20,317,417	21,575,263	32,950,909	15,933,658	17,017,251
1903	42,246,591	20,492,494	21,754,097	33,293,321	16,099,612	17,193,709
1904	42,611,375	20,672,334	21,939,041	33,639,287	16,267,291	17,371,996
1905	42,980,788	20,853,456	22,127,332	33,988,844	16,436,707	17,552,137
1906	43,361,077	21,038,326	22,322,751	34,342,040	16,607,890	17,734,150
1907	43,737,834	21,221,125	22,516,709	34,698,905	16,780,848	17,918,057
1908	44,123,819	21,410,611	22,713,208	35,059,484	16,955,609	18,103,875
1909	44,519,454	21,604,581	22,914,873	35,423,805	17,132,182	18,291,623
1910	44,915,934	21,797,280	23,118,654	35,791,902	17,310,586	18,481,316
1911	45,324,425	21,995,632	23,328,793	36,189,685	17,503,377	18,686,308
1912	45,508,243	22,085,459	23,422,784	36,382,456	17,596,806	18,785,650
1913	45,713,370	22,184,681	23,528,689	36,606,226	17,705,259	18,900,967
1914	46,089,249	22,368,110	23,721,139	36,960,684	17,877,052	19,083,632
1915	?	?	?	35,358,896¶	15,993,554¶	19,365,342
1916	?	?	?	34,500,000¶	15,000,000¶	19,500,000

* The estimates of the population of England and Wales up to the year 1910 have been made by means of the rates of returns of births, deaths and migration; while the estimates for 1915 and 1916 are mainly based upon the results obtained have been supplied by the Registrars-General for those parts of the United Kingdom.

† Land only to high water mark.

‡ Land and inland water.

¶ Civil population only.

MIDDLE of each of the YEARS 1867-1916, EXCLUSIVE of the POPULATION of the ISLANDS the ARMY, NAVY, and MERCHANT SERVICE ABROAD.

SCOTLAND.* AREA 19,070,466 ACRES.§			IRELAND.* AREA 20,371,125 ACRES.‖			YEAR.
Persons.	Males.	Females.	Persons.	Males.	Females.	
3,245,101	1,543,844	1,701,257	5,486,509	2,681,015	2,805,494	1867
3,275,353	1,559,439	1,715,914	5,465,914	2,669,125	2,796,789	1868
3,305,889	1,575,192	1,730,697	5,449,094	2,659,713	2,789,381	1869
3,336,712	1,591,104	1,745,608	5,418,512	2,641,840	2,776,672	1870
3,368,926	1,607,780	1,761,146	5,398,179	2,630,782	2,767,397	1871
3,404,799	1,626,462	1,778,337	5,372,890	2,616,263	2,756,627	1872
3,441,057	1,645,361	1,795,696	5,327,938	2,590,385	2,737,553	1873
3,477,704	1,664,480	1,813,224	5,298,979	2,575,663	2,723,316	1874
3,514,744	1,683,821	1,830,923	5,278,629	2,569,409	2,709,220	1875
3,552,182	1,703,387	1,848,795	5,277,544	2,572,287	2,705,257	1876
3,590,021	1,723,180	1,866,841	5,286,380	2,579,274	2,707,106	1877
3,628,268	1,743,204	1,885,064	5,282,246	2,579,928	2,702,318	1878
3,666,923	1,763,459	1,903,464	5,265,625	2,574,705	2,690,920	1879
3,705,994	1,783,950	1,922,044	5,202,648	2,543,491	2,659,157	1880
3,742,564	1,802,924	1,939,640	5,145,770	2,519,219	2,626,551	1881
3,770,656	1,816,786	1,953,870	5,101,018	2,497,237	2,603,781	1882
3,798,961	1,830,755	1,968,206	5,023,811	2,461,548	2,562,263	1883
3,827,476	1,844,830	1,982,646	4,974,561	2,439,581	2,534,980	1884
3,856,207	1,859,015	1,997,192	4,938,588	2,424,128	2,514,460	1885
3,885,154	1,873,308	2,011,846	4,905,895	2,410,186	2,495,709	1886
3,914,318	1,887,711	2,026,607	4,857,119	2,387,439	2,469,680	1887
3,943,701	1,902,226	2,041,475	4,801,312	2,360,717	2,440,595	1888
3,973,304	1,916,851	2,056,453	4,757,385	2,340,516	2,416,869	1889
4,003,131	1,931,589	2,071,542	4,717,959	2,322,883	2,395,076	1890
4,036,245	1,948,183	2,088,062	4,680,376	2,306,122	2,374,254	1891
4,078,910	1,970,197	2,108,713	4,633,808	2,282,392	2,351,416	1892
4,122,029	1,992,461	2,129,568	4,607,462	2,268,440	2,339,022	1893
4,165,606	2,014,976	2,150,630	4,589,260	2,259,919	2,329,341	1894
4,209,645	2,037,746	2,171,899	4,559,936	2,247,303	2,312,633	1895
4,254,153	2,060,773	2,193,380	4,542,061	2,239,138	2,302,923	1896
4,299,132	2,084,060	2,215,072	4,529,917	2,234,205	2,295,712	1897
4,344,589	2,107,610	2,236,979	4,518,478	2,229,701	2,288,777	1898
4,390,530	2,131,427	2,259,103	4,502,401	2,221,965	2,280,436	1899
4,436,958	2,155,512	2,281,446	4,468,501	2,204,921	2,263,580	1900
4,479,104	2,177,034	2,302,070	4,447,085	2,196,182	2,250,903	1901
4,507,220	2,190,198	2,317,022	4,434,551	2,193,561	2,240,990	1902
4,535,513	2,203,442	2,332,071	4,417,757	2,189,440	2,228,317	1903
4,563,985	2,216,767	2,347,218	4,408,103	2,188,276	2,219,827	1904
4,592,636	2,230,172	2,362,464	4,399,308	2,186,577	2,212,731	1905
4,621,466	2,243,658	2,377,808	4,397,571	2,186,778	2,210,793	1906
4,650,478	2,257,226	2,393,252	4,388,451	2,183,051	2,205,400	1907
4,679,671	2,270,875	2,408,796	4,384,664	2,184,127	2,200,537	1908
4,709,048	2,284,607	2,424,441	4,386,601	2,187,792	2,198,809	1909
4,738,611	2,298,423	2,440,188	4,385,421	2,188,271	2,197,150	1910
4,751,132	2,304,100	2,447,032	4,383,608	2,188,155	2,195,453	1911
4,741,077	2,299,224	2,441,853	4,384,710	2,189,429	2,195,281	1912
4,728,132	2,292,946	2,435,186	4,379,012	2,186,476	2,192,536	1913
4,747,167	2,302,177	2,444,990	4,381,398	2,188,881	2,192,517	1914
4,785,598	2,320,815	2,464,783	4,337,000**	2,139,000**	2,198,000	1915
4,824,308	2,339,587	2,484,721	4,337,000(*a*)	2,139,000(*a*)	2,198,000(*a*)	1916

increase in the various intercensal periods as shown by the several enumerations; those for 1911-14 are based upon the under the National Registration Act, 1915, and relate to the Civil Population only. The estimates for Scotland and Ireland

§ Excluding inland water, tidal water, and foreshore. ‖ Excluding larger rivers, lakes, and tideways.
** The movements of the military are taken into account in this estimate.
(*a*) The population in 1915 has been adopted provisionally for 1916.

Table 2.—England and Wales.—Marriages, Births, and Deaths, 1867–1916.

Year.	Marriages.	Births.							Deaths.		
		Total.	Legitimate.			Illegitimate.			Persons.	Males.	Females.
			Total.	Males.	Females.	Total.	Males.	Females.			
1867	179,154	768,349	723,163	369,006	354,157	45,186	23,218	21,968	471,073	242,588	228,485
1868	176,962	786,858	740,520	376,686	363,834	46,338	23,697	22,641	480.622	247,107	233,515
1869	176,970	773,381	728,690	371,681	357,009	44,691	22,889	21,802	494,828	254,863	239,965
1870	181,655	792,787	748,050	381,396	366,654	44,737	22,909	21,828	515,329	265,586	249,743
1871	190,112	797,428	752,653	382,879	369,774	44,775	22,726	22,049	514,879	265,563	249,316
1872	201,267	825,907	781,141	398,401	382,740	44,766	22,906	21,860	492,265	255,135	237,130
1873	205,615	829,778	786,617	400,828	385,789	43,161	21,929	21,232	492,520	254.985	237,535
1874	202,010	854,956	811,853	413,304	398,549	43,103	21,875	21,228	526,632	272,178	254,454
1875	201,212	850,607	809,794	413,155	396,639	40,813	21,070	19,743	546,453	282,202	264,251
1876	201,874	887,968	846,374	431,155	415,219	41,594	21,123	20,471	510,315	265,076	245,239
1877	194,352	888,200	846,045	430,555	415,490	42,155	21,341	20,814	500,496	260,567	239,929
1878	190,054	891,906	849,806	433,511	416,295	42,100	21,537	20,563	539,872	278,772	261,100
1879	182,082	880,389	838,200	426,578	411,622	42.189	21,336	20,853	526,255	271,496	254,759
1880	191,965	881,643	839,101	427,067	412,034	42,542	21,642	20,900	528,624	273,442	255,182
1881	197,290	883,642	840,522	428,050	412,472	43,120	22,130	20,990	491,935	253,605	238,330
1882	204,405	889,014	845,859	430,823	415,036	43,155	21,929	21,226	516,654	265,767	250,887
1883	206,384	890,722	848,076	431,358	416,718	42,646	21.718	20,928	522,997	269.262	253,735
1884	204,301	906,750	864,083	440,769	423,314	42.667	21,712	20,955	530,828	273,522	257.306
1885	197,745	894,270	851,477	433,823	417,654	42,793	21,986	20,807	522,750	268,305	254,445
1886	196,071	903,760	860,922	438,487	422,435	42,838	21.881	20,957	537,276	275,874	261,402
1887	200,518	886,331	844,197	430,069	414,128	42.134	21,534	20,600	530,758	272,137	258,621
1888	203,821	879,868	839,138	426,312	412,826	40,730	20,860	19,870	510,971	263,294	247,677
1889	213.865	885,944	845,317	430,493	414,824	40,627	20.725	19,902	518,353	266,102	252,251
1890	223,028	869,937	831,525	422,505	409,020	38,412	19,565	18,847	562,248	290,448	271,800
1891	226.526	914,157	875,376	445,836	429,540	38,781	19,824	18,957	587,925	302,494	285,431
1892	227,135	897,957	860,376	437,318	423,058	37.581	19,304	18,277	559,684	286,062	273,622
1893	218,689	914,572	875,714	445,963	429,751	38,858	19,748	19,110	569,958	291,889	278,069
1894	226,449	890,289	851,946	433,425	418,521	38,343	19,591	18,752	498.827	256,015	242,812
1895	228,204	922,291	883,455	449,063	434,392	38,836	19,823	19,013	568,997	290,704	278,293
1896	242,764	915,331	876,602	445,935	430,667	38,729	19,725	19,004	526,727	270,575	256,152
1897	249,145	921,683	883,274	449,643	433,631	38,409	19,537	18,872	541,487	280,211	261,276
1898	255,379	923,165	884,831	449,261	435,570	38,334	19,659	18,675	552,141	283,981	268.160
1899	262,334	928,646	891,529	454,051	437.478	37,117	19,121	17,996	581,799	299,472	282,327
1900	257,480	927,062	890,248	452,444	437,804	36,814	18,600	18,214	587,830	303,823	284,007
1901	259,400	929,807	893,608	455,372	438,236	36,199	18,572	17,627	551,585	285,618	265,967
1902	261,750	940,509	903,835	460,550	443,285	36,674	18,594	18,080	535,538	277,216	258,322
1903	261,103	948,271	910.969	463,249	447,720	37,302	18,980	18,322	514,628	266,290	248,338
1904	257,856	945,389	907,715	462,150	445,565	37,674	19,172	18,502	549,784	283,206	266,578
1905	260,742	929,293	891,978	453,735	438,243	37,315	19,151	18,164	520,031	267,601	252,430
1906	270,038	935,081	897,691	458,008	439,683	37,390	18,931	18,459	531,281	274,233	257,048
1907	276,421	918,042	881,853	449,213	432,640	36,189	18,515	17,674	524,221	269,259	254,962
1908	264,940	940,383	902,852	459,385	443,467	37,531	19,025	18,506	520,456	268,714	251,742
1909	260,544	914,472	876,963	447,215	429,748	37,509	19,248	18,261	518,003	265,203	252,800
1910	267,721	896,962	860,327	438,568	421,759	36,635	18,698	17,937	483,247	249,016	234,231
1911	274,943	881,138	843,505	429,715	413,790	37,633	19,218	18,415	527,810	272,512	255,298
1912	283,834	872,737	835,209	425,884	409,325	37,528	19,120	18,408	486,939	250,232	236,707
1913	286,583	881,890	843,981	429,657	414,324	37,909	19,502	18,407	504,975	261,687	243,288
1914	294,401	879,096	841,767	428,303	413,464	37,329	18,881	18,448	516,742	267,359	249,383
1915	360,885	814,614	778,369	396,825	381,544	36,245	18,380	17,865	562,253*	292,381*	269,872
1916	279,846	785,520	747,831	382,886	364,945	37,689	19,251	18,438	508,217*	265,030*	243,187

* Including non-civilian deaths in England and Wales.

Table 3.—England and Wales.—Annual Marriage-, Birth-, and Death-rates, and Infant Mortality, 1838-1916.

Year.	Marriages.			Births.							Deaths.									
					Legitimate.		Illegitimate.				Crude rates per 1,000 living.			Standardized rates per 1,000 living.‡				Deaths of Infants under 1 year per 1,000 births		
	Persons married per 1,000 living at all ages.	Males married per 1,000 single and widowed, aged 15 years and upwards.	Females married per 1,000 single and widowed, aged 15 years and upwards.	Per 1,000 living at all ages.	Per 1,000 total population.	Per 1,000 married women, aged 15–45.	Per 1,000 total population.	Per 1,000 single and widowed women, aged 15–45.	Per 1,000 total births.	Births of males per 1,000 births of females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Ratio of Standardized Male to Female mortality the latter taken as 1,000.‡	Total.	Legitimate.§	Illegitimate.§
1838–1916	15·9	55·4*	46·8*	30·9	29·3†	253·7*	1·6†	12·1*	50†	1,040	19·1	20·2	18·0	18·5	19·9	17·3	1,150	143	—	—
1841–1850	16·1	—	—	32·6	—	—	—	—	—	1,049	22·4	23·1	21·6	21·6	22·5	20·7	1,085	153	—	—
1851–1860	16·9	59·3	51·7	34·1	31·9	281·0	2·2	18·3	65	1,046	22·2	23·1	21·4	21·2	22·1	20·3	1,092	154	—	—
1861–1870	16·6	60·9	51·8	35·2	33·1	287·3	2·1	18·2	61	1,042	22·5	23·7	21·4	21·3	22·6	20·2	1,119	154	—	—
1871–1880	16·2	59·7	50·7	35·4	33·6	295·5	1·8	15·1	50	1,038	21·4	22·7	20·1	20·3	21·8	19·0	1,150	149	—	—
1881–1890	14·9	53·7	45·3	32·4	30·9	274·6	1·5	12·6	47	1,037	19·1	20·3	18·1	18·6	20·0	17·3	1,154	142	—	—
1891–1900	15·6	53·6	44·9	29·9	28·7	250·3	1·2	9·6	42	1,036	18·2	19·3	17·1	18·1	19·5	16·7	1,167	153	—	—
1901–1910	15·5	51·6	43·2	27·2	26·1	221·4	1·1	8·2	40	1,038	15·4	16·4	14·4	15·2	16·6	13·9	1,190	128	—	—
1841–1845	15·7	—	—	32·3	—	—	—	—	—	1,052	21·4	22·1	20·6	20·6	21·6	19·8	1,089	148	—	—
1846–1850	16·5	—	—	32·8	30·6	—	2·2	—	67	1,045	23·3	24·1	22·6	22·4	23·4	21·6	1,084	157	—	—
1851–1855	17·1	59·2	52·1	33·9	31·7	281·3	2·2	18·1	66	1,046	22·7	23·5	21·8	21·7	22·7	20·7	1,097	156	—	—
1856–1860	16·7	59·5	51·3	34·4	32·2	280·8	2·2	18·5	65	1,046	21·8	22·6	21·0	20·7	21·6	19·9	1,090	152	—	—
1861–1865	16·8	61·3	52·2	35·1	32·9	285·1	2·2	18·8	64	1,043	22·6	23·7	21·5	21·4	22·6	20·3	1,113	151	—	—
1866–1870	16·4	60·5	51·5	35·3	33·2	289·4	2·1	17·6	58	1,041	22·4	23·7	21·2	21·2	22·6	20·0	1,130	157	—	—
1871–1875	17·1	63·1	53·6	35·5	33·7	294·6	1·8	15·9	52	1,039	22·0	23·3	20·7	20·9	22·4	19·5	1,149	153	—	—
1876–1880	15·3	56·4	48·0	35·3	33·6	296·3	1·7	14·4	48	1,038	20·8	22·1	19·5	19·8	21·3	18·4	1,158	145	—	—
1881–1885	15·2	55·1	46·7	33·5	31·9	282·4	1·6	13·5	48	1,038	19·4	20·5	18·3	18·7	20·1	17·5	1,151	139	—	—
1886–1890	14·7	52·4	44·0	31·4	29·9	267·1	1·5	11·8	46	1,036	18·9	20·0	17·8	18·5	20·0	17·2	1,163	145	—	—
1891–1895	15·1	52·6	44·0	30·5	29·2	258·3	1·3	10·1	42	1,036	18·7	19·8	17·7	18·5	20·0	17·2	1,161	151	—	—
1896–1900	16·1	54·5	45·6	29·3	28·1	242·9	1·2	9·2	41	1,035	17·7	18·8	16·6	17·6	19·1	16·2	1,178	156	—	—
1901–1905	15·6	52·3	43·7	28·2	27·1	230·5	1·1	8·4	39	1,037	16·0	17·1	15·0	16·0	17·4	14·6	1,192	138	—	—
1906–1910	15·3	50·9	42·6	26·3	25·2	212·9	1·1	8·1	40	1,039	14·7	15·6	13·8	14·4	15·8	13·2	1,196	117	113	224
1911–1915	16·4	54·4	45·5	23·6	22·6	189·7	1·0	7·8	43	1,038	14·3	15·4	13·2	13·8	15·2	12·5	1,218	110	105	210
1867	16·5	60·8	51·7	35·4	33·3	290·3	2·1	17·7	59	1,043	21·7	23·0	20·5	20·6	22·0	19·4	1,137	153	—	—
1868	16·1	59·2	50·4	35·8	33·7	293·1	2·1	18·0	59	1,036	21·8	23·1	20·7	20·6	21·9	19·5	1,128	155	—	—
1869	15·9	58·8	50·0	34·8	32·8	285·9	2·0	17·2	58	1,042	22·3	23·6	21·0	21·0	22·4	19·8	1,134	156	—	—
1870	16·1	59·7	50·7	35·2	33·2	290·1	2·0	17·1	56	1,041	22·9	24·2	21·6	21·6	23·1	20·3	1,135	160	—	—
1871	16·7	61·8	52·5	35·0	33·0	288·4	2·0	16·9	56	1,035	22·6	23·9	21·3	21·4	22·9	20·1	1,141	158	—	—
1872	17·4	64·3	54·6	35·6	33·7	294·9	1·9	16·6	54	1,041	21·3	22·6	19·9	20·2	21·7	18·8	1,153	150	—	—
1873	17·6	64·9	55·2	35·4	33·6	294·1	1·8	15·8	52	1,039	21·0	22·4	19·8	20·0	21·5	18·6	1,155	149	—	—
1874	17·0	62·9	53·4	36·0	34·2	299·8	1·8	15·6	50	1,037	22·2	23·6	20·9	21·1	22·6	19·7	1,147	151	—	—
1875	16·7	61·8	52·5	35·4	33·7	295·4	1·7	14·5	48	1,043	22·7	24·1	21·4	21·6	23·2	20·2	1,149	158	—	—
1876	16·5	60·9	51·8	36·3	34·6	304·1	1·7	14·6	47	1,038	20·9	22·3	19·6	19·9	21·4	18·4	1,163	146	—	—
1877	15·7	58·0	49·3	36·0	34·3	301·1	1·7	14·6	47	1,036	20·3	21·7	18·9	19·4	21·0	17·9	1,172	136	—	—
1878	15·2	55·9	47·5	35·6	33·9	298·8	1·7	14·4	47	1,042	21·6	22·9	20·3	20·5	22·0	19·1	1,151	152	—	—
1879	14·4	52·8	44·9	34·7	33·0	291·1	1·7	14·2	48	1,036	20·7	22·0	19·6	19·9	21·4	18·5	1,155	135	—	—
1880	14·9	54·7	46·6	34·2	32·6	287·0	1·6	14·1	48	1,036	20·5	21·8	19·3	19·5	21·0	18·2	1,154	153	—	—
1881	15·1	55·6	47·3	33·9	32·2	284·9	1·7	14·1	49	1,039	18·9	20·0	17·8	18·2	19·6	17·0	1,154	130	—	—
1882	15·5	56·7	48·1	33·8	32·2	283·9	1·6	13·8	49	1,038	19·6	20·7	18·5	18·8	20·2	17·6	1,145	141	—	—
1883	15·5	56·4	47·8	33·5	31·9	281·9	1·6	13·4	48	1,035	19·6	20·8	18·5	19·0	20·4	17·7	1,153	137	—	—
1884	15·1	54·8	46·3	33·6	32·0	283·7	1·6	13·2	47	1,041	19·7	20·8	18·5	19·0	20·4	17·7	1,152	147	—	—
1885	14·5	52·4	44·2	32·9	31·3	277·6	1·6	13·0	48	1,040	19·2	20·3	18·2	18·7	20·0	17·4	1,151	138	—	—
1886	14·2	51·1	43·1	32·8	31·2	278·0	1·6	12·8	47	1,038	19·5	20·6	18·5	19·0	20·4	17·7	1,155	149	—	—
1887	14·4	51·5	43·3	31·9	30·4	269·9	1·5	12·4	48	1,039	19·1	20·2	18·1	18·6	20·0	17·3	1,152	145	—	—
1888	14·4	51·4	43·2	31·2	29·8	265·0	1·4	11·7	46	1,033	18·1	19·2	17·0	17·7	19·2	16·4	1,168	136	—	—
1889	15·0	53·2	44·7	31·1	29·7	265·1	1·4	11·5	46	1,038	18·2	19·3	17·2	17·9	19·2	16·6	1,159	144	—	—
1890	15·5	54·6	45·8	30·2	28·9	258·2	1·3	10·7	44	1,033	19·5	20·8	18·3	19·3	21·0	17·8	1,181	151	—	—
1891	15·6	54·6	45·7	31·4	30·1	268·8	1·3	10·6	42	1,038	20·2	21·5	19·0	20·0	21·7	18·5	1,174	149	—	—
1892	15·4	53·8	45·0	30·4	29·1	259·3	1·3	10·1	42	1,035	19·0	20·0	18·0	18·8	20·2	17·5	1,158	148	—	—
1893	14·7	51·1	42·7	30·7	29·4	260·4	1·3	10·3	42	1,038	19·2	20·3	18·1	18·9	20·4	17·6	1,157	159	—	—
1894	15·0	52·0	43·5	29·6	28·3	249·4	1·3	9·9	43	1,036	16·6	17·6	15·6	16·4	17·7	15·2	1,165	137	—	—
1895	15·0	51·6	43·2	30·3	29·0	254·5	1·3	9·9	42	1,034	18·7	19·7	17·7	18·5	19·9	17·3	1,155	161	—	—
1896	15·7	53·9	45·1	29·6	28·3	247·8	1·3	9·7	42	1,036	17·1	18·1	16·1	16·9	18·3	15·7	1,163	148	—	—
1897	16·0	54·5	45·6	29·6	28·4	246·4	1·2	9·5	42	1,037	17·4	18·6	16·2	17·3	18·8	15·9	1,187	156	—	—
1898	16·2	55·0	46·0	29·3	28·1	243·0	1·2	9·3	42	1,032	17·5	18·6	16·5	17·4	18·9	16·1	1,172	160	—	—
1899	16·5	55·6	46·5	29·1	27·9	241·0	1·2	8·9	40	1,039	18·2	19·4	17·2	18·2	19·8	16·8	1,176	165	—	—
1900	16·0	53·7	44·9	28·7	27·6	236·8	1·1	8·6	40	1,033	18·2	19·5	17·1	18·2	19·9	16·7	1,189	154	—	—
1901	15·9	53·3	44·6	28·5	27·4	234·2	1·1	8·4	39	1,040	16·9	18·1	15·8	16·9	18·5	15·5	1,192	151	—	—
1902	15·9	53·2	44·5	28·5	27·4	234·1	1·1	8·4	39	1,039	16·3	17·4	15·2	16·2	17·7	14·8	1,195	133	—	—
1903	15·7	52·5	43·9	28·5	27·4	233·1	1·1	8·5	39	1,035	15·5	16·5	14·4	15·4	16·8	14·1	1,196	132	—	—
1904	15·3	51·1	42·8	28·0	26·9	228·8	1·1	8·5	40	1,037	16·3	17·4	15·3	16·2	17·6	14·9	1,185	145	—	—
1905	15·3	51·3	42·9	27·3	26·2	222·8	1·1	8·3	40	1,036	15·3	16·3	14·4	15·2	16·5	13·9	1,188	128	—	—
1906	15·7	52·5	43·9	27·2	26·1	221·6	1·1	8·3	40	1,041	15·5	16·5	14·5	15·3	16·8	14·0	1,195	132	127	261
1907	15·9	53·2	44·5	26·5	25·5	215·1	1·0	7·9	39	1,039	15·1	16·0	14·2	14·9	16·2	13·6	1,190	118	113	220
1908	15·1	50·3	42·1	26·7	25·6	217·0	1·1	8·2	40	1,036	14·8	15·8	13·9	14·5	16·0	13·3	1,204	120	116	233
1909	14·7	49·0	41·0	25·8	24·7	208·8	1·1	8·1	41	1,041	14·6	15·5	13·8	14·3	15·6	13·1	1,192	109	104	211
1910	15·0	49·8	41·7	25·1	24·1	202·5	1·0	7·8	41	1,040	13·5	14·4	12·7	13·2	14·5	12·0	1,205	105	102	195
1911	15·2	50·6	42·3	24·3	23·3	196·1	1·0	8·0	43	1,039	14·6	15·6	13·7	14·3	15·7	13·0	1,206	130	125	245
1912	15·6	51·8	43·4	23·9	22·9	192·6	1·0	7·9	43	1,040	13·3	14·2	12·6	13·0	14·3	11·8	1,211	95	91	181
1913	15·7	52·1	43·6	24·1	23·1	194·0	1·0	7·9	43	1,038	13·8	14·8	12·9	13·4	14·9	12·1	1,228	108	104	213
1914	15·9	53·0	44·4	23·8	22·8	191·6	1·0	7·7	42	1,035	14·0	15·0	13·1	13·6	15·1	12·3	1,225	105	100	207
1915	19·4‖	64·4	53·6	21·9‖	20·9‖	174·6	1·0‖	7·4	44	1,040	15·7*a*	17·7*a*	13·9	14·6*a*	16·3*a*	13·1	1,249	110	105	203
1916	14·9‖	49·5	41.0	20·9‖	19·9‖	165·6	1·0‖	7·6	48	1,049	14·4*a*	16·9*a*	12·4	13·3*a*	15·3*a*	11·6	1,315	91	87	183

* For the period 1851–1916 only. † For the period 1845–1916 only.

‡ The Standardized death-rates are those which would have been recorded if the sex- and age-constitution of the population had been the same as in 1901. The rates for Males and Females are standardized not only for differences of age-constitution in each sex, but also for differences in age-constitution between the two sexes.

§ Figures are not available for years previous to 1906. ‖ Based upon total populations specially estimated for this purpose.

a Based upon civil deaths and estimated civil population.

TABLE 4.—ENGLAND AND WALES.—ANNUAL MARRIAGE-, BIRTH-, and CRUDE DEATH-RATES in each QUARTER, in GROUPS of YEARS, 1838–1916, and in each YEAR, 1907–1916.

Period.	Persons Married to 1,000 Living.				Births to 1,000 Living.				Deaths to 1,000 Living.			
	Quarter ended				Quarter ended				Quarter ended			
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
1838-1916	12·7	16·5	16·1	18·5	32·7	32·6	31·0	30·4	22·2	19·3	18·1	19·5
1841–50	13·3	16·4	15·2	19·2	34·2	33·7	31·2	31·2	24·7	22·0	21·0	21·7
1851–60	14·1	17·1	16·3	20·1	35·8	35·5	32·8	32·5	24·7	22·1	20·3	21·9
1861–70	13·8	16·9	16·2	19·6	36·6	36·3	34·0	33·9	25·2	21·8	21·0	22·1
1871–80	13·4	16·5	15·8	19·2	36·6	36·1	34·6	34·5	23·7	20·9	19·6	21·3
1881–90	11·9	15·4	14·9	17·6	33·4	33·2	31·9	31·5	21·6	18·7	17·3	19·1
1891–1900	11·7	16·6	16·4	17·7	30·5	30·5	29·7	28·9	20·7	17·6	17·0	17·7
1901–10	11·4	16·5	17·2	16·7	27·7	28·0	27·3	26·0	17·7	14·6	13·8	15·4
1907	12·4	16·1	18·1	17·0	26·8	27·6	26·4	25·1	18·7	14·7	12·2	14·9
1908	10·9	16·8	16·7	15·9	27·5	27·9	26·8	24·8	17·9	13·8	12·9	14·6
1909	10·3	16·3	16·5	15·6	26·2	26·9	25·6	24·6	18·4	14·2	11·7	14·3
1910	12·8	13·7	17·0	16·3	25·1	26·3	25·2	23·6	15·5	13·0	11·5	14·1
1911	10·0	16·8	17·1	16·8	25·1	25·0	24·4	22·9	16·0	13·3	15·5	13·6
1912	9·9	16·5	18·2	17·7	24·5	24·0	23·9	23·2	15·9	12·8	11·1	13·6
1913	13·5	14·4	18·1	16·5	24·0	24·9	24·4	23·0	16·2	13·3	12·3	13·4
1914	11·2	17·6	17·6	17·2	23·9	24·5	24·4	22·4	16·0	13·5	12·4	14·0
1915*	12·1	20·9	21·9	22·5	24·1	22·9	20·9	19·5	20·1	15·4	12·1	15·1
1916*	14·5	15·9	14·3	14·8	20·8	22·3	21·0	19·4	16·4	14·4	11·4	15·3

* The marriage- and birth-rates in 1915 and 1916 are calculated upon total populations specially estimated for the purpose; the death-rates relate to civil deaths, and are calculated upon the estimated civil populations.

TABLE 5.—ENGLAND AND WALES.—CHURCHES and CHAPELS of the ESTABLISHED CHURCH, and REGISTERED BUILDINGS in which MARRIAGES could be legally SOLEMNIZED, 31ST DECEMBER, 1916.

Registration Division.	Registration County.	All Religious Denominations.	Established Church.	Other Religious Denominations.														
				All other Religious Denominations.	Roman Catholics.	Wesleyan Methodists.	Congregationalists.	Baptists.	Primitive Methodists.	United Methodist Church.	Calvinistic Methodists.	Presbyterians.	Unitarians.	New Church.	Catholic Apostolic Church.	Countess of Huntingdon's Connexion.	Salvation Army.	Others.
	England and Wales ...	33,017	16,059	16,958	1,414	3,959	2,991	2,710	1,809	1,199	942	445	196	59	49	42	68	1075
I.	London	1,407	636	771	112	107	142	155	44	30	10	50	16	6	7	1	6	84
II.	Surrey	577	279	298	36	60	64	67	17	4	—	13	2	1	—	1	2	31
	Kent	897	519	378	37	96	71	104	25	13	—	9	2	1	1	3	1	15
	Sussex	725	429	296	34	52	72	63	11	7	—	10	3	—	1	7	3	33
	Hampshire	849	462	387	30	76	80	62	53	27	—	8	4	—	1	2	—	44
	Berkshire	423	275	148	16	36	25	30	23	—	—	4	1	—	—	1	1	11
III.	Middlesex	488	204	284	36	44	54	63	21	5	2	18	2	1	2	2	1	33
	Hertfordshire	356	203	153	13	31	45	43	10	—	—	1	—	—	1	2	—	7
	Buckinghamshire	330	201	129	6	26	21	46	17	—	—	—	—	—	—	—	—	13
	Oxfordshire	399	272	127	14	40	24	30	8	4	—	1	—	—	1	—	—	5
	Northamptonshire ...	527	325	202	9	49	44	64	15	3	—	—	1	1	—	—	2	14
	Huntingdonshire	129	80	49	2	14	6	22	3	—	—	—	—	—	—	—	—	2
	Bedfordshire	281	142	139	4	52	16	42	16	—	—	—	—	—	1	—	2	6
	Cambridgeshire	348	198	150	6	35	21	53	24	5	—	1	—	—	—	1	1	3
IV.	Essex	888	462	426	38	71	125	79	28	18	1	9	5	3	3	2	2	42
	Suffolk	722	509	213	13	35	58	57	27	5	—	3	3	—	—	—	—	12
	Norfolk	975	714	261	14	56	34	45	78	19	—	2	2	1	1	1	—	8
V.	Wiltshire	557	333	224	10	46	46	60	40	7	—	1	—	—	—	—	—	14
	Dorsetshire	452	312	140	13	44	37	14	17	2	—	—	3	—	—	—	—	10
	Devonshire	1,032	562	470	27	125	93	71	10	85	—	5	8	—	1	—	2	43
	Cornwall	583	258	325	11	155	19	10	9	114	—	—	—	—	—	2	—	5
	Somersetshire	943	562	381	18	119	83	60	24	40	—	3	4	1	1	1	1	26
VI.	Gloucestershire	764	435	329	17	65	76	76	20	23	2	5	4	1	1	3	1	35
	Herefordshire	314	231	83	7	15	13	16	20	—	2	—	—	—	—	1	—	9
	Shropshire	542	322	220	14	46	47	19	65	11	11	2	—	—	1	—	—	4
	Staffordshire	925	392	533	50	168	61	43	102	66	2	7	6	1	3	—	4	20
	Worcestershire	371	240	131	18	26	13	19	22	4	—	4	3	1	1	7	—	13
	Warwickshire	706	372	334	49	77	60	65	20	12	2	5	5	1	2	—	2	34
VII.	Leicestershire	592	310	282	21	78	36	69	45	9	—	1	4	—	—	—	—	19
	Rutlandshire	77	56	21	2	4	4	7	3	—	—	—	—	—	—	—	—	1
	Lincolnshire	1,058	670	388	17	174	25	35	89	33	—	1	3	1	—	—	3	7
	Nottinghamshire	616	311	305	15	94	27	46	49	47	—	2	4	1	1	—	3	16
	Derbyshire	552	225	327	22	94	41	30	66	47	—	3	3	2	—	1	2	16
VIII.	Cheshire	766	276	490	39	134	77	34	67	41	19	33	11	2	2	—	—	31
	Lancashire	2,840	878	1,962	310	427	279	185	177	172	32	74	45	24	6	3	12	216
IX.	West Riding	2,199	752	1,447	92	460	211	135	196	210	—	10	17	7	7	1	4	97
	East Riding (with York)	473	259	214	18	82	24	10	55	10	—	6	1	1	1	—	1	5
	North Riding	547	282	265	31	124	27	14	47	6	1	4	4	—	—	—	1	6
X.	Durham	748	293	455	63	118	28	27	104	44	1	36	4	—	1	—	6	23
	Northumberland	499	195	304	43	56	19	11	48	37	—	76	1	1	1	—	1	10
	Cumberland	341	187	154	14	52	19	5	26	8	—	16	1	—	—	—	2	11
	Westmorland	146	85	61	3	27	8	5	10	2	—	1	1	—	—	—	—	4
XI.	Monmouthshire	469	183	286	15	35	57	104	22	9	35	—	1	—	1	—	—	7
	Glamorganshire	1,051	256	795	25	64	227	217	12	15	197	5	9	1	—	—	2	21
	Carmarthenshire	313	94	219	2	6	86	60	—	1	59	—	1	—	—	—	—	4
	Pembrokeshire	282	136	146	5	11	48	50	1	—	30	—	—	—	—	—	—	1
	Cardiganshire	321	119	202	1	12	68	34	—	—	75	—	12	—	—	—	—	—
	Brecknockshire	211	104	107	3	9	36	28	3	—	28	—	—	—	—	—	—	—
	Radnorshire	72	34	38	—	3	4	21	4	—	6	—	—	—	—	—	—	—
	Montgomeryshire	210	76	134	1	27	29	17	5	—	55	—	—	—	—	—	—	—
	Flintshire	146	39	101	6	18	20	4	6	2	40	5	—	—	—	—	—	—
	Denbighshire	260	86	174	4	23	34	20	4	2	79	6	—	—	—	—	—	2
	Merionethshire	238	62	176	1	20	44	20	1	—	90	—	—	—	—	—	—	—
	Carnarvonshire	366	108	258	6	34	54	28	—	—	130	4	—	—	—	—	—	2
	Anglesey	120	54	66	1	7	9	15	—	—	33	1	—	—	—	—	—	—

TABLE 6.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES at TWELVE GROUPS of AGES, and INFANT MORTALITY, 1838–1916.*—MALES.

Year.	Deaths of Males per 1,000 living at subjoined Ages.													Deaths of Male Infants under 1 year of age per 1,000 Male Births.
	All Ages. (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838–1916	19·9	62·3	5·9	3·3	7·8				18·0	33·0	67·7	145·7	301·0	157
1841–50	22·5	71·2	9·2	5·1	7·1	9·5	9·9	12·9	18·2	31·8	67·5	148·3	312·3	167
1851–60	22·1	72·4	8·5	4·9	6·7	8·8	9·6	12·5	18·0	30·9	65·3	146·7	308·2	168
1861–70	22·6	73·5	8·2	4·5	6·2	8·5	9·9	13·5	19·3	33·1	67·1	147·2	315·0	168
1871–80	21·8	68·4	6·7	3·7	5·3	7·4	9·3	13·8	20·1	34·9	69·7	150·8	327·4	163
1881–90	20·0	61·6	5·3	3·0	4·3	5·7	7·8	12·4	19·4	34·7	70·5	146·6	305·8	155
1891–1900	19·5	62·7	4·3	2·4	3·8	5·1	6·8	11·5	18·9	34·9	70·4	146·1	286·8	168
1901–10	16·6	50·0	3·5	2·1	3·1	4·2	5·6	9·2	16·2	31·8	64·8	137·7	279·2	140
1841–45	21·6	68·7	8·8	4·8	6·8	9·0	9·4	12·2	17·2	30·3	65·5	143·7	305·1	162
1846–50	23·4	73·7	9·5	5·4	7·4	10·0	10·5	13·6	19·2	33·2	69·5	152·9	319·5	172
1851–55	22·7	73·9	8·8	5·2	7·0	9·2	10·0	12·9	18·6	31·6	66·7	150·9	310·9	172
1856–60	21·6	71·5	8·3	4·6	6·4	8·4	9·2	12·2	17·5	30·4	64·3	142·7	305·3	166
1861–65	22·6	74·1	8·5	4·7	6·4	8·6	9·8	13·2	18·9	32·8	66·4	145·9	316·6	166
1866–70	22·6	72·9	7·9	4·3	6·0	8·3	10·1	13·7	19·6	33·5	67·8	148·7	313·5	170
1871–75	22·4	69·9	7·1	4·0	5·7	8·1	10·0	14·3	20·3	34·8	70·1	149·6	323·3	167
1876–80	21·3	67·1	6·3	3·4	4·8	6·7	8·7	13·4	19·8	34·9	69·4	152·2	331·5	159
1881–85	20·1	61·3	5·8	3·2	4·5	6·0	8·2	12·8	19·3	34·2	68·8	145·4	297·9	152
1886–90	20·0	61·9	4·9	2·8	4·1	5·5	7·4	12·1	19·4	35·2	72·1	147·9	313·7	159
1891–95	20·0	62·9	4·5	2·6	4·0	5·2	7·1	11·9	19·5	35·8	72·5	149·2	290·8	165
1896–1900	19·1	62·4	4·1	2·3	3·6	4·9	6·5	11·1	18·4	34·1	68·3	143·1	282·8	170
1901–05	17·4	54·7	3·7	2·1	3·2	4·4	5·9	9·7	17·0	32·4	65·3	137·6	274·6	151
1906–10	15·8	45·4	3·3	2·0	3·0	4·0	5·3	8·6	15·5	31·2	64·4	137·7	283·0	129
1911–15	15·2	40·0	3·4	2·0	3·1	4·0	5·0	8·3	15·1	30·8	66·0	143·8	280·0	121
1867	22·0	69·3	6·5	4·0	6·0	8·4	10·0	13·6	19·1	33·5	68·3	152·5	332·4	167
1868	21·9	72·8	7·8	4·2	5·9	8·0	9·7	13·2	18·9	31·9	63·8	139·1	282·4	168
1869	22·4	72·5	8·3	4·3	5·7	7·9	9·9	13·5	19·3	33·3	68·4	149·1	308·9	169
1870	23·1	75·0	8·9	4·5	5·9	8·0	10·1	13·8	19·6	33·9	69·6	152·1	320·7	174
1871	22·9	71·7	8·3	4·4	6·4	9·2	11·1	14·4	20·0	33·9	67·5	145·2	312·8	172
1872	21·7	67·6	7·0	4·1	6·0	8·7	10·3	14·0	19·4	32·5	65·5	140·3	292·0	162
1873	21·5	66·4	6·0	3·7	5·3	7·5	9·5	13·6	19·8	34·1	70·9	150·6	324·9	164
1874	22·6	71·8	7·4	3·9	5·3	7·5	9·6	14·3	20·9	35·8	71·4	146·4	322·8	165
1875	23·2	71·9	6·9	3·8	5·6	7·6	9·7	15·0	21·5	37·7	74·7	165·0	363·8	173
1876	21·4	67·6	6·3	3·5	5·3	7·3	9·3	13·8	19·9	34·3	67·2	145·8	302·6	160
1877	21·0	63·9	6·1	3·5	4·9	7·0	9·1	13·7	19·7	34·7	68·2	145·8	324·9	150
1878	22·0	71·2	6·6	3·6	4·9	6·8	8·8	13·6	20·0	35·1	69·5	154·8	353·9	166
1879	21·4	63·3	6·3	3·3	4·7	6·4	8·6	13·3	20·4	36·8	74·0	168·7	365·5	150
1880	21·0	69·2	6·4	3·3	4·5	6·1	7·9	12·5	19·1	33·7	68·1	145·8	310·9	167
1881	19·6	56·6	5·8	3·2	4·5	6·1	8·3	13·0	19·3	34·0	67·7	144·8	293·5	143
1882	20·2	63·5	6·3	3·2	4·6	5·9	8·2	12·6	19·0	33·8	66·2	139·3	287·1	153
1883	20·4	61·0	6·2	3·3	4·7	6·2	8·3	13·0	19·7	35·1	70·1	149·1	302·2	151
1884	20·4	64·9	5·8	3·2	4·5	6·0	8·0	12·7	19·4	33·5	68·3	142·2	290·1	160
1885	20·0	60·6	5·1	2·9	4·3	5·8	8·0	12·6	19·3	34·4	71·3	151·5	316·2	151
1886	20·4	64·5	4·8	2·8	4·3	5·7	7·6	12·1	19·2	34·7	72·8	153·4	339·1	163
1887	20·0	62·5	5·1	2·9	4·2	5·4	7·3	11·9	18·7	35·0	72·1	149·4	310·1	158
1888	19·2	57·7	4·7	2·7	4·0	5·4	7·1	11·7	19·0	34·4	71·6	144·5	304·7	150
1889	19·2	61·8	4·7	2·6	3·9	5·1	7·0	11·3	18·3	33·4	68·5	138·9	298·6	157
1890	21·0	62·9	5·0	2·8	4·3	5·7	8·0	13·2	21·7	38·6	75·3	153·3	316·5	165
1891	21·7	64·6	4·7	2·6	4·2	5·6	7·9	13·4	22·4	41·0	81·3	167·9	327·1	164
1892	20·2	62·4	4·7	2·6	4·0	5·2	7·1	12·1	19·8	36·6	75·7	154·6	305·4	162
1893	20·4	65·6	5·0	2·8	4·3	5·4	7·3	12·5	19·9	35·6	71·4	142·5	272·8	173
1894	17·7	56·1	4·2	2·3	3·8	5·0	6·5	10·8	17·3	31·4	62·8	127·6	243·6	150
1895	19·9	66·0	4·1	2·5	3·8	5·0	6·6	11·0	18·5	34·9	71·3	154·1	306·1	176
1896	18·3	61·2	4·5	2·3	3·5	4·8	6·2	10·6	17·3	31·6	63·0	128·6	251·9	161
1897	18·8	62·5	3·9	2·4	3·6	4·8	6·4	10·8	17·7	32·9	65·8	141·7	272·1	170
1898	18·9	63·4	3·8	2·2	3·5	4·8	6·3	10·7	17·6	33·2	66·4	140·3	282·6	175
1899	19·8	63·4	4·1	2·3	3·6	5·0	6·7	11·6	19·2	35·5	72·0	150·3	302·1	177
1900	19·9	61·6	4·2	2·3	3·7	5·1	6·7	11·7	19·9	37·1	74·2	153·7	304·3	169
1901	18·5	59·0	4·0	2·3	3·5	4·7	6·2	10·6	18·0	33·5	67·8	139·8	276·5	166
1902	17·7	54·1	3·9	2·2	3·3	4·6	6·2	10·4	17·8	33·3	66·7	138·5	270·0	147
1903	16·8	52·5	3·5	2·0	3·0	4·2	5·8	9·4	16·6	31·6	63·3	132·8	260·3	145
1904	17·6	57·4	3·6	2·1	3·1	4·3	5·7	9·4	16·5	32·3	65·5	139·7	287·6	159
1905	16·5	50·3	3·4	2·1	3·1	4·2	5·6	9·0	16·1	31·5	63·3	137·2	278·2	141
1906	16·8	51·2	3·5	2·0	3·2	4·1	5·5	9·1	16·1	32·4	64·3	137·3	298·5	145
1907	16·2	46·8	3·4	2·0	3·0	4·0	5·5	9·0	16·1	32·3	65·2	138·8	291·7	130
1908	16·0	46·9	3·3	2·0	2·9	4·0	5·3	8·6	15·4	31·4	64·3	138·4	277·2	133
1909	15·6	42·8	3·4	2·0	3·0	3·9	5·2	8·5	15·6	31·1	66·4	142·5	289·9	120
1910	14·5	39·7	3·0	1·9	2·7	3·7	4·7	7·9	14·5	29·4	61·8	131·6	259·7	116
1911	15·7	47·3	3·5	2·0	3·0	3·8	5·0	8·1	14·7	29·6	63·4	135·6	270·5	142
1912	14·3	35·6	3·1	1·8	2·8	3·5	4·7	8·0	14·7	30·0	64·2	138·7	267·2	106
1913	14·9	39·5	3·2	1·9	2·7	3·5	4·6	8·1	15·1	31·0	65·1	141·6	269·1	120
1914	15·1	38·1	3·4	2·0	3·0	3·8	5·0	8·5	15·6	31·5	65·9	141·7	278·4	116
1915‡	16·3	39·8	3·8	2·3	3·8	5·9	6·2	9·1	15·4	31·9	71·4	160·7	313·8	123
1916‡	15·3	30·9	3·2	2·2	7·2				14·5	29·6	68·8	159·3	305·8	102

* For the purposes of this table, the populations shown in Table 1 have been distributed among the several groups of ages according to the proportions found to prevail at the various Censuses except in the case of the populations for 1915 and 1916.

† The death-rates in this column are standardized to the age-constitution of the total population as enumerated in 1901, being thus standardized not only for differences of age-constitution among males at the various dates, but also for differences in age-constitution between the two sexes.

‡ Civilians only.

TABLE 7.—ENGLAND AND WALES.—ANNUAL STANDARDIZED DEATH-RATES, DEATH-RATES at TWELVE GROUPS of AGES, and INFANT MORTALITY, 1838-1916.*—FEMALES.

Year.	Deaths of Females per 1,000 living at subjoined Ages.													Deaths of Female Infants under 1 year of age per 1000 Female Births.
	All Ages. (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838–1916	17·3	53·0	5·8	3·4	4·9	5·9	7·2	10·0	14·4	27·1	58·1	129·8	273·0	129
1841–50	20·7	61·1	8·9	5·4	7·9	9·1	10·6	12·9	16·0	28·4	61·0	135·9	293·3	137
1851–60	20·3	62·7	8·4	5·1	7·4	8·5	9·9	12·2	15·2	27·0	58·7	134·5	288·9	139
1861–70	20·2	63·7	7·8	4·5	6·6	8·0	9·7	12·1	15·6	27·9	59·1	134·9	285·1	139
1871–80	19·0	58·3	6·2	3·7	5·5	6·8	8·6	11·6	15·6	28·7	61·0	135·4	296·4	134
1881–90	17·3	51·9	5·3	3·1	4·4	5·5	7·4	10·6	15·1	28·5	60·4	130·6	270·8	128
1891–1900	16·7	52·8	4·4	2·6	3·7	4·5	6·1	9·6	14·7	28·4	60·7	130·6	261·4	138
1901–10	13·9	41·9	3·6	2·2	2·9	3·5	4·7	7·5	12·5	24·8	53·9	119·8	250·3	114
1841–45	19·8	58·6	8·6	5·2	7·7	8·6	9·9	12·1	15·1	27·2	59·1	131·8	288·6	133
1846–50	21·6	63·6	9·2	5·7	8·1	9·6	11·2	13·7	17·0	29·7	62·7	140·0	297·7	142
1851–55	20·7	63·8	8·5	5·3	7·8	8·9	10·3	12·6	15·8	27·8	59·7	137·2	292·1	141
1856–60	19·9	62·3	8·4	4·8	7·1	8·2	9·6	11·8	14·8	26·5	58·1	131·9	285·8	137
1861–65	20·3	64·2	8·3	4·8	6·9	8·2	9·8	12·1	15·5	27·9	59·1	133·8	287·9	136
1866–70	20·0	63·3	7·4	4·3	6·4	7·8	9·6	12·1	15·8	27·9	59·1	136·1	282·3	142
1871–75	19·5	60·0	6·6	4·0	5·9	7·4	9·2	12·0	15·9	28·7	61·3	135·3	293·9	138
1876–80	18·4	56·8	5·9	3·5	5·0	6·2	8·0	11·3	15·3	28·6	60·8	135·5	299·0	130
1881–85	17·5	51·9	5·7	3·3	4·7	5·9	7·9	10·9	15·2	28·1	59·1	129·0	265·5	125
1886–90	17·2	52·0	4·9	2·9	4·2	5·2	6·9	10·3	15·0	28·8	61·7	132·3	276·1	131
1891–95	17·2	52·8	4·6	2·7	4·0	4·8	6·6	10·1	15·2	29·5	63·0	134·3	264·0	135
1896–1900	16·2	52·7	4·2	2·4	3·4	4·1	5·6	9·1	14·3	27·4	58·5	127·0	258·7	141
1901–05	14·6	45·8	3·8	2·2	3·0	3·7	5·0	8·0	13·1	25·4	54·8	119·9	249·4	124
1906–10	13·2	38·0	3·4	2·1	2·8	3·3	4·5	7·1	12·0	24·3	53·1	119·6	250·9	105
1911–15	12·5	33·3	3·3	2·1	2·7	3·1	4·0	6·6	11·7	23·6	52·7	123·7	253·4	97
1867	19·4	59·6	6·1	3·9	6·4	7·8	9·5	12·0	15·6	27·5	59·5	139·4	287·3	138
1868	19·5	63·9	7·4	4·1	6·3	7·7	9·4	11·5	14·9	26·4	55·0	125·8	261·5	142
1869	19·8	63·0	7·8	4·3	6·1	7·3	9·3	11·7	15·7	27·6	59·2	135·4	277·1	141
1870	20·3	64·2	8·3	4·5	6·4	7·6	9·5	11·9	15·8	28·8	60·6	140·2	290·3	145
1871	20·1	62·4	7·5	4·5	6·6	8·2	9·7	12·2	15·9	28·5	60·4	133·6	276·4	143
1872	18·8	58·5	6·5	4·0	6·2	7·6	9·3	11·8	15·1	26·6	56·6	124·7	269·0	136
1873	18·6	56·4	5·6	3·6	5·5	6·8	8·6	11·4	15·6	28·3	61·9	135·2	303·5	134
1874	19·7	61·4	7·1	3·9	5·7	7·3	9·2	12·2	15·9	29·2	61·6	134·0	290·0	136
1875	20·2	61·2	6·4	3·8	5·7	7·3	9·3	12·4	17·0	31·1	65·7	148·8	330·3	143
1876	18·4	57·3	5·9	3·6	5·2	6·7	8·3	11·7	15·4	27·9	58·4	128·7	287·0	132
1877	17·9	53·6	5·6	3·6	5·1	6·3	8·2	11·3	15·3	27·7	58·9	129·1	291·6	122
1878	19·1	61·1	6·1	3·6	5·2	6·3	8·0	11·3	15·4	29·2	61·7	140·5	312·7	138
1879	18·5	52·9	5·8	3·4	4·9	6·0	8·0	11·3	16·0	30·7	66·6	150·2	328·7	121
1880	18·2	59·2	6·0	3·3	4·8	5·9	7·6	10·6	14·7	27·5	58·2	129·1	274·9	138
1881	17·0	48·0	5·7	3·2	4·7	6·0	7·9	11·0	14·9	28·0	58·4	126·4	263·8	117
1882	17·6	54·4	6·0	3·3	4·7	5·9	7·9	11·0	15·0	27·6	56·9	124·1	256·0	128
1883	17·7	51·1	5·8	3·4	4·9	6·1	8·1	11·1	15·6	28·8	60·2	134·2	277·0	123
1884	17·7	54·9	5·8	3·4	4·7	5·9	7·8	10·9	15·3	27·5	57·7	126·8	247·4	133
1885	17·4	51·0	5·1	3·1	4·5	5·7	7·7	10·8	15·2	28·7	62·0	133·2	282·8	124
1886	17·7	54·2	4·8	3·1	4·4	5·3	7·2	10·4	15·0	29·1	63·2	136·5	302·1	135
1887	17·3	52·7	5·1	3·0	4·2	5·4	7·0	10·3	15·2	28·8	62·2	131·6	272·1	131
1888	16·4	48·0	4·7	2·9	4·0	5·1	6·9	9·9	14·5	27·9	60·1	130·0	270·1	122
1889	16·6	51·9	4·7	2·8	3·9	4·9	6·5	9·8	14·3	27·4	58·7	126·5	260·3	129
1890	17·8	53·3	5·0	2·9	4·2	5·1	7·1	10·9	15·9	30·7	64·2	136·9	276·6	136
1891	18·5	53·7	4·7	2·9	4·3	5·2	7·1	11·1	17·1	33·4	70·6	148·1	300·7	133
1892	17·5	52·5	4·6	2·7	4·0	4·7	6·7	10·3	15·5	30·4	66·0	140·9	274·4	132
1893	17·6	55·2	5·1	3·0	4·3	5·1	7·0	10·7	15·2	29·2	62·4	128·7	250·0	143
1894	15·2	47·4	4·3	2·6	3·7	4·5	6·0	9·2	13·5	25·1	53·7	113·6	219·6	124
1895	17·3	55·2	4·2	2·6	3·7	4·5	6·1	9·5	14·8	29·6	62·6	140·9	276·2	144
1896	15·7	52·3	4·5	2·4	3·4	4·2	5·7	8·9	13·6	25·8	53·4	113·9	233·4	134
1897	15·9	52·4	4·0	2·4	3·4	4·1	5·6	8·9	13·7	26·2	55·7	121·2	252·6	141
1898	16·1	53·5	3·9	2·3	3·3	4·1	5·5	8·9	13·9	26·7	57·5	126·0	259·6	145
1899	16·8	53·6	4·2	2·4	3·3	4·1	5·7	9·4	15·0	28·7	62·3	136·3	273·2	148
1900	16·7	51·8	4·2	2·5	3·3	4·2	5·7	9·3	15·3	29·6	63·2	136·8	273·9	139
1901	15·5	49·5	4·1	2·4	3·2	3·8	5·3	8·7	13·8	26·5	56·5	122·6	247·1	136
1902	14·8	45·0	4·2	2·3	3·1	3·9	5·3	8·4	13·4	25·9	55·7	122·1	252·3	118
1903	14·1	43·7	3·6	2·1	2·9	3·5	4·9	7·9	12·8	24·4	52·9	114·7	233·9	118
1904	14·9	48·5	3·6	2·2	3·0	3·5	4·9	7·7	12·8	25·6	55·1	123·2	256·1	131
1905	13·9	42·1	3·5	2·2	2·9	3·6	4·8	7·5	12·5	24·8	53·8	117·2	256·7	115
1906	14·0	43·1	3·7	2·3	2·9	3·5	4·7	7·5	12·4	24·8	52·5	119·6	258·7	120
1907	13·6	39·1	3·5	2·1	2·9	3·4	4·6	7·4	12·4	25·3	55·1	122·6	259·4	104
1908	13·3	39·0	3·4	2·0	2·7	3·4	4·4	6·9	12·1	24·2	52·7	119·4	248·8	107
1909	13·1	35·7	3·5	2·1	2·8	3·3	4·4	6·9	12·1	24·8	55·5	124·2	256·2	97
1910	12·0	33·1	3·1	2·0	2·6	3·1	4·1	6·5	11·1	22·4	49·8	112·3	232·8	94
1911	13·0	40·1	3·4	2·1	2·7	3·2	4·1	6·6	11·4	22·9	50·8	116·3	232·5	117
1912	11·8	29·6	3·1	2·0	2·7	3·1	4·0	6·4	11·2	22·8	51·9	119·4	246·7	84
1913	12·1	32·5	3·1	2·0	2·6	3·0	3·9	6·5	11·6	23·2	51·5	118·5	243·0	96
1914	12·3	31·7	3·3	2·2	2·7	3·1	4·0	6·7	11·9	23·7	52·2	123·2	254·6	93
1915	13·1	32·5	3·7	2·3	3·0	3·2	4·1	6·8	12·3	25·2	56·9	140·5	289·2	96
1916	11·6	25·2	3·0	2·2	2·9	3·2	3·9	6·3	11·2	23·1	53·4	133·3	284·9	80

* See Note * to Table 6.

† The death-rates in this column are standardized to the age-constitution of the total population as enumerated in 1901, being thus standardized not only for differences of age-constitution among females at the various dates, but also for differences in age-constitution between the two sexes.

Table 8.—England and Wales.—Annual Standardized Death-rates, Death-rates at Twelve Groups of Ages, and Infant Mortality, 1838–1916.*—Persons.

Year.	Deaths of Persons per 1,000 living at subjoined ages.													Deaths of Infants under 1 year of age per 1,000 Births.
	All Ages (Standardized.)†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
1838-1916	18·5	57·7	5·9	3·4	7·5				16·1	29·8	62·5	136·6	283·6	143
1841–50	21·6	66·0	9·0	5·3	7·5	9·3	10·3	12·9	17·0	29·9	63·6	141·5	301·0	153
1851–60	21·2	67·6	8·5	5·0	7·0	8·7	9·8	12·3	16·5	28·9	61·7	139·9	296·5	154
1861–70	21·3	68·6	8·0	4·5	6·4	8·2	9·8	12·8	17·4	30·4	62·8	140·4	296·6	154
1871–80	20·3	63·4	6·5	3·7	5·4	7·1	9·0	12·7	17·8	31·6	65·0	142·2	308·3	149
1881–90	18·6	56·8	5·3	3·0	4·4	5·6	7·6	11·5	17·1	31·4	65·0	137·6	284·0	142
1891–1900	18·1	57·7	4·3	2·5	3·7	4·7	6·4	10·5	16·8	31·5	65·0	137·2	270·8	153
1901–10	15·2	46·0	3·6	2·1	3·0	3·8	5·1	8·3	14·3	28·1	58·8	127·2	260·8	128
1841–45	20·6	63·6	8·7	5·0	7·2	8·8	9·7	12·2	16·1	28·7	62·0	137·2	295·3	148
1846–50	22·4	68·7	9·4	5·6	7·7	9·8	10·9	13·6	18·1	31·4	65·9	145·7	306·5	157
1851–55	21·7	68·9	8·6	5·2	7·4	9·1	10·2	12·7	17·2	29·6	62·9	143·2	299·6	156
1856–60	20·7	66·9	8·3	4·7	6·7	8·3	9·4	12·0	16·1	28·4	61·0	136·7	293·4	152
1861–65	21·4	69·1	8·4	4·7	6·6	8·4	9·8	12·6	17·2	30·3	62·5	139·1	299·0	151
1866–70	21·2	68·1	7·6	4·3	6·2	8·0	9·9	12·9	17·6	30·6	63·2	141·7	294·3	157
1871–75	20·9	64·9	6·9	4·0	5·8	7·7	9·6	13·1	18·0	31·6	65·3	141·7	305·2	153
1876–80	19·8	61·9	6·1	3·5	4·9	6·5	8·3	12·3	17·5	31·6	64·7	142·9	311·5	145
1881–85	18·7	56·6	5·8	3·2	4·6	6·0	8·0	11·8	17·2	31·0	63·5	136·2	277·9	139
1886–90	18·5	56·9	4·9	2·8	4·1	5·3	7·2	11·1	17·1	31·8	66·4	139·0	290·1	145
1891–95	18·5	57·8	4·6	2·7	4·0	5·0	6·8	11·0	17·3	32·5	67·3	140·7	273·9	151
1896–1900	17·6	57·6	4·1	2·4	3·5	4·5	6·0	10·1	16·2	30·5	62·9	133·8	267·7	156
1901–05	16·0	50·2	3·7	2·2	3·1	4·0	5·4	8·9	14·9	28·7	59·4	127·3	258·6	138
1906–10	14·4	41·7	3·4	2·0	2·9	3·6	4·8	7·8	13·7	27·5	58·1	127·0	262·4	117
1911–15	13·8	36·7	3·4	2·1	2·9	3·5	4·5	7·4	13·3	27·0	58·6	131·8	262·9	110
1867	20·6	64·5	6·3	3·9	6·2	8·0	9·7	12·7	17·3	30·4	63·6	145·2	304·4	153
1868	20·6	68·4	7·6	4·1	6·1	7·8	9·5	12·3	16·8	29·0	59·1	131·7	269·6	155
1869	21·0	67·8	8·0	4·3	5·9	7·6	9·6	12·6	17·5	30·3	63·5	141·5	289·3	156
1870	21·6	69·6	8·6	4·5	6·2	7·8	9·8	12·8	17·6	31·2	64·8	145·5	302·0	160
1871	21·4	67·0	7·9	4·4	6·5	8·7	10·4	13·3	17·9	31·1	63·7	138·8	290·4	158
1872	20·2	63·0	6·7	4·1	6·1	8·1	9·8	12·8	17·2	29·4	60·7	131·6	277·8	150
1873	20·0	61·4	5·8	3·6	5·4	7·1	9·0	12·5	17·6	31·0	66·1	142·0	311·8	149
1874	21·1	66·6	7·3	3·9	5·5	7·4	9·4	13·2	18·3	32·3	66·2	139·5	302·6	151
1875	21·6	66·5	6·6	3·8	5·6	7·4	9·5	13·6	19·1	34·2	69·8	156·0	343·2	158
1876	19·9	62·4	6·1	3·6	5·2	7·0	8·8	12·7	17·5	31·0	62·4	136·2	293·0	146
1877	19·4	58·8	5·8	3·6	5·0	6·7	8·6	12·5	17·4	31·0	63·2	136·5	304·4	136
1878	20·5	66·2	6·4	3·6	5·0	6·5	8·4	12·4	17·6	32·0	65·3	146·8	328·5	152
1879	19·9	58·1	6·0	3·3	4·8	6·2	8·3	12·3	18·1	33·6	70·0	158·3	342·9	135
1880	19·5	64·2	6·2	3·3	4·7	6·0	7·7	11·5	16·8	30·4	62·7	136·5	288·8	153
1881	18·2	52·3	5·7	3·2	4·6	6·0	8·1	11·9	17·0	30·8	62·7	134·5	275·2	130
1882	18·8	58·9	6·1	3·3	4·7	5·9	8·1	11·7	17·0	30·5	61·2	130·8	267·9	141
1883	19·0	56·0	6·0	3·4	4·8	6·2	8·2	12·0	17·5	31·8	64·7	140·7	286·6	137
1884	19·0	59·9	5·8	3·3	4·6	6·0	7·9	11·7	17·3	30·4	62·6	133·5	263·6	147
1885	18·7	55·8	5·1	3·0	4·4	5·8	7·8	11·6	17·2	31·4	66·2	141·1	295·4	138
1886	19·0	59·3	4·8	2·9	4·4	5·5	7·4	11·2	17·0	31·8	67·5	143·8	316·0	149
1887	18·6	57·6	5·1	2·9	4·2	5·4	7·2	11·1	16·9	31·7	66·6	139·3	286·4	145
1888	17·7	52·9	4·7	2·8	4·0	5·3	7·0	10·8	16·7	30·9	65·3	136·2	283·1	136
1889	17·9	56·8	4·7	2·7	3·9	5·0	6·7	10·5	16·2	30·2	63·1	131·8	274·6	144
1890	19·3	58·1	5·0	2·9	4·2	5·4	7·5	12·0	18·7	34·4	69·2	143·9	291·4	151
1891	20·0	59·1	4·7	2·7	4·2	5·4	7·4	12·2	19·6	36·9	75·4	156·6	310·5	149
1892	18·8	57·4	4·6	2·6	4·0	4·9	6·9	11·2	17·5	33·3	70·4	146·8	285·9	148
1893	18·9	60·4	5·1	2·9	4·3	5·3	7·2	11·5	17·5	32·2	66·5	134·6	258·5	159
1894	16·4	51·7	4·3	2·5	3·7	4·7	6·3	9·9	15·4	28·0	57·8	119·6	228·5	137
1895	18·5	60·6	4·1	2·5	3·7	4·7	6·3	10·2	16·6	32·1	66·5	146·5	287·3	161
1896	16·9	56·7	4·5	2·4	3·5	4·4	5·9	9·7	15·4	28·5	57·7	120·1	240·3	148
1897	17·3	57·4	4·0	2·4	3·5	4·5	6·0	9·8	15·6	29·3	60·2	129·9	259·8	156
1898	17·4	58·5	3·8	2·2	3·4	4·4	5·9	9·8	15·7	29·7	61·5	132·1	268·1	160
1899	18·2	58·5	4·1	2·4	3·5	4·5	6·1	10·5	17·0	31·9	66·6	142·2	283·9	163
1900	18·2	56·7	4·2	2·4	3·5	4·6	6·2	10·5	17·5	33·1	68·1	143·9	285·2	154
1901	16·9	54·2	4·1	2·3	3·3	4·2	5·8	9·6	15·9	29·8	61·5	129·8	258·0	151
1902	16·2	49·6	4·1	2·3	3·2	4·2	5·7	9·3	15·5	29·4	60·6	129·0	258·8	133
1903	15·4	48·1	3·5	2·1	3·0	3·8	5·4	8·6	14·6	27·7	57·5	122·2	243·6	132
1904	16·2	53·0	3·6	2·1	3·1	3·9	5·3	8·5	14·6	28·7	59·7	130·1	267·6	145
1905	15·2	46·2	3·5	2·1	3·0	3·9	5·2	8·3	14·2	28·0	58·0	125·5	264·5	128
1906	15·3	47·2	3·6	2·1	3·0	3·8	5·1	8·2	14·2	28·2	57·7	126·9	273·1	132
1907	14·9	42·9	3·5	2·1	2·9	3·7	5·0	8·2	14·2	28·6	59·6	129·3	271·0	118
1908	14·5	43·0	3·4	2·0	2·8	3·7	4·9	7·8	13·7	27·6	57·8	127·2	259·0	120
1909	14·3	39·2	3·4	2·1	2·9	3·6	4·8	7·7	13·8	27·8	60·4	131·7	268·3	109
1910	13·2	36·4	3·0	1·9	2·7	3·4	4·4	7·2	12·7	25·7	55·2	120·1	242·4	105
1911	14·3	43·7	3·4	2·1	2·9	3·5	4·5	7·3	13·0	26·1	56·4	124·1	246·0	130
1912	13·0	32·6	3·1	1·9	2·8	3·3	4·3	7·2	12·9	26·2	57·3	127·2	253·9	95
1913	13·4	36·0	3·1	1·9	2·7	3·5	4·2	7·3	13·2	26·9	57·5	127·8	252·3	108
1914	13·6	34·9	3·4	2·1	2·9	3·4	4·4	7·6	13·7	27·4	58·3	130·7	263·0	105
1915‡	14·6	36·2	3·7	2·3	3·3	4·1	4·9	7·8	13·8	28·5	63·3	148·7	297·9	110
1916‡	13·3	28·0	3·1	2·2	5·3				12·8	26·3	60·3	143·8	292·3	91

* See note * to Table 6.

† The death-rates in this column are standardized to the sex- and age-constitution of the population as enumerated in 1901.

‡ Civilians only.

Table 9.—England and Wales.—Deaths from Various Causes at All Ages, 1902–1916.—Males, Females, and Persons.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.‡	1916.
All Causes	M	277216	266290	283206	267601	274233	269259	268714	265203	249016	272512	250232	261687	267359	292381	26503
	F	258322	248338	266578	252430	257048	254962	251742	252800	234231	255298	236707	243288	249383	269872	24318
	P	535538	514628	549784	520031	531281	524221	520456	518003	483247	527810	486939	504975	516742	562253	50821
PRINCIPAL SUMMARIZED HEADINGS.																
Small-pox	M	1439	504	312	63	9	6	7	18	14	13	4	6	2	7	11
	F	1025	256	195	53	12	4	5	3	5	10	5	4	2	6	7
	P	2464	760	507	116	21	10	12	21	19	23	9	10	4	13	18
Diarrhœal diseases... ... (104 and 105, 1911 list approx.)*	M	10792	13425	20130	14731	21024	9390	14446	9444	9946	24848	6290	14103	12773	10981	7895
	F	9477	11939	17723	12776	18748	7893	12433	8024	8217	21707	5096	11634	10458	8884	6580
	P	20269	25364	37853	27507	39772	17283	26879	17468	18163	46555	11386	25737	23231	19865	14475
Venereal diseases	M	955	998	1034	1020	961	968	949	986	971	1060	1115	1209	1248	1108	1171
	F	769	847	837	825	801	725	788	738	703	820	787	903	925	805	806
	P	1724	1845	1871	1845	1762	1693	1737	1724	1674	1880	1902	2112	2173	1913	1977
Puerperal septic diseases...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2003	1668	1654	1734	1640	1465	1395	1429	1274	1339	1287	1184	1429	1267	1153
	P	2003	1668	1654	1734	1640	1465	1395	1429	1274	1339	1287	1184	1429	1267	1153
Pneumonia (all forms) ...	M	26526	22995	24219	25068	23626	26413	23671	25734	22541	21605	21323	21495	22961	27907	21835
	F	19905	17730	19153	19299	18199	20554	18108	20374	17219	16152	16101	16120	17153	21060	16219
	P	46431	40725	43372	44367	41825	46967	41779	46108	39760	37757	37424	37615	40114	48967	38054
Septicæmia, pyæmia ...	M	347	336	305	356	348	366	335	291	238	299	317	286	352	346	270
	F	237	226	216	257	285	238	225	199	180	164	187	179	201	199	172
	P	584	562	521	613	633	604	560	490	418	463	504	465	553	545	442
Phthisis ... ... (28 and 29A, 1911 list.)	M	23221	23022	23850	22226	22645	22647	22423	21936	20530	21575	21154	20596	21412	23156	22848
	F	17450	17110	18001	16724	17101	17192	17076	16703	15804	16819	16106	15599	16414	17626	17918
	P	40671	40132	41851	38950	39746	39839	39499	38639	36334	38394	37260	36195	37826	40782	40766
Tuberculosis (all forms) ...	M	31958	32464	33552	31005	31449	31166	31182	30216	28458	29207	27801	27649	28071	30332	29724
	F	25438	25643	26653	24754	25392	24935	24898	24209	22859	23881	22243	21815	22214	23940	24131
	P	57396	58107	60205	55759	56841	56101	56080	54425	51317	53088	50044	49464	50285	54272	53855
Cancer (all forms)... ...	M	11098	11799	12086	12470	13257	13199	13901	14263	14843	15589	16188	16918	17363	17421	17787
	F	16774	17290	17596	17751	18411	18546	18816	19790	19764	20313	21135	22021	22154	22426	22843
	P	27872	29089	29682	30221	31668	31745	32717	34053	34607	35902	37323	38939	39517	39847	40630
Diseases of nervous system (excluding cerebral hæmorrhage, apoplexy, hemiplegia).	M	22330	21030	21378	19623	19636	18401	18456	17907	16624	16781	15164	15211	15197	15743	14857
	F	17747	16987	17071	16072	15778	15287	14851	14306	13487	13378	12050	12352	12044	12423	11417
	P	40077	38017	38449	35695	35414	33688	33307	32213	30111	30159	27214	27563	27241	28166	26274
Diseases of heart	M	22966	22385	23297	22691	23376	24265	23918	24089	23355	23539	24544	25738	25971	29471	28457
	F	25229	24515	26400	25625	25385	26703	25973	26829	25369	25933	27498	27919	29136	31737	30986
	P	48195	46900	49697	48316	48761	50968	49891	50918	48724	49472	52042	53657	55107	61208	59443
Diseases of blood vessels (including cerebral hæmorrhage, apoplexy, hemiplegia).	M	13555	13195	13809	13719	14254	14814	15114	15665	15270	16308	17510	18547	19396	20536	19933
	F	14794	14768	15254	14809	15797	16140	16222	16935	16458	17784	18722	19520	20426	21415	20523
	P	28349	27963	29063	28528	30051	30954	31336	32600	31728	34092	36232	38067	39822	41951	40456
Diseases of respiratory system (including croup but excluding pneumonia.)	M	26218	22879	25129	23458	21814	24853	23031	23817	21013	21829	23141	23167	23484	29386	25351
	F	26157	21892	25118	23391	21543	25119	23124	24906	20339	21500	23238	22397	23482	29092	24502
	P	52375	44771	50247	46849	43357	49972	46155	48723	41352	43329	46379	45564	46966	58478	49853
Diseases of liver and gall bladder.	M	3406	3180	3113	3032	2999	2920	2806	2873	2564	2582	2586	2717	2841	2650	2383
	F	3124	3052	3035	3061	3013	3004	2759	2618	2543	2685	2595	2739	2807	2558	2173
	P	6530	6232	6148	6093	6012	5924	5565	5491	5107	5267	5181	5456	5648	5208	4556
Diseases of digestive system.†	M	13781	13990	14756	13625	15213	13435	14379	13942	13667	17148	13027	15776	16058	15706	14180
	F	13827	14045	14629	13911	14646	13266	14036	13095	13173	16218	12099	14481	14805	14241	12877
	P	27608	28035	29385	27536	29859	26701	28415	27037	26840	33366	25126	30257	30863	29947	27057
Nephritis and Bright's disease.	M	6632	6641	7129	6887	7214	7417	7349	7601	7427	7637	7823	8373	8401	8758	8112
	F	5580	5778	5999	5888	6138	6460	6411	6739	6520	6892	6967	7227	7511	7568	6810
	P	12212	12419	13128	12775	13352	13877	13760	14340	13947	14529	14790	15600	15912	16326	14922
Diseases of generative and mammary organs.	M	67	48	73	53	62	48	41	50	66	70	79	88	122	96	78
	F	1134	1137	1115	1194	1136	1114	1018	1015	950	1074	992	987	1005	1036	1078
	P	1201	1185	1188	1247	1198	1162	1059	1065	1016	1144	1071	1075	1127	1132	1156
Diseases of pregnancy and childbirth (not septic).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2202	2189	2013	2171	2117	2055	1966	1950	1917	1897	2012	2087	2040	1943	1885
	P	2202	2189	2013	2171	2117	2055	1966	1950	1917	1897	2012	2087	2040	1943	1885
All diseases of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	4205	3857	3667	3905	3757	3520	3361	3379	3191	3236	3299	3271	3469	3210	3038
	P	4205	3857	3667	3905	3757	3520	3361	3379	3191	3236	3299	3271	3469	3210	3038
Causes ill-defined or not specified.	M	24072	23780	24490	23364	23906	23060	23307	23051	21499	22916	20087	19944	19007	19458	18702
	F	26098	25675	26959	25662	26623	25919	25912	26159	24452	25963	23242	22461	21668	23394	21779
	P	50170	49455	51449	49026	50529	48979	49219	49210	45951	48879	43329	42405	40675	42852	40481
Violent deaths	M	13567	13601	13618	13665	13670	13677	14017	13217	13125	14445	13922	13810	15473	17007	18446
	F	5821	5696	5799	5772	5903	5917	6109	5926	5598	6002	5989	5932	5967	6319	6180
	P	19388	19297	19417	19437	19573	19594	20126	19143	18723	20447	19911	19742	21440	23326	24626

* *See* note to Diarrhœa due to Food.

† Including some of the headings classed under Diarrhœal diseases above, viz. :—Ulceration of intestines, Enteritis (not epidemic), and Gastro-enteritis.

‡ Including deaths of non-civilians.

Table 9.—England and Wales.—Deaths from Various Causes at All Ages, 1902–1916.—Males, Females, and Persons—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†
DETAILED HEADINGS.																
Small-pox (*For total Small-pox see page 10.*) Vaccinated ...	M	525	98	56	13	—	2	—	4	3	1	2	—	—	3	3
	F	296	25	19	10	—	—	—	1	—	2	2	2	1	2	2
	P	821	123	75	23	—	2	—	5	3	3	4	2	1	5	5
Not Vaccinated.	M	401	109	76	7	1	1	—	4	1	4	2	5	1	4	6
	F	390	65	48	13	—	1	—	2	1	5	3	2	1	2	4
	P	791	174	124	20	1	2	—	6	2	9	5	7	2	6	10
Doubtful ...	M	513	297	180	43	8	3	7	10	10	8	—	1	1	—	2
	F	339	166	128	30	12	3	5	—	4	3	—	—	—	2	1
	P	852	463	308	73	20	6	12	10	14	11	—	1	1	2	3
Cow-pox and other effects of vaccination.	M	11	11	17	11	12	7	4	4	3	10	5	3	3	9	3
	F	11	15	11	15	17	5	9	7	5	4	5	4	3	2	1
	P	22	26	28	26	29	12	13	11	8	14	10	7	6	11	4
Chicken-pox	M	61	57	55	52	67	68	43	52	55	43	40	44	61	39	34
	F	62	59	49	41	39	52	50	42	42	37	36	39	61	53	31
	P	123	116	104	93	106	120	93	94	97	80	76	83	122	92	65
Measles (Morbilli) ...	M	6633	4704	6313	5623	4748	6578	4135	6466	4305	6861	6652	5567	4701	8583	2881
	F	6297	4446	5993	5453	4696	6047	3876	6152	3997	6267	6203	5077	4443	7862	2532
	P	12930	9150	12306	11076	9444	12625	8011	12618	8302	13128	12855	10644	9144	16445	5413
German measles	M	15	19	19	18	14	25	11	21	7	11	10	13	13	32	49
	F	16	20	16	20	11	22	11	18	8	10	15	16	11	48	33
	P	31	39	35	38	25	47	22	39	15	21	25	29	24	80	82
Scarlet fever	M	2469	2121	1895	1917	1793	1644	1401	1662	1181	940	985	1060	1396	1226	696
	F	2406	2037	1875	1917	1682	1576	1426	1553	1189	952	1010	1040	1447	1180	685
	P	4875	4158	3770	3834	3475	3220	2827	3215	2370	1892	1995	2100	2843	2406	1381
Typhus	M	37	33	20	19	5	13	8	11	5	4	7	2	2	5	4
	F	24	36	17	19	4	11	5	4	—	6	5	—	2	4	—
	P	61	69	37	38	9	24	13	15	5	10	12	2	4	9	4
Plague	M	2	—	1	1	—	—	1	—	2	—	3	—	2	—	4
	F	—	—	—	—	—	—	—	—	3	—	—	—	1	—	1
	P	2	—	1	1	—	—	1	—	5	—	3	—	3	—	5
Relapsing fever	M	1	—	—	1	1	—	2	—	1	—	—	—	1	1	1
	F	4	—	2	2	—	1	1	—	1	—	—	—	—	—	—
	P	5	—	2	3	1	1	3	—	2	—	—	—	1	1	1
Influenza	M	3642	3067	2782	3387	3124	4431	4842	4300	3253	2224	2678	3357	3095	5220	4276
	F	3724	3255	2912	3566	3186	4826	5270	4692	3251	2110	2674	3030	2858	5251	4506
	P	7366	6322	5694	6953	6310	9257	10112	8992	6504	4334	5352	6387	5953	10471	8782
Whooping cough	M	4474	4334	5260	3954	3717	4501	4339	3137	3862	3412	3729	2411	3596	3694	2681
	F	5331	5188	6649	4755	4596	5754	5512	4045	4935	4432	4678	3047	4444	4449	3394
	P	9805	9522	11909	8709	8313	10255	9851	7182	8797	7844	8407	5458	8040	8143	6075
Mumps	M	51	44	50	52	53	54	49	45	55	44	25	39	51	29	42
	F	42	42	58	46	57	64	64	48	59	47	21	22	53	31	31
	P	93	86	108	98	110	118	113	93	114	91	46	61	104	60	73
Diphtheria	M	3741	2947	2825	2626	2933	2785	2729	2521	2022	2429	2092	2150	2886	2852	2618
	F	4061	3130	2938	2830	3175	2947	2840	2714	2262	2469	2197	2292	2958	3004	2740
	P	7802	6077	5763	5456	6108	5732	5569	5235	4284	4898	4289	4442	5844	5856	5358
Cerebro-spinal fever ...	M	40	29	43	71	34	101	67	63	70	81	80	80	109	1347	845
	F	20	39	38	56	37	60	49	67	62	53	62	83	85	627	369
	P	60	68	81	127	71	161	116	130	132	134	142	163	194	1974	1214
Pyrexia (origin uncertain)	M	41	33	30	23	10	19	10	8	5	8	7	7	3	4	10
	F	52	43	37	30	19	20	16	5	7	6	6	4	6	1	5
	P	93	76	67	53	29	39	26	13	12	14	13	11	9	5	15
Enteric fever	M	2396	1929	1837	1750	1840	1373	1617	1270	1047	1419	926	907	1016	822	633
	F	1753	1418	1316	1302	1329	971	1034	872	842	997	674	598	689	566	489
	P	4149	3347	3153	3052	3169	2344	2651	2142	1889	2416	1600	1505	1705	1388	1122
Asiatic cholera	M	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Diarrhœa due to food * ...	M	51	54	58	111	173	125	159	152	137	?	?	?	?	?	?
	F	43	35	47	100	131	92	137	122	114	?	?	?	?	?	?
	P	94	89	105	211	304	217	296	274	251	?	?	?	?	?	?

* Called Food, Ptomaine-poisoning previous to 1904. The increase since that date is partly due to the inclusion of deaths from diarrhœa in artificially fed children. From 1911 onwards the deaths are included under Infective enteritis, Epidemic diarrhœa.

† Including deaths of non-civilians.

Table 9.—England and Wales.—Deaths from Various Causes at All Ages, 1902–1916.—Males, Females, and Persons—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.‡	1916.‡
Infective enteritis, Epidemic diarrhœa.*	M	2651	4183	8991	6279	9620	2751	5443	2618	2975	11334	1428	4979	4413	3512	1953
	F	2264	3559	8003	5294	8581	2319	4729	2245	2432	9885	1191	4273	3643	2791	1701
	P	4915	7742	16994	11573	18201	5070	10172	4863	5407	21219	2619	9252	8056	6303	3654
Diarrhœa (not otherwise defined). (*For Diarrhœal diseases — 1911 List—see page 10.*)	M	4723	5424	6558	4523	6156	2790	4173	2628	2626	6383	1336	3405	2822	2323	1765
	F	4161	4933	5804	4011	5606	2348	3555	2313	2220	5678	1213	2838	2402	1950	1500
	P	8884	10357	12362	8534	11762	5138	7728	4941	4846	12061	2549	6243	5224	4273	3265
Dysentery	M	145	177	171	121	150	124	139	115	125	136	92	112	118	338	319
	F	109	133	127	95	146	109	107	135	118	164	102	117	157	274	229
	P	254	310	298	216	296	233	246	250	243	300	194	229	275	612	548
Tetanus	M	151	187	192	188	200	176	139	167	153	158	145	146	160	127	133
	F	50	70	65	60	54	50	41	63	44	45	47	43	37	29	33
	P	201	257	257	248	254	226	180	230	197	203	192	189	197	156	166
Malaria	M	99	60	95	71	55	62	49	69	44	52	49	49	56	55	59
	F	13	9	11	8	15	6	7	11	7	6	9	9	4	10	3
	P	112	69	106	79	70	68	56	80	51	58	58	58	60	65	62
Rabies, Hydrophobia ...	M	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Glanders	M	5	6	4	5	1	4	7	4	1	3	—	2	2	—	3
	F	—	2	—	1	—	—	—	—	—	—	—	—	1	—	—
	P	5	8	4	6	1	4	7	4	1	3	—	2	3	—	3
Anthrax (Splenic fever) ...	M	12	17	18	17	22	14	12	15	11	12	9	8	13	23	24
	F	1	1	2	7	4	1	1	—	4	3	—	2	—	1	4
	P	13	18	20	24	26	15	13	15	15	15	9	10	13	24	28
Syphilis	M	935	986	1009	1002	937	952	939	968	957	1052	1093	1187	1235	1090	1153
	F	758	834	825	809	781	706	763	717	682	798	768	882	911	794	791
	P	1693	1820	1834	1811	1718	1658	1702	1685	1639	1850	1861	2069	2146	1884	1944
Gonorrhœa. (*For total Venereal diseases, see page 10.*)	M	20	12	25	18	24	16	10	18	14	8	22	22	13	18	18
	F	11	13	12	16	20	19	25	21	21	22	19	21	14	11	15
	P	31	25	37	34	44	35	35	39	35	30	41	43	27	29	33
Puerperal septicæmia, Puerperal septic intoxication.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1464	1258	1249	1307	1225	1056	1030	1063	967	1017	922	876	1101	929	870
	P	1464	1258	1249	1307	1225	1056	1030	1063	967	1017	922	876	1101	929	870
Puerperal pyæmia	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	54	38	38	51	66	111	92	104	91	87	109	87	106	99	73
	P	54	38	38	51	66	111	92	104	91	87	109	87	106	99	73
Phlegmasia alba dolens ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	95	87	94	103	102	84	83	72	55	72	64	65	57	50	64
	P	95	87	94	103	102	84	83	72	55	72	64	65	57	50	64
Puerperal fever (not otherwise defined). (*For total Puerperal Septic diseases and for total diseases of pregnancy and childbirth, see page 10.*)	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	390	285	273	273	247	214	190	190	161	163	192	156	165	189	146
	P	390	285	273	273	247	214	190	190	161	163	192	156	165	189	146
Infective endocarditis ...	M	190	180	203	208	230	212	251	253	246	267	308	284	328	250	264
	F	189	209	199	217	230	261	270	273	276	323	316	312	323	284	251
	P	379	389	402	425	460	473	521	526	522	590	624	596	651	534	515
Pneumonia. (*For Pneumonia (all forms) see page 10.*) — Lobar† ...	M	2184	2017	2345	2982	3117	3341	3030	3719	3373	4681	4870	4961	5542	6462	5390
	F	1291	1191	1546	1905	1874	2044	1788	2353	1904	2802	2928	2950	3297	4113	3321
	P	3475	3208	3891	4887	4991	5385	4818	6072	5277	7483	7798	7911	8839	10575	8711
Broncho- ...	M	9974	9269	10345	10022	9057	11237	10270	10349	9308	8910	9052	9395	10018	12449	9224
	F	8634	8156	9100	8783	8219	10080	8764	9446	8239	7854	8311	8352	8767	10780	7938
	P	18608	17425	19445	18805	17276	21317	19034	19795	17547	16764	17363	17747	18785	23229	17162
Epidemic†	M	7	3	—	3	4	2	3	9	6	?	?	?	?	?	?
	F	3	4	—	1	2	4	1	2	3	?	?	?	?	?	?
	P	10	7	—	4	6	6	4	11	9	?	?	?	?	?	?
Not defined	M	14361	11706	11529	12061	11448	11833	10368	11657	9854	8014	7401	7139	7401	8996	7221
	F	9977	8379	8507	8610	8104	8426	7555	8573	7073	5496	4862	4818	5089	6167	4960
	P	24338	20085	20036	20671	19552	20259	17923	20230	16927	13510	12263	11957	12490	15163	12181
Erysipelas	M	663	561	622	646	642	541	443	523	433	480	486	432	585	586	403
	F	617	521	584	609	564	492	393	490	393	491	410	366	542	486	340
	P	1280	1082	1206	1255	1206	1033	836	1013	826	971	896	798	1127	1072	743
Septicæmia, Septic intoxication (not puerperal).	M	205	196	204	221	235	273	251	210	173	217	248	234	281	275	224
	F	146	166	160	182	204	169	165	159	127	130	142	135	157	161	139
	P	351	362	364	403	439	442	416	369	300	347	390	369	438	436	363
Pyæmia (not puerperal). *For total Septicæmia and Pyæmia, see page 10.*)	M	142	140	101	135	113	93	84	81	65	82	69	52	71	71	46
	F	91	60	56	75	81	69	60	40	53	34	45	44	44	38	33
	P	233	200	157	210	194	162	144	121	118	116	114	96	115	109	79

* Including deaths from Diarrhœa due to food from 1911 onwards.
† From 1911 onwards, deaths from Epidemic pneumonia are included under Lobar pneumonia.
‡ Including deaths of non-civilians.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1902–1916.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†
Phlegmon, Carbuncle (not anthrax).	M	453	412	456	468	511	471	436	494	422	438	447	423	521	509	441
	F	338	289	257	310	325	302	261	325	275	280	257	278	322	317	303
	P	791	701	713	778	836	773	697	819	697	718	704	701	843	826	744
Phagedæna	M	18	19	14	27	11	19	10	14	3	—	1	—	—	1	1
	F	14	16	12	25	13	10	21	14	2	—	—	1	1	2	1
	P	32	35	26	52	24	29	31	28	5	—	1	1	1	3	2
Other infective processes ...	M	36	55	78	104	130	136	131	151	145	158	113	147	140	142	107
	F	75	114	52	94	91	77	67	91	59	69	50	73	68	77	68
	P	111	169	130	198	221	213	198	242	204	227	163	220	208	219	175
Pulmonary tuberculosis (tuberculous phthisis).	M	6267	8293	9701	9981	10804	11299	11756	12111	11992	13335	14092	14350	15143	16497	17088
	F	4213	5545	6685	6961	7580	8069	8436	8545	8800	9937	10465	10544	11394	12414	12917
	P	10480	13838	16386	16942	18384	19368	20192	20656	20792	23272	24557	24894	26537	28911	30005
Phthisis (not otherwise defined). (*For Phthisis (28 & 29a), see page 10.*)	M	16954	14729	14149	12245	11841	11348	10667	9825	8538	8240	7062	6246	6269	6659	5760
	F	13237	11565	11316	9763	9521	9123	8640	8158	7004	6882	5641	5055	5020	5212	5001
	P	30191	26294	25465	22008	21362	20471	19307	17983	15542	15122	12703	11301	11289	11871	10761
Tuberculous meningitis ...	M	3084	3406	3359	3187	3117	3090	3057	2955	2889	2705	2578	2676	2482	2788	2590
	F	2877	3070	3030	2896	2987	2795	2811	2819	2582	2540	2423	2340	2185	2541	2390
	P	5961	6476	6389	6083	6104	5885	5868	5774	5471	5245	5001	5016	4667	5329	4980
Tuberculous peritonitis ...	M	1477	1788	1994	1798	1925	1787	1924	1833	1820	1718	1384	1634	1500	1635	1484
	F	1480	1733	1921	1805	1932	1745	1859	1689	1734	1645	1348	1538	1450	1520	1602
	P	2957	3521	3915	3603	3857	3532	3783	3522	3554	3363	2732	3172	2950	3155	3086
Tabes mesenterica	M	1311	1150	1064	784	660	531	554	488	424	421	269	338	284	263	238
	F	1035	912	834	613	578	438	440	389	367	368	245	249	223	197	168
	P	2346	2062	1898	1397	1238	969	994	877	791	789	514	587	507	460	406
Lupus	M	16	18	28	23	22	28	18	23	15	13	17	10	16	19	25
	F	56	44	38	57	62	50	38	56	46	43	44	34	37	27	47
	P	72	62	66	80	84	78	56	79	61	56	61	44	53	46	72
Tubercle of other organs ...	M	663	842	957	935	1022	957	978	1060	1243	896	881	842	873	852	977
	F	515	626	705	713	787	752	646	808	945	772	643	714	617	764	678
	P	1178	1468	1662	1648	1809	1709	1624	1868	2188	1668	1524	1556	1490	1556	1655
General tuberculosis ...	M	2116	2173	2253	2015	2033	2117	2209	1908	1523	1874	1515	1545	1498	1615	1555
	F	1932	2092	2062	1906	1921	1944	2022	1731	1361	1686	1427	1335	1279	1315	1315
	P	4048	4265	4315	3921	3954	4061	4231	3639	2884	3560	2942	2880	2777	2930	2870
Scrofula. (*For Tuberculosis (all forms), see page 10.*)	M	70	65	47	37	25	9	19	13	14	5	3	8	6	4	7
	F	93	56	62	40	24	19	6	14	20	8	7	6	9	10	13
	P	163	121	109	77	49	28	25	27	34	13	10	14	15	14	20
Parasitic diseases	M	142	165	164	143	176	139	130	120	103	135	97	116	111	86	83
	F	135	149	145	102	128	102	116	102	75	120	96	97	74	76	65
	P	277	314	309	245	304	241	246	222	178	255	193	213	185	162	148
Starvation	M	16	19	17	17	14	15	11	11	22	14	16	17	23	25	16
	F	10	9	13	4	12	6	4	11	7	5	15	6	6	13	15
	P	26	28	30	21	26	21	15	22	29	19	31	23	29	38	31
Scurvy	M	15	22	21	21	26	21	25	26	25	22	9	21	13	13	22
	F	15	22	23	27	25	20	25	21	19	23	17	22	10	20	17
	P	30	44	44	48	51	41	50	47	44	45	26	43	23	33	39
Alcoholism, Delirium tremens.	M	1673	1475	1396	1297	1341	1328	1112	998	862	990	964	1093	1150	870	646
	F	1111	1075	962	914	940	873	825	673	628	637	686	800	819	681	408
	P	2784	2550	2358	2211	2281	2201	1937	1671	1490	1627	1650	1893	1969	1551	1054
Opium, Morphia habit ...	M	3	9	6	4	5	5	3	8	4	6	9	6	7	11	11
	F	11	7	4	9	4	7	7	13	6	7	5	5	4	10	9
	P	14	16	10	13	9	12	10	21	10	13	14	11	11	21	20
Industrial poisoning. — By Lead ...	M	80	88	83	76	70	89	102	88	80	106	106	80	79	68	54
	F	3	2	4	2	4	3	3	3	6	4	—	1	—	—	1
	P	83	90	87	78	74	92	105	91	86	110	106	81	79	68	55
Industrial poisoning. — By Phosphorus.	M	1	—	—	—	—	1	—	—	—						
	F	1	—	1	—	—	—	—	—	—						
	P	2	—	1	—	—	1	—	—	—	2	4	—	4	4	24
											—	2	—	—	4	34
Industrial poisoning. — By Arsenic and other poisons.	M	1	3	1	1	2	1	1	1	—	2	6	—	4	8	58
	F	—	—	—	—	—	—	—	—	—						
	P	1	3	1	1	2	1	1	1	—						
Rheumatic fever, Acute rheumatism.	M	1091	875	894	1016	1090	967	871	961	793	905	916	840	966	1030	877
	F	1055	937	894	1105	1129	1057	934	1009	887	1060	1051	930	1094	1121	1009
	P	2146	1812	1788	2121	2219	2024	1805	1970	1680	1965	1967	1770	2060	2151	1886
Rheumatism of heart* ...	M	278	239	240	158	137	181	156	149	134	?	?	?	?	?	?
	F	351	331	346	196	196	234	207	208	184	?	?	?	?	?	?
	P	629	570	586	354	333	415	363	357	318	?	?	?	?	?	?

* Included under Valvular disease, Endocarditis (not infective) from 1911 onwards.
† Including deaths of non-civilians.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1902–1916.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.
Chronic rheumatism ...	M	198	205	222	165	146	172	195	167	140	152	148	170	182	186	208
	F	308	257	266	272	246	268	249	271	231	243	210	226	241	294	325
	P	506	462	488	437	392	440	444	438	371	395	358	396	423	480	533
Rheumatoid arthritis, Rheumatic gout.	M	289	273	275	253	259	299	245	295	294	309	318	312	325	419	373
	F	522	610	669	645	692	682	715	793	746	791	834	888	889	1054	1079
	P	811	883	944	898	951	981	960	1088	1040	1100	1152	1200	1214	1453	1452
Gout	M	386	364	405	326	366	362	333	320	307	324	275	302	287	305	279
	F	103	102	95	89	95	88	83	81	76	62	78	76	65	92	60
	P	489	466	500	415	461	450	416	401	383	386	353	378	352	397	339
Carcinoma	M	5071	5743	6128	6423	6963	6895	7476	7794	8370	9121	9954	10490	10994	10947	11146
	F	8469	9070	9404	9656	10202	10715	10907	11719	11950	12472	13543	14619	14797	14908	15272
	P	13540	14813	15532	16079	17165	17610	18383	19513	20320	21593	23497	25109	25791	25855	26418
Sarcoma	M	843	929	893	949	987	1034	1054	1073	1116	1223	1190	1273	1214	1245	1153
	F	847	860	860	838	908	813	842	901	957	923	971	1007	1015	969	936
	P	1690	1789	1753	1787	1895	1847	1896	1974	2073	2146	2161	2280	2229	2214	2089
Cancer, Malignant disease (not otherwise defined). (*For Cancer (all forms), see page 10.*)	M	5184	5127	5065	5098	5307	5270	5371	5396	5357	5245	5044	5155	5155	5229	5488
	F	7458	7360	7332	7257	7301	7018	7067	7170	6857	6918	6621	6395	6342	6549	6635
	P	12642	12487	12397	12355	12608	12288	12438	12566	12214	12163	11665	11550	11497	11778	12123
Rickets	M	780	987	1076	791	778	707	697	664	617	543	434	560	528	524	508
	F	589	663	746	607	599	552	492	454	444	439	318	380	382	335	389
	P	1369	1650	1822	1398	1377	1259	1189	1118	1061	982	752	940	910	859	897
Purpura	M	140	150	129	130	110	145	148	159	147	164	117	171	153	156	138
	F	158	155	164	130	140	157	145	153	155	150	183	141	163	186	170
	P	298	305	293	260	250	302	293	312	302	314	300	312	316	342	308
Hæmophilia, Hæmorrhagic diathesis.	M	59	49	59	47	46	57	57	58	62	69	78	69	65	77	62
	F	29	31	27	40	38	46	24	33	23	33	44	34	44	35	37
	P	88	80	86	87	84	103	81	91	85	102	122	103	109	112	99
Anæmia, Leucocythæmia ...	M	792	761	786	840	894	1004	968	997	1115	1038	1087	1146	1237	1348	1308
	F	1050	1032	1057	1090	1156	1186	1207	1219	1304	1312	1382	1426	1575	1666	1671
	P	1842	1793	1843	1930	2050	2190	2175	2216	2419	2350	2469	2572	2812	3014	2979
Diabetes mellitus	M	1462	1409	1612	1708	1736	1738	1842	1898	1982	1936	2064	2122	2250	2335	2315
	F	1307	1435	1521	1466	1606	1622	1768	1800	1955	1917	1987	2187	2255	2323	2227
	P	2769	2844	3133	3174	3342	3360	3610	3698	3937	3853	4051	4309	4505	4658	4542
Premature birth	M	10661	10804	11097	10422	10767	10206	10553	10207	9816	9939	9670	9794	9724	8715	8282
	F	8248	8277	8530	8449	8294	8013	8118	8003	7758	7770	7449	7860	7620	6716	6345
	P	18909	19081	19627	18871	19061	18219	18671	18210	17574	17709	17119	17654	17344	15431	14627
Congenital hydrocephalus	M	252	270	252	245	211	179	223	203	175	182	182	216	227	208	201
	F	147	194	165	119	166	150	156	126	127	146	116	135	127	148	139
	P	399	464	417	364	377	329	379	329	302	328	298	351	354	356	340
Other congenital defects ...	M	2277	2327	2391	2493	2579	2547	2661	2517	2538	2469	2468	2668	2582	2532	2433
	F	1682	1807	1923	1999	2084	1973	2075	2084	1953	1972	1899	2030	2049	1981	1912
	P	3959	4134	4314	4492	4663	4520	4736	4601	4491	4441	4367	4698	4631	4513	4345
Injury at birth	M	389	413	464	418	521	485	585	566	484	519	571	637	649	553	538
	F	262	276	308	291	345	331	357	390	362	385	366	426	402	377	366
	P	651	689	772	709	866	816	942	956	846	904	937	1063	1051	930	904
Atelectasis	M	769	750	753	830	856	915	916	874	874	854	858	936	909	820	718
	F	486	562	574	614	602	638	681	632	679	637	607	610	614	530	516
	P	1255	1312	1327	1444	1458	1553	1597	1506	1553	1491	1465	1546	1523	1350	1234
Want of breast milk ...	M	326	414	383	379	439	434	447	384	296	305	248	319	248	312	212
	F	248	303	311	282	322	322	331	285	245	248	154	215	225	195	149
	P	574	717	694	661	761	756	778	669	541	553	402	534	473	507	361
Teething	M	1775	1802	1593	1288	1201	1169	1078	994	896	774	664	810	719	857	713
	F	1433	1463	1382	1055	974	919	905	775	704	681	570	678	624	691	566
	P	3208	3265	2975	2343	2175	2088	1983	1769	1600	1455	1234	1488	1343	1548	1279
Meningitis, Inflammation of brain.	M	3528	3378	3404	3233	3301	2880	3016	2902	2653	2931	2228	2320	2377	2406	1998
	F	3044	2963	2897	2801	2696	2549	2500	2442	2353	2481	1925	2079	2025	2031	1743
	P	6572	6341	6301	6034	5997	5429	5516	5344	5006	5412	4153	4399	4402	4437	3741
Softening of brain ...	M	1118	1165	1209	1094	1156	1158	1183	1105	1075	951	792	720	703	714	633
	F	952	1009	1057	1088	1073	1121	1147	1023	1002	966	817	738	745	747	645
	P	2070	2174	2266	2182	2229	2279	2330	2128	2077	1917	1609	1458	1448	1461	1278
General paralysis of insane	M	1681	1584	1802	1738	1772	1775	1713	1817	1723	1751	1799	1724	1820	1818	1727
	F	576	549	578	549	568	557	504	546	490	435	458	399	423	428	368
	P	2257	2133	2380	2287	2340	2332	2217	2363	2213	2186	2257	2123	2243	2246	2095
Insanity (not puerperal) ...	M	781	715	866	888	952	960	941	995	940	1060	1119	991	985	1134	1166
	F	945	938	1060	1181	1200	1249	1227	1176	1151	1421	1442	1293	1384	1496	1525
	P	1726	1653	1926	2069	2152	2209	2168	2171	2091	2481	2561	2284	2369	2630	2691

* Including deaths of non-civilians.

Table 9—England and Wales.—Deaths from Various Causes at All Ages, 1902–1916.—Males, Females, and Persons—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.‡	1916.‡
Chorea	M	55	41	33	36	37	38	41	38	31	37	38	33	36	43	26
	F	105	106	90	115	118	117	91	132	106	92	114	111	140	110	90
	P	160	147	123	151	155	155	132	170	137	129	152	144	176	153	116
Epilepsy	M	1593	1598	1557	1496	1482	1458	1382	1472	1396	1404	1434	1440	1521	1647	1763
	F	1412	1454	1357	1402	1315	1342	1304	1342	1286	1224	1323	1297	1289	1427	1479
	P	3005	3052	2914	2898	2797	2800	2686	2814	2682	2628	2757	2737	2810	3074	3242
Convulsions...	M	9427	8649	8419	7377	7101	6545	6568	5890	5315	5081	4453	4555	4155	4152	3607
	F	7127	6463	6288	5556	5427	5017	4936	4425	4081	3770	3174	3478	3024	3071	2558
	P	16554	15112	14707	12933	12528	11562	11504	10315	9396	8851	7627	8033	7179	7223	6165
Laryngismus stridulus ...	M	266	248	220	222	180	191	231	150	126	140	129	136	157	152	131
	F	173	187	178	142	125	124	112	120	110	103	53	103	94	91	81
	P	439	435	398	364	305	315	343	270	236	243	182	239	251	243	212
Locomotor ataxy	M	409	418	411	448	463	461	477	496	485	529	542	615	600	624	684
	F	74	84	103	102	99	123	106	123	95	105	122	117	120	110	101
	P	483	502	514	550	562	584	583	619	580	634	664	732	720	734	785
Paraplegia, Diseases of cord	M	1096	1139	1205	1115	1113	1030	1110	1156	1152	1122	999	946	1056	1108	1117
	F	960	948	988	960	962	953	1008	948	949	863	787	874	898	908	928
	P	2056	2087	2193	2075	2075	1983	2118	2104	2101	1985	1786	1820	1954	2016	2045
Neuritis, Peripheral, Polyneuritis.	M	128	112	125	103	128	140	132	126	113	121	92	116	122	139	94
	F	223	304	291	284	323	335	264	281	264	300	254	273	261	231	170
	P	351	416	416	387	451	475	396	407	377	421	346	389	383	370	264
Brain tumour (not specific)	M	324	352	330	357	383	383	371	392	403	360	397	395	452	508	527
	F	274	266	334	341	361	370	366	377	401	318	375	414	454	500	487
	P	598	618	664	698	744	753	737	769	804	678	772	809	906	1008	1014
Other diseases of nervous system. (*For total diseases of nervous system, see page 10.*)	M	1924	1631	1797	1516	1568	1382	1291	1368	1212	1294	1142	1220	1213	1298	1384
	F	1882	1716	1850	1551	1511	1430	1286	1371	1199	1300	1206	1176	1187	1273	1242
	P	3806	3347	3647	3067	3079	2812	2577	2739	2411	2594	2348	2396	2400	2571	2626
Otitis, Mastoid disease ...	M	483	564	618	624	648	601	578	647	579	601	581	673	660	700	656
	F	431	450	440	491	494	507	455	444	439	518	446	478	567	519	481
	P	914	1014	1058	1115	1142	1108	1033	1091	1018	1119	1027	1151	1227	1219	1137
Epistaxis, Diseases of nose	M	49	36	49	41	41	27	38	40	35	51	54	58	58	42	47
	F	30	45	31	43	26	39	35	41	35	67	40	48	55	43	31
	P	79	81	80	84	67	66	73	81	70	118	94	106	113	85	78
Ophthalmia, Diseases of eye	M	36	42	27	29	38	26	23	33	25	48	42	37	46	49	45
	F	24	28	30	32	37	34	19	21	37	47	32	40	52	32	37
	P	60	70	57	61	75	60	42	54	62	95	74	77	98	81	82
Valvular disease, Endocarditis (not infective)*	M	6052	6164	6683	6816	7176	7454	7611	7799	7726	8310	9612	10389	10720	12074	12057
	F	6951	7251	7874	8031	8294	8872	8752	9236	9043	9948	11524	11936	12790	13907	13641
	P	13003	13415	14557	14847	15470	16326	16363	17035	16769	18258	21136	22305	23510	25981	25698
Pericarditis	M	231	219	226	230	237	273	237	224	247	309	269	251	262	277	217
	F	207	203	190	225	192	208	195	186	199	235	211	176	195	223	188
	P	438	422	416	455	429	481	432	410	446	544	480	427	457	500	405
Hypertrophy of heart† ...	M	164	155	149	137	152	149	181	135	141	?	?	?	?	?	?
	F	109	92	102	85	84	75	85	85	59	?	?	?	?	?	?
	P	273	247	251	222	236	224	266	220	200	?	?	?	?	?	?
Angina pectoris	M	480	463	504	532	576	612	617	629	716	711	738	772	785	847	721
	F	248	237	249	307	313	330	312	328	294	349	352	352	394	407	341
	P	728	700	753	839	889	942	929	957	1010	1060	1090	1124	1179	1254	1062
Dilatation of heart† ...	M	1276	1294	1430	1478	1551	1742	1670	1771	1586	?	?	?	?	?	?
	F	1327	1308	1595	1573	1576	1778	1685	1778	1609	?	?	?	?	?	?
	P	2603	2602	3025	3051	3127	3520	3355	3549	3195	?	?	?	?	?	?
Fatty degeneration of heart	M	960	950	990	1037	1045	1124	1133	1069	1150	1217	1399	1509	1469	1509	1316
	F	1147	1113	1242	1231	1275	1359	1417	1424	1267	1469	1712	1826	1800	1793	1700
	P	2107	2063	2232	2268	2320	2483	2550	2493	2417	2686	3111	3335	3269	3302	3016
Syncope, Heart disease (not specified).† (*For total diseases of heart, see page 10.*)	M	13803	13140	13315	12461	12639	12911	12469	12462	11789	12992	12526	12837	12735	14764	14146
	F	15240	14311	15148	14173	13651	14081	13527	13792	12898	13932	13699	13629	13957	15407	15116
	P	29043	27451	28463	26634	26290	26992	25996	26254	24687	26924	26225	26466	26692	30171	29262
Cerebral hæmorrhage, Cerebral embolism.	M	5521	5954	6487	6644	7007	7403	7891	7999	8017	8223	8724	9193	9493	10081	9730
	F	6495	7442	7788	8119	8774	9140	9529	9939	9869	10337	10981	11416	11888	12380	11882
	P	12016	13396	14275	14763	15781	16543	17420	17938	17886	18560	19705	20609	21381	22461	21612
Apoplexy, Hemiplegia ...	M	5349	4606	4375	3980	3949	3847	3696	3609	3303	3669	3454	3342	3244	3412	3326
	F	6434	5585	5533	4780	4881	4718	4473	4485	4081	4584	4355	3974	3982	4306	3902
	P	11783	10191	9908	8760	8830	8565	8169	8094	7384	8253	7809	7316	7226	7718	7228

* For 1911 and subsequent years, deaths from Rheumatism of heart are included under the heading Valvular disease, Endocarditis (not infective).

† For 1911 and subsequent years, deaths from Hypertrophy of heart and Dilatation of heart are included under the heading Syncope, Heart disease (not specified).

‡ Including deaths of non-civilians.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1902–1916.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.
Aneurysm	M	842	854	869	898	882	941	867	946	898	935	962	921	902	896	800
	F	225	183	224	188	219	199	192	221	225	225	184	234	229	245	202
	P	1067	1037	1093	1086	1101	1140	1059	1167	1123	1160	1146	1155	1131	1141	1002
Senile gangrene	M	717	710	746	768	788	783	804	845	767	740	702	722	722	782	780
	F	676	635	657	619	630	662	652	706	640	654	577	600	635	634	633
	P	1393	1345	1403	1387	1418	1445	1456	1551	1407	1394	1279	1322	1357	1416	1413
Embolism, Thrombosis (not cerebral).	M	231	185	174	171	187	231	192	203	171	181	185	194	207	217	190
	F	280	233	270	241	258	285	281	269	230	269	243	248	288	230	202
	P	511	418	444	412	445	516	473	472	401	450	428	442	495	447	392
Phlebitis	M	48	60	57	59	45	46	40	55	37	53	67	48	61	71	74
	F	99	111	91	91	82	84	85	93	99	77	106	111	111	99	89
	P	147	171	148	150	127	130	125	148	136	130	173	159	172	170	163
Varicose veins	M	30	28	44	32	24	33	20	33	32	39	43	42	50	51	73
	F	73	66	77	79	87	70	67	79	74	89	107	117	119	91	93
	P	103	94	121	111	111	103	87	112	106	128	150	159	169	142	166
Other diseases of blood vessels. (*For total diseases of blood vessels, see page 10.*)	M	817	798	1057	1167	1372	1530	1604	1975	2045	2468	3373	4085	4717	5026	4960
	F	512	513	614	692	866	982	943	1143	1240	1549	2169	2820	3174	3430	3520
	P	1329	1311	1671	1859	2238	2512	2547	3118	3285	4017	5542	6905	7891	8456	8480
Laryngitis	M	690	613	624	579	578	633	512	566	485	538	481	454	495	550	448
	F	646	491	509	488	484	479	454	425	380	422	351	368	400	429	353
	P	1336	1104	1133	1067	1062	1112	966	991	865	960	832	822	895	979	801
Membranous laryngitis(not diphtheritic).	M	21	13	25	21	25	18	15	17	11	10	6	10	12	5	3
	F	16	11	17	20	15	11	16	14	7	9	3	5	7	4	5
	P	37	24	42	41	40	29	31	31	18	19	9	15	19	9	8
Croup (not spasmodic nor membranous).	M	343	236	259	260	259	196	167	130	49	43	28	15	15	17	24
	F	266	207	216	205	201	175	153	111	24	32	12	22	20	13	15
	P	609	443	475	465	460	371	320	241	73	75	40	37	35	30	39
Other diseases of larynx and trachea.	M	17	20	29	28	40	22	24	15	11	25	15	22	18	14	24
	F	19	24	17	29	21	21	14	13	10	11	11	18	15	18	13
	P	36	44	46	57	61	43	38	28	21	36	26	40	33	32	37
Bronchitis	M	21341	18481	20578	18961	17429	20423	18859	19404	17072	17616	18912	19153	19197	24554	21118
	F	22304	18650	21610	19954	18285	21781	19843	21414	17391	18406	20133	19401	20253	25513	21546
	P	43645	37131	42188	38915	35714	42204	38702	40818	34463	36022	39045	38554	39450	50067	42664
Emphysema, Asthma ...	M	914	782	957	906	920	1041	985	1089	965	1109	1219	1242	1329	1703	1431
	F	672	520	658	656	613	681	685	837	660	767	835	811	898	1148	896
	P	1586	1302	1615	1562	1533	1722	1670	1926	1625	1876	2054	2053	2227	2851	2327
Pleurisy	M	758	747	696	827	738	733	709	815	760	832	867	787	872	891	856
	F	600	552	543	542	521	589	533	588	523	592	587	542	612	636	565
	P	1358	1299	1239	1369	1259	1322	1242	1403	1283	1424	1454	1329	1484	1527	1421
Fibroid disease of lung ...	M	507	467	413	411	408	490	415	420	339	253	239	250	260	218	207
	F	177	146	178	146	121	166	164	163	109	74	80	74	72	65	63
	P	684	613	591	557	529	656	579	583	448	327	319	324	332	283	270
Other diseases of respiratory system. (*For total diseases of respiratory system, see page 10.*)	M	1627	1520	1548	1465	1417	1297	1345	1361	1321	1403	1374	1234	1286	1434	1240
	F	1457	1291	1370	1351	1282	1216	1262	1341	1235	1187	1226	1156	1205	1266	1046
	P	3084	2811	2918	2816	2699	2513	2607	2702	2556	2590	2600	2390	2491	2700	2286
Tonsillitis, Quinsy... ...	M	227	216	208	191	207	206	200	221	174	226	187	216	301	273	223
	F	189	161	191	200	166	185	163	164	146	204	191	213	255	243	211
	P	416	377	399	391	373	391	363	385	320	430	378	459	556	516	434
Diseases of mouth, pharynx, œsophagus (not specific).	M	324	227	306	273	279	254	236	295	304	308	278	295	363	333	324
	F	256	202	283	285	276	260	276	268	319	250	264	290	349	295	290
	P	580	429	589	558	555	514	512	563	623	558	542	585	712	628	614
Gastric ulcer	M	514	529	552	613	667	655	674	688	773	760	871	882	1018	1001	999
	F	1167	1138	1197	1134	1078	1120	1039	1040	1052	1009	971	912	1005	945	942
	P	1681	1667	1749	1747	1745	1775	1713	1728	1825	1769	1842	1794	2023	1946	1941
Gastritis, Gastric catarrh...						1664	1592	1630	1592	1613	1594	1412	1591	1545	1684	1548
						1738	1675	1833	1666	1575	1631	1396	1577	1695	1685	1580
	M	2293	2254	2151	1928	3402	3267	3463	3258	3188	3225	2808	3168	3240	3369	3128
	F	2449	2382	2347	2061											
Other diseases of stomach (not malignant).	P	4742	4636	4498	3989	291	282	269	252	328	315	359	333	371	341	355
						255	275	239	206	308	272	310	307	349	337	334
						546	557	508	458	636	587	669	640	720	681	689

* Including deaths of non-civilians.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1902–1916.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*
Ulceration of intestines ...				306	276	353	477	462	485	552	561	649	687	726	693	659
	M	2188	2367	525	497	618	721	744	782	858	857	941	986	1031	990	945
	F	2000	2127	219	221	265	244	282	297	306	296	292	299	305	297	286
	P	4188	4494	2411	2064	2640	1910	2332	1994	1961	3078	1456	2286	2157	1848	1465
Enteritis (not epidemic) ...				2110	1900	2360	1777	2112	1714	1738	2786	1240	1911	1784	1702	1395
				4521	3964	5000	3687	4444	3708	3699	5864	2696	4197	3941	3550	2860
Gastro-enteritis	M	1179	1397	1806	1478	2082	1337	1877	1567	1695	3492	1421	2746	2655	2605	2053
	F	1009	1285	1540	1250	1805	1113	1618	1333	1407	3062	1160	2313	2324	2144	1698
	P	2188	2682	3346	2728	3887	2450	3495	2900	3102	6554	2581	5059	4979	4749	3751
Appendicitis, Perityphlitis	M	901	1016	1124	1096	1287	1161	1236	1279	1336	1597	1322	1387	1513	1441	1474
	F	584	713	763	850	857	808	900	997	1025	1132	1034	1141	1111	1062	1129
	P	1485	1729	1887	1946	2144	1969	2136	2276	2361	2729	2356	2528	2624	2503	2603
Hernia	M	694	639	665	708	738	702	652	695	642	708	710	780	737	897	838
	F	819	775	826	839	816	834	758	806	835	861	803	897	892	1010	1020
	P	1513	1414	1491	1547	1554	1536	1410	1501	1477	1569	1513	1677	1629	1907	1858
Intestinal obstruction ...	M	1197	1297	1270	1263	1336	1314	1301	1355	1205	1330	1232	1209	1243	1316	1312
	F	1248	1277	1240	1314	1309	1249	1352	1262	1297	1350	1260	1206	1210	1276	1157
	P	2445	2574	2510	2577	2645	2563	2653	2617	2502	2680	2492	2415	2453	2592	2469
Other diseases of intestines	M	154	155	137	131	128	131	149	147	179	237	228	243	232	273	226
	F	137	134	108	127	110	137	120	151	175	204	221	253	299	287	266
	P	291	289	245	258	238	268	269	298	354	441	449	496	531	560	492
Peritonitis (not puerperal)	M	506	450	435	383	391	308	345	282	223	236	197	236	219	225	218
	F	609	554	531	460	454	389	368	333	331	374	262	295	308	288	289
	P	1115	1004	966	843	845	697	713	615	554	610	459	531	527	513	507
Cirrhosis of liver	M	2296	2196	2207	2166	2117	2070	2060	2048	1827	1832	1898	2039	2092	1947	1690
	F	1770	1720	1764	1842	1744	1833	1611	1481	1384	1457	1480	1519	1572	1364	1049
	P	4066	3916	3971	4008	3861	3903	3671	3529	3211	3289	3378	3558	3664	3311	2739
Other diseases of liver and gall bladder. (*For total diseases of liver and gall bladder, see page 10.*)	M	1110	984	906	866	882	850	746	825	737	750	688	678	749	703	693
	F	1354	1332	1271	1219	1269	1171	1148	1137	1159	1228	1115	1220	1185	1194	1124
	P	2464	2316	2177	2085	2151	2021	1894	1962	1896	1978	1803	1898	1934	1897	1817
Other diseases of digestive system. (*For total diseases of digestive system, see page 10.*)	M	198	263	272	189	151	186	210	217	118	124	119	138	137	123	103
	F	236	245	239	209	144	196	217	240	116	102	100	128	112	112	107
	P	434	508	511	398	295	382	427	457	234	226	219	266	249	235	210
Diseases of spleen	M	25	21	23	20	27	21	22	24	15	17	12	19	29	24	35
	F	32	25	25	36	26	29	17	31	23	12	23	25	32	23	23
	P	57	46	48	56	53	50	39	55	38	29	35	44	61	47	58
Other diseases of lymphatic system.	M	223	214	210	242	240	227	241	258	320	295	326	334	380	379	377
	F	134	143	143	149	160	153	156	167	191	212	209	223	257	232	231
	P	357	357	353	391	400	380	397	425	511	507	535	557	637	611	608
Diseases of thyroid body ...	M	61	64	63	68	62	72	93	74	96	88	95	117	95	118	110
	F	370	377	399	412	421	455	456	535	555	622	619	631	716	680	685
	P	431	441	462	480	483	527	549	609	651	710	714	748	811	798	795
Diseases of supra renal capsules.	M	81	93	92	74	116	83	97	109	96	104	99	108	95	102	100
	F	87	98	103	122	112	91	121	139	130	145	147	115	140	139	132
	P	168	191	195	196	228	174	218	248	226	249	246	223	235	241	232
Acute nephritis, Uræmia...	M	1619	1567	1661	1680	1716	1844	1975	1974	1897	1920	1936	2031	2158	2345	2241
	F	1372	1384	1458	1473	1554	1591	1723	1862	1698	1878	1760	1885	1979	2113	1918
	P	2991	2951	3122	3153	3270	3435	3698	3836	3595	3798	3696	3916	4137	4458	4159
Chronic Bright's disease, Albuminuria. (*For total Nephritis and Bright's disease, see page 10.*)	M	5013	5074	5465	5207	5498	5573	5374	5627	5530	5717	5887	6342	6243	6413	5871
	F	4208	4394	4541	4415	4584	4869	4688	4877	4822	5014	5207	5342	5532	5455	4892
	P	9221	9468	10006	9622	10082	10442	10062	10504	10352	10731	11094	11684	11775	11868	10763
Calculus (not biliary) ...	M	182	156	176	177	187	198	161	155	159	196	181	195	189	185	189
	F	67	61	86	72	77	80	74	86	80	73	89	73	65	85	81
	P	249	217	262	249	264	278	235	241	239	269	270	268	254	270	270
Diseases of bladder and of prostate.	M	2201	2268	2258	2237	2403	2203	2256	2203	2189	2514	2372	2370	2500	2723	2697
	F	235	225	241	232	238	238	249	239	221	257	246	233	261	287	255
	P	2436	2493	2499	2469	2641	2441	2505	2442	2410	2771	2618	2603	2761	3010	2952
Other diseases of urinary system.	M	459	445	451	496	480	470	486	430	543	584	559	583	608	597	626
	F	127	130	140	148	151	139	124	133	169	181	206	205	246	212	191
	P	586	575	591	644	631	609	610	563	712	765	765	788	854	809	817
Ovarian tumour (not malignant).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	373	374	350	389	375	357	292	307	291	314	288	270	303	300	307
	P	373	374	350	389	375	357	292	307	291	314	288	270	303	300	307
Other diseases of ovary ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	48	64	46	40	46	51	31	33	23	24	12	12	18	18	15
	P	48	64	46	40	46	51	31	33	23	24	12	12	18	18	15

* Including deaths of non-civilians.

Table 9.—England and Wales.—Deaths from Various Causes at All Ages, 1902–1916.—Males, Females, and Persons—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*
Uterine tumour (not malignant).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	334	359	353	376	353	327	358	293	312	324	326	316	298	328	320
	P	334	359	353	376	353	327	358	293	312	324	326	316	298	328	320
Other diseases of uterus and vagina.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	305	278	316	327	305	319	287	337	285	360	326	330	342	344	382
	P	305	278	316	327	305	319	287	337	285	360	326	330	342	344	382
Disorders of menstruation	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	58	56	36	42	39	50	36	33	26	31	20	30	27	23	36
	P	58	56	36	42	39	50	36	33	26	31	20	30	27	23	36
Other diseases of generative and mammary organs. (*For total diseases of generative and mammary organs, see page 10.*)	M	67	48	73	53	62	48	41	50	66	70	79	88	122	9	78
	F	16	6	14	20	18	10	14	12	13	21	20	29	17	23	18
	P	83	54	87	73	80	58	55	62	79	91	99	117	139	119	96
Abortion, Miscarriage	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	148	152	141	151	143	102	83	85	78	89	118	119	125	125	106
	P	148	152	141	151	143	102	83	85	78	89	118	119	125	125	106
Puerperal mania	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	79	62	62	66	68	70	57	42	48	46	30	28	40	34	27
	P	79	62	62	66	68	70	57	42	48	46	30	28	40	34	27
Puerperal convulsions ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	400	409	395	467	438	449	426	462	439	457	457	535	461	430	455
	P	400	409	395	467	438	449	426	462	439	457	457	535	461	430	455
Placenta prævia, Flooding	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	637	678	580	619	618	608	560	574	612	557	610	616	595	556	526
	P	637	678	580	619	618	608	560	574	612	557	610	616	595	556	526
Other accidents of pregnancy and childbirth. (*For total non-septic diseases of pregnancy and childbirth, and for total including septic diseases, see page 10.*)	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	938	888	835	868	850	826	840	787	740	748	797	789	819	798	771
	P	938	888	835	868	850	826	840	787	740	748	797	789	819	798	771
Caries, Necrosis	M	408	364	305	283	262	205	198	106	43						
	F	298	289	234	239	198	177	150	81	23						
	P	706	653	539	522	460	382	348	187	66						
Arthritis, Periostitis ...	M	137	119	133	133	111	139	164	154	128	400	422	437	475	460	469
	F	80	83	106	89	92	110	88	102	105	287	293	304	311	313	310
	P	217	202	239	222	203	249	252	256	233	687	715	741	786	773	779
Other diseases of locomotor system.	M	149	155	162	178	205	149	147	174	203						
	F	137	129	114	137	186	105	116	127	147						
	P	286	284	276	315	391	254	263	301	350						
Ulcer, Bed-sore	M	132	153	136	140	157	144	129	152	149	145	144	149	194	178	135
	F	265	254	290	300	305	341	307	278	310	269	280	283	350	334	284
	P	397	407	426	440	462	485	436	430	459	414	424	432	544	512	419
Eczema	M	218	211	192	190	195	164	169	141	138	168	152	149	152	145	135
	F	144	137	134	130	103	123	117	107	107	101	93	84	90	76	84
	P	362	348	326	320	298	287	286	248	245	269	245	233	242	221	219
Pemphigus	M	81	98	104	140	134	123	135	113	113	66	68	72	77	61	87
	F	66	93	94	125	110	100	114	101	91	66	52	70	69	52	73
	P	147	191	198	265	244	223	249	214	204	132	120	142	146	113	160
Other diseases of the skin	M	108	103	92	119	110	129	111	111	113	124	124	137	164	153	138
	F	113	111	103	115	101	122	108	124	120	145	128	150	167	147	162
	P	221	214	195	234	211	251	219	235	233	269	252	287	331	300	300
Other specified diseases ...	M	4	3	2	2	—	—	—	3	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—
	P	5	3	2	2	—	—	—	5	—	—	—	—	—	—	—
Atrophy, Debility	M	9889	9791	9761	9090	8902	8340	8460	7872	7359	7818	6258	6683	6151	5626	5063
	F	7819	7721	7785	6920	6998	6267	6460	6107	5686	6098	4644	4976	4475	4317	3596
	P	17708	17512	17546	16010	15900	14607	14920	13979	13045	13916	10902	11659	10626	9943	8659
Old age	M	13031	12979	13848	13441	14210	13917	14058	14497	13438	14483	13275	12755	12327	13211	13026
	F	17320	17111	18455	18018	18998	19001	18837	19478	18233	19388	18163	17046	16702	18494	17679
	P	30351	30090	32303	31459	33208	32918	32895	33975	31671	33871	31438	29801	29029	31705	30705
Dropsy, Ascites, Anasarca	M	74	69	48	44	36	60	36	23	16	24	18	13	8	14	18
	F	97	95	73	77	46	65	39	41	24	38	23	23	26	24	23
	P	171	164	121	121	82	125	75	64	40	62	41	36	34	38	41
Tumour	M	29	36	39	26	28	33	32	41	28	52	71	52	88	87	88
	F	53	50	50	54	40	60	52	56	48	68	72	81	88	114	106
	P	82	86	89	80	68	93	84	97	76	120	143	133	176	201	194
Abscess	M	182	184	162	129	140	151	208	137	131	119	154	157	169	203	174
	F	147	148	128	106	132	142	170	129	108	101	112	111	151	175	150
	P	329	332	290	235	272	293	378	266	239	220	266	268	320	378	324

* Including deaths of non-civilians.

TABLE 9.—ENGLAND AND WALES.—DEATHS FROM VARIOUS CAUSES AT ALL AGES, 1902–1916. —MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*
Hæmorrhage	M	31	29	20	19	17	16	19	16	26	39	25	26	30	31	33
	F	25	14	15	17	15	19	16	17	26	24	21	25	23	22	19
	P	56	43	35	36	32	35	35	33	52	63	46	51	53	53	52
Sudden death (cause unascertained).	M	94	89	25	18	16	11	4	8	8	7	3	1	2	7	2
	F	83	53	20	12	8	8	11	11	6	2	1	1	2	1	1
	P	177	142	45	30	24	19	15	19	14	9	4	2	4	8	3
Other ill-defined causes ...	M	406	457	435	468	461	421	402	386	391	278	205	179	168	215	227
	F	298	362	342	386	326	291	277	272	243	187	150	136	161	190	154
	P	704	819	777	854	787	712	679	658	634	465	355	315	329	405	381
Causes not specified. (*For total causes ill-defined or not specified, see page 10.*)	M	336	146	152	129	96	111	88	71	102	96	78	78	64	64	71
	F	256	121	91	72	60	66	50	48	78	57	56	62	40	57	51
	P	592	267	243	201	156	177	138	119	180	153	134	140	104	121	122
Violent Deaths :—																
In mines and quarries ...	M	979	940	981	1113	1075	1084	1147	1367	1299	1491	1207	1174	1596	1168	1172
	F	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—
	P	979	941	981	1113	1077	1084	1147	1367	1299	1491	1207	1174	1596	1168	1172
Vehicles and horses ...	M	2209	2139	2103	2069	2133	2197	2131	1913	1987	2289	2364	2651	2783	3461	3290
	F	324	330	337	355	377	349	356	346	409	462	473	568	580	752	704
	P	2533	2469	2440	2424	2510	2546	2487	2259	2396	2751	2837	3219	3363	4213	3994
Ships, boats, and docks (not drowning).	M	266	294	286	280	268	246	275	263	252	301	337	325	312	507	334
	F	1	3	—	3	2	1	3	1	1	1	1	3	3	—	1
	P	267	297	286	283	270	247	278	264	253	302	338	328	315	507	335
Building operations ...	M	205	210	203	233	233	243	227	166	199	203	206	222	264	211	226
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	205	210	203	233	233	243	227	166	199	203	206	222	264	211	226
Machinery	M	251	245	242	204	227	237	217	205	198	249	225	250	201	305	289
	F	12	13	8	15	11	8	10	8	11	13	6	8	8	9	23
	P	263	258	250	219	238	245	227	213	209	262	231	258	209	314	312
Weapons and implements	M	109	103	109	104	103	79	91	99	78	81	102	128	154	182	171
	F	9	11	18	8	11	12	10	10	11	12	22	17	21	26	17
	P	118	114	127	112	114	91	101	109	89	93	124	145	175	208	188
Burns and scalds ...	M	1022	995	1014	1035	1079	1103	1067	1088	995	1052	972	941	936	1081	1212
	F	1457	1292	1369	1450	1527	1507	1583	1571	1330	1395	1412	1260	1339	1465	1497
	P	2479	2287	2383	2485	2606	2610	2650	2659	2325	2447	2384	2201	2275	2546	2709
Poisons, poisonous vapours	M	334	290	324	312	341	329	362	368	322	215	220	201	207	193	182
	F	161	168	196	198	198	216	188	189	196	135	122	135	133	128	112
	P	495	458	520	510	539	545	550	557	518	350	342	336	340	321	294
Drowning	M	1871	2109	2020	2069	1970	1888	2063	1793	1871	2233	2053	1999	2111	2257	2343
	F	390	407	391	433	374	367	400	397	387	405	435	421	374	474	459
	P	2261	2516	2411	2502	2344	2255	2463	2190	2258	2638	2488	2420	2485	2731	2802
Suffocation	M	1089	1022	1112	1027	984	1039	936	822	788	755	801	772	809	599	508
	F	950	936	972	855	893	864	890	760	731	699	760	681	666	507	420
	P	2039	1958	2084	1882	1877	1903	1826	1582	1519	1454	1561	1453	1475	1106	928
Falls	M	1504	1378	1380	1280	1372	1460	1392	1339	1282	1519	1604	1539	1579	1662	1683
	F	1172	1171	1158	1106	1190	1270	1238	1271	1074	1313	1341	1432	1408	1444	1544
	P	2676	2549	2538	2386	2562	2730	2630	2610	2356	2832	2945	2971	2987	3106	3227
Weather agencies ...	M	171	163	200	163	215	127	176	144	136	456	193	172	195	186	248
	F	66	34	84	68	89	27	58	52	31	204	56	64	72	42	76
	P	237	197	284	231	304	154	234	196	167	660	249	236	267	228	324
Otherwise or not stated...	M	938	911	928	940	866	863	924	816	882	776	776	681	704	914	689
	F	306	299	292	250	288	268	280	272	383	302	286	245	240	304	252
	P	1244	1210	1220	1190	1154	1131	1204	1088	1265	1078	1062	926	944	1218	941
Battle	M	6	2	—	3	1	2	1	—	—	1	1	1	671	2115	3909
	F	—	—	—	—	—	—	—	—	—	—	—	—	47	89	142
	P	6	2	—	3	1	2	1	—	—	1	1	1	718	2204	4051
Homicide...	M	131	137	176	133	140	139	152	132	140	153	145	140	133	129	116
	F	166	158	151	169	144	126	159	155	147	128	173	180	154	142	141
	P	297	295	327	302	284	265	311	287	287	281	318	320	287	271	257
Suicide	M	2460	2640	2523	2683	2655	2632	2844	2683	2680	2655	2706	2596	2802	2029	2063
	F	807	871	822	862	797	911	934	894	887	933	902	918	922	937	792
	P	3267	3511	3345	3545	3452	3533	3778	3577	3567	3588	3608	3514	3724	2966	2855
Execution. (*For total violent deaths, see page 10.*)	M	22	23	17	17	8	9	12	19	16	16	10	18	16	8	11
	F	—	2	1	—	—	1	—	—	—	—	—	—	—	—	—
	P	22	25	18	17	8	10	12	19	16	16	10	18	16	8	11

* Including deaths of non-civilians.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1902–1916.—MALES, FEMALES, AND PERSONS.

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.‡	1916
All Causes	M	17398	16540	17362	16281	16512	16046	15805	15480	14385	15569	14181	14780	14955	17732	1688
	F	15180	14444	15303	14382	14495	14229	13867	13821	12674	13662	12566	12872	13068	13936	1243
	P	16253	15457	16299	15300	15470	15108	14804	14623	13502	14585	13547	13795	13981	15653	1437
PRINCIPAL SUMMARIZED HEADINGS.																
Small-pox	M	90	31	19	4	0	0	0	1	1	1	0	0	0	0	
	F	60	15	11	4	1	0	0	0	0	1	0	0	0	0	
	P	75	23	15	4	1	0	0	0	0	1	0	0	0	0	
Diarrhœal diseases... ... (104 and 105, 1911 list approx.)*	M	676	834	1235	897	1265	559	848	550	575	1421	358	796	716	680	51
	F	558	695	1017	729	1057	440	685	439	445	1162	271	615	548	459	33
	P	615	763	1122	809	1158	492	763	493	507	1286	313	704	629	559	41
Venereal diseases	M	60	62	64	62	57	58	56	57	56	60	63	68	70	68	7
	F	46	50	48	47	45	40	43	40	38	44	42	48	49	42	4
	P	52	56	55	54	51	49	49	49	47	52	52	58	59	54	5
Puerperal septic diseases ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	118	97	95	99	93	82	77	78	69	72	68	62	76	66	5
	P	61	51	49	51	48	41	39	40	36	37	35	32	39	35	3
Pneumonia (all forms) ...	M	1664	1428	1485	1525	1422	1574	1392	1502	1302	1234	1208	1214	1284	1687	138
	F	1169	1030	1099	1100	1026	1147	997	1114	932	864	854	853	899	1087	83
	P	1409	1222	1285	1305	1217	1353	1188	1301	1110	1043	1026	1028	1085	1359	107
Septicæmia, pyæmia ...	M	22	21	19	21	21	22	20	17	14	17	18	16	20	20	1
	F	14	13	12	14	17	13	12	11	10	9	10	9	10	10	
	P	18	17	16	18	19	18	16	13	11	13	14	13	15	15	1
Phthisis ... ... (28 and 29A, 1911 list.)	M	1457	1430	1462	1352	1364	1349	1318	1280	1186	1233	1199	1163	1197	1410	146
	F	1026	995	1034	953	964	959	941	913	855	900	855	825	860	910	91
	P	1234	1206	1241	1146	1157	1148	1123	1091	1015	1061	1021	989	1022	1136	115
Tuberculosis (all forms) ...	M	2006	2016	2057	1886	1895	1857	1834	1762	1644	1669	1575	1561	1570	1851	191
	F	1495	1492	1530	1411	1430	1390	1371	1323	1237	1277	1181	1154	1163	1235	123
	P	1742	1747	1784	1639	1654	1617	1595	1537	1434	1467	1372	1352	1360	1514	152
Cancer (all forms)... ...	M	696	733	741	759	798	787	818	833	856	891	917	955	971	1076	116
	F	986	1006	1010	1011	1038	1035	1036	1082	1070	1086	1122	1164	1161	1158	116
	P	846	874	879	889	922	915	931	962	967	992	1023	1064	1069	1121	116
Diseases of nervous system (excluding cerebral hæmorrhage, apoplexy, hemiplegia).	M	1401	1305	1309	1195	1183	1095	1085	1044	961	958	858	859	850	973	96
	F	1043	989	980	916	890	855	820	782	730	718	638	652	631	644	58
	P	1215	1142	1140	1049	1032	971	947	908	841	837	745	753	737	789	75
Diseases of heart	M	1440	1391	1429	1380	1407	1445	1407	1405	1348	1346	1391	1454	1453	1819	186
	F	1482	1426	1516	1460	1436	1490	1431	1467	1373	1389	1460	1478	1526	1640	158
	P	1462	1409	1472	1423	1420	1468	1418	1437	1361	1367	1426	1466	1490	1721	170
Diseases of blood vessels (including cerebral hæmorrhage, apoplexy, hemiplegia).	M	850	820	847	835	858	883	887	914	882	931	992	1048	1084	1269	131
	F	869	860	875	843	892	901	894	925	890	951	995	1032	1070	1106	105
	P	860	839	862	839	874	893	890	919	886	943	993	1040	1078	1180	116
Diseases of respiratory system (including croup but excluding pneumonia).	M	1645	1421	1542	1427	1313	1481	1354	1392	1215	1246	1312	1309	1315	1822	166
	F	1537	1273	1442	1333	1214	1403	1274	1362	1101	1152	1234	1184	1230	1501	125
	P	1590	1343	1491	1378	1263	1440	1312	1375	1156	1198	1271	1243	1270	1648	143
Diseases of liver and gall bladder.	M	214	197	191	185	180	174	165	168	149	148	147	153	159	162	15
	F	184	177	174	174	170	167	152	143	138	144	138	145	147	132	11
	P	198	188	183	179	175	170	158	155	143	146	142	149	153	146	13
Diseases of digestive system.†	M	865	869	907	830	914	800	846	814	791	980	740	891	900	952	90
	F	813	811	839	791	826	741	773	716	712	868	644	764	775	736	65
	P	838	842	871	811	870	769	807	763	750	921	688	828	835	833	76
Nephritis and Bright's disease.	M	417	412	437	419	434	443	432	443	429	437	444	473	470	533	52
	F	328	336	345	336	346	361	353	369	353	369	369	383	394	391	34
	P	371	373	389	376	389	400	391	404	389	402	405	426	431	455	42
Diseases of generative and mammary organs.	M	4	3	4	3	4	3	2	3	4	4	4	5	7	6	5
	F	67	66	64	67	64	63	57	56	51	57	52	53	53	53	56
	P	36	36	34	36	34	32	30	31	29	33	30	29	30	32	33
Diseases of pregnancy and childbirth (not septic).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	130	128	116	124	120	115	108	106	104	101	106	110	107	101	95
	P	65	66	60	64	62	60	56	54	53	52	56	58	54	56	54
All diseases of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	248	225	211	223	213	197	185	184	173	173	174	172	183	167	153
	P	126	117	109	115	110	101	95	94	89	89	91	90	93	91	87
Causes ill-defined or not specified.	M	1519	1477	1496	1424	1440	1375	1379	1348	1243	1307	1140	1128	1062	1215	123
	F	1528	1497	1550	1465	1500	1447	1430	1432	1326	1389	1240	1199	1136	1207	111
	P	1523	1484	1530	1445	1475	1415	1413	1391	1288	1348	1188	1161	1103	1211	116
Violent deaths	M	850	844	836	830	823	816	822	773	759	826	788	780	865	853	89
	F	343	331	332	329	332	329	336	324	305	322	316	314	312	326	31
	P	589	580	574	571	571	565	572	543	522	565	545	538	581	564	56

* *See* note to Diarrhœa due to Food.

† Including some of the headings classed under Diarrhœal Diseases above, viz. :—Ulceration of intestines, Enteritis (not epidemic), and Gastro-enteritis.

‡ Based upon civil deaths and civil population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1902–1916.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†
DETAILED HEADINGS.																
Small-pox (*For total Small-pox, see page 20.*) — Vaccinated ...	M	33	6	3	1	—	0	—	0	0	0	0	—	—	0	0
	F	17	1	1	1	—	—	—	0	—	0	0	0	0	0	0
	P	25	4	2	1	—	0	—	0	0	0	0	0	0	0	0
Small-pox — Not Vaccinated.	M	25	7	5	0	0	0	—	0	0	0	0	0	0	0	1
	F	23	4	3	1	—	0	—	0	0	0	0	0	0	0	0
	P	24	5	4	1	0	0	—	0	0	0	0	0	0	0	0
Small-pox — Doubtful ...	M	32	18	11	3	0	0	0	1	1	0	—	0	0	—	0
	F	20	10	7	2	1	0	0	—	0	0	—	—	—	0	0
	P	26	14	9	2	1	0	0	0	0	0	—	0	0	0	0
Cow-pox and other effects of vaccination.	M	1	1	1	1	1	0	0	0	0	1	0	0	0	0	0
	F	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0
	P	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0
Chicken-pox	M	4	4	3	3	4	4	3	3	3	2	2	2	3	2	2
	F	4	3	3	2	2	3	3	2	2	2	2	2	3	3	2
	P	4	3	3	3	3	3	3	3	3	2	2	2	3	3	2
Measles (Morbilli) ...	M	416	292	387	342	286	392	243	377	249	392	377	314	263	530	187
	F	370	259	344	311	265	337	213	336	216	335	329	269	233	406	129
	P	392	275	365	326	275	364	228	356	232	363	352	291	247	462	155
German measles	M	1	1	1	1	1	1	1	1	0	1	1	1	1	2	3
	F	1	1	1	1	1	1	1	1	0	1	1	1	1	2	2
	P	1	1	1	1	1	1	1	1	0	1	1	1	1	2	2
Scarlet fever	M	155	132	116	117	108	98	82	97	68	54	56	60	78	71	44
	F	141	118	108	109	95	88	79	85	64	51	54	55	76	61	35
	P	148	125	112	113	101	93	80	91	66	52	55	57	77	66	39
Typhus	M	2	2	1	1	0	1	0	1	0	0	0	0	0	0	0
	F	1	2	1	1	0	1	0	0	—	0	0	—	0	0	—
	P	2	2	1	1	0	1	0	0	0	0	0	0	0	0	0
Plague	M	0	—	0	0	—	—	0	—	0	—	0	—	0	—	0
	F	—	—	—	—	—	—	—	—	0	—	—	—	0	—	0
	P	0	—	0	0	—	—	0	—	0	—	0	—	0	—	0
Relapsing fever	M	0	—	—	0	0	—	0	—	0	—	—	—	0	0	0
	F	0	—	0	0	—	0	0	—	0	—	—	—	—	—	—
	P	0	—	0	0	0	0	0	—	0	—	—	—	0	0	0
Influenza	M	229	190	171	206	188	264	285	251	188	127	152	190	173	319	278
	F	219	189	167	203	180	269	290	256	176	113	142	160	150	271	230
	P	224	190	169	205	184	267	288	254	182	120	147	174	161	293	251
Whooping cough	M	281	269	322	241	224	268	255	183	223	195	211	136	201	231	178
	F	313	302	382	271	259	321	304	221	267	237	248	161	233	230	174
	P	298	286	353	256	242	296	280	203	246	217	230	149	218	230	176
Mumps	M	3	3	3	3	3	3	3	3	3	3	1	2	3	2	3
	F	2	2	3	3	3	4	4	3	3	3	1	1	3	2	2
	P	3	3	3	3	3	3	3	3	3	3	1	2	3	2	2
Diphtheria	M	235	183	173	160	177	166	160	147	117	139	119	121	161	177	172
	F	239	182	169	161	179	164	156	148	122	132	117	121	155	155	140
	P	237	183	170	161	178	165	158	148	120	135	118	121	158	165	154
Cerebro-spinal fever ...	M	3	2	3	4	2	6	4	4	4	5	5	5	6	46	26
	F	1	2	2	3	2	3	3	4	3	3	3	4	4	32	19
	P	2	2	2	4	2	5	3	4	4	4	4	4	5	39	22
Pyrexia (origin uncertain)	M	3	2	2	1	1	1	1	0	0	0	0	0	0	0	0
	F	3	3	2	2	1	1	1	0	0	0	0	0	0	0	0
	P	3	2	2	2	1	1	1	0	0	0	0	0	0	0	0
Enteric fever	M	150	120	113	106	111	82	95	74	60	81	52	51	57	43	37
	F	103	82	76	74	75	54	57	48	46	53	36	32	36	29	25
	P	126	101	93	90	92	68	75	60	53	67	44	41	46	35	30
Asiatic cholera	M	—	—	—	—	—	—	—	0	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	—	—	—	—	—	—	—	0	—	—	—	—	—	—	—
Diarrhœa due to food* ...	M	3	3	4	7	10	7	9	9	8	?	?	?	?	?	?
	F	3	2	3	6	7	5	8	7	6	?	?	?	?	?	?
	P	3	3	3	6	9	6	8	8	7	?	?	?	?	?	?

* Called Food, Ptomaine poisoning previous to 1904. The increase since that date is partly due to the inclusion of deaths from diarrhœa in artificially fed children. From 1911 onwards the deaths are included under Infective enteritis, Epidemic diarrhœa.

† Based upon civil deaths and civil population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1902–1916.—MALES, FEMALES AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.‡	1916.
Infective enteritis, Epidemic diarrhœa,*	M	166	260	551	382	579	164	320	153	172	648	81	281	247	219	129
	F	133	207	459	302	484	129	260	123	132	529	63	226	191	144	87
	P	149	233	504	340	530	146	289	137	151	586	72	253	218	178	105
Diarrhœa (not otherwise defined). (*For Diarrhœal diseases—1911 List—see page 20.*)	M	296	337	402	275	371	166	245	153	152	365	76	192	158	145	117
	F	245	287	333	229	316	131	196	126	120	304	64	150	126	101	77
	P	270	311	366	251	342	148	220	139	135	333	70	171	141	121	94
Dysentery	M	9	11	10	7	9	7	8	7	7	8	5	6	7	12	16
	F	6	8	7	5	8	6	6	7	6	9	5	6	8	14	12
	P	8	9	9	6	9	7	7	7	7	8	5	6	7	13	13
Tetanus	M	9	12	12	11	12	10	8	10	9	9	8	8	9	7	8
	F	3	4	4	3	3	3	2	3	2	2	2	2	2	1	2
	P	6	8	8	7	7	7	5	6	6	6	5	5	5	4	4
Malaria	M	6	4	6	4	3	4	3	4	3	3	3	3	3	3	2
	F	1	1	1	0	1	0	0	1	0	0	0	0	0	1	0
	P	3	2	3	2	2	2	2	2	1	2	2	2	2	2	1
Rabies, Hydrophobia ...	M	0	—	—	—	—	—	—	—	0	0	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	0	—	—	—	—	—	—	—	0	0	—	—	—	—	—
Glanders	M	0	0	0	0	0	0	0	0	0	0	—	0	0	—	0
	F	—	0	—	0	—	—	—	—	—	—	—	—	0	—	—
	P	0	0	0	0	0	0	0	0	0	0	—	0	0	—	0
Anthrax (Splenic fever) ...	M	1	1	1	1	1	1	1	1	1	1	1	0	1	1	1
	F	0	0	0	0	0	0	0	—	0	0	—	0	—	0	0
	P	0	1	1	1	1	0	0	0	0	0	0	0	0	0	1
Syphilis	M	59	61	62	61	56	57	55	56	55	60	62	67	69	67	75
	F	45	49	47	46	44	39	42	39	37	43	41	47	48	41	40
	P	51	55	54	53	50	48	48	48	46	51	51	57	58	53	55
Gonorrhœa. (*For total Venereal diseases, see page 20.*)	M	1	1	2	1	1	1	1	1	1	0	1	1	1	1	1
	F	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	P	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Puerperal septicæmia, Puerperal septic intoxication.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	86	73	72	74	69	59	57	58	52	54	49	46	58	48	44
	P	44	38	37	38	36	30	29	30	27	28	25	24	30	26	25
Puerperal pyæmia	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	2	2	3	4	6	5	6	5	5	6	5	6	5	4
	P	2	1	1	2	2	3	3	3	3	2	3	2	3	3	2
Phlegmasia alba dolens ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	5	5	6	6	5	5	4	3	4	3	3	3	3	3
	P	3	3	3	3	3	2	2	2	2	2	2	2	2	1	2
Puerperal fever (not otherwise defined). (*For total Puerperal septic diseases, and for total diseases of pregnancy and childbirth, see page 20.*)	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	23	17	16	16	14	12	10	10	9	9	10	8	9	10	7
	P	12	9	8	8	7	6	5	5	4	5	5	4	4	5	4
Infective endocarditis ...	M	12	11	12	13	14	13	15	15	14	15	17	16	18	14	14
	F	11	12	11	12	13	15	15	15	15	17	17	17	17	15	13
	P	12	12	12	13	13	14	15	15	15	16	17	16	18	14	13
Pneumonia. (*For Pneumonia (all forms), see page 20*). Lobar† ...	M	137	125	144	181	188	199	178	217	195	267	276	280	310	380	331
	F	76	69	89	109	106	114	98	129	103	150	155	156	173	212	170
	P	105	96	115	144	145	155	137	171	147	207	214	216	239	288	240
Broncho- ...	M	626	576	634	610	545	670	604	604	538	509	513	531	560	769	601
	F	507	474	522	500	463	563	483	516	446	420	441	442	459	557	406
	P	565	523	576	553	503	614	541	559	490	463	476	485	508	653	491
Epidemic†	M	0	0	—	0	0	0	0	1	0	?	?	?	?	?	?
	F	0	0	—	0	0	0	0	0	0	?	?	?	?	?	?
	P	0	0	—	0	0	0	0	0	0	?	?	?	?	?	?
Not defined	M	901	727	707	734	689	705	610	680	569	458	419	403	414	538	449
	F	586	487	488	491	457	470	416	469	383	294	258	255	267	318	254
	P	739	603	594	608	569	584	510	571	473	373	336	327	338	418	339
Erysipelas	M	42	35	38	39	39	32	26	31	25	27	28	24	33	35	26
	F	36	30	34	35	32	27	22	27	21	26	22	19	28	25	17
	P	39	32	36	37	35	30	24	29	23	27	25	22	30	30	21
Septicæmia, Septic intoxication (not puerperal).	M	13	12	13	13	14	16	15	12	10	12	14	13	16	16	13
	F	9	10	9	10	12	9	9	9	7	7	8	7	8	8	7
	P	11	11	11	12	13	13	12	10	8	10	11	10	12	12	10
Pyæmia (not puerperal), (*For total Septicæmia and Pyæmia, see page 20.*)	M	9	9	6	8	7	6	5	5	4	5	4	3	4	4	3
	F	5	3	3	4	5	4	3	2	3	2	2	2	2	2	2
	P	7	6	5	6	6	5	4	3	3	3	3	3	3	3	2

* Including deaths from Diarrhœa due to food from 1911 onwards.
† From 1911 onwards, deaths from Epidemic pneumonia are included under Lobar pneumonia.
‡ Based upon civil deaths and civil population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1902–1916.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.†	1916.†
Phlegmon, Carbuncle (not anthrax).	M	28	26	28	28	31	28	26	29	24	25	25	24	29	31	27
	F	20	17	15	18	18	17	14	18	15	15	14	15	17	16	15
	P	24	21	21	23	24	22	20	23	19	20	19	19	23	23	21
Phagedæna	M	1	1	1	2	1	1	1	1	0	—	0	—	—	0	0
	F	1	1	1	1	1	1	1	1	0	—	—	0	0	0	0
	P	1	1	1	2	1	1	1	1	0	—	0	0	0	0	0
Other infective processes...	M	2	3	5	6	8	8	8	9	8	9	6	8	8	8	6
	F	4	7	3	5	5	4	4	5	3	4	3	4	4	4	3
	P	3	5	4	6	6	6	6	7	6	6	4	6	6	6	5
Pulmonary tuberculosis (tuberculous phthisis).	M	393	515	595	607	651	673	691	707	693	762	799	810	847	1001	1091
	F	248	322	384	397	427	450	465	467	476	532	556	558	597	641	661
	P	318	416	486	498	535	558	574	583	581	643	673	680	718	804	848
Phthisis (not otherwise defined). (*For Phthisis (28 & 29a), see page 20.*	M	1064	915	867	745	713	676	627	573	493	471	400	353	350	409	377
	F	778	673	650	556	537	509	476	446	379	368	299	267	263	269	255
	P	916	790	755	648	622	590	549	508	434	418	348	309	304	332	308
Tuberculous meningitis ...	M	194	212	206	194	188	184	180	172	167	155	146	151	139	171	168
	F	169	179	174	165	168	156	155	154	140	136	129	124	114	131	122
	P	181	195	189	179	178	170	167	163	153	145	137	137	126	149	142
Tuberculous peritonitis ...	M	93	111	122	109	116	106	113	107	105	98	78	92	84	101	96
	F	87	101	110	103	109	97	102	92	94	88	72	81	76	78	82
	P	90	106	116	106	112	102	108	99	99	93	75	87	80	89	88
Tabes mesenterica ...	M	82	71	65	48	40	32	33	28	24	24	15	19	16	16	16
	F	61	53	48	35	33	24	24	21	20	20	13	13	12	10	9
	P	71	62	56	41	36	28	28	25	22	22	14	16	14	13	12
Lupus	M	1	1	2	1	1	2	1	1	1	1	1	1	1	1	2
	F	3	3	2	3	3	3	2	3	2	2	2	2	2	1	2
	P	2	2	2	2	2	2	2	2	2	2	2	1	1	1	2
Tubercle of other organs...	M	42	52	59	57	62	57	58	62	72	51	50	48	49	53	63
	F	30	36	40	41	44	42	36	44	51	41	34	38	32	36	35
	P	36	44	49	48	53	49	46	53	61	46	42	43	40	44	47
General tuberculosis ...	M	133	135	138	123	122	126	130	111	88	107	86	87	84	99	99
	F	114	122	118	109	108	108	111	95	74	90	76	71	67	68	67
	P	123	128	128	115	115	117	120	103	81	98	81	79	77	82	81
Scrofula. (*For Tuberculosis (all forms), see page 20.*)	M	4	4	3	2	2	1	1	1	1	0	0	0	0	0	0
	F	5	3	4	2	1	1	0	1	1	0	0	0	0	1	1
	P	5	4	3	2	1	1	1	1	1	0	0	0	0	0	1
Parasitic diseases	M	9	10	10	9	11	8	8	7	6	8	5	7	6	5	5
	F	8	9	8	6	7	6	6	6	4	6	5	5	4	4	3
	P	8	9	9	7	9	7	7	6	5	7	5	6	5	5	4
Starvation	M	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1
	F	1	1	1	0	1	0	0	1	0	0	1	0	0	1	1
	P	1	1	1	1	1	1	0	1	1	1	1	1	1	1	1
Scurvy	M	1	1	1	1	2	1	1	2	1	1	1	1	1	1	1
	F	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
	P	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Alcoholism, Delirium tremens.	M	105	92	86	79	81	79	65	58	50	57	55	62	64	53	40
	F	65	63	55	52	53	49	45	37	34	34	36	42	43	35	21
	P	84	77	70	65	66	63	55	47	42	45	45	52	53	43	29
Opium, Morphia-habit ...	M	0	1	0	0	0	0	0	0	0	0	1	0	0	1	1
	F	1	0	0	1	0	0	0	1	0	0	0	0	0	1	0
	P	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1
Industrial poisoning. By Lead ...	M	5	5	5	5	4	5	6	5	5	6	6	5	4	4	4
	F	0	0	0	0	0	0	0	0	0	0	—	0	—	—	0
	P	3	3	3	2	2	3	3	3	2	3	3	2	2	2	2
Industrial poisoning. By Phosphorus.	M	0	—	—	—	—	0	—	—	—						
	F	0	—	0	—	—	—	—	—	—						
	P	0	—	0	—	—	0	—	—	—	0	0	—	0	0	2
											—	0	—	—	0	2
Industrial poisoning. By Arsenic and other poisons.	M	0	0	0	0	0	0	0	0	—	0	0	—	0	0	2
	F	—	—	—	—	—	—	—	—	—						
	P	0	0	0	0	0	0	0	0	—						
Rheumatic fever, Acute rheumatism.	M	68	54	55	62	66	58	51	56	46	52	52	47	54	62	56
	F	62	54	51	63	64	59	51	55	48	57	56	49	57	58	52
	P	65	54	53	62	65	58	51	56	47	54	54	48	56	60	53
Rheumatism of heart* ...	M	17	15	15	10	8	11	9	9	8	?	?	?	?	?	?
	F	21	19	20	11	11	13	11	11	10	?	?	?	?	?	?
	P	19	17	17	10	10	12	10	10	9	?	?	?	?	?	?

* Included under Valvular disease, Endocarditis (not infective) from 1911 onwards.
† Based upon civil deaths and civil population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1902–1916.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*
Chronic rheumatism ...	M	12	13	14	10	9	10	11	10	8	9	8	10	10	12	14
	F	18	15	15	15	14	15	14	15	12	13	11	12	13	15	17
	P	15	14	14	13	11	13	13	12	10	11	10	11	11	14	15
Rheumatoid arthritis, Rheumatic gout.	M	18	17	17	15	16	18	14	17	17	18	18	18	18	26	25
	F	31	35	38	37	39	38	39	43	40	42	44	47	47	53	55
	P	25	27	28	26	28	28	27	31	29	30	32	33	33	41	42
Gout	M	24	23	25	20	22	22	20	19	18	19	16	17	16	19	18
	F	6	6	5	5	5	5	5	4	4	3	4	4	3	5	3
	P	15	14	15	12	13	13	12	11	11	11	10	10	10	11	10
Carcinoma	M	318	357	376	391	419	411	440	455	483	521	564	592	615	678	729
	F	498	528	540	550	575	598	601	641	647	667	719	773	775	770	781
	P	411	445	460	473	500	508	523	551	568	597	644	686	698	728	759
Sarcoma	M	53	58	55	58	59	62	62	63	64	70	67	72	68	74	73
	F	50	50	49	48	51	45	46	49	52	49	52	53	53	50	48
	P	51	54	52	53	55	53	54	56	58	59	59	62	60	61	59
Cancer, Malignant disease (not otherwise defined). (*For Cancer (all forms), see page 20.*)	M	325	318	310	310	320	314	316	315	309	300	286	291	288	324	361
	F	438	428	421	413	412	392	389	392	371	370	351	338	333	338	339
	P	384	375	367	363	367	354	354	355	341	336	320	316	311	332	348
Rickets	M	49	61	66	48	47	42	41	39	36	31	25	32	30	33	34
	F	35	39	43	35	34	31	27	25	24	23	17	20	20	17	20
	P	42	50	54	41	40	36	34	32	30	27	21	26	25	24	26
Purpura	M	9	9	8	8	7	9	9	9	8	9	7	10	9	9	8
	F	9	9	9	7	8	9	8	8	8	8	10	7	9	10	9
	P	9	9	9	8	7	9	8	9	8	9	8	9	9	10	8
Hæmophilia, Hæmorrhagic diathesis.	M	4	3	4	3	3	3	3	3	4	4	4	4	4	5	4
	F	2	2	2	2	2	3	1	2	1	2	2	2	2	2	2
	P	3	2	3	3	2	3	2	3	2	3	3	3	3	3	3
Anæmia, Leucocythæmia...	M	50	47	48	51	54	60	57	58	64	59	62	65	69	82	83
	F	62	60	61	62	65	66	66	67	71	70	73	75	83	86	85
	P	56	54	55	57	60	63	62	63	68	65	68	70	76	84	85
Diabetes mellitus	M	92	88	99	104	105	104	108	111	114	111	117	120	126	142	150
	F	77	83	87	84	91	91	97	98	106	103	105	116	118	120	114
	P	84	85	93	93	97	97	103	104	110	106	111	118	122	130	130
Premature birth	M	669	671	680	634	648	608	621	596	567	568	548	553	544	545	551
	F	485	481	490	481	468	447	447	437	420	416	395	416	399	347	324
	P	574	573	582	555	555	525	531	514	491	489	469	482	469	436	423
Congenital hydrocephalus	M	16	17	15	15	13	11	13	12	10	10	10	12	13	13	13
	F	9	11	9	7	9	8	9	7	7	8	6	7	7	8	7
	P	12	14	12	11	11	9	11	9	8	9	8	10	10	10	10
Other congenital defects	M	143	145	147	152	155	152	156	147	147	141	140	151	144	158	162
	F	99	105	110	114	118	110	114	114	106	106	101	107	107	102	98
	P	120	124	128	132	136	130	135	130	125	123	120	128	125	128	126
Injury at birth	M	24	26	28	25	31	29	34	33	28	30	32	36	36	35	36
	F	15	16	18	17	19	18	20	21	20	21	19	23	21	19	19
	P	20	21	23	21	25	24	27	27	24	25	26	29	28	26	26
Atelectasis	M	48	47	46	50	52	55	54	51	50	49	49	53	51	51	48
	F	29	33	33	35	34	36	38	35	37	34	32	32	32	27	26
	P	38	39	39	42	42	45	45	43	43	41	40	42	41	38	36
Want of breast milk ...	M	20	26	23	23	26	26	26	22	17	17	14	18	14	20	14
	F	15	18	18	16	18	18	18	16	13	13	8	11	12	10	8
	P	17	22	21	19	22	22	22	19	15	15	11	15	13	14	10
Teething	M	111	112	98	78	72	70	63	58	52	44	38	46	40	54	47
	F	84	85	79	60	55	51	50	42	38	36	30	36	33	36	29
	P	97	98	88	69	63	60	56	50	45	40	34	41	36	44	37
Meningitis, Inflammation of brain	M	221	210	209	197	199	172	177	169	153	167	126	131	133	146	128
	F	179	172	166	160	152	142	138	133	127	133	102	110	106	105	89
	P	199	190	187	178	175	156	157	151	140	150	114	120	119	124	106
Softening of brain... ...	M	70	72	74	67	70	69	70	64	62	54	45	41	39	45	42
	F	56	59	61	62	61	63	63	56	54	52	43	39	39	39	33
	P	63	65	67	64	65	66	66	60	58	53	44	40	39	41	37
General paralysis of insane	M	105	98	110	106	107	106	101	106	100	100	102	97	102	111	109
	F	34	32	33	31	32	31	28	30	27	23	24	21	22	22	19
	P	68	64	71	67	68	67	63	67	62	60	62	58	61	62	58
Insanity (not puerperal) ...	M	49	44	53	54	57	57	55	58	54	61	63	56	55	70	76
	F	56	55	61	67	68	70	68	64	62	76	77	68	73	77	78
	P	52	50	57	61	63	64	62	61	58	69	70	62	64	74	77

* Based upon civil deaths and civil population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1902–1916.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.‡	1916.‡
Chorea	M	3	3	2	2	2	2	2	2	2	2	2	2	2	3	2
	F	6	6	5	7	7	7	5	7	6	5	6	6	7	6	5
	P	5	4	4	4	5	4	4	5	4	4	4	4	5	4	3
Epilepsy	M	100	99	95	91	89	87	81	86	81	80	81	81	85	101	115
	F	83	85	78	80	74	75	72	73	70	66	70	69	68	74	76
	P	91	92	86	85	81	81	76	79	75	73	76	75	76	86	93
Convulsions...	M	592	537	516	449	428	390	386	344	307	290	252	257	232	260	240
	F	419	376	361	317	306	280	272	242	221	202	168	184	158	159	131
	P	502	454	436	380	365	333	327	291	262	245	205	219	194	204	178
Laryngismus stridulus ...	M	17	15	13	14	11	11	14	9	7	8	7	8	9	10	9
	F	10	11	10	8	7	7	6	7	6	6	3	5	5	5	4
	P	13	13	12	11	9	9	10	8	7	7	5	7	7	7	6
Locomotor ataxy	M	26	26	25	27	28	27	28	29	28	30	31	35	34	39	45
	F	4	5	6	6	6	7	6	7	5	6	6	6	6	6	5
	P	15	15	15	16	16	17	17	17	16	18	18	20	19	21	23
Paraplegia, Diseases of cord	M	69	71	74	68	67	61	65	67	67	64	57	53	59	68	72
	F	56	55	57	55	54	53	56	52	51	46	42	46	47	47	47
	P	62	63	65	61	60	57	60	59	59	55	49	50	53	56	58
Neuritis, Peripheral, Polyneuritis.	M	8	7	8	6	8	8	8	7	7	7	5	7	7	9	6
	F	13	18	17	16	18	19	15	15	14	16	13	14	14	12	9
	P	11	12	12	11	13	14	11	11	11	12	9	11	10	10	8
Brain tumour (not specific)	M	20	22	20	22	23	23	22	23	23	21	22	22	25	30	33
	F	16	15	19	19	20	21	20	21	22	17	20	22	24	26	25
	P	18	19	20	21	22	22	21	22	22	19	21	22	25	28	28
Other diseases of nervous system. (*For total diseases of nervous system, see page 20.*)	M	121	101	110	92	94	82	76	80	70	74	65	69	68	81	91
	F	111	100	106	88	85	80	71	75	65	70	64	62	62	66	64
	P	116	101	108	90	90	81	73	77	67	72	64	65	65	72	76
Otitis, Mastoid disease ...	M	30	35	38	38	39	36	34	38	33	34	33	38	37	40	38
	F	25	26	25	28	28	28	25	24	24	28	24	25	30	27	25
	P	28	30	31	33	33	32	29	31	28	31	28	31	33	33	30
Epistaxis, Diseases of nose	M	3	2	3	2	2	2	2	2	2	3	3	3	3	2	3
	F	2	3	2	2	1	2	2	2	2	4	2	3	3	2	2
	P	2	2	2	2	2	2	2	2	2	3	3	3	3	2	2
Ophthalmia, Diseases of eye	M	2	3	2	2	2	2	1	2	1	3	2	2	3	3	3
	F	1	2	2	2	2	2	1	1	2	3	2	2	3	2	2
	P	2	2	2	2	2	2	1	2	2	3	2	2	3	2	2
Valvular disease, Endocarditis (not infective).*	M	380	383	410	415	432	444	448	455	446	475	545	586	600	745	790
	F	408	422	452	458	468	495	482	505	489	532	612	632	670	718	698
	P	395	403	431	437	450	470	465	481	468	505	579	609	636	730	738
Pericarditis	M	14	14	14	14	14	16	14	13	14	18	15	14	15	16	13
	F	12	12	11	13	11	12	11	10	11	13	11	9	10	12	10
	P	13	13	12	13	12	14	12	12	12	15	13	12	12	14	11
Hypertrophy of heart† ...	M	10	10	9	8	9	9	11	8	8	?	?	?	?	?	?
	F	6	5	6	5	5	4	5	5	3	?	?	?	?	?	?
	P	8	7	7	7	7	6	8	6	6	?	?	?	?	?	?
Angina pectoris	M	30	29	31	32	35	36	36	37	41	41	42	44	44	52	47
	F	15	14	14	17	18	18	17	18	16	19	19	19	21	21	17
	P	22	21	22	25	26	27	26	27	28	29	30	31	32	35	30
Dilatation of heart† ...	M	80	80	88	90	93	104	98	103	92	?	?	?	?	?	?
	F	78	76	92	90	89	99	93	97	87	?	?	?	?	?	?
	P	79	78	90	90	91	101	95	100	89	?	?	?	?	?	?
Fatty degeneration of heart	M	60	59	61	63	63	67	67	62	66	70	79	85	82	93	86
	F	67	65	71	70	75	76	78	78	69	79	91	97	94	93	87
	P	64	62	66	67	68	72	73	70	68	74	85	91	88	93	86
Syncope, Heart disease (not specified).† (*For total diseases of heart, see page 20.*)	M	866	816	816	758	761	769	733	727	681	742	710	725	712	913	930
	F	896	832	870	807	770	786	745	754	698	746	727	721	731	796	773
	P	881	825	844	784	766	778	739	741	690	744	719	723	722	849	841
Cerebral hæmorrhage, Cerebral embolism.	M	346	370	398	404	422	441	464	467	463	470	494	519	531	624	641
	F	382	433	447	462	495	510	525	543	534	553	583	604	623	639	608
	P	365	402	423	434	459	477	496	506	500	513	540	563	578	632	622
Apoplexy, Hemiplegia ...	M	336	286	268	242	238	229	217	211	191	210	196	189	181	212	220
	F	378	325	318	272	275	263	246	245	221	245	231	210	209	222	200
	P	358	306	294	258	257	247	232	228	206	228	214	200	196	218	208

* For 1911 and subsequent years, deaths from Rheumatism of heart are included under the heading Valvular disease, Endocarditis (not infective).

† For 1911 and subsequent years, deaths from Hypertrophy of heart and Dilatation of heart are included under the heading Syncope, Heart disease (not specified).

‡ Based upon civil deaths and civil population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1902–1916.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*
Aneurysm	M	53	53	53	55	53	56	51	55	52	53	55	52	50	52	50
	F	13	11	13	11	12	11	11	12	12	12	10	12	12	13	10
	P	32	31	32	32	32	33	30	33	31	32	31	32	31	31	28
Senile gangrene	M	45	44	46	47	47	47	47	49	44	42	40	41	40	49	52
	F	40	37	38	35	36	37	36	39	35	35	31	32	33	33	32
	P	42	40	42	41	41	42	41	44	39	39	35	36	37	40	41
Embolism, Thrombosis (not cerebral).	M	14	11	11	10	11	14	11	12	10	10	10	11	12	13	12
	F	16	14	15	14	15	16	15	15	12	14	13	13	15	12	10
	P	16	13	13	12	13	15	13	13	11	12	12	12	13	12	11
Phlebitis	M	3	4	3	4	3	3	2	3	2	3	4	3	3	4	5
	F	6	6	5	5	5	5	5	5	5	4	6	6	6	5	5
	P	4	5	4	4	4	4	4	4	4	4	5	4	5	5	5
Varicose veins	M	2	2	3	2	1	2	1	2	2	2	2	2	3	3	4
	F	4	4	4	5	5	4	4	4	4	5	6	6	6	5	5
	P	3	3	4	3	3	3	2	3	3	4	4	4	5	4	4
Other diseases of blood vessels. (*For total diseases of blood vessels, see page 20.*)	M	51	50	65	71	83	91	94	115	118	141	191	231	264	312	328
	F	30	30	35	39	49	55	52	62	67	83	115	149	166	177	180
	P	40	39	50	55	65	72	72	88	92	111	152	189	213	238	244
Laryngitis	M	43	38	38	35	35	38	30	33	28	31	27	26	28	34	30
	F	38	29	29	28	27	27	25	23	21	23	19	19	21	22	18
	P	41	33	34	31	31	32	27	28	24	27	23	22	24	28	23
Membranous laryngitis (not diphtheritic).	M	1	1	2	1	2	1	1	1	1	1	0	1	1	0	0
	F	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0
	P	1	1	1	1	1	1	1	1	1	1	0	0	1	0	0
Croup (not spasmodic nor membranous).	M	22	15	16	16	16	12	10	8	3	2	2	1	1	1	2
	F	16	12	12	12	11	10	8	6	1	2	1	1	1	1	1
	P	18	13	14	14	13	11	9	7	2	2	1	1	1	1	1
Other diseases of larynx and trachea.	M	1	1	2	2	2	1	1	1	1	1	1	1	1	1	2
	F	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
	P	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1
Bronchitis	M	1339	1148	1262	1154	1049	1217	1109	1133	986	1006	1072	1082	1074	1526	1390
	F	1311	1085	1241	1137	1031	1216	1093	1171	941	985	1069	1026	1061	1317	1102
	P	1325	1115	1251	1145	1040	1216	1101	1152	963	995	1070	1053	1067	1412	1227
Emphysema, Asthma ...	M	57	49	59	55	55	62	58	64	56	63	69	70	74	105	91
	F	39	30	38	37	35	38	38	46	36	41	44	43	47	59	46
	P	48	39	48	46	45	50	48	54	45	52	56	56	60	80	66
Pleurisy	M	48	46	43	50	44	44	42	48	44	48	49	44	49	53	54
	F	35	32	31	31	29	33	29	32	28	32	31	29	32	33	29
	P	41	39	37	40	37	38	35	40	36	39	40	36	40	42	40
Fibroid disease of lung ...	M	32	29	25	25	25	29	24	25	20	14	14	14	15	14	14
	F	10	8	10	8	7	9	9	9	6	4	4	4	4	3	3
	P	21	18	18	16	15	19	16	16	13	9	9	9	9	8	8
Other diseases of respiratory system. (*For total diseases of respiratory system, see page 20.*)	M	102	94	95	89	85	77	79	79	76	80	78	70	72	88	81
	F	86	75	79	77	72	68	70	73	67	64	65	61	63	65	53
	P	94	84	87	83	79	72	74	76	71	72	71	65	67	76	65
Tonsillitis, Quinsy... ...	M	14	13	13	12	12	12	12	13	10	13	11	14	17	16	13
	F	11	4	11	11	9	10	9	9	8	11	10	11	13	13	11
	P	13	11	12	12	11	11	10	11	9	12	10	13	15	14	12
Diseases of mouth, pharynx, œsophagus (not specific).	M	20	14	19	17	17	15	14	17	18	18	16	17	20	20	20
	F	15	12	16	16	16	15	15	15	17	13	14	15	18	15	15
	P	18	13	17	16	16	15	15	16	17	15	15	16	19	17	17
Gastric ulcer	M	32	33	34	37	40	39	40	40	45	43	49	50	57	58	61
	F	69	66	69	65	61	63	57	57	57	54	52	48	53	49	48
	P	51	50	52	51	51	51	49	49	51	49	50	49	55	53	54
Gastritis, Gastric catarrh...						100	95	96	93	93	91	80	90	86	105	102
						98	93	101	91	85	87	74	83	89	87	81
	M	144	140	132	117	99	94	99	92	89	89	77	87	88	95	90
	F	144	139	135	117											
Other diseases of stomach, (not malignant).	P	144	139	133	117	18	17	16	15	19	18	20	19	21	21	23
						14	15	13	11	17	15	16	16	18	17	17
						16	16	14	13	18	16	18	17	19	19	20

* Based upon civil deaths and civil population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1902–1916.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*
Ulceration of intestines ...	M	137	147	19	17	21	28	27	28	32	32	37	39	41	39	40
	F	118	124	13	13	15	14	16	16	17	16	16	16	16	15	15
	P	127	135	16	15	18	21	21	22	24	24	26	27	28	26	26
Enteritis (not epidemic)	M			148	126	159	114	137	116	113	176	83	129	121	115	97
	F			121	108	133	99	116	94	94	149	66	101	93	88	71
	P			134	117	146	106	126	105	103	162	74	115	107	100	82
Gastro-enteritis	M	74	87	111	90	125	80	110	91	98	200	81	155	149	162	136
	F	59	75	88	71	102	62	89	73	76	164	62	122	122	111	87
	P	66	81	99	80	113	71	99	82	87	181	71	138	135	134	108
Appendicitis, Perityphlitis	M	57	63	69	67	77	69	73	75	77	91	75	78	85	81	86
	F	34	41	44	48	48	45	50	55	55	61	55	60	58	55	58
	P	45	52	56	57	62	57	61	64	66	75	65	69	71	67	70
Hernia	M	44	40	41	43	44	42	38	41	37	40	40	44	41	55	55
	F	48	45	47	48	46	47	42	44	45	46	43	47	47	52	52
	P	46	42	44	46	45	44	40	42	41	43	41	46	44	53	53
Intestinal obstruction ...	M	75	81	78	77	80	78	77	79	70	76	70	68	70	80	84
	F	73	74	71	75	74	70	74	69	70	72	67	64	63	66	59
	P	74	77	74	76	77	74	75	74	70	74	68	66	66	72	70
Other diseases of intestines	M	10	10	8	8	8	8	9	9	10	14	13	14	13	17	14
	F	8	8	6	7	6	8	7	8	9	11	12	13	16	15	14
	P	9	9	7	8	7	8	8	8	10	12	12	14	14	16	14
Peritonitis (not puerperal)	M	32	28	27	23	24	18	20	16	13	13	11	13	12	14	14
	F	36	32	30	26	26	22	20	18	18	20	14	16	16	15	15
	P	34	30	29	25	25	20	20	17	15	17	13	15	14	14	14
Cirrhosis of liver	M	144	136	135	132	127	123	121	120	106	105	108	115	117	120	111
	F	104	100	101	105	98	102	89	81	75	78	79	80	82	70	54
	P	123	118	118	118	112	112	104	100	90	91	93	97	99	93	79
Other diseases of liver and gall bladder. (*For total diseases of liver and gall bladder, see page 20.*)	M	70	61	56	53	53	51	44	48	43	43	39	38	42	42	43
	F	80	77	73	69	72	65	63	62	63	66	59	65	65	62	57
	P	75	70	65	61	63	58	54	55	53	55	49	52	54	53	51
Other diseases of digestive system. (*For total diseases of digestive system, see page 20.*)	M	12	16	17	11	9	11	12	13	7	7	7	8	8	7	7
	F	14	14	14	12	8	11	12	13	6	5	5	7	6	6	5
	P	13	15	15	12	9	11	12	13	7	6	6	7	7	7	6
Diseases of spleen	M	2	1	1	1	2	1	1	1	1	1	1	1	2	1	2
	F	2	1	1	2	1	2	1	2	1	1	1	1	2	1	1
	P	2	1	1	2	2	1	1	2	1	1	1	1	2	1	2
Other diseases of lymphatic system.	M	14	13	13	15	14	14	14	15	18	17	18	19	21	23	23
	F	8	8	8	8	9	9	9	9	10	11	11	12	13	12	12
	P	11	11	10	12	12	11	11	12	14	14	15	15	17	17	17
Diseases of thyroid body	M	4	4	4	4	4	4	5	4	6	5	5	7	5	7	7
	F	22	22	23	23	24	25	25	29	30	33	33	33	38	35	35
	P	13	13	14	14	14	15	16	17	18	20	20	20	22	23	23
Diseases of supra renal capsules.	M	5	6	6	5	7	5	6	6	6	6	6	6	5	6	6
	F	5	6	6	7	6	5	7	8	7	8	8	6	7	7	7
	P	5	6	6	6	7	5	6	7	6	7	7	6	6	7	6
Acute nephritis, Uræmia...	M	102	97	102	102	103	111	116	115	110	110	110	115	121	140	140
	F	81	80	84	84	88	89	95	102	92	101	93	100	104	109	98
	P	91	89	93	93	95	99	105	108	100	105	101	107	112	123	116
Chronic Bright's disease, Albuminuria. (*For total Nephritis and Bright's disease, see page 20.*)	M	315	315	335	317	331	332	316	328	319	327	334	358	349	393	382
	F	247	256	261	252	258	272	258	267	261	268	276	283	290	282	250
	P	280	284	296	283	294	301	286	296	289	297	304	319	319	332	307
Calculus (not biliary) ...	M	11	10	11	11	11	12	9	9	9	11	10	11	11	11	11
	F	4	4	5	4	4	4	4	5	4	4	5	4	3	4	4
	P	8	7	8	7	8	8	7	7	7	7	7	7	7	8	7
Diseases of bladder and of prostate.	M	138	141	138	136	145	131	133	129	126	144	134	134	140	169	178
	F	14	13	14	13	13	13	14	13	12	14	13	12	14	15	13
	P	74	75	74	73	77	70	71	69	67	77	72	71	75	85	85
Other diseases of urinary system.	M	29	28	28	30	29	28	29	25	31	33	32	33	34	36	38
	F	7	8	8	8	9	8	7	7	9	10	11	11	13	11	10
	P	18	17	18	19	18	18	17	16	20	21	21	22	23	22	22
Ovarian tumour (not malignant).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	22	22	20	22	21	20	16	17	16	17	15	14	16	15	16
	P	11	11	10	11	11	10	8	9	8	9	8	7	8	8	9
Other diseases of ovary ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	4	3	2	3	3	2	2	1	1	1	1	1	1	1
	P	1	2	1	1	1	1	1	1	1	1	0	0	0	1	0

* Based upon civil deaths and civil population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1902–1916.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*
Uterine tumour (not malignant).	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	20	21	20	21	20	18	20	16	17	17	17	17	16	17	16
	P	10	11	10	11	10	9	10	8	9	9	9	9	8	9	9
Other diseases of uterus and vagina.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	18	16	18	19	17	18	16	18	15	19	17	17	18	18	20
	P	9	8	9	10	9	9	8	10	8	10	9	9	9	10	11
Disorders of menstruation	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	3	2	2	2	3	2	2	1	2	1	2	1	1	2
	P	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of generative and mammary organs. (*For total diseases of generative and mammary organs, see page 20.*)	M	4	3	4	3	4	3	2	3	4	4	4	5	7	6	5
	F	1	0	1	1	1	1	1	1	1	1	1	2	1	1	1
	P	3	2	3	2	2	2	2	2	2	3	3	3	4	3	3
Abortion, Miscarriage ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	9	9	8	9	8	6	5	5	4	5	6	6	7	7	5
	P	4	5	4	4	4	3	2	2	2	2	3	3	3	4	3
Puerperal mania	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	4	4	4	4	4	3	2	3	2	2	1	2	2	1
	P	2	2	2	2	2	2	2	1	1	1	1	1	1	1	1
Puerperal convulsions ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	24	24	23	27	25	25	23	25	24	24	24	28	24	22	23
	P	12	12	12	14	13	13	12	13	12	13	13	15	12	12	13
Placenta prævia, Flooding	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	37	39	33	35	35	34	31	31	33	30	32	33	31	29	27
	P	19	20	17	18	18	18	16	16	17	15	17	17	16	16	15
Other accidents of pregnancy and childbirth. (*For total non-septic diseases of pregnancy and childbirth, and for total including septic diseases, see page 20.*)	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	55	52	48	49	48	46	46	43	40	40	42	42	43	41	39
	P	28	27	25	26	25	24	24	22	21	21	22	22	22	23	22
Caries, Necrosis	M	26	23	19	17	16	12	12	6	2						
	F	18	17	13	14	11	10	8	4	1						
	P	21	20	16	15	13	11	10	5	2						
Arthritis, Periostitis ...	M	9	7	8	8	7	8	10	9	7	23	24	25	27	27	29
	F	5	5	6	5	5	6	5	6	6	15	16	16	16	16	16
	P	7	6	7	7	6	7	7	7	7	19	20	20	21	21	21
Other diseases of locomotor system.	M	9	10	10	11	12	9	9	10	12						
	F	8	8	7	8	10	6	6	7	8						
	P	9	9	8	9	11	7	7	8	10						
Ulcer, Bed-sore	M	8	10	8	9	9	9	8	9	9	8	8	8	11	11	9
	F	16	15	17	17	17	19	17	15	17	14	15	15	18	17	15
	P	12	12	13	13	13	14	12	12	13	11	12	12	15	14	12
Eczema	M	14	13	12	12	12	10	10	8	8	10	9	8	9	9	9
	F	8	8	8	7	6	7	6	6	6	5	5	4	5	4	4
	P	11	10	10	9	9	8	8	7	7	7	7	6	7	6	6
Pemphigus	M	5	6	6	9	8	7	8	7	7	4	4	4	4	4	6
	F	4	5	5	7	6	6	6	6	5	4	3	4	4	3	4
	P	4	6	6	8	7	6	7	6	6	4	3	4	4	3	5
Other diseases of the skin	M	7	6	6	7	7	8	7	6	7	7	7	8	9	9	9
	F	7	6	6	7	6	7	6	7	6	8	7	8	9	8	8
	P	7	6	6	7	6	7	6	7	7	7	7	8	9	8	9
Other specified diseases ...	M	0	0	0	0	—	—	—	—	—	—	—	—	—	—	—
	F	0	—	—	—	—	—	—	0	—	—	—	—	—	—	—
	P	0	0	0	0	—	—	—	0	—	—	—	—	—	—	—
Atrophy, Debility	M	621	608	598	553	536	497	498	459	425	447	355	377	345	352	336
	F	459	449	447	394	395	350	356	334	308	326	247	263	234	222	180
	P	537	526	520	471	463	421	424	395	364	385	299	318	291	282	254
Old age	M	826	807	844	820	856	829	835	850	776	826	754	723	688	826	866
	F	1012	998	1062	1030	1071	1061	1040	1066	990	1038	970	914	877	955	904
	P	923	902	962	928	970	951	950	959	890	933	862	816	784	897	887
Dropsy, Ascites, Anasarca	M	5	4	3	3	2	4	2	1	1	1	1	1	0	1	1
	F	6	6	4	4	3	4	2	2	1	2	1	1	1	1	1
	P	5	5	4	4	2	4	2	2	1	2	1	1	1	1	1
Tumour	M	2	2	2	2	2	2	2	2	2	3	4	3	5	5	5
	F	3	3	3	3	2	3	3	3	3	4	4	4	5	6	5
	P	2	3	3	2	2	3	2	3	2	3	4	4	5	6	5
Abscess	M	11	11	10	8	8	9	12	8	8	7	9	9	9	12	11
	F	9	9	7	6	7	8	9	7	6	5	6	6	8	9	8
	P	10	10	9	7	8	8	11	8	7	6	7	7	9	10	9

* Based upon civil deaths and civil population.

TABLE 10.—ENGLAND AND WALES.—CRUDE ANNUAL DEATH-RATES FROM VARIOUS CAUSES AT ALL AGES TO A MILLION LIVING, 1902–1916.—MALES, FEMALES, AND PERSONS—*continued.*

(List of Causes as in use prior to 1911.)

Causes of Death.	Sex.	1902.	1903.	1904.	1905.	1906.	1907.	1908	1909.	1910.	1911.	1912.	1913.	1914.	1915.*	1916.*
Hæmorrhage	M	2	2	1	1	1	1	1	1	2	2	1	1	2	2	2
	F	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	P	2	1	1	1	1	1	1	1	1	2	1	1	1	1	1
Sudden death (cause unascertained).	M	6	6	2	1	1	1	0	0	0	0	0	0	0	0	0
	F	5	3	1	1	0	0	1	1	0	0	0	0	0	0	0
	P	5	4	1	1	1	1	0	1	0	0	0	0	0	0	0
Other ill-defined causes ...	M	25	28	27	28	28	25	24	23	23	16	12	10	9	13	13
	F	18	21	20	22	18	16	15	15	13	10	8	7	8	10	10
	P	21	25	23	25	23	21	19	19	18	13	10	9	9	11	11
Causes not specified. (*For total causes ill-defined or not specified, see page 20.*)	M	21	9	9	8	6	7	5	4	6	5	4	4	4	4	4
	F	15	7	5	4	3	4	3	3	4	3	3	3	2	3	3
	P	18	8	7	6	5	5	4	3	5	4	4	4	3	3	3
Violent Deaths :—																
In mines and quarries ...	M	61	58	60	68	65	65	67	80	75	85	68	66	89	73	78
	F	—	0	—	—	0	—	—	—	—	—	—	—	—	—	—
	P	30	28	29	33	31	31	33	39	36	41	33	32	43	33	34
Vehicles and horses ...	M	139	133	129	126	128	131	125	112	115	131	134	150	156	189	188
	F	19	19	19	20	21	19	20	19	22	25	25	30	30	39	36
	P	77	74	72	71	73	73	71	64	67	76	78	88	91	107	102
Ships, boats, and docks (not drowning).	M	17	18	18	17	16	15	16	15	15	17	19	18	17	19	20
	F	0	0	—	0	0	0	0	0	0	0	0	0	0	—	0
	P	8	9	8	8	8	7	8	7	7	8	9	9	9	9	9
Building operations ...	M	13	13	12	14	14	14	13	10	11	12	12	13	15	13	15
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	6	6	6	7	7	7	6	5	6	6	6	6	7	6	7
Machinery	M	16	15	15	12	14	14	13	12	11	14	13	14	11	19	19
	F	1	1	0	1	1	0	1	0	1	1	0	0	0	0	1
	P	8	8	7	6	7	7	6	6	6	7	6	7	6	9	9
Weapons and implements	M	7	6	7	6	6	5	5	6	5	5	6	7	9	8	7
	F	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1
	P	4	3	4	3	3	3	3	3	2	3	3	4	5	4	4
Burns and scalds ...	M	64	62	62	63	65	66	63	64	57	60	55	53	52	66	76
	F	86	75	79	83	86	84	87	86	72	75	75	67	70	76	77
	P	75	69	71	73	76	75	75	75	65	68	65	60	62	71	76
Poisons, poisonous vapours	M	21	18	20	19	21	20	21	21	19	12	12	11	12	11	11
	F	9	10	11	11	11	12	10	10	11	7	6	7	7	7	6
	P	15	14	15	15	16	16	16	16	14	10	9	9	9	9	8
Drowning	M	117	131	124	126	119	112	121	105	108	128	116	113	118	124	135
	F	23	24	22	25	21	20	22	22	21	22	23	22	20	24	23
	P	69	76	71	74	68	65	70	62	63	73	68	66	67	69	72
Suffocation	M	68	63	68	62	59	62	55	48	46	43	45	44	45	37	33
	F	56	54	56	49	50	48	49	42	40	37	40	36	35	26	21
	P	62	59	62	55	55	55	52	45	42	40	43	40	40	31	27
Falls	M	94	86	85	78	83	87	82	78	74	87	91	87	88	100	107
	F	69	68	66	63	67	71	68	69	58	70	71	76	74	75	79
	P	81	77	75	70	75	79	75	74	66	78	81	81	81	86	91
Weather agencies ...	M	11	10	12	10	13	8	10	8	8	26	11	10	11	10	15
	F	4	2	5	4	5	2	3	3	2	11	3	3	4	2	4
	P	7	6	8	7	9	4	7	6	5	18	7	6	7	6	9
Otherwise or not stated	M	59	57	57	57	52	51	54	48	51	44	44	38	39	52	43
	F	18	17	17	14	16	15	15	15	21	16	15	13	13	16	13
	P	38	36	36	35	34	33	34	31	35	30	29	25	26	32	26
Battle	M	0	0	—	0	0	0	0	—	—	0	0	0	38	11	20
	F	—	—	—	—	—	—	—	—	—	—	—	—	2	5	7
	P	0	0	—	0	0	0	0	—	—	0	0	0	19	7	13
Homicide	M	8	9	11	8	8	8	9	8	8	9	8	8	7	7	7
	F	10	9	9	10	8	7	9	8	8	7	9	10	8	7	7
	P	9	9	10	9	8	8	9	8	8	8	9	9	8	7	7
Suicide	M	154	164	155	163	160	157	167	157	155	152	153	147	157	113	115
	F	47	51	47	49	45	50	51	49	48	50	48	49	48	48	41
	P	99	105	99	104	101	102	107	101	100	99	99	96	101	78	73
Execution. (*For total violent deaths, see page 20.*)	M	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1
	F	—	—	0	—	—	0	—	—	—	—	—	—	—	—	—
	P	1	1	1	1	0	0	0	1	0	0	0	0	0	—	0

* Based upon civil deaths and civil population.

TABLE 11.—ENGLAND AND WALES.—CRUDE DEATH-RATES among the CIVIL POPULATION at ALL AGES from VARIOUS CAUSES, 1916.

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
	All Causes ...	16,884	12,437	14,371	32	Tuberculosis of spinal column.	24	14	19
1	Enteric fever	37	25	30	33	Tuberculosis of joints	15	7	11
2	Typhus...	0	—	0	34	Tuberculosis of other organs.	25	16	21
3	Relapsing fever ...	0	—	0		A. Lupus	2	2	2
	A. Relapsing fever...	0	—	0		B. Scrofula	0	1	1
	B. Mediterranean fever.	—	—	—		C. Other tuberculosis included under 34.	23	13	18
4	Malaria	2	0	1					
5	Small-pox	1	0	0					
6	Measles...	187	129	155	35	Disseminated tuberculosis.	76	48	58
7	Scarlet fever	44	35	39					
8	Whooping cough ...	178	174	176	28-35	Tuberculosis (all forms)	1,912	1,234	1,529
9	Diphtheria, Croup ...	174	141	155	36	Rickets, Softening of bones.	36	22	28
	A. Diphtheria ...	172	140	154					
	B. Membranous laryngitis.	0	0	0		A. Rickets	34	20	26
						B. Other forms of bone softening.	2	2	2
	C. Croup	2	1	1					
10	Influenza	279	231	252	37	Syphilis	75	41	55
11	Miliary fever	—	—	—	38	Other venereal diseases	2	2	2
12	Asiatic cholera ...	—	—	—		A. Soft chancre ...	—	—	—
13	Cholera nostras ...	0	0	0		B. Gonococcus infection.	1	1	1
14	Dysentery	16	12	13					
15	Plague	0	0	0		C. Purulent ophthalmia.	1	1	1
16	Yellow fever	—	—	—					
17	Leprosy	0	—	0	39	Cancer of the buccal cavity.	146	19	74
18	Erysipelas	26	17	21					
19	Other epidemic diseases	7	5	5	40	Cancer of the stomach, liver, &c.	460	337	391
	A. Mumps	2	1	1					
	B. German measles	3	2	2	41	Cancer of the peritoneum, intestines, and rectum.	255	223	237
	C. Varicella... ...	2	2	2					
	D. Other diseases included under 19.	—	—	—					
					42	Cancer of the female genital organs.	—	247	140
20	Pyæmia, Septicæmia ...	20	10	14					
	A. Pyæmia	3	2	2	43	Cancer of the breast ...	2	211	120
	B. Septicæmia ...	17	8	12	44	Cancer of the skin ...	43	19	29
	C. Vaccinia	0	—	0	45	Cancer of other or unspecified organs.	257	112	175
21	Glanders	0	—	0					
22	Anthrax (Splenic fever)	1	0	1	39-45	Cancer (all sites) ...	1,163	1,168	1,166
23	Rabies	—	—	—	46	Other tumours (situation undefined).	5	5	5
24	Tetanus	8	2	4					
25	Mycoses	1	0	1		A. Angioma ...	0	—	0
	A. Actinomycosis ...	1	0	1		B. Adenoma ...	0	—	0
	B. Other mycoses ...	0	0	0		C. Other tumours included under 46.	5	5	5
26	Pellagra	0	0	0					
27	Beri-beri	0	—	0	47	Rheumatic fever ...	56	52	53
28	Pulmonary tuberculosis (not acute).	1,372	843	1,073	48	Chronic rheumatism, Osteo-arthritis, Gout.	58	75	67
	A. Pulmonary tuberculosis.	995	587	764		A. Chronic rheumatism.	14	17	15
	B. Phthisis (not defined as tuberculous).	377	256	309		B. Osteo-arthritis ...	25	55	42
						C. Gout	19	3	10
					49	Scurvy	1	1	1
29	Acute phthisis, Acute miliary tuberculosis.	120	93	105	50	Diabetes	150	114	130
					51	Exophthalmic goître ...	3	20	13
					52	Addison's disease ...	6	7	6
	A. Acute phthisis ...	96	73	83	53	Leucocythæmia, Lymphadenoma.	26	16	20
	B. Acute miliary tuberculosis.	24	20	22					
						A. Leucocythæmia (Leuchæmia).	14	11	12
28-29	Phthisis	1,492	936	1,178					
30	Tuberculous meningitis	168	122	142		B. Lymphadenoma	12	5	8
31	Tuberculosis of peritoneum and intestines.	112	91	100	54	Anæmia, Chlorosis ...	69	74	72
					55	Other general diseases	14	14	14
						A. Diabetes insipidus	1	1	1
	A. Tabes mesenterica	16	9	12		B. Purpura	8	9	8
	B. Other peritoneal and intestinal tubercle.	96	82	88		C. Hæmophilia ...	4	2	3
						D. Other diseases included under 55.	1	2	2

TABLE 11.—ENGLAND AND WALES.—CRUDE DEATH-RATES among the CIVIL POPULATION at ALL AGES from VARIOUS CAUSES, 1916—*continued.*

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.
56	Alcoholism (acute or chronic).	14	6	10
57	Chronic lead poisoning	4	0	2
	A. Occupational lead poisoning.	4	0	2
	B. Non-occupational lead poisoning.	0	0	0
58	Other chronic occupational poisonings.	2	2	2
59	Other chronic poisonings.	1	0	1
60	Encephalitis	11	6	8
61	Meningitis	143	102	120
	A. Cerebro-spinal fever.	26	19	22
	B. Posterior basal meningitis.	5	4	4
	C. Meningitis—other forms.	112	79	94
62	Locomotor ataxy ...	45	5	23
63	Other diseases of the spinal cord.	106	65	83
	A. Diseases formerly classed to "Other nervous affections."	39	23	30
	B. Other diseases included under 63.	67	42	53
64	Cerebral hæmorrhage, Apoplexy.	734	673	700
	A. Apoplexy ..	153	134	142
	B. Serous apoplexy and Œdema of brain.	4	4	4
	C. Cerebral congestion.	3	2	3
	D. Cerebral atheroma.	12	8	10
	E. Cerebral hæmorrhage.	562	525	541
65	Softening of brain ...	42	33	37
66	Paralysis without specified cause.	86	79	82
	A. Hemiplegia ...	68	66	67
	B. Paraplegia	6	5	5
	C. Other forms of paralysis.	12	8	10
67	General paralysis of the insane.	109	19	58
68	Other forms of mental alienation.	31	35	33
69	Epilepsy	115	75	92
70	Convulsions(non-puerperal; 5 years and over).	4	3	3
	A. Epileptiform convulsions.	1	1	1
	B. Others included under 70.	3	2	2
71	Infantile convulsions (under 5 years of age).	283	157	212
	A. Convulsions with teething.	46	28	36
	B. Other infantile convulsions.	237	129	176
72	Chorea...	2	5	3
73	Hysteria, Neuralgia, Neuritis.	8	12	11
	A. Hysteria, Neuralgia, Sciatica.	1	2	2
	B. Neuritis... ...	7	10	9
74	Other diseases of the nervous system.	75	59	65
	A. Idiocy, Imbecility	10	7	8
	B. Cretinism ...	1	3	2
	C. Cerebral tumour	33	25	28
	D. Other diseases included under 74.	31	24	27
75	Diseases of the eyes and annexa.	2	1	2
76	Diseases of the ears ...	38	24	30
	A. Mastoid disease	10	6	8
	B. Other diseases of the ears.	28	18	22
77	Pericarditis	13	10	11
78	Acute endocarditis ...	46	42	43
	A. Acute myocarditis.	11	8	9
	B. Infective endocarditis.	14	13	13
	C. Other acute endocarditis.	21	21	21
79	Organic disease of the heart.	1,712	1,489	1,585
	A. Valvular disease	769	677	717
	B. Fatty degeneration of the heart.	87	88	87
	C. Other organic disease of the heart.	856	724	781
80	Angina pectoris ...	47	17	30
81	Diseases of the arteries, Atheroma, Aneurysm, &c.	366	181	263
	A. Aneurysm ...	50	10	28
	B. Arterial sclerosis	311	169	231
	C. Other diseases of arteries.	5	2	4
82	Embolism and thrombosis.	87	91	90
	A. Cerebral embolism and thrombosis.	79	84	82
	B. Other embolism and thrombosis.	8	7	8
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis &c.).	9	10	10
	A. Phlebitis ...	5	5	5
	B. Varix	4	5	5
	C. Pylephlebitis ...	0	0	0
	D. Varicocele ...	0	—	0
84	Diseases of the lymphatic system (Lymphangitis, &c.)	12	6	9
	A. Status lymphaticus.	8	4	6
	B. Other diseases of the lymphatic system.	4	2	3

TABLE 11.—ENGLAND AND WALES.—CRUDE DEATH-RATES among the CIVIL POPULATION at ALL AGES from VARIOUS CAUSES, 1916—*continued.*

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.
85	Hæmorrhage; other diseases of the circulatory system.	9	7	7
	A. Functional disease of the heart.	6	5	5
	B. Epistaxis ...	1	1	1
	C. Other diseases included under 85.	2	1	1
86	Diseases of the nasal fossæ.	2	1	2
87	Diseases of the larynx	41	23	30
	A. Laryngismus stridulus.	9	4	6
	B. Laryngitis ...	30	18	23
	C. Other diseases of larynx.	2	1	1
88	Diseases of the thyroid body.	3	12	8
89 & 90	Bronchitis	1,417	1,118	1,248
	A. Bronchiectasis, Bronchial catarrh, &c.	26	16	20
	B. Other bronchitis	1,391	1,102	1,228
91	Broncho-pneumonia...	602	406	490
92	Pneumonia, lobar and undefined.	777	418	575
	A. Lobar pneumonia	334	171	242
	B. Pneumonia (type not stated).	443	247	333
93	Pleurisy	54	29	40
	A. Empyema ...	20	8	13
	B. Other pleurisy ...	34	21	27
94	Pulmonary congestion, Pulmonary apoplexy.	48	39	43
	A. Pulmonary apoplexy and infarction.	1	1	1
	B. Pulmonary œdema and congestion.	41	32	36
	C. Hypostatic pneumonia.	6	6	6
	D. Collapse of lung (3 months and over).	0	0	0
95	Gangrene of the lung	3	1	2
96	Asthma	76	40	56
97	Pulmonary emphysema.	16	5	10
98	Other diseases of the respiratory system.	25	7	15
	A. Fibroid disease of lung.	14	3	8
	B. Other diseases included under 98.	11	4	7
99	Diseases of the mouth and annexa.	15	10	13
	A. Diseases of the teeth and gums.	10	7	9
	B. Thrush, Aphthous stomatitis.	4	2	3
	C. Parotitis ...	1	1	1
	D. Other diseases of mouth and annexa.	0	0	0
100	Diseases of the pharynx, Tonsillitis.	20	15	17
	A. Tonsillitis ...	13	11	12
	B. Ludwig's angina	2	1	1
	C. Other diseases of the pharynx.	5	3	4
101	Diseases of the œsophagus.	2	2	2
102	Perforating ulcer of stomach.	61	48	54
103	Other diseases of the stomach.	126	99	111
	A. Inflammation of stomach.	103	82	91
	B. Other diseases included under 103.	23	17	20
104 & 105	Diarrhœa and enteritis	528	342	422
	A. Infective enteritis	126	85	103
	B. Diarrhœa — not returned as infective.	117	77	94
	C. Enteritis — not returned as infective.	97	71	82
	D. Gastro-enteritis— not returned as infective.	136	87	108
	E. Dyspepsia— under 2 years.	9	6	7
	F. Colic	3	2	2
	G. Ulceration of intestines.	8	8	8
	H. Duodenal ulcer	32	6	18
106	Ankylostomiasis ...	0	—	0
107	Other intestinal parasites.	1	1	1
108	Appendicitis	86	58	70
109	Hernia, Intestinal obstruction.	137	110	122
	A. Hernia	55	52	53
	B. Intestinal obstruction.	82	58	69
110	Other diseases of the intestines.	14	14	14
111	Acute yellow atrophy of the liver.	1	2	2
112	Hydatid of liver ...	1	1	1
113	Cirrhosis of the liver	123	62	89
	A. Cirrhosis of the liver not returned as alcoholic.	111	54	79
	B. Cirrhosis of the liver returned as alcoholic.	9	6	7
	C. Diseases formerly classed to "Other diseases of liver and gall bladder."	3	2	3

TABLE 11.—ENGLAND AND WALES.—CRUDE DEATH-RATES among the CIVIL POPULATION at ALL AGES from VARIOUS CAUSES, 1916—*continued.*

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.			International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.			Males.	Females.	Persons.
114	Biliary calculi ...	13	29	22	131	Ovarian cyst, tumour (non cancerous).	—	16	9
115	Other diseases of the liver.	25	24	24	132	Other diseases of the female genital organs.	—	11	6
116	Diseases of the spleen	2	1	2					
	A. Infarction of spleen.	—	0	0		A. Diseases of ovary (excluding ovarian tumour).	—	1	0
	B. Other diseases of the spleen.	2	1	2		B. Other diseases included under 132.	—	10	6
117	Peritonitis (cause unstated).	14	15	14	133	Non-puerperal diseases of the breast (non-cancerous).	0	1	1
118	Other diseases of the digestive system.	6	5	5	134	Accidents of pregnancy.	—	16	9
	A. Abdominal abscess, Subphrenic abscess.	1	1	1		A. Abortion ...	—	5	3
	B. Other diseases included under 118.	5	4	4		B. Hæmorrhage of pregnancy.	—	4	2
119	Acute nephritis ...	71	45	56		C. Uncontrollable vomiting.	—	2	1
120	Bright's disease ...	449	291	360		D. Ectopic gestation	—	4	2
	A. Bright's disease as in 1901 list.	381	246	305		E. Other accidents of pregnancy.	—	1	1
	B. Nephritis (unqualified), 10 years and over, and Uræmia.	68	45	55	135	Puerperal hæmorrhage	—	23	13
121	Chyluria	—	—	—	136	Other accidents of childbirth.	—	20	11
122	Other diseases of the kidney and annexa.	17	11	13	137	Puerperal fever ...	—	55	31
	A. Abscess of kidney	2	1	1	138	Puerperal albuminuria and convulsions.	—	34	18
	B. Cystic disease ...	1	1	1		A. Puerperal nephritis and uræmia.	—	8	4
	C. Suppression of urine.	1	0	0		B. Puerperal albuminuria and Bright's disease.	—	3	1
	D. Other diseases included under 122.	13	9	11		C. Puerperal convulsions.	—	23	13
123	Calculi of the urinary passages.	11	4	7	139	Puerperal phlegmasia alba dolens, embolism, and sudden death.	—	15	9
124	Diseases of the bladder	71	13	38		A. Puerperal phlegmasia alba dolens and phlebitis.	—	3	2
125	Diseases of the urethra, Urinary abscess, &c.	25	0	12		B. Puerperal embolism and sudden death.	—	12	7
	A. Perineal abscess	1	—	1	140	Puerperal insanity ...	—	1	1
	B. Other diseases of urethra, &c.	24	0	11	141	Puerperal diseases of the breast.	—	0	0
126	Diseases of the prostate.	107	—	47	142	Gangrene	59	36	48
127	Non-venereal diseases of male genital organs.	3	—	1		A. Senile gangrene	52	32	41
128	Uterine hæmorrhage (non-puerperal).	—	2	1		B. Noma, Gangrene of mouth.	3	2	3
	A. Menorrhagia ...	—	1	1		C. Noma pudendi ...	1	0	1
	B. Other uterine hæmorrhage.	—	1	0		D. Other gangrene	3	2	3
129	Uterine tumour (non-cancerous).	—	16	9	143	Carbuncle, Boil ...	10	5	7
130	Other diseases of the uterus.	—	9	5	144	Phlegmon, Acute abscess.	25	16	20
	A. Disorders of menstruation (except menorrhagia).	—	1	0		A. Phlegmon ..	16	9	12
	B Other diseases included under 130.	—	8	5		B. Acute abscess ...	9	7	8

TABLE 11.—ENGLAND AND WALES.—CRUDE DEATH-RATES among the CIVIL POPULATION at ALL AGES from VARIOUS CAUSES, 1916—*continued.*

International List of Causes as adapted for use in England and Wales.

International List Numbers.	Causes of Death.	Rate per Million Living.		
		Males.	Females.	Persons.
145	Diseases of the integumentary system.	33	30	31
	A. Ulcer, Bedsore...	9	15	12
	B. Eczema	9	4	6
	C. Pemphigus ...	6	4	5
	D. Other diseases of the integumentary system.	9	7	8
146	Diseases of the bones	20	9	14
147	Diseases of the joints	6	4	5
148	Amputations	0	—	0
149	Other diseases of locomotor system.	1	1	1
150	Congenital malformations.	140	85	109
	A. Congenital hydrocephalus.	13	7	10
	B. Phimosis ...	1	—	0
	C. Congenital malformation of heart.	54	32	42
	D. Other congenital malformations.	72	46	57
151	Premature birth, Infantile debility, Icterus, and Sclerema.	899	508	679
	A. Premature birth	551	324	423
	B. Infantile atrophy, debility, and marasmus.	317	170	234
	C. Icterus neonatorum.	25	11	17
	D. Sclerema and œdema neonatorum.	0	1	1
	E. Want of breast milk.	6	2	4
152	Other diseases peculiar to early infancy.	96	54	72
	A. Diseases of umbilicus, &c.	10	8	9
	B. Atelectasis ...	48	26	36
	C. Injuries at birth	36	19	26
	D. Cyanosis neonatorum.	2	1	1
153	Lack of care	9	7	8
154	Old age	902	940	923
	A. Senile dementia	36	36	36
	B. Senile decay ...	866	904	887
155	Suicide by poison ...	8	6	7
156	Suicide by asphyxia ...	5	2	3
157	Suicide by hanging or strangulation.	34	8	20
158	Suicide by drowning	22	17	19
159	Suicide by firearms ...	10	0	4
160	Suicide by cutting or piercing instruments.	28	5	15
161	Suicide by jumping from high place.	3	2	2
162	Suicide by crushing...	5	1	3
163	Other suicides ...	0	0	0
155–163	Suicide (all methods)	115	41	73
164	Poisoning by food ...	4	2	3
165	Other acute poisonings	5	3	4
166	Conflagration	2	2	2
167	Burns (conflagration excepted).	63	72	68
168	Absorption of deleterious gases (conflagration excepted).	36	22	28
169	Accidental drowning	135	23	72
170	Injury by firearms ...	6	1	3
171	Injury by cutting or piercing instruments.	2	0	1
172	Injury by fall ...	133	79	103
173	Injury in mines and quarries.	77	—	34
174	Injury by machines ...	21	1	10
175	Injury by other crushing (vehicles, railways, landslides, &c.).	205	37	110
176	Injury by animals ...	6	0	3
177	Starvation	1	1	1
178	Excessive cold ...	8	1	5
179	Effects of heat ...	6	2	4
180	Lightning	1	0	0
181	Electricity (lightning excepted).	2	—	1
182	Homicide by firearms	0	0	0
183	Homicide by cutting or piercing instruments.	1	1	1
184	Homicide by other means.	6	5	6
182–184	Homicide (all methods)	7	6	7
185	Fractures (cause not specified).	3	1	2
186	Other violence ...	48	16	30
155–186	Affections produced by external causes.	886	310	564
187	Dropsy	1	1	1
188	Syncope, Sudden death	11	7	8
	A. Syncope (aged 1 year and under 70 years).	11	7	8
	B. Sudden death not otherwise defined.	0	0	0
189	Ill-defined causes ...	80	64	67
	A. Heart failure (aged 1 year and under 70 years).	45	34	36
	B. Atrophy, debility, marasmus (aged 1 year and under 70 years).	17	16	16
	C. Teething ...	1	1	1
	D. Pyrexia... ...	0	0	0
	E. Other ill-defined deaths.	13	10	11
	F. Cause not specified.	4	3	3

Table 12.—England and Wales.--Annual Death-rates from the Principal Epidemic Diseases, 1838-1916.

Period.	Annual Mortality per Million Persons Living.													
	At All Ages.									At Ages under 15 Years.				
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Diphtheria and Croup.	Whooping Cough.	Typhus.	Enteric Fever.	*Pyrexia*, (Origin uncertain.)	Measles.	Scarlet Fever.	Diphtheria.	Diphtheria and Croup.	Whooping Cough.
1838–42 (5 years)	576	539	797		?	504		1,053		?	?		?	?
1847–50 (4 years)	292	403	884		?	480		1,246		1,115	2,385		?	1,345
1851–55	249	399	907		?	511		983		1,114	2,481		?	1,439
1856–60	195	425	806	246	520	498		842		1,185	2 201	609	1,379	1,398
1861–65	219	457	982	248	535	516		922		1,265	2,646	617	1,422	1,437
1866–70	105	428	960	127	335	545		850		1,180	2,589	314	891	1,511
1871–75	411	373	759	121	305	499	81	374	140	1,023	2,018	298	807	1,378
1876–80	78	385	680	122	276	527	34	277	69	1,051	1,806	302	726	1,450
1881–85	78	413	436	156	320	459	23	216	34	1,138	1,160	396	848	1,269
1886–90	14	468	241	170	295	444	7	179	17	1,313	656	445	799	1,250
1891–95	20	407	182	253	323	398	4	174	8	1,174	498	694	896	1,151
1896–1900	7	421	135	272	307	359	1	175	4	1.260	380	790	893	1,079
1901–05	25	327	126	205	222	301	1	113	2	1,016	366	616	668	940
1906–10	0	291	86	154	162	253	0	70	1	930	257	476	503	813
1911–15	0	342	61	139	141	209	0	47	0	1,096	182	434	439	672
1867	114	304	567	120	322	548		778		838	1,529	298	861	1.523
1868	91	528	996	137	341	419		895		1,460	2,681	340	907	1,164
1869	67	464	1,244	117	319	493	193	390	239	1,277	3,334	290	849	1,369
1870	113	335	1,446	120	311	529	147	388	233	920	3,844	297	827	1,466
1871	1,012	408	815	111	292	455	121	371	186	1,121	2,147	273	773	1,258
1872	821	368	515	93	250	596	80	377	145	1,010	1,364	229	664	1,648
1873	98	316	562	108	291	411	70	376	132	869	1,504	269	774	1,135
1874	88	517	1,050	150	361	437	74	374	130	1,418	2,798	367	950	1,205
1875	35	257	851	142	331	594	62	371	108	704	2,255	348	869	1,637
1876	99	408	691	129	301	432	48	309	81	1,117	1,828	320	794	1,190
1877	173	366	585	111	269	460	45	279	78	1,001	1,553	274	709	1,265
1878	74	310	753	140	302	710	36	306	71	846	2,009	349	795	1,953
1879	21	362	694	120	261	503	21	231	58	987	1,845	296	683	1,379
1880	25	478	675	109	247	530	21	261	58	1,299	1,789	271	651	1,454
1881	119	280	548	121	259	415	21	212	44	764	1,450	300	679	1,141
1882	50	483	521	152	327	579	36	229	39	1,323	1,389	386	868	1,595
1883	36	350	475	158	330	393	33	228	36	962	1,270	401	878	1,086
1884	82	419	402	186	362	425	12	236	28	1,156	1,082	473	961	1,180
1885	103	533	233	164	320	481	12	175	24	1,475	623	418	852	1,342
1886	11	436	218	149	283	470	9	184	22	1,213	588	385	759	1,314
1887	19	602	282	160	303	404	8	185	18	1,684	764	414	815	1,135
1888	37	347	226	171	300	436	6	172	15	972	614	447	810	1,227
1889	1	518	235	189	303	430	5	176	15	1,457	646	503	825	1,216
1890	0	439	242	179	288	478	5	179	13	1,240	665	474	785	1,358
1891	2	436	170	173	264	468	5	168	11	1,237	465	460	719	1,335
1892	15	459	190	222	298	454	3	137	8	1,317	519	603	821	1,307
1893	49	373	235	318	389	342	5	229	9	1,075	629	869	1,074	991
1894	27	391	167	291	349	410	4	159	7	1,136	461	809	978	1,198
1895	7	377	149	259	313	315	2	175	5	1,106	418	729	889	927
1896	17	570	177	291	342	429	2	166	5	1,685	495	829	981	1,274
1897	0	408	147	246	281	367	2	156	4	1,214	414	700	805	1,097
1898	8	419	113	243	270	323	1	181	4	1,256	320	705	788	973
1899	5	314	117	292	324	318	1	198	4	948	334	857	953	965
1900	3	394	119	290	316	356	1	173	4	1,199	340	856	936	1,090
1901	10	277	133	273	298	313	1	155	3	850	380	809	888	965
1902	75	392	148	237	255	298	2	126	3	1,211	427	710	768	924
1903	23	275	125	183	196	286	2	101	2	854	364	550	592	893
1904	15	365	112	170	184	353	1	93	2	1,141	330	520	564	1,109
1905	4	326	113	161	175	256	1	90	2	1,025	333	489	532	809
1906	1	275	101	178	191	242	0	92	1	871	301	545	587	768
1907	0	364	93	165	176	296	1	68	1	1,157	275	507	541	944
1908	0	228	80	158	167	280	0	75	1	729	236	492	521	899
1909	0	356	91	148	155	203	0	60	0	1,145	273	462	484	654
1910	0	232	66	120	122	246	0	53	0	750	200	377	384	798
1911	1	363	52	135	137	217	0	67	0	1,176	159	426	435	707
1912	0	352	55	118	119	230	0	44	0	1,144	167	369	374	751
1913	0	291	57	121	122	149	0	41	0	940	173	383	387	486
1914	0	247	77	158	159	218	0	46	0	801	229	497	501	709
1915*	0	462	66	165	166	230	0	35	0	1,414	183	491	494	708
1916*	0	155	39	154	155	176	0	30	0	462	109	449	453	529

* Among civil population only.

TABLE 13.—ADMINISTRATIVE COUNTIES and COUNTY BOROUGHS: MORTALITY among the CIVIL POPULATION from the principal EPIDEMIC DISEASES and from certain OTHER CAUSES, 1915 and 1916. *Note.*—The rates for 1915 relate to the several areas as then constituted.

Administrative Counties and County Boroughs.	Mortality per Million Civil Population at All Ages.																Mortality per 1,000 Births.							
	Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Phthisis.		Measles.		Whooping cough.		Scarlet Fever.		Diphtheria and Croup.		Total Deaths under One Year.		Diarrhœa and Enteritis under Two Years.		Childbirth (Mothers).		Puerperal Fever.	
	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.
England and Wales ...	0	0	35	30	1,515	1,529	1,161	1,178	462	155	230	176	66	39	166	155	110	91	18·86	13·09	2·71	2·74	1·47	1·38
Administrative Counties (including London).	*0*	—	*33*	*30*	*1,385*	*1,399*	*1,057*	*1,078*	*424*	*117*	*228*	*147*	*60*	*35*	*162*	*154*	*103*	*84*	*15·24*	*10·77*	*2·74*	*2·87*	*1·36*	*1·33*
Bedfordshire...	—	—	16	22	1,252	1,247	913	941	725	27	115	124	73	22	464	419	101	76	13·00	7·49	3·06	3·00	3·06	2·25
Berkshire	—	—	11	29	886	1,142	698	883	78	23	255	144	89	17	105	127	85	58	5·98	3·57	3·70	0·89	1·42	0·30
Buckinghamshire	—	—	28	15	1,034	1,103	815	784	172	29	219	121	51	34	102	194	87	70	6·98	5·53	2·41	0·96	1·20	0·72
Cambridgeshire	—	—	—	8	1,127	1,411	916	1,183	714	8	122	211	16	17	146	135	92	69	3·47	3·11	1·74	3·11	2·17	0·44
Cheshire	2	—	30	23	1,195	1,183	837	891	324	105	142	140	57	28	110	154	100	76	13·38	8·67	3·22	3·81	1·24	2·25
Cornwall	—	—	23	14	1,593	1,803	1,284	1,466	283	41	208	233	20	37	221	206	92	81	6·81	5·64	4·08	3·70	1·36	1·94
Cumberland	—	—	10	55	1,347	1,230	883	939	790	45	259	136	73	65	146	196	121	85	11·76	8·53	3·25	3·96	1·83	0·83
Derbyshire	—	—	31	32	1,011	1,082	771	760	471	85	110	98	43	39	213	219	98	88	10·94	8·84	2·10	3·43	1·52	1·45
Devonshire	—	—	25	26	1,249	1,359	998	1,080	212	96	197	132	40	23	147	150	87	70	6·38	4·03	3·34	3·73	1·02	0·15
Dorsetshire	—	—	19	60	1,010	1,092	812	829	164	45	213	134	34	20	121	60	79	67	8·00	4·77	2·50	2·63	1·25	1·43
Durham	—	—	60	90	1,536	1,610	1,035	1,073	1203	71	257	268	126	79	306	222	133	116	22·75	14·77	2·99	2·86	1·30	0·85
Ely, Isle of	—	—	87	15	953	1,453	765	1,211	144	—	87	257	72	30	231	45	93	84	4·52	7·40	3·88	4·03	1·29	—
Essex	—	—	17	19	1,241	1,194	932	911	251	80	216	161	41	24	156	160	87	67	10·84	7·49	2·38	2·18	1·13	1·29
Gloucestershire	—	—	19	27	1,177	1,218	937	938	122	180	244	57	61	17	225	153	84	66	8·82	6·66	2·29	3·59	1·14	1·54
Herefordshire	—	—	28	—	1,282	1,266	1,067	976	112	39	131	77	84	10	94	68	79	83	6·16	1·52	3·79	2·53	—	1·01
Hertfordshire	—	—	13	13	1,206	1,104	941	892	226	10	128	188	29	10	131	151	75	63	5·95	6·87	2·65	2·51	0·66	0·67
Huntingdonshire	—	—	—	—	1,427	1,253	1,071	881	169	—	38	176	—	20	94	39	81	67	12·58	3·73	1·94	4·66	2·90	4·66
Kent	2	—	33	36	1,371	1,380	1,029	1,072	211	79	186	156	37	26	159	139	89	72	10·79	10·05	2·50	2·99	1·25	1·59
Lancashire	—	4	79	58	1,345	1,331	1,015	1,040	508	177	218	145	87	70	146	155	120	99	21·69	13·55	3·66	4·43	1·24	1·35
Leicestershire	—	—	16	54	1,212	1,220	947	932	285	167	149	92	28	4	100	121	97	71	12·43	5·10	3·11	2·64	0·91	1·70
Lincolnshire, Holland ...	—	—	25	38	1,197	1,313	938	994	271	127	259	25	86	25	111	127	94	64	6·01	7·68	2·73	2·19	1·09	—
„ Kesteven ...	—	—	9	10	1,236	1,077	852	810	300	76	150	305	28	19	253	105	103	89	9·16	3·87	7·85	1·72	3·05	1·72
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
„ Lindsey ...	—	—	55	35	1,224	1,306	891	1,047	333	70	141	163	21	18	188	229	97	82	9·62	7·98	2·54	2·28	0·36	1·52
London	1	—	24	18	1,985	1,889	1,595	1,532	530	194	269	189	76	34	163	146	112	89	25·03	16·19	1·50	1·77	1·29	1·59
Middlesex	—	—	27	12	1,241	1,299	959	1,028	452	101	224	113	63	23	146	136	89	68	13·57	10·58	1·61	2·19	1·31	1·33
Monmouthshire	—	—	40	44	1,081	1,212	809	943	787	47	386	218	99	60	188	130	126	88	14·70	8·02	2·94	3·73	1·36	0·90
Norfolk	—	—	40	48	1,142	1,279	899	1,035	56	58	165	147	53	7	66	82	98	71	4·51	2·94	2·42	2·29	0·97	1·64
Northamptonshire	—	—	33	35	1,260	1,491	994	1,195	204	35	295	109	29	25	404	242	95	66	7·75	4·97	2·50	2·62	1·50	1·57
Northumberland	—	—	38	39	1,595	1,626	1,098	1,103	845	207	401	151	115	50	165	123	121	98	18·64	10·89	3·62	2·50	1·35	1·25
Nottinghamshire	—	—	31	26	1,093	1,109	801	819	623	157	235	84	42	15	161	186	114	95	12·90	10·39	3·17	3·97	1·13	1·40
Oxfordshire	—	—	—	8	1,155	1,237	918	924	95	66	63	165	24	—	8	66	69	55	6·35	5·53	2·78	2·98	0·40	0·43
Peterborough, Soke of ...	—	—	22	—	1,131	1,058	827	793	152	22	22	198	44	—	65	154	86	78	6·34	6·21	—	3·11	1·06	—
Rutlandshire...	—	—	—	—	706	631	489	516	—	—	326	—	—	—	380	115	88	77	13·40	6·43	2·68	—	2·68	—
Shropshire	—	—	22	4	1,217	1,170	963	909	211	9	219	137	22	35	129	163	88	64	9·64	4·27	2·67	2·56	1·64	0·64
Somersetshire	—	—	19	14	1,147	1,032	971	838	100	132	155	93	19	25	70	53	75	60	7·49	6·00	2·65	3·60	1·18	1·05
Southampton	—	—	30	39	1,102	1,099	801	799	270	52	227	122	48	16	144	86	82	62	8·17	4·91	2·80	2·69	1·10	0·70
Staffordshire...	—	—	18	28	1,202	1,326	881	952	549	129	351	188	69	83	156	240	109	93	15·50	12·76	2·83	3·31	1·87	0·96
Suffolk, East...	—	—	16	27	1,262	1,304	969	1,002	189	99	73	219	73	11	131	137	94	79	4·56	5·59	3·84	3·56	1·20	0·76
„ West	—	—	19	—	1,383	1,378	1,123	1,068	278	10	204	136	37	10	195	116	87	71	3·23	1·46	1·39	3·91	0·92	0·49
Surrey	—	—	14	19	1,080	1,065	843	830	219	48	127	107	44	26	104	94	75	61	9·55	6·90	1·58	1·82	1·42	0·95
Sussex, East	—	—	26	9	1,182	1,366	904	1,045	101	41	172	137	26	9	88	60	87	70	7·91	7·55	3·57	1·30	0·77	0·52
„ West...	—	—	37	19	1,370	1,500	1,084	1,235	158	6	104	120	12	38	122	44	78	63	7·53	6·41	1·71	1·35	2·05	0·68
Warwickshire	—	—	16	13	1,140	1,145	851	878	438	140	140	200	55	30	75	140	86	80	10·85	7·15	3·00	3·07	1·57	1·31
Westmorland	—	—	49	17	757	756	560	584	132	52	214	34	16	52	82	103	74	67	4·66	1·04	0·93	3·11	0·93	1·04
Wight, Isle of	—	—	38	13	1,249	1,001	1,072	702	189	26	366	117	38	39	88	299	90	59	11·27	5·84	3·01	2·60	1·50	1·95
Wiltshire	—	—	7	11	952	1,016	706	722	182	97	214	63	21	71	103	126	76	63	5·22	4·84	2·61	2·51	1·49	1·61
Worcestershire	—	—	18	7	1,055	1,131	783	880	540	140	236	136	54	18	136	195	107	80	9·89	13·64	3·52	2·93	0·84	1·55
Yorkshire, East Riding ...	—	—	33	14	1,042	1,012	786	765	127	83	146	62	40	7	153	83	75	76	4·00	4·98	3·38	3·11	0·92	1·24
„ North „ ...	—	—	32	40	1,237	1,281	862	927	473	300	389	83	53	4	189	134	98	93	9·82	6·74	3·48	4·77	1·36	1·32
„ West „ ...	—	—	74	50	1,235	1,274	853	892	557	142	226	115	65	33	180	176	112	96	18·75	14·07	3·83	3·51	1·38	1·20
Anglesey	—	—	20	83	1,410	1,936	1,007	1,416	81	62	322	125	20	21	60	83	109	103	8·95	7·11	4·97	3·05	2·98	2·03
Brecknockshire	—	—	51	71	1,079	1,246	873	997	308	107	188	125	69	53	223	53	112	86	2·20	7·65	2·20	4·59	2·93	—
Cardiganshire	—	—	17	18	2,373	2,207	2,006	1,845	17	90	209	36	17	18	87	109	104	83	6·26	6·72	3·13	8·96	3·13	2·24
Carmarthenshire	—	—	6	25	1,681	1,588	1,253	1,264	159	118	226	75	122	62	98	199	102	97	12·78	11·91	3·62	2·79	1·93	3·55
Carnarvonshire	—	—	34	27	2,238	2,034	1,741	1,641	214	9	257	54	9	9	120	268	99	84	10·44	5·84	3·80	4·38	3·32	1·95
Denbighshire	—	—	7	15	1,286	1,460	909	1,183	469	66	234	29	36	44	121	95	109	81	9·15	5·60	5·80	3·74	1·83	1·87
Flintshire	—	—	43	22	1,184	1,415	818	1,116	247	33	215	99	97	111	366	177	93	83	7·99	11·85	3·29	2·84	2·82	0·95
Glamorganshire	—	5	39	33	1,227	1,311	930	974	376	136	410	97	51	45	218	206	115	95	15·49	13·73	4·34	3·79	1·65	1·42
Merionethshire	—	—	—	—	2,218	1,781	1,723	1,509	189	49	94	173	—	25	24	198	114	86	2·64	10·03	5·28	4·30	—	—
Montgomeryshire	—	—	—	—	1,327	1,071	1,129	886	79	21	258	—	—	—	59	21	83	72	1·00	9·10	2·00	3·03	2·00	2·02
Pembrokeshire	—	—	91	47	1,742	1,739	1,378	1,419	148	59	171	142	11	24	148	177	91	89	10·69	17·68	5·09	1·96	2·04	1·96
Radnorshire	—	—	—	—	1,562	1,625	1,102	1,243	46	—	276	96	46	—	92	96	81	53	4·26	2·19	2·13	8·75	—	2·19

TABLE 13.—ADMINISTRATIVE COUNTIES and COUNTY BOROUGHS: MORTALITY among the CIVIL POPULATION from the principal EPIDEMIC DISEASES, &c., 1915 and 1916—*continued.*

Administrative Counties and County Boroughs.	Mortality per Million Civil Population at All Ages.																Mortality per 1,000 Births.							
	Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Phthisis.		Measles.		Whooping cough.		Scarlet Fever.		Diphtheria and Croup.		Total Deaths under One Year.		Diarrhœa and Enteritis under Two Years.		Childbirth (Mothers).		Puerperal Fever.	
	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.
County Boroughs.	*1*	*1*	*40*	*31*	*1,777*	*1,804*	*1,371*	*1,388*	*538*	*231*	*234*	*234*	*77*	*46*	*175*	*159*	*122*	*106*	*25·67*	*17·52*	*2·65*	*2·52*	*1·70*	*1·48*
Barnsley	—	—	40	—	1,329	1,281	932	996	1151	20	317	142	60	61	79	20	172	114	55·21	21·57	2·73	5·75	1·36	—
Barrow in Furness	—	—	24	12	831	1,371	662	1,010	482	12	144	108	24	36	229	204	124	83	21·70	8·82	4·54	2·65	0·50	1·32
Bath	—	—	—	16	1,182	1,116	1,009	906	95	113	205	97	47	16	95	275	80	73	3·77	3·77	4·72	0·94	2·83	0·94
Birkenhead	—	—	7	37	1,794	1,808	1,290	1,295	52	201	319	223	30	37	141	112	122	105	42·64	28·36	3·12	1·82	2·34	0·78
Birmingham	—	—	8	6	1,602	1,568	1,327	1,313	493	120	140	445	69	31	155	140	118	104	27·18	18·44	1·60	1·94	1·78	1·60
Blackburn	—	—	47	17	1,279	1,297	902	1,024	400	140	322	74	47	33	71	83	146	121	24·48	13·08	2·45	1·94	1·22	1·94
Blackpool	—	—	125	—	1,355	1,380	1,106	1,094	389	127	31	127	31	48	31	63	129	87	22·95	13·07	4·99	4·36	3·99	—
Bolton	—	—	104	47	1,368	1,467	1,067	1,100	371	59	267	160	29	53	261	124	124	104	34·59	14·34	5·22	2·93	0·82	1·63
Bootle	—	—	42	—	1,983	2,516	1,452	1,968	195	239	796	267	98	56	126	155	142	109	44·35	40·02	4·39	2·89	0·49	0·96
Bournemouth	—	—	—	—	1,704	1,640	1,385	1,372	55	85	166	99	42	—	152	99	94	70	6·74	5·67	0·84	4·05	—	0·81
Bradford	—	—	68	44	1,617	1,730	1,279	1,250	356	85	185	129	96	11	203	177	123	119	16·70	12·00	3·73	4·47	3·93	3·66
Brighton	—	—	17	9	1,928	1,987	1,606	1,467	118	—	330	35	17	17	25	113	95	87	12·35	15·48	0·44	2·15	0·44	0·86
Bristol	20	—	34	6	1,596	1,638	1,292	1,338	303	338	368	67	48	29	99	87	116	95	20·99	15·04	1·90	3·55	1·22	1·09
Burnley	—	—	39	90	1,377	1,577	951	1,188	427	469	58	289	29	40	155	160	166	153	50·17	29·87	3·97	2·77	1·99	1·11
Burton upon Trent	—	—	—	23	1,616	2,119	1,354	1,646	546	—	44	203	44	—	87	135	76	71	11·94	8·10	2·99	3·04	—	3·04
Bury	—	19	—	—	1,734	1,403	1,388	973	493	19	91	168	91	37	73	56	116	134	26·37	26·52	3·91	1·10	0·98	1·10
Canterbury	—	—	41	83	854	1,663	610	1,414	529	42	81	42	81	42	407	83	108	60	18·04	11·34	8·02	1·89	2·00	3·78
Carlisle	—	—	—	—	2,218	1,951	1,679	1,348	699	20	480	—	200	121	240	583	144	110	17·54	21·80	2·51	2·72	—	0·91
Chester	—	—	27	—	1,681	1,898	1,174	1,437	560	—	267	108	27	—	160	190	110	92	31·91	23·07	3·55	1·15	2·36	4·61
Coventry	—	—	41	8	1,668	1,636	1,369	1,320	738	332	124	374	116	50	315	399	86	90	10·34	5·79	1·67	2·73	1·00	2·04
Croydon	—	—	11	6	1,381	1,314	1,060	1,081	620	—	68	171	23	28	73	80	84	79	14·30	10·45	1·35	0·28	1·35	1·65
Darlington	—	—	17	50	1,538	1,607	1,120	1,172	1387	201	167	318	117	17	217	352	114	120	20·79	17·15	0·65	4·80	0·65	0·69
Derby	—	—	8	34	1,604	1,495	1,176	1,128	596	9	168	282	101	34	176	162	96	95	12·57	7·43	2·22	1·17	1·11	2·35
Dewsbury	—	—	56	—	1,201	1,041	994	849	206	39	281	96	75	19	150	116	115	94	15·86	12·68	5·29	4·53	1·76	1·81
Dudley	—	—	20	40	1,455	1,364	1,062	983	295	541	—	40	98	20	20	—	125	119	23·53	16·96	1·38	2·31	0·69	0·77
Eastbourne	—	—	—	22	1,188	1,437	1,103	1,176	127	87	212	44	21	22	233	109	99	90	20·83	14·93	6·51	2·49	2·60	1·24
East Ham	—	—	21	21	1,319	1,429	1,045	1,122	161	221	210	157	70	50	112	250	81	75	10·35	12·62	1·83	2·77	0·61	0·31
	(1)	*(2)*	*(3)*	*(4)*	*(5)*	*(6)*	*(7)*	*(8)*	*(9)*	*(10)*	*(11)*	*(12)*	*(13)*	*(14)*	*(15)*	*(16)*	*(17)*	*(18)*	*(19)*	*(20)*	*(21)*	*(22)*	*(23)*	*(24)*

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
Exeter	—	—	54	19	1,731	1,801	1,334	1,485	270	149	18	241	—	74	18	—	87	88	8·97	16·10	5·38	—	0·90	1·01
Gateshead	—	—	41	42	2,251	2,272	1,539	1,650	1134	202	248	429	91	84	149	93	147	130	38·45	22·45	2·20	1·44	1·65	1·44
Gloucester	—	—	—	21	1,226	1,249	1,059	1,079	893	21	332	42	21	—	187	339	109	81	18·42	11·58	1·75	1·93	1·75	—
Great Yarmouth	—	—	99	63	1,942	2,020	1,466	1,410	59	358	119	442	—	—	317	337	107	98	17·70	10·99	2·65	2·00	—	—
Grimsby	—	—	28	—	1,567	1,844	1,068	1,301	901	472	111	43	42	29	97	86	106	98	23·81	8·47	2·03	3·17	1·01	—
Halifax	—	—	60	21	1,668	1,370	1,166	938	342	21	50	31	40	—	161	155	96	90	10·22	11·26	4·21	3·75	1·20	1·88
Hastings	—	—	—	—	1,345	1,941	1,191	1,501	538	80	134	120	—	20	173	300	98	60	1·23	1·28	2·47	2·57	3·70	—
Huddersfield	—	—	18	28	1,269	1,306	927	991	216	28	81	343	—	19	171	157	111	103	18·57	8·91	3·09	5·24	1·03	0·52
Ipswich	—	—	13	42	1,468	1,703	1,212	1,287	148	97	189	180	242	28	202	111	95	80	12·97	5·40	3·71	1·80	—	1·80
Kingston upon Hull ...	—	—	63	90	1,829	1,870	1,395	1,385	156	233	211	211	19	30	215	90	120	115	33·90	23·04	4·41	2·41	2·21	1·66
Leeds	—	—	47	21	1,981	2,216	1,467	1,600	175	342	354	105	65	50	114	89	127	129	28·64	23·01	2·53	2·65	1·62	1·48
Leicester	—	—	13	9	1,819	1,820	1,518	1,499	341	653	89	175	9	9	120	51	124	105	35·79	14·34	3·10	1·93	3·72	2·14
Lincoln	—	—	36	18	1,467	1,434	1,050	1,089	815	36	235	290	18	18	181	91	97	76	8·46	1·59	3·38	3·98	1·69	1·59
Liverpool	—	—	26	16	2,305	2,283	1,860	1,812	350	353	353	321	97	90	192	188	133	118	35·01	28·84	2·08	2·27	1·76	1·45
Manchester	—	—	53	34	2,340	2,325	1,916	1,843	647	270	100	445	117	48	147	94	128	111	28·69	19·56	2·58	2·76	1·86	1·35
Middlesbrough	—	—	43	69	2,079	1,826	1,437	1,411	1754	78	453	234	94	147	393	433	150	121	35·03	28·57	2·74	2·55	1·37	1·13
Newcastle on Tyne ...	—	—	43	37	1,978	2,057	1,420	1,554	787	253	284	290	147	88	93	107	134	123	20·79	13·45	2·38	3·16	1·59	1·65
Newport (Mon.)	—	—	50	13	1,418	1,791	1,132	1,261	174	479	75	303	50	25	149	177	98	106	20·51	14·96	3·65	2·49	3·19	2·00
Northampton	—	—	55	12	1,606	1,811	1,296	1,451	1573	—	199	104	89	23	476	197	134	67	17·47	5·81	2·25	3·17	2·25	1·58
Norwich	—	—	9	27	1,639	1,825	1,182	1,373	147	9	173	62	52	18	259	133	117	98	19·98	18·94	3·60	4·43	0·80	—
Nottingham	—	—	17	34	1,742	1,795	1,384	1,371	233	259	287	93	62	21	58	68	131	116	28·13	24·80	1·62	2·93	1·26	0·98
Oldham	—	—	21	15	1,862	1,939	1,453	1,535	324	198	113	360	113	22	141	206	125	125	23·05	17·33	3·73	1·13	3·73	1·88
Oxford	—	—	—	—	1,305	1,096	1,061	864	122	42	20	169	—	—	61	42	72	66	6·72	8·95	1·12	1·12	1·12	2·24
Plymouth	—	—	80	43	1,783	1,979	1,293	1,420	676	271	154	98	53	22	229	271	119	92	16·96	12·64	3·06	2·76	2·59	1·84
Portsmouth	—	—	94	51	1,803	1,516	1,299	1,041	613	81	183	222	84	20	346	273	89	81	10·86	12·92	3·02	2·51	2·21	0·39
Preston	—	—	36	100	1,733	1,565	1,251	1,155	563	127	286	109	223	91	331	346	155	110	36·08	20·70	3·14	1·29	2·75	1·29
Reading	—	—	46	129	1,344	1,328	1,147	1,093	104	176	440	71	12	—	81	59	82	82	9·43	14·48	1·66	0·56	1·66	2·23
Rochdale	—	—	55	44	1,677	1,733	1,280	1,333	—	1000	66	67	22	11	331	133	118	101	24·10	11·88	6·18	7·92	—	1·98
Rotherham	—	—	109	63	1,570	1,674	1,088	1,153	777	79	466	174	62	16	264	47	129	133	34·95	15·01	2·73	1·11	2·73	1·67
St. Helens	—	—	65	22	1,670	1,835	1,095	1,412	1366	22	455	378	130	334	358	945	128	108	24·95	22·32	3·71	3·08	1·35	0·38
Salford	—	5	77	56	2,223	2,087	1,732	1,578	1227	317	227	163	145	103	127	89	134	115	38·66	18·82	2·74	1·57	1·28	0·98
Sheffield	—	—	40	28	1,781	1,779	1,368	1,366	1345	419	214	253	113	37	216	146	133	109	33·28	15·21	2·22	2·66	2·39	1·99
Smethwick	—	—	—	14	1,311	1,503	1,118	1,318	966	99	179	213	55	57	124	71	109	94	23·31	16·21	0·53	1·16	1·59	1·74
Southampton	—	—	68	52	1,738	1,650	1,406	1,383	256	77	332	232	17	43	349	146	87	86	14·71	12·97	3·31	1·80	0·74	0·72
Southend on Sea	—	—	13	—	1,663	1,701	1,401	1,377	157	13	144	135	39	13	105	40	85	59	8·46	2·87	3·52	0·72	2·82	0·72
Southport	—	—	—	—	1,184	1,039	850	853	61	357	91	—	121	16	121	217	88	85	12·99	9·79	3·00	7·84	2·00	0·98
South Shields	—	9	18	9	2,339	2,424	1,648	1,774	464	82	410	183	164	82	82	101	143	120	23·15	13·26	2·13	3·23	0·61	1·62
Stockport	—	—	67	61	1,641	1,488	1,291	1,185	558	675	158	208	100	87	125	95	127	121	28·35	16·64	2·05	2·70	1·23	3·60
Stoke on Trent	—	—	53	27	1,726	2,102	1,282	1,524	417	505	288	164	129	105	470	487	148	127	25·76	18·13	3·68	2·96	1·69	1·39
Sunderland	—	—	20	14	2,046	2,141	1,371	1,473	810	21	351	544	20	28	68	76	151	119	29·42	14·53	2·67	2·42	1·56	1·21

TABLE 13.—ADMINISTRATIVE COUNTIES and COUNTY BOROUGHS: MORTALITY among the CIVIL POPULATION from the principal EPIDEMIC DISEASES, &c., 1915 and 1916—*continued.*

Administrative Counties and County Boroughs.	Mortality per Million Civil Population at all Ages.																Mortality per 1,000 Births.							
	Small-pox.		Enteric Fever.		Tuberculosis, All Forms.		Phthisis.		Measles.		Whooping cough.		Scarlet Fever.		Diphtheria and Croup.		Total Deaths under One Year.		Diarrhœa and Enteritis under Two Years.		Childbirth (Mothers		Puerperal Fever.	
	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.	1915.	1916.
Tynemouth	—	—	275	157	2,028	1,783	1,529	1,171	326	280	498	210	103	70	103	157	135	120	16·70	15·05	3·21	5·02	1·28	1·25
Wakefield	—	—	124	85	1,570	1,649	1,198	1,501	186	169	289	21	—	42	103	169	120	90	14·45	3·00	2·89	5·00	1·93	3·00
Wallasey	—	—	35	36	1,367	1,306	978	1,043	82	36	141	84	35	—	189	132	82	74	8·46	7·95	1·69	2·84	0·56	—
Walsall	—	—	22	22	2,032	2,179	1,586	1,698	1369	—	152	402	65	156	250	212	142	114	36·75	22·04	1·50	2·40	1·50	2·00
Warrington	—	—	55	43	2,379	2,147	1,784	1,660	346	157	360	401	401	14	304	157	111	98	19·45	19·97	2·63	2·28	1·58	0·57
West Bromwich	—	—	15	—	1,345	1,210	965	912	1798	15	161	149	15	15	117	45	133	90	27·99	11·56	2·00	1·58	0·50	—
West Ham	—	—	51	21	1,824	1,715	1,338	1,316	510	472	197	493	41	31	231	253	112	100	29·95	15·16	1·07	1·31	1·07	1·31
West Hartlepool	—	—	16	96	1,891	1,724	1,119	942	1245	16	347	128	47	—	79	128	150	110	17·21	12·02	5·34	3·00	1·78	1·80
Wigan	—	—	116	240	1,529	1,454	1,124	1,058	869	12	1263	48	313	180	81	96	164	114	28·51	23·30	5·03	1·90	3·77	3·33
Wolverhampton	—	—	11	—	1,706	1,462	1,221	1,183	1379	559	116	161	21	32	158	183	132	104	17·16	25·04	2·09	1·30	2·09	1·30
Worcester	—	—	65	—	1,541	1,549	1,324	1,235	130	—	43	180	22	22	65	45	83	75	10·03	14·62	3·01	—	1·00	1·12
York	—	—	63	65	1,754	1,503	1,316	1,037	288	52	226	181	38	52	100	26	122	92	21·24	13·08	1·68	2·27	1·68	0·57
Cardiff	—	17	27	28	1,979	1,974	1,422	1,475	211	111	184	161	65	33	249	194	107	89	21·30	17·31	2·80	2·05	1·72	2·05
Merthyr Tydfil	—	—	52	67	1,752	1,828	1,360	1,546	1412	13	889	40	52	—	92	67	156	113	17·49	24·04	2·30	4·60	1·84	2·56
Swansea	—	—	18	9	1,813	1,943	1,498	1,610	135	805	117	259	9	19	171	111	106	108	14·87	14·79	4·52	1·85	1·29	3·33

Table 14.—England and Wales.—Infant Mortality by Sex, Age, Cause, and Legitimacy, 1916.

Cause of Death.	Sex.	Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
ALL CAUSES ...	M	41·77	19·18	16·97	12·86	11·22	102·00	40·04	17·73	15·81	12·41	11·01	97·00	75·78	48·05	40·21	21·92	15·38	201·34
	F	31·80	14·37	13·28	10·58	9·86	79·89	30·16	13·29	12·40	10·16	9·63	75·64	63·94	35·80	30·81	18·98	14·48	164·01
	P	36·90	16·83	15·17	11·75	10·56	91·21	35·23	15·56	14·14	11·31	10·34	86·58	70·00	42·05	35·61	20·48	14·94	183·08
I. Common Infectious Diseases (5-9, 19C).	M	0·11	0·60	0·95	1·38	2·09	5·13	0·12	0·61	0·91	1·37	2·08	5·09	0·10	0·62	1·56	1·61	2·23	6·12
	F	0·16	0·76	0·91	1·44	2·06	5·33	0·15	0·77	0·90	1·42	2·02	5·26	0·16	0·76	1·24	1·68	2·62	6·46
	P	0·13	0·69	0·94	1·40	2·05	5·21	0·13	0·69	0·91	1·39	2·05	5·17	0·14	0·69	1·41	1·64	2·42	6 30
II. Tuberculous Diseases (28-35).	M	0·04	0·26	0 80	0·79	0·71	2·60	0·04	0·21	0·76	0·76	0·69	2 46	0·05	1·05	2·12	1·19	0·99	5·40
	F	0·02	0·24	0·63	0·60	0·68	2·17	0·02	0·24	0·57	0·58	0·64	2·05	—	0·32	1·79	0·97	1·47	4·55
	P	0·03	0·26	0·72	0·69	0·69	2·39	0·03	0 23	0·66	0·67	0·67	2·26	0·03	0·70	1·96	1·09	1·21	4·99
III. Diarrhœa and Enteritis (104).	M	1·06	3·15	3·87	2·30	1·48	11·86	1·03	2·83	3·49	2·17	1·46	10·98	1·56	9·45	11·54	4·78	1·97	29 30
	F	0·66	2·18	3·10	1·95	1·35	9·24	0·60	1·90	2·84	1·84	1·30	8·48	2·17	7·59	8·08	4·12	2·39	24·35
	P	0·86	2·67	3·50	2·13	1·42	10·58	0·81	2·38	3·18	2·01	1·38	9·76	1·86	8·54	9·84	4·46	2·18	26·88
IV. Developmental and Wasting Diseases (150, 151, 152B).	M	30·76	5·76	2·30	0·71	0·47	40·00	29·81	5·23	2·08	0·66	0·44	38·22	49·46	16·20	6·81	1·82	1·14	75·43
	F	23·94	4·20	1·78	0·67	0·34	31·02	23·06	3·91	1·65	0·61	0·33	29·56	41·38	11·88	4·39	1·79	0·48	59·92
	P	27·41	5·04	2·05	0·70	0·41	35·61	26·51	4·53	1·87	0·64	0·39	33·99	45·51	14·09	5·62	1·81	0·82	67·85
V. Miscellaneous Diseases (Remainder).	M	9·80	9·41	9·05	7·68	6·47	42·41	9·04	8·85	8·57	7·45	6·34	40·25	24 61	20·73	18·18	12·52	9·05	85·09
	F	7·02	6·90	6·86	5·92	5·43	32·13	6·33	6·47	6·44	5·71	5·34	30·29	20·23	15·25	15·31	10·42	7·52	68·73
	P	8·47	8·17	7·96	6·83	5·99	37·42	7·75	7·68	7 52	6·60	5·85	35·40	22·46	18·03	16·78	11·48	8·31	77·06
Small-pox (5) ...	M	—	0·00	—	—	—	0·00	—	0·00	—	—	—	0·00	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	P	—	0·00	—	—	—	0·00	—	0·00	—	—	—	0·00	—	—	—	—	—	—
Chicken-pox (19C).	M	0 01	0·00	0·01	0·01	0·02	0·05	0·01	0·01	0·00	0·02	0·01	0·05	—	—	0·10	—	—	0·10
	F	0·01	0·00	0·00	0·02	0·01	0·04	0·00	0·00	0·00	0·02	0·01	0·03	0·05	—	—	0·06	—	0·11
	P	0·01	0·00	0·01	0·01	0·01	0·04	0·01	0·00	0·00	0·02	0·01	0·04	0·03	—	0·05	0·03	—	0·11
Measles (6) ...	M	0·01	0·05	0·14	0·49	0·87	1·56	0·01	0·05	0·13	0·48	0·87	1·54	—	—	0·21	0·73	0·98	1·92
	F	0·01	0·04	0·12	0·37	0·76	1·30	0·01	0·04	0·12	0·36	0·76	1·29	—	0·05	0·16	0·43	0·99	1·63
	P	0·01	0·05	0·13	0·43	0·81	1·43	0·01	0·05	0·13	0·42	0 81	1·42	—	0·03	0·19	0·58	0·98	1·78
Scarlet fever (7)	M	—	0·00	0·01	0·03	0·02	0·06	—	0·01	0·01	0 02	0·02	0·06	—	—	0·05	—	0·05	0·10
	F	—	0·00	0·01	0·03	0·03	0·07	—	0·00	0·01	0·03	0·02	0·06	—	—	—	—	0·11	0·11
	P	—	0·00	0·01	0·03	0·02	0·06	—	0·00	0·01	0·03	0·02	0·06	—	—	0·03	—	0·08	0·11
Whooping cough (8).	M	0·08	0·53	0·76	0·80	1·04	3·21	0·08	0·52	0·74	0·80	1·05	3·19	0·10	0·62	1·20	0·83	0 94	3·69
	F	0·13	0·71	0·76	0·97	1·13	3·70	0·13	0·72	0·75	0·96	1·11	3·67	0·11	0·71	1·03	1·14	1·35	4·34
	P	0·10	0·62	0·76	0·88	1·09	3·45	0·10	0·62	0·74	0·87	1·09	3·42	0·11	0·66	1·11	0·98	1·15	4·01
Diphtheria and Croup (9).	M	0·01	0·02	0·03	0·05	0·14	0·25	0·02	0·02	0·03	0·05	0·13	0·25	—	—	—	0·05	0·26	0·31
	F	0·01	0·01	0·02	0·05	0·13	0·22	0·01	0·01	0·02	0·05	0·12	0·21	—	—	0·05	0·05	0·17	0·27
	P	0·01	0·02	0·03	0·05	0·12	0·23	0·01	0·02	0·03	0·05	0·12	0·23	—	—	0·03	0·05	0·21	0·29
Erysipelas (18) ...	M	0·04	0·08	0·03	0·01	0·00	0·16	0·04	0·08	0·03	0·01	0·00	0·16	—	0·05	0·05	0·06	—	0·16
	F	0·04	0·06	0·03	0·01	0·00	0·14	0·04	0·04	0·04	0·01	0·00	0·13	0·05	—	—	0·11	—	0·16
	P	0·04	0·07	0·03	0·01	0·00	0·15	0·04	0·07	0·03	0·01	0·00	0·15	0·03	0·03	0·03	0·07	—	0·16
Tuberculous meningitis (30).	M	0·00	0·06	0·29	0·34	0·33	1·02	0·00	0·05	0·27	0·34	0·32	0·98	—	0·21	0·67	0·36	0·47	1·71
	F	—	0·07	0·24	0·29	0·32	0·92	—	0·08	0·23	0·29	0·30	0·90	—	—	0·49	0·27	0·54	1·30
	P	0·00	0·07	0·27	0·32	0·31	0·97	0·00	0·07	0·25	0·31	0·31	0·94	—	0·11	0·58	0·32	0·50	1·51
Abdominal Tuberculosis (31).	M	0·02	0·14	0·31	0·25	0·17	0·89	0·02	0·11	0·29	0·22	0·16	0·80	—	0·68	1·19	0·73	0·21	2·81
	F	0·00	0·12	0·24	0·16	0·17	0·69	0·00	0·11	0·20	0·15	0·15	0·61	—	0·27	0·92	0·43	0·60	2·22
	P	0·01	0·13	0·28	0·20	0·17	0·79	0·01	0·11	0·24	0·19	0·16	0·71	—	0·48	1·06	0·58	0·40	2·52
Other Tuberculous Diseases (28, 29, 32-35).	M	0·02	0·06	0·20	0·20	0·21	0·69	0·02	0·05	0·20	0·20	0·21	0·68	0·05	0·16	0·26	0·10	0·31	0·88
	F	0·02	0·05	0·15	0·15	0·19	0·56	0·02	0·05	0·14	0·14	0·19	0·54	—	0·05	0·38	0·27	0·33	1·03
	P	0·02	0·06	0·17	0·17	0·21	0·63	0·02	0·05	0·17	0·17	0·20	0·61	0 03	0·11	0·32	0·19	0·31	0·96
Meningitis (not Tuberculous) (61).	M	0·07	0·16	0·41	0·38	0·34	1·36	0·07	0·15	0·40	0·38	0·33	1·33	0·10	0·31	0·52	0·42	0·52	1·87
	F	0·03	0·16	0·28	0·39	0·26	1·12	0·03	0·16	0·27	0·38	0·26	1·10	0·05	0·22	0·54	0·22	0·33	1·36
	P	0·05	0·16	0·35	0·38	0·30	1·24	0·05	0·15	0·34	0·39	0·29	1·22	0·08	0·27	0·53	0·32	0·42	1·62
Convulsions (71)	M	3·49	2·01	1·48	1·04	0·73	8·75	3·41	1·86	1·38	0·99	0·70	8·34	5·09	4·99	3·48	1·97	1·35	16·8
	F	2·27	1·51	1·08	0·84	0·68	6·38	2·22	1·42	1·00	0·79	0·66	6·09	3·26	3·20	2·71	1·84	1·14	12·15
	P	2·89	1·77	1·29	0·94	0·71	7·60	2·83	1·65	1·19	0·89	0·68	7·24	4·20	4·11	3·10	1·91	1·25	14·57
Laryngitis (87B)	M	0·02	0·03	0·04	0·05	0·03	0·17	0·02	0·03	0·04	0·04	0 04	0·17	—	—	0·16	0·05	—	0·21
	F	0·01	0·02	0·04	0·02	0·04	0·13	0·01	0·02	0·05	0·02	0·04	0·14	—	—	—	—	—	—
	P	0·01	0·02	0·05	0·03	0·04	0·15	0·01	0·02	0·05	0·03	0·04	0·15	—	—	0·08	0·03	—	0·11
Bronchitis (89, 90).	M	0·97	2·25	2·07	1·64	1·28	8·21	0·98	2·17	2·01	1·60	1·26	8·02	0·88	3·69	3·27	2·44	1·56	11·84
	F	0·70	1·82	1·67	1·36	1·16	6·71	0·70	1·78	1·60	1·32	1·15	6·55	0·54	2·66	3·15	2·06	1·46	9·87
	P	0·84	2·03	1·88	1·50	1·22	7·47	0·84	1·97	1·81	1·47	1·21	7·30	0·72	3·18	3·21	2·26	1·51	10·83
Pneumonia (all forms) (91, 92).	M	0·51	1·99	2·77	3·09	3·00	11·36	0·51	1·95	2·67	3·04	2·96	11·13	0·62	2·70	4·78	4·16	3·79	16·05
	F	0·37	1·30	1·91	2·26	2·37	8·24	0·37	1·27	1·86	2·19	2·34	8·03	0·49	1·84	3·53	3·53	2·87	12·26
	P	0·44	1·65	2·36	2·69	2·70	9·84	0·44	1·62	2·27	2·63	2·66	9·62	0·56	2·28	4·17	3·85	3·34	14·20
Diarrhœa and Enteritis (104).	M	1·06	3·15	3·87	2·30	1·48	11·86	1·03	2·83	3·49	2·17	1·46	10·98	1·56	9·45	11·54	4·78	1·97	29·30
	F	0·66	2·18	3·10	1·95	1·35	9·24	0·60	1·90	2·84	1·84	1·30	8·48	2·17	7·59	8·08	4·12	2·39	24·35
	P	0·86	2·67	3·50	2·13	1·42	10·58	0·81	2·38	3·18	2·01	1·38	9·76	1·86	8·54	9·84	4·46	2·18	26·88

TABLE 14.—ENGLAND AND WALES.—INFANT MORTALITY by SEX, AGE, CAUSE, and LEGITIMACY 1916—*continued.*

Cause of Death.	Sex.	Proportion of Deaths to 1,000 Births.																
		All Infants.						Legitimate Infants.						Illegitimate Infants.				
		Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Gastritis (103A)	M	0·25	0·72	0·49	0·26	0·12	1·84	0·24	0·66	0·46	0·25	0·12	1·73	0·31	1·72	1·14	0·62	0·05	3·84
	F	0·19	0·39	0·44	0·19	0·16	1·37	0·19	0·36	0·39	0·18	0·15	1·27	0·27	0·98	1·52	0·38	0·27	3·42
	P	0·22	0·55	0·47	0·23	0·14	1·61	0·22	0·51	0·43	0·21	0·14	1·51	0·29	1·36	1·33	0·50	0·16	3·64
Syphilis (37) ...	M	0·60	0·73	0·32	0·13	0·04	1·82	0·50	0·54	0·24	0·09	0·03	1·40	2·75	4·11	1·97	0·94	0·31	10·08
	F	0·38	0·53	0·26	0·11	0·03	1·31	0·29	0·38	0·20	0·06	0·02	0·95	2·28	3·58	1·46	0·98	0·22	8·52
	P	0·50	0·62	0·29	0·12	0·04	1·57	0·39	0·47	0·22	0·07	0·03	1·18	2·52	3·84	1·72	0·96	0·27	9·31
Rickets (36A) ...	M	0·01	0·03	0·09	0·16	0·18	0·47	0·01	0·03	0·07	0·14	0·16	0·41	—	0·10	0·47	0·47	0·52	1·56
	F	0·01	0·02	0·07	0·11	0·15	0·36	0·01	0·02	0·07	0·11	0·12	0·33	—	0·05	0·22	0·11	0·54	0·92
	P	0·01	0·03	0·08	0·13	0·16	0·41	0·01	0·02	0·07	0·13	0·14	0·37	—	0·08	0·34	0·29	0·54	1·25
Suffocation, overlying (168 part).	M	0·40	0·31	0·20	0·05	0·02	0·98	0·35	0·31	0·19	0·05	0·02	0·92	1·46	0·36	0·36	0·16	—	2·34
	F	0·38	0·29	0·19	0·02	0·02	0·90	0·33	0·27	0·18	0·02	0·02	0·82	1·40	0·71	0·38	—	—	2·49
	P	0·38	0·30	0·20	0·04	0·02	0·94	0·34	0·29	0·19	0·03	0·02	0·87	1·43	0·53	0·37	0·08	—	2·41
Injury at Birth (152C).	M	1·32	0·02	—	—	—	1·34	1·24	0·02	—	—	—	1·26	2·86	—	—	—	—	2·86
	F	0·94	0·01	—	—	—	0·95	0·87	0·01	—	—	—	0·88	2·34	0·05	—	—	—	2·39
	P	1·14	0·01	—	—	—	1·15	1·07	0·01	—	—	—	1·08	2·60	0·03	—	—	—	2·63
Atelectasis (152B).	M	1·72	0·07	—	—	—	1·79	1·67	0·07	—	—	—	1·74	2·65	0·05	—	—	—	2·70
	F	1·27	0·08	—	—	—	1·35	1·23	0·07	—	—	—	1·30	1·84	0·33	—	—	—	2·17
	P	1·49	0·08	—	—	—	1·57	1·46	0·07	—	—	—	1·53	2·25	0·19	—	—	—	2·44
Congenital Malformations (150).	M	2·93	0·93	0·44	0·18	0·13	4·61	2·87	0·91	0·44	0·18	0·13	4·53	3·79	1·35	0·52	0·21	0·16	6·03
	F	2·43	0·68	0·37	0·17	0·11	3·76	2·43	0·67	0·38	0·17	0·11	3·76	2·66	0·92	0·16	0·11	0·05	3·90
	P	2·68	0·80	0·41	0·18	0·12	4·19	2·65	0·79	0·41	0·18	0·12	4·15	3·24	1·14	0·34	0·16	0·11	4·99
Premature Birth (151A).	M	18·83	1·53	0·20	0·03	0·00	20·59	18·28	1·44	0·18	0·03	—	19·93	29·61	3·32	0·68	0·16	0·10	33·87
	F	14·97	1·37	0·18	0·02	0·01	16·55	14·33	1·29	0·17	0·02	0·01	15·82	27·77	2·87	0·33	0·05	—	31·02
	P	16·94	1·45	0·19	0·03	0·01	18·62	16·34	1·36	0·18	0·03	0·01	17·92	28·72	3·10	0·50	0·11	0·05	32·48
Atrophy, Debility and Marasmus (151 B–E).	M	7·28	3·23	1·66	0·50	0·34	13·01	6·99	2·81	1·46	0·45	0·31	12·02	13·41	11·48	5·61	1·45	0·88	32·83
	F	5·27	2·16	1·23	0·48	0·22	9·36	5·07	1·88	1·10	0·42	0·21	8·68	9·11	7·76	3·90	1·63	0·43	22·83
	P	6·30	2·71	1·45	0·49	0·28	11·23	6·06	2·36	1·28	0·43	0·26	10·39	11·30	9·66	4·78	1·54	0·66	27·94
Other Causes ...	M	2·12	1·08	1·15	0·87	0·73	5·95	1·67	1·05	1·08	0·86	0·72	5·38	10·54	2·70	1·98	1·23	0·95	17·40
	F	1·70	0·79	0·86	0·61	0·56	4·52	1·27	0·74	0·78	0·63	0·58	4·00	9·55	1·96	1·80	1·19	0·69	15·19
	P	1·95	0·96	0·96	0·76	0·66	5·29	1·51	0·90	0·92	0·74	0·64	4·71	10·03	2·32	1·90	1·21	0·82	16·28

Table 15.—Infant Mortality by Age, Cause, and Legitimacy, 1916.—Classes of Administrative Areas.

Cause of Death.		Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months	Total under 1 Year.
All Causes	London	32·02	17·14	17·29	12·01	10·77	89·23	29·73	15·33	15·63	11·50	10·52	82·71	81·61	56·63	53·65	23·15	16·28	231·32
	County Boroughs ...	39·55	19·77	18·25	14·87	13·35	105·79	37·94	18·42	17·01	14·32	13·02	100·71	71·81	46·89	43·07	25·94	20·02	207·73
	Other Urban Districts	36·35	15·76	13·76	10·44	9·52	85·83	34·86	14·60	12·88	10·06	9·39	81·79	66·03	39·01	31·34	18·07	12·15	166·60
	Rural Districts ...	36·27	13·30	10·81	8·33	7·29	76·00	34·60	12·32	10·28	8·02	7·12	72·34	66·93	31·08	20·43	14·04	10·40	142·88
	All Urban Districts ...	37·04	17·69	16·24	12·58	11·36	94·91	35·36	16·35	15·08	12·11	11·12	90·02	70·82	45·00	39·68	22·21	16·16	193·87
I. Common Infectious Diseases (5–9, 19 C).	London	0·08	0·72	1·00	1·53	2·32	5·65	0·08	0·69	0·98	1·46	2·30	5·51	—	1·38	1·38	2·98	3·20	8·94
	County Boroughs ...	0·09	0·70	1·09	1·89	2·77	6·54	0·10	0·71	1·04	1·90	2·74	6·49	0·08	0·62	1·80	2·11	3·03	7·64
	Other Urban Districts	0·13	0·62	0·86	1·10	1·74	4·45	0·12	0·61	0·82	1·11	1·73	4·39	0·16	0·64	1·60	1·12	2·08	5·60
	Rural Districts ...	0·23	0·78	0·76	0·94	1·20	3·91	0·23	0·79	0·78	0·93	1·19	3·92	0·25	0·50	0·51	1·01	1·50	3·77
	All Urban Districts ...	0·10	0·66	0·98	1·51	2·28	5·53	0·10	0·66	0·94	1·51	2·26	5·47	0·10	0·74	1·64	1·82	2·67	6·97
II. Tuberculous Diseases (28–35).	London	0·02	0·32	0·92	0·77	0·79	2·82	0·02	0·30	0·81	0·71	0·77	2·61	—	0·92	2·98	1·83	1·38	7·11
	County Boroughs ...	0·04	0·32	0·91	0·86	0·83	2·96	0·03	0·31	0·81	0·81	0·81	2·77	0·08	0·78	2·96	1·40	1·64	6·86
	Other Urban Districts	0·02	0·18	0·62	0·62	0·64	2·08	0·02	0·15	0·59	0·60	0·63	1·99	—	0·64	1·28	0·96	1·04	3·92
	Rural Districts ...	0·04	0·21	0·44	0·50	0·46	1·65	0·04	0·19	0·42	0·50	0·44	1·59	—	0·50	0·86	0·39	0·75	2·50
	All Urban Districts ...	0·02	0·26	0·79	0·75	0·75	2·57	0·02	0·24	0·72	0·72	0·72	2·42	0·03	0·74	2·26	1·28	1·35	5·66
III. Diarrhœa and Enteritis (104).	London	0·86	3·37	4·89	3·05	1·72	13·89	0·79	2·76	4·23	2·87	1·61	12·26	2·29	16·74	19·48	6·88	4·13	49·52
	County Boroughs ...	1·05	3·32	4·65	2·93	1·90	13·85	0·97	2·98	4·23	2·76	1·85	12·79	2·65	10·05	12·93	6·46	2·96	35·05
	Other Urban Districts	0·80	2·38	2·75	1·62	1·17	8·72	0·78	2·13	2·53	1·54	1·15	8·13	1·12	7·27	7·52	3·12	1·44	20·47
	Rural Districts ...	0·64	1·59	1·85	0·99	0·81	5·88	0·60	1·48	1·77	0·93	0·80	5·58	1·50	3·63	3·26	2·01	1·00	11·40
	All Urban Districts ...	0·91	2·94	3·90	2·41	1·57	11·73	0·86	2·59	3·53	2·27	1·52	10·77	1·95	9·86	11·61	5·12	2·49	31·03
IV. Developmental and Wasting Diseases (150, 151, 152 B).	London	23·21	5·47	2·38	0·78	0·44	32·28	22·11	4·81	2·04	0·67	0·42	30·05	47·00	19·71	10·09	3·21	0·92	80·93
	County Boroughs ...	29·10	5·51	2·23	0·82	0·43	38·09	28·18	5·13	2·04	0·76	0·40	36·51	47·59	13·08	5·69	2·18	1·09	69·63
	Other Urban Districts	27·41	5·00	1·95	0·64	0·42	35·42	26·61	4·50	1·78	0·61	0·40	33·90	43·81	14·95	5·12	1·36	0·80	66·04
	Rural Districts ...	27·23	4·03	1·69	0·48	0·31	33·74	26·32	3·63	1·57	0·44	0·31	32·27	43·97	11·28	3·89	1·13	0·38	60·65
	All Urban Districts ...	27·46	5·30	2·14	0·74	0·43	36·07	26·56	4·82	1·94	0·68	0·41	34·41	45·93	14·84	6·09	1·98	0·94	69·78
V. Miscellaneous Diseases (Remainder).	London	7·85	7·26	8·10	5·88	5·50	34·59	6·73	6·77	7·57	5·79	5·42	32·28	32·32	17·88	19·72	8·25	6·65	84·82
	County Boroughs ...	9·27	9·92	9·37	8·37	7·42	44·35	8·66	9·29	8·89	8·09	7·22	42·15	21·41	22·36	19·69	13·79	11·30	88·55
	Other Urban Districts	7·99	7·58	7·58	6·46	5·55	35·16	7·33	7·21	7·16	6·20	5·48	33·38	20·94	15·51	15·82	11·51	6·79	70·57
	Rural Districts ...	8·13	6·69	6·07	5·42	4·51	30·82	7·41	6·23	5·74	5·22	4·38	28·98	21·21	15·17	11·91	9·50	6·77	64·56
	All Urban Districts ...	8·55	8·53	8·43	7·17	6·33	39·01	7·82	8·04	7·95	6·93	6·21	36·95	22·81	18·82	18·08	12·01	8·71	80·43

TABLE 15.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1916.—CLASSES OF ADMINISTRATIVE AREAS—*continued*.

Cause of Death.		Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Small-pox (5)	London	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	County Boroughs	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Urban Districts	—	0·00	—	—	—	0·00	—	0·00	—	—	—	0·00	—	—	—	—	—	—
	Rural Districts	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	All Urban Districts	—	0·00	—	—	—	0·00	—	0·00	—	—	—	0·00	—	—	—	—	—	—
Chicken-pox (19 C)	London	—	—	—	0·01	0·01	0·02	—	—	—	0·01	0·01	0·02	—	—	—	—	—	—
	County Boroughs	0·00	—	0·01	0·01	0·02	0·04	0·00	—	0·00	0·01	0·02	0·03	—	—	0·08	—	—	0·08
	Other Urban Districts	0·01	0·01	0·01	0·01	0·01	0·05	0·01	0·01	0·00	0·02	0·01	0·05	—	—	0·08	—	—	0·08
	Rural Districts	0·01	0·01	—	0·03	—	0·05	0·01	0·01	—	0·02	—	0·04	0·12	—	—	0·13	—	0·25
	All Urban Districts	0·00	0·00	0·01	0·01	0·02	0·04	0·00	0·00	0·00	0·02	0·02	0·04	—	—	0·07	—	—	0·07
Measles (6)	London	0·01	0·06	0·18	0·49	1·00	1·74	0·01	0·06	0·18	0·48	1·01	1·74	—	—	0·23	0·69	0·91	1·83
	County Boroughs	0·01	0·06	0·14	0·68	1·20	2·09	0·02	0·06	0·13	0·68	1·18	2·07	—	—	0·39	0·78	1·48	2·65
	Other Urban Districts	0·00	0·05	0·13	0·29	0·63	1·10	0·00	0·04	0·14	0·28	0·62	1·08	—	0·08	—	0·56	0·88	1·52
	Rural Districts	0·01	0·02	0·08	0·17	0·36	0·64	0·01	0·02	0·08	0·16	0·37	0·64	—	—	0·13	0·25	0·37	0·75
	All Urban Districts	0·01	0·05	0·14	0·49	0·94	1·63	0·01	0·05	0·14	0·48	0·93	1·61	—	0·03	0·20	0·67	1·15	2·05
Scarlet fever (7)	London	—	—	—	0·02	0·01	0·03	—	—	—	0·02	—	0·02	—	—	—	—	0·23	0·23
	County Boroughs	—	0·00	0·01	0·03	0·04	0·08	—	0·00	0·01	0·04	0·03	0·08	—	—	—	—	0·08	0·08
	Other Urban Districts	—	0·01	0·01	0·02	0·02	0·06	—	0·01	0·01	0·02	0·02	0·06	—	—	—	—	0·08	0·08
	Rural Districts	—	—	0·01	0·02	0·02	0·05	—	—	—	0·03	0·02	0·05	—	—	0·13	—	—	0·13
	All Urban Districts	—	0·00	0·01	0·02	0·03	0·06	—	0·00	0·01	0·03	0·02	0·06	—	—	—	—	0·10	0·10
Whooping cough (8)	London	0·07	0·65	0·78	0·97	1·07	3·54	0·07	0·62	0·76	0·92	1·04	3·41	—	1·38	1·15	2·06	1·83	6·42
	County Boroughs	0·07	0·63	0·89	1·09	1·36	4·04	0·07	0·63	0·87	1·09	1·36	4·02	0·08	0·62	1·25	1·25	1·32	4·52
	Other Urban Districts	0·10	0·53	0·70	0·74	0·98	3·05	0·09	0·53	0·66	0·75	0·99	3·02	0·16	0·56	1·52	0·56	0·80	3·60
	Rural Districts	0·18	0·74	0·64	0·69	0·78	3·03	0·18	0·75	0·67	0·69	0·76	3·05	0·13	0·50	0·25	0·63	1·00	2·51
	All Urban Districts	0·08	0·59	0·79	0·93	1·16	3·55	0·08	0·59	0·76	0·92	1·16	3·51	0·10	0·71	1·34	1·08	1·18	4·41
Diphtheria and Croup (9)	London	—	0·01	0·04	0·04	0·23	0·32	—	0·01	0·04	0·03	0·24	0·32	—	—	—	0·23	0·23	0·46
	County Boroughs	0·01	0·01	0·04	0·08	0·15	0·29	0·01	0·02	0·03	0·08	0·15	0·29	—	—	0·08	0·08	0·15	0·31
	Other Urban Districts	0·02	0·02	0·01	0·04	0·10	0·19	0·02	0·02	0·01	0·04	0·09	0·18	—	—	—	—	0·32	0·32
	Rural Districts	0·03	0·01	0·03	0·03	0·04	0·14	0·03	0·01	0·03	0·03	0·04	0·14	—	—	—	—	0·13	0·13
	All Urban Districts	0·01	0·02	0·03	0·06	0·13	0·25	0·01	0·02	0·03	0·06	0·13	0·25	—	—	0·03	0·07	0·24	0·34

Erysipelas (18) ...	London	0·03	0·07	0·04	—	0·01	0 15	0·03	0·08	0·04	—	0·01	0·16	—	—	—	—	—
	County Boroughs ...	0·05	0·06	0·05	0·02	—	0·18	0·05	0·07	0·05	0·02	—	0·19	—	—	—	0·08	—	0·08
	Other Urban Districts	0·03	0·07	0·02	0·01	0·00	0·13	0·03	0·08	0·01	0·00	0·00	0·12	0·08	0·08	0·08	0·08	—	0·32
	Rural Districts ...	0·03	0·05	0·03	0·01	—	0·12	0·03	0·06	0·03	—	—	0·12	—	—	—	0·13	—	0·13
	All Urban Districts ...	0·04	0·07	0·03	0·01	0·00	0·15	0·04	0·07	0·03	0·01	0·00	0·15	0·03	0·03	0·03	0·08	—	0·17
Tuberculous Meningitis (30).	London	—	0·13	0·39	0·40	0·37	1·29	—	0·13	0·36	0·39	0·36	1·24	—	0·23	1·14	0·23	0·69	2·29
	County Boroughs ...	—	0·07	0·27	0·38	0·36	1·08	—	0·08	0·26	0·36	0·35	1·05	—	—	0·62	0·39	0·63	1·64
	Other Urban Districts	0·00	0·05	0·26	0·29	0·29	0·89	0·00	0·04	0·25	0·28	0·30	0·87	—	0·16	0·40	0·40	0·32	1·28
	Rural Districts ...	—	0·05	0·19	0·22	0·25	0·71	—	0·05	0·17	0·23	0·23	0·68	—	0·13	0·49	0·13	0·50	1·25
	All Urban Districts ...	0·00	0·07	0·28	0·34	0·34	1·03	0·00	0·07	0·27	0·34	0·33	1·01	—	0·10	0·61	0·37	0·50	1·58
Abdominal Tuberculosis (31).	London	0·01	0·13	0·32	0·17	0·14	0·77	0·01	0 11	0·25	0·11	0·14	0·62	—	0·69	1·38	1·60	0·23	3 90
	County Boroughs ...	0·01	0·17	0·43	0·28	0·24	1·13	0·01	0·16	0·35	0·26	0·22	1·00	—	0·55	1·95	0·70	0·62	3·82
	Other Urban Districts	0·02	0·09	0·20	0·16	0·14	0·61	0·02	0·07	0·18	0·15	0·13	0·55	—	0·48	0·64	0·40	0·32	1·84
	Rural Districts ...	—	0·11	0·15	0·16	0·11	0·53	—	0·10	0·15	0·16	0·10	0·51	—	0·24	0·13	0·13	0·25	0·75
	All Urban Districts ...	0·01	0·13	0·32	0·22	0·18	0·86	0·01	0·11	0·27	0·19	0·17	0·75	—	0·54	1·31	0·71	0·44	3·00
Other Tuberculous Diseases (28, 29, 32–35).	London	0·01	0·06	0·21	0·20	0·28	0·76	0·01	0·06	0·20	0·21	0·27	0·75	—	—	0·46	—	0·46	0·92
	County Boroughs ...	0·03	0·08	0·21	0·20	0·23	0·75	0·02	0·07	0·20	0·19	0·24	0·72	0·08	0·23	0·39	0·31	0·39	1·40
	Other Urban Districts	0·00	0·04	0·16	0·17	0·21	0·58	0·00	0·04	0·16	0·17	0·20	0·57	—	—	0·24	0·16	0·40	0·80
	Rural Districts ...	0·04	0·05	0·10	0·12	0·10	0·41	0·04	0·04	0·10	0·11	0·11	0·40	—	0·13	0·24	0·13	—	0·50
	All Urban Districts ...	0·01	0·06	0·19	0·19	0·23	0·68	0·01	0·06	0·18	0·19	0·22	0·66	0·03	0·10	0·34	0·20	0·41	1·08
Meningitis (not Tuberculous) (61).	London	0·06	0·20	0·46	0·57	0·33	1·62	0·05	0·20	0·45	0·57	0·34	1·61	0·23	0·23	0·68	0·46	0·23	1·83
	County Boroughs ...	0·04	0·16	0·40	0·42	0·35	1·37	0·04	0·15	0·41	0·42	0·33	1·35	—	0·23	0·31	0·47	0·70	1·71
	Other Urban Districts	0·06	0·14	0·32	0·37	0·30	1·19	0·06	0·14	0·29	0·38	0·30	1·17	0·08	0·16	0·88	0·16	0·32	1·60
	Rural Districts ...	0·05	0·17	0·25	0·21	0·18	0·86	0·05	0·15	0·24	0·21	0·18	0·83	0·13	0·50	0·25	0·25	0·25	1·38
	All Urban Districts ...	0·05	0·16	0·38	0·41	0·33	1·33	0·05	0·15	0·37	0·43	0·32	1·32	0·07	0·20	0·60	0·34	0·47	1·68
Convulsions (71) ...	London	1·57	0·79	0·74	0·37	0·36	3·83	1·55	0·76	0·71	0·35	0·34	3·71	1·60	1·38	1·60	0·92	0·92	6·42
	County Boroughs ...	3·26	2·06	1·38	1·14	0·83	8·67	3·19	1·93	1·29	1·07	0·80	8·28	4·60	4·75	3·35	2·49	1·40	16·59
	Other Urban Districts	2·92	1·74	1·46	0·98	0·75	7·85	2·85	1·63	1·35	0·94	0·72	7·49	4·23	3·84	3·60	1·84	1·44	14·95
	Rural Districts ...	3·10	1·94	1·16	0·88	0·63	7·71	2·99	1·77	1·08	0·84	0·62	7·30	4·89	5·00	2·76	1·63	0·88	15·16
	All Urban Districts ...	2·85	1·73	1·32	0·95	0·72	7·57	2·80	1·62	1·22	0·90	0·69	7·23	4·00	3·87	3·20	1·99	1·35	14·41
Laryngitis (87 B) ...	London	—	0·01	0·03	0·01	0·01	0·06	—	0·01	0·03	0·01	0·01	0·06	—	—	—	—	—	—
	County Boroughs ...	0·01	0·02	0·03	0·05	0·06	0·17	0·01	0·02	0·03	0·05	0·07	0·18	—	—	—	0·08	—	0·08
	Other Urban Districts	0·02	0·02	0·05	0·03	0·02	0·14	0·02	0·02	0·05	0·03	0·02	0·14	—	—	0·16	—	—	0·16
	Rural Districts ...	0·02	0·03	0·06	0·03	0·05	0·19	0·02	0·03	0·06	0·03	0·05	0·19	—	—	0·13	—	—	0·13
	All Urban Districts ...	0·01	0·02	0·03	0·04	0·04	0·14	0·01	0·02	0·03	0·04	0·04	0·14	—	—	0·07	0·03	—	0·10
Bronchitis (89, 90) ...	London	0·66	1·43	1·47	0·92	0·81	5·29	0·64	1·42	1·43	0·91	0·82	5·22	1·15	1·60	2·29	1·15	0 46	6·65
	County Boroughs ...	1·05	2·59	2·29	2·00	1·56	9·49	1·08	2·48	2·19	1·95	1·56	9·26	0·62	4·52	4·28	3·12	1·71	14·25
	Other Urban Districts	0·76	1·92	1·90	1·42	1·14	7·14	0·76	1·88	1·84	1·37	1·13	6·98	0·72	2·95	2·96	2·32	1·36	10·31
	Rural Districts ...	0·71	1·64	1·38	1·15	1·03	5·91	0·71	1·62	1·32	1·14	0·97	5·76	0·63	2·26	2·37	1·38	2·01	8·65
	All Urban Districts ...	0·87	2·13	2·00	1·59	1·27	7·86	0·88	2·07	1·93	1·54	1·26	7·68	0·74	3·43	3·44	2·49	1·38	11·48

TABLE 15.—INFANT MORTALITY BY AGE, CAUSE, AND LEGITIMACY, 1916.—CLASSES OF ADMINISTRATIVE AREAS—*continued.*

Cause of Death.		Proportion of Deaths to 1,000 Births.																	
		All Infants.						Legitimate Infants.						Illegitimate Infants.					
		Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.	Under 1 Month.	1–3 Months.	3–6 Months.	6–9 Months.	9–12 Months.	Total under 1 Year.
Pneumonia (all forms) (91, 92).	London	0·79	2·10	3·09	2·74	2·97	11·69	0·75	2·06	2·91	2·74	2·95	11·41	1·60	2·98	7·11	2·75	3·21	17·65
	County Boroughs ...	0·44	1·94	2·86	3·34	3·47	12·05	0·43	1·88	2·75	3·30	3·39	11·75	0·62	3·12	5·06	4·05	5·06	17·91
	Other Urban Districts	0·38	1·51	2·03	2·43	2·33	8·68	0·38	1·51	1·98	2·35	2·33	8·55	0·24	1·52	3·04	4·31	2·32	11·43
	Rural Districts ...	0·35	1·07	1·57	1·95	1·78	6·72	0·35	1·04	1·50	1·87	1·75	6·51	0·38	1·75	2·88	3·38	2·26	10·65
	All Urban Districts ...	0·47	1·79	2·55	2·87	2·91	10·59	0·46	1·76	2·46	2·81	2·88	10·37	0·61	2·42	4·51	3·97	3·64	15·15
Diarrhœa and Enteritis (104).	London	0·86	3·37	4·89	3·05	1·72	13·89	0·79	2·76	4·23	2·87	1·61	12·26	2·29	16·74	19·48	6·88	4·13	49·52
	County Boroughs ...	1·05	3·32	4·65	2·93	1·90	13·85	0·97	2·98	4·23	2·76	1·85	12·79	2·65	10·05	12·93	6·46	2·96	35·05
	Other Urban Districts	0·80	2·38	2·75	1·62	1·17	8·72	0·78	2·13	2·53	1·54	1·15	8·13	1·12	7·27	7·52	3·12	1·44	20·47
	Rural Districts ...	0·64	1·59	1·85	0·99	1·81	5·88	0·60	1·48	1·77	0·93	0·80	5·58	1·50	3·63	3·26	2·01	1·00	11·40
	All Urban Districts ...	0·91	2·94	3·90	2·41	1·57	11·73	0·86	2·59	3·53	2·27	1·52	10·77	1·95	9·86	11·61	5·12	2·49	31·03
Gastritis (103 A) ...	London	0·11	0·37	0·38	0·08	0·08	1·02	0·11	0·33	0·31	0·08	0·08	0·91	0·23	1·38	1·83	—	—	3·44
	County Boroughs ...	0·25	0·68	0·54	0·25	0·14	1·86	0·26	0·64	0·48	0·23	0·13	1·74	0·16	1·17	1·71	0·78	0·31	4·13
	Other Urban Districts	0·24	0·57	0·47	0·25	0·16	1·69	0·24	0·52	0·44	0·24	0·16	1·60	0·40	1·44	1·20	0·40	0·16	3·60
	Rural Districts ...	0·20	0·44	0·40	0·23	0·14	1·41	0·19	0·38	0·39	0·22	0·14	1·32	0·38	1·50	0·63	0·50	—	3·01
	All Urban Districts ...	0·23	0·58	0·49	0·22	0·14	1·66	0·22	0·54	0·44	0·21	0·14	1·55	0·27	1·31	1·52	0·50	0·20	3·80
Syphilis (37)	London	0·64	0·72	0·37	0·17	0·01	1·91	0·54	0·49	0·22	0·14	—	1·39	2·98	5·50	3·67	0·92	0·23	13·30
	County Boroughs ...	0·71	0·93	0·37	0·18	0·04	2·23	0·57	0·69	0·29	0·12	0·03	1·70	3·50	5·37	2·03	1·48	0·39	12·77
	Other Urban Districts	0·35	0·53	0·29	0·08	0·05	1·30	0·25	0·39	0·23	0·05	0·04	0·96	2·40	3·27	1·44	0·72	0·32	8·15
	Rural Districts ...	0·27	0·21	0·11	0·03	0·02	0·64	0·23	0·15	0·08	0·01	0·02	0·49	0·88	1·37	0·63	0·50	—	3·38
	All Urban Districts ...	0·55	0·72	0·34	0·14	0·04	1·79	0·43	0·55	0·25	0·09	0·03	1·35	2·96	4·51	2·02	1·08	0·34	10·91
Rickets (36 A)... ...	London	0·01	0·03	0·09	0·16	0·19	0·48	0·01	0·02	0·08	0·13	0·16	0·40	—	0·23	0·23	0·91	0·92	2·29
	County Boroughs ...	0·01	0·03	0·11	0·12	0·21	0·48	0·01	0·03	0·10	0·12	0·19	0·45	—	0·08	0·31	0·16	0·38	0·93
	Other Urban Districts	—	0·02	0·06	0·14	0·15	0·37	—	0·02	0·05	0·14	0·13	0·34	—	—	0·32	0·16	0·48	0·96
	Rural Districts ...	0·02	0·02	0·07	0·13	0·09	0·33	0·02	0·01	0·05	0·11	0·06	0·25	—	0·13	0·50	0·38	0·62	1·63
	All Urban Districts ...	0·01	0·03	0·09	0·14	0·17	0·44	0·01	0·03	0·07	0·13	0·16	0·40	—	0·07	0·30	0·27	0·50	1·14
Suffocation, overlying (168 part).	London	0·69	0·45	0·31	0·07	0·02	1·54	0·58	0·43	0·31	0·07	0·02	1·41	2·98	0·92	0·46	—	—	4·36
	County Boroughs ...	0·51	0·40	0·25	0·05	0·03	1·24	0·45	0·40	0·24	0·05	0·03	1·17	1·47	0·47	0·47	0·08	—	2·49
	Other Urban Districts	0·23	0·21	0·13	0·03	0·01	0·61	0·18	0·20	0·12	0·02	0·01	0·53	1·12	0·40	0·48	0·16	—	2·16
	Rural Districts ...	0·27	0·19	0·13	0·01	0·02	0·62	0·23	0·16	0·14	0·01	0·02	0·56	1·00	0·63	—	—	—	1·63
	All Urban Districts ...	0·42	0·33	0·21	0·04	0·02	1·02	0·37	0·32	0·20	0·04	0·02	0·95	1·56	0·50	0·47	0·10	—	2·63

Injury at Birth (152 C)	London	1·43	0·02	—	—	—	1 45	1·21	0·02	—	—	—	1·23	6·19	—	—	—	—	6·19
	County Boroughs ...	1·00	0·01	—	—	—	1·01	0·98	0·01	—	—	—	0·99	1·56	—	—	—	—	1·56
	Other Urban Districts	1·13	0·01	—	—	—	1·14	1·09	0·00	—	—	—	1·09	2·00	0·08	—	—	—	2·08
	Rural Districts ...	1·19	0·03	—	—	—	1·22	1·08	0·03	—	—	—	1·11	3·26	—	—	—	—	3·26
	All Urban Districts ...	1·12	0·01	—	—	—	1·13	1·06	0·01	—	—	—	1·07	2·43	0·03	—	—	—	2·46
Atelectasis (152 B) ...	London	1·84	0·18	—	—	—	2·02	1·80	0·16	—	—	—	1·96	2·75	0·69	—	—	—	3·44
	County Boroughs ...	1·67	0·08	—	—	—	1·75	1·63	0·08	—	—	—	1·71	2·49	—	—	—	—	2·49
	Other Urban Districts	1·29	0·05	—	—	—	1·34	1·27	0·04	—	—	—	1·31	1·84	0·24	—	—	—	2·08
	Rural Districts ...	1·28	0·07	—	—	—	1·35	1·24	0·06	—	—	—	1·30	2·25	0·13	—	—	—	2·38
	All Urban Districts ...	1·54	0·08	—	—	—	1·62	1·51	0·07	—	—	—	1·58	2·26	0·20	—	—	—	2·46
Congenital Malformations (150).	London	2·44	1·08	0·35	0·17	0·10	4·14	2·34	1·04	0·36	0·18	0·09	4·01	4·59	1·83	0·23	—	0·23	6·88
	County Boroughs ...	2·68	0·83	0·38	0·18	0·12	4·19	2·65	0·83	0·38	0·18	0·12	4·16	3·27	0·86	0·23	0·23	0·16	4·75
	Other Urban Districts	2·82	0·75	0·47	0·19	0·12	4·35	2·83	0·72	0·46	0·19	0·13	4·33	2·88	1·36	0·48	0·16	—	4·88
	Rural Districts ...	2·64	0·68	0·39	0·14	0·12	3·97	2·62	0·67	0·39	0·14	0·12	3·94	3·00	0·87	0·38	0·13	0·13	4·51
	All Urban Districts ...	2·70	0·84	0·41	0·18	0·12	4·25	2·68	0·82	0·41	0·18	0·12	4·21	3·30	1·21	0·34	0·17	0·10	5·12
Premature Birth (151 A)	London	14·79	1·46	0·14	0·01	—	16·40	14·12	1·33	0·11	—	—	15·56	29·11	4·36	0·92	0·23	—	34·62
	County Boroughs ...	18·56	1·73	0·20	0·05	0·01	20·55	17·89	1·66	0·18	0·05	0·01	19·79	31·85	3·11	0·55	0·16	—	35·67
	Other Urban Districts	16·45	1·46	0·22	0·02	0·01	18·16	15·92	1·37	0·20	0·02	0·00	17·51	27·18	3·20	0·48	0·08	0·16	31·10
	Rural Districts ...	16·33	0·94	0·16	0·01	0·01	17·45	15·80	0·87	0·16	0·01	0·01	16·85	25·81	2·26	0·25	—	—	28·32
	All Urban Districts ...	17·09	1·58	0·20	0·03	0·01	18·91	16·47	1·49	0·18	0·03	0·01	18·18	29·49	3·33	0·57	0·13	0·07	33·59
Atrophy, Debility, and Marasmus (151 B–E).	London	4·14	2·75	1·89	0·60	0·34	9·72	3·85	2·28	1·57	0·49	0·33	8·52	10·55	12·83	8·94	2·98	0·69	35·99
	County Boroughs ...	6·19	2·87	1·65	0·59	0·30	11·60	6·01	2·56	1·48	0·53	0·27	10·85	9·98	9·11	4·91	1·79	0·93	26·72
	Other Urban Districts	6·85	2·74	1·26	0·43	0·29	11·57	6·59	2·37	1·12	0·40	0·27	10·75	11·91	10·15	4·16	1·12	0·64	27·98
	Rural Districts ...	6·98	2·34	1·14	0·33	0·18	10·97	6·66	2·03	1·02	0·29	0·18	10·18	12·91	8·02	3·26	1·00	0·25	25·44
	All Urban Districts ...	6·13	2·80	1·53	0·53	0·30	11·29	5·90	2·44	1·35	0·47	0·28	10·44	10·88	10·10	5·18	1·68	0·77	28·61
Other Causes	London	1·86	1·07	1·12	0·79	0·71	5·55	1·26	0·95	1·08	0·79	0·69	4·77	15·36	3·66	1·85	1·14	0·68	22·69
	County Boroughs ...	1·94	1·04	1·09	0·80	0·73	5·60	1·59	0·99	1·06	0·76	0·69	5·09	8·88	2·65	2·17	1·00	1·35	16·05
	Other Urban Districts	1·87	0·84	0·85	0·72	0·64	4·92	1·47	0·82	0·80	0·68	0·64	4·41	9·67	1·77	1·66	1·36	0·39	14·85
	Rural Districts ...	1·92	0·90	0·91	0·79	0·57	5·09	1·51	0·83	0·85	0·78	0·57	4·54	9·66	2·03	1·76	1·35	0·75	15·55
	All Urban Districts ...	1·93	0·96	0·99	0·76	0·69	5·33	1·49	0·90	0·95	0·73	0·67	4·74	10·14	2·45	1·92	1·16	0·83	16·50

Table 16.—England and Wales.—Names on the Registers, Searches, and Fees received, at the General Register Office, 1867–1916.

Year.	Names on the Registers at the end of each Year.				Searches in the Registers, including Non-Parochial.			
	Persons Married.	Births.	Deaths.	Total.	Number.*	Amount received for Searches and for Certificates.*		
						£	s.	d.
1867	9,227,284	18,730,236	12,473,962	40,431,482	12,343	1,906	16	6
1868	9,581,208	19,517,094	12,954,584	42,052,886	12,913†	2,031	11	0†
1869	9,935,148	20,290,475	13,449,412	43,675,035	14,260	2,247	7	6
1870	10,298,458	21,083,262	13,964,741	45,346,461	16,170	2,456	19	6
1871	10,678,682	21,880,690	14,479,620	47,038,992	17,910	2,705	7	0
1872	11,081,216	22,706,597	14,971,885	48,759,698	18,970	2,867	5	6
1873	11,492,446	23,536,375	15,464,405	50,493,226	20,941†	3,142	9	6†
1874	11,896,466	24,391,331	15,991,037	52,278,834	22,354	3,364	7	0
1875	12,298,890	25,241,938	16,537,490	54,078,318	26,356	3,879	15	6
1876	12,702,638	26,129,906	17,047,805	55,880,349	27,590	4,109	15	6
1877	13,091,342	27,018,106	17,548,301	57,657,749	27,721	4,211	13	6
1878	13,471,450	27,910,012	18,088,173	59,469,635	28,540	4,313	8	6
1879	13,835,614	28,790,401	18,614,428	61,240,443	29,690†	4,517	15	0†
1880	14,219,544	29,672,044	19,143,052	63,034,640	31,308	4,695	3	0
1881	14,614,124	30,555,686	19,634,987	64,804,797	32,305	4,976	12	6
1882	15,022,934	31,444,700	20,151,641	66,619,275	33,597	5,170	15	0
1883	15,435,702	32,335,422	20,674,638	68,445,762	34,810	5,356	0	0
1884	15,844,304	33,242,172	21,205,466	70,291,942	34,843†	5,177	15	0†
1885	16,239,794	34,136,442	21,728,216	72,104,452	36,450	5,317	13	6
1886	16,631,936	35,040,202	22,265,492	73,937,630	36,079	5,168	16	0
1887	17,032,972	35,926,533	22,796,250	75,755,755	37,750	5,347	5	0
1888	17,440,614	36,806,401	23,307,221	77,554,236	40,477	5,808	0	6
1889	17,868,344	37,692,345	23,825,574	79,386,263	41,002	5,884	2	6
1890	18,314,400	38,562,282	24,387,822	81,264,504	43,874†	6,178	4	0†
1891	18,767,452	39,476,439	24,975,747	83,219,638	46,500	6,458	10	6
1892	19,221,722	40,374,396	25,535,431	85,131,549	50,942	6,921	15	0
1893	19,659,100	41,288,968	26,105,389	87,053,457	50,626	6,845	6	6
1894	20,111,998	42,179,257	26,604,216	88,895,471	54,255	7,166	3	6
1895	20,568,406	43,101,548	27,173,213	90,843,167	53,289	7,200	12	6
1896	21,053,934	44,016,879	27,699,940	92,770,753	57,444†	7,600	0	6†
1897	21,552,224	44,938,562	28,241,427	94,732,213	58,664	7,686	8	6
1898	22,062,982	45,861,727	28,793,568	96,718,277	63,825	8,450	19	6
1899	22,587,650	46,790,373	29,375,367	98,753,390	57,670	8,551	19	6
1900	23,102,610	47,717,435	29,963,197	100,783,242	57,895	8,658	9	6
1901	23,621,410	48,647,242	30,514,782	102,783,434	58,445	8,645	10	0
1902	24,144,910	49,587,751	31,050,320	104,782,981	61,437†	9,177	15	0†
1903	24,667,116	50,536,022	31,564,948	106,768,086	63,519	9,437	9	6
1904	25,182,828	51,481,411	32,114,732	108,778,971	62,270	9,274	12	0
1905	25,704,312	52,410,704	32,634,763	110,749,779	65,142	9,611	9	0
1906	26,244,388	53 345,785	33,166,044	112,756,217	64,340	9,458	6	0
1907	26,797,230	54,263,827	33,690,265	114,751,322	69,249	10,194	9	0
1908	27,327,110	55,204,210	34,210,721	116,742,041	72,370†	10,550	8	0†
1909	27,848,198	56,118,682	34,728,724	118,695,604	73,543	10,568	8	0
1910	28,383,640	57,015,644	35,211,971	120,611,255	75,369	10,939	5	6
1911	28,933,526	57,896,782	35,739,781	122,570,089	75,005	10,875	6	0
1912	29,501,194	58,769,519	36,226,720	124,497,433	80,601	11,752	6	0
1913	30,074,360	59,651,409	36,731,695	126,457,464	79,315	11,613	19	0
1914	30,663,162	60,530,505	37,248,437	128,442,104	83,447†	12,482	11	6†
1915	31,384,932	61,345,119	37,810,690	130,540,741	84,151	13,007	10	0
1916	31,944,624	62,130,639	38,318,907	132,394,710	105,665	16,379	17	0

* The figures in these columns refer to periods of 52 weeks except those marked † which refer to periods of 53 weeks.

Table 17.—Islands in the British Seas. Area and Population; and Births and Deaths, 1892–1916.

Year.	Islands in the British Seas.		Isle of Man.		Jersey.		Guernsey and adjacent Islands.	
Area in Acres	189,346		141,263		28,717		19,366	
	Enumerated Population.							
1891	147,842		55,608		54,518		37,716	
1901	150,370		54,752		52,576		43,042	
1911	148,915		52,016		51,898		45,001	
——	Births.	Deaths.	Births.	Deaths.	Births.	Deaths.	Births.*	Deaths.
1892	3,382	3,031	1,331	1,131	1,269	1,262	782	638
1893	3,633	2,864	1,415	1,091	1,401	1,118	817	655
1894	3,305	2,700	1,336	1,091	1,227	987	742	622
1895	3,602	2,985	1,515	1,138	1,294	1,151	793	696
1896	3,538	2,602	1,437	1,073	1,307	998	794	531
1897	3,716	2,819	1,445	1,099	1,331	1,016	940	704
1898	3,585	2,760	1,400	1,008	1,259	1,020	926	732
1899	3,650	2,881	1,473	1,130	1,261	1,054	916	697
1900	3,375	2,894	1,376	1,143	1,151	1,054	848	697
1901	3,145	2,556	1,204	1,033	1,139	869	802	654
1902	3,289	2,466	1,256	979	1,137	864	896	623
1903	3,134	2,466	1,190	948	1,097	933	847	585
1904	3,536	2,649	1,227	1,027	1,068	903	1,241	719
1905	3,419	2,530	1,139	998	1,066	856	1,214	676
1906	3,310	2,397	1,123	894	1,007	878	1,180	625
1907	3,197	2,499	1,073	893	980	917	1,144	689
1908	3,162	2,391	1,044	901	1,039	815	1,079	675
1909	3,161	2,457	1,036	970	1,046	868	1,079	619
1910	3,125	2,246	1,023	841	1,038	765	1,064	640
1911	3,019	2,663	979	932	1,034	904	1,006	827
1912	2,963	2,249	921	847	993	751	1,049	651
1913	2,802	2,321	899	899	946	772	957	650
1914	2,851	2,227	899	815	998	811	954	601
1915	2,476	2,515	805	884	824	901	847	730
1916	2,232	2,215	728	864	744	740	760	611

Note.—The above numbers of births and deaths have been compiled from returns furnished to the Registrar-General by the Registrar-General of the Isle of Man, the Government Secretary of Jersey, and the Lieutenant-Governor of Guernsey and its Dependencies.

* Up to and including the year 1895 the figures in this column refer to the number of Baptisms.

Table 18.—Balance inward or outward on Passenger Movement into and out of the United Kingdom, 1897–1916.

Year.	Balance Outward on Movement to and from non-European Countries.				Balance Inward on Movement to and from European Countries. (All Nationalities).*	Net Balance Outward on Total Movement to and from all Countries. (All Nationalities).*
	British Subjects.	Aliens.	Nationality not Distinguished.	Total.		
1897	51,239	4,938	1,989	58,166	17,850	40,316
1898	49,396	14,189	2,240	65,825	29,897	35,928
1899	46,116	30,444	2,025	78,585	56,660	21,925
1900	71,188	50,041	1,585	122,814	79,433	43,381
1901	72,016	63,618	1,923	137,557	88,712	48,845
1902	101,547	112,132	2,226	215,905	137,313	78,592
1903	147,036	99,149	3,136	249,321	114,540	134,781
1904	126,854	82,182	2,945	211,981	84,389	127,592
1905	139,365	110,514	4,590	254,469	107,733	146,736
1906	194,671	133,878	*977*†	327,572	134,199	193,373
1907	235,092	109,857	*3,633*†	341,316	113,385	227,931
1908	91,156	*47,667*†	—	43,489	*24,267*‡	67,756
1909	139,693	73,360	—	213,053	94,263	118,790
1910	233,709	86,371	—	320,080	112,664	207,416
1911	261,809	11,187	—	272,996	31,845	241,151
1912	268,485	47,654	—	316,139	74,405	241,734
1913	241,997	87,076	—	329,073	125,462	203,611
1914	63,334	28,212	—	91,546	200,234	*108,688*†
1915	*24,733*†	4,051	—	*20,682*†	15,465	*36,147*†
1916§	*8,175*†	3,481	—	*4,694*†	*6,526*‡	1,832

* Prior to 1st January, 1908, no statutory returns were available with regard to the passenger movement between the United Kingdom and the Continent of Europe, and the returns furnished voluntarily were to some extent incomplete, and were not prepared on an absolutely uniform system. Hence the figures given above for the years 1897 to 1907 cannot be regarded as a complete statement of the passenger movement between the United Kingdom and other countries in those years.

† Balance inward. ‡ Balance outward.

§ These figures are subject to revision.

Table 19.—United Kingdom and its several Divisions.—Population, Marriages, Births, and Deaths, 1892–1916.

Note.—The diseases in this table correspond with those of the same name in the Short List of Causes of Death. (For contents of the several headings see pp. xxiii and xxv of the Manual of the International List.)

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Stillborn.	The Total Deaths include :—										Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer, Malignant disease.		
UNITED KINGDOM.																			
* Census year.	1892	38,134,110	554,670	1,127,234	725,273	14·5	29·5	19·0	140	5,395	442	17,016	6,908	16,352	11,010	— †	60,136 ‡	25,289	1892
	1893	38,490,333	535,096	1,147,764	732,449	13·9	29·8	19·0	151	8,652	1,526	15,831	3,271	13,371	14,262	—	60,422	26,231	1893
† Deaths from Asiatic cholera were not separately tabulated in England and Wales prior to 1901.	1894	38,859,067	551,310	1,120,010	653,468	14·2	28·8	16·8	131	6,266	1,021	13,763	6,465	16,148	13,268	—	58,375	26,725	1894
	1895	39,221,109	559,492	1,154,898	735,244	14·3	29·4	18·7	152	6,816	416	13,855	5,904	12,589	11,556	—	59,946	28,234	1895
	1896	39,599,072	592,178	1,152,144	673,104	15·0	29·0	16·9	139	6,503	547	19,649	6,897	16,276	12,442	—	56,195	28,971	1896
	1897	39,987,294	606,172	1,157,224	704,470	15·2	28·9	17·6	150	6,504	38	15,837	5,815	16,159	10,355	—	58,590	30,290	1897
	1898	40,380,792	620,142	1,159,483	712,942	15·4	28·7	17·7	153	7,806	255	15,826	4,782	14,239	10,165	—	58,103	31,306	1898
	1899	40,774,296	635,246	1,163,279	741,091	15·6	28·5	18·2	154	7,997	176	13,129	4,758	13,011	11,916	—	59,163	32,551	1899
‡ Excluding acute miliary tuberculosis for years prior to 1911.	1900	41,154,646	622,508	1,159,922	757,732	15·1	28·2	18·4	147	7,004	139	15,175	4,743	13,968	11,874	—	60,362	32,941	1900
	1901*	41,538,211	626,702	1,162,975	710,811	15·1	28 0	17·1	144	6,617	636	11,133	5,139	14,079	11,302	—	57,549	34,042	1901*
	1902	41,892,680	633,224	1,174,639	691,155	15·1	28·0	16·5	128	5,314	2,545	15,394	5,585	12,572	9,970	—	56,643	34,444	1902
	1903	42,246,591	632,892	1,183,627	667,988	15·0	28·0	15·8	127	4,379	841	10,969	4,775	12,530	7,929	—	56,321	35,935	1903
	1904	42,611,375	626,176	1,181,803	707,278	14·7	27·7	16·6	139	4,029	708	14,340	4,251	15,865	7,615	—	58,422	36,657	1904
§ On total population specially estimated for this purpose.	1905	42,980,788	630,180	1,163,535	669,638	14·7	27·1	15·6	124	3,927	125	13,547	4,215	11,533	7,241	—	54,540	37,644	1905
	1906	43,361,077	651,684	1,170,622	681,343	15·0	27·0	15·7	127	3,963	22	11,277	3,854	10,605	8,072	—	55,170	39,658	1906
	1907	43,737,834	664,456	1,148,624	678,851	15·2	26·3	15·5	114	3,073	12	14,362	3,552	13,549	7,293	—	55,082	39,634	1907
	1908	44,123,819	638,560	1,173,784	675,185	14·4	26·5	15·3	118	3,271	18	11,372	3,280	12,940	7,158	—	54,089	40,642	1908
(*a*) Including only civil deaths and population as regards England and Wales.	1909	44,519,454	626,604	1,145,900	667,608	14·1	25·7	15·0	107	2,743	21	13,951	3,899	10,572	6,953	1	52,690	42,337	1909
	1910	44,915,934	641,470	1,122,984	630,409	14·3	25·0	14·0	105	2,431	19	11,398	3,138	11,093	5,746	—	49,270	43,184	1910
	1911*	45,324,425	660,520	1,104,746	672,017	14·6	24·4	14·8	125	3,044	28	14,482	2,636	11,006	6,398	—	52,267	44,432	1911*
	1912	45,508,243	679,246	1,096,562	631,466	14·9	24·0	13·8	95	2,028	26	15,651	2,742	10,879	5,598	—	50,841	46,252	1912
	1913	45,713,370	685,076	1,102,500	652,738	15·0	24·1	14·3	108	1,965	10	12,893	3,049	7,895	5,667	—	49,524	48,051	1913
	1914	46,089,249	706,248	1,101,836	661,644	15·3	23·9	14·4	104	2,217	5	11,610	4,165	10,133	7,194	—	50,717	48,712	1914
	1915	?	842,622	1,024,378	720,035	18·2 §	22·1 §	15·6 (*a*)	110	1,797	15	19,261	3,782	11,786	7,134	—	54,514	48,964	1915
	1916	?	667,140	986,892	650,250	14·2 §	21·1 §	14·5 (*a*)	91	1,547	19	7,468	2,256	7,680	6,568	—	54,012	49,998	1916
ENGLAND AND WALES.																			
* Census year.	1892	29,421,392	454,270	897,957	559,684	15·4	30·4	19·0	148	4,037	431	13,553	5,618	13,406	8,787	— †	43,323 ‡	20,353	1892
	1893	29,760,842	437,378	914,572	569,958	14·7	30·7	19·2	159	6,801	1,457	11,110	6,982	10,176	11,568	—	43,632	21,135	1893
† Deaths from Asiatic cholera were not separately tabulated for years prior to 1901.	1894	30,104,201	452,898	890,289	498,827	15·0	29·6	16·6	137	4,781	820	11,757	5,032	12,354	10,516	—	41,641	21,422	1894
	1895	30,451,528	456,408	922,291	568,997	15·0	30·3	18·7	161	5,326	223	11,491	4,532	9,594	9,542	—	42,490	22,945	1895
	1896	30,802,858	485,528	915,331	526,727	15·7	29·6	17·1	148	5,125	541	17,618	5,476	13,266	10,571	—	40,251	23,521	1896
	1897	31,158,245	498,290	921,683	541,487	16·0	29·6	17·4	156	4,851	25	12,711	4,577	11,431	8,753	—	41,642	24,443	1897
	1898	31,517,725	510,758	923,165	552,141	16·2	29·3	17·5	160	5,708	253	13,220	3,548	10,175	8,524	—	41,335	25,196	1898
	1899	31,881,365	524,668	928,646	581,799	16·5	29·1	18·2	163	6,304	174	9,998	3,722	10,129	10,301	—	42,408	26,325	1899
‡ Excluding acute miliary tuberculosis for years prior to 1911.	1900	32,249,187	514,960	927,062	587,830	16·0	28·7	18·2	154	5,591	85	12,710	3,844	11,467	10,187	—	42,987	26,721	1900
	1901*	32,612,022	518,800	929,807	551,585	15·9	28·5	16·9	151	5,071	356	9,019	4,339	10,205	9,761	—	41,224	27,487	1901*
	1902	32,950,909	523,500	940,509	535,538	15·9	28·5	16·3	133	4,149	2,464	12,930	4,875	9,805	8,448	—	40,671	27,872	1902
	1903	33,293,321	522,206	948,271	514,628	15·7	28·5	15·5	132	3,347	760	9,150	4,158	9,522	6,544	—	40,132	29,089	1903
	1904	33,639,287	515,712	945,389	549,784	15·3	28·0	16·3	145	3,153	507	12,306	3,770	11,909	6,280	—	41,851	29,682	1904
§ Civil population only.	1905	33,988,844	521,484	929,293	520,031	15·3	27·3	15·3	128	3,052	116	11,076	3,834	8,709	5,962	—	38,950	30,221	1905
	1906	34,342,040	540,076	935,081	531,281	15·7	27·2	15·5	132	3,169	21	9,444	3,475	8,313	6,608	—	39,746	31,668	1906
	1907	34,698,905	552,842	918,042	524,221	15·9	26·5	15·1	118	2,344	10	12,615	3,220	10,255	6,132	—	39,839	31,745	1907
	1908	35,059,484	529,880	940,383	520,456	15·1	26·7	14·8	120	2,651	12	8,011	2,827	9,851	5,920	—	39,499	32,717	1908
	1909	35,423,805	521,088	914,472	518,003	14·7	25·8	14·6	109	2,142	21	12,618	3,215	7,182	5,507	1	38,639	34,053	1909
(*a*) On total population specially estimated for this purpose.	1910	35,791,902	535,442	896,962	483,247	15·0	25·1	13·5	105	1,889	19	8,302	2,370	8,797	4,375	—	36,334	34,607	1910
	1911*	36,189,685	549,886	881,138	527,810	15·2	24·3	14·6	130	2,416	23	13,128	1,892	7,844	4,992	—	39,232	35,902	1911*
	1912	36,382,456	567,668	872,737	486,939	15·6	23·9	13·3	95	1,600	9	12,855	1,995	8,407	4,338	—	38,083	37,323	1912
	1913	36,606,226	573,166	881,890	504,975	15·7	24·1	13·8	108	1,505	10	10,644	2,100	5,458	4,494	—	37,055	38,939	1913
	1914	36,960,684	588,802	879,096	516,742	15·9	23·8	14·0	105	1,705	4	9,144	2,843	8,040	5,898	—	38,637	39,517	1914
	1915	35358896§	721,770	814,614	562,253	19·4 (*a*)	21·9 (*a*)	15·7 §	110	1,388	13	16,445	2,406	8,143	5,895	—	41,676	39,847	1915
	1916	34500000§	559,692	785,520	508,217	14·9 (*a*)	20·9 (*a*)	14·4 §	91	1,122	18	5,413	1,381	6,075	5,405	—	41,545	40,630	1916

Table 19.—United Kingdom and its several Divisions.—Population, Marriages, Births, and Deaths, 1892–1916—*continued.*

Note.—The diseases in this table correspond with those of the same name in the Short List of Causes of Death. (For contents of the several headings see pp. xxiii and xxv of the Manual of the International List.)

Year.	Numbers.				Proportion per 1,000 of the Population.			Deaths of Children under 1 Year to 1,000 Births, exclusive of Stillborn.	The Total Deaths include :—										Year.
	Estimated Population in the middle of each Year.	Persons Married.	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Persons Married.	Births.	Deaths.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Croup.	Asiatic Cholera.	†Pulmonary Tuberculosis.	Cancer, Malignant disease.	

SCOTLAND. (Furnished by the Registrar-General, Scotland.)

1892	4,078,910	57,340	125,043	75,545	14·1	30·7	18·5	117	644	11	2,280	871	1,792	1,347	—	6,765	2,715	1892
1893	4,122,029	54,290	127,110	79,670	13·2	30·8	19·3	136	932	68	3,639	832	2,026	1,679	—	6,921	2,816	1893
1894	4,165,606	55.208	124,367	71,113	13·3	29·9	17·1	117	702	129	791	834	2,552	1,828	—	7,108	2,928	1894
1895	4,209,645	56,844	126,494	81,352	13·5	30·0	19·4	133	730	47	2,063	782	1,948	1,260	—	7,688	2,993	1895
1896	4,254,153	60,540	129,172	70,677	14·2	30·4	16·6	115	662	2	1,515	669	1,970	1,126	—	6,893	3,013	1896
1897	4,299,132	62,100	128,877	79,144	14·4	30·0	18·4	138	655	10	2,056	716	2,877	812	—	7,200	3,212	1897
1898	4,344,589	64,224	130,861	78,397	14·8	30·1	18·0	134	814	2	2,290	909	2,476	850	—	7,090	3,453	1898
1899	4,390,530	65,956	130,733	79,593	15·0	29·8	18·1	131	803	1	1,599	831	1,894	856	—	7,275	3,572	1899
1900	4,436,958	64,888	131,401	82,296	14·6	29·6	18·5	128	644	53	1,825	654	1,812	961	—	7,299	3,503	1900
1901*	4,479,104	62,774	132,192	80,107	14·0	29·5	17·9	129	717	278	1,655	595	2,751	878	—	6,776	3,662	1901*
1902	4,507,220	63,826	132,267	77,941	14·2	29·3	17·3	113	552	80	1,388	524	1,765	787	—	6,572	3,711	1902
1903	4,535,513	64,702	133,525	76,002	14·3	29·4	16·8	118	552	41	1,133	407	1,946	715	—	6,630	3,798	1903
1904	4,563,985	64,542	132,603	77,981	14·1	29·1	17·1	123	410	185	1,512	277	2,405	750	—	6,738	3,920	1904
1905	4,592,636	62,540	131,410	74,536	13·6	28·6	16·2	116	373	4	1,662	211	2,243	721	—	6,374	4,132	1905
1906	4,621,466	66,284	132,005	75,635	14·3	28·6	16·4	115	400	1	1,445	230	1,363	862	—	6,491	4,509	1906
1907	4,650,478	66,596	128,840	77,296	14·3	27·7	16·6	110	367	1	1,153	233	2,485	729	—	6,415	4,551	1907
1908	4,679,671	63,212	131,362	77,838	13·5	28·1	16·6	121	282	6	2,503	381	2,144	748	—	6,079	4,611	1908
1909	4,709,048	60,216	128,669	74,632	12·8	27·3	15·8	108	296	—	890	555	2,215	917	—	6,000	4,782	1909
1910	4,738,611	61,804	124,059	72,268	13·0	26·2	15·3	108	264	—	2,243	595	999	939	—	5,409	4,863	1910
1911*	4,751,132	63,688	121,850	71,732	13·4	25·6	15·1	112	272	5	923	451	2,347	931	—	5,451	4,948	1911*
1912	4,741,077	65,012	122,790	72,340	13·7	25·9	15·3	105	196	17	1,983	439	1,427	824	—	5,306	5,195	1912
1913	4,728,132	67,378	120,516	73,069	14·2	25·5	15·5	110	171	—	1,329	591	1,819	794	—	5,103	5,212	1913
1914	4,747,167	70,056	123,934	73,557	14·8	26·1	15·5	111	225	1	1,458	815	1,342	901	—	4,917	5,388	1914
1915	4,785,598	72,544	114,181	81,631	15·2	23·9	17·1	126	171	2	2,221	950	2,820	836	—	5,291	5,291	1915
1916	4,824,308	62,958	109,935	70,642	13·1	22·8	14·6	97	149	1	1,603	588	718	812	—	5,125	5,430	1916

* Census year.

† Excluding acute miliary tuberculosis for years prior to 1911.

IRELAND. (Furnished by the Registrar-General, Ireland.)

1892	4,633,808	43,060	104,234	90,044	9·3	22·5	19·4	105	714	—	1,183	419	1,154	876	—	10,048	2,221	1892
1893	4,607,462	43,428	106,082	82,821	9·4	23·0	18·0	102	919	1	1,082	457	1 169	1,015	—	9,869	2,280	1893
1894	4,589,260	43,204	105,354	83,528	9·4	23 0	18·2	102	783	72	1,215	599	1,242	924	—	9,626	2,375	1894
1895	4,559,936	46,240	106,113	84,395	10·1	23·3	18·5	104	760	146	301	590	1,047	754	—	9,768	2,296	1895
1896	4,542,061	46,110	107,641	75,700	10·2	23·7	16·7	95	716	4	516	752	1,040	745	—	9,051	2,437	1896
1897	4,529,917	45,782	106,664	83,839	10·1	23·5	18·5	109	998	3	1,070	522	1,851	790	—	9,748	2,635	1897
1898	4,518,478	45,160	105,457	82,404	10·0	23·3	18·2	110	1,284	—	316	325	1,588	791	—	9,678	2,657	1898
1899	4,502,401	44,622	103,900	79,699	9·9	23·1	17·7	108	890	1	1,532	205	988	759	—	9,480	2,654	1899
1900	4,468,501	42,660	101,459	87,606	9·5	22·7	19·6	109	769	1	640	245	689	726	—	10,076	2,717	1900
1901*	4,447,085	45,128	100,976	79,119	10·1	22·7	17·8	101	829	2	459	205	1,123	663	—	9,549	2,893	1901*
1902	4,434,551	45,898	101,863	77,676	10·4	23·0	17·5	100	613	1	1,076	186	1,002	735	—	9,400	2,861	1902
1903	4,417,757	45,984	101,831	77,358	10·4	23·1	17·5	96	480	40	686	210	1,062	670	—	9,559	3,048	1903
1904	4,408,103	45,922	103,811	79,513	10·4	23·6	18 0	100	466	16	522	204	1,551	585	—	9,833	3,055	1904
1905	4,399,308	46,156	102,832	75,071	10·5	23·4	17·1	95	502	5	809	170	581	558	—	9,216	3,291	1905
1906	4,397,571	45,324	103,536	74,427	10·3	23·5	16·9	93	394	—	388	149	929	602	—	8,933	3,481	1906
1907	4,388,451	45,018	101,742	77,334	10·3	23·2	17·6	92	362	1	584	99	809	432	—	8,828	3,338	1907
1908	4,384,664	45,468	102,039	76,891	10·4	23·3	17·5	97	338	—	858	72	945	490	—	8,511	3,314	1908
1909	4,386,601	45,300	102,759	74,973	10·3	23·4	17·1	92	305	—	443	129	1,175	529	—	8,051	3,502	1909
1910	4,385,421	44,224	101,963	74,894	10·1	23·3	17·1	95	278	—	853	173	1,297	432	—	7,527	3,664	1910
1911*	4,383,608	46,946	101,758	72,475	10·7	23·2	16·5	94	356	—	431	293	815	475	—	7,584	3,582	1911*
1912	4,384,710	46,566	101,035	72,187	10·6	23·0	16·5	86	232	—	813	308	1,045	436	—	7,452	3,734	1912
1913	4,379,012	44,532	100,094	74,694	10·2	22·8	17·1	97	289	—	920	358	618	379	—	7,366	3,900	1913
1914	4,381,398	47,390	98,806	71,345	10·8	22·6	16·3	87	287	—	1,008	507	751	395	—	7,163	3,807	1914
1915	4,337,000‡	48,308	95,583	76,151	11·1	22·0	17·6	92	238	—	595	426	823	403	—	7,547	3,826	1915
1916	4,337,000‡	44,490	91,437	71,391	10·3	21·1	16·5	83	276	—	452	287	887	351	—	7,342	3,938	1916

* Census year.

† Excluding acute miliary tuberculosis for years prior to 1911.

‡ Movements of the military taken into account.

TABLE 20.—METEOROLOGICAL

Year.	Mean weekly Movement of the Air in Miles.	Departure from Average of 50 Years (1861–1910).	Fall of rain in Inches and Millimetres.		Departure from Average of 50 Years (1861–1910).	Mean Degree of Humidity of the Air. (Saturation = 100).	Departure from Average of 50 Years (1861–1910).	Mean Temperature of the Air.	Departure from Average of 50 Years (1861–1910).
	Miles.	Miles.	in.	mm.	mm.	%	%	° F.	° F.
1867 ...	1981	+ 30	28·5	723	+ 113	82	+ 1	48·6	− 0·9
1868 ...	2029	+ 78	25·2	639	+ 29	78	− 3	51·5	+ 2·0
1869 ...	2043	+ 92	24·0	610	0	81	0	49·5	0·0
1870 ...	1872	− 79	18·6	471	− 139	79	− 2	48·7	− 0·8
1871 ...	1749	− 202	22·3	566	− 44	81	0	48·5	− 0·8
1872 ...	1998	+ 47	30·0	763	+ 153	82	+ 1	50·7	+ 1·2
1873 ...	1940	− 11	23·4	593	− 17	82	+ 1	48·9	− 0·6
1874 ...	1915	− 36	20·0	507	− 103	82	+ 1	49·3	− 0·2
1875 ...	1942	− 9	28·0	710	+ 100	80	− 1	49·2	− 0·3
1876 ...	2036	+ 85	24·1	612	+ 2	80	− 1	50·1	+ 0·6
1877 ...	2184	+ 233	27·3	693	+ 83	79	− 2	49·4	− 0·1
1878 ...	1880	− 71	29·0	736	+ 126	81	0	49·6	+ 0·1
1879 ...	1873	− 78	31·4	797	+ 187	83	+ 2	46·2	− 3·3
1880 ...	1928	− 23	29·7	754	+ 144	84	+ 3	49·4	− 0·1
1881 ...	2030	+ 79	25·7	653	+ 43	81	0	48·7	− 0·8
1882 ...	2151	+ 200	25·2	640	+ 30	84	+ 3	49·7	+ 0·2
1883 ...	2058	+ 107	21·9	557	− 53	82	+ 1	49·4	− 0·1
1884 ...	2034	+ 83	18·1	458	− 152	80	− 1	50·7	+ 1·2
1885 ...	2008	+ 57	24·0	610	0	81	0	48·6	− 0·9
1886 ...	1962	+ 11	24·2	615	+ 5	81	0	48·7	− 0·8
1887 ...	1927	− 24	19·9	504	− 106	79	− 2	47·8	− 1·7
1888 ...	2049	+ 98	27·5	699	+ 89	82	+ 1	47·7	− 1·8
1889 ...	1934	− 17	23·3	591	− 19	83	+ 2	48·8	− 0·7
1890 ...	1946	− 5	21·9	555	− 55	81	0	48·6	− 0·9
1891 ...	1945	− 6	25·0	636	+ 26	82	+ 1	48·4	− 1·1
1892 ...	1863	− 88	22·3	567	− 43	80	− 1	48·1	− 1·4
1893 ...	1909	− 42	20·1	511	− 99	76	− 5	51·1	+ 1·6
1894 ...	2019	+ 68	26·9	683	+ 73	81	0	49·9	+ 0·4
1895 ...	1951	0	19·7	501	− 109	78	− 3	49·3	− 0·2
1896 ...	1932	− 19	22·4	569	− 41	79	− 2	50·2	+ 0·7
1897 ...	2033	+ 82	22·1	562	− 48	79	− 2	50·3	+ 0·8
1898 ...	1956	+ 5	18·9	479	− 131	78	− 3	51·3	+ 1·8
1899 ...	1911	− 40	22·3	567	− 43	77	− 4	50·6	+ 1·1
1900 ...	2050	+ 99	22·3	567	− 43	79	− 2	50·4	+ 0·9
1901 ...	1970	+ 19	20·3	515	− 95	78	− 3	49·2	− 0·3
1902 ...	1933	− 18	19·3	491	− 119	80	− 1	49·2	− 0·3
1903 ...	2226	+ 275	35·5	903	+ 293	80	− 1	50·1	+ 0·6
1904 ...	1913	− 38	20·7	525	− 85	82	+ 1	49·8	+ 0·3
1905 ...	2063	+ 112	23·0	585	− 25	81	0	49·9	+ 0·4
1906 ...	2093	+ 142	24·7	628	+ 18	79	− 2	50·7	+ 1·2
1907 ...	1977	+ 26	22·3	565	− 45	81	0	49·7	+ 0·2
1908 ...	1932	− 19	23·8	604	− 6	83	+ 2	50·1	+ 0·6
1909 ...	2041	+ 90	25·7	653	+ 43	83	+ 2	48·9	− 0·6
1910 ...	2155	+ 204	28·1	713	+ 103	84	+ 3	50·2	+ 0·7
1911 ...	2140	+ 189	23·7	601	− 9	79	− 2	51·8	+ 2·3
1912 ...	2085	+ 134	24·9	632	+ 22	83	+ 2	51·0	+ 1·5
1913 ...	2030	+ 79	22·4	570	− 40	83	+ 2	51·3	+ 1·8
1914 ...	2087	+ 136	23·9	606	− 4	81	0	51·5	+ 2·0
1915 ...	1932	− 19	30·6	776	+ 166	82	+ 1	49·9	+ 0·4
1916 ...	2040	+ 89	29·8	757	+ 147	84	+ 3	49·9	+ 0·4
Average 50 years (1861–1910).	1951	—	24·0	610	—	81	—	49·5	—

Corresponding values for the years 1849–1866 are published

Elements, Greenwich, 1867–1916.

Mean Temperature of the Air in the Quarters ended the last day of								Year.
March.	Departure from Average of 50 Years (1861–1910).	June.	Departure from Average of 50 Years (1861–1910).	September.	Departure from Average of 50 Years (1861–1910).	December.	Departure from Average of 50 Years (1861–1910).	
° F.	° F.	° F.	° F.	° F.	° F.	° F.	° F.	
38·9	− 1·1	53·5	+ 0·5	59·7	− 0·8	42·5	− 1·8	1867
41·4	+ 1·4	55·8	+ 2·8	63·9	+ 3·4	45·1	+ 0·8	1868
41·3	+ 1·3	52·0	− 1·0	61·4	+ 0·9	43·3	− 1·0	1869
38·0	− 2·0	54·4	+ 1·4	60·7	+ 0·2	41·6	− 2·7	1870
40·2	+ 0·2	51·5	− 1·5	61·3	+ 0·8	41·8	− 2·5	1871
43·6	+ 3·6	52·8	− 0·2	61·1	+ 0·6	45·3	+ 1·0	1872
39·4	− 0·6	51·8	− 1·2	60·3	− 0·2	44·2	− 0·1	1873
41·4	+ 1·4	52·8	− 0·2	60·9	+ 0·4	42·3	− 2·0	1874
39·5	− 0·5	53·4	+ 0·4	60·7	+ 0·2	43·1	− 1·2	1875
39·5	− 0·5	51·7	− 1·3	61·8	+ 1·3	47·0	+ 2·7	1876
42·3	+ 2·3	51·9	− 1·1	58·5	− 2·0	45·0	+ 0·7	1877
41·5	+ 1·5	54·6	+ 1·6	60·8	+ 0·3	41·6	− 2·7	1878
37·1	− 2·9	49·5	− 3·5	58·1	− 2·4	39·9	− 4·4	1879
39·8	− 0·2	52·4	− 0·6	61·4	+ 0·9	44·0	− 0·3	1880
37·3	− 2·7	52·9	− 0·1	60·0	− 0·5	44·6	+ 0·3	1881
42·3	+ 2·3	53·0	0·0	58·1	− 2·4	44·7	+ 0·4	1882
40·0	0·0	53·0	0·0	59·5	− 1·0	44·9	+ 0·6	1883
43·4	+ 3·4	52·5	− 0·5	62·7	+ 2·2	44·1	− 0·2	1884
40·3	+ 0·3	52·4	− 0·6	59·1	− 1·4	42·8	− 1·5	1885
36·5	− 3·5	52·5	− 0·5	61·2	+ 0·7	44·6	+ 0·3	1886
37·3	− 2·7	51·6	− 1·4	61·0	+ 0·5	41·3	− 3·0	1887
36·9	− 3·1	51·6	− 1·4	57·6	− 2·9	44·6	+ 0·3	1888
38·2	− 1·8	54·5	+ 1·5	58·9	− 1·6	43·5	− 0·8	1889
41·4	+ 1·4	52·8	− 0·2	58·4	− 2·1	40·8	− 3·5	1890
37·6	− 2·4	51·6	− 1·4	59·3	− 1·2	45·0	+ 0·7	1891
37·5	− 2·5	53·4	+ 0·4	59·2	− 1·3	42·3	− 2·0	1892
40·9	+ 0·9	57·0	+ 4·0	61·9	+ 1·4	44·6	+ 0·3	1893
41·4	+ 1·4	53·3	+ 0·3	58·6	− 1·9	46·4	+ 2·1	1894
35·2	− 4·8	55·1	+ 2·1	62·3	+ 1·8	44·7	+ 0·4	1895
42·2	+ 2·2	55·6	+ 2·6	60·4	− 0·1	42·4	− 1·9	1896
41·1	+ 1·1	53·1	+ 0·1	60·9	+ 0·4	46·0	+ 1·7	1897
41·5	+ 1·5	52·4	− 0·6	62·7	+ 2·2	48·5	+ 4·2	1898
41·8	+ 1·8	52·8	− 0·2	63·0	+ 2·5	44·7	+ 0·4	1899
39·2	− 0·8	52·8	− 0·2	61·8	+ 1·3	47·6	+ 3·3	1900
37·8	− 2·2	53·4	+ 0·4	61·7	+ 1·2	43·9	− 0·4	1901
40·5	+ 0·5	51·0	− 2·0	59·6	− 0·9	45·2	+ 0·9	1902
43·9	+ 3·9	51·2	− 1·8	60·0	− 0·5	45·2	+ 0·9	1903
39·5	− 0·5	53·8	+ 0·8	61·5	+ 1·0	44·3	0·0	1904
41·9	+ 1·9	53·8	+ 0·8	61·7	+ 1·2	42·2	− 2·1	1905
41·1	+ 1·1	52·8	− 0·2	63·2	+ 2·7	45·8	+ 1·5	1906
40·0	0·0	52·9	− 0·1	60·1	− 0·4	45·8	+ 1·5	1907
39·5	− 0·5	53·8	+ 0·8	60·3	− 0·2	46·6	+ 2·3	1908
38·4	− 1·6	52·5	− 0·5	59·7	− 0·8	44·8	+ 0·5	1909
41·5	+ 1·5	54·2	+ 1·2	59·3	− 1·2	45·6	+ 1·3	1910
40·3	+ 0·3	54·9	+ 1·9	65·7	+ 5·2	46·2	+ 1·9	1911
43·6	+ 3·6	55·3	+ 2·3	58·9	− 1·6	45·9	+ 1·6	1912
42·4	+ 2·4	54·5	+ 1·5	60·2	− 0·3	47·8	+ 3·5	1913
42·5	+ 2·5	54·9	+ 1·9	62·2	+ 1·7	46·5	+ 2·2	1914
40·8	+ 0·8	53·4	+ 0·4	60·9	+ 0·4	44·3	0·0	1915
41·5	+ 1·5	53·0	0·0	60·4	− 0·1	44·7	+ 0·4	1916
40·0	—	53·0	—	60·5	—	44·3	—	Average 50 years (1861–1910)

in the Annual Reports for 1915 and previous years.

Table 21.—Quarterly Meteorological

Winter ... ... Jan., Feb., March. Spring ... ... April, May, June. Summer ... ... July, Aug., Sept. Autumn ... ... Oct., Nov., Dec.	Temperature of									Vapour Pressure in millibars.		Mass of Vapour in a Cubic Metre of Air.	
	Air.			Evaporation.		Dew Point.		Air—Daily Range.					
	Mean of Maximum and Minimum.	Diff. from Normal of 130 years.	Diff. from Normal of 60 years.	Mean of "Wet Bulb" Readings at 9 h. and 21 h.	Diff. from Normal of 60 years.	Mean.	Diff. from Normal of 60 years.	Mean.	Diff. from Normal of 60 years.	Mean.	Diff. from Normal of 60 years.	Mean.	Diff. from Normal of 60 years.
1916.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	mb.	mb.	grams	grams
Year.	49·9	+1·2	+0·5	46·9	+0·4	44·4	+0·9	14·8	−1·0	10·2	+0·3	7·8	0·0
Winter Quarter	41·5	+2·6	+1·7	39·3	+1·5	37·2	+2·0	10·7	−1·1	7·6	+0·6	5·9	+0·4
Spring do.	53·0	+0·6	+0·1	48·9	−0·2	45·2	0·0	19·2	−0·7	10·4	0·0	7·9	+0·1
Summer do.	60·4	+0·6	0·0	56·4	−0·1	53·8	+0·8	18·0	−1·7	14·0	+0·4	10·5	0·0
Autumn do.	44·7	+1·0	+0·3	42·9	+0·3	41·2	+0·6	11·4	−0·3	9·0	+0·3	6·9	−0·2

In this Table + and − respectively signify that the numbers in the preceding column are *above* or *below* the average to the
inches]. Density is expressed in grams per cubic metre

* Height of barometer cistern

Elements, Greenwich, 1916.

Degree of Humidity.		Mean Air Pressure at Station level* in millibars.		Mass of a Cubic Metre of Air.		Rain.		Readings of Thermometer on Grass.					
								Number of Nights it was					
Mean of 9 h. and 21 h.	Diff. from Normal of 60 years.	Mean.	Diff. from Normal of 60 years.	Mean.	Diff. from Normal of 60 years.	Amount in millimetres.	Diff. from Normal of 86 years.	At or below 30°.	Between 30° and 40°.	Above 40°.	Lowest Reading at Night.	Highest Reading at Night.	
%	%	millibar	millibar	grams	grams	mm.	mm.				°F.	°F.	1916.
84	+2	1006·9	− 2·0	1236	−5	757	+127	84	145	137	20·1	58·7	Year.
87	+3	1006·2	− 2·6	1257	−7	234	+109	29	52	10	20·1	47·7	Winter Quarter.
78	+1	1007·8	− 1·4	1229	−3	133	− 10	19	37	35	24·5	52·2	Spring do.
83	+6	1010·8	+ 1·2	1215	+1	150	− 32	1	22	69	28·1	58·7	Summer do.
89	0	1002·8	− 5·3	1244	−9	240	+ 60	35	34	23	20·3	54·5	Autumn do.

Winter ... Jan., Feb., March.
Spring ... April, May, June.
Summer ... July, Aug., Sept.
Autumn ... Oct., Nov., Dec.

amount of the quantities to which the signs are affixed. Pressure is expressed in millibars [1000 mb. = 29·531 mercury-
(2·294 grams per cubic metre = 1 grain per cubic foot).
above Mean Sea Level = 159 feet.

Table 22.—Meteorological Table for London, 1916.

(Deduced from Observations at Greenwich, under the Superintendence of the Astronomer Royal.)

1916.	Barometer.	Air Temperature.								Hygrometer.				Earth Temperature.		Bright Sunshine.		
	Mean Pressure, at Station Level.* (Bar. 159 ft. above M.S.L.)	Mean of		Mean of A and B.	Difference from Normal.†	Absolute Maximum and Minimum.				Mean of Observations at 9 a.m. and 9 p.m.*				At 1 foot depth.	At 3 ft. 2 in. depth.	Daily mean.	Difference from Normal.†	Per cent. of Possible.
		A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.					
	mb.	°F.	°F.	°F.	°F.	°F.		°F.		°F.	°F.	mb.	%	°F.	°F.	hrs.	hrs.	%
January	1,017·0	50·4	40·1	45·3	+6·7	57	1	29	23	45·4	1·9	8·9	86	—	45·9	1·30	−0·04	16
February	1,002·6	44·9	34·2	39·6	0·0	53	13	25	25	38·8	1·6	6·9	88	—	43·8	2·12	−0·11	21
March	999·0	45·2	34·2	39·7	−2·2	57	19	24	9	38·7	1·5	7·0	88	—	41·4	1·83	−1·36	15
April	1,007·1	58·0	39·0	48·5	+1·3	72	27	31	8	47·8	3·4	8·7	78	—	44·4	5·92	+0·63	43
May	1,008·2	66·5	45·1	55·8	+2·7	82	21	36	9	56·0	4·0	11·5	76	—	51·7	6·18	−0·26	40
June	1,008·1	63·3	46·2	54·8	−4·4	73	25	39	17	53·8	3·4	11·0	79	—	55·1	4·95	−1·67	30
July	1,012·0	70·4	51·5	60·9	−1·5	84	31	46	4	59·9	3·1	14·2	82	—	58·5	5·34	−1·40	33
August	1,008·4	73·5	54·6	64·0	+2·5	84	1	46	31	62·9	3·9	15·1	78	—	62·0	5·39	−0·95	37
September	1,011·9	64·5	48·2	56·4	−0·7	71	1	36	22	55·3	2·0	12·8	88	—	59·2	3·29	−1·89	26
October	1,006·5	59·7	46·4	53·1	+3·0	69	5	29	21	52·2	2·0	11·5	87	—	56·1	3·11	+0·04	29
November	1,003·3	49·9	38·2	44·1	+0·6	59	1	25	28	43·8	1·4	8·7	89	—	49·8	2·32	+0·55	26
December	998·7	41·6	32·4	37·0	−3·2	55	29	23	19	37·1	1·1	6·8	90	—	43·8	0·50	−0·55	6
Year	1,006·9	57·3	42·5	49·9	+0·4	84	—	23	—	49·3	2·4	10·2	84	—	51·0	3·52	−0·59	29

* The hours of observation are 9 a.m. and 9 p.m. local time.

† The normals used are obtained from observations extending over 65 years for Rain, 75 years for Temperature, and 18 years for Sunshine.

Pressure is expressed in millibars (1,000 mb = 29·531 mercury-inches).

Wind Force.—The Summary is obtained from the records of a cup anemograph having 5 in. cups and 15 in. arms. The factor used is 3. Winds above 43 miles per hour are reckoned as gales and winds between 21 and 43 miles per hour as moderate or strong winds. Direction is not tabulated when the speed of the wind is less than 5 miles per hour, and winds of less than that velocity are counted as calm.

TABLE 22—*continued.*

1916.	Cloud.	Rain and other Forms of Precipitation.				Weather. Number of days of											Wind. Number of Observations at 9 a.m., 3 p.m., and 9 p.m.									
				Most in a day.													Force.			Direction.							
	Mean of Observations of amount at 9 a.m. and 9 p.m.* (Scale 0–10).	Total Fall.	Difference from Normal.†	Amount.	Day of Month.	Precipitation (0·2 mm. and above).	Precipitation (1 mm. and above).	Snow.	Hail.	Thunderstorm.	Persistently Clear.	Generally Clear.‡	Generally Overcast.‡	Persistently Overcast.	Fog.	Gale.	Gale.	Moderate and Strong Wind.	Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
		mm.	mm.	mm.																							
January	7·0	31	− 17	11	2	14	8	0	0	0	0	0	14	1	0	1	1	28	9	1	0	0	1	26	40	11	5
February	7·0	99	+ 61	16	3	22	17	8	1	0	0	0	12	1	1	1	1	24	6	8	9	8	2	15	19	13	7
March	8·2	104	+ 64	22	27	22	17	11	2	0	0	1	19	5	1	1	0	11	12	19	23	12	1	8	11	2	5
April	4·7	32	− 8	9	6	11	9	2	1	0	1	8	4	0	1	0	0	16	12	10	5	9	1	9	22	9	13
May	5·1	53	+ 5	8	12	13	11	0	1	3	0	4	9	1	0	0	0	3	19	3	6	6	3	17	26	9	4
June	7·0	48	− 4	11	10	17	10	0	1	3	0	0	9	1	0	0	0	5	6	18	6	0	1	7	25	16	11
July	6·2	36	− 23	12	7	13	6	0	0	1	0	2	12	1	0	0	0	2	23	13	10	4	3	2	15	17	6
August	6·0	89	+ 30	33	29	16	12	0	0	2	0	2	7	1	0	0	0	2	11	15	7	7	5	10	21	11	6
September	6·1	25	− 27	7	17	13	7	0	0	1	0	3	9	0	5	0	0	4	16	16	17	9	4	2	8	13	5
October	6·5	68	− 2	15	17	22	15	0	0	1	0	2	13	0	1	0	0	27	7	4	1	4	6	13	31	23	4
November	6·4	108	+ 51	19	18	14	12	1	0	0	0	1	11	2	3	1	0	12	6	3	2	7	5	16	32	18	1
December	8·2	64	+ 13	10	22	18	13	5	0	0	0	0	16	4	11	0	0	10	20	9	4	8	3	12	22	10	5
Year	6·5	757	+143	33	—	195	137	27	6	11	1	23	135	17	23	4	2	144	147	119	90	74	35	137	272	152	72

‡ A day is reckoned as "generally clear" if the average of the estimates of the fraction of sky covered by cloud at 9 a.m., 3 p.m., and 9 p.m. is less than ·2, and as "generally overcast" if the average is greater than ·8. Days persistently cloudless and days persistently overcast refer to the period midnight to midnight.

Table 23.—Mean Annual Values of Meteorological Elements

1916 Districts and Stations.	Height of Barometer Cistern above M.S.L.	Barometer. Mean Air Pressure at Station Level.	Air Temperature. Mean of A Maximum.	Mean of B Minimum.	Mean of A and B.	Difference from Normal.	Absolute Maximum and Minimum. Maximum.	Month and Day.	Minimum.	Month and Day.	Earth Temperature. At 1 foot depth.	At 4 feet depth.	Hygrometer. Mean of Observations at 9 a.m. and 9 p.m., or at 7 a.m. Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Bright Sunshine. Total Observed.	Difference from Normal.	Per cent. of Possible.
1. London:—	Ft.	Millibars.	°F.	°F.	°F.	°F.	°P.		°F.		°F.	°F.	°F.	°F.	Mb.	%	Hrs.	Hrs.	
p Tottenham ¶§	55	1010·1	56·8	44·2	50·5	+0·7	82	July 31 Aug. 1, 12	26	Dec. 14, 16	—	51·7	50·0	2·6	10·6	84	1,260	—	29
p Hampstead ..	453	—	51·9	41·5	48·2	—	81	July 31 Aug. 1, 3	21	Dec. 17	—	—	48·3	2·4	9·8	84	1,305	—	
a Camden Square..	123	1008·1	58·3	43·6	51·0	+0·6	85	May 21 Aug. 1, 12	26	Nov. 28 Dec. 17	49·6	49·8	49·8	2·8	10·2	82	1,150	—	
a Westminster ..	—	—	57·7	44·3	51·0	+0·9	84	July 31	26	Nov. 28	—	—	50·7	2·7	10·6	83	1,201	+23	
Greenwich ..	159	1006·7	57·3	42·5	49·9	+0·4	84	July 31 Aug. 1	23	Dec. 19	—	51·0	49·3	2·4	10·2	84	1,289	- 6	
Richmond (Kew (Obs.). ¶§	34	1011·3	56·3	43·6	50·0	+0·5	82	Aug. 1	24	Dec. 17	49·8	50·5	49·5	2·8	10·2	82	1,298	-172	29
District Value..	—	—	56·9	43·3	50·1	+0·6	85	—	21	—	49·7	50·8	—	—	—	—	1,251	- 75	28
2. England, Cent.:— (*a*) East, (*b*) West.																			
a *p* Huddersfield ..	411	995·5	53·7	42·0	47·9	—	79	Aug. 5, 9	21	Dec. 20	47·6	47·4	46·9	2·1	9·7	86	1,102	—	25
a *p* Sheffield.. §	450	995·3	54·2	42·9	48·6	+0·2	80	Aug. 1	25	Dec. 19, 20	47·8	48·0	47·9	2·3	10·0	85	1,173	-142	27
a *p* Buxton	997	—	51·1	39·9	45·5	+0·3	77	Aug. 1	18	Dec. 16	46·3	46·9	—	—	—	—	1,124	—	25
a *p* Belvoir Castle..	276	1001·9	54·5	41·3	47·9	-0·1	81	Aug. 1	18	Dec. 27	48·6	48·7	47·1	2·1	9·6	86	1,348	—	30
a *a* Coventry ..	309	1000·5	56·0	42·1	49·1	+0·4	82	Aug. 1	19	Dec. 17	48·7	49·6	49·0	2·9	9·7	81	1,219	—	28
a *a* Nottingham ¶§	85	1008·0	55·2	41·1	48·2	-0·1	81	Aug. 1	20	Dec. 20	48·0	48·3	45·4	1·2	9·7	91	1,149	—	26
a *p* Birmingham ¶§	542	—	54·4	42·4	48·4	+0·3	82	July 30	24	Dec. 27	47·1	48·0	—	—	—	—	1,098	-34	25
a *p* Oxford .. ¶§	212	1004·5	55·9	42·7	49·3	+0·3	83	Aug. 1	19	Dec. 17	51·1	50·5	48·5	2·6	9·8	83	1,411	-95	32
b *a* Bath .. ¶§	484	1009·1	57·2	42·4	49·8	+0·5	83	Aug. 1	21	Dec. 17	51·1	51·7	50·1	2·7	10·3	83	—	—	—
b *p* Shrewsbury ¶	206	1003·8	56·6	40·8	48·7	-0·3	?82	Aug. 1	—	—	—	—	48·3	2·0	10·5	87	—	—	—
b *p* Wistanstow ..	484	993·5	55·4	41·1	48·3	—	82	July 30	19	Dec. 17	—	—	47·5	1·8	10·1	88	—	—	—
b *p* Cheltenham ..	206	1004·8	56·6	43·0	49·8	+1·2	83	Aug. 1?	20	Dec. 17	—	—	49·8	2·9	10·1	81	1,405	—	32
District Value..	—	—	55·2	41·4	48·0	+0·2	84	—	11	—	48·6	48·9	—	—	—	—	1,204	-205	27
3. England, S.E.:—																			
p Salisbury (Wilton.) ¶	186	—	57·2	41·3	49·3	+0·4	86	July 31	21	Dec. 28	51·0	—	—	—	—	—	—	—	—
a Brighton.. ..	48	1011·1	55·8	45·7	50·8	+0·4	76	Aug. 4	26	Feb. 25	—	51·8	50·9	2·5	10·8	83	1,586	-155	36
a Portsmouth ..	18	1012·7	57·0	45·7	51·4	+0·9	82	July 31 Aug. 2	25	Feb. 25	52·4	52·9	51·2	2·7	10·8	83	1,615	—	37
p Eastbourne §	36	--	55·8	45·5	50·7	+0·7	77	July 31	24	Feb. 25	51·8	52·4	—	—	—	—	1,628	-145	37
p Southampton ¶§	84	1009·9	57·0	44·2	50·6	-0·1	86	July 31	23	Feb. 25 Dec. 17	—	—	50·1	2·8	10·5	82	1,564	-112	35
a Ventnor .. .. ¶§	80	1010·1	56·5	46·5	51·5	+0·2	79	July 31	29	Feb. 25, 26 Mar. 5	—	—	51·9	3·0	10·8	81	1 659	- 82	38
District Value..	—	—	56·1	43·5	49·6	+0·1	86	—	12	—	50·5	51·1	—	—	—	—	1,453	-154	33
4. England, E.:— (*a*) North, (*b*) South.																			
a *p* Lowestoft ..	77	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
a *p* Cromer .. ¶§	66	1009·5	54·8	42·7	48·8	—	81	May 21 Aug. 12	26	Dec. 15, 18, 19	—	—	48·1	1·9	10·1	87	1,309	—	30
b *p* Cambridge ¶§	43	1010·5	56·5	41·5	49·0	+0·2	82	May 21	22	Dec. 27	49·9	50·6	—	—	—	—	1,226	-340	28
b *a* Clacton .. ¶§	54	1010·2	54·5	44·2	49·4	+0·8	81	Aug. 3	27	Dec. 17, 28	50·4	51·4	47·9	1·6	10·3	89	1,444	—	33
b *p* Bennington ..	411	—	55·4	41·5	48·5	+0·2	82	Aug. 12	24	Dec. 28	50·0	50·4	48·5	2·5	9·9	83	1,357	—	31
b *p* Berkhamsted ..	397	—	—	—	—	—	82	Aug. 1	—	—	—	—	—	—	—	—	—	—	—
District Value..	—	—	55·2	42·6	48·7	+0·5	84	—	19	—	49·8	50·5	—	—	—	—	1,314	-278	30

from OBSERVATIONS at SEVERAL STATIONS in the YEAR 1916.

Cloud (0–10). Mean of Observations of amount at 9 a.m. and 9 p.m., or at 7 a.m.	Rain and other forms of Precipitation. Total Fall.	Difference from Normal.	Most in a day: Amount.	Most in a day: Day of Month.	Weather. Number of days of: Precipitation.	Snow.	Hail.	Thunderstorm.	Clear sky. (*See* Note on p. 60.)	Overcast. (*See* Note on p. 60.)	Fog.	Wind force 8 and above (Gales).	Wind. No. of Observations reduced to a total of 1098 for the year. Force (0–12). Moderate and Strong Wind. (Force 4–7.)	Force (0–12). Calm.	Direction. N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
	Mm.	Mm.	Mm.																			
6·5	793	—	42	Aug. 29	167	17	12	17	36	142	16	1	105	105	135	102	49	88	70	275	119	155
7·6	874	—	33	Aug. 29	193	37	12	18	31	160	26	5	138	163	50	178	54	41	96	308	108	100
6·9	864	+ 228	34	Aug. 29	196	21	8	14	62	186	10	—	—	—	—	—	—	—	—	—	—	—
—	808	+ 195	33	Aug. 29	186	22	7	8	—	—	25	—	—	—	—	—	—	—	—	—	—	—
6·5	757	+ 141	33	Aug. 29	195	27	6	11	23	135	23	4	144	147	119	90	74	35	137	272	152	72
7·0	758	+ 145	29	Aug. 29	184	24	15	19	19	173	64	0	229	195	98	101	67	39	124	241	145	88
6·9	810	+ 177	—	—	187	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6·8	1,010	—	24	Oct. 30	211	36	4	18	18	156	20	10	183	171	61	96	68	49	78	139	288	148
7·1	838	+ 22	25	Nov. 18	210	47	6	17	13	156	47	1	272	92	124	97	28	73	140	205	200	139
—	1,210	- 51	30	April 17	232	37	4	4	—	—	4	0	—	—	—	—	—	—	—	—	—	—
6·5	706	+ 58	49	Aug. 17	206	31	4	35	30	135	100	25	221	216	109	63	24	32	139	293	144	78
7·2	728	+ 79	28	Mar. 27	192	28	2	17	55	211	11	7	264	21	90	126	75	54	156	228	180	168
7·3	673	+ 55	24	Feb. 24	193	30	8	16	14	136	18	25	279	9	69	132	118	54	104	260	262	90
—	670	- 15	17	Nov. 18	197	28	4	3	32	155	19	0	166	92	128	105	76	56	111	205	167	158
—	799	+ 161	35	Aug. 29	202	23	12	15	27	31	18	—	382	54	102	144	44	63	141	264	172	114
7·2	929	—	41	Mar. 27	181	19	2	8	67	231	0	6	516	153	78	105	138	33	78	135	297	81
6·7	624	—	24	June 24	181	36	5	3	27	138	14	4	170	182	91	53	29	47	96	233	178	189
7·2	785	+ 29	28	Mar. 24	190	31	8	6	27	188	29	18	285	273	77	61	21	16	32	335	133	150
—	724	+ 38	43	Aug. 29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6·7	752	+ 82	—	—	194	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	1,119	+ 295	50	Aug. 29	181	27	6	10	—	—	31	6	—	—	—	—	—	—	—	—	—	—
7·3	842	+ 145	22	Mar. 27	185	14	10	9	42	209	13	—	—	72	117	165	45	63	99	285	96	156
6·3	725	+ 29	25	Dec. 20	170	—	—	—	81	181	—	—	252	42	105	174	63	81	6	201	246	180
—	936	+ 151	31	Nov. 20	207	14	14	10	—	—	32	12	—	—	—	—	—	—	—	—	—	—
5·3	901	+ 119	34	Dec. 20	189	18	7	7	94	112	5	7	301	59	41	223	10	110	16	285	89	265
6·6	860	+ 113	30	Aug. 29	190	16	2	5	52	149	10	11	388	45	154	55	97	104	104	265	164	110
6·4	860	+ 172	—	—	187	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7·3	590	—	15	Aug. 14	213	13	7	19	13	178	23	7	360	99	111	72	60	54	183	180	189	150
—	605	+ 34	25	Aug. 29	172	28	9	24	35	133	40	11	261	116	127	136	49	55	118	226	161	110
7·2	607	+ 117	21	Aug. 29	176	17	4	16	5	109	21	9	333	18	91	76	94	103	146	175	214	181
7·5	762	+ 106	29	Aug. 29	214	36	12	22	25	200	54	—	86	159	86	76	58	67	53	203	239	157
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6·7	713	+ 112	—	—	194	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

TABLE 23.—MEAN ANNUAL VALUES of METEOROLOGICAL

1916. DISTRICTS AND STATIONS.	Height of Barometer Cistern above M.S.L.	Barometer. Mean Air Pressure at Station Level.	Air Temperature. Mean of A	Mean of B	Mean of A and B.	Difference from Normal.	Absolute Maximum and Minimum. Maximum.	Month and Day.	Minimum.	Month and Day.	Earth Temperature. At 1 foot depth.	At 4 feet depth.	Hygrometer. Mean of Observations at 9 a.m. and 9 p.m., or at 7 a.m. Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Bright Sunshine. Total Observed.	Difference from Normal.	Per cent. of Possible.
5. ENGLAND, N.E.:— (*a*) North, (*b*) South.	Ft.	Millibars.	°F.	°F.	°F.	°F.	°F.		°F.		°F.	°F.	°F.	°F.	Mb.	%	Hrs.	Hrs.	%
a *p* Morpeth §	331	997·8	51·9	39·9	45·9	+0·7	78	May 20	18	Dec. 19, 20	45·9	46·8	45·9	2·0	9·3	85	1,158	−265	26
a *a* Tynemouth ¶	72	1007·1	51·9	42·4	47·2	+0·1	77	May 20	22	Dec. 21	—	—	45·8	1·6	9·4	89	—	—	—
a *p* Durham ¶§	352	—	53·5	40·1	46·8	+0·1	84	Aug. 5	16	Dec. 20	—	—	—	—	—	—	1,201	−120	27
a *p* York .. ¶§	53	1009·3	55·2	42·5	48·9	+0·8	82	Aug. 5	20	Dec. 20	49·0	49·2	47·8	2·5	9·5	83	1,139	−134	26
b *a* Spurn Head ¶	28	1009·4	52·8	43·3	48·1	−0·1	77	Aug. 13	28	Dec. 20	—	—	46·9	2·2	9·4	84	1,019	—	23
b *a* Lincoln .. ¶	42	—	55·7	42·2	49·0	+0·6	82	Aug. 1	23	Dec. 7, 16, 20.	48·8	49·5	—	—	—	—	—	—	—
b *p* Hull	12	1010·9	55·1	42·1	48·6	+0·8	80	May 20, Aug. 1, 5.	18	Dec. 20	45·8	48·9	48·5	2·5	9·9	83	794	—	18
District Value..	—	—	54·0	41·9	47·8	+0·5	84	—	13	—	47·7	48·4	—	—	—	—	1,237	−220	28
6. ENGLAND, N.W.:—																			
a Southport	42	1009·5	53·9	43·7	48·8	+0·7	78	May 19	23	Dec. 17	49·5	50·0	48·5	2·4	10·1	84	1,402	−119	32
p Manchester (City)	195	1004·3	54·8	44·6	49·7	—	80	July 22	26	Dec. 16	48·6	50·6	49·0	2·8	10·0	82	858	—	19
p Aspatria .. ¶§	485	992·2	52·3	41·3	46·8	−0·5	78	July 23	19	Mar. 24	47·9	48·2	46·4	1·6	9·9	89	1,207	—	27
p Stonyhurst ¶§	363	997·7	53·2	42·2	47·7	+0·4	77	July 22	23	Dec. 6	—	—	—	—	—	—	1,121	−225	25
p Liverpool (Bid.) ¶	202	1004·2	53·9	44·2	49·1	+0·3	77	May 19	26	Dec. 17	—	—	48·4	2·4	9·9	84	1,354	—	31
p Llandudno ¶§	22	—	54·5	44·9	49·7	−0·1	75	July 23	25	Dec. 17	—	—	49·6	2·6	10·2	83	1,433	−50	32
p Bettws-y-Coed ..	125	1006·9	54·8	42·1	48·5	−1·2	81	July 24, Aug. 8.	23	Dec. 16, 17	47·8	48·6	48·6	2·4	10·0	85	1,086	—	25
District Value..	—	—	54·1	43·2	48·6	+0·4	83	—	8	—	48·6	48·9	—	—	—	—	1,263	−124	29
7. ENGLAND, S.W.:—																			
a Pembroke .. ¶§	150	1006·7	53·5	46·2	49·9	+0·1	75	July 23, Aug. 6	29	Mar. 24	—	—	49·0	1·0	11·2	93	1,467	−180	33
a Bristol (Clifton) ¶	—	—	56·3	44·3	50·3	0·0	82	Aug. 9	23	Dec. 7, 17	—	—	—	—	—	—	1,475	—	33
a Portland Bill ¶	37	1011·1	54·6	47·3	51·0	+0·4	74	July 28	30	Feb. 24, 26 Mar. 7, 8 Dec. 15	—	—	50·2	2·2	10·7	85	—	—	—
p Plymouth .. ¶§	116	1008·5	56·5	45·7	51·1	+0·3	79	Aug. 4	23	Dec. 18	51·9	52·1	52·0	2·5	11·5	85	1,532	−137	35
Falmouth .. ¶§	183	1006·1	56·0	45·3	50·7	−0·2	80	Aug. 6	28	Feb. 25, 27 Mar. 5, 6	53·5	53·5	48·9	1·6	10·9	89	1,725	−20	39
p Woolacombe ..	120	1010·4	55·4	46·4	50·9	−1·0	75	May 19 July 22 Aug. 6	27	Feb. 25	—	—	—	—	—	—	1,419	−235	32
District Value..	—	—	55·2	44·2	49·6	+0·1	84	—	19	—	51·8	52·3	—	—	—	—	1,501	−70	34
8. ENGLISH CHAN.:—																			
a Scilly .. ¶§	152	1008·0	55·6	47·7	51·7	−0·5	74	July 22 Aug. 10	33	Mar. 28	—	—	50·7	1·2	11·8	92	1,721	−81	39
a Jersey .. ¶§	36	1012·5	57·3	47·3	52·3	+0·2	79	May 20 Aug. 1, 3	30	Feb. 24 Mar. 8 Dec. 18	—	—	51·3	2·3	11·1	85	1,774	−151	40
p Guernsey (Brooklyn).	311	1002·3	56·6	46·6	51·6	−0·2	76	May 20 Aug. 1	29	Feb. 24	53·2	53·8	50·7	2·1	11·2	86	1,795	−131	41
District Value..	—	—	56·7	47·5	52·0	−0·1	80	—	29	—	53·2	53·8	—	—	—	—	1,760	−150	40

NOTES ON THE STATISTICAL TABLES.

The letters *a* and *p* indicate whether the readings of the maximum and minimum thermometers are taken at the hours of morning or evening observations. As a rule, observations are made in all parts of the British Islands according to Greenwich Mean Time. "*Summer Time*" *is not used.* The air temperature is obtained from thermometers placed in a louvred screen.

Barometer.—Pressure is expressed in millibars. 1 millibar = ·029531 mercury inches. The correction for latitude has been applied to all the values.

Rainfall.—The amounts are those for the 24 hours commenced at the time of morning observation.

Hygrometer.—The values are obtained from the monthly means of the dry and wet bulb readings. At certain stations the vapour pressure and relative humidity are the results obtained from the daily values.

Weather Phenomena.—The number of days of **Precipitation, Snow, Hail, Thunderstorm, Fog** and **Gale,** are counted irrespective of the hours at which the phenomena occur. Except for rainfall (see above) the day is the civil day. A day is reckoned as a day of "clear sky," if the mean of the estimates of the "amount of cloud" at the fixed hours of observation is less than 2, and as an "overcast" day if the mean is greater than 8.

Wind Summaries.—The results given under Wind (but not gales) are based on the observations at fixed hours. At Falmouth and Richmond the wind observations are based on the records of a standard Robinson anemometer (factor 2·2). Velocities of between 13 and 38 miles in the hour have been entered as "fresh or strong winds," velocities of 39 miles in the hour, or above, as gales. (At Brighton and Southport the equivalent values are obtained from a Dines Pressure Tube Anemometer. At Greenwich a Robinson Anemometer is used.

Elements from Observations at several Stations in the Year 1916—*continued.*

Cloud (0–10). Mean of Observations of amount at 9 a.m. and 9 p.m., or at 7 a.m.	Rain and other forms of Precipitation. Total Fall.	Difference from Normal.	Most in a day. Amount.	Most in a day. Day of Month.§	Weather. Number of days of Precipitation.	Snow.	Hail.	Thunderstorm.	Clear Sky. (*See* Note on p. 60.)	Overcast. (*See* Note on p. 60.)	Fog.	Wind force 8 and above. (Gales.)	Wind. No. of Observations reduced to a total of 1098. Force (0–12). Moderate and Strong Wind. (Force 4–7.)	Calm.	Direction. N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
	Mm.	Mm.	Mm.																		
6·3	816	+ 50	26	Nov. 18	219	26	7	8	17	105	24	23	379	60	60	42	108	80	81	165	341	161
7·1	666	+ 42	21	Sept. 3	185	12	10	3	7	128	52	4	244	62	127	90	76	82	91	175	211	184
—	692	+ 33	22	Sept. 3	202	36	7	16	—	—	23	17	—	—	—	—	—	—	—	—	—	—
6·4	607	− 24	18	Aug. 16	205	29	5	14	31	130	34	0	65	10	155	56	102	58	234	82	302	99
7·6	677	+ 179	19	May 9	201	21	6	13	0	133	48	10	696	13	131	87	113	107	136	157	199	155
—	676	+ 77	26	Feb. 24	176	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6·6	723	+ 70	23	Nov. 18	202	28	4	13	24	136	3	2	126	167	94	137	38	72	83	262	113	132
7·1	718	+ 86	—	—	199	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7·0	794	− 33	43	Oct. 13	192	17	19	14	18	161	16	38	644	37	58	93	97	143	107	174	247	142
—	845	− 35	20	Feb. 6	212	26	9	7	—	—	15	1	197	2	126	85	89	111	137	169	206	173
6·7	1,151	+ 152	29	Sept. 3	220	26	13	11	32	152	4	7	249	73	65	121	68	118	171	348	79	55
—	1,248	+ 57	43	Oct. 13	219	33	20	11	—	—	7	—	—	—	—	—	—	—	—	—	—	—
6·7	631	− 95	24	June 4	195	24	11	7	31	141	16	6	316	18	43	96	113	163	94	205	284	82
5·7	762	− 13	25	Aug. 15	195	8	9	5	28	59	0	14	165	15	68	36	147	27	118	199	385	105
7·6	1,429	—	36	Oct. 5	244	26	10	12	9	179	2	40	409	25	152	76	70	53	16	137	356	213
7·0	940	+ 51	—	—	210	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6·9	948	+ 62	41	Oct. 2	218	10	11	1	20	97	76	15	478	20	143	90	78	74	99	193	234	162
—	1,090	+ 221	42	Aug. 29	185	20	1	9	—	—	18	12	—	—	—	—	—	—	—	—	—	—
6·0	743	+ 101	99	Aug. 29	170	10	2	6	33	68	16	26	575	12	89	127	99	54	59	224	254	18
6·5	994	+ 89	57	Nov. 17	206	13	8	5	20	127	40	43	519	34	153	71	95	68	125	256	148	148
6·4	1,228	—	54	Feb. 3	214	12	41	8	33	111	13	24	259	173	128	63	47	67	65	196	198	16
6·2	893	+ 105	34	May 27	210	14	13	6	44	113	17	1	185	39	81	112	135	103	70	190	213	155
6·3	1,090	+ 102	—	—	204	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7·2	985	+ 162	46	Sept. 2	244	12	12	3	8	108	57	33	576	58	116	84	80	90	84	121	252	213
6·9	886	+ 32	36	Sept. 26	186	14	15	10	51	119	28	18	383	2	78	91	147	65	81	182	295	157
6·3	917	− 15	50	Sept. 26	204	17	9	5	31	112	43	19	360	152	47	111	43	80	72	183	283	127
6·5	940	+ 105	—	—	212	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Averages.—The normals used for stations are—Temperature and Rainfall for the years 1876–1910; Bright Sunshine for the 30 years 1881–1910. The values are published in Appendix IV. to the Weekly Weather Report for 1913. For Greenwich and Oxford, averages for longer periods are used. Monthly averages of pressure at telegraphic reporting stations for the epoch 7 a.m. are published in Appendix I. to the Daily Weather Report.

Royal Observatory, Greenwich.—The earth temperatures are taken at a depth of 3 ft. 2 in. At Oxford they are taken at 6 in. and 3 ft. 6 in.

¶ § **Mean Values for Districts.**—Stations used in the Weekly Weather Report for computing "districts values" of rainfall and temperature, are distinguished by the sign ¶, those used for "district values of bright sunshine" by the sign §. The yearly mean values for districts given in this Report for maximum, minimum and mean temperature, sunshine and rainfall, are computed from the data for these and other representative stations. The mean temperature for districts is computed in the manner shown in the preface to the Weekly Weather Report. The yearly mean values for districts for "amount of cloud" are computed from the data for all stations. The averages for districts with which the current values are compared are for the 25 years 1881–1905, as in the Weekly Weather Report. The "district values" for Earth Temperaure are obtained from the data for all stations.

England and Wales.—Number of Marriages in each Registration County and District, 1916.

District.	Marriages.
ENGLAND AND WALES.	279846
I. LONDON.	43855
Paddington ...	1606
Kensington ...	1816
Hammersmith ...	1190
Fulham	1525
Chelsea	711
St. George, Hanover Square.	1458
St. Martin ...	783
St. Marylebone ...	1429
Hampstead ...	724
St. Pancras ...	2279
Islington	3082
Hackney	2429
St. Giles	390
Holborn	974
London City ...	285
Shoreditch ...	1005
Bethnal Green ...	1109
Whitechapel ...	451
St. George in the East.	248
Stepney	435
Mile End Old Town	1131
Poplar	1508
Southwark ...	2018
St. Olave (Bermondsey).	1217
Lambeth	2912
Wandsworth ...	4115
Camberwell ...	2287
Greenwich ...	1778
Lewisham ...	1440
Woolwich ...	1520
2. SURREY.	6632
Epsom	548
Chertsey	339
Guildford ...	549
Farnham	593
Hambledon ...	167
Dorking	98
Reigate	313
Godstone	170
Croydon	1985
Kingston	1350
Richmond ...	520
3. KENT.	8475
Bromley	701
Dartford	874
Gravesend ...	237
Strood	371
Hoo	36
Medway	1130
Malling	177
Sevenoaks ...	213
Tonbridge ...	553
Maidstone ...	408
Hollingbourn ...	82
Cranbrook ...	78
Tenterden ...	57
West Ashford ...	174
3. KENT—*cont.*	
East Ashford ...	87
Bridge	91
Canterbury ...	211
Blean	170
Faversham ...	249
Milton	219
Sheppey... ...	256
Thanet	540
Eastry	237
Dover	460
Elham	823
Romney Marsh...	41
4. SUSSEX.	4489
Rye	69
Hastings ...	406
Battle	167
Eastbourne ...	448
Hailsham ...	94
Ticehurst ...	89
Uckfield ...	151
East Grinstead ...	131
Cuckfield ...	139
Lewes	141
Newhaven ...	106
Brighton ...	886
Steyning ...	726
Horsham ...	176
Petworth ...	34
Thakeham ...	38
East Preston ...	305
Westhampnett ...	176
Chichester ...	79
Midhurst ...	74
Westbourne ...	54
5. HAMPSHIRE.	7473
Havant	67
Portsmouth ...	2248
Alverstoke ...	293
Fareham ...	197
Isle of Wight ...	652
Lymington ...	125
Christchurch ...	755
Ringwood ...	47
Fordingbridge ...	30
New Forest ...	134
Southampton ...	1052
South Stoneham	404
Romsey	96
Stockbridge ...	37
Winchester ...	337
Droxford ...	59
Catherington ...	18
Petersfield ...	138
Alresford ...	29
Alton	113
Hartley Wintney	239
Basingstoke ...	182
Whitchurch ...	42
Andover... ...	133
Kingsclere ...	46
6. BERKSHIRE.	2252
Newbury ...	145
Hungerford ...	104
Faringdon ...	63
Abingdon ...	126
Wantage... ...	94
Wallingford ...	81
Bradfield ...	107
Reading ...	767
Wokingham ...	174
Maidenhead ...	216
Easthampstead ...	97
Windsor... ...	278
7. MIDDLESEX.	9016
Staines	266
Uxbridge ...	464
Brentford ...	2189
Willesden ...	1283
Hendon	707
Barnet	549
Edmonton ...	3558
8. HERTFORDSHIRE.	1841
Ware	147
Bishop Stortford	141
Royston	111
Hitchin	299
Hertford ...	123
Hatfield	59
St. Albans ...	278
Watford... ...	451
Hemel Hempstead	116
Berkhampstead	116
9. BUCKINGHAMSHIRE.	1260
Amersham ...	180
Eton	287
Wycombe ...	341
Aylesbury ...	199
Winslow ...	41
Newport Pagnell	160
Buckingham ...	52
10. OXFORDSHIRE.	1240
Henley	103
Thame	80
Headington ...	321
Oxford	205
Bicester	67
Woodstock ...	65
Witney	113
Chipping Norton	97
Banbury ...	189
11. NORTHAMPTONSHIRE.	2866
Brackley ...	45
Towcester ...	55
Potterspury ...	95
Hardingstone ...	77
Northampton ...	846
Daventry ...	122
11. NORTHAMPTONSHIRE—*cont.*	
Brixworth ...	68
Wellingborough	536
Kettering ...	410
Thrapston ...	101
Oundle	53
Peterborough ...	458
12. HUNTINGDONSHIRE.	254
Huntingdon ...	100
St. Ives	80
St. Neots ...	74
13. BEDFORDSHIRE.	1512
Bedford	516
Biggleswade ...	144
Ampthill ...	127
Leighton Buzzard	110
Luton	615
14. CAMBRIDGESHIRE.	1460
Caxton	59
Chesterton ...	251
Cambridge ...	332
Linton	75
Newmarket ...	181
Ely	132
North Witchford	127
Whittlesey ...	47
Wisbech... ...	256
15. ESSEX.	10223
West Ham ...	6020
Epping	225
Ongar	43
Romford ...	1093
Orsett	291
Billericay ...	160
Chelmsford ...	277
Rochford ...	649
Maldon	144
Tendring ...	377
Colchester ...	349
Lexden	131
Halstead ...	95
Braintree ...	194
Dunmow ...	97
Saffron Walden...	78
16. SUFFOLK.	2700
Risbridge ...	97
Sudbury ...	155
Cosford	68
Bury St.Edmunds	217
Mildenhall ...	50
Stow	129
Hartismere ...	141
Bosmere... ...	76
Samford... ...	93
Ipswich	653
Woodbridge ...	247
Plomesgate ...	118
Blything ...	168
Wangford ...	117
Mutford... ...	371

ENGLAND and WALES.—NUMBER of MARRIAGES in each REGISTRATION COUNTY and DISTRICT, 1916—*continued*.

District.	Marriages.
17. NORFOLK.	**3262**
Yarmouth ...	388
Flegg	61
Smallburgh ...	104
Erpingham ...	151
Aylsham	106
St. Faith's ...	53
Norwich	1127
Forehoe	59
Henstead	56
Blofield	65
Loddon	64
Depwade	119
Wayland	72
Mitford	140
Walsingham ...	123
Docking	106
Freebridge Lynn	73
King's Lynn ...	126
Downham ...	105
Swaffham ...	56
Thetford	108
18. WILTSHIRE.	**1966**
Swindon	495
Cricklade	70
Malmesbury ...	59
Chippenham ...	134
Calne	44
Marlborough ...	49
Devizes	134
Melksham ...	128
Bradford on Avon	69
Westbury ...	53
Warminster ...	95
Pewsey	95
Amesbury ...	85
Salisbury ...	291
Wilton	76
Tisbury	62
Mere	27
19. DORSETSHIRE.	**1641**
Shaftesbury ...	64
Sturminster ...	60
Blandford ...	107
Wimborne ...	96
Poole	358
Wareham ...	141
Weymouth ...	405
Dorchester ...	179
Sherborne ...	74
Beaminster ...	55
Bridport	102
20. DEVONSHIRE	**5269**
Axminster ...	82
Honiton	112
St. Thomas ...	320
Exeter	484
Newton Abbot ...	612
Totnes	319
Kingsbridge ...	105
Plympton St. Mary	202
20. DEVONSHIRE—*cont.*	
Plymouth ...	1142
East Stonehouse	115
Devonport ...	724
Tavistock ...	134
Okehampton ...	90
Crediton ...	75
Tiverton ...	147
South Molton ...	64
Barnstaple ...	278
Torrington ...	68
Bideford ...	154
Holsworthy ...	42
21. CORNWALL.	**2068**
Stratton	43
Camelford ...	30
Launceston ...	90
St. Germans ...	157
Liskeard ...	159
Bodmin ...	126
St. Columb ...	103
St. Austell ...	214
Truro	187
Falmouth ...	186
Helston	104
Redruth	333
Penzance ...	317
Isles of Scilly ...	19
22. SOMERSETSHIRE.	**3202**
Williton ...	95
Dulverton ...	23
Wellington ...	124
Taunton ...	273
Bridgwater ...	262
Langport ...	61
Chard	150
Yeovil	213
Wincanton ...	126
Frome	151
Shepton Mallet ...	75
Wells	170
Axbridge ...	308
Clutton	181
Bath	598
Keynsham ...	260
Long Ashton ...	132
23. GLOUCESTERSHIRE.	**5205**
Bristol	3135
ChippingSodbury	118
Thornbury ...	111
Dursley	83
Westbury on Severn.	150
Newent	59
Gloucester ...	495
Wheatenhurst ...	36
Stroud	245
Tetbury	37
Cirencester ...	103
Northleach ...	37
Stow on the Wold	41
23. GLOUCESTERSHIRE—*cont.*	
Winchcomb ...	52
Cheltenham ...	437
Tewkesbury ...	66
24. HEREFORDSHIRE.	**671**
Ledbury	59
Ross	102
Hereford ...	290
Weobley ...	32
Bromyard ...	53
Leominster ...	63
Kington	72
25. SHROPSHIRE.	**1650**
Ludlow	73
Clun	39
Church Stretton	40
Cleobury Mortimer.	49
Bridgnorth ...	87
Shifnal	76
Madeley ...	125
Atcham	351
Oswestry ...	248
Ellesmere ...	72
Wem	70
Whitchurch ...	102
Market Drayton ...	66
Wellington ...	160
Newport	92
26. STAFFORDSHIRE.	**10689**
Stafford	249
Stone	107
Newcastle under Lyme.	287
Wolstanton ...	793
Stoke upon Trent	1149
Leek	300
Cheadle	206
Uttoxeter ...	84
Burton uponTrent	642
Tamworth ...	355
Lichfield ...	336
Cannock ...	399
Wolverhampton	1524
Walsall	1161
West Bromwich	1740
Dudley	1357
27. WORCESTERSHIRE.	**2528**
Stourbridge ...	839
Kidderminster ...	336
Tenbury	30
Worcester ..	506
Upton on Severn	160
Evesham ...	130
Pershore ...	71
Droitwich ...	94
Bromsgrove ...	362
28. WARWICKSHIRE.	**11259**
Kings Norton ...	2054
Birmingham ...	2415
Aston	3579
Meriden ...	88
Atherstone ...	130
Nuneaton ...	344
Foleshill ...	183
Coventry ...	1184
Rugby	338
Solihull	113
Warwick ..	401
Stratford on Avon	134
Alcester	174
Shipston on Stour	75
Southam ...	47
29. LEICESTERSHIRE.	**3842**
Lutterworth ...	63
Market Harborough.	118
Billesdon ...	35
Blaby	232
Hinckley ...	243
Market Bosworth	107
Ashby de la Zouch	365
Loughborough ...	284
Barrow upon Soar	186
Leicester ...	2065
Melton Mowbray	144
30. RUTLANDSHIRE.	**112**
Oakham	58
Uppingham ...	54
31. LINCOLNSHIRE.	**3946**
Stamford ...	99
Bourne	96
Spalding ...	151
Holbeach ...	121
Boston	246
Sleaford ...	141
Grantham ...	346
Lincoln	634
Horncastle ..	96
Spilsby	145
Louth ...	186
Grimsby ...	1000
Caistor	73
Glanford Brigg ...	372
Gainsborough ...	240
32. NOTTINGHAMSHIRE.	**5471**
East Retford ...	176
Worksop ...	360
Mansfield ...	1001
Basford	1337
Nottingham ...	2194
Southwell ...	111
Newark	215
Bingham ...	77

ENGLAND AND WALES.—NUMBER of MARRIAGES in each REGISTRATION COUNTY AND DISTRICT, 1916—*continued.*

District.	Marriages.	District.	Marriages.	District.	Marriages.	District.	Marriages.
33. DERBYSHIRE.	3888	36. WEST RIDING—*cont.*		39. DURHAM—*cont.*		45. CARMARTHENSHIRE.	1056
Shardlow ...	501	Wharfedale ...	359	Auckland ...	688	Llanelly	600
Derby	910	Keighley ...	592	Teesdale	132	Llandovery ...	36
Belper	552	Todmorden ...	195	Weardale ...	85	Llandilofawr ...	200
Ashbourne ...	144	Saddleworth ...	111	Lanchester ...	659	Carmarthen ...	220
Chesterfield ...	1100	Huddersfield ...	1333	Durham	540		
Bakewell	198	Halifax	1333	Easington ...	559	46. PEMBROKESHIRE.	622
Chapel en le Frith	209	North Bierley ...	938	Houghton le Spring.	320	Narberth ...	111
Glossop	194	Bradford ...	1941	Chester le Street	475	Pembroke ...	236
Hayfield	80	Bramley ...	565	Sunderland ...	1608	Haverfordwest ...	275
		Leeds	2190	South Shields	1564		
34. CHESHIRE.	6286	Hunslet	685	Gateshead ...	1657	47. CARDIGANSHIRE.	397
		Holbeck ...	256			Cardigan ...	74
Stockport	1242	Dewsbury ...	1320			Newcastle in Emlyn.	95
Macclesfield ...	404	Wakefield ...	869	40. NORTHUMBERLAND.	5591	Lampeter ...	47
Bucklow	585	Pontefract ...	556	Newcastle upon Tyne.	2593	Aberayron ...	52
Runcorn	290	Hemsworth ...	262	Tynemouth ...	1627	Aberystwith ...	94
Northwich ...	437	Barnsley ...	1006	Castle Ward ...	265	Tregaron ...	35
Congleton ...	220	Penistone ...	133	Hexham	220		
Nantwich	514	Wortley	319	Haltwhistle ...	55	48. BRECKNOCKSHIRE.	361
Chester	597	Ecclesall Bierlow	1631	Bellingham ...	20	Builth	38
Wirral	333	Sheffield ...	2758	Morpeth ...	474	Brecknock ...	78
Birkenhead ...	1664	Rotherham ...	1075	Alnwick	131	Crickhowell ...	184
		Doncaster ...	924	Belford	22	Hay	61
		Thorne	91	Berwick	114		
		Goole	179	Glendale ...	39		
35. LANCASHIRE.	36469	Selby	120	Rothbury ...	31	49. RADNORSHIRE.	88
		Tadcaster ...	183			Knighton ...	53
Liverpool ...	1433					Rhayader ...	35
Toxteth Park ...	961	37. YORKSHIRE, EAST RIDING.	3739	41. CUMBERLAND.	1843		
West Derby ...	4937					50. MONTGOMERYSHIRE.	346
Prescot	1173			Alston	16		
Ormskirk ...	824	York	834	Penrith	114	Machynlleth ...	50
Wigan	1538	Pocklington ...	77	Brampton ...	41	Newtown ...	137
Warrington ...	866	Howden ...	93	Longtown ...	25	Forden	87
Leigh	761	Beverley ...	165	Carlisle	559	Llanfyllin ...	72
Bolton	2039	Sculcoates ...	1493	Wigton	146		
Bury	1050	Hull	707	Cockermouth ...	422		
Barton upon Irwell	953	Patrington ...	63	Whitehaven ...	408	51. FLINTSHIRE.	406
Chorlton	3383	Skirlaugh ...	66	Bootle	112		
Salford	1782	Driffield ...	92			Holywell ...	258
Manchester ...	941	Bridlington ...	149			Hawarden ...	148
Prestwich ...	1764			42. WESTMORLAND.	323		
Ashton under Lyne	1241	38. YORKSHIRE, NORTH RIDING.	2698			52. DENBIGHSHIRE.	1022
Oldham	1797			East Ward ...	86		
Rochdale	888			West Ward ...	22	Wrexham ...	628
Haslingden ...	789	Scarborough ...	337	Kendal	215	Ruthin	68
Burnley	1543	Malton	114			St. Asaph ...	261
Clitheroe	116	Easingwold ...	47			Llanrwst ...	65
Blackburn ...	1565	Thirsk	79	43. MONMOUTHSHIRE.	3063		
Chorley	429	Helmsley ...	43			53. MERIONETHSHIRE.	275
Preston	1139	Pickering ...	58	Chepstow ...	111		
Fylde	864	Whitby	134	Monmouth ...	178	Corwen	95
Garstang	66	Guisborough ...	335	Abergavenny ...	239	Bala	34
Lancaster ...	500	Middlesbrough	1189	Bedwellty ...	894	Dolgelly	58
Lunesdale ...	42	Stokesley ...	68	Pontypool ...	424	Festiniog ...	88
Ulverston	367	Northallerton ...	56	Newport ...	1217		
Barrow in Furness	718	Bedale	46				
		Leyburn ...	35				
36. YORKSHIRE, WEST RIDING.	23036	Aysgarth ...	28	44. GLAMORGANSHIRE.	8603	54. CARNARVONSHIRE.	907
		Reeth	15				
		Richmond ...	114	Cardiff	2344	Pwllheli	131
Sedbergh	25			Pontypridd ...	2103	Carnarvon ...	216
Settle	97			Merthyr Tydfil ...	1193	Bangor	257
Skipton	363	39. DURHAM.	10302	Bridgend ...	672	Conway	303
Pateley Bridge ...	32			Neath	709		
Ripon	144	Darlington ...	551	Pontardawe ...	215	55. ANGLESEY.	196
Great Ouseburn ...	62	Stockton ...	563	Swansea	1257	Anglesey ...	65
Knaresborough ...	319	Hartlepool ...	739	Gower	110	Holyhead ...	131
Wetherby ...	70	Sedgdel ...e	162				

England and Wales.—Ages and Conditions of the Persons Married in the Year 1916.

Age.	All Men.	All Bachelors.	All Widowers.	Bachelors who married		Widowers who married		All Women.	All Spinsters.	All Widows.	Spinsters who married		Widows who married	
				Spinsters.	Widows.	Spinsters.	Widows.				Bachelors.	Widowers.	Bachelors.	Widowers.
All Ages ...	279,846	254,232	25,614	240,867	13,365	15,303	10311	279,846	256,170	23,676	240,867	15,303	13,365	10,311
13	—	—	—	—	—	—	—	1	1	—	1	—	—	—
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15	—	—	—	—	—	—	—	14	14	—	14	—	—	—
16	14	14	—	13	1	—	—	190	190	—	187	3	—	—
17	161	161	—	160	1	—	—	1,145	1,145	—	1,131	14	—	—
18	944	943	1	939	4	1	—	5,500	5,500	—	5,431	69	—	—
19	2,790	2,790	—	2,772	18	—	—	11,779	11,768	11	11,632	136	11	—
20	6,208	6,208	—	6,162	46	—	—	17,492	17,441	51	17,234	207	48	3
Minors, *not stated*	3	3	—	3	—	—	—	4	4	—	4	—	—	—
Total under 21	10,120	10,119	1	10,049	70	1	—	36,125	36,063	62	35,634	429	59	3
21	17,468	17,461	7	17,269	192	7	—	30,016	29,905	111	29,400	505	104	7
22	20,077	20,060	17	19,802	258	17	—	25,122	24,923	199	24,513	410	183	16
23	23,497	23,453	44	23,148	305	40	4	25,209	24,917	292	24,387	530	272	20
24	24,479	24,399	80	24,004	395	72	8	23,274	22,912	362	22,339	573	324	38
21 and under 25	85,521	85,373	148	84,223	1,150	136	12	103,621	102,657	964	100,639	2,018	883	81
25	23,160	23,053	107	22,649	404	97	10	20,525	20,121	404	19,510	611	354	50
26	21 078	20,898	180	20,378	520	151	29	17,115	16,624	491	16.073	551	416	75
27	18,066	17,861	205	17,353	508	191	14	14,140	13,607	533	13,035	572	436	97
28	15,935	15,679	256	15,154	525	227	29	12,238	11,574	664	10,942	632	543	121
29	13,262	12,910	352	12,354	556	304	48	9,918	9,193	725	8,569	624	593	132
25 and under 30	91,501	90,401	1,100	87,888	2,513	970	130	73,936	71,119	2,817	68,129	2,990	2,342	475
30	10,744	10,354	390	9,773	581	335	55	8,716	7,941	775	7,265	676	608	167
31	8,683	8,284	399	7,782	502	339	60	6,192	5,504	688	4,972	532	492	196
32	7,802	7,306	496	6,716	590	396	100	5,798	5,009	789	4,398	611	585	204
33	6,167	5,630	537	5,147	483	438	99	4,596	3,850	746	3,316	534	537	209
34	5,606	5,014	592	4,442	572	476	116	4,081	3,268	813	2,721	547	566	247
30 and under 35	39,002	36,588	2,414	33,860	2,728	1,984	430	29,383	25,572	3,811	22,672	2,900	2,788	1,023
35	4,986	4,365	621	3,801	564	461	160	3,653	2,810	843	2,308	502	571	272
36	4,348	3,741	607	3,226	515	449	158	3,311	2,419	892	1,919	500	578	314
37	3,503	2,882	621	2,421	461	465	156	2,546	1,822	724	1,381	441	488	236
38	3,622	2,879	743	2,382	497	525	218	2,851	1,901	950	1,347	554	624	326
39	3,312	2,574	738	2,029	545	506	232	2,556	1,637	919	1.126	511	569	350
35 and under 40	19,771	16,441	3,330	13,859	2,582	2,406	924	14,917	10,589	4,328	8,081	2,508	2,830	1,498
40	2,984	2,190	794	1,655	535	528	266	2,282	1,340	942	885	455	522	420
41	2,637	1,785	852	1,356	429	557	295	1,647	970	677	593	377	345	332
42	2,564	1,664	900	1,259	405	563	337	1,808	967	841	558	409	448	393
43	2.126	1,289	837	945	344	515	322	1,482	759	723	430	329	350	373
44	1,816	1,038	778	743	295	461	317	1,382	643	739	338	305	342	397
40 and under 45	12,127	7,966	4,161	5,958	2,008	2,624	1,537	8,601	4,679	3,922	2,804	1,875	2,007	1,915
45	1,816	954	862	680	274	516	346	1,255	584	671	270	314	288	383
46	1,735	849	886	575	274	511	375	1,186	515	671	241	274	304	367
47	1,420	647	773	423	224	428	345	947	390	557	165	225	231	326
48	1,448	623	825	397	226	466	359	1,004	400	604	186	214	242	362
49	1,301	470	831	285	185	455	376	827	314	513	129	185	199	314
45 and under 50	7,720	3,543	4,177	2,360	1,183	2,376	1,801	5,219	2,203	3,016	991	1,212	1,264	1,752
50	1,273	428	845	255	173	458	387	806	272	534	112	160	184	350
51	876	281	595	170	111	306	289	502	172	330	55	117	87	243
52	1,024	281	743	177	104	354	389	606	192	414	69	123	118	296
53	830	228	602	131	97	285	317	487	132	355	38	94	103	252
54	840	217	623	125	92	281	342	450	96	354	23	73	89	265
50 and under 55	4,843	1,435	3,408	858	577	1,684	1,724	2,851	864	1,987	297	567	581	1,406
55	756	165	591	93	72	279	312	392	115	277	31	84	77	200
56	717	152	565	80	72	253	312	363	97	266	28	69	55	211
57	597	98	499	62	36	231	268	283	64	219	17	47	48	171
58	649	78	571	36	42	260	311	293	54	239	11	43	58	181
59	555	95	460	51	44	211	249	242	51	191	18	33	34	157
55 and under 60	3,274	588	2,686	322	266	1,234	1,452	1,573	381	1,192	105	276	272	920
60	571	66	505	39	27	219	286	189	44	145	12	32	24	121
61	393	39	354	20	19	150	204	133	21	112	4	17	18	94
62	385	26	359	14	12	144	215	160	34	126	10	24	21	105
63	374	33	341	17	16	154	187	142	25	117	5	20	19	98
64	334	28	306	13	15	131	175	140	15	125	5	10	26	99
60 and under 65	2,057	192	1,865	103	89	798	1,067	764	139	625	36	103	108	517

England and Wales.—Ages and Conditions of the Persons Married in the Year 1916 —*continued.*

Age.	All Men.	All Bachelors.	All Widowers.	Bachelors who married		Widowers who married		All Women.	All Spinsters.	All Widows.	Spinsters who married		Widows who married	
				Spinsters.	Widows.	Spinsters.	Widows.				Bachelors.	Widowers.	Bachelors.	Widowers.
65	341	27	314	13	14	126	188	138	16	122	4	12	17	105
66	224	14	210	5	9	80	130	107	22	85	7	15	9	76
67	176	14	162	7	7	69	93	76	15	61	3	12	10	51
68	212	16	196	6	10	84	112	58	10	48	3	7	4	44
69	145	12	133	8	4	57	76	61	4	57	2	2	8	49
65 and under 70	1,098	83	1,015	39	44	416	599	440	67	373	19	48	48	325
70	178	12	166	9	3	81	85	49	8	41	1	7	5	36
71	114	7	107	5	2	48	59	39	1	38	—	1	5	33
72	97	3	94	2	1	38	56	30	2	28	2	—	2	26
73	98	7	91	4	3	36	55	25	2	23	—	2	2	21
74	75	3	72	1	2	26	46	22	3	19	1	2	1	18
70 and under 75	562	32	530	21	11	229	301	165	16	149	4	12	15	134
75	62	1	61	—	1	26	35	13	2	11	—	2	—	11
76	50	4	46	3	1	15	31	14	1	13	—	1	2	11
77	36	2	34	—	2	11	23	7	—	7	—	—	—	7
78	25	1	24	—	1	14	10	5	—	5	—	—	—	5
79	14	—	14	—	—	4	10	2	—	2	—	—	1	1
75 and under 80	187	8	179	3	5	70	109	41	3	38	—	3	3	35
80	13	—	13	—	—	6	7	2	—	2	—	—	1	1
81	7	1	6	1	—	4	2	—	—	—	—	—	—	—
82	5	1	4	1	—	2	2	—	—	—	—	—	—	—
83	1	—	1	—	—	—	1	—	—	—	—	—	—	—
84	3	—	3	—	—	1	2	—	—	—	—	—	—	—
85	1	—	1	—	—	1	—	—	—	—	—	—	—	—
86	1	—	1	—	—	1	—	—	—	—	—	—	—	—
87	—	—	—	—	—	—	—	—	—	—	—	—	—	—
88	—	—	—	—	—	—	—	—	—	—	—	—	—	—
89	1	—	1	—	—	1	—	—	—	—	—	—	—	—
90	1	—	1	—	—	—	1	—	—	—	—	—	—	—
91	—	—	—	—	—	—	—	—	—	—	—	—	—	—
92	1	—	1	—	—	—	1	—	—	—	—	—	—	—
Total over 80 ...	34	2	32	2	—	16	16	2	—	2	—	—	1	1
Full Age, *not stated.*	2,029	1,461	568	1,322	139	359	209	2,208	1,818	390	1,456	362	164	226

England and Wales.—Marriages of Divorced Persons, 1916.

—	Ages of Men.										All Ages.	Ages of Women.									
	Under 21.	21–	25–	30–	35–	40–	45–	55–	65 and upwards.	Full Age N.S.		Under 21.	21–	25–	30–	35–	40–	45–	55–	65 and upwards.	Full Age N.S.
Men	—	1	28	77	110	113	111	22	4	—	466	—	—	—	—	—	—	—	—	—	—
Women...	—	—	—	—	—	—	—	—	—	—	454	1	19	82	139	109	59	40	2	1	2
Divorced Men and Spinsters	—	1	27	64	89	87	80	14	2	—	364	11	80	103	90	45	24	9	1	—	1
Divorced Men and Widows...	—	—	1	8	16	20	22	7	2	—	76	—	1	15	12	19	14	13	2	—	—
Divorced Women and Bachelors.	1	29	68	115	67	36	16	3	1	—	336	1	16	70	107	86	39	16	—	—	1
Divorced Women and Widowers.	—	—	—	8	13	18	33	15	3	2	92	—	3	9	21	15	17	23	2	1	1
Divorced Men and Divorced Women.	—	—	—	5	5	6	9	1	—	—	26	—	—	3	11	8	3	1	—	—	—

England and Wales.—Ages of the Persons Married, 1916.

Ages of Husbands.	Ages of Wives.															
	15	16	17	18	19	20	Minors *not stated.*	21	22	23	24	25	26	27	28	29
16	—	2	2	5	2	1	—	1	—	—	—	—	—	—	—	—
17	—	17	57	32	28	14	—	17	7	3	3	1	—	2	—	—
18	2	14	101	342	109	118	—	87	45	25	18	11	4	2	2	—
19	1	15	144	594	826	455	—	327	175	94	62	38	19	12	11	3
20	2*	28	151	609	1,355	1,595	—	1,057	570	341	186	110	66	42	32	24
Minors *not stated.*	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—
21	1	22	192	1,059	2,298	3,131	—	5,050	2,318	1,408	769	456	257	167	106	78
22	2	15	113	788	1,786	2,717	—	4,879	3,627	2,378	1,454	889	515	315	195	146
23	3	12	84	594	1,412	2,460	—	4,448	3,911	3,920	2,520	1,557	973	579	354	212
24	—	11	76	374	1,064	1,816	—	3,635	3,555	3,858	3,639	2,417	1,439	883	603	389
25	—	7	58	306	754	1,349	1	2,693	2,710	3,151	3,250	3,239	2,012	1,266	848	496
26	—	11	45	190	559	960	1	1,944	2,078	2,536	2,688	2,682	2,469	1,634	1,149	722
27	—	8	31	161	399	704	—	1,421	1,490	1,828	2,146	2,090	2,050	2,020	1,295	799
28	2	5	26	98	311	561	—	1,130	1,154	1,337	1,605	1,582	1,617	1,622	1,639	1,016
29	—	3	19	84	224	356	—	793	822	1,051	1,234	1,244	1,284	1,196	1,248	1,198
30	—	3	14	53	136	308	—	588	638	770	821	940	925	864	928	888
31	—	2	9	47	93	191	—	430	423	474	584	703	693	700	693	720
32	—	7	10	43	69	172	—	353	419	404	467	522	572	544	571	560
33	—	—	6	22	55	132	—	217	252	348	323	377	399	415	433	432
34	—	1	6	15	39	91	—	184	176	234	320	336	327	323	385	374
35	—	1	3	17	37	63	—	155	173	219	214	268	285	275	282	297
36	—	2	1	19	35	67	—	117	102	177	182	180	267	218	251	227
37	1	—	1	5	17	59	—	93	77	114	129	139	156	186	169	175
38	—	1	3	4	20	38	—	66	84	111	123	143	147	154	208	185
39	—	—	—	7	11	25	—	56	57	72	80	91	99	132	152	192
40	—	1	2	8	9	18	—	47	53	57	78	78	91	99	100	130
41	1	—	—	1	8	16	—	47	34	59	67	69	73	95	87	121
42	—	—	2	3	10	13	—	30	41	47	60	61	83	74	105	92
43	—	1	2	3	4	11	—	14	22	40	45	50	41	56	55	81
44	—	—	—	2	5	14	—	23	24	24	45	37	34	42	45	55
45	—	—	1	2	6	12	—	27	13	16	27	51	41	46	49	54
46	—	—	2	2	6	5	—	16	17	27	22	27	31	28	40	43
47	—	—	1	—	2	7	—	11	8	8	13	21	20	31	30	37
48	—	—	—	1	—	6	—	12	11	8	27	28	19	20	40	26
49	—	—	—	1	2	—	—	7	3	9	13	14	13	15	18	28
50	—	—	—	—	1	4	—	3	7	15	16	11	23	13	28	16
51	—	—	—	—	2	2	—	6	3	6	5	8	8	4	15	22
52	—	—	—	—	1	2	—	5	6	5	6	8	10	10	7	8
53	—	—	—	—	1	2	—	5	—	7	3	10	8	5	8	11
54	—	1	—	1	—	—	—	3	1	9	2	3	9	5	11	7
55	—	—	—	—	2	—	—	—	6	2	2	7	4	7	3	8
56	—	—	—	—	1	—	—	3	1	3	3	6	4	1	6	6
57	—	—	—	—	—	—	—	—	1	2	4	3	5	5	3	11
58	—	—	—	—	—	1	—	3	1	—	3	4	4	2	4	6
59	—	—	—	—	—	—	—	3	—	3	—	—	3	—	7	6
60	—	—	—	1	1	—	—	2	1	—	1	4	2	3	4	4
61	—	—	—	1	—	—	—	1	1	—	1	2	1	2	5	1
62	—	—	—	—	—	—	—	—	—	—	1	1	3	3	2	1
63	—	—	—	1	—	—	—	1	1	2	3	2	1	3	2	3
64	—	—	—	—	—	—	—	1	—	—	—	—	2	2	2	—
65	—	—	—	—	1	2	—	—	1	1	1	2	1	1	—	2
66	—	—	—	—	—	—	—	—	—	—	—	1	2	2	2	2
67	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
68	—	—	—	—	1	—	—	—	—	—	1	—	—	—	2	1
69	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
70 years and upwards.	—	—	—	—	—	—	—	2	—	5	2	1	2	2	3	1
Full Age, *not stated.*	—	—	3	5	17	11	—	3	2	—	4	1	2	3	1	1
Total ...	15	190	1,145	5,500	11,779	17,492	4	30,016	25,122	25,209	23,274	20,525	17,115	14,140	12,238	9,918

The table read *vertically* shows the number of *Wives* at each age, with the ages of their Husbands at marriage:—Thus: Of 17,492 *Wives* at the age of 20 and under 21 years, *one* married a husband aged 16 and under 17 years, *fourteen* married Husbands aged 17 and under 18 years *one hundred and eighteen* married Husbands aged 18 and under 19 years, *four hundred and fifty five* married Husbands aged 19 and under 20 years, &c. Read *horizontally* the table shows the number of *Husbands* at each age, with the ages of their Wives at marriage:—Thus: Of 6,208 *Husbands* aged 20 and under 21 years *one* married a wife aged 13 and under 14 years (*see* Note*), *one* married a wife aged 15 years and under 16 years, *twenty-eight* married wives aged 16 and under 17 years, *one hundred and fifty one* married wives aged 17 and under 18 years, &c.

* Including one aged 13 years.

England and Wales.—Ages of the Persons Married, 1916—*continued.*

Ages of Husbands.	Ages of Wives.																			
	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
16	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
19	2	3	1	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20	10	9	7	6	1	—	1	—	1	—	2	—	—	—	—	—	—	—	—	—
Minors *not stated.*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21	52	28	25	13	5	9	8	1	5	—	—	—	2	1	—	—	—	1	—	—
22	83	45	37	21	12	14	8	10	5	6	1	2	3	1	—	—	1	—	—	—
23	162	80	68	44	30	17	17	5	8	5	8	—	2	—	—	—	1	1	—	—
24	257	143	97	56	53	31	17	9	9	4	7	1	5	2	2	3	2	1	2	—
25	368	202	143	69	43	69	36	21	19	10	9	4	3	3	3	3	—	2	—	—
26	486	257	197	132	91	56	83	20	23	13	9	8	4	6	4	4	1	—	—	1
27	557	295	214	160	87	86	54	49	32	23	13	4	9	3	5	6	3	4	1	—
28	789	421	315	178	132	103	76	59	61	36	19	10	5	1	5	2	3	2	3	—
29	796	453	392	230	176	131	90	56	50	47	20	18	9	7	7	2	2	2	1	1
30	878	536	382	262	233	155	93	81	65	48	49	14	21	14	7	5	8	3	1	3
31	730	643	433	288	198	170	137	79	69	44	23	29	20	5	11	6	8	4	1	2
32	562	528	564	395	268	210	125	88	93	69	44	29	36	20	13	9	7	4	4	2
33	419	393	413	427	298	181	170	95	101	60	65	35	28	24	9	8	3	4	5	2
34	398	308	399	313	398	227	186	130	115	93	54	30	34	28	17	13	13	8	8	4
35	326	236	317	283	300	305	214	165	127	101	102	49	39	28	24	23	11	13	4	5
36	268	242	252	233	225	250	253	177	146	125	85	54	46	26	25	16	35	15	8	4
37	195	184	207	187	201	181	196	227	152	116	88	46	58	39	24	21	22	17	13	8
38	204	176	219	168	178	173	200	153	221	149	138	66	66	39	34	29	40	23	20	13
39	180	153	170	155	141	176	170	125	206	211	160	87	102	72	60	46	22	20	23	20
40	179	119	137	163	132	140	140	124	167	163	191	106	89	66	65	57	36	22	27	22
41	125	125	110	116	121	127	135	102	139	149	121	119	121	70	69	52	40	23	24	17
42	101	102	131	109	118	123	129	95	129	137	120	136	139	81	74	36	43	28	23	23
43	92	80	75	104	80	86	115	81	114	133	101	83	102	115	69	58	51	36	33	20
44	90	66	61	58	79	81	68	62	99	91	86	77	70	70	96	56	45	51	46	37
45	63	62	58	70	75	94	84	71	72	79	79	79	86	83	81	91	55	34	38	21
46	67	42	58	66	52	62	87	64	82	87	82	58	86	85	86	80	92	58	41	34
47	43	40	38	40	45	63	57	66	47	78	72	53	65	69	55	67	56	74	53	35
48	35	42	50	40	48	50	55	52	80	46	59	62	68	64	71	54	68	58	53	52
49	37	21	30	28	35	42	51	42	63	76	54	48	71	50	63	61	59	56	62	62
50	37	19	30	31	34	50	54	30	51	55	89	53	55	41	40	48	52	39	69	55
51	16	20	10	15	22	24	32	22	36	37	51	39	35	34	37	37	36	30	37	31
52	23	22	24	25	24	22	24	33	32	36	51	42	61	39	42	32	49	33	58	41
53	10	15	24	14	13	16	21	20	22	38	24	35	29	40	41	41	34	30	42	27
54	12	8	13	9	23	16	16	21	39	22	31	24	31	39	44	27	37	36	43	43
55	8	4	13	12	13	22	9	7	27	32	31	18	31	24	37	49	21	30	24	25
56	9	11	18	8	13	15	23	12	19	20	28	15	23	35	26	30	35	27	27	24
57	8	15	12	9	7	18	6	14	19	14	14	17	13	22	15	22	25	26	19	17
58	7	4	8	10	9	10	12	16	29	12	20	18	28	22	17	32	24	24	39	26
59	4	6	12	11	10	3	8	6	14	16	12	15	18	16	11	22	23	19	28	25
60	8	7	4	6	11	11	9	5	12	16	12	10	16	13	12	17	23	16	19	25
61	2	3	4	3	10	4	6	9	5	9	5	7	7	3	13	11	18	7	11	13
62	1	2	6	2	3	7	6	9	8	8	8	10	20	13	6	13	9	12	14	17
63	1	4	4	6	7	1	7	7	4	9	6	4	9	13	9	11	13	9	15	10
64	3	2	—	5	2	1	—	2	8	4	9	6	13	9	10	6	8	9	13	12
65	—	4	2	4	3	3	1	7	3	5	5	9	6	10	5	16	9	4	10	13
66	1	1	1	1	1	3	5	5	4	6	1	2	3	6	3	7	13	5	7	7
67	3	1	2	—	1	3	4	6	5	3	4	1	3	3	7	5	3	5	4	4
68	2	1	4	—	4	1	1	1	4	3	3	2	5	3	7	3	5	2	10	2
69	—	—	—	—	4	1	—	—	4	2	—	—	4	7	3	1	3	3	4	2
70 years and upwards.	6	4	6	8	7	7	11	4	6	8	16	13	9	17	18	17	19	16	17	19
Full Age, *not stated.*	—	5	1	1	3	1	—	1	—	2	1	—	—	1	—	—	—	1	—	1
Total ...	8,716	6,192	5,798	4,596	4,081	3,653	3,311	2,546	2,851	2,556	2,282	1,647	1,808	1482	1382	1255	1186	947	1004	827

For the method of reading this table, *see* explanatory note on page 67.

England and Wales.—Ages of the Persons Married 1916—*continued.*

Ages of Husbands.	Ages of Wives. 50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70 & upwds.	Full Age, *not stated.*	Total.
16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	161
18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	944
19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	2,790
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	6,208
Minors *not stated.*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
21	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	17,468
22	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	20,077
23	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	23,497
24	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	24,479
25	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11	23,160
26	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13	21,078
27	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	17	18,066
28	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	8	15,935
29	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	13,262
30	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	10,744
31	4	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13	8,683
32	1	2	1	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11	7,802
33	2	—	3	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	7	6,167
34	5	1	3	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	8	5,606
35	6	—	—	3	4	—	—	2	1	—	—	—	—	1	—	—	—	—	—	—	—	8	4,986
36	5	1	4	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	5	4,348
37	5	2	3	2	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	5	3,503
38	9	2	2	1	1	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	6	3,622
39	11	4	3	3	2	5	—	—	—	—	—	1	2	—	—	—	—	—	—	—	1	7	3,312
40	29	8	7	7	2	4	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	9	2,984
41	10	5	11	2	4	4	2	1	3	1	—	—	1	1	1	—	—	2	—	—	—	6	2,637
42	19	7	10	5	7	4	1	2	3	—	2	—	—	1	1	1	—	—	—	—	—	3	2,564
43	21	11	11	9	7	—	4	2	1	—	—	—	2	—	—	—	—	—	—	1	—	1	2,126
44	19	11	4	8	11	8	3	3	—	1	1	—	1	—	1	—	—	1	—	—	—	5	1,816
45	30	7	15	12	12	6	3	2	—	2	2	2	—	—	—	—	—	—	1	—	—	2	1,816
46	22	10	17	9	7	9	6	4	4	2	1	1	3	1	—	1	—	—	—	—	—	3	1,735
47	36	18	14	14	7	5	7	4	3	1	—	1	—	2	—	1	—	1	—	—	1	—	1,420
48	40	19	19	15	10	9	7	4	7	3	2	—	—	—	—	1	2	1	—	—	—	4	1,448
49	34	20	32	20	15	8	5	7	9	3	4	1	—	—	1	2	—	1	—	1	1	3	1,301
50	59	26	32	19	12	18	8	4	6	4	6	—	2	3	1	2	1	—	—	—	—	1	1,273
51	40	38	27	16	16	11	9	9	5	4	3	2	3	2	—	1	1	—	—	—	—	7	876
52	36	39	48	36	14	18	12	12	6	3	3	4	3	1	2	2	—	2	—	—	—	2	1,024
53	32	25	37	37	24	14	19	12	6	7	5	1	1	5	3	—	1	—	—	—	1	4	830
54	34	23	46	27	32	25	16	9	12	10	5	5	1	—	3	1	2	2	—	1	—	—	840
55	40	28	35	26	29	30	26	13	8	13	7	1	6	—	4	5	1	—	2	1	—	3	756
56	31	17	20	28	34	21	30	18	18	10	9	5	3	3	4	—	3	1	5	1	1	3	717
57	29	18	28	24	24	13	22	24	15	17	5	5	8	4	1	5	2	3	—	—	—	4	597
58	29	21	18	18	24	15	22	19	27	14	8	6	12	5	8	3	—	1	1	2	—	1	649
59	22	18	23	13	23	17	25	11	22	30	11	6	6	6	2	8	4	2	1	2	1	1	555
60	22	24	20	20	23	28	21	15	25	26	23	11	11	7	6	3	3	2	2	1	2	1	571
61	23	17	11	8	17	22	23	12	17	11	12	13	12	8	7	5	3	—	1	1	2	3	393
62	14	11	18	14	13	13	11	7	14	7	8	10	15	10	8	7	4	2	2	2	7	3	385
63	16	8	12	15	17	16	5	9	14	11	11	8	16	12	12	9	6	5	1	—	2	1	374
64	13	9	11	16	10	11	18	19	13	11	4	6	9	11	16	7	8	1	2	6	3	1	334
65	10	10	14	10	10	13	13	10	12	8	12	5	9	7	17	13	9	9	3	1	13	2	341
66	3	4	8	6	5	5	9	8	7	4	8	7	3	12	9	6	11	3	3	3	9	—	224
67	4	4	7	5	6	5	9	7	3	2	5	3	6	7	6	8	5	3	5	1	7	—	176
68	10	8	7	8	5	6	5	8	11	3	9	11	4	9	3	6	5	6	6	4	9	1	212
69	3	5	3	6	5	6	4	7	5	7	4	2	5	2	2	8	3	7	2	6	13	—	145
70 years and upwards.	20	20	21	18	13	13	14	17	12	26	17	16	15	21	22	33	33	21	21	27	134	3	783
Full Age, *not stated.*	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1,956	2,029
Total ...	806	502	606	487	450	392	363	283	293	242	189	133	160	142	140	138	107	76	58	61	208	2,208	279,846

For the method of reading this table, *see* explanatory note on page 67.

England and Wales.—Ages of the Bachelors and Spinsters who Intermarried, 1916.

Ages of Husbands.	Ages of Wives.															
	15	16	17	18	19	20	Minors *not stated.*	21	22	23	24	25	26	27	28	29
16	—	2	2	5	2	1	—	1	—	—	—	—	—	—	—	—
17	—	17	37	32	28	14	—	17	7	3	3	1	—	1	—	—
18	2	14	101	341	169	117	—	87	45	24	18	11	3	2	2	—
19	1	15	144	594	825	454	—	323	173	94	60	36	19	10	9	3
20	2*	28	151	609	1355	1,589	—	1,052	566	337	181	108	61	37	30	20
Minors *not stated.*	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—
21	1	22	192	1,058	2,293	3,124	—	5,031	2,293	1,385	751	436	245	153	97	69
22	2	15	113	788	1,780	2,710	—	4,861	3,604	2,345	1,413	867	497	293	178	131
23	3	12	84	592	1,409	2,453	—	4,425	3,877	3,882	2,485	1,527	932	549	333	195
24	—	11	75	371	1,058	1,806	—	3,610	3,530	3,816	3,589	2,374	1,400	858	552	365
25	—	7	57	304	747	1,338	1	2,678	2,690	3,102	3,207	3,185	1,969	1,229	822	465
26	—	10	44	187	549	948	1	1,914	2,047	2,498	2,641	2,631	2,408	1,571	1,097	655
27	—	8	31	153	391	694	—	1,387	1,458	1,780	2,110	2,039	1,992	1,956	1,235	750
28	2	5	24	93	301	549	—	1,099	1,126	1,302	1,561	1,532	1,580	1,558	1,563	952
29	—	3	18	80	210	346	—	756	796	1,009	1,186	1,192	1,233	1,145	1,168	1,105
30	—	3	13	51	129	283	—	550	604	734	777	888	883	814	870	816
31	—	2	9	45	89	182	—	398	402	446	544	658	642	647	635	648
32	—	7	10	40	67	157	—	319	377	361	429	467	524	492	528	512
33	—	—	5	17	47	114	—	183	224	315	292	339	369	370	374	374
34	—	1	5	11	35	78	—	154	151	199	272	290	289	280	318	302
35	—	1	2	16	33	54	—	126	144	190	177	226	241	232	234	241
36	—	2	1	13	29	53	—	99	83	140	149	145	210	182	178	178
37	1	—	1	4	13	30	—	71	60	93	100	113	127	142	129	142
38	—	—	2	4	12	29	—	51	66	80	94	108	111	119	147	134
39	—	—	—	2	7	24	—	41	46	60	54	66	65	101	105	135
40	—	1	2	5	8	16	—	36	38	35	50	50	54	61	65	85
41	1	—	—	1	5	14	—	27	24	38	41	45	45	53	50	73
42	—	—	—	2	7	9	—	21	25	32	39	43	53	45	58	48
43	—	—	2	2	3	11	—	8	14	26	29	27	38	32	37	37
44	—	—	—	2	3	8	—	14	13	14	24	23	17	21	24	30
45	—	—	1	2	4	9	—	16	4	6	13	20	19	23	20	25
46	—	—	2	—	3	1	—	11	5	14	12	16	16	13	13	15
47	—	—	—	—	2	4	—	8	3	5	6	7	8	15	13	20
48	—	—	—	—	—	2	—	7	6	6	18	15	5	8	9	7
49	—	—	—	1	1	—	—	3	2	3	3	4	4	4	5	7
50	—	—	—	—	—	—	—	—	3	7	—	2	7	6	6	6
51	—	—	—	—	1	2	—	2	1	1	1	5	2	—	6	8
52	—	—	—	—	—	—	—	1	1	2	2	2	2	2	1	2
53	—	—	—	—	—	—	—	3	—	1	2	3	4	2	1	3
54	—	1	—	—	—	—	—	2	—	2	1	2	3	2	4	4
55	—	—	—	—	—	—	—	—	1	—	—	—	1	3	1	2
56	—	—	—	—	—	—	—	3	1	—	—	4	1	—	—	3
57	—	—	—	—	—	—	—	—	—	—	1	1	—	2	—	—
58	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—
59	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	1
60	—	—	—	1	1	—	—	1	—	—	—	1	—	—	—	—
61	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
62	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
63	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1
64	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
65	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
66	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
67	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
68	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
69	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
70 years and upwards.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
Full Age, *not stated.*	—	—	3	5	16	11	—	2	2	—	4	—	1	2	—	—
Total ...	15	187	1,131	5,431	11,632	17,234	4	29,400	24,513	24,337	22,339	19,510	16,073	13,035	10,942	8,569

For the method of reading this table, *see* explanatory note on page 67.

* Including one aged 13 years.

England and Wales.—Ages of the Bachelors and Spinsters who Intermarried, 1916—*continued.*

Ages of Husbands.	Ages of Wives.																			
	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19	1	3	1	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20	9	8	7	6	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
Minors *not stated.*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21	40	25	18	9	3	8	5	1	3	—	—	—	—	1	—	—	—	1	—	—
22	73	35	30	14	8	11	7	5	4	4	1	1	2	1	—	—	—	—	—	—
23	144	71	58	34	25	15	15	3	6	3	6	—	1	—	—	—	—	1	—	—
24	228	127	78	49	39	22	13	7	2	2	4	1	2	1	1	2	1	1	—	—
25	329	180	122	57	33	45	27	16	11	6	5	1	1	2	1	1	—	—	—	—
26	443	227	160	113	76	42	52	10	15	7	5	4	2	2	2	2	1	—	—	—
27	514	256	178	132	72	64	43	32	22	14	5	2	5	1	4	2	3	2	1	—
28	734	394	268	150	100	73	56	41	43	18	11	5	1	1	3	—	—	1	1	—
29	730	400	339	194	141	101	68	37	25	26	12	12	4	2	4	1	—	—	1	—
30	796	473	321	211	188	112	63	61	39	22	30	10	10	7	1	3	2	1	—	—
31	671	585	370	248	157	125	102	53	43	24	12	14	7	—	3	4	4	1	—	—
32	496	451	488	321	206	159	76	56	51	42	21	13	13	11	4	3	2	1	1	1
33	360	339	351	346	241	140	116	53	57	36	26	18	13	10	4	2	1	—	2	2
34	334	260	333	239	308	151	129	89	67	47	22	18	21	10	9	4	1	2	2	2
35	263	186	254	215	217	221	149	97	85	53	59	22	15	11	8	5	5	5	3	—
36	210	182	193	188	170	199	181	120	86	74	44	25	17	12	7	8	14	5	2	—
37	153	135	146	133	141	132	131	148	76	60	40	22	24	16	9	6	6	4	6	2
38	146	131	159	124	111	112	137	95	123	91	71	31	24	19	7	9	13	6	3	6
39	126	108	113	98	90	114	108	69	114	122	73	42	48	29	22	9	10	5	8	5
40	105	76	91	108	74	86	74	72	100	84	83	53	45	23	22	14	8	5	5	6
41	73	74	52	65	64	74	72	56	66	70	67	51	32	27	29	21	15	6	9	3
42	55	54	65	56	61	69	60	49	59	68	55	54	71	31	24	10	8	6	5	3
43	50	41	39	54	38	42	48	38	52	61	42	34	36	36	15	15	11	10	11	7
44	46	36	29	25	30	41	30	26	36	30	30	36	27	26	32	16	10	10	10	10
45	30	30	25	32	27	44	32	37	24	30	28	25	21	24	22	28	13	13	14	5
46	24	19	18	26	22	20	25	26	25	29	31	15	21	29	28	21	31	8	6	11
47	20	11	15	14	8	20	23	18	15	22	14	20	16	18	14	20	14	16	11	9
48	13	16	20	12	21	15	11	18	22	15	17	13	10	16	14	12	12	13	16	9
49	11	9	5	5	9	7	18	9	16	12	16	12	19	13	11	8	12	6	14	9
50	10	5	11	6	13	10	13	9	15	12	19	11	12	8	5	6	4	6	9	12
51	6	6	5	6	6	10	13	4	2	6	8	7	6	3	3	4	5	5	7	3
52	7	7	10	5	3	4	1	10	9	4	—	9	8	8	8	3	9	2	11	9
53	3	3	4	4	3	2	8	1	4	10	4	6	3	7	6	5	2	4	5	3
54	1	2	3	3	4	3	—	2	6	6	6	1	7	1	8	5	4	3	7	5
55	2	—	4	2	1	5	1	3	10	1	5	1	3	3	2	6	2	7	2	2
56	2	1	4	1	3	1	3	3	3	5	1	1	3	7	—	5	2	2	3	1
57	—	2	4	3	—	3	3	4	3	2	4	2	1	3	1	2	4	—	1	—
58	1	—	2	2	—	2	—	—	1	2	2	—	1	3	—	1	2	—	3	1
59	1	—	2	3	—	1	3	—	1	1	2	—	3	1	1	4	2	1	4	2
60	3	—	—	—	—	1	1	—	3	4	—	—	1	1	1	—	1	1	—	—
61	—	—	1	—	1	—	1	—	1	—	—	—	—	—	1	—	1	—	—	—
62	—	—	1	1	1	—	—	—	2	—	—	—	—	—	—	—	2	1	1	—
63	—	—	—	—	1	—	—	1	—	—	1	—	1	2	1	1	2	—	—	—
64	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—
65	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	1	1	—	—	1
66	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	—
67	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—
68	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
69	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
70 years and upwards.	1	—	1	1	1	—	—	1	—	—	—	—	—	—	1	—	—	2	1	—
Full age, *not stated.*	—	4	—	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—
Total ...	7,265	4,972	4,398	3,316	2,721	2,308	1,919	1,381	1,347	1,126	885	593	558	430	338	270	241	165	186	129

For the method of reading this table, *see* explanatory note on page 67.

England and Wales.—Ages of the Bachelors and Spinsters who Intermarried, 1916—*continued.*

Ages of Husbands.	Ages of Wives.																						
	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70 & upwds.	Full Age, *not stated.*	Total.
16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	160
18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	939
19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	2,772
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	6,162
Minors *not stated.*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	17,269
22	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	19,802
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	23,148
24	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	24,004
25	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	22,649
26	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13	20,378
27	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16	17,353
28	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	6	15,154
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	12,354
30	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	9,773
31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	7,782
32	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	6,716
33	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	5,147
34	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	4,442
35	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	3,801
36	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3,226
37	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	2,421
38	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	2,382
39	1	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	6	2,029
40	2	1	2	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	1,655
41	—	1	4	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	6	1,356
42	5	2	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	3	1,259
43	2	2	1	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	945
44	6	1	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	743
45	7	—	2	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	1	680
46	7	3	2	3	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	575
47	6	3	2	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	423
48	6	2	4	1	—	—	1	2	—	—	—	—	—	—	—	—	1	—	—	—	—	2	397
49	4	3	8	3	1	1	1	2	1	—	1	—	—	—	—	—	—	—	—	—	—	2	285
50	8	5	3	2	—	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	255
51	9	3	5	1	—	2	—	1	1	—	—	1	—	—	—	—	1	—	—	—	—	2	170
52	6	7	9	5	2	1	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	177
53	6	3	4	4	3	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	131
54	6	4	5	2	1	4	1	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	125
55	5	1	1	1	4	1	2	1	1	4	—	—	1	—	—	1	—	—	—	—	—	—	93
56	2	2	—	2	3	2	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2	80
57	3	2	1	2	—	—	1	2	1	1	1	1	—	—	—	—	—	—	—	—	—	1	62
58	2	1	—	1	—	1	—	—	1	2	—	—	—	1	—	—	—	—	—	—	—	1	36
59	—	—	1	—	—	4	3	3	—	2	—	—	—	1	—	1	—	—	—	—	—	—	51
60	4	3	1	1	1	1	2	—	—	1	2	—	1	—	—	—	—	—	—	1	—	—	39
61	2	2	2	—	—	1	3	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	20
62	—	—	—	1	—	—	—	—	1	1	1	—	—	—	1	—	—	—	—	—	—	—	14
63	—	1	1	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	17
64	—	—	1	—	—	—	1	2	—	2	—	—	2	1	—	—	—	—	1	—	—	—	13
65	1	—	—	—	—	1	—	1	—	1	—	—	—	—	1	—	—	2	—	—	—	—	13
66	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	5
67	—	—	1	—	—	—	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	7
68	—	—	—	—	—	—	—	—	1	—	—	—	1	1	—	—	1	1	—	1	—	—	6
69	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	1	1	—	1	—	1	—	8
70 years and upwards.	1	—	2	—	—	—	—	—	—	—	—	—	1	1	2	1	3	—	—	—	3	1	26
Full Age, *not stated.*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1268	1,322
Total ...	112	55	69	38	23	31	28	17	11	18	12	4	10	5	5	4	7	3	3	2	4	1,456	240.867

For the method of reading this table, *see* explanatory note on page 67.

England and Wales.—Ages of the Bachelors and Widows who Intermarried, 1916.

Ages of Husbands.	Ages of Wives. 19—	20—	Minors *not stated.*	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Full Age *not stated.*	Total.	Ages of Husbands.
18—	—	1	—	—	—	1	—	2*	1†	1	—	—	—	—	—	—	—	—	6	18—
19—	1	1	—	4	2	—	2	6	2	—	—	—	—	—	—	—	—	—	18	19—
20—	—	6	—	5	4	4	5	18	2	1	1	—	—	—	—	—	—	—	46	20—
Minors *not stated.*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Minors *not stated.*
21—	3	7	—	17	25	21	18	64	28	6	2	—	—	1	—	—	—	—	192	21—
22—	4	5	—	13	20	32	40	91	38	12	2	1	—	—	—	—	—	—	258	22—
23—	—	3	—	16	26	33	29	131	52	10	3	1	1	—	—	—	—	—	305	23—
24—	1	2	—	9	17	33	40	176	81	24	8	4	—	—	—	—	—	—	395	24—
25—	2	10	—	24	56	98	126	972	726	376	82	27	6	—	2	—	—	6	2,513	25—
30—	—	7	—	11	27	30	42	520	956	730	286	87	23	7	—	—	—	2	2,728	30—
35—	—	3	—	4	3	16	15	254	537	894	538	243	50	15	3	—	1	6	2,582	35—
40—	—	1	—	1	2	4	6	82	267	486	637	344	133	26	11	4	1	3	2,008	40—
45—	—	2	—	—	1	—	—	21	75	206	312	354	138	51	13	5	2	3	1,183	45—
50—	—	—	—	—	—	—	1	3	16	53	100	142	149	82	24	4	1	2	577	50—
55—	—	—	—	—	—	—	—	2	2	27	27	48	61	63	19	14	1	2	266	55—
60—	—	—	—	—	—	—	—	—	3	4	5	9	15	18	23	8	3	1	89	60—
65—	—	—	—	—	—	—	—	—	1	—	4	2	4	7	10	11	5	—	44	65—
70—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	2	2	3	—	11	70—
75—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1	—	2	—	5	75—
80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	80—
85 and upwards.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	85 and upwards.
Full Age *not stated.*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	139	139	Full Age *not stated.*
Total	11	48	—	104	183	272	324	2,342	2,788	2,830	2,007	1,264	581	272	108	48	19	164	13,365	Total.

For the method of reading this table, *see* explanatory note on page 67.

* Including one aged 17 years.

† Aged 16 years.

England and Wales.—Ages of the Widowers and Spinsters who intermarried, in 1916.

Ages of Husbands.	Ages of Wives. 15—	16—	17—	18—	19—	20—	Minors *not stated.*	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwards.	Full age *not stated.*	Total.	Ages of Husbands.
18— ...	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	18— ...
19— ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19— ...
20— ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20— ...
Minors *not stated.*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Minors *not stated.*
21— ...	—	—	—	1	2	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	7	21— ...
22— ...	—	—	—	—	2	2	—	5	3	1	1	3	—	—	—	—	—	—	—	—	—	—	17	22— ...
23— ...	—	—	—	2	3	4	—	7	8	5	5	6	—	—	—	—	—	—	—	—	—	—	40	23— ...
24— ...	—	—	1	3	5	8	—	16	7	9	9	11	3	—	—	—	—	—	—	—	—	—	72	24— ...
25— ...	—	1	5	22	47	45	—	122	80	108	87	351	84	18	—	—	—	—	—	—	—	—	970	25— ...
30— ...	—	—	3	16	25	72	—	156	116	140	147	670	455	146	32	3	—	—	—	—	—	3	1,984	30— ...
35— ...	—	1	2	13	26	37	—	90	86	112	130	688	624	425	131	34	5	—	—	—	—	2	2,406	35— ...
40— ...	—	1	2	5	10	16	—	54	57	73	100	561	671	597	351	106	16	3	1	—	—	—	2,624	40— ...
45— ...	—	—	1	3	6	12	—	28	30	33	48	375	496	547	466	253	62	14	—	1	—	1	2,376	45— ...
50— ...	—	—	—	1	4	8	—	14	12	28	24	165	256	353	385	274	120	31	2	—	—	7	1,684	50— ...
55— ...	—	—	—	—	3	1	—	5	7	10	11	84	166	221	246	259	130	73	11	4	—	3	1,234	55— ...
60— ...	—	—	—	2	—	—	—	3	3	2	5	47	81	107	144	151	133	76	34	7	—	3	798	60— ...
65— ...	—	—	—	—	2	2	—	—	1	2	4	17	36	60	62	75	57	43	34	14	7	—	416	65— ...
70— ...	—	—	—	—	—	—	—	1	—	2	2	5	19	25	47	37	31	26	15	14	4	1	229	70— ...
75— ...	—	—	—	—	—	—	—	1	—	2	—	2	4	6	11	13	12	6	3	7	3	—	70	75— ...
80— ...	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	4	1	3	2	1	1	—	13	80— ...
85 and upwards.	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	3	85 and upwards.
Full age *not stated.*	—	—	—	—	1	—	—	1	—	—	—	5	4	3	—	2	—	—	1	—	—	342	359	Full age *not stated.*
Total ...	—	3	14	69	136	207	—	505	410	530	573	2,990	2,900	2,508	1,875	1,212	567	276	103	48	15	362	15,303	Total.

For the method of reading this table, *see* explanatory note on page 67.

England and Wales—Ages of the Widowers and Widows who Intermarried, 1916.

Ages of Husbands.	Ages of Wives.																			Total.	Ages of Husbands.
	19—	20—	Minors *not stated.*	21—	22—	23—	24—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75 and upwards.	Full Age *not stated.*		
18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	18—
19—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19—
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20—
Minors *not stated*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Minors *not stated.*
21—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21—
22—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22—
23—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—	—	4	23—
24—	—	—	—	—	1	—	1	5	1	—	—	—	—	—	—	—	—	—	—	8	24—
25—	—	—	—	1	1	6	5	62	31	15	9	—	—	—	—	—	—	—	—	130	25—
30—	—	1	—	1	7	5	12	105	162	95	34	4	4	—	—	—	—	—	—	430	30—
35—	—	2	—	5	5	2	9	105	247	303	191	49	6	—	—	—	—	—	—	924	35—
40—	—	—	—	—	1	5	6	107	274	383	467	222	56	12	1	1	—	—	2	1,537	40—
45—	—	—	—	—	1	1	2	63	172	364	484	476	184	41	6	5	—	—	2	1,801	45—
50—	—	—	—	—	—	1	1	15	85	199	398	453	403	122	33	11	—	—	3	1,724	50—
55—	—	—	—	—	—	—	—	5	33	74	203	297	395	309	99	33	1	—	3	1,452	55—
60—	—	—	—	—	—	—	1	4	13	42	83	160	213	270	198	65	11	2	5	1,067	60—
65—	—	—	—	—	—	—	—	1	3	19	31	63	101	121	116	103	34	4	3	599	65—
70—	—	—	—	—	—	—	—	—	1	2	10	21	30	35	51	79	61	10	1	301	70—
75—	—	—	—	—	—	—	—	—	1	2	4	7	12	9	11	26	20	17	—	109	75—
80—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	1	7	3	—	14	80—
85 and upwards.	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	2	85 and upwards.
Full Age *not stated.*	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	207	209	Full age *not stated.*
Total ...	—	3	—	7	16	20	38	475	1,023	1,498	1,915	1,752	1,406	920	517	325	134	36	226	10,311	Total.

For the method of reading this table, *see* explanatory note on page 67.

England and Wales and Registration Counties.—Ages and Condition of Men and Women who Intermarried, 1916.

Note.—The number in the second column indicate the following combinations :—1, bachelors with spinsters ; 2, bachelors with widows ; 3, widowers with spinsters ; and 4, widowers with widows.

Counties.	Condition.	Ages of Men.								All Ages.	Ages of Women.							
		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (*not stated*).		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (*not stated*).
England and Wales.	1	10,049	84,223	87,888	33,860	19,817	3,218	490	1,322	240,867	35,634	100,639	68,129	22,672	10,885	1,288	164	1,456
	2	70	1,150	2,513	2,728	4,590	1,760	415	139	13,365	59	883	2,342	2,788	4,837	1,845	447	164
	3	1	136	970	1,984	5,030	4,060	2,763	359	15,303	429	2,018	2,990	2,900	4,383	1,779	442	362
	4	—	12	130	430	2,461	3,525	3,544	209	10,311	3	81	475	1,023	3,413	3,158	1,932	226
1. London ...	1	1,392	12,427	13,227	5,653	3,799	632	151	113	37,394	4,971	15,783	10,499	3,780	1,919	243	48	151
	2	7	156	423	531	875	323	118	23	2,456	14	131	392	504	900	384	103	28
	3	—	19	124	279	728	676	481	39	2,346	57	310	476	448	691	258	67	39
	4	—	1	13	56	391	602	576	20	1,659	2	8	60	163	612	539	251	24
2. Surrey ...	1	152	1,729	2,240	943	595	93	15	26	5,793	619	2,246	1,869	644	336	42	6	31
	2	—	28	61	52	97	25	3	2	268	1	16	67	57	90	28	6	3
	3	—	1	18	47	119	118	84	12	399	9	47	61	79	127	55	9	12
	4	—	—	2	7	38	54	64	7	172	—	1	7	21	53	47	35	8
3. Kent ...	1	248	2,467	2,783	1,105	591	112	8	44	7,358	1,073	2,998	2,135	724	338	38	4	48
	2	2	37	102	109	141	43	10	9	453	1	29	87	112	162	35	17	10
	3	—	3	26	50	132	115	67	14	407	15	62	79	77	106	45	10	13
	4	—	—	2	12	63	86	89	5	257	—	3	10	28	79	80	52	5
4. Sussex ...	1	119	1,124	1,441	667	375	80	11	33	3,850	392	1,408	1,259	482	235	38	3	33
	2	2	19	40	45	61	30	8	1	206	2	7	31	44	83	33	5	1
	3	—	3	14	30	78	83	73	16	297	8	31	44	63	84	42	11	14
	4	—	2	3	5	23	43	57	3	136	—	1	10	7	44	48	22	4
5. Hampshire	1	178	2,057	2,499	984	528	97	19	67	6,429	934	2,672	1,796	609	298	43	10	67
	2	1	48	80	93	146	52	11	6	437	3	30	77	98	155	62	6	6
	3	—	2	23	42	117	95	83	12	374	12	44	63	74	112	46	13	10
	4	—	—	3	7	51	71	93	8	233	—	1	7	25	68	74	49	9
6. Berkshire	1	50	611	759	310	179	22	2	8	1,941	194	751	664	204	110	7	—	11
	2	1	8	21	24	40	9	4	—	107	—	7	26	16	34	20	4	—
	3	—	—	7	14	51	40	24	3	139	5	21	21	30	36	20	5	1
	4	—	—	1	2	6	26	30	—	65	—	1	2	4	16	23	19	—
7. Middlesex	1	230	2,556	2,985	1,242	752	107	10	23	7,905	922	3,318	2,448	789	352	43	5	28
	2	3	28	73	74	152	54	9	7	400	2	23	64	86	131	70	14	10
	3	—	1	22	49	126	138	100	11	447	11	52	78	86	143	50	14	13
	4	—	—	4	16	66	89	87	2	264	—	3	17	37	82	84	39	2
8. Hertfordshire.	1	54	505	681	243	122	13	1	11	1,630	172	626	555	176	77	7	1	16
	2	—	5	12	11	33	5	1	—	67	—	4	13	9	30	9	2	—
	3	—	—	3	17	28	30	20	1	99	1	13	19	15	34	13	3	1
	4	—	—	—	—	8	19	18	—	45	—	—	1	2	19	16	7	—
9. Buckinghamshire.	1	38	322	433	187	96	14	3	9	1,102	113	421	369	129	54	6	—	10
	2	2	6	4	12	18	7	4	—	53	—	5	6	8	16	14	4	—
	3	—	1	3	7	15	17	17	3	63	—	11	17	6	15	7	4	3
	4	—	—	—	2	9	9	21	1	42	—	—	2	4	8	16	11	1
10. Oxfordshire.	1	30	318	397	201	114	20	4	5	1,089	104	437	333	142	60	6	—	7
	2	—	2	7	8	15	7	1	2	42	—	3	6	6	16	8	1	2
	3	—	—	4	8	12	25	22	1	72	—	6	12	20	19	12	2	1
	4	—	—	—	1	5	13	17	1	37	—	—	2	1	14	15	4	1
11. Northamptonshire.	1	123	892	993	335	166	20	2	13	2,544	311	1,077	816	227	91	9	2	11
	2	—	10	15	30	36	15	1	2	109	1	6	12	26	46	13	3	2
	3	—	3	5	20	40	37	14	—	119	4	13	25	24	38	13	2	—
	4	—	—	3	5	24	35	26	1	94	—	1	10	8	26	33	15	1
12. Huntingdonshire.	1	13	64	91	30	25	4	—	2	229	34	78	69	26	18	2	—	2
	2	—	—	2	1	2	2	—	—	7	—	—	2	3	2	—	—	—
	3	—	—	—	1	3	3	4	2	13	—	1	2	2	3	1	2	2
	4	—	—	—	—	2	3	—	—	5	—	—	—	1	3	1	—	—
13. Bedfordshire.	1	66	496	489	158	97	16	4	3	1,329	174	566	392	121	61	10	—	5
	2	2	4	11	10	15	3	—	—	45	—	3	10	3	26	2	1	—
	3	—	1	7	14	24	27	14	1	88	2	16	18	19	23	6	3	1
	4	—	—	—	3	5	14	26	2	50	—	—	1	3	11	18	15	2

ENGLAND and WALES and REGISTRATION COUNTIES.—AGES and CONDITION of MEN and WOMEN who INTERMARRIED, 1916—*continued.*

Counties.	Condition.	Ages of Men.								All Ages.	Ages of Women.							
		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (*not stated*).		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (*not stated*).
14. Cambridgeshire.	1	69	432	465	200	103	23	4	10	1,306	169	500	412	144	58	9	1	13
	2	—	2	4	5	11	8	3	2	35	1	—	2	4	15	8	3	2
	3	—	—	3	9	24	21	19	2	78	—	8	10	16	27	9	6	2
	4	—	—	—	2	7	11	16	5	41	—	1	—	4	12	11	8	5
15. Essex ...	1	285	3,280	3,401	1,240	641	91	13	11	8,962	1,260	3,952	2,592	766	337	41	1	13
	2	—	34	70	112	129	61	9	1	416	2	20	75	94	142	62	18	3
	3	—	2	31	63	151	116	103	5	471	12	76	82	100	123	58	15	5
	4	—	—	1	14	93	129	132	5	374	—	1	16	37	128	117	70	5
16. Suffolk ...	1	81	782	881	370	211	28	3	38	2,394	311	939	717	268	108	12	1	38
	2	3	8	23	26	30	18	2	1	111	—	5	25	23	41	11	5	1
	3	—	2	6	15	48	31	23	4	129	5	14	32	20	32	16	6	4
	4	—	—	—	3	12	28	20	3	66	—	1	2	3	21	21	15	3
17. Norfolk ...	1	138	967	1,038	394	232	38	9	27	2,843	422	1,138	805	291	135	20	2	30
	2	1	17	28	30	37	20	3	2	138	—	10	25	30	49	18	4	2
	3	—	2	8	19	41	62	35	2	169	5	17	34	31	43	31	6	2
	4	—	—	2	3	10	36	56	5	112	—	—	6	4	26	39	32	5
18. Wiltshire	1	50	534	677	278	151	27	3	15	1,735	190	725	547	164	82	10	1	16
	2	—	3	17	10	17	6	2	1	56	—	5	8	11	16	14	1	1
	3	—	—	4	13	33	32	26	2	110	3	10	22	18	35	15	5	2
	4	—	—	—	4	14	16	29	2	65	—	1	3	3	18	14	24	2
19. Dorsetshire.	1	61	453	543	206	127	28	2	20	1,440	193	533	435	160	83	15	—	21
	2	—	7	18	8	17	9	3	2	64	—	6	12	14	12	16	2	2
	3	—	—	6	11	18	31	15	6	87	3	10	14	19	22	8	4	7
	4	—	—	—	3	8	16	21	2	50	—	1	1	5	15	10	15	3
20. Devonshire	1	137	1,486	1,749	684	378	71	11	26	4,542	531	1,878	1,369	476	222	27	4	35
	2	—	21	51	42	84	31	3	3	235	—	14	40	60	79	33	6	3
	3	—	3	17	40	97	79	76	11	323	9	40	57	50	84	55	16	12
	4	—	—	2	11	32	47	72	5	169	—	2	3	18	52	57	32	5
21. Cornwall...	1	84	587	609	283	160	35	3	57	1,818	275	713	488	172	100	17	3	50
	2	—	9	14	12	18	9	3	3	68	1	4	13	10	31	4	—	5
	3	—	—	5	15	36	36	28	3	123	—	15	15	22	40	22	6	3
	4	—	—	—	1	6	15	34	3	59	—	—	1	4	10	17	24	3
22. Somersetshire.	1	84	938	1,092	430	225	52	10	30	2,861	282	1,131	931	304	154	22	3	34
	2	—	3	16	22	22	13	3	—	79	—	2	5	14	40	15	2	1
	3	—	—	16	22	55	46	47	6	192	3	24	39	31	57	24	8	6
	4	—	—	1	2	12	14	38	3	70	—	1	1	5	17	22	21	3
23. Gloucestershire.	1	129	1,517	1,765	641	373	65	5	30	4,525	424	1,910	1,435	479	217	21	3	36
	2	—	11	18	30	74	38	8	2	181	—	2	20	35	81	31	10	2
	3	—	2	20	37	94	83	60	19	315	9	35	60	57	92	30	13	19
	4	—	—	3	5	44	52	78	2	184	—	3	10	11	52	54	52	2
24. Herefordshire.	1	14	164	189	99	75	16	5	2	564	52	202	181	75	47	4	—	3
	2	—	2	5	6	16	3	1	2	35	—	—	5	7	14	5	1	3
	3	—	—	3	4	12	15	13	—	47	1	5	10	11	10	7	2	1
	4	—	—	—	1	2	6	14	2	25	—	—	1	3	2	8	8	3
25. Shropshire	1	40	383	567	250	164	24	1	16	1,445	130	535	465	200	88	9	—	18
	2	—	4	12	14	21	7	2	3	63	—	7	8	11	23	8	3	3
	3	—	—	3	11	27	24	29	5	99	—	9	18	14	31	19	3	5
	4	—	—	—	2	10	17	12	2	43	—	—	1	6	14	11	8	3
26. Staffordshire.	1	541	3,548	3,242	1,213	625	76	7	54	9,306	1,705	4,004	2,408	789	310	35	1	54
	2	9	48	108	101	143	58	7	7	481	3	39	111	86	154	63	15	8
	3	—	4	45	74	160	148	72	10	513	14	72	125	90	137	50	13	12
	4	—	2	11	25	99	127	112	13	389	—	6	23	38	133	106	69	14
27. Worcestershire.	1	110	792	840	292	181	18	7	5	2,245	276	933	671	241	106	11	2	5
	2	—	5	23	17	35	7	4	1	92	—	5	13	25	31	14	3	1
	3	—	1	6	20	38	26	28	4	123	1	16	24	20	32	20	4	6
	4	—	1	—	5	13	16	29	4	68	—	1	4	6	16	18	19	4

ENGLAND and WALES and REGISTRATION COUNTIES.—AGES and CONDITION of MEN and WOMEN who INTERMARRIED, 1916—*continued.*

Counties.	Condition.	Ages of Men.								All Ages.	Ages of Women.							
		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (*not stated*).		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (*not stated*).
28. Warwickshire.	1	429	3,794	3,326	1,191	688	119	19	26	9,592	1,509	4,301	2,491	770	420	63	7	31
	2	3	53	100	126	223	64	9	2	580	1	46	91	133	210	83	14	2
	3	—	5	44	85	207	147	94	8	590	13	92	120	104	174	64	16	7
	4	—	1	10	24	137	154	167	4	497	1	6	30	60	160	153	81	6
29. Leicestershire.	1	174	1,327	1,177	419	220	32	5	6	3,360	467	1,466	934	325	142	14	4	8
	2	—	7	22	40	38	17	6	1	131	2	6	27	31	44	16	4	1
	3	—	1	17	33	71	62	30	5	219	7	36	50	45	54	21	1	5
	4	—	—	1	1	31	42	55	2	132	—	—	4	15	40	36	35	2
30. Rutlandshire.	1	—	26	30	21	18	3	—	2	100	5	43	28	13	6	3	—	2
	2	—	—	—	—	2	1	2	—	5	—	—	—	—	4	—	1	—
	3	—	—	1	—	—	—	2	—	3	1	—	—	—	1	1	—	—
	4	—	—	—	—	1	2	1	—	4	—	—	—	—	2	1	1	—
31. Lincolnshire.	1	170	1,186	1,279	441	257	33	8	12	3,386	562	1,384	937	330	134	23	3	13
	2	1	18	35	33	63	36	7	—	193	—	13	31	42	62	37	7	1
	3	—	2	17	32	70	48	49	3	221	12	30	43	39	69	20	6	2
	4	—	—	3	2	29	48	63	1	146	—	2	6	15	36	45	41	1
32. Nottinghamshire.	1	302	1,975	1,588	483	311	36	7	36	4,738	946	2,073	1,156	351	160	11	3	38
	2	3	22	42	43	83	31	8	—	232	1	21	45	41	81	38	5	—
	3	—	5	21	36	89	76	36	9	272	15	41	51	48	71	34	4	8
	4	—	—	4	11	47	83	79	5	229	—	5	11	22	68	66	51	6
33. Derbyshire	1	176	1,303	1,207	408	253	36	2	29	3,414	598	1,470	898	277	119	20	—	32
	2	1	15	26	21	44	24	3	3	137	—	9	29	23	50	20	3	3
	3	—	2	9	35	74	43	39	8	210	6	30	42	41	57	18	7	9
	4	—	—	—	9	22	48	44	4	127	—	—	6	13	43	35	26	4
34. Cheshire ...	1	187	1,809	2,072	770	478	74	9	23	5,422	695	2,211	1,626	560	275	26	4	25
	2	2	21	52	51	101	47	8	2	284	1	8	40	69	118	34	12	2
	3	—	3	20	44	127	99	65	7	365	5	44	66	59	130	46	9	6
	4	—	—	3	8	58	71	70	5	215	—	2	11	20	75	62	40	5
35. Lancashire	1	1,214	10,680	11,676	4,104	2,362	373	41	330	30,780	3,970	12,852	9,166	2,888	1,428	129	11	336
	2	13	159	350	376	652	246	45	32	1,873	6	116	332	391	703	235	54	36
	3	—	21	129	292	795	542	353	72	2,204	49	233	443	426	655	261	64	73
	4	—	1	25	63	435	595	440	53	1,612	—	8	64	183	573	492	236	56
36. West Riding.	1	1,152	7,477	6,891	2,462	1,334	203	27	38	19,584	3,714	8,058	5,285	1,604	781	87	11	44
	2	4	114	201	224	365	152	33	6	1,099	4	91	194	209	397	154	43	7
	3	—	16	88	176	468	337	205	8	1,298	43	170	250	248	391	151	37	8
	4	—	3	11	35	250	347	402	7	1,055	—	6	49	80	329	325	260	6
37. East Riding (with York).	1	156	1,115	1,141	451	251	43	7	8	3,172	594	1,306	818	287	137	17	3	10
	2	—	20	45	32	88	26	12	1	224	1	15	37	48	87	27	8	1
	3	—	2	12	30	77	49	35	2	207	8	29	43	40	56	25	4	2
	4	—	—	1	8	31	51	44	1	136	—	1	3	9	58	43	20	2
38. North Riding.	1	129	791	810	337	208	43	4	9	2,331	423	906	628	230	120	12	2	10
	2	2	18	28	29	37	15	10	—	139	1	14	27	37	39	15	6	—
	3	—	2	8	17	43	37	25	1	133	6	17	24	23	38	16	8	1
	4	—	—	1	5	22	35	31	1	95	—	2	3	12	38	25	14	1
39. Durham ...	1	508	3,608	3,034	1,041	576	84	9	7	8,867	2,074	3,839	2,051	600	260	27	4	12
	2	2	63	105	110	180	54	11	3	528	6	58	99	101	201	51	8	4
	3	1	6	47	74	173	114	52	4	471	24	85	110	92	112	33	10	5
	4	—	—	7	25	122	156	122	4	436	—	7	31	57	146	117	74	4
40. Northumberland.	1	201	1,859	1,650	654	339	57	10	9	4,779	903	2,044	1,229	391	177	24	1	10
	2	2	43	75	44	113	43	12	2	334	3	42	61	68	112	36	10	2
	3	—	5	28	49	109	71	30	2	294	15	46	65	63	68	30	5	2
	4	—	—	—	9	49	72	54	—	184	—	1	12	16	73	53	29	—

England and Wales and Registration Counties.—Ages and Condition of Men and Women who Intermarried, 1916—*continued.*

Counties.	Condition.	Ages of Men.								All Ages.	Ages of Women.							
		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (*not stated*).		Under 21.	21—	25—	30—	35—	45—	55 years & upwards.	Full Age (*not stated*).
41. Cumberland.	1	63	533	533	259	165	27	5	15	1,600	223	632	437	183	97	9	2	17
	2	1	7	21	14	25	11	1	2	82	—	4	19	19	26	7	5	2
	3	—	—	10	11	28	22	17	13	101	4	15	22	19	16	10	1	14
	4	—	—	1	5	15	17	20	2	60	—	—	4	10	21	17	6	2
42. Westmorland.	1	5	66	107	51	40	11	—	4	284	16	110	85	40	25	4	—	4
	2	—	1	—	—	2	2	—	1	6	—	—	—	2	2	1	—	1
	3	—	—	1	2	6	6	8	3	26	—	3	3	5	9	4	—	2
	4	—	—	—	—	1	2	2	2	7	—	—	—	—	2	1	2	2
43. Monmouthshire.	1	133	999	951	322	166	38	2	10	2,621	564	1,199	587	162	81	12	1	15
	2	—	9	29	25	59	18	6	—	146	—	15	30	37	38	21	5	—
	3	—	2	15	20	68	38	16	2	161	4	34	26	34	46	14	1	2
	4	—	—	2	6	39	49	36	3	135	—	1	13	17	40	41	20	3
44. Glamorganshire.	1	363	2,778	2,622	943	505	88	2	13	7,314	1,510	3,380	1,697	457	232	22	1	15
	2	2	43	87	85	164	79	15	—	475	2	37	85	105	166	62	17	1
	3	—	11	48	70	194	103	57	8	491	18	101	111	94	116	34	8	9
	4	—	1	9	14	83	121	91	4	323	—	3	21	33	111	104	47	4
45. Carmarthenshire.	1	46	357	301	139	78	10	3	2	936	161	392	254	85	37	4	1	2
	2	—	2	8	2	9	2	1	—	24	—	1	6	2	12	3	—	—
	3	—	1	15	8	17	16	8	—	65	2	6	19	15	16	6	1	—
	4	—	—	—	3	10	8	10	—	31	—	—	2	3	9	7	10	—
46. Pembrokeshire.	1	32	186	202	74	42	9	—	1	546	99	227	139	52	21	7	—	1
	2	—	—	4	5	13	3	—	—	25	—	—	2	9	9	4	1	—
	3	—	1	2	3	13	9	9	—	37	3	1	2	8	13	9	1	—
	4	—	—	—	2	1	6	5	—	14	—	—	1	1	5	5	2	—
47. Cardiganshire.	1	9	74	106	61	60	17	7	1	335	21	119	93	58	36	6	1	1
	2	—	—	1	3	4	2	—	—	10	—	—	1	4	4	1	—	—
	3	—	—	—	4	16	14	12	—	46	—	2	5	6	18	12	3	—
	4	—	—	—	—	—	1	5	—	6	—	—	—	—	—	3	3	—
48. Brecknockshire.	1	15	96	120	44	31	3	—	2	311	51	138	80	22	15	3	—	2
	2	—	2	4	4	1	4	—	—	15	—	—	7	1	6	1	—	—
	3	—	—	1	4	5	6	6	1	23	—	4	6	4	6	1	1	1
	4	—	—	—	1	5	2	4	—	12	—	—	1	—	5	3	3	—
49. Radnorshire.	1	4	25	36	9	10	—	—	—	84	15	37	20	6	5	1	—	—
	2	—	1	1	—	—	—	—	—	2	—	—	1	—	1	—	—	—
	3	—	—	—	—	1	—	1	—	2	—	1	—	—	1	—	—	—
	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
50. Montgomeryshire.	1	6	78	93	64	37	12	1	6	297	28	102	92	42	23	3	1	6
	2	—	1	—	4	—	1	2	1	9	—	—	3	—	3	2	—	1
	3	—	—	1	5	9	11	3	4	33	1	5	10	2	6	4	1	4
	4	—	—	—	—	3	2	1	1	7	—	—	—	—	4	—	2	1
51. Flintshire.	1	11	108	133	58	38	3	2	—	353	47	146	99	37	20	3	1	—
	2	—	1	1	5	8	3	—	—	18	—	—	3	4	10	1	—	—
	3	—	—	—	2	8	9	2	1	22	—	1	—	5	9	6	—	1
	4	—	—	—	—	5	3	5	—	13	—	—	—	2	2	5	4	—
52. Denbighshire.	1	21	287	308	151	96	12	3	15	893	107	342	266	104	49	6	2	17
	2	—	1	11	8	11	4	—	—	35	—	2	10	2	14	5	2	—
	3	—	—	2	8	26	20	12	—	68	1	4	8	17	24	13	—	1
	4	—	—	—	1	6	8	11	—	26	—	—	—	2	11	9	4	—
53. Merionethshire.	1	4	54	85	48	34	5	2	5	237	19	71	80	44	18	1	—	4
	2	—	—	—	1	5	2	—	1	9	—	—	—	4	2	2	—	1
	3	—	—	1	4	9	5	4	—	23	3	—	4	7	5	3	1	—
	4	—	—	—	—	1	2	2	1	6	—	—	—	—	3	2	—	1
54. Carnarvonshire.	1	17	163	269	181	112	20	2	14	778	66	244	248	145	59	2	—	14
	2	1	4	6	7	14	9	1	—	42	—	2	6	6	17	8	3	—
	3	—	1	3	8	17	17	13	4	63	—	6	9	12	23	8	1	4
	4	—	—	1	1	5	4	11	2	24	—	—	2	2	7	7	4	2
55. Anglesey.	1	6	38	65	36	23	5	—	1	174	14	73	45	27	12	2	—	1
	2	—	—	1	1	1	1	—	—	4	—	—	1	2	—	1	—	—
	3	—	—	1	1	3	5	3	—	13	—	4	1	2	3	3	—	—
	4	—	—	—	—	—	2	2	1	5	—	—	—	—	1	2	1	1

Populations, Births, and Civilian Deaths in Administrative Areas, 1916.

Note.—Two estimates of population are shown in this table for each area—one suitable for the calculation of marriage- and birth-rates, and the other for that of death-rates. The "Birth-rate" population is a total population obtained by distributing the "birth-rate" population of England and Wales over the several areas in proportion to their civil populations. The "death-rate" population is one consisting of civilians only and is based upon results obtained under the National Registration Act, 1915. (*See* page xi). Births occurring in lying-in institutions have been transferred to the parents' area of residence where this differed from that in which the birth took place. Deaths of civilians, in this as in other tables, have been transferred to the area of residence in accordance with the rules laid down by the Local Government Board. Under these rules the deaths of refugees and interned aliens could not be transferred. Deaths of non-civilians have been excluded from all tables relating to administrative areas or groups of areas.

Summary.

Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
All Areas—North	12,730,365	11,700,513	133,094	126,410	6,423	6,175	272,102	21·4	179,739	15·4	28,986	107
All Areas—Midlands	11,842,083	10,884,091	119,670	114,572	5,978	5,600	245,820	20·8	147,726	13·6	20,648	84
All Areas—South	10,391,078	9,550,469	101,039	95,842	5,575	5,434	207,890	20·0	135,972	14·2	16,500	79
All Areas—Wales	2,573,081	2,364,927	29,083	28,121	1,275	1,229	59,708	23·2	33,708	14·3	5,512	92
All Areas—England and Wales.	37,536,607	34,500,000	382,886	364,945	19,251	18,438	785,520	20·9	497,145*	14·4	71,646	91
London	4,610,352	4,237,387	48,742	46,232	2,244	2,118	99,336	21·5	62,325	14·7	8,864	89
County Boroughs.—North	6,777,975	6,229,654	72,191	68,943	3,552	3,398	148,084	21·8	101,645	16·3	16,893	114
County Boroughs.—Midlands	3,917,847	3,600,904	41,961	40,071	1,885	1,831	85,748	21·9	51,990	14·4	8,497	99
County Boroughs.—South	1,285,114	1,181,152	12,141	11,611	865	855	25,472	19·8	17,555	14·9	2,095	82
County Boroughs.—Wales	480,994	442,083	5,341	5,260	221	232	11,054	23·0	6,571	14·9	1,116	101
County Boroughs.—England and Wales	12,461,930	11,453,793	131,634	125,885	6,523	6,316	270,358	21·7	177,761	15·5	28,601	106
Other Urban Districts.—North	4,246,921	3,903,358	42,786	40,541	1,990	1,914	87,231	20·5	56,784	14·5	8,722	100
Other Urban Districts.—Midlands	4,651,885	4,275,560	47,007	44,733	2,324	2,195	96,259	20·7	54,254	12·7	7,586	79
Other Urban Districts.—South	2,533,181	2,328,253	23,370	21,877	1,486	1,485	48,218	19·0	31,943	13·7	3,408	71
Other Urban Districts.—Wales	1,237,738	1,137,609	14,882	14,420	570	545	30,417	24·6	15,596	13·7	2,783	91
Other Urban Districts.—England and Wales.	12,669,725	11,644,780	128,045	121,571	6,370	6,139	262,125	20·7	158,577	13·6	22,499	86
Rural Districts.—North	1,705,469	1,567,501	18,117	16,926	881	863	36,787	21·6	21,310	13·6	3,371	92
Rural Districts.—Midlands	3,272,351	3,007,627	30,702	29,768	1,769	1,574	63,813	19·5	41,482	13·8	4,565	72
Rural Districts.—South	1,962,431	1,803,677	16,786	16,122	980	976	34,864	17·8	24,149	13·4	2,133	61
Rural Districts.—Wales	854,349	785,235	8,860	8,441	484	452	18,237	21·3	11,541	14·7	1,613	88
Rural Districts.—England and Wales.	7,794,600	7,164,040	74,465	71,257	4,114	3,865	153,701	19·7	98,482	13·7	11,682	76

County Boroughs.

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Barnsley	53,512	49,183	641	670	29	51	1,391	26·0	750	15·2	159	114
Barrow in Furness	90,500	83,179	1,120	1,082	32	34	2,268	25·1	1,030	12·4	188	83
Bath	67,273	61,831	511	475	39	37	1,062	15·8	917	14·8	77	73
Birkenhead	146,234	134,404	1,882	1,816	62	84	3,844	26·3	2,042	15·2	405	105
Birmingham	922,155	847,555	10,190	9,753	379	338	20,660	22·4	12,101	14·3	2,147	104
Blackburn	131,722	121,066	959	1,015	44	47	2,065	15·7	1,801	14·9	249	121
Blackpool	68,602	63,052	423	416	40	39	918	13·4	878	13·9	80	87
Bolton	183,963	169,081	1,542	1,400	65	62	3,069	16·7	2,422	14·3	320	104
Bootle	77,396	71,135	1,009	1,003	31	31	2,074	26·8	1,273	17·9	227	109
Bournemouth	76,939	70,715	591	524	58	62	1,235	16·1	1,101	15·6	86	70
Bradford	294,967	271,105	2,352	2,258	151	157	4,918	16·7	4,356	16·1	585	119
Brighton	125,366	115,224	1,010	1,099	110	107	2,326	18·6	1,894	16·4	202	87
Bristol	373,939	343,688	3,600	3,409	161	144	7,314	19·6	4,908	14·3	697	95
Burnley	109,001	100,183	881	821	52	54	1,808	16·6	1,750	17·5	276	153
Burton upon Trent	48,256	44,352	471	466	27	24	988	20·5	623	14·0	70	71
Bury	58,169	53,463	416	435	32	22	905	15·6	910	17·0	121	134
Canterbury	26,168	24,051	241	234	27	27	529	20·2	354	14·7	32	60
Carlisle	54,097	49,721	504	518	41	38	1,101	20·4	812	16·3	121	110
Chester	40,133	36,886	443	368	26	30	867	21·6	668	18·1	80	92
Coventry	131,042	120,441	1,440	1,417	41	36	2,934	22·4	1,378	11·4	263	90
Croydon	191,235	175,765	1,759	1,686	87	104	3,636	19·0	2,148	12·2	286	79
Darlington	64,992	59,734	714	671	38	35	1,458	22·4	914	15·3	175	120
Derby	127,327	117,027	1,237	1,219	61	41	2,558	20·1	1,686	14·4	243	95
Dewsbury	56,419	51,855	548	502	23	31	1,104	19·6	795	15·3	104	94
Dudley	54,254	49,865	621	639	19	18	1,297	23·9	780	15·6	154	119
Eastbourne	49,976	45,933	367	362	37	38	804	16·1	574	12·5	72	90
East Ham	152,278	139,959	1,590	1,571	46	42	3,249	21·3	1,604	11·5	245	75
Exeter	58,614	53,872	447	468	40	39	994	17·0	861	16·0	87	88
Gateshead	129,279	118,821	1,716	1,626	61	72	3,475	26·9	2,125	17·9	451	130

* This number differs from the total given elsewhere by excluding deaths of non-civilians.

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Gloucester	51,415	47,256	503	481	30	22	1,036	20·1	735	15·6	84	81
Great Yarmouth	51,696	47,514	468	468	32	33	1,001	19·4	818	17·2	98	98
Grimsby	76,117	69,959	875	884	68	63	1,890	24·8	1,040	14·9	186	98
Halifax	105,589	97,047	750	776	37	36	1,599	15·1	1,471	15·2	144	90
Hastings	54,378	49,979	353	338	40	48	779	14·3	888	17·8	47	60
Huddersfield	117,472	107,969	929	874	58	47	1,908	16·2	1,677	15·5	197	103
Ipswich	78,604	72,245	808	741	61	56	1,666	21·2	1,026	14·2	133	80
Kingston upon Hull ...	289,156	265,764	3,272	3,015	202	153	6,642	23·0	4,292	16·1	765	115
Leeds	476,828	438,254	4,574	4,306	279	273	9,432	19·8	6,949	15·9	1,214	129
Leicester	236,684	217,537	2,272	2,135	126	139	4,672	19·7	3,095	14·2	492	105
Lincoln	59,926	55,078	610	583	32	32	1,257	21·0	754	13·7	95	76
Liverpool	797,278	732,780	10,096	9,735	449	417	20,697	26·0	14,013	19·1	2,433	118
Manchester	742,690	682,608	7,591	7,310	358	338	15,597	21·0	11,025	16·2	1,737	111
Middlesbrough	125,718	115,548	1,746	1,640	67	82	3,535	28·1	2,068	17·9	428	121
Newcastle upon Tyne ...	296,223	272,259	3,659	3,293	179	154	7,285	24·6	4,434	16·3	895	123
Newport (Mon.)	86,266	79,287	940	993	37	35	2,005	23·2	1,164	14·7	213	106
Northampton	93,709	86,128	955	836	54	48	1,893	20·2	1,156	13·4	127	67
Norwich	122,838	112,901	1,133	1,153	97	99	2,482	20·2	1,776	15·7	244	98
Nottingham	256,351	235,613	2,430	2,314	187	191	5,122	20·0	3,790	16·1	592	116
Oldham	148,107	136,126	1,281	1,224	76	73	2,654	17·9	2,302	16·9	331	125
Oxford	51,622	47,446	411	424	18	41	894	17·3	611	12·9	59	66
Plymouth	200,710	184,473	2,054	2,029	140	129	4,352	21·7	2,964	16·1	399	92
Portsmouth	215,257	197,843	2,591	2,311	152	130	5,184	24·1	2,940	14·9	421	81
Preston	119,611	109,935	1,109	1,067	73	70	2,319	19·4	1,775	16·1	254	110
Reading	92,563	85,075	863	824	57	51	1,795	19·4	1,229	14·4	147	82
Rochdale	97,922	90,000	714	703	50	48	1,515	15·5	1,532	17·0	153	101
Rotherham	68,913	63,338	858	849	48	44	1,799	26·1	1,014	16·0	239	133
St. Helens	97,833	89,919	1,297	1,224	42	36	2,599	26·6	1,518	16·9	281	108
Salford	233,085	214,229	2,495	2,409	98	98	5,100	21·9	3,383	15·8	584	115
Sheffield	506,466	465,494	5,842	5,694	267	230	12,033	23·8	7,262	15·6	1,315	109
Smethwick	76,756	70,547	870	814	21	22	1,727	22·5	865	12·3	162	94
Southampton	126,635	116,391	1,354	1,261	78	83	2,776	21·9	1,685	14·5	239	86
Southend on Sea ...	80,604	74,083	709	594	54	35	1,392	17·3	855	11·5	82	59
Southport	70,148	64,473	478	461	44	38	1,021	14·6	988	15·3	87	85
South Shields	118,955	109,332	1,505	1,427	86	75	3,093	26·0	1,850	16·9	370	120
Stockport	125,774	115,599	1,075	1,062	48	39	2,224	17·7	1,789	15·5	268	121
Stoke on Trent	239,097	219,755	2,821	2,659	124	132	5,736	24·0	3,696	16·8	726	127
Sunderland	158,064	145,277	2,015	1,924	101	90	4,130	26·1	2,672	18·4	490	119
Tynemouth	62,226	57,192	776	740	37	42	1,595	25·6	973	17·0	191	120
Wakefield	51,456	47,293	506	449	24	22	1,001	19·5	689	14·6	90	90
Wallasey	90,786	83,442	894	793	36	39	1,762	19·4	1,027	12·3	131	74
Walsall	97,384	89,506	1,222	1,200	37	37	2,496	25·6	1,470	16·4	285	114
Warrington	76,024	69,874	852	847	25	29	1,753	23·1	1,053	15·1	171	98
West Bromwich	72,808	66,918	946	909	22	26	1,903	26·1	946	14·1	171	90
West Ham	313,315	287,969	4,197	3,950	109	120	8,376	26·7	4,238	14·7	834	100
West Hartlepool	68,169	62,654	828	759	38	39	1,664	24·4	920	14·7	183	110
Wigan	90,526	83,203	1,020	999	38	46	2,103	23·2	1,289	15·5	239	114
Wolverhampton	101,211	93,023	1,148	1,058	47	63	2,316	22·9	1,392	15·0	241	104
Worcester	48,459	44,539	434	394	32	29	889	18·3	647	14·5	67	75
York	83,970	77,177	879	762	65	53	1,759	20·9	1,154	15·0	162	92
Cardiff	196,214	180,341	2,113	2,063	99	115	4,390	22·4	2,557	14·2	392	89
Merthyr Tydfil	80,934	74,387	953	938	38	26	1,955	24·2	1,152	15·5	220	113
Swansea	117,580	108,068	1,335	1,266	47	56	2,704	23·0	1,698	15·7	291	108

Administrative Counties.

Bedfordshire.	202,373	186,002	1,887	1,866	137	115	4,005	19·8	2,575	13·8	306	76
Total Urban Districts ...	124,777	114,683	1,196	1,164	80	72	2,512	20·1	1,533	13·4	198	79
Total Rural Districts ...	77,596	71,319	691	702	57	43	1,493	19·2	1,042	14·6	108	72
Urban Districts.												
Ampthill	2,292	2,107	19	18	5	1	43	18·8	39	18·5	3	70
Bedford, M.B.	39,324	36,142	332	320	29	28	709	18·0	496	13·7	59	83
Biggleswade	5,416	4,978	51	46	2	1	100	18·5	95	19·1	14	140
Dunstable, M.B.	8,407	7,727	73	73	3	9	158	18·8	126	16·3	12	76
Kempston	4,950	4,550	55	54	4	4	117	23·6	67	14·7	4	34
Leighton Buzzard ...	6,742	6,197	77	67	6	1	151	22·4	104	16·8	6	40
Luton, M.B.	57,646	52,982	589	586	31	28	1,234	21·4	606	11·4	100	81
Rural Districts.												
Ampthill	19,601	18,015	177	172	10	8	367	18·7	265	14·7	28	76
Bedford	19,388	17,820	167	165	18	18	368	19·0	251	14·1	24	65
Biggleswade	20,913	19,221	183	203	16	10	412	19·7	292	15·2	33	80
Eaton Bray	3,862	3,550	30	33	4	2	69	17·9	61	17·2	5	72
Eaton Socon	3,364	3,092	26	36	—	2	64	19·0	36	11·6	2	31
Luton	10,468	9,621	108	93	9	3	213	20·3	137	14·2	16	75

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Berkshire.	188,618	173,359	1,564	1,565	121	109	3,359	17·8	2,331	13·4	196	58
Total Urban Districts ...	56,202	51,655	486	482	48	41	1,057	18·8	738	14·3	66	62
Total Rural Districts ...	132,416	121,704	1,078	1,083	73	68	2,302	17·4	1,593	13·1	130	56
Urban Districts.												
Abingdon, M.B.	6,730	6,186	64	60	2	4	130	19·3	90	14·5	8	62
Maidenhead, M.B. ...	15,693	14,423	119	121	18	17	275	17·5	199	13·8	20	73
Newbury, M.B.	12,085	11,107	87	94	8	5	194	16·1	160	14·4	14	72
New Windsor, M.B. ...	11,113	10,214	120	112	11	12	255	22·9	159	15·6	16	63
Wallingford, M.B. ...	2,657	2,442	22	25	5	1	53	19·9	39	16·0	1	19
Wantage	3,652	3,357	37	34	1	2	74	20·3	37	11·0	5	68
Wokingham, M.B. ...	4,272	3,926	37	36	3	—	76	17·8	54	13·8	2	26
Rural Districts.												
Abingdon	9,545	8,773	72	75	3	7	157	16·4	126	14·4	18	115
Bradfield	13,733	12,622	110	115	6	4	235	17·1	146	11·6	9	38
Cookham	13,022	11,969	104	86	5	8	203	15·6	152	12·7	7	34
Easthampstead	15,745	14,471	141	145	8	7	301	19·1	166	11·5	12	40
Faringdon (part of)* ...	10,440	9,595	84	100	8	8	200	19·2	156	16·3	16	80
Hungerford	8,633	7,935	65	80	8	8	161	18·6	117	14·7	9	56
Newbury	10,955	10,069	76	65	9	3	153	14·0	136	13·5	14	92
Wallingford	6,599	6,065	57	65	1	3	126	19·1	85	14·0	5	40
Wantage	11,686	10,741	90	91	5	6	192	16·4	128	11·9	9	47
Windsor	15,093	13,872	135	112	10	9	266	17·6	163	11·8	13	49
Wokingham	16,965	15,592	144	149	10	5	308	18·2	218	14·0	18	58
Buckinghamshire.	224,890	206,697	2,023	1,909	115	110	4,157	18·5	2,779	13·4	292	70
Total Urban Districts ...	81,561	74,963	784	734	41	45	1,604	19·7	971	13·0	125	79
Total Rural Districts ...	143,329	131,734	1,239	1,175	74	65	2,553	17·8	1,808	13·7	166	65
Urban Districts.												
Aylesbury...	11,229	10,321	122	116	5	3	246	21·9	166	16·1	30	122
Beaconsfield	3,364	3,092	23	25	3	1	52	15·5	28	9·1	6	115
Bletchley	5,175	4,756	63	57	1	6	127	24·5	61	12·8	6	47
Buckingham, M.B. ...	3,156	2,901	28	26	2	3	59	18·7	34	11·7	2	34
Chepping Wycombe, M.B.	21,113	19,404	207	191	14	11	423	20·0	233	12·0	31	73
Chesham	8,332	7,658	79	72	2	3	156	18·7	100	13·1	14	90
Eton	2,230	2,050	12	12	—	—	24	10·8	30	14·6	1	42
Linslade	2,329	2,141	14	25	1	3	43	18·5	30	14·0	5	116
Marlow	4,918	4,520	45	50	4	4	103	20·9	73	16·2	10	97
Newport Pagnell... ...	4,256	3,912	43	36	1	—	80	18·8	46	11·8	4	50
Slough	15,459	14,208	148	124	8	11	291	18·8	170	12·0	17	58
Rural Districts.												
Amersham	18,912	17,382	181	188	10	5	384	20·3	234	13·5	30	78
Aylesbury...	15,289	14,052	143	121	8	14	286	18·7	203	14·4	16	56
Buckingham	8,003	7,356	57	60	1	5	123	15·4	119	16·2	5	41
Eton	26,022	23,917	228	223	15	11	477	18·3	311	13·0	22	46
Hambleden	1,895	1,742	19	15	—	—	34	17·9	19	10·9	—	—
Long Crendon	4,079	3,749	25	24	5	3	57	14·0	59	15·7	5	88
Newport Pagnell... ...	19,255	17,697	165	147	10	12	334	17·3	254	14·4	31	93
Stratford and Wolverton	11,200	10,294	69	72	3	4	148	13·2	106	10·3	7	47
Wing	5,906	5,428	60	42	4	1	107	18·1	101	18·6	7	65
Winslow	6,799	6,249	52	42	6	—	100	14·7	74	11·8	6	60
Wycombe...	25,969	23,868	240	241	12	10	503	19·4	328	13·7	37	74
Cambridgeshire.	128,790	118,371	1,051	1,059	69	71	2,250	17·5	1,708	14·4	155	69
Urban District	56,834	52,236	478	441	36	36	991	17·4	683	13·1	73	74
Total Rural Districts ...	71,956	66,135	573	618	33	35	1,259	17·5	1,025	15·5	82	66
Urban District.												
Cambridge, M.B.... ...	56,834	52,236	478	441	36	36	991	17·4	683	13·1	73	74
Rural Districts.												
Caxton and Arrington ...	7,445	6,843	63	64	3	5	135	18·1	98	14·3	8	59
Chesterton	23,652	21,738	172	191	7	8	378	16·0	316	14·5	18	48
Linton	10,040	9,228	77	74	4	7	162	16·1	157	17·0	12	74
Melbourn...	8,664	7,963	66	72	7	3	148	17·1	127	15·9	7	47
Newmarket	19,622	18,035	174	196	10	11	391	19·9	286	15·9	33	84
Swavesey	2,533	2,328	21	21	2	1	45	17·8	41	17·6	4	89
Cheshire.	622,899	572,509	5,658	5,379	242	258	11,537	18·5	7,730	13·5	875	76
Total Urban Districts ...	432,788	397,777	4,017	3,778	177	180	8,152	18·8	5,594	14·1	658	81
Total Rural Districts ...	190,111	174,732	1,641	1,601	65	78	3,385	17·8	2,136	12·2	217	64
Urban Districts.												
Alderley Edge	3,125	2,872	20	15	—	—	35	11·2	33	11·5	1	29
Alsager	2,927	2,690	15	20	1	—	36	12·3	36	13·4	3	83
Altrincham	18,884	17,356	159	150	15	10	334	17·7	281	16·2	26	78
Ashton upon Mersey ...	8,129	7,471	81	63	9	8	161	19·8	87	11·6	12	75
Bollington	5,323	4,892	42	30	1	—	73	13·7	71	14·5	6	82

* The remainder of Faringdon Rural District is in Gloucestershire; *see* page 88.

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Cheshire—*cont.*												
Bowdon	3,044	2,798	17	17	—	—	34	11·2	30	10·7	2	59
Bredbury and Romiley ...	9,748	8,959	70	73	4	—	147	15·1	113	12·6	11	75
Bromborough	2,322	2,134	29	15	—	—	44	18·9	16	7·5	—	—
Buglawton	1,531	1,407	16	10	—	—	26	17·0	16	11·4	2	77
Cheadle and Gatley ...	11,079	10,183	91	91	2	3	187	16·9	133	13·1	8	43
Compstall	922	847	5	6	—	1	12	13·0	14	16·5	1	83
Congleton, M.B.	11,603	10,664	108	113	6	5	232	20·0	176	16·5	20	86
Crewe, M.B.	48,345	44,435	449	408	23	21	901	18·6	565	12·7	79	88
Dukinfield, M.B.... ...	19,638	18,049	187	172	5	13	377	19·2	291	16·1	41	109
Ellesmere Port and Whitby	11,322	10,406	192	146	5	3	346	30·6	136	13·1	34	98
Hale	9,513	8,743	66	63	1	1	131	13·8	93	10·6	4	31
Handforth	1,014	932	7	10	2	—	19	18·7	13	13·9	1	53
Hazel Grove and Bramhall	10,477	9,629	85	86	3	2	176	16·8	129	13·4	11	63
Higher Bebington ...	1,738	1,597	24	20	1	2	47	27·0	23	14·4	2	43
Hollingworth	2,625	2,413	16	13	1	1	31	11·8	39	16·2	4	129
Hoole	6,075	5,584	74	58	3	1	136	22·4	59	10·6	4	29
Hoylake and West Kirby	14,641	13,457	110	107	—	5	222	15·2	135	10·0	13	59
Hyde, M.B.	34,245	31,476	318	287	14	9	628	18·3	469	14·9	57	91
Knutsford	5,222	4,800	41	38	4	3	86	16·5	61	12·7	5	58
Lower Bebington ...	13,998	12,866	160	164	5	7	336	24·0	135	10·5	20	60
Lymm	5,139	4,723	45	56	2	2	105	20·4	56	11·9	7	67
Macclesfield, M.B. ...	33,990	31,241	240	269	19	14	542	15·9	491	15·7	52	96
Marple	6,663	6,124	54	39	3	4	100	15·0	64	10·5	4	40
Middlewich	5,151	4,734	69	52	3	6	130	25·2	66	13·9	7	54
Mottram in Longdendale	3,111	2,859	32	18	—	1	51	16·4	35	12·2	1	20
Nantwich	7,424	6,823	61	67	6	3	137	18·5	120	17·6	14	102
Neston and Parkgate ...	4,822	4,432	52	52	—	2	106	22·0	66	14·9	6	57
Northwich	18,414	16,924	214	192	8	12	426	23·1	267	15·8	48	113
Runcorn	18,646	17,138	199	221	4	4	428	23·0	264	15·4	33	77
Sale	16,504	15,169	174	149	8	5	336	20·4	198	13·1	27	80
Sandbach	6,094	5,601	74	65	2	6	147	24·1	73	13·0	13	88
Stalybridge, M.B. ...	25,706	23,626	200	224	9	12	445	17·3	401	17·0	48	108
Tarporley	2,539	2,334	28	20	1	—	49	19·3	25	10·7	3	61
Wilmslow	8,629	7,931	80	63	2	4	149	17·3	106	13·4	6	40
Winsford	10,745	9,876	103	108	5	10	226	21·0	183	18·5	21	93
Yeardsley cum Whaley ...	1,721	1,582	10	8	—	—	18	10·5	25	15·8	1	56
Rural Districts.												
Bucklow	23,120	21,250	157	162	5	4	328	14·2	252	11·9	26	79
Chester	11,691	10,745	126	126	5	4	261	22·3	135	12·6	11	42
Congleton...	13,388	12,305	128	133	3	7	271	20·2	158	12·8	17	63
Disley	3,128	2,875	29	19	—	—	48	15·3	35	12·2	2	42
Macclesfield	17,614	16,189	120	121	5	11	257	14·6	191	11·8	12	47
Malpas	4,600	4,228	37	48	2	4	91	19·8	70	16·6	12	132
Nantwich	25,697	23,618	225	195	18	5	443	17·2	286	12·1	19	43
Northwich	23,770	21,847	222	237	10	10	479	20·2	296	13·5	39	81
Runcorn	29,717	27,313	276	253	7	6	542	18·2	315	11·5	35	65
Tarvin	13,536	12,441	127	111	4	12	254	18·8	169	13·6	26	102
Tintwistle	2,325	2,137	14	20	—	3	37	15·9	21	9.8	1	27
Wirral	21,525	19,784	180	176	6	12	374	17·4	208	10·5	17	45
Cornwall.	322,197	296,132	2,802	2,597	137	139	5,675	17·6	4,710	15·9	457	81
Total Urban Districts ...	139,865	128,550	1,292	1,134	68	56	2,550	18·2	2,126	16·5	236	93
Total Rural Districts ...	182,332	167,582	1,510	1,463	69	83	3,125	17·1	2,584	15·4	221	71
Urban Districts.												
Bodmin, M.B.	4,252	3,908	40	29	2	1	72	16·9	78	20·0	9	125
Callington	1,731	1,591	14	11	1	—	26	15·0	24	15·1	2	77
Camborne	16,245	14,930	169	153	8	7	337	20·7	272	18·2	40	119
Falmouth, M.B.	11,488	10,559	117	101	6	7	231	20·1	207	19·6	25	108
Fowey, M.B.	1,967	1,808	20	11	—	—	31	15·8	31	17·1	—	—
Hayle	1,034	950	13	8	1	—	22	21·3	20	21·1	2	91
Helston, M.B.	2,690	2,472	22	10	1	—	33	12·3	49	19·8	1	30
Launceston, M.B. ...	4,100	3,768	34	27	—	—	61	14·9	48	12·7	4	66
Liskeard, M.B.	4,315	3,966	18	26	5	2	51	11·8	46	11·6	—	—
Looe	2,741	2,519	16	13	2	2	33	12·0	36	14·3	2	61
Lostwithiel, M.B. ...	1,294	1,189	7	11	3	2	23	17·8	25	21·0	3	130
Ludgvan	2,271	2,087	28	17	1	—	46	20·3	27	12·9	—	—
Madron	3,796	3,489	33	20	2	1	56	14·8	53	15·2	5	89
Newquay	4,575	4,205	32	22	1	3	58	12·7	33	7·8	2	34
Padstow	1,635	1,503	26	23	2	—	51	31·2	36	24·0	6	118
Paul	5,703	5,242	46	46	—	—	92	16·1	77	14·7	9	98
Penryn, M.B.	3,067	2,819	33	20	2	2	57	18·6	64	22·7	9	158
Penzance, M.B.	11,969	11,001	104	104	8	5	221	18·5	189	17·2	21	95

Populations, Births, and Civilian Deaths, in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Cornwall—*cont.*												
Phillack	3,945	3,626	41	25	—	3	69	17·5	56	15·4	6	87
Redruth	10,896	10,015	121	93	3	4	221	20·3	189	18·9	27	122
St. Austell	3,051	2,804	13	24	2	2	41	13·4	45	16·0	6	146
St. Ives, M.B.	6,838	6,285	50	63	3	—	116	17·0	80	12·7	10	86
St. Just	5,678	5,219	57	77	1	1	136	24·0	92	17·6	12	88
Saltash, M.B.	3,809	3,501	38	30	4	1	73	19·2	65	18·6	5	68
Stratton and Bude ...	2,914	2,678	21	26	1	3	51	17·5	45	16·8	8	157
Torpoint	4,450	4,090	57	45	—	1	103	23·1	42	10·3	5	49
Truro, M.B.	10,961	10,074	101	80	7	8	196	17·9	154	15·3	13	66
Wadebridge	2,450	2,252	21	19	2	1	43	17·6	43	19·1	4	93
Rural Districts.												
Bodmin	10,552	9,698	98	74	2	6	180	17·1	151	15·6	14	78
Calstock	4,825	4,435	32	38	2	1	73	15·1	86	19·4	5	68
Camelford	7,513	6,905	62	63	—	8	133	17·7	99	14·3	10	75
East Kerrier	8,187	7,525	55	70	4	3	132	16·1	95	12·6	6	45
Helston	17,055	15,675	148	151	5	11	315	18·5	236	15·1	17	54
Holsworthy (part of)* ...	325	299	5	2	—	—	7	21·5	4	13·4	—	—
Launceston	7,201	6,618	69	50	4	5	128	17·8	129	19·5	7	55
Liskeard	14,879	13,675	119	113	6	9	247	16·6	189	13·8	13	53
Redruth	18,108	16,643	161	162	6	7	336	18·6	322	19·3	40	119
St. Austell	31,546	28,994	268	270	14	13	565	17·9	415	14·3	41	73
St. Columb Major ...	11,555	10,620	89	93	4	1	187	16·2	139	13·1	16	86
St. Germans	11,995	11,025	93	109	8	4	214	17·8	169	15·3	21	98
Scilly, Isles of	1,759	1,617	9	15	—	1	25	14·2	18	11·1	—	—
Stratton	5,140	4,724	46	39	—	1	86	16·7	72	15·2	3	35
Truro	20,586	18,921	156	135	9	9	309	15·0	299	15·8	16	52
West Penwith	11,106	10,208	100	79	5	4	188	16·9	161	15·8	12	64
Cumberland.	216,758	199,223	2,335	2,222	121	126	4,804	22·2	2,968	14·9	410	85
Total Urban Districts ...	121,465	111,639	1,354	1,346	61	67	2,828	23·3	1,712	15·3	254	90
Total Rural Districts ...	95,293	87,584	981	876	60	59	1,976	20·7	1,256	14·3	156	79
Urban Districts.												
Arlecdon and Frizington	5,244	4,820	54	53	1	4	112	21·4	76	15·8	13	116
Aspatria	3,586	3,296	41	45	—	2	88	24·5	29	8·8	4	45
Cleator Moor	8,444	7,761	113	114	2	2	231	27·4	145	18·7	24	104
Cockermouth	4,730	4,347	37	36	2	3	78	16·5	73	16·8	8	103
Egremont...	6,589	6,056	87	74	2	3	166	25·2	80	13·2	15	90
Harrington	4,178	3,840	50	51	2	1	104	24·9	48	12·5	7	67
Holme Cultram	4,687	4,308	33	40	2	5	80	17·1	62	14·4	13	163
Keswick	4,520	4,154	19	22	1	3	45	10·0	49	11·8	1	22
Maryport	11,037	10,144	119	106	6	4	235	21·3	181	17·8	27	115
Millom	10,152	9,331	119	107	5	6	237	23·3	129	13·8	16	68
Penrith	8,760	8,051	78	83	6	8	175	20·0	132	16·4	14	80
Whitehaven, M.B. ...	19,085	17,541	238	236	10	11	495	25·9	295	16·8	47	95
Wigton	3,564	3,276	35	28	4	3	70	19·6	62	18·9	3	43
Workington, M.B. ...	26,889	24,714	331	351	18	12	712	26·5	351	14·2	62	87
Rural Districts.												
Alston with Garrigill ...	2,827	2,598	29	23	—	1	53	18·7	54	20·8	7	132
Bootle	5,612	5,158	39	44	3	2	88	15·7	75	14·5	3	34
Brampton...	8,255	7,587	75	59	5	6	145	17·6	108	14·2	9	62
Carlisle	11,370	10,450	103	90	9	7	209	18·4	171	16·4	20	96
Cockermouth	22,388	20,578	285	244	15	19	563	25·1	295	14·3	43	76
Longtown...	6,287	5,778	65	74	6	3	148	23·5	114	19·7	11	74
Penrith	12,915	11,870	108	96	8	10	222	17·2	153	12·9	11	50
Whitehaven	14,316	13,158	168	154	5	5	332	23·2	154	11·7	35	105
Wigton	11,323	10,407	109	92	9	6	216	19·1	132	12·7	17	79
Derbyshire.	587,081	539,588	6,376	6,167	285	301	13,129	22·4	6,859	12·7	1,158	88
Total Urban Districts ...	302,026	277,593	3,327	3,203	148	159	6,837	22·6	3,533	12·7	616	90
Total Rural Districts ...	285,055	261,995	3,049	2,964	137	142	6,292	22·1	3,326	12·7	542	86
Urban Districts.												
Alfreton	20,644	18,974	225	259	4	11	499	24·2	186	9·8	32	64
Alvaston and Boulton ...	1,627	1,495	13	16	3	3	35	21·5	21	14·0	4	114
Ashbourne	4,075	3,745	40	37	1	2	80	19·6	45	12·0	3	38
Bakewell	2,937	2,699	28	26	2	5	61	20·8	31	11·5	3	49
Baslow and Bubnell ...	819	753	5	8	1	—	14	17·1	12	15·9	2	143
Belper	12,503	11,492	109	122	7	4	242	19·4	132	11·5	25	103
Bolsover	11,586	10,649	134	153	9	6	302	26·1	116	10·9	23	76
Bonsall	1,232	1,132	7	12	1	—	20	16·2	17	15·0	1	50
Brampton and Walton ...	2,394	2,200	18	21	—	3	42	17·5	24	10·9	3	71
Buxton	9,990	9,182	70	55	12	9	146	14·6	126	13·7	10	68

* The remainder of Holsworthy Rural District is in Devonshire ; *see* page 86.

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Derbyshire—*cont.*												
Chesterfield, M.B. ...	40,023	36,786	499	450	29	30	1,008	25·2	522	14·2	121	120
Clay Cross	8,607	7,911	142	94	5	14	255	29·6	115	14·5	26	102
Dronfield	4,546	4,178	50	48	2	2	102	22·4	41	9·8	8	78
Fairfield	4,487	4,124	45	41	6	3	95	21·2	50	12·1	8	84
Glossop, M.B.	21.551	19,808	158	134	8	7	307	14·2	286	14·4	26	85
Heage	3,846	3,535	48	50	—	—	98	25·5	41	11·6	9	92
Heanor	22,173	20,379	273	282	7	9	571	25·8	229	11·2	39	68
Ilkeston, M.B.	32,769	30,118	395	379	16	18	808	24·7	399	13·2	82	101
Long Eaton	19,296	17,735	196	173	8	7	384	19·9	208	11·7	40	104
Matlock	6,201	5,699	49	50	4	3	106	17·1	98	17·2	6	57
Matlock Bath and Scarthin Nick.	1,658	1,524	10	10	—	—	20	12·1	15	9·8	1	50
New Mills	8,689	7,986	70	81	4	—	155	17·8	93	11·6	13	84
North Darley	3,215	2,955	26	29	—	—	55	17·1	45	15·2	2	36
Ripley	13,384	12,301	166	136	8	4	314	23·5	135	11·0	24	76
South Darley	796	732	3	5	—	—	8	10·1	10	13·7	1	125
Swadlincote District ...	20,207	18,572	283	266	7	12	568	28·1	259	13·9	51	90
Whittington and Newbold	18,942	17,410	228	247	2	5	482	25·4	232	13·3	50	104
Wirksworth	3,829	3,519	37	19	2	2	60	15·7	45	12·8	3	50
Rural Districts.												
Ashbourne	10,876	9,996	92	121	6	7	226	20·8	139	13·9	20	88
Bakewell	20,282	18,641	154	159	10	13	336	16·6	251	13·5	16	48
Belper	26,724	24,562	216	237	6	3	462	17·3	283	11·5	37	80
Blackwell	41,987	38,590	588	568	24	20	1,200	28·6	504	13·1	128	107
Chapel en le Frith ...	16,129	14,824	118	99	4	5	226	14·0	171	11·5	15	66
Chesterfield	77,173	70,931	994	889	46	52	1,981	25·7	948	13·4	196	99
Clowne	18,393	16,905	195	188	7	14	404	22·0	182	10·8	35	87
Glossop Dale	3,978	3,656	25	24	3	—	52	13·1	57	15·6	6	115
Hartshorn and Seals ...	8,543	7,852	100	119	2	3	224	26·2	106	13·5	21	94
Hayfield	4,286	3,939	34	26	1	3	64	14·9	57	14·5	5	78
Norton	4,453	4,093	38	26	2	—	66	14·8	41	10·0	2	30
Repton	15,316	14,077	143	154	10	8	315	20·6	204	14·5	24	76
Shardlow	32,700	30,055	316	320	14	8	658	20·1	338	11·2	34	52
Sudbury	2,686	2,469	30	24	2	5	61	22·7	33	13·4	1	16
Civil Parishes of Codnor Park and Shipley administered by Rural District Council of Basford (Nottinghamshire).	1,529	1,465	6	10	—	1	17	11·1	12	8·5	2	118
Devonshire.	421,266	387,187	3,286	3,044	193	184	6,707	15·9	5,941	15·3	470	70
Total Urban Districts ...	203,084	186,655	1,465	1,354	107	96	3,022	14·9	2,985	16·0	225	74
Total Rural Districts ...	218,182	200,532	1,821	1,690	86	88	3,685	16·9	2,956	14·7	245	66
Urban Districts.												
Ashburton	2,299	2,113	23	16	—	2	41	17·8	37	17·5	3	73
Axminster	2,096	1,926	17	15	—	2	34	16·2	27	14·0	3	88
Bampton	1,544	1,419	16	8	1	1	26	16·8	12	8·5	—	—
Barnstaple, M.B. ...	14,156	13,012	114	98	10	5	227	16·0	223	17·1	23	101
Bideford, M.B.	8,777	8,067	76	65	8	7	156	17·8	108	13·4	10	64
Brixham	8,390	7,711	80	86	3	2	171	20·4	123	16·0	12	70
Buckfastleigh	2,334	2,145	21	15	3	1	40	17·1	29	13·5	5	125
Budleigh Salterton ...	2,497	2,295	15	18	—	—	33	13·2	37	16·1	4	121
Crediton	3,487	3,205	21	21	—	1	43	12·3	54	16·8	4	93
Dartmouth, M.B. ...	5,739	5,275	46	42	4	2	94	16·4	91	17·3	4	43
Dawlish	3,820	3,511	18	31	1	1	51	13·4	59	16·8	2	39
Exmouth	12,534	11,520	84	76	5	2	167	13·3	174	15·1	9	54
Great Torrington, M.B....	2,949	2,710	21	19	1	2	43	14·6	63	23·2	7	163
Holsworthy	1,437	1,321	19	15	—	1	35	24·4	22	16·7	2	57
Honiton, M.B.	3,040	2,794	24	17	2	1	44	14·5	40	14·3	—	—
Ilfracombe	9,254	8,505	49	46	3	4	102	11·0	122	14·3	7	69
Ivybridge	1,651	1,517	12	9	—	1	22	13·3	19	12·5	—	—
Kingsbridge	3,074	2,825	27	18	2	2	49	15·9	51	18·1	5	102
Lynton	1,803	1,657	8	10	1	—	19	10·5	16	9·7	—	—
Newton Abbot	13,566	12,469	104	81	11	9	205	15·1	194	15·6	20	98
Northam	5,688	5,228	42	46	2	5	95	16·7	81	15·5	8	84
Okehampton, M.B. ...	3,222	2,961	33	32	1	6	72	22·3	46	15·5	5	69
Ottery St. Mary	3,589	3,299	28	26	2	1	57	15·9	55	16·7	2	35
Paignton	12,711	11,683	83	96	13	2	194	15·3	177	15·2	14	72
Salcombe	1,968	1,809	18	19	—	—	37	18·8	30	16·6	—	—
Seaton	1,844	1,695	12	12	—	—	24	13·0	25	14·7	1	42

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Devonshire—*cont.*												
Sidmouth	4,931	4,532	32	32	—	—	64	13·0	85	18·8	6	94
South Molton, M.B. ...	2,730	2,509	22	14	1	2	39	14·3	48	19·1	5	128
Tavistock	4,411	4,054	31	30	4	1	66	15·0	62	15·3	5	76
Teignmouth	9,640	8,860	68	54	3	5	130	13·5	139	15·7	6	46
Tiverton, M.B.	9,638	8,858	68	58	1	4	131	13·6	138	15·6	7	53
Torquay, M.B.	34,315	31,540	208	209	22	20	459	13·4	542	17·2	43	94
Totnes, M.B.	3,950	3,630	25	20	3	4	52	13·2	56	15·4	3	58
Rural Districts.												
Axminster	10,009	9,199	102	80	2	8	192	19·2	116	12·6	14	73
Barnstaple	18,575	17,072	141	146	6	3	296	15·9	231	13·5	19	64
Bideford	6,288	5,779	47	70	3	2	122	19·4	68	11·8	8	66
Broadwood Widger ...	2,204	2,026	25	13	—	3	41	18·6	30	14·8	4	98
Crediton	10,639	9,778	76	69	3	3	151	14·2	154	15·7	12	79
Culmstock	3,407	3,131	31	37	3	—	71	20·8	45	14·4	5	70
Holsworthy (part of)* ...	7,070	6,498	81	45	3	4	133	18·8	90	13·9	10	75
Honiton	9,483	8,716	66	81	2	3	152	16·0	116	13·3	11	72
Kingsbridge	11,745	10,795	95	86	7	8	196	16·7	162	15·0	11	56
Newton Abbot	19,630	18,043	161	145	8	7	321	16·4	259	14·4	21	65
Okehampton	13,458	12,369	112	114	8	7	241	17·9	188	15·2	18	75
Plympton St. Mary ...	19,985	18,368	185	162	9	11	367	18·4	283	15·4	25	68
St. Thomas	24,420	22,445	213	184	10	7	414	17·0	343	15·3	32	77
South Molton	10,804	9,930	93	77	3	6	179	16·6	166	16·7	14	78
Tavistock	14,991	13,778	105	118	5	5	233	15·5	233	16·9	12	52
Tiverton	15,084	13,864	132	108	5	2	247	16·4	195	14·1	10	40
Torrington	8,780	8,070	65	76	4	2	147	16·7	124	15·4	10	68
Totnes	11,610	10,671	91	79	5	7	182	15·7	153	14·3	9	49
Dorsetshire.	219,119	201,393	1,959	1,955	129	147	4,190	19·1	2,805	13·9	280	67
Total Urban Districts ...	115,151	105,836	1,075	1,058	82	100	2,315	20·1	1,502	14·2	167	72
Total Rural Districts ...	103,968	95,557	884	897	47	47	1,875	18·0	1,303	13·6	113	60
Urban Districts.												
Blandford Forum, M.B....	3,524	3,239	46	36	5	3	90	25·5	63	19·5	12	133
Bridport, M.B.	5,711	5,249	33	44	2	6	85	14·9	91	17·3	6	71
Dorchester, M.B. ...	9,515	8,745	90	101	10	8	209	22·0	113	12·9	9	43
Lyme Regis, M.B. ...	2,323	2,135	18	16	2	—	36	15·5	38	17·8	1	28
Poole, M.B.	42,331	38,907	389	379	27	45	840	19·8	535	13·8	64	76
Portland	9,588	8,813	104	100	6	4	214	22·3	119	13·5	13	61
Shaftesbury, M.B. ...	1,825	1,677	11	10	—	2	23	12·6	23	13·7	1	43
Sherborne...	5,794	5,325	39	43	6	1	89	15·4	82	15·4	2	22
Swanage	4,874	4,480	40	49	3	2	94	19·3	66	14·7	8	85
Wareham, M.B.	2,171	1,995	15	25	1	3	44	20·3	39	19·5	6	136
Weymouth and Melcombe Regis, M.B.	23,839	21,911	267	228	19	26	540	22·7	287	13·1	44	81
Wimborne Minster ...	3,656	3,360	23	27	1	—	51	13·9	46	13·7	1	20
Rural Districts.												
Beaminster	8,800	8,088	71	77	2	2	152	17·3	117	14·5	9	59
Blandford	8,611	7,914	60	79	4	7	150	17·4	122	15·4	10	67
Bridport	6,728	6,184	34	55	2	1	92	13·7	65	10·5	4	43
Cerne	4,570	4,200	43	49	—	—	92	20·1	64	15·2	5	54
Dorchester	8,020	7,371	68	70	6	4	148	18·5	119	16·1	5	34
Poole	7,384	6,787	81	58	6	5	150	20·3	100	14·7	8	53
Shaftesbury	11,253	10,343	96	84	5	8	193	17·2	114	11·0	20	104
Sherborne	5,558	5,108	47	34	1	—	82	14·8	73	14·3	4	49
Sturminster	7,751	7,124	66	56	3	3	128	16·5	112	15·7	5	39
Wareham and Purbeck ...	10,915	10,032	92	110	8	5	215	19·7	128	12·8	8	37
Weymouth	9,175	8,433	79	87	2	4	172	18·7	95	11·3	11	64
Wimborne and Cranborne	15,203	13,973	147	138	8	8	301	19·8	194	13·9	24	80
Durham.	910,356	836,711	11,609	10,851	461	508	23,429	25·7	12,584	15·0	2,716	116
Total Urban Districts ...	495,382	455,307	6,398	5,994	234	286	12,912	26·1	7,061	15·5	1,457	113
Total Rural Districts ...	414,974	381,404	5,211	4,857	227	222	10,517	25·3	5,523	14·5	1,259	120
Urban Districts.												
Annfield Plain	16,822	15,461	241	201	6	4	452	26·9	223	14·4	49	108
Barnard Castle	4,397	4,041	46	34	6	9	95	21·6	76	18·8	10	105
Benfieldside	7,985	7,339	105	74	6	2	187	23·4	116	15·8	16	86
Bishop Auckland ...	13,461	12,372	140	137	13	12	302	22·4	184	14·9	29	96
Blaydon	32,851	30,193	446	411	18	26	901	27·4	408	13·5	100	111
Brandon and Byshottles...	18,284	16,805	273	250	4	10	537	29·4	246	14·6	79	147
Chester le Street... ...	15,117	13,894	173	161	7	7	348	23·0	195	14·0	35	101
Consett	11,353	10,435	138	129	1	3	271	23·9	187	17·9	30	111

* The remainder of Holsworthy Rural District is in Cornwall; *see* page 84.

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Durham—*cont.*												
Crook	12,461	11,453	160	164	5	4	333	26·7	173	15·1	51	153
Durham, M.B.	15,802	14,524	178	163	16	17	374	23·7	239	16·5	30	80
Felling	26,333	24,203	342	341	14	13	710	27·0	395	16·3	61	86
Hartlepool, M.B.... ...	20,228	18,592	281	234	7	8	530	26·2	344	18·5	59	111
Hebburn	24,313	22,346	376	333	7	20	736	30·3	350	15·7	80	109
Hetton	16,440	15,110	221	242	9	9	481	29·3	229	15·2	60	125
Houghton le Spring ...	9,507	8,738	102	109	9	6	226	23·8	139	15·9	24	106
Jarrow, M.B.	37,536	34,499	533	519	11	15	1,078	28·7	607	17·6	120	111
Leadgate	5,066	4,656	74	74	—	5	153	30·2	72	15·5	19	124
Ryton	12,278	11,285	159	175	12	11	357	29·1	184	16·3	41	115
Seaham Harbour... ...	16,810	15,450	209	195	11	9	424	25·2	228	14·8	55	130
Shildon	13,668	12,562	183	172	8	9	372	27·2	163	13·0	39	105
Southwick on Wear ...	14,750	13,557	207	187	6	9	409	27·7	245	18·1	57	139
Spennymoor	17,974	16,520	224	222	4	14	464	25·8	249	15·1	51	110
Stanhope	1,831	1,683	11	18	2	—	31	16·9	29	17·2	3	97
Stanley	24,452	22,474	305	272	11	12	600	24·5	291	12·9	82	137
Stockton on Tees, M.B....	62,285	57,247	733	697	25	25	1,480	23·8	947	16·5	159	107
Tanfield	10,308	9,474	132	118	5	4	259	25·1	133	14·0	32	124
Tow Law	3,608	3,316	42	37	1	—	80	22·2	52	15·7	7	88
Whickham	20,196	18,562	234	225	6	19	484	24·0	257	13·8	63	130
Willington	9,266	8,516	130	100	4	4	238	25·7	100	11·7	16	67
Rural Districts.												
Auckland	61,126	56,181	788	738	44	34	1,604	26·2	830	14·8	208	130
Barnard Castle	11,957	10,990	116	94	11	6	227	19·0	155	14·1	27	119
Chester le Street... ...	68,347	62,818	894	857	49	41	1,841	26·9	909	14·5	232	126
Darlington	9,570	8,796	87	110	9	3	209	21·8	115	13·1	19	91
Durham	30,979	28,473	440	391	17	19	867	28·0	405	14·2	101	116
Easington...	70,878	65,145	943	868	27	47	1,885	26·6	953	14·6	236	125
Hartlepool	2,844	2,614	22	35	—	1	58	20·4	36	13·8	6	103
Houghton le Spring ...	26,596	24,444	328	282	14	9	633	23·8	334	13·7	73	115
Lanchester	32,256	29,647	385	383	13	12	793	24·6	401	13·5	92	116
Sedgefield	34,249	31,478	454	424	16	13	907	26·5	412	13·1	100	110
South Shields	16,499	15,164	173	166	6	12	357	21·6	271	17·9	46	129
Stockton	11,666	10,722	126	132	6	4	268	23·0	157	14·6	27	101
Sunderland	28,724	26,400	373	305	11	18	707	24·6	405	15·3	74	105
Weardale	9,283	8,532	82	72	4	3	161	17·3	140	16·4	18	112
Ely, Isle of.	71,867	66,053	758	626	58	45	1,487	20·7	974	14·7	125	84
Total Urban Districts ...	37,271	34,256	380	284	32	29	725	19·5	542	15·8	64	88
Total Rural Districts ...	34,596	31,797	378	342	26	16	762	22·0	432	13·6	61	80
Urban Districts.												
Chatteris	5,315	4,885	56	56	7	4	123	23·1	66	13·5	13	106
Ely	7,762	7,134	69	47	7	6	129	16·6	123	17·2	8	62
March	8,880	8,162	109	78	3	4	194	21·8	115	14·1	11	57
Whittlesey	4,180	3,842	38	26	1	3	68	16·3	71	18·5	8	118
Wisbech, M.B.	11,134	10,233	108	77	14	12	211	19·0	167	16·3	24	114
Rural Districts.												
Ely	13,112	12,052	132	118	9	6	265	20·2	196	16·3	24	91
North Witchford ...	5,174	4,755	60	55	3	2	120	23·2	60	12·6	12	100
Thorney	2,098	1,928	21	22	1	—	44	21·0	28	14·5	1	23
Whittlesey	3,420	3,143	43	41	1	2	87	25·4	36	11·5	8	92
Wisbech	10,792	9,919	122	106	12	6	246	22·8	112	11·3	16	65
Essex.	910,135	836,507	8,827	8,342	381	333	17,883	19·6	10,114	12·1	1,204	67
Total Urban Districts ...	646,000	593,740	6,436	5,966	251	212	12,865	19·9	6,927	11·7	895	70
Total Rural Districts ...	264,135	242,767	2,391	2,376	130	121	5,018	19·0	3,187	13·1	309	62
Urban Districts.												
Barking Town	36,856	33,875	463	428	8	18	917	24·9	435	12·8	70	76
Braintree	6,892	6,334	60	64	1	8	133	19·3	86	13·6	11	83
Brentwood	6,522	5,994	60	49	1	6	116	17·8	74	12·3	8	69
Brightlingsea	4,723	4,341	45	34	3	3	85	18·0	60	13·8	4	47
Buckhurst Hill	5,007	4,602	52	35	15	8	110	22·0	61	13·3	14	127
Burnham on Crouch ...	3,377	3,104	33	24	2	3	62	18·4	36	11·6	4	65
Chelmsford, M.B. ...	20,930	19,237	259	188	9	10	466	22·3	226	11·7	32	69
Chingford...	9,688	8,904	97	75	5	1	178	18·4	87	9·8	6	34
Clacton	9,548	8,776	63	68	6	10	147	15·4	119	13·6	12	82
Colchester, M.B.... ...	40,845	37,542	423	384	31	21	859	21·0	495	13·2	60	70
Epping	4,261	3,916	30	28	5	2	65	15·3	50	12·8	1	15
Frinton on Sea	1,730	1,590	12	14	1	1	28	16·2	17	10·7	3	107

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Essex—*cont.*												
Grays Thurrock	17,029	15,651	193	178	9	6	386	22·7	183	11·7	26	67
Halstead	6,201	5,699	50	44	2	2	98	15·8	91	16·0	4	41
Harwich, M.B.	12,791	11,756	182	163	11	10	366	28·6	157	13·4	25	68
Ilford	86,796	79,774	736	711	31	12	1,490	17·2	711	8·9	89	60
Leyton	132,107	121,420	1,317	1,240	34	36	2,627	19·9	1,497	12·3	198	75
Loughton	5,914	5,436	60	37	2	1	100	16·9	57	10·5	5	50
Maldon, M.B.	6,065	5,574	55	44	5	1	105	17·3	66	11·8	5	48
Romford	19,060	17,518	207	173	11	12	403	21·1	266	15·2	39	97
Saffron Walden, M.B.	5,799	5,330	41	37	2	1	81	14·0	94	17·6	4	49
Shoeburyness	4,779	4,392	63	70	3	—	136	28·5	45	10·2	9	66
Tilbury	6,803	6,253	89	81	2	—	172	25·3	85	13·6	9	52
Waltham Holy Cross	7,723	7,098	70	69	3	1	143	18·5	102	14·4	19	133
Walthamstow	139,425	128,146	1,420	1,362	40	32	2,854	20·5	1,391	10·9	198	69
Walton on the Naze	2,141	1,968	22	22	1	—	45	21·0	29	14·7	1	22
Wanstead	16,588	15,246	120	118	1	3	242	14·6	144	9·4	8	33
Witham	3,494	3,211	30	37	2	1	70	20·0	46	14·3	4	57
Wivenhoe	2,434	2,237	25	20	1	1	47	19·3	31	13·9	3	64
Woodford	20,472	18,816	159	169	4	2	334	16·3	186	9·9	24	72
Rural Districts.												
Belchamp	4,404	4,048	25	38	2	4	69	15·7	50	12·4	3	43
Billericay	19,979	18,363	183	194	11	8	396	19·8	222	12·1	15	38
Braintree	18,711	17,197	152	157	3	6	318	17·0	260	15·1	21	66
Bumpstead	2,473	2,273	26	20	2	1	49	19·8	25	11·0	1	20
Chelmsford	23,729	21,809	215	219	13	10	457	19·3	318	14·6	32	70
Dunmow	15,563	14,304	114	142	11	8	275	17·7	205	14·3	14	51
Epping	14,545	13,368	133	122	4	3	262	18·0	151	11·3	13	50
Halstead	10,005	9,196	93	77	2	1	173	17·3	128	13·9	16	92
Lexden and Winstree	19,914	18,303	148	155	8	16	327	16·4	255	13·9	21	64
Maldon	15,885	14,600	140	137	9	10	296	18·6	188	12·9	11	37
Ongar	10,361	9,523	96	97	6	6	205	19·8	128	13·4	13	63
Orsett	21,726	19,968	273	223	17	12	525	24·2	226	11·3	33	63
Rochford	19,839	18,234	172	165	10	7	354	17·8	226	12·4	22	62
Romford	28,145	25,869	269	288	8	10	575	20·4	295	11·4	36	63
Saffron Walden	10,469	9,622	86	76	10	3	175	16·7	125	13·0	9	51
Stansted	7,164	6,584	66	64	5	4	139	19·4	90	13·7	5	36
Tendring	21,223	19,506	200	202	9	12	423	19·9	295	15·1	44	104
Gloucestershire.	326,964	300,513	2,890	2,645	166	151	5,852	17·9	4,463	14·9	388	66
Total Urban Districts	96,898	89,059	849	777	60	60	1,746	18·0	1,375	15·4	115	66
Total Rural Districts	230,066	211,454	2,041	1,868	106	91	4,106	17·8	3,088	14·6	273	66
Urban Districts.												
Awre	1,096	1,007	9	13	2	—	24	21·9	24	23·8	2	83
Charlton Kings	4,576	4,206	27	35	2	3	67	14·6	58	13·8	2	30
Cheltenham, M.B.	45,746	42,045	381	312	35	32	760	16·6	720	17·1	58	76
Cirencester	7,222	6,638	64	67	5	6	142	19·7	102	15·4	8	56
Coleford	2,758	2,535	21	37	2	3	63	22·8	30	11·8	—	—
Kingswood	13,622	12,520	157	137	1	2	297	21·8	146	11·7	19	64
Nailsworth	3,045	2,799	26	26	—	2	54	17·7	40	14·3	2	37
Newnham	1,093	1,005	9	15	1	—	25	22·9	13	12·9	1	40
Stow on the Wold	1,183	1,087	13	9	—	—	22	18·6	18	16·6	2	91
Stroud	8,248	7,581	73	64	5	3	145	17·6	115	15·2	8	55
Tetbury	1,676	1,540	14	11	2	1	28	16·7	33	21·4	3	107
Tewkesbury, M.B.	4,908	4,511	40	34	4	6	84	17·1	60	13·3	10	119
Westbury on Severn	1,725	1,585	15	17	1	2	35	20·3	16	10·1	—	—
Rural Districts.												
Campden	5,305	4,876	52	32	—	2	86	16·2	63	12·9	7	81
Cheltenham	5,246	4,822	37	35	4	1	77	14·7	64	13·3	4	52
Chipping Sodbury	21,032	19,331	182	155	12	7	356	16·9	338	17·5	20	56
Cirencester	12,007	11,036	91	109	6	7	213	17·7	160	14·5	14	66
Dursley	12,708	11,680	113	92	5	5	215	16·9	178	15·2	15	70
East Dean and United Parishes.	21,210	19,493	252	229	19	11	511	24·1	293	15·0	49	96
Faringdon (part of)*	1,096	1,007	5	4	—	2	11	10·0	17	16·9	—	—
Gloucester	11,446	10,520	100	99	4	4	207	18·1	163	15·5	12	58
Lydney	9,430	8,667	101	85	5	5	196	20·8	118	13·6	12	61
Marston Sicca	1,735	1,595	12	13	1	2	28	16·1	26	16·3	2	71
Newent	7,021	6,453	69	69	1	3	142	20·2	96	14·9	13	92
Northleach	7,853	7,218	79	53	—	3	135	17·2	105	14·5	8	59
Pebworth	3,342	3,072	24	28	4	—	56	16·8	36	11·7	3	54

* The remainder of Faringdon Rural District is in Berkshire; *see* page 82.

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Gloucestershire—*cont.*												
Stow on the Wold (part of)*	6,499	5,973	53	55	—	2	110	16·9	83	13·9	7	64
Stroud	28,605	26,290	198	209	8	7	422	14·8	395	15·0	25	59
Tetbury (part of)† ...	3,573	3,284	35	33	3	3	74	20·7	42	12·8	3	41
Tewkesbury (part of)* ...	4,830	4,439	37	27	2	3	69	14·3	61	13·7	1	14
Thornbury	18,531	17,032	147	132	6	5	290	15·6	256	15·0	15	52
Warmley	18,446	16,954	162	152	8	7	329	17·8	218	12·9	21	64
West Dean	14,860	13,658	168	169	9	7	353	23·8	155	11·3	24	68
Wheatenhurst	6,092	5,599	60	34	4	3	101	16·6	99	17·7	9	89
Winchcomb (part of)* ...	9,199	8,455	64	54	5	2	125	13·6	122	14·4	9	72
Herefordshire.	112,603	103,494	915	905	90	68	1,978	17·6	1,655	16·0	164	83
Total Urban Districts ...	38,769	35,633	347	314	29	22	712	18·4	597	16·8	70	98
Total Rural Districts ...	73,834	67,861	568	591	61	46	1,266	17·1	1,058	15·6	94	74
Urban Districts.												
Bromyard...	1,685	1,549	17	7	1	1	26	15·4	33	21·3	5	192
Hereford, M.B.	22,345	20,537	194	166	19	12	391	17·5	317	15·4	36	92
Kington	1,642	1,509	13	14	3	1	31	18·9	23	15·2	4	129
Ledbury	3,017	2,773	20	24	2	5	51	16·9	47	16·9	5	98
Leominster, M.B. ...	5,541	5,093	55	55	3	2	115	20·8	100	19·6	9	78
Ross	4,539	4,172	48	48	1	1	98	21·6	77	18·5	11	112
Rural Districts.												
Bredwardine	1,961	1,802	10	17	1	3	31	15·8	35	19·4	3	97
Bromyard...	7,761	7,133	82	63	8	2	155	20·0	106	14·9	5	32
Dore	6,331	5,819	70	68	5	7	150	23·7	68	11·7	14	93
Hereford	12,852	11,812	103	98	12	10	223	17·4	212	17·9	17	76
Kington	4,876	4,482	38	39	7	—	84	17·2	73	16·3	7	83
Ledbury	9,245	8,497	59	66	7	4	136	14·7	114	13·4	14	103
Leominster	8,085	7,431	60	61	9	5	135	16·7	127	17·1	11	81
Ross	10,546	9,693	66	73	3	6	148	14·0	160	16·5	10	68
Weobley	6,765	6,218	46	63	6	3	118	17·4	97	15·6	6	51
Whitchurch	1,608	1,478	14	6	1	1	22	13·7	21	14·2	1	45
Wigmore	3,804	3,496	20	37	2	5	64	16·8	45	12·9	6	94
Hertfordshire.	324,308	298,072	2,881	2,759	165	164	5,969	18·4	3,631	12·2	378	63
Total Urban Districts ...	216,269	198,773	1,917	1,820	112	117	3,966	18·3	2,444	12·3	275	69
Total Rural Districts ...	108,039	99,299	964	939	53	47	2,003	18·5	1,187	12·0	103	51
Urban Districts.												
Baldock	2,455	2,256	15	30	—	—	45	18·3	30	13·3	4	89
Barnet	12,091	11,113	66	99	3	3	171	14·1	135	12·1	23	135
Bishop's Stortford ...	8,631	7,933	83	72	6	3	164	19·0	97	12·2	16	98
Bushey	7,588	6,974	57	53	6	1	117	15·4	72	10·3	5	43
Cheshunt	14,842	13,641	165	129	4	4	302	20·3	127	9·3	15	50
Chorleywood	2,279	2,095	17	12	—	—	29	12·7	21	10·0	4	138
East Barnet Valley ...	13,472	12,383	117	118	5	2	242	18·0	123	9·9	13	54
Great Berkhampstead ...	7,501	6,894	64	60	5	7	136	18·1	97	14·1	7	51
Harpenden	6,610	6,075	50	40	6	7	103	15·6	75	12·3	9	87
Hemel Hempstead, M.B.	13,164	12,099	142	99	9	7	257	19·5	170	14·1	15	58
Hertford, M.B.	10,047	9,234	97	85	5	6	193	19·2	150	16·2	19	98
Hitchin	12,056	11,081	127	111	10	7	255	21·2	160	14·4	12	47
Hoddesdon	5,406	4,969	37	49	4	6	96	17·8	76	15·3	6	63
Rickmansworth	7,446	6,844	79	81	5	1	166	22·3	80	11·7	12	72
Royston	3,855	3,543	35	32	1	2	70	18·2	51	14·4	10	143
St. Albans, M.B.... ...	25,920	23,823	214	224	19	22	479	18·5	278	11·7	36	75
Sawbridgeworth	2,357	2,166	28	24	1	2	55	23·3	28	12·9	2	36
Stevenage...	5,270	4,844	41	52	1	6	100	19·0	50	10·3	3	30
Tring	4,383	4,028	52	35	3	2	92	21·0	56	13·9	2	22
Ware	5,812	5,342	60	43	2	6	111	19·1	77	14·4	7	63
Watford	45,084	41,436	371	372	17	23	783	17·4	491	11·8	55	70
Rural Districts.												
Ashwell	4,054	3,726	25	34	—	3	62	15·3	51	13·7	7	113
Barnet	4,519	4,153	41	34	4	5	84	18·6	33	7·9	4	48
Berkhampstead	4,705	4,324	44	46	7	5	102	21·7	61	14·1	6	59
Buntingford	4,925	4,527	42	46	1	2	91	18·5	53	11·7	3	33
Hadham	5,628	5,173	44	44	1	2	91	16·2	79	15·3	5	55
Hatfield	8,871	8,153	73	74	4	3	154	17·4	92	11·3	6	39
Hemel Hempstead ...	6,712	6,169	60	60	6	1	127	18·9	71	11·5	5	39
Hertford	7,654	7,035	61	53	1	1	116	15·2	81	11·5	9	78
Hitchin	23,091	21,223	221	234	10	8	473	20·5	227	10·7	20	42

* The remaining parts of Stow on the Wold, Tewkesbury, and Winchcomb Rural Districts are in Worcestershire; *see* page 105.
† The remainder of Tetbury Rural District is in Wiltshire; *see* page 104.

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Hertfordshire—*cont.*												
St. Albans	11,013	10,122	130	115	7	11	263	23·9	157	15·5	15	57
Ware	10,914	10,031	94	84	1	2	181	16·6	127	12·7	9	50
Watford	13,426	12,340	107	101	9	1	218	16·2	134	10·9	13	60
Welwyn	2,527	2,323	22	14	2	3	41	16·2	21	9·0	1	24
Huntingdonshire.	55,593	51,095	486	514	36	36	1,072	19·3	744	14·6	72	67
Total Urban Districts ...	23,927	21,991	214	246	21	20	501	20·9	337	15·3	34	68
Total Rural Districts ...	31,666	29,104	272	268	15	16	571	18·0	407	14·0	38	67
Urban Districts.												
Godmanchester, M.B. ...	2,053	1,887	15	26	1	4	46	22·4	40	21·2	5	109
Huntingdon, M.B. ...	4,042	3,715	30	42	5	3	80	19·8	73	19·7	5	63
Old Fletton	5,328	4,897	52	57	3	3	115	21·6	66	13·5	9	78
Ramsey	5,468	5,025	49	58	4	3	114	20·8	59	11·7	5	44
St. Ives, M.B.	2,939	2,701	27	22	2	5	56	19·1	45	16·7	4	71
St. Neots	4,097	3,766	41	41	6	2	90	22·0	54	14·3	6	67
Rural Districts.												
Huntingdon	6,871	6,315	71	57	3	5	136	19·8	79	12·5	9	66
Norman Cross	5,552	5,103	37	44	3	—	84	15·1	65	12·7	5	60
Oundle (part of)* ...	1,101	1,012	9	5	1	1	16	14·5	13	12·8	2	125
St. Ives	9,687	8,903	85	88	2	6	181	18·7	130	14·6	12	66
St. Neots	7,133	6,556	62	58	5	3	128	17·9	103	15·7	8	63
Thrapston (part of)* ...	898	825	6	12	1	—	19	21·2	13	15·8	1	53
Civil Parish of Sibson cum Stibbington administered by Rural District Council of Barnack (Soke of Peterborough).	424	390	2	4	—	1	7	16·5	4	10·3	1	143
Kent.	1,049,125	964,254	10,355	9,747	650	631	21,383	20·4	13,196	13·7	1,546	72
Total Urban Districts ...	729,949	670,898	7,357	6,908	454	437	15,156	20·8	9,308	13·9	1,127	74
Total Rural Districts ...	319,176	293,356	2,998	2,839	196	194	6,227	19·5	3,888	13·3	419	67
Urban Districts.												
Ashford	15,089	13,868	174	129	11	14	328	21·7	201	14·5	28	85
Beckenham	33,483	30,774	286	272	15	9	582	17·4	327	10·6	36	62
Bexley	20,344	18,698	239	197	8	7	451	22·2	270	14·4	44	98
Broadstairs and St. Peter's	9,782	8,991	60	50	8	3	121	12·4	91	10·1	3	25
Bromley, M.B.	35,000	32,169	286	294	33	17	630	18·0	372	11·6	53	84
Chatham, M.B.	41,406	38,056	499	477	29	28	1,033	24·9	572	15·0	86	83
Cheriton	5,622	5,167	68	64	5	5	142	25·3	67	13·0	12	85
Chislehurst	9,015	8,286	71	83	4	3	161	17·9	94	11·3	10	62
Dartford	23,747	21,826	255	237	9	12	513	21·6	242	11·1	37	72
Deal, M.B.	11,027	10,135	100	107	4	13	224	20·3	148	14·6	19	85
Dover, M.B.	42,180	38,769	509	449	31	29	1,018	24·1	615	15·9	78	77
Erith	38,093	35,011	410	388	8	21	827	21·7	381	10·9	48	58
Faversham, M.B. ...	12,482	11,472	154	121	13	9	297	23·8	199	17·3	26	88
Folkestone, M.B.† ...	36,933	33,945	382	343	50	37	812	22·0	470	13·8	64	79
Foots Cray	9,368	8,610	74	62	2	5	143	15·3	99	11·5	12	84
Gillingham, M.B. ...	47,925	44,049	601	578	24	23	1,226	25·6	591	13·4	85	69
Gravesend, M.B.	29,705	27,302	341	336	13	11	701	23·6	447	16·4	57	81
Herne Bay	7,673	7,052	54	45	9	11	119	15·5	100	14·2	13	109
Hythe, M.B.	7,419	6,819	57	89	4	2	152	20·5	91	13·3	12	79
Lydd, M.B.	2,464	2,265	26	19	2	3	50	20·3	23	10·2	3	60
Maidstone, M.B.	33,879	31,138	356	342	23	17	738	21·8	525	16·9	53	72
Margate, M.B.	27,154	24,957	154	137	16	18	325	12·0	314	12·6	27	83
Milton Regis	7,358	6,763	73	79	2	3	157	21·3	111	16·4	13	83
New Romney, M.B. ...	1,299	1,194	14	12	2	2	30	23·1	18	15·1	3	100
Northfleet...	15,599	14,337	193	182	6	5	386	24·7	198	13·8	29	75
Penge	24,137	22,184	209	218	11	10	448	18·6	306	13·8	25	56
Queenborough, M.B. ...	3,314	3,046	58	44	1	1	104	31·4	31	10·2	7	67
Ramsgate, M.B.	26,981	24,798	255	205	22	20	502	18·6	418	16·9	42	84
Rochester, M.B.	33,002	30,332	333	342	13	22	710	21·5	411	13·6	53	75
Sandgate ‡	1,983	1,823	16	15	1	—	32	16·1	15	8·2	—	—
Sandwich, M.B.	3,055	2,808	26	25	1	6	58	19·0	52	18·5	5	86
Sevenoaks...	9,149	8,409	48	73	3	1	125	13·7	109	13·0	7	56
Sheerness	18,059	16,598	248	246	12	5	511	28·3	231	13·9	39	76
Sittingbourne	8,904	8,184	102	95	11	6	214	24·0	112	13·7	18	84
Southborough	6,917	6,357	55	66	5	7	133	19·2	102	16·0	8	60
Tenterden, M.B.... ...	3,322	3,053	26	21	2	1	50	15·1	42	13·8	4	80
Tonbridge	14,818	13,619	140	126	12	10	288	19·4	185	13·6	19	66

* The remaining parts of Oundle and Thrapston Rural Districts are in Northamptonshire; *see* page 97.

† Excluding C.P. of Folkestone next Sandgate.

‡ Including C.P. of Folkestone next Sandgate.

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Kent—*cont.*												
Tunbridge Wells, M.B.	35,160	32,316	250	205	19	28	502	14·3	492	15·2	31	62
Walmer	4,148	3,812	32	33	—	1	66	15·9	56	14·7	5	76
Whitstable	8,665	7,964	84	67	8	10	169	19·5	131	16·4	11	65
Wrotham	4,289	3,942	39	35	2	2	78	18·2	49	12·4	2	26
Rural Districts.												
Blean	7,619	7,003	72	67	7	11	157	20·6	110	15·7	5	32
Bridge	9,681	8,898	98	98	8	9	213	22·0	127	14·3	14	66
Bromley	24,301	22,335	194	223	21	12	450	18·5	292	13·1	40	89
Cranbrook	13,156	12,092	101	104	10	14	229	17·4	148	12·2	11	48
Dartford	44,155	40,582	515	472	20	13	1,020	23·1	502	12·4	74	73
Dover	7,778	7,149	74	45	1	5	125	16·1	78	10·9	10	80
East Ashford	14,711	13,521	126	124	12	14	276	18·8	191	14·1	17	62
Eastry	13,469	12,379	118	111	5	8	242	18·0	154	12·4	16	66
Elham	7,975	7,330	69	66	3	3	141	17·7	103	14·1	11	78
Faversham	15,413	14,166	176	150	15	8	349	22·6	252	17·8	24	69
Hollingbourne	13,057	12,001	127	106	5	10	248	19·0	162	13·5	15	60
Hoo	4,277	3,931	51	50	1	3	105	24·5	56	14·2	3	29
Isle of Thanet	9,791	8,999	70	54	12	6	142	14·5	141	15·7	10	70
Maidstone	16,572	15,231	144	122	6	14	286	17·3	211	13·9	19	66
Malling	24,398	22,424	229	208	13	15	465	19·1	313	14·0	39	84
Milton	13,404	12,320	126	134	8	9	277	20·7	154	12·5	24	87
Romney Marsh	2,861	2,630	19	31	1	1	52	18·2	30	11·4	3	58
Sevenoaks	24,355	22,385	203	189	18	9	419	17·2	266	11·9	23	55
Sheppey	4,623	4,249	55	62	3	7	127	27·5	43	10·1	7	55
Strood	16,357	15,034	186	166	8	4	364	22·3	191	12·7	31	85
Tenterden	5,770	5,303	46	50	2	4	102	17·7	79	14·9	3	29
Tonbridge	17,888	16,441	138	154	13	10	315	17·6	187	11·4	12	38
West Ashford	7,565	6,953	61	53	4	5	123	16·3	98	14·1	8	65
Lancashire.	1,762,656	1,620,062	16,069	15,295	685	646	32,695	18·5	23,197	14·3	3,242	99
Total Urban Districts	1,520,131	1,397,157	13,843	13,167	603	572	28,185	18·5	20,226	14·5	2,869	102
Total Rural Districts	242,525	222,905	2,226	2,128	82	74	4,510	18·6	2,971	13·3	373	83
Urban Districts.												
Abram	7,128	6,551	90	89	3	3	185	26·0	86	13·1	18	97
Accrington, M.B.	45,059	41,415	346	348	17	17	728	16·2	543	13·1	65	89
Adlington	4,671	4,293	42	40	—	—	82	17·6	57	13·3	6	73
Ashton in Makerfield	23,068	21,202	281	285	11	8	585	25·4	302	14·2	61	104
Ashton under Lyne, M.B.	43,459	39,943	363	391	24	26	804	18·5	647	16·2	91	113
Aspull	8,206	7,542	110	102	2	5	219	26·7	103	13·7	22	100
Atherton	20,114	18,487	205	213	3	6	427	21·2	268	14·5	62	145
Audenshaw	8,172	7,511	73	64	3	5	145	17·7	103	13·7	24	166
Bacup, M.B.	22,304	20,500	163	173	3	12	351	15·7	344	16·8	35	100
Barrowford	6,107	5,613	49	41	1	1	92	15·1	67	11·9	6	65
Billinge	4,895	4,499	62	45	3	1	111	22·7	58	12·9	9	81
Bispham with Norbreck	3,188	2,930	18	12	1	1	32	10·0	38	13·0	1	31
Blackrod	3,942	3,623	45	44	1	2	92	23·3	42	11·6	6	65
Brierfield	8,926	8,204	61	60	2	2	125	14·0	107	13·0	13	104
Carnforth	3,210	2,950	22	32	2	2	58	18·1	33	11·2	3	52
Chadderton	29,135	26,778	284	235	15	10	544	18·7	384	14·3	48	88
Chorley, M.B.	30,672	28,192	280	263	13	9	565	18·4	444	15·7	63	112
Church	6,851	6,297	61	66	1	5	133	19·4	93	14·8	7	53
Clayton le Moors	9,170	8,428	91	73	1	2	167	18·2	118	14·0	14	84
Clitheroe, M.B.	12,534	11,520	106	72	10	1	189	15·1	159	13·8	18	95
Colne, M.B.	26,863	24,690	208	177	8	10	403	15·0	340	13·8	44	109
Crompton	14,991	13,778	138	132	12	3	285	19·0	199	14·4	33	116
Croston	2,197	2,019	16	18	1	2	37	16·8	19	9·4	4	108
Dalton in Furness	14,060	12,923	169	160	13	9	351	25·0	217	16·8	34	97
Darwen, M.B.	40,381	37,114	244	291	15	12	562	13·9	545	14·7	51	91
Denton	18,204	16,731	152	135	5	3	295	16·2	244	14·6	32	108
Droylsden	14,091	12,951	137	133	5	2	277	19·7	192	14·8	27	97
Eccles, M.B.	44,692	41,077	369	374	6	16	765	17·1	627	15·3	72	94
Failsworth	17,641	16,214	168	141	4	5	318	18·0	222	13·7	38	119
Farnworth	27,813	25,563	251	239	14	11	515	18·5	386	15·1	54	105
Fleetwood	16,011	14,716	181	177	11	12	381	23·8	213	14·5	36	94
Formby	6,280	5,772	50	49	1	3	103	16·4	76	13·2	5	49
Fulwood	6,083	5,591	36	33	—	—	69	11·3	78	14·0	2	29
Golborne	6,881	6,324	85	73	3	5	166	24·1	95	15·0	19	114
Grange	2,013	1,850	10	8	2	—	20	9·9	21	11·4	—	—
Great Crosby	14,351	13,191	120	124	9	3	256	17·8	165	12·5	20	78

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Lancashire—*cont.*												
Great Harwood	14,459	13,289	107	97	5	5	214	14·8	151	11·4	19	89
Haslingden, M.B. ...	18,615	17,109	117	125	6	6	254	13·6	238	13·9	22	87
Haydock	9,799	9,006	136	140	5	4	285	29·1	136	15·1	31	109
Heysham	3,621	3,328	22	17	1	3	43	11·9	37	11·1	1	23
Heywood, M.B.	27,197	24,997	226	220	12	11	469	17·2	426	17·0	64	136
Hindley	24,768	22,764	304	288	15	6	613	24·7	339	14·9	63	103
Horwich	16,886	15,520	158	114	7	6	285	16·9	185	11·9	25	88
Hurst	8,211	7,547	73	68	3	2	146	17·8	116	15·4	16	110
Huyton with Roby ...	5,014	4,608	43	45	1	3	92	18·3	62	13·5	7	76
Ince in Makerfield ...	22,873	21,023	316	300	14	14	644	28·2	346	16·5	83	129
Irlam	9,234	8,487	106	103	2	2	213	23·1	90	10·6	15	70
Kearsley	10,228	9,401	99	90	6	—	195	19·1	133	14·1	28	144
Kirkham	3,880	3,566	33	21	1	3	58	14·9	75	21·0	9	155
Lancaster, M.B.	36,953	33,964	322	313	25	28	688	18·6	553	16·3	71	103
Lathom and Burscough ...	7,995	7,348	77	84	7	2	170	21·3	80	10·9	15	88
Lees	4,793	4,405	49	42	—	3	94	19·6	83	18·8	12	128
Leigh, M.B.	46,443	42,686	490	489	12	20	1,011	21·8	647	15·2	136	135
Leyland	9,406	8,645	95	81	1	5	182	19·3	119	13·8	15	82
Litherland	16,964	15,592	244	232	15	14	505	29·8	244	15·6	54	107
Littleborough	12,432	11,426	98	90	2	5	195	15·7	196	17·2	26	133
Little Crosby	1,030	947	11	16	1	1	29	28·2	10	10·6	3	103
Little Hulton	8,351	7,675	81	73	2	3	159	19·0	107	13·9	16	101
Little Lever	5,175	4,756	40	35	1	1	77	14·9	79	16·6	7	91
Longridge	4,473	4,111	31	40	—	1	72	16·1	68	16·5	12	167
Lytham	9,540	8,768	61	65	8	7	141	14·8	122	13·9	11	78
Middleton, M.B.	29,458	27,075	217	224	15	11	467	15·9	385	14·2	37	79
Milnrow	8,823	8,109	78	58	3	6	145	16·4	137	16·9	13	90
Morecambe, M.B. ...	13,755	12,642	104	63	5	9	181	13·2	185	14·6	8	44
Mossley, M.B.	13,027	11,973	96	110	8	4	218	16·7	203	17·0	23	106
Nelson, M.B.	42,931	39,458	319	265	12	12	608	14·2	463	11·7	68	112
Newton in Makerfield ...	18,879	17,352	194	187	4	9	394	20·9	240	13·8	39	99
Norden	4,248	3,904	34	33	1	2	70	16·5	60	15·4	6	86
Ormskirk	7,162	6,583	71	70	5	6	152	21·2	120	18·2	21	138
Orrell	7,376	6,779	67	68	4	1	140	19·0	69	10·2	16	114
Oswaldtwistle	16,166	14,858	136	112	4	5	257	15·9	197	13·3	24	93
Padiham	12,795	11,760	123	90	5	1	219	17·1	182	15·5	25	114
Poulton le Fylde	2,673	2,457	17	26	—	1	44	16·5	26	10·6	1	23
Preesall	1,769	1,626	11	8	1	1	21	11·9	12	7·4	1	48
Prescot	8,819	8,106	119	107	6	2	234	26·5	133	16·4	26	111
Prestwich	15,610	14,347	138	140	4	3	285	18·3	189	13·2	18	63
Radcliffe	25,982	23,880	202	209	6	8	425	16·4	383	16·0	53	125
Rainford	3,481	3,199	39	33	1	2	75	21·5	39	12·2	4	53
Ramsbottom	15,938	14,649	114	117	6	6	243	15·2	214	14·6	19	78
Rawtenstall, M.B. ...	30,821	28,328	258	227	13	12	510	16·5	377	13·3	50	98
Rishton	7,644	7,026	43	50	11	7	111	14·5	87	12·4	10	90
Royton	17,538	16,119	159	164	9	7	339	19·3	260	16·1	30	88
St. Anne's on the Sea ...	10,546	9,693	52	56	9	3	120	11·4	139	14·3	7	58
Skelmersdale	7,057	6,486	79	93	1	4	177	25·1	107	16·5	23	130
Standish with Langtree ...	7,666	7,046	91	75	1	4	171	22·3	95	13·5	17	99
Stretford	47,330	43,502	383	351	12	10	756	16·0	505	11·6	53	70
Swinton and Pendlebury	32,460	29,834	303	288	7	10	608	18·7	418	14·0	73	120
Thornton	5,255	4,830	51	42	3	4	100	19·0	63	13·0	12	120
Tottington	7,008	6,441	44	47	2	2	95	13·6	79	12·3	8	84
Trawden	3,075	2,826	25	33	—	—	58	18·9	33	11·7	5	86
Turton	12,896	11,853	70	80	2	2	154	11·9	154	13·0	12	78
Tyldesley with Shakerley	16,099	14,797	195	181	2	3	381	23·7	205	13·9	42	110
Ulverston	10,504	9,654	105	97	13	3	218	20·8	156	16·2	21	96
Upholland	5,571	5,120	58	57	3	4	122	21·9	66	12·9	12	98
Urmston	8,469	7,784	69	73	1	2	145	17·1	93	11·9	9	62
Walton le Dale	12,659	11,635	101	91	7	1	200	15·8	140	12·0	22	110
Wardle	4,145	3,810	23	23	2	3	51	12·3	85	22·3	6	118
Waterloo with Seaforth ...	29,835	27,421	309	290	14	11	624	20·9	408	14·9	56	90
Westhoughton	16,202	14,891	180	155	5	3	343	21·2	200	13·4	38	111
Whitefield	7,246	6,660	67	64	3	2	136	18·8	95	14·3	13	96
Whitworth	8,737	8,030	63	56	3	4	126	14·4	173	21·5	15	119
Widnes, M.B.	32,987	30,318	463	414	10	9	896	27·2	558	18·4	97	108
Withnell	3,423	3,146	26	18	—	1	45	13·1	38	12·1	3	67
Worsley	14,362	13,200	122	122	3	3	250	17·4	178	13·5	29	116

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Lancashire—*cont.*												
Rural Districts.												
Barton upon Irwell ...	10,331	9,495	93	80	3	1	177	17·1	111	11·7	13	73
Blackburn...	9,301	8,549	71	87	1	5	164	17·6	99	11·6	13	79
Burnley	20,446	18,792	143	163	2	4	312	15·3	224	11·9	20	64
Bury	9,749	8,960	87	77	6	3	173	17·7	156	17·4	10	58
Chorley	23,141	21,269	219	194	7	11	431	18·6	303	14·2	54	125
Clitheroe	6,871	6,315	52	44	1	2	99	14·4	79	12·5	4	40
Fylde	12,135	11,153	133	100	5	3	241	19·9	175	15·7	25	104
Garstang	10,943	10,058	104	85	7	4	200	18·3	115	11·4	12	60
Lancaster...	9,260	8,511	75	70	3	—	148	16·0	123	14·5	11	74
Leigh	11,005	10,115	108	123	6	5	242	22·0	117	11·6	19	79
Limehurst	9,506	8,737	79	76	2	3	160	16·8	143	16·4	25	156
Lunesdale...	6,893	6,335	49	53	3	1	106	15·4	75	11·8	7	66
Preston	19,769	18,170	177	170	6	3	356	18·0	245	13·5	26	73
Sefton	5,587	5,135	46	53	2	1	102	18·3	70	13·6	9	88
Ulverston	17,934	16,483	163	156	5	7	331	18·5	262	15·9	29	88
Warrington	11,530	10,597	125	132	2	2	261	22·6	116	10·9	17	65
West Lancashire... ...	21,470	19,733	200	179	13	10	402	18·7	235	11·9	26	65
Whiston	20,011	18,392	238	223	6	6	473	23·6	241	13·1	33	80
Wigan	6,643	6,106	64	63	2	3	132	19·9	82	13·4	15	114
Leicestershire.	261,364	240,220	2,607	2,495	113	82	5,297	20·3	3,042	12·7	374	71
Total Urban Districts	108,703	99,909	1,100	1,086	50	34	2,270	20·9	1,184	11·9	165	73
Total Rural Districts ...	152,661	140,311	1,507	1,409	63	48	3,027	19·8	1,858	13·2	209	69
Urban Districts.												
Ashby de la Zouch ...	4,865	4,471	38	48	3	3	92	18·9	49	11·0	5	54
Ashby Woulds	3,040	2,794	35	35	1	—	71	23·4	28	10·0	7	99
Coalville	21,097	19,390	304	272	14	5	595	28·2	224	11·6	49	82
Hinckley	14,020	12,886	112	127	5	7	251	17·9	160	12·4	25	100
Loughborough, M.B. ...	25,147	23,113	213	215	9	7	444	17·7	308	13·3	36	81
Market Harborough ...	9,163	8,422	66	70	4	2	142	15·5	107	12·7	6	42
Melton Mowbray ...	8,982	8,255	102	100	8	7	217	24·2	104	12·6	15	69
Oadby	3,096	2,846	31	23	2	1	57	18·4	29	10·2	2	35
Quorndon	2,558	2,351	21	23	—	—	44	17·2	26	11·1	3	68
Shepshed	5,683	5,223	51	53	2	2	108	19·0	52	10·0	7	65
Thurmaston	2,122	1,950	34	26	1	—	61	28·7	20	10·3	5	82
Wigston Magna	8,930	8,208	93	94	1	—	188	21·1	77	9·4	5	27
Rural Districts.												
Ashby de la Zouch ...	17,122	15,737	212	212	8	5	437	25·5	188	11·9	34	78
Barrow upon Soar ...	25,136	23,102	228	231	12	1	472	18·8	295	12·8	33	70
Belvoir	3,312	3,044	29	26	1	1	57	17·2	47	15·4	3	53
Billesdon	6,418	5,899	37	41	—	2	80	12·5	82	13·9	5	63
Blaby	16 656	15,309	157	134	10	7	308	18·5	198	12·9	19	62
Castle Donington ...	6,287	5,778	56	56	—	2	114	18·1	67	11·6	11	96
Hallaton	1,871	1,720	16	15	3	1	35	18·7	26	15·1	2	57
Hinckley	15,069	13,850	147	124	6	5	282	18·7	166	12·0	18	64
Loughborough	4,439	4,080	35	26	2	1	64	14·4	71	17·4	6	94
Lutterworth	10,351	9,514	98	99	4	4	205	19·8	142	14·9	9	44
Market Bosworth ...	22,779	20,936	305	261	7	11	584	25·6	267	12·8	47	80
Market Harborough ...	7,723	7,098	67	62	3	1	133	17·2	113	15·9	10	75
Melton Mowbray ...	15,498	14,244	120	122	7	7	256	16·5	196	13·8	12	47
Lincolnshire												
(Parts of Holland).	85,372	78,466	927	820	44	33	1,824	21·4	1,116	14·2	116	64
Total Urban Districts ...	37,627	34,583	383	354	24	17	778	20·7	535	15·5	54	69
Total Rural Districts ...	47,745	43,883	544	466	20	16	1,046	21·9	581	13·2	62	59
Urban Districts.												
Boston, M.B.	16,186	14,877	157	140	10	6	313	19·3	253	17·0	32	102
Holbeach	5,327	4,896	55	64	4	3	126	23·7	57	11·6	5	40
Long Sutton	3,037	2,791	35	34	1	—	70	23·0	35	12·5	2	29
Spalding	10,829	9,953	110	100	9	7	226	20·9	160	16·1	14	62
Sutton Bridge	2,248	2,066	26	16	—	1	43	19·1	30	14·5	1	23
Rural Districts.												
Boston	22.095	20,308	244	203	13	10	470	21·3	311	15·3	33	70
Crowland	2,810	2,583	27	31	1	3	62	22·1	33	12·8	4	65
East Elloe...	9,171	8,429	119	95	3	—	217	23·7	110	13·1	10	46
Spalding	13,669	12,563	154	137	3	3	297	21·7	127	10·1	15	51

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Lincolnshire—*cont.*												
(Parts of Kesteven).	114,113	104,882	1,105	1,086	69	67	2,327	20·4	1,548	14·8	208	89
Total Urban Districts ...	44,513	40,912	432	466	19	24	941	21·1	585	14·3	76	81
Total Rural Districts ...	69,600	63,970	673	620	50	43	1,386	19·9	963	15·1	132	95
Urban Districts.												
Bourne	4,400	4,044	22	43	4	1	70	15·9	56	13·8	4	57
Bracebridge	2,461	2,262	28	34	1	2	65	26·4	35	15·5	4	62
Grantham, M.B.	20,718	19,042	217	218	8	13	456	22·0	279	14·7	44	96
Ruskington	1,228	1,129	8	9	—	1	18	14·7	20	17·7	1	56
Sleaford	6,190	5,689	58	66	3	4	131	21·2	87	15·3	10	76
Stamford, M.B.	9,516	8,746	99	96	3	3	201	21·1	108	12·3	13	65
Rural Districts.												
Bourne	13,490	12,399	119	108	13	4	244	18·1	185	14·9	21	86
Branston	15,959	14,668	170	154	8	10	342	21·4	230	15·7	33	96
Claypole	8,032	7,382	78	71	10	4	163	20·3	97	13·1	14	86
Grantham...	13,020	11,967	128	106	8	13	255	19·6	163	13·6	25	98
Sleaford	17,512	16,095	166	161	8	11	346	19·8	267	16·6	36	104
Uffington	1,587	1,459	12	20	3	1	36	22·7	21	14·4	3	83
(Parts of Lindsey).	247,412	227,397	2,457	2,469	158	180	5,264	21·3	3,173	14·0	434	82
Total Urban Districts ...	101,180	92,995	1,021	1,004	77	90	2,192	21·7	1,306	14·0	183	83
Total Rural Districts ...	146,232	134,402	1,436	1,465	81	90	3,072	21·0	1,867	13·9	251	82
Urban Districts.												
Alford	2,227	2,047	18	23	1	8	50	22·5	36	17·6	5	100
Barton upon Humber ...	6,717	6,174	68	62	5	5	140	20·8	79	12·8	17	121
Brigg	3,329	3,060	45	31	1	7	84	25·2	37	12·1	4	48
Broughton	1,632	1,500	22	21	—	—	43	26·3	18	12·0	2	47
Brumby and Frodingham	3,724	3,423	32	42	1	1	76	20·4	54	15·8	8	105
Cleethorpe with Thrunscoe.	24,819	22,810	270	267	22	20	579	23·3	257	11·3	50	86
Crowle	2,887	2,653	38	22	2	1	63	21·8	40	15·1	3	48
Gainsborough	19,967	18,351	209	208	17	13	447	22·4	265	14·4	39	87
Horncastle	3,675	3,378	25	29	1	4	59	16·1	63	18·7	6	102
Louth, M.B.	9,743	8,955	72	80	9	13	174	17·9	165	18·4	13	75
Mablethorpe	1,484	1,364	15	7	—	1	23	15·5	21	15·4	1	43
Market Rasen	2,206	2,028	21	19	3	—	43	19·5	36	17·8	3	70
Roxby cum Risby ...	544	500	5	5	1	1	12	22·1	4	8·0	—	—
Scunthorpe	11,423	10,499	121	145	8	10	284	24·9	151	14·4	24	85
Skegness	3,617	3,324	28	27	4	3	62	17·1	31	9·3	3	48
Winterton	1,575	1,448	22	11	2	1	36	22·9	30	20·7	3	83
Woodhall Spa	1,611	1,481	10	5	—	2	17	10·6	19	12·8	2	118
Rural Districts.												
Caistor	13,200	12,132	138	132	9	10	289	21·9	154	12·7	19	66
Gainsborough	14,759	13,565	115	138	7	6	266	18·0	211	15·6	23	86
Glanford Brigg	33,766	31,034	373	382	20	16	791	23·4	421	13·6	79	100
Grimsby	10,965	10,078	141	128	5	8	282	25·7	132	13·1	29	103
Horncastle	13,187	12,120	119	120	9	7	255	19·3	152	12·5	18	71
Isle of Axholme	6,589	6,056	53	50	3	6	112	17·0	97	16·0	8	71
Louth	18,396	16,908	169	181	11	13	374	20·3	230	13·6	30	80
Sibsey	3,056	2,809	40	37	—	1	78	25·5	31	11·0	3	38
Spilsby	20,899	19,208	183	203	13	17	416	19·9	282	14·7	26	63
Welton	11,415	10,492	105	94	4	6	209	18·3	157	15·0	16	77
London.	4,610,352	4,237,387	48,742	46,232	2244	2118	99,336	21·5	62,325	14·7	8,864	89
Metropolitan Boroughs.												
City of London*... ...	21,883	20,113	62	54	7	2	125	5·7	234	11·6	15	120
Battersea	173,432	159,402	1,864	1,755	81	74	3,774	21·8	2,221	13·9	318	84
Bermondsey	123,665	113,661	1,723	1,673	37	32	3,465	28·0	1,982	17·4	350	101
Bethnal Green	125,723	115,552	1,712	1,685	18	22	3,437	27·3	1,772	15·3	365	106
Camberwell	271,731	249,749	3,034	2,893	96	103	6,126	22·5	3,422	13·7	448	73
Chelsea	62,341	57,298	525	505	54	49	1,133	18·2	968	16·9	106	94
Deptford	117,175	107,696	1,429	1,404	42	45	2,920	24·9	1,667	15·5	258	88
Finsbury	80,764	74,230	959	953	40	46	1,998	24·7	1,440	19·4	245	123
Fulham	162,580	149,428	1,841	1,710	105	98	3,754	23·1	1,988	13·3	330	88
Greenwich	102,765	94,452	1,180	1,114	42	35	2,371	23·1	1,432	15·2	197	83
Hackney	228,088	209,636	2,537	2,332	79	78	5,026	22·0	2,894	13·8	424	84
Hammersmith	128,348	117,965	1,238	1,178	106	83	2,605	20·3	1,674	14·2	223	86
Hampstead	88,641	81,470	559	528	45	32	1,164	13·1	870	10·7	76	65
Holborn	41,520	38,161	297	288	29	35	649	15·6	671	17·6	63	97
Islington	336,589	309,359	3,662	3,311	159	130	7,262	21·6	4,848	15·7	643	89
Kensington	165,535	152,144	1,450	1,378	99	100	3,027	18·3	2,350	15·4	260	86
Lambeth	308,702	283,729	3,075	2,995	174	194	6,438	20·9	4,301	15·2	577	90
Lewisham...	177,239	162,901	1,637	1,566	71	75	3,349	18·9	1,944	11·9	243	73

* The Medical Officer of Health for the City of London estimates the population of that area at 15,531 in the Middle of 1916. Based upon this population the birth-rate is 8·0 per 1,000 living and the death-rate 15·1.

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
London—*cont.*												
Paddington	142,169	130,668	1,223	1,242	115	130	2,710	19·1	1,883	14·4	255	94
Poplar	168,746	155,095	2,242	2,254	38	27	4,561	27·0	2,533	16·3	471	103
St. Marylebone	107,249	98,573	824	803	91	96	1,814	16·9	1,545	15·7	181	100
St. Pancras	214,135	196,812	2,181	2,033	178	140	4,532	21·2	3,050	15·5	384	85
Shoreditch	108,728	99,932	1,521	1,359	54	49	2,983	27·4	1,831	18·3	368	123
Southwark	192,760	177,166	2,425	2,249	124	98	4,896	25·4	3,064	17·3	485	99
Stepney	281,138	258,395	3,652	3,429	66	53	7,200	25·6	3,847	14·9	656	91
Stoke Newington ...	54,157	49,776	501	471	13	16	1,001	18·5	647	13·0	61	61
Wandsworth	338,220	310,858	3,008	2,857	158	128	6,151	18·2	3,702	11·9	492	80
Westminster	144,546	132,853	810	822	74	91	1,797	12·4	1,841	13·9	157	87
Woolwich...	141,783	130,313	1,571	1,391	49	57	3,068	21·6	1,704	13·1	213	69
Middlesex.	1,272,769	1,169,806	12,549	11,913	544	518	25,524	20·1	12,860	11·0	1,736	68
Total Urban Districts ...	1,219,104	1,120,482	12,048	11,470	516	491	24,525	20·1	12,325	11·0	1,674	68
Total Rural Districts ...	53,665	49,324	501	443	28	27	999	18·6	535	10·8	62	62
Urban Districts.												
Acton	63,010	57,913	664	595	36	28	1,323	21·0	686	11·8	102	77
Brentford...	16,959	15,587	188	182	7	6	383	22·6	210	13·5	25	65
Chiswick	41,245	37,908	393	400	15	24	832	20·2	494	13·0	70	84
Ealing, M.B.	71,337	65,566	581	603	13	16	1,213	17·0	287	11·1	70	58
Edmonton	72,680	66,800	829	785	35	25	1,674	23·0	744	11·1	146	87
Enfield	65,082	59,817	699	625	30	12	1,366	21·0	596	10·0	84	61
Feltham	5,425	4,986	52	48	7	3	110	20·3	79	15·8	13	118
Finchley	47,445	43,607	436	385	20	12	853	18·0	403	9·2	48	56
Friern Barnet	14,023	12,889	152	176	9	3	340	24·2	148	11·5	17	50
Greenford	1,271	1,168	12	8	—	3	23	18·1	18	15·4	4	174
Hampton	9,816	9,022	75	78	3	—	156	15·9	114	12·6	15	96
Hampton Wick	2,612	2,401	20	30	3	3	56	21·4	31	12·9	2	36
Hanwell	21,731	19,973	192	193	13	13	411	18·9	202	10·1	34	83
Harrow on the Hill ...	18,636	17,128	168	155	9	4	336	18·0	165	9·6	10	30
Hayes	5,363	4,929	54	56	4	4	118	22·0	46	9·3	3	25
Hendon	57,572	52,915	522	473	32	20	1,047	18·2	492	9·3	69	66
Heston and Isleworth ...	44,358	40,770	454	395	27	16	892	20·1	527	12·9	69	77
Hornsey, M.B.	87,637	80,547	693	661	23	27	1,404	16·0	929	11·5	63	45
Kingsbury	969	891	4	10	—	—	14	14·4	8	9·0	—	—
Ruislip Northwood ...	7,929	7,288	64	71	4	3	142	17·9	64	8·8	3	21
Southall Norwood ...	27,836	25,584	296	318	10	9	633	22·7	263	10·3	43	68
Southgate...	40,707	37,414	313	293	13	16	635	15·6	319	8·5	23	36
Staines	7,031	6,462	62	55	—	4	121	17·2	80	12·4	7	58
Sunbury on Thames ...	5,052	4,643	46	61	—	4	111	22·0	49	10·6	6	54
Teddington	20,059	18,456	204	197	5	11	417	20·8	198	10·7	24	58
Tottenham	155,526	142,944	1,713	1,644	49	61	3,467	22·3	1,631	11·4	254	73
Twickenham	36,154	33,229	351	323	18	31	723	20·0	423	12·7	62	86
Uxbridge	10,984	10,095	105	88	8	9	210	19·1	144	14·3	14	67
Wealdstone	13,454	12,367	127	111	10	6	254	18·9	140	11·3	16	63
Wembley	15,897	14,611	167	169	6	8	350	22·0	125	8·6	19	54
Willesden...	172,144	158,218	1,837	1,765	92	84	3,778	21·9	1,712	10·8	285	75
Wood Green	54,430	50,027	516	466	14	21	1,017	18·7	512	10·2	66	65
Yiewsley	4,730	4,347	59	51	1	5	116	24·5	45	10·4	8	69
Rural Districts.												
Hendon	17,599	16,176	161	142	8	3	314	17·8	130	8·0	12	38
South Mimms	2,986	2,744	27	22	3	2	54	18·1	36	13·1	3	56
Staines	23,320	21,434	226	185	10	16	437	18·7	264	12·3	37	85
Uxbridge	9,760	8,970	87	94	7	6	194	19·9	105	11·7	10	52
Monmouthshire.	343,902	316,081	4,395	4,201	118	134	8,848	25·7	4,099	13·0	783	88
Total Urban Districts ...	299,103	274,906	3,984	3,810	102	117	8,013	26·8	3,559	12·9	735	92
Total Rural Districts ...	44,799	41,175	411	391	16	17	835	18·6	540	13·1	48	57
Urban Districts.												
Abercarn	19,608	18,022	284	250	4	9	547	27·9	215	11·9	51	93
Abergavenny, M.B. ...	8,500	7,812	87	74	7	6	174	20·5	130	16·6	8	46
Abersychan	27,250	25,046	343	328	10	7	688	25·2	289	11·5	59	86
Abertillery	39,166	35,998	538	509	12	14	1,073	27·4	379	10·5	100	93
Bedwas and Machen ...	7,872	7,235	106	124	2	3	235	29·9	93	12·9	24	102
Bedwellty...	28,968	26,625	459	430	13	9	911	31·4	341	12·8	96	105
Blaenavon	13,087	12,028	153	130	4	6	293	22·4	178	14·8	38	130
Caerleon	1,841	1,692	20	15	—	2	37	20·1	18	10·6	2	54
Chepstow	2,754	2,531	27	21	3	—	51	18·5	40	15·8	2	39
Ebbw Vale	33,951	31,204	457	403	11	11	882	26·0	460	14·7	81	92
Llanfrechfa Upper ...	4,734	4,351	61	62	1	1	125	26·4	56	12·9	9	72
Llantarnam	6,723	6,179	77	85	2	3	167	24·8	98	15·9	16	96

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Monmouthshire—*cont.*												
Monmouth, M.B. ...	4,861	4,468	53	35	5	6	99	20·4	92	20·6	14	141
Mynyddislwyn	12,988	11,937	200	208	7	4	419	32·3	138	11·6	46	110
Nantyglo and Blaina ...	16,104	14,801	213	205	3	8	429	26·6	194	13·1	39	91
Panteg	10,779	9,907	111	122	1	8	242	22·5	121	12·2	12	50
Pontypool	6,318	5,807	84	75	1	4	164	26·0	82	14·1	16	98
Rhymney	11,466	10,538	157	149	5	4	315	27·5	144	13·7	27	86
Risca	1,6354	15,031	214	210	4	4	432	26·4	165	11·0	37	86
Tredegar	24,441	22,464	329	362	7	8	706	28·9	313	13·9	58	82
Usk	1,338	1,230	11	13	—	—	24	17·9	13	10·6	—	—
Rural Districts.												
Abergavenny	8,232	7,566	69	75	4	3	151	18·3	107	14·1	11	73
Chepstow	8,496	7,809	79	80	3	6	168	19·8	92	11·8	9	54
Magor	5,269	4,843	38	50	1	1	90	17·1	64	13·2	6	67
Monmouth	6,674	6,134	73	50	4	3	130	19·5	99	16·1	6	46
Pontypool	5,220	4,798	59	44	1	1	105	20·1	68	14·2	6	57
St. Mellons	10,908	10,025	93	92	3	3	191	17·5	110	11·0	10	52
Norfolk.	317,334	291,662	2,853	2,767	268	227	6,115	19·3	4,285	14·7	433	71
Total Urban Districts ...	60,829	55,908	552	519	47	58	1,176	19·3	805	14·4	83	71
Total Rural Districts ...	256,505	235,754	2,301	2,248	221	169	4,939	19·3	3,480	14·8	350	71
Urban Districts.												
Cromer	3,644	3,349	29	33	1	5	68	18·7	44	13·1	8	118
Diss	3,772	3,467	34	29	3	5	71	18·8	51	14·7	4	56
Downham Market ...	2,332	2,143	31	21	2	2	56	24·0	33	15·4	3	54
East Dereham	5,835	5,363	51	46	3	7	107	18·3	77	14·4	10	93
King's Lynn, M.B. ...	20,396	18,746	202	199	24	21	446	21·9	281	15·0	33	74
New Hunstanton ...	2,461	2,262	18	10	1	4	33	13·4	26	11·5	2	61
North Walsham	4,376	4,022	37	44	3	3	87	19·9	51	12·7	3	34
Sheringham	3,460	3,180	31	21	1	—	53	15·3	47	14·8	4	75
Swaffham	3,019	2,775	24	14	3	—	41	13·6	57	20·5	2	49
Thetford, M.B.	4,940	4,540	42	41	4	5	92	18·6	45	9·9	2	22
Walsoken	4,048	3,721	33	32	1	4	70	17·3	58	15·6	7	100
Wells	2,546	2,340	20	29	1	2	52	20·4	35	15·0	5	96
Rural Districts.												
Aylsham	17,155	15,767	162	154	22	16	354	20·6	221	14·0	29	82
Blofield	11,510	10,579	104	98	3	5	210	18·2	153	14·5	15	71
Depwade	19,669	18,079	145	160	18	10	333	16·9	266	14·7	22	66
Docking	16,885	15,519	130	129	17	8	284	16·8	249	16·0	28	99
Downham	15,650	14,384	156	142	12	4	314	20·1	209	14·5	14	45
East and West Flegg ...	9,872	9,073	95	107	4	3	209	21·2	141	15·5	10	48
Erpingham	16,865	15,501	153	188	16	12	369	21·9	231	14·9	32	87
Forehoe	11,169	10,265	93	97	10	10	210	18·8	176	17·1	12	57
Freebridge Lynn	12,024	11,051	122	83	10	10	225	18·7	161	14·6	15	67
Henstead	10,342	9,505	105	94	5	10	214	20·7	142	14·9	16	75
King's Lynn	994	914	10	10	2	1	23	23·1	7	7·7	1	43
Loddon and Clavering ...	12,554	11,538	105	128	10	9	252	20·1	171	14·8	15	60
Marshland	13,320	12,242	177	131	9	10	327	24·5	146	11·9	25	76
Mitford and Launditch ...	17,740	16,305	143	158	17	12	330	18·6	262	16·1	22	67
St. Faith's	10,024	9,213	87	79	14	8	188	18·8	118	12·8	11	59
Smallburgh	13,609	12,508	106	104	14	13	237	17·4	206	16·5	16	68
Swaffham	7,516	6,908	74	59	6	9	148	19·7	94	13·6	16	108
Thetford	9,207	8,462	83	70	8	3	164	17·8	132	15·6	16	98
Walsingham	17,355	15,951	148	150	17	10	325	18·7	200	12·5	20	62
Wayland	13,045	11,990	103	107	7	6	223	17·1	195	16·3	15	67
Northamptonshire.	220,380	202,552	1,861	1,798	82	81	3,822	17·3	2,702	13·3	254	66
Total Urban Districts ...	101,847	93,608	839	838	43	43	1,763	17·3	1,111	11·9	128	73
Total Rural Districts ...	118,533	108,944	1,022	960	39	38	2,059	17·4	1,591	14·6	126	61
Urban Districts.												
Brackley, M.B.	2,288	2,103	16	15	2	2	35	15·3	31	14·7	2	57
Daventry, M.B.	3,339	3,069	29	33	2	1	65	19·5	41	13·4	3	46
Desborough	4,487	4,124	37	47	2	1	87	19·4	60	14·5	10	115
Finedon	4,218	3,877	39	37	—	1	77	18·3	55	14·2	4	52
Higham Ferrers, M.B. ...	3,013	2,769	20	25	—	1	46	15·3	31	11·2	6	130
Irthlingborough	5,076	4,665	46	50	2	—	98	19·3	41	8·8	3	31
Kettering	32,122	29,524	250	249	17	18	534	16·6	335	11·3	53	99
Oundle	2,457	2,258	12	17	1	1	31	12·6	27	12·0	—	—
Raunds	4,358	4,005	42	37	1	1	81	18·6	47	11·7	5	62
Rothwell	4,707	4,326	45	41	2	2	90	19·1	53	12·3	6	67
Rushden	14,722	13,531	136	113	4	3	256	17·4	138	10·2	15	59
Wellingborough	21,060	19,357	167	174	10	12	363	17·2	252	13·0	21	58

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death rates. (Civil.)	M.	F.	M.	F.						
Northamptonshire—*cont.*												
Rural Districts.												
Brackley	7,026	6,458	52	48	3	1	104	14·8	86	13·3	8	77
Brixworth	11,860	10,901	107	95	4	9	215	18·1	151	13·9	13	60
Crick	2,519	2,315	17	23	1	—	41	16·3	33	14·3	2	49
Daventry	13,886	12,762	120	121	2	6	249	17·9	200	15·7	17	68
Easton on the Hill	1,499	1,378	19	13	2	—	34	22·7	25	18·1	3	88
Gretton	1,529	1,405	10	9	—	—	19	12·4	27	19·2	2	105
Hardingstone	7,669	7,049	79	81	1	3	164	21·4	101	14·3	9	55
Kettering	13,483	12,392	124	115	3	3	245	18·2	153	12·3	9	37
Middleton Cheney	2,561	2,354	18	15	—	—	33	12·9	35	14·9	2	61
Northampton	5,923	5,444	51	48	4	2	105	17·7	64	11·8	6	57
Oundle (part of)*	6,818	6,266	59	56	2	3	120	17·6	94	15·0	7	58
Oxendon	4,319	3,970	38	27	—	1	66	15·3	56	14·1	2	30
Potterspury	4,982	4,579	46	42	1	1	90	18·1	72	15·7	3	33
Thrapston (part of) *	11,068	10,173	88	82	6	1	177	16·0	138	13·6	11	62
Towcester	10,119	9,300	77	92	7	3	179	17·7	174	18·7	13	73
Wellingborough	13,272	12,198	117	93	3	5	218	16·4	182	14·9	19	87
Northumberland.	388,731	357,283	4,409	3,919	254	234	8,816	22·7	4,915	13·8	862	98
Total Urban Districts	286,755	263,557	3,440	3,096	188	173	6,897	24·1	3,729	14·1	715	104
Total Rural Districts	101,976	93,726	969	823	66	61	1,919	18·8	1,186	12·7	147	77
Urban Districts.												
Alnwick	6,824	6,272	70	65	7	6	148	21·7	110	17·5	18	122
Amole	4,510	4,145	49	49	3	—	101	22·4	60	14·5	6	59
Ashington	27,216	25,014	366	323	13	18	720	26·5	392	15·7	107	149
Bedlingtonshire	25,560	23,492	320	290	27	15	652	25·5	328	14·0	66	101
Berwick upon Tweed, M.B.	12,324	11,327	118	98	9	11	236	19·1	196	17·3	31	131
Blyth	31,056	28,544	374	297	26	24	721	23·2	448	15·7	101	140
Cramlington	8,014	7,366	92	94	5	7	198	24·7	87	11·8	13	66
Earsdon	11,029	10,137	126	134	7	7	274	24·8	148	14·6	29	106
Gosforth	15,242	14,009	150	141	6	10	307	20·1	188	13·4	26	85
Hexham	8,781	8,071	92	65	12	7	176	20·0	103	12·8	15	85
Longbenton	13,473	12,383	161	163	7	8	339	25·2	185	14·9	37	109
Morpeth, M.B.	7,241	6,655	77	62	4	5	148	20·4	100	15·0	15	101
Newbiggin by the Sea	5,560	5,110	91	57	2	5	155	27·9	65	12·7	18	116
Newburn	19,400	17,831	212	230	18	12	472	24·3	218	12·2	39	83
Prudhoe	8,332	7,658	117	86	3	2	208	25·0	84	11·0	17	82
Rothbury	1,150	1,057	7	8	4	1	20	17·4	19	18·0	—	—
Seaton Delaval	7,043	6,473	83	69	5	5	162	23·0	96	14·8	16	99
Seghill	2,114	1,943	20	24	—	1	45	21·3	23	11·8	3	67
Wallsend, M.B.	46,465	42,706	662	594	22	19	1,297	27·9	602	14·1	127	98
Weetslade	6,682	6,141	108	99	—	8	215	32·2	88	14·3	18	84
Whitley and Monkseaton	18,739	17,223	145	148	8	2	303	16·2	189	11·0	13	43
Rural Districts.												
Alnwick	11,815	10,859	86	106	4	4	200	16·9	140	12·9	15	75
Belford	4,758	4,373	34	37	3	1	75	15·8	63	14·4	8	107
Bellingham	5,902	5,425	60	42	6	6	114	19·3	75	13·8	9	79
Castle Ward	11,661	10,718	108	100	7	6	221	19·0	133	12·4	14	63
Glendale	8,391	7,712	80	61	7	3	151	18·0	108	14·0	12	79
Haltwhistle	9,629	8,850	125	92	7	6	230	23·9	107	12·1	14	61
Hexham	22,451	20,634	193	162	15	16	386	17·2	282	13·7	26	67
Morpeth	16,950	15,579	182	152	12	7	353	20·8	167	10·7	34	96
Norham and Islandshires	5,763	5,297	62	42	2	5	111	19·3	67	12·6	10	90
Rothbury	4,656	4,279	39	29	3	7	78	16·8	44	10·3	5	64
Mcot Hall and precincts†	?	?	—	—	—	—	—	—	—	—	—	—
Nottinghamshire.	374,823	344,501	4,186	3,981	218	182	8,567	22·9	4,443	12·9	814	95
Total Urban Districts	241,724	222,169	2,850	2,691	159	118	5,818	24·1	2,800	12·6	599	103
Total Rural Districts	133,099	122,332	1,336	1,290	59	64	2,749	20·7	1,643	13·4	215	78
Urban Districts.												
Arnold	11,976	11,007	103	114	6	2	225	18·8	164	14·9	30	133
Beeston	12,545	11,530	139	114	7	6	266	21·2	137	11·9	26	98
Carlton	17,995	16,539	207	169	6	8	390	21·7	214	12·9	39	100
East Retford, M.B.	13,404	12,320	154	116	8	12	290	21·6	180	14·6	23	79
Eastwood	5,097	4,685	70	53	5	4	132	25·9	63	13·4	10	76
Hucknall	16,545	15,207	200	223	7	11	441	26·7	225	14·8	58	132
Huthwaite	5,753	5,288	80	67	5	3	155	26·9	56	10·6	14	90
Kirkby in Ashfield	17,575	16,153	212	192	10	8	422	24·0	145	9·0	31	73
Mansfield, M.B.	43,868	40,319	560	539	35	16	1,150	26·2	516	12·8	137	119
Mansfield Woodhouse	13,254	12,182	181	191	7	5	384	29·0	146	12·0	51	133
Newark, M.B.	16,671	15,322	183	158	18	15	374	22·4	233	15·2	28	75

* The remaining parts of Oundle and Thrapston Rural Districts are in Huntingdonshire; *see* page 90.

† Included with the Rural Districts for convenience. The population, which was 8 at the Census of 1911, is included in that of Newcastle-upon-Tyne County Borough.

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle, 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Nottinghamshire—*cont.*												
Sutton in Ashfield ...	24,868	22,856	301	286	24	10	621	25·0	291	12·7	74	119
Warsop	6,054	5,564	98	103	3	1	205	33·9	71	12·8	24	117
West Bridgford	14,124	12,981	107	98	2	4	211	14·9	114	8·8	14	66
Worksop	21,995	20,216	255	268	16	13	552	25·1	245	12·1	40	72
Rural Districts.												
Basford	44,225	40,648	493	467	12	18	990	22·4	541	13·3	94	95
Bingham	14,180	13,033	114	127	5	6	252	17·8	184	14·1	23	91
Blyth and Cuckney ...	4,856	4,463	54	39	3	3	99	20·4	58	13·0	7	71
East Retford	14,510	13,336	128	114	7	9	258	17·8	166	12·4	14	54
Leake	3,765	3,460	29	29	1	4	63	16·7	49	14·2	1	16
Misterton	4,211	3,870	39	49	—	2	90	21·4	50	12·9	3	33
Newark	8,455	7,771	97	82	5	3	187	22·1	98	12·6	10	53
Skegby	8,312	7,640	109	107	8	5	229	27·6	88	11·5	18	79
Southwell	19,752	18,155	168	164	13	9	354	17·9	265	14·6	22	62
Stapleford	10,418	9,575	102	110	5	5	222	21·3	139	14·5	22	99
Civil Parishes of Kingston upon Soar and Ratcliffe upon Soar administered by Rural District Council of Shardlow (Derbyshire).	415	381	3	2	—	—	5	12·0	5	13·1	1	200
Oxfordshire.	131,897	121,227	1,108	1,082	85	77	2,352	17·8	1,755	14·5	130	55
Total Urban Districts ...	34,712	31,904	281	296	32	23	632	18·2	520	16·3	34	54
Total Rural Districts ...	97,185	89,323	827	786	53	54	1,720	17·7	1,235	13·8	96	56
Urban Districts.												
Banbury, M.B.	12,940	11,894	113	123	4	10	250	19·3	197	16·6	13	52
Bicester	3,123	2,870	23	16	2	2	43	13·8	48	16·7	4	93
Chipping Norton, M.B. ...	3,525	3,240	29	19	8	3	59	16·7	50	15·4	3	51
Henley on Thames, M.B.	6,530	6,002	44	51	9	3	107	16·4	80	13·3	3	28
Thame	2,776	2,551	19	22	6	—	47	16·9	34	13·3	1	21
Wheatley	940	864	6	8	—	—	14	14·9	22	25·5	1	71
Witney	3,499	3,216	32	42	2	3	79	22·6	62	19·3	5	63
Woodstock, M.B. ...	1,379	1,267	15	15	1	2	33	23·9	27	21·3	4	121
Rural Districts.												
Banbury	11,250	10,340	94	68	10	6	178	15·8	148	14·3	10	56
Bicester	8,933	8,210	77	77	9	6	169	18·9	109	13·3	5	30
Chipping Norton	11,174	10,270	84	93	2	4	183	16·4	128	12·5	7	38
Crowmarsh	4,976	4,573	43	34	1	3	81	16·3	59	12·9	3	37
Culham	2,538	2,333	19	29	—	—	48	18·9	27	11·6	3	63
Goring	3,033	2,788	28	14	1	1	44	14·5	35	12·6	4	91
Headington	12,735	11,705	119	129	7	9	264	20·7	171	14·6	25	95
Henley	9,977	9,170	75	84	3	4	166	16·6	134	14·6	7	42
Thame	5,305	4,876	41	40	2	1	84	15·8	79	16·2	2	24
Witney	16,560	15,220	140	122	14	8	284	17·1	199	13·1	17	60
Woodstock	10,704	9,838	107	96	4	12	219	20·5	146	14·8	13	59
Peterborough, Soke of.	49,368	45,374	461	454	30	21	966	19·6	614	13·5	75	78
Urban District	37,618	34,575	344	350	22	13	729	19·4	462	13·4	53	73
Total Rural Districts ...	11,750	10,799	117	104	8	8	237	20·2	152	14·1	22	93
Urban District.												
Peterborough, M.B. ...	37,618	34,575	344	350	22	13	729	19·4	462	13·4	53	73
Rural Districts.												
Barnack	2,063	1,896	21	18	3	1	43	20·8	39	20·6	8	186
Peterborough	9,687	8,903	96	86	5	7	194	20·0	113	12·7	14	72
Rutlandshire.	18,968	17,433	141	153	9	8	311	16·4	236	13·5	24	77
Urban District	3,409	3,133	23	29	1	1	54	15·8	34	10·9	7	130
Total Rural Districts ...	15,559	14,300	118	124	8	7	257	16·5	202	14·1	17	66
Urban District.												
Oakham	3,409	3,133	23	29	1	1	54	15·8	34	10·9	7	130
Rural Districts.												
Ketton	2,821	2,593	24	26	2	1	53	18·8	26	10·0	5	94
Oakham	6,618	6,082	48	55	1	3	107	16·2	78	12·8	5	47
Uppingham	6,120	5,625	46	43	5	3	97	15·8	98	17·4	7	72
Shropshire.	246,439	226,503	2,201	2,194	148	139	4,682	19·0	3,231	14·3	299	64
Total Urban Districts ...	113,858	104,647	1,059	1,004	77	68	2,208	19·4	1,569	15·0	169	77
Total Rural Districts ...	132,581	121,856	1,142	1,190	71	71	2,474	18·7	1,662	13·6	130	53
Urban Districts.												
Bishop's Castle, M.B. ...	1,340	1,232	12	10	—	3	25	18·7	33	26·8	2	80
Bridgnorth, M.B. ...	5,499	5,054	30	42	2	—	74	13·5	81	16·0	7	95
Church Stretton	1,363	1,253	8	14	1	—	23	16·9	20	16·0	—	—
Dawley	7,697	7,074	76	91	5	5	177	23·0	96	13·6	8	45

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Shropshire—*cont.*												
Ellesmere	1,905	1,751	10	12	2	—	24	12·6	33	18·8	3	125
Ludlow, M.B.	5,734	5,270	52	41	3	2	98	17·1	80	15·2	8	82
Market Drayton ...	4,732	4,349	31	41	6	7	85	18·0	67	15·4	12	141
Newport	3,094	2,844	37	21	2	2	62	20·0	47	16·5	6	97
Oakengates	11,828	10,871	118	116	11	8	253	21·4	141	13·0	19	75
Oswestry, M.B.	10,512	9,662	108	90	8	5	211	20·1	171	17·7	19	90
Shrewsbury, M.B. ...	30,200	27,756	295	262	12	17	586	19·4	402	14·5	50	85
Wellington	7,647	7,028	85	66	3	6	160	20·9	96	13·7	9	56
Wem	2,211	2,032	17	24	2	—	43	19·4	25	12·3	—	—
Wenlock, M.B.	14,046	12,910	114	118	9	6	247	17·6	186	14·4	14	57
Whitchurch	6,050	5,561	66	56	11	7	140	23·1	91	16·4	12	86
Rural Districts.												
Atcham	21,031	19,330	176	198	7	13	394	18·7	284	14·7	17	43
Bridgnorth	9,132	8,393	82	81	3	6	172	18·8	110	13·1	7	41
Burford	1,228	1,129	8	13	1	—	22	17·9	23	20·4	3	136
Chirbury	3,186	2,928	27	32	1	2	62	19·5	49	16·7	4	65
Church Stretton	4,793	4,405	46	48	2	1	97	20·2	67	15·2	3	31
Cleobury Mortimer ...	7,345	6,751	70	103	1	2	176	24·0	87	12·9	9	51
Clun	6,604	6,070	54	56	9	6	125	18·9	94	15·5	6	48
Drayton	7,451	6,848	66	46	4	4	120	16·1	100	14·6	7	58
Ellesmere	8,370	7,693	63	76	7	3	149	17·8	93	12·1	10	67
Ludlow	9,669	8,887	68	84	3	5	160	16·5	96	10·8	10	63
Newport	5,785	5,317	49	46	4	1	100	17·3	71	13·4	9	90
Oswestry	15,622	14,358	166	127	8	8	309	19·8	208	14·5	20	65
Shifnal	8,448	7,765	70	65	3	6	144	17·0	107	13·8	6	42
Teme	1,642	1,509	12	12	3	1	28	17·1	22	14·6	1	36
Wellington	11,460	10,533	96	115	8	6	225	19·6	133	12·6	12	53
Wem	8,726	8,020	71	74	7	5	157	18·0	94	11·7	3	19
Whitchurch	2,089	1,920	18	14	—	2	34	16·3	24	12·5	3	88
Somersetshire.	387,061	355,749	3,319	3,049	146	158	6,672	17·2	5,009	14·1	400	60
Total Urban Districts ...	159,167	146,291	1,369	1,195	61	77	2,702	17·0	2,069	14·1	168	62
Total Rural Districts ...	227,894	209,458	1,950	1,854	85	81	3,970	17·4	2,940	14·0	232	58
Urban Districts.												
Bridgwater, M.B.... ...	15,932	14,643	134	122	6	9	271	17·0	207	14·1	15	55
Burnham	4,491	4,128	23	21	1	4	49	10·9	65	15·7	1	20
Chard, M.B.	4,354	4,002	32	37	—	1	70	16·1	58	14·5	3	43
Clevedon	5,899	5,422	38	44	1	1	84	14·2	80	14·8	6	71
Crewkerne	4,040	3,713	45	27	1	2	75	18·6	43	11·6	1	13
Frome	10,797	9,924	90	79	4	2	175	16·2	154	15·5	15	86
Glastonbury, M.B. ...	4,101	3,769	48	38	2	1	89	21·7	54	14·3	6	67
Highbridge	2,354	2,164	19	18	—	2	39	16·6	24	11·1	2	51
Ilminster	2,527	2,323	15	20	1	1	37	14·6	34	14·6	2	54
Midsomer Norton ...	8,080	7,426	111	63	3	1	178	22·0	80	10·8	9	51
Minehead	4,733*	4,350*	38	36	2	1	77	16·3	47	10·8	4	52
Portishead	3,749	3,446	35	19	1	2	57	15·2	44	12·8	5	88
Radstock	3,797	3,490	48	43	1	—	92	24·2	51	14·6	7	76
Shepton Mallet	4,324	3,974	28	22	—	4	54	12·5	48	12·1	1	19
Street	4,220	3,879	45	48	1	1	95	22·5	43	11·1	4	42
Taunton, M.B.	22,398	20,585	161	159	12	17	349	15·6	332	16·1	21	60
Watchet	1,750	1,608	15	11	—	—	26	14·9	19	11·8	1	38
Wellington	7,666	7,046	43	66	4	4	117	15·3	92	13·1	8	68
Wells, M.B.	4,478	4,116	49	29	1	3	82	18·3	65	15·8	4	49
Weston super Mare ...	23,627	21,715	177	147	16	16	356	15·1	355	16·3	33	93
Wiveliscombe	1,359	1,249	10	8	—	1	19	14·0	10	8·0	1	53
Yeovil, M.B.	14,491	13,319	165	138	4	4	311	21·5	164	12·3	19	61
Rural Districts.												
Axbridge	22,682	20,847	180	200	4	12	396	17·5	291	14·0	16	40
Bath	14,801	13,604	150	127	4	1	282	19·1	166	12·2	9	32
Bridgwater	17,995	16,539	140	126	10	5	281	15·6	250	15·1	11	39
Chard	13,335	12,256	110	97	9	3	219	16·4	161	13·1	19	87
Clutton	16,130	14,825	150	157	8	4	319	19·8	190	12·8	17	53
Dulverton...	4,622	4,248	39	31	1	3	74	16·0	59	13·9	9	122
Frome	11,499	10,569	102	119	4	5	230	20·0	173	16·4	11	48
Keynsham	10,467	9,620	83	100	7	5	195	18·6	101	10·5	20	103
Langport	12,803	11,767	113	93	6	8	220	17·2	183	15·6	12	55
Long Ashton	16,925	15,556	150	140	3	3	296	17·5	199	12·8	24	81
Shepton Mallet	10,321	9,486	94	94	2	7	197	19·1	118	12·4	13	66
Taunton	16,789	15,431	124	121	8	5	258	15·4	194	12·6	14	54
Wellington	6,066	5,575	49	46	—	2	97	16·0	75	13·5	1	10
Wells	9,237	8,490	96	77	2	6	181	19·6	156	18·4	15	83
Williton	11,810	10,855	87	89	6	—	182	15·4	169	15·6	9	49
Wincanton	15,769	14,493	138	122	7	3	270	17·1	225	15·5	14	52
Yeovil	16,643	15,297	145	115	4	9	273	16·4	230	15·0	18	66

* Population adjusted to allow for changes in boundary during the year.

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Southampton.	417,939	384,129	4,121	3,943	263	235	8,562	20·5	4,920	12·8	528	62
Total Urban Districts ...	194,034	178,337	2,150	2,025	134	107	4,416	22·8	2,336	13·1	293	66
Total Rural Districts ...	223,905	205,792	1,971	1,918	129	128	4,146	18·5	2,584	12·6	235	57
Urban Districts.												
Aldershot	22,928	21,073	306	279	18	18	621	27·1	272	12·9	43	69
Alton	5,454	5,013	59	49	4	3	115	21·1	104	20·7	10	87
Andover, M.B.	8,808	8,095	99	101	5	7	212	24·1	105	13·0	16	75
Basingstoke, M.B. ...	13,030	11,976	149	134	8	4	295	22·6	162	13·5	29	98
Christchurch, M.B. ...	5,851	5,378	64	49	4	6	123	21·0	99	18·4	13	106
Eastleigh and Bishopstoke	15,687	14,418	160	149	7	2	318	20·3	155	10·8	20	63
Fareham	8,057	7,405	80	78	5	2	165	20·5	117	15·8	8	48
Farnborough	11,211	10,304	146	123	6	2	277	24·7	90	8·7	10	36
Fleet	3,712	3,412	30	35	3	3	71	19·1	45	13·2	4	56
Gosport and Alverstoke...	29,392	27,014	349	351	23	19	742	25·2	373	13·8	52	70
Havant	4,363	4,010	39	36	3	3	81	18·6	64	16·0	8	99
Itchen	24,082	22,134	337	295	16	7	655	27·2	232	10·5	36	55
Lymington, M.B. ...	4,363	4,010	37	31	1	2	71	16·3	61	15·2	3	42
Petersfield	3,930	3,612	25	30	3	8	66	16·8	45	12·5	7	106
Romsey, M.B.	4,931	4,532	41	62	4	5	112	22·7	61	13·5	5	45
Warblington	4,017	3,692	29	30	2	—	61	15·2	51	13·8	1	16
Winchester, M.B. ...	24,218	22,259	200	193	22	16	431	17·8	300	13·5	28	65
Rural Districts.												
Alresford	7,416	6,816	60	58	6	1	125	16·9	92	13·5	7	56
Alton	13,734	12,623	134	127	9	14	284	20·7	164	13·0	13	46
Andover	10,591	9,734	107	96	10	9	222	21·0	136	14·0	11	50
Basingstoke	12,765	11,732	108	100	7	9	224	17·5	162	13·8	9	40
Catherington	3,689	3,391	21	23	1	1	46	12·5	54	15·9	2	43
Christchurch	4,916	4,518	57	41	—	1	99	20·1	49	10·8	7	71
Droxford	12,945	11,898	104	116	5	6	231	17·8	165	13·9	12	52
Fareham	14,472	13,301	119	159	4	5	287	19·8	182	13·7	19	66
Fordingbridge	6,428	5,908	51	51	5	2	109	17·0	75	12·7	8	73
Hartley Wintney ...	19,060	17,518	186	171	13	12	382	20·0	204	11·6	25	65
Havant	5,894	5,417	47	28	4	6	85	14·4	75	13·8	2	24
Hursley	4,455	4,095	41	38	—	2	81	18·2	44	10·7	1	12
Kingsclere	8,875	8,157	61	67	4	5	137	15·4	106	13·0	12	88
Lymington	11,959	10,992	102	88	8	7	205	17·1	120	10·9	13	63
New Forest	18,024	16,566	147	151	8	11	317	17·6	221	13·3	19	60
Petersfield	11,611	10,672	84	101	10	8	203	17·5	101	9·5	8	39
Ringwood	7,075	6,503	51	57	7	4	119	16·8	70	10·8	5	42
Romsey	7,467	6,863	71	71	4	6	152	20·4	68	9·9	6	39
South Stoneham	19,428	17,856	181	175	12	5	373	19·2	219	12·3	26	70
Stockbridge	6,481	5,957	69	56	3	6	134	20·7	82	13·8	6	45
Whitchurch	6,376	5,860	58	52	4	—	114	17·9	72	12·3	7	61
Winchester	10,244	9,415	112	92	5	8	217	21·2	123	13·1	17	78
Staffordshire.	707,248	650,034	8,248	7,741	318	304	16,611	23·5	9,284	14·3	1,543	93
Total Urban Districts ...	492,616	452,765	6,020	5,603	210	213	12,046	24·5	6,572	14·5	1,166	97
Total Rural Districts ...	214,632	197,269	2,228	2,138	108	91	4,565	21·3	2,712	13·7	377	83
Urban Districts.												
Amblecote	3,316	3,048	42	32	—	3	77	23·2	40	13·1	4	52
Audley	15,653	14,387	190	179	5	7	381	24·3	177	12·3	31	81
Biddulph	8,259	7,591	92	91	7	6	196	23·7	99	13·0	21	107
Bilston	26,896	24,720	391	327	13	13	744	27·7	449	18·2	99	133
Brierley Hill	13,089	12,030	139	132	6	3	280	21·4	182	15·1	28	100
Brownhills	18,606	17,101	261	247	8	4	520	27·9	187	10·9	39	75
Cannock	32,374	29,755	475	387	20	14	896	27·7	403	13·5	82	92
Coseley	24,353	22,383	330	279	11	10	630	25·9	350	15·6	73	116
Darlaston	18,535	17,036	282	214	7	3	506	27·3	262	15·4	61	121
Heathtown or Wednesfield Heath.	12,967	11,918	161	147	3	3	314	24·2	156	13·1	25	80
Kidsgrove...	9,458	8,693	115	109	2	5	231	24·4	113	13·0	23	100
Leek	18,753	17,236	153	129	10	10	302	16·1	264	15·3	28	93
Lichfield, M.B.	8,443	7,760	95	97	12	3	207	24·5	127	16·4	23	111
Newcastle under Lyme, M.B.	20,595	18,929	200	196	7	13	416	20·2	320	16·9	52	125
Perry Barr	2,640	2,426	24	26	1	1	52	19·7	32	13·2	6	115
Quarry Bank	8,089	7,435	107	99	4	3	213	26·3	97	13·0	20	94
Rowley Regis	40,689	37,398	470	488	11	15	984	24·2	512	13·7	103	105
Rugeley	4,730	4,347	50	48	6	1	105	22·2	59	13·6	8	76
Sedgley	17,643	16,216	221	199	2	9	431	24·4	175	10·8	27	63
Short Heath	4,388	4,033	62	58	1	1	122	27·8	62	15·4	9	74
Smallthorne	14,470	13,299	187	176	4	11	378	26·1	195	14·7	35	93
Stafford, M.B.	23,274	21,391	246	237	8	12	503	21·6	320	15·0	35	70
Stone	5,512	5,066	52	48	2	7	109	19·8	84	16·6	12	110

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Staffordshire—*cont.*												
Tamworth, M.B.... ...	7,674	7,053	78	85	5	4	172	22·4	113	16·0	12	70
Tettenhall	5,740	5,276	48	51	1	3	103	17·9	62	11·8	5	49
Tipton	34,101	31,342	494	472	19	16	1,001	29·4	492	15·7	113	113
Uttoxeter	5,516	5,070	51	52	1	2	106	19·2	77	15·2	11	104
Wednesbury, M.B. ...	30,221	27,776	381	385	11	10	787	26·0	480	17·3	79	100
Wednesfield	7,341	6,747	76	92	2	1	171	23·3	73	10·8	10	58
Willenhall	20,160	18,529	242	229	6	6	483	24·0	238	12·8	38	79
Wolstanton United ...	29,131	26,774	305	292	15	14	626	21·5	372	13·9	54	86
Rural Districts.												
Blore Heath	2,368	2,176	18	13	3	2	36	15·2	30	13·8	6	167
Cannock	21,165	19,453	206	220	10	11	447	21·1	270	13·9	33	74
Cheadle	27,476	25,253	297	272	9	9	587	21·4	310	12·3	43	73
Dudley*	—	—	—	—	—	—	—	—	—	—	—	—
Gnosall	4,772	4,386	41	42	4	4	91	19·1	72	16·4	6	66
Kingswinford	21,554	19,810	278	253	11	12	554	25·7	296	14·9	63	114
Leek	16,575	15,234	192	171	9	8	380	22·9	228	15·0	37	97
Lichfield	25,882	23,788	260	314	8	9	591	22·8	321	13·5	41	69
Mayfield	4,095	3,764	45	43	2	—	90	22·0	49	13·0	5	56
Newcastle under Lyme ...	6,539	6,010	52	61	9	1	123	18·8	72	12·0	11	89
Seisdon	16,248	14,934	133	144	10	5	292	18·0	219	14·7	15	51
Stafford	12,654	11,630	120	105	6	3	234	18·5	165	14·2	20	85
Stoke upon Trent ...	4,886	4,491	52	59	4	4	119	24·4	57	12·7	9	76
Stone	14,441	13,273	144	101	10	3	258	17·9	157	11·8	17	66
Tamworth (part of)† ...	5,401	4,964	57	57	—	6	120	22·2	68	13·7	13	108
Tutbury	8,916	8,195	82	61	3	2	148	16·6	122	14·9	10	68
Uttoxeter	7,663	7,043	73	63	2	4	142	18·5	112	15·9	9	63
Walsall	13,170	12,105	171	155	8	8	342	26·0	158	13·1	39	114
Civil Parishes of Blymhill and Weston under Lizard administered by Rural District Council of Shifnal (Shropshire).	827	760	7	4	—	—	11	13·3	6	7·9	—	—
Suffolk, East.	198,642	182,573	1,861	1,781	150	144	3,936	19·8	2,604	14·3	312	79
Total Urban Districts ...	80,477	73,967	769	738	55	59	1,621	20·1	1,040	14·1	148	91
Total Rural Districts ...	118,165	108,606	1,092	1,043	95	85	2,315	19·6	1,564	14·4	164	71
Urban Districts.												
Aldeburgh, M.B.... ...	2,333	2,144	14	18	1	1	34	14·6	33	15·4	—	—
Beccles, M.B.	7,210	6,627	68	71	7	9	155	21·5	103	15·5	19	123
Bungay	3,067	2,819	33	37	1	3	74	24·1	62	22·0	5	68
Eye, M.B....	1,908	1,754	11	13	1	1	26	13·6	29	16·5	3	115
Felixstowe	8,355	7,679	109	91	10	9	219	26·2	89	11·6	11	50
Halesworth	2,253	2,071	23	15	3	1	42	18·6	24	11·6	3	71
Leiston cum Sizewell ...	4,459	4,098	52	48	1	4	105	23·5	46	11·2	10	95
Lowestoft, M.B.	33,349	30,652	290	294	16	25	625	18·7	410	13·4	65	104
Oulton Broad	4,322	3,972	52	47	3	1	103	23·8	67	16·9	15	146
Saxmundham	1,479	1,359	18	10	1	1	30	20·3	20	14·7	2	67
Southwold, M.B.... ...	2,458	2,259	18	13	4	2	37	15·1	42	18·6	2	54
Stowmarket	4,702	4,322	38	47	4	1	90	19·1	52	12·0	8	89
Woodbridge	4,582	4,211	43	34	3	1	81	17·7	63	15·0	5	62
Rural Districts.												
Blything	17,646	16,218	165	163	14	16	358	20·3	260	16·0	33	92
Bosmere and Claydon ...	13,269	12,196	129	124	15	14	282	21·3	168	13·8	18	64
East Stow	6,699	6,157	57	68	4	3	132	19·7	76	12·3	9	68
Hartismere	11,363	10,444	105	87	15	10	217	19·1	154	14·7	18	83
Hoxne	10,214	9,388	97	102	7	6	212	20·8	146	15·6	9	42
Mutford and Lothingland	11,232	10,323	122	102	8	2	234	20·8	133	12·9	18	77
Plomesgate	15,393	14,148	146	128	14	12	300	19·5	227	16·0	24	80
Samford	12,616	11,595	89	96	5	5	195	15·5	156	13·5	15	77
Wangford...	4,809	4,420	50	39	4	5	98	20·4	52	11·8	4	41
Woodbridge	14,924	13,717	132	134	9	12	287	19·2	192	14·0	16	56
Suffolk, West.	112,098	103,030	997	905	86	60	2,048	18·3	1,611	15·6	145	71
Total Urban Districts ...	41,651	38,282	344	345	38	32	759	18·2	616	16·1	76	100
Total Rural Districts ...	70,447	64,748	653	560	48	28	1,289	18·3	995	15·4	69	54
Urban Districts.												
Bury St. Edmunds, M.B.	16,203	14,893	135	153	16	16	320	19·7	252	16·9	33	103
Glemsford	1,446	1,329	12	11	3	—	26	18·0	27	20·3	2	77
Hadleigh	3,115	2,863	24	27	4	4	59	18·9	43	15·0	4	68
Haverhill	4,633	4,258	27	24	3	2	56	12·1	56	13·2	10	179
Newmarket	9,464	8,698	88	89	6	3	186	19·7	133	15·3	17	91
Sudbury, M.B.	6,790	6,241	58	41	6	7	112	16·5	105	16·8	10	89

* The population, which was 12 at the Census of 1911, is included in that of Dudley County Borough.
† The remainder of Tamworth Rural District is in Warwickshire ; *see* page 103.

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Suffolk, West—*cont.*												
Rural Districts.												
Brandon	5,807	5,337	58	55	5	2	120	20·7	80	15·0	4	33
Clare	7,916	7,276	71	50	3	4	128	16·2	117	16·1	11	86
Cosford	11,036	10,143	101	92	8	5	206	18·7	132	13·0	4	19
Melford	12,406	11,402	111	93	8	3	215	17·3	203	17·8	12	56
Mildenhall	8,119	7,462	74	73	5	4	156	19·2	116	15·5	11	71
Moulton	2,240	2,059	22	12	1	—	35	15·6	28	13·6	1	29
Thedwastre	8,720	8,015	88	74	11	5	178	20·4	113	14·1	7	39
Thingoe	14,203	13,054	128	111	7	5	251	17·7	206	15·8	19	76
Surrey.	704,032	647,078	6,100	5,777	374	363	12,614	17·9	7,291	11·3	769	61
Total Urban Districts ...	548,323	503,965	4,828	4,516	291	292	9,927	18·1	5,832	11·6	637	64
Total Rural Districts ...	155,709	143,113	1,272	1,261	83	71	2,687	17·3	1,459	10·2	132	49
Urban Districts.												
Barnes	34,773	31,960	282	279	12	17	590	17·0	337	10·5	38	64
Beddington & Wallington	16 977	15,604	119	115	9	8	251	14·8	165	10·6	20	80
Carshalton	13,363	12,282	133	121	7	15	276	20·7	118	9·6	19	69
Caterham	7.830	7,197	75	94	3	10	182	23·2	103	14·3	11	60
Chertsey	14,170	13,024	114	113	4	3	234	16·5	148	11·4	16	68
Coulsdon and Purley ...	19,035	17,495	151	150	9	6	316	16·6	149	8·5	18	57
Dorking	7,471	6,867	67	50	3	3	123	16·5	106	15·4	8	65
East and West Molesey...	6,983	6,418	62	50	7	2	121	17·3	69	10·8	7	58
Egham	12,450	11,443	92	93	10	3	198	15·9	153	13·4	11	56
Epsom	12,647	11,624	114	120	11	13	258	20·4	140	12·0	17	66
Esher and the Dittons ...	13,459	12,370	111	87	3	7	208	15·5	147	11·9	12	58
Farnham	12,289	11,295	156	129	12	20	317	25·8	164	14·5	17	54
Frimley	10,666	9,803	112	86	4	3	205	19·2	101	10·3	11	54
Godalming, M.B. ...	9,020	8,290	91	65	9	7	172	19·1	122	14·7	14	81
Guildford, M.B.	24,864	22,853	233	246	18	16	513	20·6	297	13·0	29	57
Ham	1,257	1,155	18	13	—	2	33	26·3	21	18·2	4	121
Haslemere	4,173	3,835	26	34	2	—	62	14·9	43	11·2	3	48
Kingston on Thames, M.B.	38,769	35,632	392	333	27	20	772	19·9	486	13·6	53	69
Leatherhead	5,505	5,060	56	45	4	—	105	19·1	48	9·5	5	48
Merton and Morden ...	17,225	15,832	169	168	8	7	352	20·4	147	9·3	18	51
Mitcham	35,952	33,044	409	396	8	15	828	23·0	335	10·1	59	71
Reigate, M.B.	28,464	26,161	219	211	11	25	466	16·4	309	11·8	26	56
Richmond, M.B.	36,121	33,199	270	239	17	19	545	15·1	435	13·1	43	79
Surbiton	18,691	17,179	163	151	9	3	326	17·4	205	11·9	17	52
Sutton	21,474	19,737	175	155	10	18	358	16·7	226	11·5	20	56
The Maldens and Coombe	14,899	13,694	136	125	5	1	267	17·9	135	9·9	8	30
Walton upon Thames ...	13,803	12,686	79	98	9	4	190	13·8	125	9·9	10	53
Weybridge	6,734	6,189	45	47	5	1	98	14·6	56	9·0	5	51
Wimbledon, M.B. ...	60,333	55,451	496	460	29	26	1,011	16·8	619	11·2	71	70
Windlesham	4,474	4,112	33	39	1	3	76	17·0	41	10·0	3	39
Woking	24,452	22,474	230	204	25	15	474	19·4	282	12·5	44	93
Rural Districts.												
Chertsey	10,322	9,487	75	86	3	6	170	16·5	98	10·3	7	41
Dorking	10,568	9,713	68	83	8	3	162	15·3	98	10·1	6	37
Epsom	30,059	27,628	243	259	24	12	538	17·9	252	9·1	25	46
Farnham	17,703	16,271	183	156	8	14	361	20·4	169	10·4	17	47
Godstone	23,733	21,813	181	194	9	15	399	16·8	241	11·0	31	78
Guildford...	19,057	17,515	164	146	4	8	322	16·9	180	10·3	10	31
Hambledon	23,240	21,360	196	186	16	10	408	17·6	211	9·9	18	44
Reigate	21,027	19,326	162	151	11	3	327	15·6	210	10·9	18	55
Sussex, East	237,419	218,212	1,838	1,679	158	166	3,841	16·2	3,009	13·8	269	70
Total Urban Districts ...	115,591	106,240	912	840	96	105	1,953	16·9	1,565	14·7	154	79
Total Rural Districts ...	121,828	111,972	926	839	62	61	1,888	15·5	1,444	12·9	115	61
Urban Districts.												
Battle	2,845	2,615	19	15	1	2	37	13·0	40	15·3	4	108
Bexhill, M.B.	15,202	13,972	121	104	13	15	253	16·6	183	13·1	22	87
Burgess Hill	5,142	4,726	32	41	2	5	80	15·6	67	14·2	1	13
Cuckfield	1,880	1,728	15	13	1	—	29	15·4	19	11·0	1	34
East Grinstead	7,184	6,603	56	49	8	11	124	17·3	68	10·3	5	40
Hayward's Heath ...	4,794	4,406	29	31	3	1	64	13·4	59	13·4	8	125
Hove, M.B	41,555	38,194	306	251	28	34	619	14·9	634	16·6	49	79
Lewes, M.B.	10,811	9,936	102	89	10	4	205	19·0	159	16·0	16	78
Newhaven...	7,011	6,444	77	68	12	2	159	22·7	80	12·4	9	57
Portslade by Sea... ...	7,106	6,531	54	79	5	12	150	21·1	77	11·8	16	107
Rye, M.B.	3,981	3,659	25	41	6	9	81	20·3	71	19·4	7	86
Seaford	4,854	4,461	44	42	4	4	94	19·4	67	15·0	15	160
Uckfield	3,226	2,965	32	17	3	6	58	18·0	41	13·8	1	17

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle, 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Birth-rates. (Civil.)	M.	F.	M.	F.						
Sussex, East—*cont.*												
Rural Districts.												
Battle	6,105	5,611	52	37	2	3	94	15·4	84	15·0	5	53
Chailey	11,100	10,202	78	77	5	6	166	15·0	131	12·8	5	30
Cuckfield	16,475	15,143	110	102	4	12	228	13·8	164	10·8	8	35
Eastbourne	5,391	4,955	43	43	3	6	95	17·6	72	14·5	8	84
East Grinstead	13,137	12,074	92	95	7	7	201	15·3	157	13·0	13	65
Hailsham	16,488	15,154	154	125	14	7	300	18·2	224	14·8	29	97
Hastings	1,546	1,421	12	17	—	—	29	18·8	24	16·9	—	—
Newhaven...	4,620	4,246	28	37	1	4	70	15·2	47	11·1	2	29
Rye	6,883	6,326	41	38	6	4	89	12·9	79	12·5	7	79
Steyning East	2,716	2,496	11	10	—	—	21	7·7	27	10·8	4	190
Ticehurst	13,339	12,260	113	90	6	3	212	15·9	151	12·3	9	42
Uckfield	24,028	22,084	192	168	14	9	383	15·9	284	12·9	25	65
Sussex, West.	172,675	158,706	1,415	1,348	96	103	2,962	17·2	2,211	13·9	186	63
Total Urban Districts ...	82,583	75,902	701	645	46	64	1,456	17·6	1,145	15·1	98	67
Total Rural Districts ...	90,092	82,804	714	703	50	39	1,506	16·7	1,066	12·9	88	58
Urban Districts.												
Arundel, M.B.	2,646	2,432	19	16	2	1	38	14·4	36	14·8	2	53
Bognor	8,248	7,581	54	58	3	6	121	14·7	92	12·1	3	25
Chichester, M.B.	10,839	9,962	108	97	5	15	225	20·8	172	17·3	16	71
Horsham	11,139	10,237	95	101	14	8	218	19·6	183	17·9	17	78
Littlehampton	8,653	7,953	83	71	5	3	162	18·7	101	12·7	8	49
Shoreham by Sea ...	6,048	5,559	71	46	3	2	122	20·2	75	13·5	13	107
Southwick	4,800	4,412	58	38	2	4	102	21·3	68	15·4	8	78
Worthing, M.B.	30,210	27,766	213	218	12	25	468	15·5	418	15·1	31	66
Rural Districts.												
East Preston	6,893	6,335	51	41	4	4	100	14·5	80	12·6	13	130
Horsham	20,525	18,865	136	160	15	8	319	15·5	227	12·0	19	60
Midhurst	14,413	13,247	118	114	4	9	245	17·0	197	14·9	24	98
Petworth	8,510	7,822	67	65	6	5	143	16·8	88	11·3	4	28
Steyning West	8,612	7,915	74	62	4	4	144	16·7	112	14·2	5	35
Thakeham	8,084	7,430	66	59	5	2	132	16·3	72	9·7	4	30
Westbourne	8,595	7,900	71	81	4	3	159	18·5	104	13·2	12	75
Westhampnett	14,460	13,290	131	121	8	4	264	18·3	186	14·0	7	27
Warwickshire.	326,071	299,693	3,214	3,358	164	115	6,851	21·0	3,983	13·3	549	80
Total Urban Districts ...	145,283	133,530	1,351	1,410	82	54	2,897	19·9	1,750	13·1	208	72
Total Rural Districts ...	180,788	166,163	1,863	1,948	82	61	3,954	21·9	2,233	13·4	341	86
Urban Districts.												
Bulkington	2,188	2,011	29	28	4	—	61	27·9	32	15·9	7	115
Kenilworth	6,227	5,723	76	56	4	—	136	21·8	68	11·9	6	44
Nuneaton, M.B.	40,908	37,599	461	520	15	12	1,008	24·6	436	11·6	79	78
Royal Leamington Spa M.B.	27,888	25,632	179	231	23	9	442	15·8	426	16·6	32	72
Rugby	24,480	22,500	213	216	10	5	444	18·1	260	11·6	34	77
Stratford on Avon, M.B.	8,598	7,902	87	71	4	3	165	19·2	110	13·9	6	36
Sutton Coldfield, M.B. ...	23,141	21,269	192	165	8	11	376	16·2	229	10·8	22	59
Warwick, M.B.	11,853	10,894	114	123	14	14	265	22·4	189	17·3	22	83
Rural Districts.												
Alcester	12,119	11,139	102	80	10	5	197	16·3	169	15·2	12	61
Atherstone	20,734	19,057	277	308	8	5	598	28·8	219	11·5	51	85
Brailes	5,849	5,376	35	44	1	3	83	14·2	77	14·3	6	72
Coventry	2,393	2,199	24	32	2	—	58	24·2	23	10·5	7	121
Farnborough	1,412	1,298	7	10	—	—	17	12·0	19	14·6	—	—
Foleshill	29,394	27,015	409	422	9	9	849	28·9	369	13·7	97	114
Meriden	16,243	14,929	120	152	7	1	280	17·2	194	13·0	21	75
Monks Kirby	1,566	1,439	11	14	—	3	28	17·9	23	16·0	3	107
Nuneaton	3,000	2,757	34	38	6	2	80	26·7	38	13·8	5	63
Rugby	19,409	17,839	179	194	11	4	388	20·0	250	14·0	38	98
Solihull	20,459	18,804	144	176	4	9	333	16·3	228	12·1	15	45
Southam	9,820	9,026	93	91	4	4	192	19·6	162	17·9	19	99
Stratford on Avon ...	10,683	9,819	96	101	8	4	209	19·6	148	15·1	19	91
Tamworth (part of)* ...	16,915	15,547	240	210	5	9	464	27·4	164	10·5	36	78
Warwick	10,792	9,919	92	76	7	3	178	16·5	150	15·1	12	67
Westmorland.	63,324	58,201	456	443	31	35	965	15·2	835	14·3	65	67
Total Urban Districts ...	26,696	24,536	145	182	13	15	355	13·3	369	15·0	27	76
Total Rural Districts ...	36,628	33,665	311	261	18	20	610	16·7	466	13·8	38	62
Urban Districts.												
Ambleside...	2,304	2,118	13	12	1	—	26	11·3	26	12·3	1	38
Appleby, M.B.	1,801	1,655	8	6	1	—	15	8·3	24	14·5	1	67
Grasmere	802	737	1	10	—	2	13	16·2	12	16·3	—	—

* The remainder of Tamworth Rural District is in Staffordshire; *see* page 101.

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Westmorland—*cont.*												
Kendal, M.B.	13,842	12,722	92	102	7	6	207	15·0	206	16·2	21	101
Kirkby Lonsdale ...	1,454	1,336	8	11	1	1	21	14·4	18	13·5	1	48
Shap	930	855	5	10	2	3	20	21·5	18	21·1	1	50
Windermere	5,563	5,113	18	31	1	3	53	9·5	65	12·7	2	38
Rural Districts.												
East Westmorland ...	11,434	10,509	111	94	8	8	221	19·3	162	15·4	16	72
South Westmorland ...	18,697	17,185	152	122	6	8	288	15·4	222	12·9	13	45
West Ward	6,497	5,971	48	45	4	4	101	15·5	82	13·7	9	89
Wight, Isle of.	83,696	76,925	723	712	46	59	1,540	18·4	1,131	14·7	91	59
Total Urban Districts ...	55,911	51,388	483	498	29	36	1,046	18·7	752	14·6	60	57
Rural District	27,785	25,537	240	214	17	23	494	17·8	379	14·8	31	63
Urban Districts.												
Cowes	11,001	10,111	119	117	6	5	247	22·5	121	12·0	12	49
East Cowes	5,454	5,013	53	61	—	5	119	21·8	67	13·4	12	101
Newport, M.B.	11,585	10,648	120	120	7	6	253	21·8	143	13·4	11	43
Ryde, M.B.	9,643	8,863	75	62	5	8	150	15·6	173	19·5	9	60
St. Helens	4,822	4,432	40	40	1	1	82	17·0	58	13·1	3	37
Sandown	4,872	4,478	42	41	4	5	92	18·9	62	13·8	7	76
Shanklin	4,247	3,903	13	30	3	2	48	11·3	67	17·2	1	21
Ventnor	4,287	3,940	21	27	3	4	55	12·8	61	15·5	5	91
Rural District.												
Isle of Wight	27,785	25,537	240	214	17	23	494	17·8	379	14·8	31	63
Wiltshire.	292,465	268,806	2,674	2,583	153	167	5,577	19·1	3,538	13·2	349	63
Total Urban Districts ...	133,321	122,536	1,252	1,222	70	74	2,618	19·6	1,585	12·9	177	68
Total Rural Districts ...	159,144	146,270	1,422	1,361	83	93	2,959	18·6	1,953	13·4	172	58
Urban Districts.												
Bradford on Avon ...	4,659	4,282	35	50	4	2	91	19·5	64	14·9	4	44
Calne, M.B.	3,649	3,354	31	28	—	4	63	17·3	35	10·4	5	79
Chippenham, M.B. ...	7,829	7,196	80	80	2	4	166	21·2	87	12·1	7	42
Devizes, M.B.	6,507	5,981	60	50	5	2	117	18·0	86	14·4	4	34
Malmesbury, M.B. ...	2,541	2,335	14	24	—	2	40	15·7	43	18·4	4	100
Marlborough, M.B. ...	3,914	3,597	26	38	5	1	70	17·9	43	12·0	5	71
Melksham...	3,621	3,328	35	40	1	3	79	21·8	32	9·6	6	76
Salisbury, M.B.	22,075	20,289	223	227	16	19	485	22·0	285	14·0	33	68
Swindon, M.B.	54,659	50,237	509	482	21	23	1,035	18·9	570	11·3	75	72
Trowbridge	12,165	11,181	108	88	7	9	212	17·4	172	15·4	15	71
Warminster	5,835	5,363	68	57	5	4	134	23·0	92	17·2	12	90
Westbury...	3,627	3,334	38	42	4	—	84	23·2	48	14·4	5	60
Wilton, M.B.	2,240	2,059	25	16	—	1	42	18·8	28	13·6	2	48
Rural Districts.												
Amesbury	12,650	11,627	99	108	11	7	225	17·8	128	11·0	15	67
Bradford on Avon ...	5,289	4,861	61	41	2	1	105	19·9	62	12·8	3	29
Calne	4,527	4,161	43	32	2	2	79	17·5	47	11·3	4	51
Chippenham	15,162	13,935	129	136	4	12	281	18·5	184	13·2	16	57
Cricklade and Wootton Bassett	10,977	10,089	105	111	6	4	226	20·6	141	14·0	14	62
Devizes	11,249	10,339	96	100	11	7	214	19·0	170	16·4	13	61
Highworth	15,289	14,052	164	125	6	3	298	19·5	186	13·2	10	34
Malmesbury	9,164	8,423	70	80	3	7	160	17·5	96	11·4	7	44
Marlborough	4,337	3,986	43	45	1	3	92	21·2	44	11·0	6	65
Melksham...	4,876	4,482	41	36	1	6	84	17·2	73	16·3	8	95
Mere	4,927	4,528	38	38	5	6	87	17·7	64	14·1	3	34
Pewsey	12,682	11,656	129	120	8	4	261	20·6	165	14·2	20	77
Ramsbury	6,915	6,356	58	48	3	4	113	16·3	84	13·2	8	71
Salisbury	10,287	9,455	71	96	—	3	170	16·5	125	13·2	7	41
Tetbury (part of)* ...	341	313	1	2	1	—	4	11·7	2	6·4	—	—
Tisbury	7,724	7,099	73	62	8	2	145	18·8	96	13·5	6	41
Warminster	6,596	6,062	68	60	6	9	143	21·7	108	17·8	12	84
Westbury and Whorwellsdown.	6,730	6,186	44	46	2	6	98	14·6	63	10·2	7	71
Wilton	9,422	8,660	89	75	3	7	174	18·5	115	13·3	13	75
Worcestershire.	295,334	271,442	2,839	2,712	105	137	5,793	19·6	3,747	13·8	463	80
Total Urban Districts ...	162,402	149,264	1,663	1,581	62	85	3,391	20·9	2,098	14·1	297	88
Total Rural Districts ...	132,932	122,178	1,176	1,131	43	52	2,402	18·1	1,649	13·5	166	69
Urban Districts.												
Bewdley, M.B.	2,687	2,470	39	25	2	1	67	24·9	43	17·4	8	119
Bromsgrove	9,015	8,286	103	91	3	13	210	23·3	156	18·8	25	119
Droitwich, M.B.	3,723	3,422	27	30	2	2	61	16·4	54	15·8	2	33
Evesham, M.B.	8,359	7,683	90	81	2	1	174	20·8	103	13·4	13	75

* The remainder of Tetbury Rural District is in Gloucestershire; *see* page 89.

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Worcestershire—*cont.*												
Kidderminster, M.B. ...	26,550	24,402	231	208	13	16	468	17·6	371	15·2	42	90
Lye and Wollescote ...	12,614	11,594	132	137	3	7	279	22·1	153	13·2	29	104
Malvern	15,402	14,156	90	97	8	16	211	13·7	202	14·3	14	66
North Bromsgrove ...	7,167	6,587	83	85	4	4	176	24·6	86	13·1	13	74
Oldbury	37,679	34,630	479	475	12	16	982	26·1	467	13·5	106	108
Redditch	16,930	15,560	157	154	2	2	315	18·6	197	12·7	16	51
Stourbridge, M.B. ...	17,836	16,393	194	157	11	4	366	20·5	214	13·1	26	71
Stourport	4,440	4,081	38	41	—	3	82	18·5	52	12·7	3	37
Rural Districts.												
Bromsgrove	16,146	14,840	133	123	5	4	265	16·4	196	13·2	22	83
Droitwich	12,315	11,319	96	89	4	5	194	15·8	153	13·5	14	72
Evesham	9,505	8,736	95	80	3	3	181	19·0	105	12·0	11	61
Feckenham	5,622	5,167	43	41	3	3	90	16·0	74	14·3	8	89
Halesowen	29,327	26,954	334	327	8	9	678	23·1	327	12·1	63	93
Kidderminster	7,353	6,758	64	55	1	1	121	16·5	91	13·5	10	83
Martley	12,647	11,624	99	90	6	11	206	16·3	181	15·6	12	58
Pershore	12,745	11,714	94	107	4	9	214	16·8	182	15·5	10	47
Rock	2,232	2,051	22	19	2	—	43	19·3	25	12·2	1	23
Shipston on Stour ...	4,311	3,962	37	33	—	1	71	16·5	52	13·1	1	14
Stow on the Wold (part of)*	299	275	2	1	—	—	3	10·0	3	10·9	—	—
Tenbury	4,715	4,334	39	39	4	—	82	17·4	44	10·2	5	61
Tewkesbury (part of)* ...	2,200	2,022	17	17	1	1	36	16·4	28	13·8	2	56
Upton on Severn ...	12,202	11,215	89	99	2	5	195	16·0	173	15·4	7	36
Winchcomb (part of)* ...	112	103	—	2	—	—	2	17·9	2	19·4	—	—
Civil Parishes of Redmarley d'Abitôt and Staunton administered by Rural District Council of Newent (Gloucestershire).	1,201	1,104	12	9	—	—	21	17·5	13	11·8	—	—
Yorkshire, East Riding.	157,968	145,189	1,528	1,425	129	133	3,215	20·4	2,009	13·8	243	76
Total Urban Districts ...	62,366	57,321	564	529	61	59	1,213	19·4	808	14·1	85	70
Total Rural Districts ...	95,602	87,868	964	896	68	74	2,002	20·9	1,201	13·7	158	79
Urban Districts.												
Beverley, M.B.	13,891	12,767	153	143	19	19	334	24·0	197	15·4	26	78
Bridlington, M.B. ...	14,362	13,200	103	104	14	14	235	16·4	200	15·2	13	55
Cottingham	4,971	4,569	50	48	1	3	102	20·5	51	11·2	8	78
Filey	3,293	3,027	29	36	3	4	72	21·9	43	14·2	5	69
Great Driffield	5,868	5,393	49	40	7	5	101	17·2	74	13·7	8	79
Hedon, M.B.	1,290	1,186	16	13	1	2	32	24·8	16	13·5	1	31
Hessle	6,003	5,517	50	49	1	1	101	16·8	62	11·2	3	30
Hornsea	3,422	3,145	27	31	1	2	61	17·8	41	13·0	6	98
Norton	3,896	3,581	30	33	7	1	71	18·2	49	13·7	3	42
Pocklington	2,648	2,434	26	21	6	5	58	21·9	34	14·0	7	121
Withernsea	2,722	2,502	31	11	1	3	46	16·9	41	16·4	5	109
Rural Districts.												
Beverley	10,923	10,039	105	111	8	10	234	21·4	141	14·0	26	111
Bridlington	7,789	7,159	66	64	6	4	140	18·0	86	12·0	14	100
Driffield	12,075	11,098	122	116	10	10	258	21·4	162	14·6	29	112
Escrick	5,449	5,008	67	45	2	7	121	22·2	69	13·8	7	58
Howden	12,576	11,559	136	127	13	10	286	22·7	183	15·8	20	70
Norton	5,601	5,148	44	46	4	7	101	18·0	72	14·0	8	79
Patrington	7,048	6,478	72	66	1	2	141	20·0	100	15·4	12	85
Pocklington	11,192	10,287	109	105	12	9	235	21·0	141	13·7	15	64
Riccall	4,437	4,078	48	56	1	—	105	23·7	64	15·7	8	76
Sculcoates	9,198	8,454	98	82	6	8	194	21·1	86	10·2	8	41
Sherburn	2,124	1,952	25	16	1	3	45	21·2	25	12·8	2	44
Skirlaugh	7,190	6,608	72	62	4	4	142	19·7	72	10·9	9	63
Yorkshire, North Riding.	300,609	276,291	3,012	2,678	200	189	6,079	20·2	4,162	15·1	567	93
Total Urban Districts ...	163,546	150,316	1,738	1,574	119	113	3,544	21·7	2,391	15·9	386	109
Total Rural Districts ...	137,063	125,975	1,274	1,104	81	76	2,535	18·5	1,771	14·1	181	71
Urban Districts.												
Eston	29,574	27,182	416	341	18	14	789	26·7	475	17·5	112	142
Guisborough	6,924	6,364	95	76	7	5	183	26·4	97	15·2	22	120
Hinderwell	2,507	2,304	32	27	—	—	59	23·5	28	12·2	2	34
Kirklington cum Upsland	261	240	5	1	—	—	6	23·0	4	16·7	—	—
Loftus	8,732	8,026	91	96	7	5	199	22·8	106	13·2	26	131
Malton	4,650	4,274	28	29	8	8	73	15·7	74	17·3	8	110
Masham	2,420	2,224	15	23	3	2	43	17·8	27	12·1	4	93

* The remaining parts of Stow on the Wold, Tewkesbury and Winchcomb Rural Districts are in Gloucestershire; *see* page 89.

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Yorkshire, North Riding—*cont.*												
Northallerton	4,695	4,315	47	35	6	4	92	19·6	73	16·9	14	152
Pickering	3,696	3,397	34	24	5	1	64	17·3	56	16·5	4	63
Redcar	11,396	10,474	101	101	10	6	218	19·1	110	10·5	10	46
Richmond, M.B	3,695	3,396	47	37	2	8	94	25·4	61	18·0	9	96
Saltburn by the Sea ...	3,374	3,101	19	27	3	—	49	14·5	35	11·3	2	41
Scalby	1,312	1,206	9	7	—	—	16	12·2	15	12·4	—	—
Scarborough, M.B. ...	33,970	31,221	250	226	23	24	523	15·4	551	17·6	40	76
Skelton and Brotton ...	15,791	14,514	190	175	10	16	391	24·8	209	14·4	51	130
Thornaby on Tees, M.B.	19,666	18,075	272	259	7	12	550	28·0	307	17·0	68	124
Whitby	10,883	10,003	87	90	10	8	195	17·9	163	16·3	14	72
Rural Districts.												
Aysgarth	4,409	4,052	49	36	1	2	88	20·0	51	12·6	4	45
Bedale	6,951	6,389	71	42	3	2	118	17·0	104	16·3	6	51
Croft	2,282	2,097	26	15	1	—	42	18·4	28	13·4	6	143
Easingwold	10,518	9,667	83	97	9	5	194	18·4	130	13·4	15	77
Flaxton	8,001	7,354	72	62	3	12	149	18·6	114	15·5	13	87
Guisborough	7,494	6,888	86	61	3	3	153	20·4	110	16·0	10	65
Helmsley	4,984	4,581	36	27	2	4	69	13·8	55	12·0	3	43
Kirkby Moorside ...	5,060	4,651	51	38	3	3	95	18·8	54	11·6	4	42
Leyburn	6,361	5,846	44	55	2	3	104	16·3	67	11·5	4	38
Malton	5,870	5,395	67	38	2	5	112	19·1	62	11·5	4	36
Middlesbrough	2,323	2,135	13	14	3	—	30	12·9	24	11·2	—	—
Northallerton	7,680	7,059	83	55	5	2	145	18·9	97	13·7	19	131
Pickering	6,707	6,164	64	59	8	6	137	20·4	80	13·0	11	80
Reeth	2,484	2,283	20	17	—	—	37	14·9	36	15·8	1	27
Richmond	8,459	7,775	88	83	2	3	176	20·8	126	16·2	18	102
Scarborough	6,489	5,964	59	51	4	6	120	18·5	80	13·4	7	58
Startforth	4,883	4,488	35	35	4	2	76	15·6	63	14·0	4	53
Stokesley	12,327	11,330	128	126	9	2	265	21·5	172	15·2	17	64
Thirsk	12,788	11,753	107	109	13	12	241	18·8	178	15·1	24	100
Wath	2,177	2,001	17	17	2	1	37	17·0	30	15·0	2	54
Whitby	8,816	8,103	75	67	2	3	147	16·7	110	13·6	9	61
Yorkshire, West Riding.	1,529,089	1,405,390	15,827	15,255	748	648	32,478	21·2	19,694	14·0	3,113	96
Total Urban Districts ...	1,137,792	1,045,748	11,287	10,875	534	449	23,145	20·3	14,894	14·2	2,271	98
Total Rural Districts ...	391,297	359,642	4,540	4,380	214	199	9,333	23·9	4,800	13·3	842	90
Urban Districts.												
Adwick le Street ...	11,037	10,144	198	169	8	7	382	34·6	99	9·8	32	84
Altofts	5,071	4,661	63	65	1	1	130	25·6	72	15·4	18	138
Ardsley	7,391	6,793	85	86	9	3	183	24·8	97	14·3	27	148
Ardsley East and West ...	9,172	8,430	84	101	1	4	190	20·7	98	11·6	18	95
Baildon	6,813	6,262	51	54	1	2	108	15·9	81	12·9	9	83
Barkisland	1,624	1,493	10	16	—	—	26	16·0	26	17·4	2	77
Barnoldswick	13,039	11,984	93	98	4	12	207	15·9	110	9·2	14	68
Batley, M.B.	38,227	35,135	342	344	12	16	714	18·7	572	16·3	88	123
Bentley with Arksey ...	11,841	10,883	186	210	4	5	405	34·2	100	9·2	35	86
Bingley	20,253	18,615	141	154	4	4	303	15·0	258	13·9	30	99
Birkenshaw	2,828	2,599	20	24	2	1	47	16·6	26	10·0	2	43
Birstal	7,702	7,079	49	60	3	1	113	14·7	113	16·0	6	53
Bolton upon Dearne ...	10,848	9,970	181	181	5	8	375	34·6	126	12·6	41	109
Brighouse, M.B.	21,486	19,748	176	152	6	11	345	16·1	316	16·0	21	61
Burley in Wharfedale ...	3,507	3,223	27	24	—	1	52	14·8	41	12·7	6	115
Calverley	3,662	3,366	30	23	—	1	54	14·7	49	14·6	3	56
Castleford	24,851	22,841	343	321	19	10	693	27·9	381	16·7	91	131
Clayton	5,089	4,677	32	36	1	1	70	13·8	60	12·8	3	43
Clayton West	2,019	1,856	18	21	1	2	42	20·8	22	11·9	4	95
Cudworth	7,420	6,820	127	77	7	4	215	29·0	88	12·9	24	112
Darfield	5,888	5,412	73	80	—	4	157	26·7	66	12·2	15	96
Darton	11,471	10,543	149	175	6	9	339	29·6	143	13·6	41	121
Denby and Cumberworth	3,938	3,619	24	30	1	2	57	14·5	39	10·8	4	70
Denholme	3,031	2,786	24	14	—	2	40	13·2	43	15·4	5	125
Dodworth	3,432	3,154	55	51	1	1	108	31·5	42	13·3	8	74
Doncaster, M.B.	54,380	49,980	597	618	37	26	1,278	23·5	735	14·7	129	101
Drighlington	4,398	4,042	35	32	2	1	70	15·9	62	15·3	6	86
Earby	6,263	5,756	54	36	4	—	94	15·0	56	9·7	7	74
Elland	11,662	10,719	85	83	4	1	173	14·8	148	13·8	14	81
Emley	1,717	1,578	28	20	1	—	49	28·5	14	8·9	—	—
Fairley Tyas	500	460	6	6	—	—	12	24·0	9	19·6	—	—

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
YORKSHIRE, WEST RIDING —*cont.*												
Farsley	6,520	5,993	45	64	2	1	112	17·2	89	14·9	6	54
Featherstone	15,215	13,984	238	227	10	7	482	31·7	205	14·7	60	124
Flockton	1,482	1,362	18	21	—	2	41	27·7	17	12·5	7	171
Garforth	4,260	3,915	47	43	—	2	92	21·6	50	12·8	6	65
Gildersome	3,161	2,905	31	27	—	2	60	19·0	34	11·7	7	117
Golcar	10,869	9,990	95	88	2	2	187	17·2	141	14·1	16	86
Goole	20,017	18,398	218	215	17	11	461	23·0	283	15·4	40	87
Greasbrough	3,452	3,173	45	48	2	1	96	27·8	35	11·0	8	83
Greetland	4,662	4,285	31	22	2	—	55	11·8	57	13·3	3	55
Guiseley	5,349	4,916	48	48	2	1	99	18·5	56	11·4	4	40
Gunthwaite and Ingbirchworth.	320	294	4	4	1	—	9	28·1	9	30·6	1	111
Handsworth	16,399	15,072	211	168	9	7	395	24·1	175	11·6	35	89
Harrogate, M.B.	36,127	33,204	242	234	32	22	530	14·7	412	12·4	42	79
Haworth	6,907	6,348	41	46	—	1	88	12·7	106	16·7	7	80
Hebden Bridge	7,229	6,644	44	30	4	1	79	10·9	100	15·1	5	63
Heckmondwike	9,341	8,585	85	84	2	5	176	18·8	110	12·8	13	74
Hipperholme	5,303	4,874	49	32	—	—	81	15·3	57	11·7	5	62
Holme	372	342	2	1	—	1	4	10·8	4	11·7	—	—
Holmfirth	10,931	10,047	83	85	1	2	171	15·6	142	14·1	15	88
Honley	4,880	4,485	36	31	—	—	67	13·7	67	14·9	6	90
Horbury	8,281	7,611	78	78	1	1	158	19·1	103	13·5	17	108
Horsforth	9,953	9,148	74	67	1	1	143	14·4	129	14·1	11	77
Hoyland Nether	15,352	14,110	226	178	12	11	427	27·8	187	13·3	52	122
Hoyland Swaine	631	580	9	10	1	—	20	31·7	6	10·3	1	50
Hunsworth	1,408	1,294	13	12	—	—	25	17·8	22	17·0	1	40
Ilkley	8,525	7,835	50	60	4	2	116	13·6	89	11·4	6	52
Keighley, M.B.	44,910	41,277	302	330	22	17	671	14·9	611	14·8	62	92
Kirkburton	3,621	3,328	46	31	1	1	79	21·8	44	13·2	9	114
Kirkheaton	2,730	2,509	27	25	1	—	53	19·4	32	12·8	4	75
Knaresborough	5,255	4,830	44	44	7	6	101	19·2	94	19·5	11	109
Knottingley	7,048	6,478	86	84	8	5	183	26·0	103	15·9	23	126
Lepton	3,311	3,043	28	24	—	—	52	15·7	42	13·8	2	38
Linthwaite	10,239	9,411	97	82	1	6	186	18·2	143	15·2	19	102
Luddenden Foot	3,058	2,811	20	23	1	—	44	14·4	50	17·8	—	—
Marsden	6,263	5,756	67	52	1	3	123	19·6	71	12·3	5	41
Meltham	5,177	4,758	39	34	2	1	76	14·7	83	17·4	8	105
Methley	4,866	4,472	56	50	2	—	108	22·2	69	15·4	13	120
Mexborough	15,461	14,210	220	199	11	8	438	28·3	198	13·9	48	110
Midgley	1,983	1,823	11	12	2	—	25	12·6	21	11·5	3	120
Mirfield	12,665	11,640	110	104	6	5	225	17·8	155	13·3	20	89
Monk Bretton	5,105	4,692	72	82	2	1	157	30·8	73	15·6	17	108
Morley, M.B.	25,915	23,819	226	237	10	6	479	18·5	293	12·3	40	84
Mytholmroyd	4,284	3,937	42	18	2	1	63	14·7	74	18·8	8	127
New Mill	4,576	4,206	46	36	1	—	83	18·1	56	13·3	10	120
Normanton	16,315	14,995	224	190	4	7	425	26·0	186	12·4	42	99
Oakworth	4,191	3,852	33	32	1	1	67	16·0	62	16·1	10	149
Ossett, M.B.	15,370	14,127	143	159	5	8	315	20·5	212	15·0	31	98
Otley	10,195	9,370	69	76	9	—	154	15·1	117	12·5	19	123
Oxenhope	2,523	2,319	16	18	—	1	35	13·9	30	12·9	2	57
Penistone	3,624	3,331	29	43	1	1	74	20·4	38	11·4	6	81
Pontefract, M.B. ...	16,077	14,776	204	194	15	11	424	26·4	211	14·3	31	73
Pudsey, M.B.	15,042	13,825	120	100	2	3	225	15·0	197	14·2	31	138
Queensbury	6,689	6,148	50	39	2	2	93	13·9	77	12·5	7	75
Rawdon	3,572	3,283	33	32	—	—	65	18·2	43	13·1	6	92
Rawmarsh	18,663	17,153	238	253	11	8	510	27·3	285	16·6	60	118
Ripon, M.B.	8,877	8,159	92	68	18	7	185	20·8	144	17·6	16	86
Rishworth	913	839	6	4	—	—	10	11·0	18	21·5	2	200
Rothwell	15,651	14,386	176	161	5	7	349	22·3	186	12·9	31	89
Royston	6,551	6,021	114	82	1	5	202	30·8	105	17·4	23	114
Saddleworth	13,038	11,983	103	105	6	4	218	16·7	202	16·9	24	110
Scammonden	349	321	4	2	—	—	6	17·2	2	6·2	—	—
Selby	10,131	9,311	99	118	6	4	227	22·4	126	13·5	23	101
Shelf	2,637	2,424	15	15	1	—	31	11·8	43	17·7	2	65
Shelley	1,720	1,581	17	18	—	1	36	20·9	26	16·4	4	111
Shepley	1,865	1,714	21	14	—	2	37	19·8	28	16·3	1	27
Shipley	29,903	27,484	229	235	10	7	481	16·1	450	16·4	63	131
Silsden	5,382	4,947	27	34	1	—	62	11·5	68	13·7	4	65
Skelmanthorpe	3,929	3,611	39	39	2	2	82	20·9	57	15·8	12	146
Skipton	12,369	11,368	97	85	4	4	190	15·4	157	13·8	15	79
Slaithwaite	5,704	5,243	42	47	2	—	91	16·0	96	18·3	9	99

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born)						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
YORKSHIRE, WEST RIDING —*cont.*												
South Crosland	3,329	3,060	24	14	—	—	38	11·4	42	13·7	5	132
Southowram	2,537	2,332	16	25	—	—	41	16·2	28	12·0	2	49
Sowerby	3,199	2,940	25	18	—	2	45	14·1	42	14·3	2	44
Sowerby Bridge	12,388	11,386	102	81	5	4	192	15·5	183	16·1	15	78
Soyland	2,954	2,715	19	12	1	—	32	10·8	58	21·4	4	125
Spenborough	33,467	30,760	274	285	13	14	586	17·5	468	15·2	47	80
Springhead	4,994	4,590	39	30	1	2	72	14·4	80	17·4	11	153
Stainland with Old Lindley	4,673	4,295	25	33	1	—	59	12·6	66	15·4	2	34
Stanley	15,283	14,047	173	164	8	2	347	22·7	168	12·0	41	118
Stocksbridge	8,366	7,689	99	91	5	2	197	23·5	106	13·8	19	96
Swinton	14,037	12,901	175	190	5	7	377	26·9	174	13·5	43	114
Thurlstone	2,847	2,617	39	19	3	2	63	22·1	41	15·7	7	111
Thurnscoe	4,685	4,306	64	55	2	6	127	27·1	54	12·5	17	134
Thurstonland	975	896	11	5	—	—	16	16·4	15	16·7	—	—
Tickhill	2,085	1,916	26	29	4	2	61	29·3	33	17·2	7	115
Todmorden, M.B. ...	25,527	23,462	148	136	8	5	297	11·6	385	16·4	15	51
Wath upon Dearne ...	13,107	12,047	165	182	6	9	362	27·6	154	12·8	29	80
Whitley Upper	869	799	10	10	—	—	20	23·0	12	15·0	1	50
Whitwood	5,707	5,245	88	82	7	3	180	31·5	102	19·4	22	122
Wombwell	19,551	17,969	259	266	14	13	552	28·2	262	14·6	69	125
Worsborough	14,118	12,976	203	177	12	7	399	28·3	160	12·3	47	118
Yeadon	7,841	7,207	75	57	4	1	137	17·5	106	14·7	13	95
Rural Districts.												
Barnsley	4,229	3,887	51	41	2	3	97	22·9	55	14·1	10	103
Bishopthorpe	2,224	2,044	19	15	1	2	37	16·6	22	10·8	3	81
Bowland	5,610	5,156	56	46	1	—	103	18·4	52	10·1	3	29
Doncaster...	36,025	33,111	558	538	24	21	1,141	31·7	463	14·0	122	107
Goole	8,574	7,880	84	87	6	4	181	21·1	110	14·0	10	55
Great Ouseburn	11,245	10,335	122	93	7	8	230	20·5	131	12·7	13	57
Halifax	6,444	5,923	62	41	1	2	106	16·4	82	13·8	9	85
Hemsworth	47,303	43,476	713	677	40	37	1,467	31·0	580	13·3	167	114
Hunslet	8,541	7,850	96	88	7	3	194	22·7	96	12·2	8	41
Keighley	6,998	6,432	33	47	3	3	86	12·3	69	10·7	2	23
Kiveton Park	15,178	13,950	174	197	3	5	379	25·0	160	11·5	34	90
Knaresborough	8,886	8,167	63	66	6	7	142	16·0	100	12·2	15	106
Pateley Bridge	7,007	6,440	62	69	2	1	134	19·1	92	14·3	7	52
Penistone	5,774	5,307	61	62	1	3	127	22·0	67	12·6	9	71
Pontefract	17,509	16,093	250	199	11	14	474	27·1	219	13·6	37	78
Ripon	5,748	5,283	57	34	3	6	100	17·4	98	18·6	7	70
Rotherham	34,379	31,598	484	486	26	15	1,011	29·4	424	13·4	108	107
Sedbergh	3,698	3,399	22	20	3	—	45	12·2	51	15·0	5	111
Selby	6,062	5,572	64	68	3	2	137	22·6	67	12·0	10	73
Settle	14,762	13,568	139	121	7	6	273	18·5	161	11·9	15	55
Skipton	19,415	17,844	126	151	1	5	283	14·6	270	15·1	22	78
Tadcaster	29,112	26,757	328	323	14	15	680	23·4	364	13·6	69	101
Thorne	9,368	8,610	123	131	9	4	267	28·5	132	15·3	25	94
Todmorden	4,796	4,408	31	29	1	—	61	12·7	71	16·1	7	115
Wakefield	17,500	16,084	220	229	6	7	462	26·4	205	12·7	43	93
Wetherby	15,107	13,885	105	111	6	13	235	15·6	196	14·1	13	55
Wharfedale	7,685	7,063	73	44	2	2	121	15·7	85	12·0	9	74
Wortley	32,118	29,520	364	367	18	11	760	23·7	378	12·8	60	79
ANGLESEY.	52,256	48,029	463	411	58	52	984	18·8	779	16·2	101	103
Total Urban Districts ...	19,604	18,018	194	191	16	13	414	21·1	300	16·7	41	99
Total Rural Districts ...	32,652	30,011	269	220	42	39	570	17·5	479	16·0	60	105
Urban Districts.												
Amlwch	2,856	2,625	25	22	4	5	56	19·6	69	26·3	10	179
Beaumaris, M.B.... ...	1,899	1,745	15	18	3	—	36	19·0	29	16·6	2	56
Holyhead	11,451	10,525	128	116	9	5	258	22·5	154	14·6	25	97
Llangefni	1,719	1,580	10	16	—	2	28	16·3	24	15·2	1	36
Menai Bridge	1,679	1,543	16	19	—	1	36	21·4	24	15·6	3	83
Rural Districts.												
Aethwy	8,863	8,146	70	61	11	7	149	16·8	128	15·7	14	94
Dwyran	3,127	2,874	28	23	9	5	65	20·8	49	17·0	11	169
Twrcelyn	9,485	8,718	85	59	4	11	159	16·8	129	14·8	15	94
Valley	11,177	10,273	86	77	18	16	197	17·6	173	16·8	20	102

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
BRECKNOCKSHIRE.	61,120	56,175	632	613	34	28	1,307	21·4	805	14·3	112	86
Total Urban Districts ...	17,403	15,995	176	165	10	8	359	20·6	265	16·6	28	78
Total Rural Districts ...	43,717	40,180	456	448	24	20	948	21·7	540	13·4	84	89
Urban Districts.												
Brecknock*	5,510	5,064	54	36	3	2	95	17·2	88	17·4	11	116
Brynmawr	7,929	7,287	80	100	5	2	187	23·6	115	15·8	11	59
Builth Wells	1,662	1,528	14	11	1	—	26	15·6	22	14·4	2	77
Hay	1,460	1,342	23	14	1	3	41	28·1	25	18·6	3	73
Llanwrtyd	842	774	5	4	—	1	10	11·9	15	19·4	1	100
Rural Districts.												
Brecknock	9,474	8,708	80	79	8	3	170	17·9	131	15·0	21	124
Builth	4,285	3,938	42	42	1	1	86	20·1	49	12·4	4	47
Crickhowell	7,935	7,293	74	77	2	3	156	19·7	102	14·0	11	71
Hay	3,392	3,118	36	31	1	3	71	20·9	55	17·6	3	42
Vaynor and Penderyn ...	5,868	5,393	55	70	3	5	133	22·7	62	11·5	8	60
Ystradgynlais	11,673	10,728	158	136	8	4	306	26·2	136	12·7	35	114
Civil Parish of Llanwrthwl administered by Rural District Council of Rhayader (Radnor).	405	372	10	8	1	—	19	46·9	1	2·7	—	—
Civil Parish of Ystradfellte administered by Rural District Council of Neath (Glam.).	685	630	1		—	1	7	10·2	4	6·3	2	286
CARDIGANSHIRE.	60,134	55,270	429	403	29	32	893	14·9	1,010	18·3	74	83
Total Urban Districts ...	16,184	14,875	105	122	4	3	234	14·5	260	17·5	14	60
Total Rural Districts ...	43,950	40,395	324	281	25	29	659	15·0	750	18·6	60	91
Urban Districts.												
Aberayron	1,433	1,317	5	9	—	1	15	10·5	29	22·0	1	67
Aberystwyth, M.B. ...	8,055	7,404	42	60	3	1	106	13·2	103	13·9	6	57
Cardigan, M.B.	3,600	3,309	32	31	1	1	65	18·1	76	23·0	5	77
Lampeter, M.B.	1,764	1,621	14	17	—	—	31	17·6	27	16·7	1	32
New Quay	1,332	1,224	12	5	—	—	17	12·8	25	20·4	1	59
Rural Districts.												
Aberayron	8,126	7,469	72	47	2	8	129	15·9	130	17·4	8	62
Aberystwyth	12,841	11,803	82	83	10	10	185	14·4	235	19·9	20	108
Cardigan	3,227	2,966	29	16	—	1	46	14·3	62	20·9	4	87
Lampeter	3,593	3,302	30	31	2	3	66	18·4	63	19·1	8	121
Llandyssil...	8,233	7,567	59	54	4	5	122	14·8	134	17·7	8	66
Tregaron	7,514	6,906	50	48	7	2	107	14·2	119	17·2	12	112
Civil Parish of Ysgubor y Coed administered by Rural District Council of Machynlleth (Montgomeryshire).	416	382	2	2	—	—	4	9·6	7	18·3	—	—
CARMARTHENSHIRE.	174,721	160,587	1,912	1,881	76	77	3,946	22·6	2,391	14·9	382	97
Total Urban Districts ...	71,366	65,593	756	756	33	20	1,565	21·9	969	14·8	140	89
Total Rural Districts ...	103,355	94,994	1,156	1,125	43	57	2,381	23·0	1,422	15·0	242	102
Urban Districts.												
Ammanford	6,876	6,320	78	81	3	3	165	24·0	67	10·6	14	85
Burry Port	6,078	5,586	80	80	3	3	166	27·3	95	17·0	12	72
Carmarthen, M.B. ...	9,113	8,376	87	70	6	3	166	18·2	150	17·9	14	84
Cwmamman	5,257	4,832	72	51	5	3	131	24·9	53	11·0	9	69
Kidwelly, M.B.	3,192	2,934	33	43	2	2	80	25·1	51	17·4	13	163
Llandilo	1,805	1,659	17	13	1	—	31	17·2	34	20·5	3	97
Llandovery, M.B. ...	1,840	1,691	16	14	—	1	31	16·8	23	13·6	3	97
Llanelly, M.B.	36,336	33,396	368	399	13	5	785	21·6	478	14·3	72	92
Newcastle Emlyn. ...	869	799	5	5	—	—	10	11·5	18	22·5	—	—
Rural Districts.												
Carmarthen	25,910	23,814	284	282	9	19	594	22·9	376	15·8	62	104
Llandilo Fawr	21,962	20,185	267	247	7	12	533	24·3	298	14·8	55	103
Llandovery	7,365	6,769	69	63	1	3	136	18·5	125	18·5	20	147
Llanelly	32,398	29,778	437	400	17	13	867	26·8	409	13·7	87	100
Llanybyther	3,767	3,462	26	34	3	1	64	17·0	60	17·3	3	47
Newcastle in Emlyn ...	6,739	6,194	42	57	4	4	107	15·9	83	13·4	10	93
Whitland	5,214	4,792	31	42	2	5	80	15·3	71	14·8	5	63

* Brecknock U.D. includes Brecknock M.B. and the Civil Parishes of Castle Inn and Christ's College.

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
Carnarvonshire.	121,983	112,115	950	902	110	94	2,056	16·9	1,849	16·5	173	84
Total Urban Districts ...	57,556	52,900	466	430	48	47	991	17·2	854	16·1	88	89
Total Rural Districts ...	64,427	59,215	484	472	62	47	1,065	16·5	995	16·8	85	80
Urban Districts.												
Bangor, M.B.	10,576	9,720	93	89	12	8	202	19·1	162	16·7	17	84
Bethesda	4,240	3,897	36	27	4	5	72	17·0	80	20·5	8	111
Bettws y Coed	862	792	4	4	—	—	8	9·3	17	21·5	—	—
Carnarvon, M.B.... ...	8,782	8,072	80	75	6	6	167	19·0	182	22·5	26	156
Conway, M.B.	5,364	4,930	47	49	3	2	101	18·8	64	13·0	7	69
Criccieth	1,594	1,465	7	10	—	—	17	10·7	26	17·7	3	176
Llandudno	10,951	10,066	81	78	10	13	182	16·6	121	12·0	9	49
Llanfairfechan	3,090	2,840	26	13	3	—	42	13·6	37	13·0	3	71
Penmaenmawr	3,804	3,496	27	21	3	4	55	14·5	54	15·4	6	109
Portmadoc*	4,502	4,138	36	35	2	2	75	16·7	66	15·9	7	93
Pwllheli, M.B.	3,791	3,484	29	29	5	7	70	18·5	45	12·9	2	29
Rural Districts.												
Conway	7,830	7,197	66	58	6	5	135	17·2	90	12·5	13	96
Geirionydd	4,055	3,727	36	27	3	5	71	17·5	58	15·64	2	28
Glaslyn	3,248	2,985	27	24	6	5	62	19·1	53	17·8	8	129
Gwyrfai	25,509	23,445	190	174	18	13	395	15·5	426	18·2	27	68
Lleyn	17,641	16,214	131	144	22	17	314	17·8	264	16·3	23	73
Ogwen	6,144	5,647	34	45	7	2	88	14·3	104	18·4	12	136
Denbighshire.	149,009	136,955	1,508	1,517	95	92	3,212	21·6	2,075	15·2	260	81
Total Urban Districts ...	48,508	44,584	453	457	31	47	988	20·4	645	14·5	64	65
Total Rural Districts ...	100,501	92,371	1,055	1,060	64	45	2,224	22·1	1,430	15·5	196	88
Urban Districts.												
Abergele and Pensarn ...	2,413	2,218	20	28	4	6	58	24·0	42	18·9	5	86
Colwyn Bay and Colwyn	13,433	12,346	100	97	9	11	217	16·2	137	11·1	8	37
Denbigh, M.B.	5,836	5,364	64	57	4	9	134	23·0	99	18·5	5	37
Llangollen	3,198	2,939	23	20	—	3	46	14·4	45	15·3	4	87
Llanrwst	2,363	2,172	20	22	1	2	45	19·0	34	15·7	4	89
Ruthin, M.B.	2,582	2,373	21	25	—	2	48	18·6	48	20·2	7	146
Wrexham, M.B.	18,683	17,172	205	208	13	14	440	23·6	240	14·0	31	70
Rural Districts.												
Chirk	4,636	4,261	50	50	3	3	106	22·9	84	19·7	10	94
Llangollen	3,798	3,491	27	29	1	1	58	15·3	48	13·7	3	52
Llanrwst	4,428	4,070	43	47	3	2	95	21·5	78	19·2	4	42
Llansilin	3,176	2,919	23	31	1	2	57	17·9	43	14·7	4	70
Ruthin	9,020	8,290	73	74	4	5	156	17·3	123	14·8	10	64
St. Asaph (Denbigh) ...	7,926	7,285	72	57	1	8	138	17·4	111	15·2	13	94
Uwchaled	2,402	2,208	18	16	1	1	36	15·0	38	17·2	5	139
Wrexham	63,251	58,134	733	739	50	19	1,541	24·4	885	15·2	144	93
Civil Parishes of Llanelian yn Rhôs and Llansantffraid Glan Conway administered by Rural District Council of Conway (Carnarvonshire).	1,864	1,713	16	17	—	4	37	19·8	20	11·7	3	81
Flintshire.	98,442	90,478	1,031	962	57	59	2,109	21·4	1,410	15·6	175	83
Total Urban Districts ...	37,587	34,546	391	395	18	29	833	22·2	540	15·6	80	96
Total Rural Districts ...	60,855	55,932	640	567	39	30	1,276	21·0	870	15·6	95	74
Urban Districts.												
Buckley	6,908	6,349	66	73	2	4	145	21·0	83	13·1	15	103
Connah's Quay	4,872	4,478	75	63	—	2	140	28·7	58	13·0	8	57
Flint, M.B	5,752	5,287	83	68	5	5	161	28·0	112	21·2	22	137
Holywell	2,690	2,472	21	31	2	4	58	21·6	41	16·6	6	103
Mold	4,633	4,258	50	55	1	3	109	23·5	79	18·6	9	83
Prestatyn	2,606	2,395	22	20	—	2	44	16·9	30	12·5	6	136
Rhyl	10,126	9,307	74	85	8	9	176	17·4	137	14·7	14	80
Rural Districts.												
Hawarden...	23,503	21,602	259	238	8	10	515	21·9	286	13·2	34	66
Holywell	25,318	23,269	261	214	16	17	508	20·1	396	17·0	36	71
Overton	5,205	4,784	44	46	3	—	93	17·9	72	15·1	8	86
St. Asaph (Flint) ...	6,829	6,277	76	69	12	3	160	23·4	116	18·5	17	106
Glamorganshire.	818,951	752,700	10,444	10,080	306	289	21,119	25·8	9,634	12·8	1,999	95
Total Urban Districts ...	586,895	539,417	7,604	7,339	238	213	15,394	26·2	6,980	12·9	1,478	96
Total Rural Districts ...	232,056	213,283	2,840	2,741	68	76	5,725	24·7	2,654	12·4	521	91
Urban Districts.												
Aberavon, M.B.	13,430	12,344	192	183	7	1	383	28·5	187	15·1	37	97
Aberdare	54,708	50,282	651	645	23	19	1,338	24·5	716	14·2	136	102
Barry	37,778	34,722	434	438	12	15	899	23·8	437	12·6	80	89

* Formerly called Ynyscynhaiarn.

Populations, Births, and Civilian Deaths in Administrative Areas, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil Population.	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Total.)	M.	F.	M.	F.						
Glamorganshire—*cont.*												
Bridgend	8,089	7,435	78	74	4	1	157	19·4	86	11·6	15	96
Briton Ferry	9,025	8,295	108	93	—	2	203	22·5	115	13·9	16	79
Caerphilly	35,923	33,017	506	474	14	11	1,005	28·0	404	12·2	100	100
Cowbridge, M.B.... ...	1,080	993	4	3	—	—	7	6·5	11	11·1	—	—
Gelligaer	40,086	36,843	567	574	16	25	1,182	29·5	441	12·0	102	86
Glyncorwg	10,219	9,392	183	147	5	3	338	33·1	121	12·9	35	104
Maesteg	28,302	26,012	409	394	11	11	825	29·1	358	13·8	73	88
Margam	16,613	15,269	194	204	6	1	405	24·4	170	11·1	28	69
Mountain Ash	43,945	40,390	595	547	14	16	1,172	26·7	510	12·6	106	90
Neath, M.B.	17,501	16,085	211	181	13	7	412	23·5	233	14·5	45	109
Ogmore and Garw ...	29,792	27,382	392	401	20	7	820	27·5	343	12·5	89	109
Oystermouth	7,173	6,593	65	70	3	2	140	19·5	82	12·4	5	36
Penarth	16,685	15,335	150	174	8	10	342	20·5	210	13·7	24	70
Pontypridd	45,023	41,381	608	540	15	18	1,181	26·2	563	13·6	119	101
Porthcawl...	4,650	4,274	36	35	4	2	77	16·6	46	10·8	1	13
Rhondda	166,873	153,373	2,221	2,162	63	62	4,508	27·0	1,947	12·7	467	104
Rural Districts.												
Cowbridge	8,754	8,046	114	77	3	7	201	23·0	102	12·7	23	114
Gower	9,263	8,514	100	88	1	3	192	20·7	119	14·0	16	83
Llandaff and Dinas Powis	38,972	35,819	407	357	8	12	784	20·1	393	11·0	47	60
Llantrisant and Llantwit-fardre.	22,628	20,797	318	323	8	8	657	29·0	236	11·3	52	79
Neath	45,485	41,805	583	557	13	15	1,168	25·7	553	13·2	130	111
Penybont...	22,328	20,522	290	290	14	6	600	26·9	262	12·8	38	63
Pontardawe	34,611	31,811	434	431	10	15	890	25·7	415	13·0	82	92
Swansea	50,015	45,969	594	618	11	10	1,233	24·7	574	12·5	133	108
Merionethshire.	43,991	40,432	330	289	53	26	698	15·9	681	16·8	60	86
Total Urban Districts ...	18,952	17,419	121	112	27	6	266	14·0	323	18·5	22	83
Total Rural Districts ...	25,039	23,013	209	177	26	20	432	17·3	358	15·6	38	88
Urban Districts.												
Bala	1,414	1,300	14	9	4	—	27	19·1	28	21·5	1	37
Barmouth...	2,372	2,180	11	7	1	1	20	8·4	22	10·1	4	200
Dolgelley	1,998	1,836	17	18	5	—	40	20·0	39	21·2	1	25
Ffestiniog...	8,289	7,619	51	47	14	4	116	14·0	167	21·9	12	103
Mallwyd	801	736	6	4	2	—	12	15·0	14	19·0	1	83
Towyn	4,078	3,748	22	27	1	1	51	12·5	53	14·1	3	59
Rural Districts.												
Deudraeth	7,525	6,916	74	60	7	10	151	20·1	105	15·2	17	113
Dolgelley	8,123	7,466	54	47	9	2	112	13·8	127	17·0	9	80
Edeirnion...	4,898	4,502	44	38	5	4	91	18·6	56	12·4	3	33
Penllyn	4,065	3,736	33	31	5	4	73	18·0	58	15·5	9	123
Civil Parish of Pennal administered by Rural District Council of Machynlleth (Montgomeryshire).	428	393	4	1	—	—	5	11·7	12	30·5	—	—
Montgomeryshire.	52,826	48,553	454	453	44	38	989	18·7	745	15·3	71	72
Total Urban Districts ...	18,522	17,024	144	160	11	10	325	17·5	258	15·2	16	49
Total Rural Districts ...	34,304	31,529	310	293	33	28	664	19·4	487	15·4	55	83
Urban Districts.												
Llanfyllin, M.B.	1,507	1,385	10	15	1	2	28	18·6	25	18·1	2	71
Llanidloes, M.B.	2,581	2,372	11	28	—	1	40	15·5	28	11·8	4	100
Machynlleth	1,911	1,756	18	11	1	—	30	15·7	33	18·8	2	67
Montgomery, M.B. ...	948	871	9	5	—	1	15	15·8	18	20·7	—	—
Newtown and Llanllwch-aiarn.	5,825	5,355	42	41	4	4	91	15·6	72	13·4	3	33
Welshpool, M.B.... ...	5,750	5,285	54	60	5	2	121	21·0	82	15·5	5	41
Rural Districts.												
Forden	5,647	5,190	52	56	7	1	116	20·5	80	15·4	7	60
Llanfyllin...	12,908	11,864	107	101	10	12	230	17·8	174	14·7	21	91
Machynlleth	4,113	3,780	35	30	4	6	75	18·2	74	19·6	8	107
Newtown and Llanidloes	11,636	10,695	116	106	12	9	243	20·9	159	14·9	19	78
Pembrokeshire.	91,994	84,552	965	950	60	61	2,036	22·1	1,319	15·6	182	89
Total Urban Districts ...	40,104	36,860	458	442	28	25	953	23·8	551	14·9	72	76
Total Rural Districts ...	51,890	47,692	507	508	32	36	1,083	20·9	768	16·1	110	102
Urban Districts.												
Fishguard...	2,971	2,731	41	32	1	—	74	24·9	42	15·4	6	81
Haverfordwest, M.B. ...	5,788	5,320	58	43	7	5	113	19·5	103	19·4	12	106
Milford Haven	7,103	6,528	107	108	5	4	224	31·5	87	13·3	22	98
Narberth	1,208	1,110	6	10	1	—	17	14·1	12	10·8	1	59

POPULATIONS, BIRTHS, AND CIVILIAN DEATHS IN ADMINISTRATIVE AREAS, 1916—*continued.*

Administrative Area.	Estimated Population, Middle 1916.		Births (exclusive of Still-born).						Deaths (exclusive of Still-born).		Deaths under one year.	
			Legitimate.		Illegitimate.		Total.	Rate per 1,000 Total Population.	Total.	Rate per 1,000 Civil	Number.	Rate per 1,000 Births.
	For Birth-rates. (Total.)	For Death-rates. (Civil.)	M.	F.	M.	F.						
PEMBROKESHIRE—*cont.*												
Neyland	2,728	2,507	35	39	1	2	77	28·2	50	19·9	8	104
Pembroke, M.B.	16,176	14,868	192	179	10	10	391	24·2	192	12·9	16	41
Tenby, M.B.	4,130	3,796	19	31	3	4	57	13·8	65	17·1	7	123
Rural Districts.												
Haverfordwest	21,446	19,712	234	234	18	17	503	23·5	326	16·5	64	127
Llanfyrnach	2,501	2,299	13	21	—	1	35	14·0	44	19·1	3	86
Narberth	11,084	10,187	107	100	11	9	227	20·5	153	15·0	14	62
Pembroke...	8,478	7,791	79	102	3	5	189	22·3	111	14·2	17	90
St. Dogmells	8,381	7,703	74	51	—	4	129	15·4	134	17·4	12	93
RADNORSHIRE.	22,758	20,917	229	199	14	15	457	20·1	340	16·3	24	53
Total Urban Districts ...	5,954	5,472	30	41	4	7	82	13·8	92	16·8	5	61
Total Rural Districts ...	16,804	15,445	199	158	10	8	375	22·3	248	16·1	19	51
Urban Districts.												
Knighton	1,757	1,615	12	11	1	2	26	14·8	33	20·4	1	38
Llandrindod Wells ...	3,043	2,796	12	28	2	3	45	14·8	35	12·5	3	67
Presteigne	1,154	1,061	6	2	1	2	11	9·5	24	22·6	1	91
Rural Districts.												
Colwyn	2,049	1,883	26	23	—	—	49	23·9	25	13·3	—	—
Knighton	4,613	4,240	58	53	5	2	118	25·6	62	14·6	8	68
New Radnor	2,760	2,537	30	18	1	2	51	18·5	43	16·9	3	59
Painscastle	2,260	2,077	29	18	1	1	49	21·7	29	14·0	1	20
Rhayader	5,122	4,708	56	46	3	3	108	21·1	89	18·9	7	65

England and Wales—Deaths at each Year of Age registered in the Year 1916.

Age.	Persons.	Males.	Females.				Age.	Persons.	Males.	Females.			
			Total.	Single.	Married.	Widowed.				Total.	Single.	Married.	Widowed.
All Ages	508,217	265,030	243,187	95,344	73,222	74,621	50	5,202	2,911	2.291	409	1,505	377
							51	4,724	2,659	2,065	362	1,337	366
0	71,646	41,016	30,630	30,630	—	—	52	5,564	3,083	2,481	401	1,618	462
1	20,000	10,410	9,590	9,590	—	—	53	5,516	3,102	2,414	345	1,566	503
2	8,611	4,468	4,143	4,143	—	—	54	5,665	3,138	2,527	410	1,544	573
3	5,565	2,881	2,684	2,684	—	—							
4	4,144	2,074	2,070	2,070	—	—	55	5,468	3,120	2,348	409	1,423	516
							56	6,094	3,402	2,692	432	1,596	664
5	3,392	1,716	1,676	1,676	—	—	57	5,761	3,187	2,574	394	1,516	664
6	2,726	1,409	1,317	1,317	—	—	58	6,413	3,533	2,880	392	1,704	784
7	2,298	1,177	1,121	1,121	—	—	59	6,691	3,674	3,017	419	1,731	867
8	1,961	994	967	967	—	—							
9	1,724	917	807	807	—	—	60	6,939	3,831	3,108	477	1,678	953
							61	6,297	3,470	2,827	386	1,479	962
10	1,536	786	750	750	—	—	62	7,315	4,017	3,298	436	1,613	1,249
11	1,583	821	762	762	—	—	63	7,445	4,057	3,388	428	1,688	1,272
12	1,457	729	728	728	—	—	64	7,748	4,163	3,585	443	1,660	1,482
13	1,621	762	859	859	—	—							
14	1,810	878	932	932	—	—	65	8,608	4,625	3,983	530	1,716	1,737
							66	7,841	4,187	3,654	509	1,570	1,575
15	1,930	972	958	957	1	—	67	7,864	4,149	3,715	471	1,490	1,754
16	2,147	1,075	1,072	1,072	—	—	68	8,500	4,426	4,074	544	1,530	2,000
17	2,086	1,067	1,019	1,011	8	—	69	8,496	4,436	4,060	487	1,477	2,096
18	2,285	1,260	1,025	997	28	—							
19	2,590	1,492	1,098	999	96	3	70	8,750	4,400	4,350	565	1,399	2,386
							71	8,157	3,994	4,163	516	1,265	2,382
20	2,434	1,455	979	842	132	5	72	9,596	4,638	4,958	582	1,386	2,990
21	2,744	1,562	1,182	926	252	4	73	9,166	4,467	4,699	543	1,262	2,894
22	2,566	1,445	1,121	761	354	6	74	9,291	4,498	4,793	584	1,102	3,107
23	2,686	1,526	1,160	738	412	10							
24	2,688	1,471	1,217	687	521	9	75	9,392	4,396	4,996	606	1,098	3,292
							76	9,140	4,345	4,795	628	887	3,280
25	2,574	1,435	1,139	571	557	11	77	7,852	3,637	4,215	533	741	2,941
26	2,601	1,407	1,194	526	646	22	78	7,751	3,462	4,289	550	699	3,040
27	2,645	1,414	1,231	477	735	19	79	6,861	3,117	3,744	471	540	2,733
28	2,718	1,462	1,256	435	805	16							
29	2,834	1,519	1,315	427	856	32	80	6,660	2,927	3,733	499	497	2,737
							81	5,430	2,297	3,133	371	405	2,357
30	2,819	1,564	1,255	404	822	29	82	5,548	2,328	3,220	376	304	2,540
31	2,626	1,395	1,231	323	878	30	83	5,064	2,070	2,994	354	278	2,362
32	3,050	1,663	1,387	412	934	41	84	4,444	1,797	2,647	345	203	2,099
33	2,941	1,582	1,359	359	955	45							
34	3,072	1,701	1,371	363	956	52	85	3,907	1,600	2,307	293	165	1,849
							86	3,465	1,322	2,143	265	130	1,748
35	3,410	1,839	1,571	358	1,136	77	87	2,657	1,001	1,656	230	79	1,347
36	3,351	1,816	1,535	323	1,122	90	88	2,232	846	1,386	158	52	1,176
37	3,288	1,845	1,443	316	1,055	72	89	1,763	625	1,138	169	51	918
38	3,679	1,997	1,682	367	1,246	69							
39	3,810	2,060	1,750	326	1,330	94	90	1,395	491	904	120	20	764
							91	971	355	616	76	16	524
40	3,848	2,099	1,749	369	1,273	107	92	827	291	536	80	12	444
41	3,733	2,094	1,639	343	1,177	119	93	597	183	414	58	9	347
42	4,094	2,235	1,859	345	1,345	169	94	429	143	286	38	4	244
43	4,002	2,197	1,805	332	1,325	148							
44	3,998	2,205	1,793	346	1,274	173	95	326	99	227	34	4	189
							96	231	72	159	27	2	130
45	4,211	2,374	1,837	360	1,284	193	97	152	30	122	20	2	100
46	4,305	2,418	1,887	353	1,324	210	98	100	25	75	14	—	61
47	4,386	2,434	1,952	350	1,395	207	99	49	12	37	9	1	27
48	4,708	2,616	2,092	372	1,439	281							
49	4,842	2,640	2,202	355	1,495	352	100 and over.	88	18	70	8	—	62

Note.—The 508,217 deaths at all ages include 1,079 cases (711 males and 368 females) in which only approximate ages were stated; these have been included under the stated age (*e.g.*, age "about 40" under age 40). In 51 cases (40 males and 11 females) the ages were stated to be within certain limits (*e.g.*, age 20 to 25 years); these have been distributed over the age group in proportion to the numbers of precisely stated ages in the individual years of age. In 186 cases (184 males and 2 females) the ages were stated to be unknown; these have been distributed to the particular ages with regard as far as possible to the cause of death (the number of males showed a considerable increase over the number in 1914, owing in the main, to the inclusion of the deaths resulting from the War).

Of the 243,187 deaths of females, 1,179 were cases in which the condition as to marriage was not stated; these have been distributed among the single, married, and widowed in proportion to their respective numbers at the same age. The deaths of 18 divorced women are included with the deaths of widows.

Deaths at Different Ages in Metropolitan Boroughs, 1916.

Age.	Sex.	City of London.	Battersea.	Bermondsey.	Bethnal Green.	Camberwell.	Chelsea.	Deptford.	Finsbury.	Fulham.	Greenwich.	Hackney.	Hammersmith.	Hampstead.	Holborn.
All Ages	M	131	1112	1062	924	1763	497	879	739	991	786	1455	837	405	375
	F	103	1109	920	848	1659	471	788	701	997	646	1439	837	465	296
Under 1 month	M	7	69	57	58	107	24	60	38	72	38	81	53	25	15
	F	2	61	46	56	64	14	31	32	53	25	55	39	14	13
1–3 months	M	—	35	34	51	59	6	33	25	35	27	58	25	6	7
	F	1	16	25	30	35	10	17	20	26	11	33	13	1	8
3–6 months	M	1	41	45	47	41	13	29	22	34	23	61	32	11	3
	F	1	26	32	39	38	11	24	26	26	12	40	18	5	4
6–12 months	M	1	36	51	42	55	18	37	43	43	31	56	29	8	8
	F	2	34	60	42	49	10	27	39	41	30	40	14	6	5
Total under 1 year	M	9	181	187	198	262	61	159	128	184	119	256	139	50	33
	F	6	137	163	167	186	45	99	117	146	78	168	84	26	30
1—	M	1	45	75	51	49	12	37	42	46	47	64	32	6	10
	F	—	41	45	52	67	11	34	40	32	33	50	28	5	10
2—	M	—	20	22	18	23	4	18	22	17	20	27	11	2	4
	F	—	18	21	24	24	3	12	23	12	31	24	10	4	3
3—	M	1	8	14	10	20	9	10	9	10	10	22	8	1	1
	F	—	15	11	11	20	3	7	12	16	10	16	4	1	2
4—	M	—	8	10	8	12	4	8	8	5	8	6	5	2	1
	F	—	9	16	8	13	3	10	5	5	8	13	8	1	3
Total under 5 years	M	11	262	308	285	366	90	232	209	262	204	375	195	61	49
	F	6	220	256	262	310	65	162	197	211	160	271	134	37	48
5—	M	—	35	35	16	47	7	23	10	26	23	30	17	5	4
	F	—	22	24	21	45	10	25	16	23	19	36	22	9	4
10—	M	1	23	16	14	33	4	5	8	12	11	24	10	1	4
	F	—	22	16	13	39	2	21	14	11	15	22	5	4	2
15—	M	4	29	19	13	33	8	16	10	19	19	18	17	8	4
	F	1	24	21	26	42	5	22	10	31	10	27	24	4	10
20—	M	3	22	20	16	37	4	16	16	14	22	22	13	3	11
	F	2	12	26	16	36	9	9	14	16	15	39	26	9	7
25—	M	4	25	31	22	36	11	14	13	31	19	35	23	10	13
	F	4	31	21	24	39	14	25	15	24	20	35	18	7	8
30—	M	2	34	27	28	63	15	23	22	30	22	45	24	4	7
	F	1	32	23	20	47	15	19	12	35	19	42	19	8	6
35—	M	5	45	30	26	70	9	28	24	30	28	55	21	9	16
	F	4	46	26	36	48	11	29	23	38	16	41	26	20	10
40—	M	6	38	47	49	67	17	51	35	45	30	59	38	14	19
	F	7	45	26	38	68	9	24	31	36	22	50	28	16	5
45—	M	14	50	45	51	86	29	48	37	51	36	81	34	21	14
	F	5	51	45	33	51	25	26	36	47	31	46	30	22	19
50—	M	8	75	65	66	104	25	48	51	56	43	95	49	40	32
	F	6	69	59	40	88	31	46	39	58	33	80	48	20	15
55—	M	7	76	74	64	140	37	59	65	83	48	108	58	29	46
	F	6	62	48	42	84	25	37	35	57	28	80	48	35	23
60—	M	10	90	79	62	139	40	71	53	70	53	104	83	41	37
	F	15	57	48	53	113	49	38	39	67	46	96	69	38	22
65—	M	20	91	77	69	162	48	79	57	83	58	121	72	42	39
	F	7	93	53	54	142	41	78	56	81	59	119	64	41	29
70—	M	15	79	80	58	129	62	64	41	82	65	88	70	45	34
	F	10	106	82	60	141	52	69	67	84	42	114	90	52	32
75—	M	10	66	55	50	143	49	48	44	60	53	102	50	32	34
	F	16	97	66	46	145	47	68	50	83	50	148	86	58	21
80—	M	8	47	39	19	69	31	27	25	16	34	52	36	19	7
	F	8	70	48	41	113	31	46	23	50	32	105	50	41	19
85—	M	3	25	15	16	39	11	27	19	21	18	41	27	21	5
	F	5	50	32	23	108	30	44	24	45	29	88	50	44	16

Deaths at Different Ages in Metropolitan Boroughs, 1916—*continued.*

Age.	Sex.	Islington.	Kensington.	Lambeth.	Lewisham.	Paddington.	Poplar.	St. Marylebone.	St. Pancras.	Shoreditch.	Southwark.	Stepney.	Stoke Newington.	Wandsworth.	Westminster.	Woolwich.
All Ages	M	2465	1070	2224	957	910	1413	766	1576	980	1680	2153	321	1788	995	914
	F	2383	1280	2077	987	973	1120	779	1474	851	1384	1694	326	1914	846	790
Under 1 month	M	135	61	136	49	47	90	34	93	72	99	129	16	120	42	67
	F	79	44	90	39	49	51	32	69	53	54	81	12	70	20	38
1–3 months	M	72	26	66	26	38	43	25	30	33	60	85	8	42	18	20
	F	58	27	38	20	22	40	14	46	25	46	59	5	37	12	15
3–6 months	M	72	22	59	24	27	67	20	31	37	63	73	2	67	21	18
	F	46	19	40	26	15	40	11	26	28	43	48	4	32	18	14
6–12 months	M	113	38	81	29	30	74	28	40	61	64	105	9	62	10	21
	F	68	23	67	30	27	66	17	49	59	56	76	5	62	16	20
Total under 1 year	M	392	147	342	128	142	274	107	194	203	286	392	35	291	91	126
	F	251	113	235	115	113	197	74	190	165	199	264	26	201	66	87
1—	M	113	28	85	35	27	83	18	52	63	102	128	4	52	18	22
	F	116	35	67	21	26	91	23	59	73	100	107	6	58	11	34
2—	M	45	18	36	17	7	38	7	32	32	46	41	4	16	6	10
	F	40	14	34	11	8	31	10	35	27	33	42	4	30	7	16
3—	M	28	10	19	5	9	28	3	22	13	22	19	2	16	6	8
	F	28	4	15	9	6	21	4	21	16	21	34	—	19	5	9
4—	M	17	7	22	7	3	9	3	9	13	13	20	2	19	7	5
	F	18	8	19	7	6	17	2	9	14	18	16	2	13	4	5
Total under 5 years	M	595	210	504	192	188	432	138	309	324	469	600	47	394	128	171
	F	453	174	370	163	159	357	113	314	295	371	463	38	321	93	151
5—	M	61	13	46	25	17	36	13	38	23	39	64	6	47	19	29
	F	48	16	48	16	18	18	13	21	22	41	40	5	40	13	13
10—	M	33	15	31	19	14	14	7	19	17	23	21	4	29	7	16
	F	26	12	29	15	5	16	5	30	15	19	22	4	22	8	17
15—	M	43	14	34	20	8	24	13	25	17	22	45	6	33	8	26
	F	40	20	39	17	19	30	10	21	17	32	36	5	38	8	17
20—	M	36	13	37	17	13	26	10	18	13	28	44	6	33	9	19
	F	54	20	50	20	18	28	15	26	25	26	39	4	33	15	21
25—	M	39	18	51	15	31	41	14	29	13	33	56	6	38	16	24
	F	62	41	53	16	22	23	19	42	18	34	52	7	40	17	21
30—	M	83	33	59	31	26	43	19	42	25	44	66	11	50	32	29
	F	65	33	57	29	26	24	26	31	25	32	47	15	51	21	24
35—	M	81	30	92	27	36	57	23	70	41	62	81	11	63	39	36
	F	76	37	61	31	31	36	27	54	28	55	66	9	61	20	35
40—	M	93	53	101	37	38	75	28	77	46	100	93	14	71	55	57
	F	82	45	73	40	45	37	27	56	24	66	72	13	84	33	35
45—	M	131	56	131	49	58	78	47	90	52	87	131	13	82	61	50
	F	94	53	93	47	37	40	47	79	38	72	81	13	82	58	37
50—	M	172	64	142	57	50	83	53	116	54	115	146	13	110	66	63
	F	145	65	118	36	55	48	41	81	43	88	89	21	99	56	51
55—	M	173	78	172	65	63	84	66	118	88	96	154	30	111	98	59
	F	118	85	108	45	61	59	30	99	45	63	95	12	93	60	51
60—	M	196	95	177	70	69	96	80	139	67	144	179	27	143	109	75
	F	171	86	151	61	64	83	61	104	55	87	102	23	132	70	47
65—	M	199	101	176	84	90	106	84	160	64	137	149	39	142	82	70
	F	174	118	174	93	76	71	70	114	41	92	135	25	146	70	68
70—	M	207	111	177	77	79	98	66	132	55	124	154	29	138	102	67
	F	250	142	195	111	95	81	85	141	57	123	127	25	186	88	65
75—	M	172	92	147	91	64	66	61	105	43	76	91	26	138	76	58
	F	219	130	200	108	102	78	86	126	46	83	106	47	198	97	56
80—	M	99	48	95	41	44	38	28	54	24	48	55	23	95	50	41
	F	167	115	136	74	72	52	48	78	36	55	76	27	159	80	50
85—	M	52	26	52	40	22	16	16	35	14	33	24	10	71	38	24
	F	139	88	122	65	68	39	56	57	21	45	46	33	129	39	31

Deaths at Different Ages in County Boroughs, 1916.

Age.	Sex.	Barnsley.	Barrow in Furness.	Bath.	Birken-head.	Birming-ham.	Blackburn.	Blackpool.	Bolton.	Bootle.	Bourne-mouth.	Bradford.	Brighton.	Bristol.	Burnley.	Burton upon Trent.	Bury.
All Ages	M	400	577	423	1083	6159	874	418	1207	676	494	2179	912	2444	902	352	454
	F	350	453	494	959	5942	927	460	1215	597	607	2177	982	2464	848	271	456
Under 1 month	M	31	55	19	64	413	62	16	71	36	17	157	49	166	55	19	24
	F	29	39	18	61	328	45	16	52	25	17	86	37	118	32	15	22
1–3 months	M	8	21	13	38	238	19	6	40	24	14	74	22	77	42	9	19
	F	18	10	3	24	173	17	9	23	25	8	48	21	54	23	5	5
3–6 months	M	19	13	7	35	220	17	8	29	33	9	61	15	77	32	7	10
	F	12	17	1	41	159	16	5	19	21	6	37	12	45	11	3	10
6–12 months	M	25	20	10	78	299	41	13	47	35	11	74	26	96	49	7	17
	F	17	13	6	64	317	32	7	39	28	4	48	20	64	32	5	14
Total under 1 year	M	83	109	49	215	1170	139	43	187	128	51	366	112	416	178	42	70
	F	76	79	28	190	977	110	37	133	99	35	219	90	281	98	28	51
1—	M	18	24	1	51	362	37	11	45	40	8	68	19	93	62	8	18
	F	24	18	4	47	375	26	7	50	54	12	75	21	100	62	6	13
2—	M	14	13	2	25	124	19	9	24	19	4	31	8	41	18	5	6
	F	10	7	5	26	154	14	6	18	10	4	26	8	38	13	3	5
3—	M	4	5	1	13	88	8	4	15	12	2	14	9	26	15	—	5
	F	4	9	4	14	68	22	5	11	12	2	16	7	18	10	2	3
4—	M	4	3	2	15	52	9	1	15	4	1	9	6	18	7	2	3
	F	2	7	2	8	52	5	—	8	9	2	16	5	5	6	2	1
Total under 5 years	M	123	154	55	319	1796	212	68	286	203	66	488	154	594	280	57	102
	F	116	120	43	285	1626	177	55	220	184	55	352	131	442	189	41	73
5—	M	16	24	15	25	126	20	11	33	18	6	35	12	49	23	9	11
	F	14	12	8	20	140	13	5	33	19	5	61	16	48	19	10	12
10—	M	9	13	7	9	87	13	9	29	11	5	28	5	38	11	5	7
	F	8	10	5	18	100	11	6	28	13	5	25	6	34	14	6	8
15—	M	4	8	4	17	92	17	6	28	10	2	24	15	49	19	5	6
	F	4	13	5	27	106	13	5	30	14	4	46	18	65	25	8	6
20—	M	7	20	4	21	98	15	7	17	11	6	28	11	48	14	6	4
	F	5	16	9	11	126	18	8	28	18	9	52	17	71	19	8	8
25—	M	7	12	5	21	134	12	9	20	17	13	39	14	44	15	9	9
	F	6	11	7	20	136	16	6	34	14	20	65	17	55	22	7	9
30—	M	6	13	8	32	167	17	6	41	27	8	60	36	68	16	14	13
	F	13	15	9	32	177	31	15	34	18	18	57	20	69	14	8	16
35—	M	7	23	9	62	233	23	16	45	33	12	85	28	85	28	17	13
	F	11	15	11	31	175	33	14	48	26	20	76	34	76	43	12	13
40—	M	22	29	16	52	266	46	13	54	25	16	103	23	81	31	13	19
	F	15	19	16	35	206	35	22	60	24	23	100	42	88	27	14	20
45—	M	15	37	27	65	334	47	21	51	35	18	123	37	116	41	16	30
	F	10	20	18	36	235	49	20	62	26	26	96	42	103	38	4	26
50—	M	24	29	15	60	383	59	22	68	45	31	166	56	149	57	21	40
	F	13	24	21	38	298	52	33	70	33	31	120	46	131	40	10	26
55—	M	31	34	44	65	391	80	41	114	38	35	160	70	154	72	31	32
	F	24	21	19	57	323	61	36	88	35	38	150	72	121	60	11	25
60—	M	37	41	39	69	415	75	39	113	57	34	171	94	162	70	32	40
	F	17	36	27	61	377	85	43	99	39	46	160	70	150	88	22	50
65—	M	30	40	30	78	470	90	50	112	58	60	203	91	204	70	30	44
	F	19	31	55	68	457	105	48	92	38	58	187	91	208	80	15	44
70—	M	21	52	42	75	446	56	45	82	36	62	217	88	250	66	29	43
	F	33	36	58	79	515	95	47	131	30	66	254	95	250	96	38	47
75—	M	24	28	47	70	376	60	32	63	34	59	127	79	190	50	34	32
	F	23	31	62	73	438	78	56	92	35	69	206	90	244	44	29	43
80—	M	13	16	33	30	244	22	17	39	12	37	91	59	98	24	17	6
	F	16	17	68	38	289	39	24	39	15	62	113	90	174	21	16	21
85—	M	4	4	23	13	101	10	6	12	6	24	31	40	65	15	7	3
	F	3	6	53	30	218	16	17	27	16	52	57	85	135	9	12	9

Deaths at Different Ages in County Boroughs, 1916—*continued.*

Age.	Sex.	Canterbury.	Carlisle.	Chester.	Coventry.	Croydon.	Darlington.	Derby.	Dewsbury.	Dudley.	Eastbourne.	East Ham.	Exeter.	Gateshead.	Gloucester.	Great Yarmouth.	Grimsby.	Halifax.	Hastings.
All Ages	M	170	407	335	727	1015	496	881	406	405	268	837	348	1150	360	417	559	727	374
	F	184	405	333	651	1133	418	805	389	375	306	767	513	975	375	401	481	744	514
Under 1 month	M	5	33	17	63	83	39	62	30	37	12	56	14	103	24	17	46	38	8
	F	6	22	6	51	48	22	45	22	32	14	46	15	62	10	9	28	32	12
1–3 months	M	4	7	15	31	30	23	18	5	13	11	23	15	52	8	17	25	12	7
	F	4	10	4	14	27	12	21	8	7	7	20	9	34	4	11	16	14	3
3–6 months	M	3	12	9	14	25	24	31	9	18	5	28	6	34	13	8	11	9	3
	F	2	9	11	19	19	12	17	5	9	2	18	9	32	4	10	9	7	5
6–12 months	M	2	16	12	41	29	24	22	20	17	9	38	16	68	11	13	29	18	6
	F	6	12	6	30	25	19	27	5	21	12	16	3	66	10	13	22	14	3
Total under 1 year	M	14	68	53	149	167	110	133	64	85	37	145	51	257	56	55	111	77	24
	F	18	53	27	114	119	65	110	40	69	35	100	36	194	28	43	75	67	23
1—	M	7	14	8	39	24	29	23	12	31	3	41	9	74	8	22	25	15	9
	F	5	7	13	38	19	22	29	15	22	6	27	11	72	6	12	19	16	10
2—	M	—	10	4	16	15	10	20	5	6	4	18	4	32	8	8	11	9	7
	F	1	9	5	18	12	12	14	5	9	2	16	2	30	6	7	9	8	2
3—	M	1	9	3	6	10	5	7	2	4	2	5	—	17	2	7	5	7	5
	F	1	4	4	11	5	6	7	3	10	—	11	5	12	7	4	8	2	2
4—	M	1	4	1	9	7	4	7	2	4	3	9	—	17	1	4	9	5	5
	F	2	5	—	16	5	2	8	1	2	3	10	2	7	2	3	4	6	2
Total under 5 years	M	23	105	69	219	223	158	190	85	130	49	218	64	397	75	96	161	113	50
	F	27	78	49	197	160	107	168	64	112	46	164	56	315	49	69	115	99	39
5—	M	6	19	10	19	24	14	29	6	10	3	25	5	39	5	18	23	19	7
	F	3	10	5	27	21	12	28	11	13	7	29	9	46	9	10	10	13	12
10—	M	4	7	6	11	11	6	11	7	5	2	14	7	18	10	5	11	13	3
	F	1	8	7	16	21	8	11	3	9	1	15	6	24	4	9	17	6	3
15—	M	1	10	4	19	19	7	14	3	15	3	18	7	29	8	5	7	19	3
	F	3	13	3	9	23	8	13	7	9	5	20	9	27	6	7	13	20	5
20—	M	4	2	8	13	7	12	9	3	11	4	21	5	25	7	7	12	14	2
	F	4	8	11	23	27	10	14	12	8	3	21	11	23	9	14	7	11	10
25—	M	—	6	5	22	12	12	16	9	6	8	18	5	25	10	13	15	8	7
	F	3	14	7	18	21	8	19	6	9	3	26	17	23	8	12	23	20	9
30—	M	1	16	15	29	40	18	22	10	10	7	20	9	26	4	8	20	18	3
	F	6	8	14	15	27	10	22	18	13	12	21	7	21	5	7	20	22	13
35—	M	5	18	6	31	40	6	16	17	12	11	31	8	33	5	7	16	24	12
	F	5	19	10	19	39	23	31	22	10	13	23	13	32	16	7	16	24	16
40—	M	5	16	14	27	40	19	33	18	24	10	32	9	41	8	18	21	24	16
	F	5	23	10	29	40	14	30	15	13	14	30	17	43	11	16	13	23	11
45—	M	7	19	15	26	44	25	45	22	16	10	44	21	65	16	12	36	29	12
	F	11	9	16	28	48	16	41	13	7	9	30	15	43	22	17	25	19	19
50—	M	7	29	33	49	67	25	60	26	22	12	48	26	61	18	23	29	64	29
	F	3	19	20	31	56	20	41	20	12	17	34	28	44	29	14	20	37	21
55—	M	14	21	30	53	62	32	69	25	26	11	57	20	70	27	21	31	65	19
	F	8	31	21	23	55	27	48	31	20	23	49	32	52	21	18	26	42	32
60—	M	12	28	26	44	68	33	85	41	24	18	58	24	78	32	36	32	62	34
	F	16	28	23	34	79	21	54	28	13	27	45	37	47	31	20	29	69	55
65—	M	19	29	26	47	82	35	94	48	27	32	62	34	75	33	33	52	76	39
	F	13	30	39	42	95	36	66	32	33	30	59	48	52	36	26	34	76	39
70—	M	20	39	26	41	91	33	75	44	19	27	65	32	78	25	37	42	79	42
	F	20	39	31	41	111	32	76	37	31	35	65	55	66	37	48	36	99	48
75—	M	21	23	26	40	98	37	57	30	23	27	57	33	51	35	33	26	50	57
	F	19	33	33	40	115	36	82	39	28	26	62	61	62	33	44	25	87	57
80—	M	16	11	6	19	54	18	40	10	13	17	33	23	27	32	26	12	31	19
	F	23	21	21	31	92	18	36	20	21	22	44	54	34	22	31	17	50	68
85—	M	5	9	10	18	33	6	16	2	12	17	16	16	12	10	19	13	19	20
	F	14	14	13	28	103	12	25	11	14	13	30	38	21	27	32	29	27	57

Deaths at Different Ages in County Boroughs, 1916—*continued.*

Age.	Sex.	Huddersfield.	Ipswich.	Kingston upon Hull.	Leeds.	Leicester.	Lincoln.	Liverpool.	Manchester.	Middlesbrough.	Newcastle upon Tyne.	Newport (Mon.).	Northampton.	Norwich.	Nottingham.	Oldham.
All Ages	M	857	503	2322	3648	1568	376	7339	5650	1139	2417	618	593	825	1946	1163
	F	820	523	1970	3301	1527	378	6674	5375	929	2017	546	563	951	1844	1139
Under 1 month	M	48	35	156	252	96	24	470	357	96	197	56	37	59	123	69
	F	35	23	108	184	82	26	292	274	67	145	35	27	51	93	54
1–3 months	M	24	8	87	132	57	8	252	181	47	86	15	16	22	74	35
	F	21	10	58	90	36	4	199	151	32	55	21	4	24	52	25
3–6 months	M	21	9	78	134	41	11	241	150	48	98	21	12	25	46	31
	F	17	10	64	99	36	6	198	137	39	71	12	3	18	48	22
6–12 months	M	16	24	120	181	77	10	413	276	45	135	29	12	25	93	57
	F	15	14	94	142	67	6	368	211	54	108	24	16	20	63	38
Total under 1 year	M	109	76	441	699	271	53	1376	964	236	516	121	77	131	336	192
	F	88	57	324	515	221	42	1057	773	192	379	92	50	113	256	139
1—	M	25	19	130	214	74	13	519	355	78	153	37	15	30	104	47
	F	30	16	116	180	68	14	470	295	63	130	42	9	25	83	45
2—	M	14	11	53	81	33	8	205	138	45	46	17	7	10	29	26
	F	14	4	45	62	30	5	172	141	34	44	13	10	7	32	10
3—	M	9	6	30	49	18	5	107	90	17	23	8	8	6	26	14
	F	7	7	37	33	21	4	134	70	28	27	8	9	9	15	12
4—	M	6	4	17	30	16	5	97	61	29	18	7	1	8	18	11
	F	8	1	14	30	6	3	73	69	20	30	10	3	7	13	12
Total under 5 years	M	163	116	671	1073	412	84	2304	1608	405	756	190	108	185	513	290
	F	147	85	536	820	346	68	1906	1348	337	610	165	81	161	399	218
5—	M	23	11	74	65	28	3	215	127	28	55	20	16	7	37	33
	F	19	10	64	74	26	7	199	130	54	57	26	16	21	41	36
10—	M	13	7	42	53	22	1	116	100	17	40	5	14	14	29	22
	F	12	10	40	48	17	10	129	107	26	35	16	11	15	22	26
15—	M	20	11	40	67	41	8	103	108	22	46	7	14	18	30	20
	F	17	11	45	70	37	4	148	129	25	43	16	20	23	43	33
20—	M	14	12	49	55	25	4	130	100	20	48	13	13	11	32	20
	F	20	14	44	95	35	6	154	145	20	59	18	14	26	42	26
25—	M	11	10	50	79	28	8	173	110	26	56	15	17	10	26	23
	F	11	10	49	87	43	6	154	129	31	61	20	22	23	37	30
30—	M	20	10	69	82	34	9	218	162	28	61	23	23	21	52	33
	F	14	13	48	99	43	11	191	156	31	80	18	16	22	55	30
35—	M	34	14	72	132	52	10	294	228	49	77	29	16	14	75	43
	F	36	21	76	111	54	14	224	191	34	76	21	21	29	65	44
40—	M	39	21	96	168	73	19	319	296	50	112	24	36	23	89	59
	F	41	23	59	130	48	13	258	243	34	86	10	18	31	63	64
45—	M	54	25	114	173	75	19	420	324	56	130	31	20	33	106	74
	F	43	12	81	158	64	14	282	260	37	82	33	19	36	77	55
50—	M	68	27	137	216	79	23	453	450	66	153	43	28	37	95	83
	F	50	19	98	183	67	15	374	330	39	78	26	27	47	97	77
55—	M	82	26	148	245	101	27	503	415	85	172	32	43	69	134	83
	F	56	29	112	175	100	25	363	320	27	106	22	37	38	103	85
60—	M	71	32	167	307	114	29	537	412	80	181	45	42	59	133	129
	F	51	35	132	220	112	25	415	363	46	92	27	40	62	134	116
65—	M	85	64	173	292	139	42	537	467	84	178	51	39	79	190	100
	F	62	50	141	273	121	27	459	415	54	139	31	43	62	141	82
70—	M	65	32	171	283	141	35	484	352	50	169	43	65	83	168	78
	F	88	43	119	300	132	37	577	464	58	138	32	54	97	183	82
75—	M	61	45	134	233	103	31	344	234	40	102	27	49	77	129	55
	F	90	45	154	243	131	39	478	345	47	152	30	56	101	157	79
80—	M	22	20	86	84	60	14	120	110	23	52	12	30	46	72	15
	F	43	54	105	144	88	29	238	186	16	80	27	40	86	108	41
85—	M	12	20	29	41	41	10	69	47	10	29	8	20	39	36	3
	F	20	39	67	71	63	28	125	114	13	43	8	28	71	77	15

Deaths at Different Ages in County Boroughs, 1916—*continued.*

Age.	Sex.	Oxford.	Plymouth.	Portsmouth.	Preston.	Reading.	Rochdale.	Rotherham.	St. Helens.	Salford.	Sheffield.	Smethwick.	Southampton.	Southend on Sea.	Southport.	South Shields.	Stockport.
All Ages	M	274	1419	1462	867	615	732	560	804	1758	3870	442	833	427	465	997	881
	F	337	1545	1478	908	614	800	454	714	1625	3392	423	852	428	523	853	908
Under 1 month	M	9	68	85	55	38	31	57	58	125	294	33	60	30	25	89	63
	F	10	75	83	42	28	25	36	54	76	210	32	55	10	19	50	38
1–3 months	M	12	46	42	24	23	16	21	34	70	134	18	23	16	8	44	24
	F	3	39	37	18	7	13	17	16	37	111	8	26	8	3	34	13
3–6 months	M	2	41	40	29	11	13	25	35	57	111	17	22	7	6	30	31
	F	4	36	33	19	11	8	21	20	52	93	12	15	1	5	17	22
6–12 months	M	10	45	55	39	18	24	34	27	86	200	22	22	5	12	63	43
	F	9	49	46	28	11	23	28	37	81	162	20	16	5	9	43	34
Total under 1 year	M	33	200	222	147	90	84	137	154	338	739	90	127	58	51	226	161
	F	26	199	199	107	57	69	102	127	246	576	72	112	24	36	144	107
1—	M	6	60	57	48	22	34	31	63	103	241	19	27	3	18	56	60
	F	6	56	32	43	10	31	29	73	84	214	29	16	5	9	57	46
2—	M	1	14	32	12	6	20	11	28	38	119	13	13	4	3	25	26
	F	1	24	22	17	5	17	11	41	42	101	4	15	3	2	32	22
3—	M	4	21	25	13	7	8	6	20	28	55	6	13	4	6	17	14
	F	4	16	24	15	7	10	6	16	30	46	10	7	2	4	15	13
4—	M	2	20	9	13	1	11	4	12	17	38	1	6	2	6	7	7
	F	3	10	14	3	5	8	9	19	14	33	6	3	5	2	10	5
Total under 5 years	M	46	315	345	233	126	157	189	277	524	1192	129	186	71	84	331	268
	F	40	305	291	185	84	135	157	276	416	970	121	153	39	53	258	193
5—	M	6	34	43	32	8	21	15	31	45	97	9	18	8	10	29	20
	F	3	36	48	22	11	14	10	38	49	89	16	16	9	13	22	18
10—	M	2	22	22	17	8	9	14	11	36	64	6	7	5	4	20	9
	F	2	33	22	17	13	10	10	17	39	62	5	7	5	3	21	14
15—	M	4	28	21	13	8	17	16	18	38	75	7	7	4	4	24	8
	F	4	26	31	21	12	13	12	10	56	72	11	18	4	2	36	14
20—	M	3	32	23	13	13	14	8	21	27	77	10	11	10	7	25	8
	F	6	45	32	20	17	16	11	16	47	68	14	18	11	6	23	21
25—	M	6	31	33	16	8	13	12	11	29	90	14	18	7	6	24	7
	F	6	49	39	17	20	25	9	22	49	71	9	14	17	12	27	24
30—	M	7	33	39	25	17	18	12	26	50	105	10	16	12	3	26	17
	F	3	40	37	26	15	34	10	20	50	88	13	18	18	8	27	24
35—	M	4	45	45	26	23	22	19	25	64	151	18	34	20	14	39	30
	F	8	62	44	30	23	26	11	17	43	98	20	32	14	17	29	33
40—	M	8	57	62	26	22	32	24	41	100	162	17	40	17	16	36	33
	F	9	66	55	27	16	30	15	23	70	134	18	40	18	20	28	50
45—	M	7	86	60	58	21	56	33	37	79	205	23	48	30	22	46	55
	F	14	59	66	44	22	42	21	31	89	155	20	47	20	15	41	39
50—	M	5	84	75	53	42	42	20	53	118	238	21	46	24	21	51	58
	F	16	77	68	48	27	47	17	30	67	163	22	48	17	29	39	38
55—	M	24	100	92	54	30	54	39	49	124	258	28	56	20	42	67	67
	F	16	90	88	66	36	47	23	34	96	181	18	43	31	37	36	64
60—	M	26	109	100	65	54	72	42	53	139	294	36	67	42	37	75	72
	F	23	97	111	79	41	88	35	44	122	246	22	55	37	41	48	66
65—	M	39	96	132	76	68	66	40	56	154	306	32	71	51	54	53	74
	F	41	98	124	78	57	66	34	34	115	266	28	65	42	52	66	81
70—	M	44	114	142	74	54	61	35	60	118	252	32	65	39	54	61	74
	F	39	137	123	92	60	84	33	40	127	284	29	67	40	68	48	88
75—	M	12	101	113	46	58	44	24	18	70	189	26	67	32	39	64	51
	F	42	129	147	75	61	65	22	42	114	245	29	94	44	69	59	66
80—	M	17	83	68	29	38	25	11	12	24	79	12	45	17	32	14	22
	F	44	106	82	44	36	38	16	14	44	122	18	56	28	45	30	51
85—	M	14	49	47	11	17	9	7	5	19	36	12	31	18	16	12	8
	F	21	90	70	17	63	20	8	6	32	78	10	61	34	33	15	24

Deaths at Different Ages in County Boroughs, 1916—*continued.*

Age.	Sex.	Stoke on Trent.	Sunderland.	Tynemouth.	Wakefield.	Wallasey.	Walsall.	Warrington.	West Bromwich.	West Ham.	West Hartlepool.	Wigan.	Wolverhampton.	Worcester.	York.	Cardiff.	Merthyr Tydfil.	Swansea.
All Ages	M	1945	1364	513	369	532	757	562	491	2299	502	669	757	306	557	1384	658	895
	F	1751	1308	460	320	495	713	491	455	1939	418	620	635	341	597	1173	494	803
Under 1 month	M	130	113	44	26	41	62	39	40	138	45	52	51	22	39	77	48	60
	F	119	93	29	15	20	52	20	30	97	34	36	36	13	23	69	39	43
1–3 months	M	92	46	20	9	15	26	14	12	111	14	20	36	9	12	41	28	32
	F	53	30	20	8	6	19	14	16	56	15	21	20	5	16	27	18	22
3–6 months	M	72	46	19	9	7	31	16	21	99	22	25	15	7	18	39	22	25
	F	59	29	14	5	6	21	9	14	80	11	23	22	2	9	32	15	30
6–12 months	M	101	67	27	12	19	36	31	22	145	25	35	38	5	20	62	28	31
	F	100	66	18	6	17	38	28	16	108	17	27	23	4	25	45	22	48
Total under 1 year	M	395	272	110	56	82	155	100	95	493	106	132	140	43	89	219	126	148
	F	331	218	81	34	49	130	71	76	341	77	107	101	24	73	173	94	143
1—	M	127	82	25	15	12	34	36	22	152	31	39	51	16	28	58	20	68
	F	125	98	29	5	15	26	33	22	151	19	40	38	13	20	46	21	58
2—	M	71	46	14	3	4	19	12	10	70	18	21	17	4	15	27	14	26
	F	45	48	10	5	6	13	11	23	70	10	12	14	4	13	18	11	19
3—	M	48	24	9	2	5	12	10	5	41	7	8	14	2	6	7	6	12
	F	27	12	10	2	6	8	13	8	46	6	3	12	2	11	19	1	13
4—	M	34	15	6	5	4	9	5	5	28	4	6	4	2	2	8	2	6
	F	34	16	3	2	3	9	6	9	31	4	11	7	3	—	7	4	13
Total under 5 years	M	675	439	164	81	107	229	163	137	784	166	206	226	67	140	319	168	260
	F	562	392	133	48	79	186	134	138	639	116	173	172	46	117	263	131	246
5—	M	77	39	11	5	15	22	23	8	70	14	20	20	7	10	34	18	31
	F	68	47	7	14	20	28	22	8	42	11	17	29	3	11	40	17	15
10—	M	33	31	15	4	4	17	3	6	39	6	23	10	6	8	22	17	14
	F	28	30	7	9	3	15	14	12	31	9	23	7	4	13	18	7	12
15—	M	31	27	3	10	5	10	8	11	43	10	16	8	5	9	31	17	17
	F	38	40	16	8	8	23	21	8	51	13	14	9	9	13	43	10	18
20—	M	26	28	6	5	5	10	8	7	36	9	19	11	5	10	43	19	17
	F	39	27	6	11	11	21	14	6	38	9	19	13	9	17	41	19	26
25—	M	24	22	6	6	15	14	14	16	52	12	5	11	8	8	40	17	26
	F	44	29	12	8	10	20	20	13	46	14	12	12	9	17	42	19	20
30—	M	38	32	17	10	22	20	10	7	48	10	15	22	10	7	33	12	31
	F	40	27	7	13	18	21	11	4	43	20	23	16	7	12	34	17	19
35—	M	53	43	17	16	27	27	20	20	58	21	27	17	10	14	58	20	43
	F	63	43	20	11	16	21	13	16	53	12	22	21	11	24	47	21	25
40—	M	81	51	19	15	32	35	34	25	113	22	33	22	8	23	73	28	47
	F	69	39	21	15	26	22	20	20	73	20	16	21	8	22	50	19	17
45—	M	106	69	29	22	34	29	22	29	123	21	38	37	12	32	77	43	44
	F	71	52	25	20	21	22	17	15	95	21	31	21	16	30	48	31	33
50—	M	126	73	28	16	31	39	42	24	123	30	41	51	15	28	101	41	63
	F	89	44	21	17	30	31	18	23	89	23	29	32	10	30	70	21	30
55—	M	127	80	35	26	29	45	41	24	142	36	48	64	22	39	87	35	58
	F	106	70	34	13	29	42	19	19	94	14	39	31	24	20	60	36	46
60—	M	129	88	39	40	38	55	46	36	145	41	55	66	18	34	103	56	70
	F	108	94	29	19	37	51	33	21	109	21	48	38	31	41	53	31	48
65—	M	148	105	35	38	47	59	32	47	166	33	44	68	24	62	125	53	67
	F	139	84	33	23	45	49	36	29	114	33	35	38	35	53	92	27	53
70—	M	129	108	29	24	57	52	49	29	141	37	38	52	33	50	107	53	51
	F	119	98	30	25	50	68	42	44	148	31	63	63	42	49	92	40	70
75—	M	76	83	37	27	34	47	26	27	115	21	26	42	23	47	81	37	31
	F	93	91	30	40	47	46	32	48	134	29	33	62	31	48	93	30	76
80—	M	53	34	9	16	24	32	14	27	68	6	9	19	23	20	26	16	20
	F	52	64	19	15	29	27	18	21	84	10	16	27	24	45	53	9	28
85—	M	13	12	14	8	6	15	7	11	33	7	6	11	10	16	24	8	5
	F	23	37	10	11	16	20	7	10	56	12	7	23	22	35	34	9	21

Deaths at Different Ages in Urban and Rural Aggregates of Administrative Counties—1916.

Age.	Sex.	Bedfordshire.		Berkshire.		Buckinghamshire.		Cambridgeshire.		Cheshire.		Cornwall.		Cumberland.		Derbyshire.		Devonshire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	737	516	323	805	494	874	327	503	2768	1150	1007	1235	896	672	1861	1738	1396	1497
	F	796	526	415	788	477	934	356	522	2826	986	1119	1349	816	584	1672	1588	1589	1459
Under 1 month	M	54	39	16	38	33	52	12	21	153	67	55	62	55	48	173	134	61	69
	F	40	20	12	26	18	34	15	14	90	36	50	34	50	40	108	108	36	50
1–3 months	M	21	8	9	13	17	17	13	12	63	19	26	29	21	9	70	62	27	27
	F	12	4	4	8	14	12	5	7	55	16	19	21	21	9	46	41	15	15
3–6 months	M	15	10	4	13	12	9	5	6	73	21	22	15	18	14	53	45	16	20
	F	14	5	6	7	9	9	5	6	38	10	14	13	19	9	42	37	15	16
6–12 months	M	23	11	8	15	13	18	10	8	98	32	25	25	39	14	64	67	29	26
	F	19	11	7	10	10	15	8	8	88	16	25	22	31	13	60	48	26	22
Total under 1 year	M	113	68	37	79	75	96	40	47	387	139	128	131	133	85	360	308	133	142
	F	85	40	29	51	51	70	33	35	271	78	108	90	121	71	256	234	92	103
1—	M	20	8	8	16	15	10	7	4	94	37	26	19	37	16	58	61	25	28
	F	27	8	8	10	9	13	5	5	96	26	20	29	26	11	70	70	28	31
2—	M	9	5	4	7	8	12	3	2	57	11	10	7	14	8	26	30	13	10
	F	9	5	4	8	7	12	3	2	38	11	8	19	15	8	30	29	11	12
3—	M	11	6	2	3	9	8	1	2	33	8	9	12	4	5	15	20	9	10
	F	12	5	1	3	4	7	—	2	19	7	7	8	8	3	19	15	11	6
4—	M	12	1	2	1	4	—	4	—	24	4	3	8	10	4	16	15	8	9
	F	10	6	1	4	3	5	3	2	21	4	7	9	10	2	16	21	8	6
Total under 5 years	M	165	88	53	106	111	126	55	55	595	199	181	177	198	118	475	434	188	199
	F	143	64	43	76	74	107	44	46	445	126	150	155	180	95	391	369	150	158
5—	M	25	18	6	18	17	24	12	10	57	21	29	18	25	18	48	44	24	26
	F	20	17	7	16	12	17	7	11	64	21	14	33	30	13	51	41	28	22
10—	M	7	8	4	15	6	11	9	4	33	18	11	15	11	9	32	34	18	21
	F	11	9	5	14	8	14	5	3	43	17	13	15	15	10	31	33	17	20
15—	M	15	13	7	12	6	14	1	9	68	24	19	32	24	9	31	37	33	25
	F	29	11	6	14	10	12	5	7	65	19	27	16	18	11	30	26	28	24
20—	M	11	4	5	7	6	15	6	7	39	21	18	23	15	5	34	25	27	22
	F	19	15	11	8	5	19	3	12	58	18	25	29	24	11	37	30	35	31
25—	M	18	9	4	14	10	10	8	7	45	24	15	29	23	12	30	31	22	31
	F	19	17	7	20	8	18	6	10	68	19	24	28	19	15	44	56	33	27
30—	M	19	12	5	14	9	10	9	6	67	37	30	35	26	15	58	35	31	25
	F	13	9	3	14	4	24	6	5	77	24	19	25	26	22	64	45	36	32
35—	M	23	16	10	15	4	23	10	8	87	36	28	42	45	26	55	50	39	53
	F	27	8	7	19	14	25	6	19	93	38	23	30	23	17	47	60	35	39
40—	M	20	8	14	16	17	27	16	9	99	38	41	46	31	28	63	60	43	39
	F	24	14	7	20	12	23	14	5	112	42	30	50	29	27	52	56	47	44
45—	M	24	17	11	32	19	31	14	13	141	40	52	50	33	28	85	66	62	55
	F	26	14	14	25	14	44	13	18	129	32	43	35	27	20	81	42	52	45
50—	M	42	16	18	49	21	41	19	27	177	50	46	67	39	37	110	87	79	67
	F	38	18	22	26	23	39	11	18	144	51	48	58	40	16	81	80	73	54
55—	M	53	25	18	58	39	52	17	27	194	91	80	67	51	43	104	110	99	114
	F	40	33	29	52	39	52	26	28	178	64	59	82	43	37	84	78	86	92
60—	M	65	34	28	62	34	60	32	34	237	87	77	116	73	49	163	131	128	94
	F	51	31	22	57	27	56	26	24	221	73	84	102	63	31	105	82	113	83
65—	M	66	49	33	80	49	96	31	57	285	103	99	108	85	60	150	145	123	156
	F	56	38	43	72	49	91	28	68	267	97	92	117	61	57	129	146	161	145
70—	M	65	59	39	90	45	94	33	68	243	121	103	134	88	78	169	182	133	170
	F	74	54	50	87	41	107	45	61	293	110	124	167	85	56	147	138	194	180
75—	M	52	57	31	89	47	103	22	69	213	111	89	113	71	72	132	156	149	168
	F	78	69	50	98	56	109	42	73	306	114	146	160	61	70	135	140	185	162
80—	M	42	54	22	75	31	69	17	46	131	74	55	87	44	34	90	70	112	124
	F	63	56	51	83	43	99	30	53	171	72	103	134	49	44	101	96	167	151
85—	M	25	29	15	53	23	68	16	47	57	55	34	76	14	31	32	41	86	108
	F	65	49	38	87	38	78	39	61	92	49	95	113	23	32	64	70	149	150

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1916—*continued.*

Age.	Sex.	Dorset-shire.		Durham.		Ely, Isle of.		Essex.		Gloucester-shire.		Hereford-shire.		Hertford-shire.		Hunting-donshire.		Kent.	
		Urb.	Rur	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur	Urb.	Rur.	Urb.	Rur.
All Ages	M	733	637	3766	2994	282	239	3540	1669	632	1563	266	545	1177	622	170	206	4589	2072
	F	769	666	3295	2529	260	193	3387	1518	743	1525	331	513	1267	565	167	201	4719	1816
Under 1 month	M	45	36	378	314	14	21	235	87	39	87	18	21	65	39	10	6	261	105
	F	36	29	270	231	8	12	153	77	23	57	12	23	59	16	12	12	220	75
1–3 months	M	12	7	139	130	10	4	107	31	16	26	6	10	31	8	4	3	122	49
	F	7	14	91	86	5	3	76	17	9	25	3	10	23	4	1	4	102	30
3–6 months	M	12	2	129	105	8	8	97	20	9	14	13	5	19	9	2	1	103	43
	F	13	7	99	94	6	1	60	12	4	20	2	6	17	8	—	1	69	24
6–12 months	M	23	9	208	158	11	7	92	40	8	25	7	9	31	10	2	5	143	51
	F	19	9	143	141	2	5	75	25	7	19	9	10	30	9	3	6	107	42
Total under 1 year	M	92	54	854	707	43	40	531	178	72	152	44	45	146	66	18	15	629	248
	F	75	59	603	552	21	21	364	131	43	121	26	49	129	37	16	23	498	171
1—	M	26	18	215	182	4	8	122	27	10	36	3	3	33	13	5	—	120	45
	F	16	11	222	158	5	2	118	25	15	28	2	11	18	9	2	3	113	42
2—	M	12	4	93	61	3	2	47	16	9	15	3	1	18	2	1	1	62	15
	F	10	3	96	55	1	2	64	12	5	10	5	2	10	4	—	—	51	25
3—	M	6	3	68	38	1	1	49	7	5	12	4	2	7	4	1	1	39	11
	F	4	4	48	43	—	1	38	11	7	9	—	3	11	3	2	1	43	20
4—	M	3	4	43	30	3	2	21	9	7	12	2	—	9	10	—	1	33	11
	F	7	2	39	37	—	1	30	4	3	9	3	—	10	1	—	—	35	8
Total under 5 years	M	139	83	1273	1018	54	53	770	237	103	227	56	51	213	95	25	18	883	330
	F	112	79	1008	845	27	27	614	183	73	177	36	65	178	54	20	27	740	266
5—	M	12	10	128	104	7	4	91	33	6	29	8	13	19	7	3	1	125	45
	F	9	10	130	99	4	3	84	29	7	31	9	9	33	8	1	1	90	38
10—	M	6	8	75	57	5	1	62	31	7	34	2	6	10	9	—	2	78	41
	F	10	7	80	50	5	2	47	27	9	30	8	5	12	8	1	3	61	34
15—	M	14	8	96	88	9	11	71	26	12	26	3	10	17	4	3	3	100	35
	F	12	10	87	45	9	6	73	32	19	44	6	6	22	8	2	2	95	36
20—	M	8	11	65	62	2	1	62	23	17	28	5	10	22	4	6	4	67	44
	F	15	12	79	68	4	6	68	26	13	37	3	13	34	14	4	3	110	37
25—	M	17	15	86	63	—	10	97	30	3	24	5	6	23	11	5	6	89	45
	F	28	11	90	65	7	4	98	26	8	38	5	11	29	18	5	3	115	53
30—	M	18	8	84	80	4	4	101	34	13	31	1	7	25	15	2	5	117	49
	F	17	15	97	83	10	6	103	33	23	46	4	11	33	13	4	7	121	55
35—	M	20	7	149	76	8	6	144	26	21	38	5	8	31	21	5	2	168	52
	F	22	15	112	83	8	6	122	33	19	45	10	9	30	14	6	12	181	53
40—	M	20	20	126	107	10	9	149	50	21	60	9	19	35	18	6	5	182	72
	F	22	22	130	89	7	4	121	47	21	40	7	16	44	16	6	7	184	65
45—	M	38	22	149	106	18	9	158	66	29	63	18	19	61	29	5	9	203	83
	F	26	27	127	103	6	4	158	52	23	44	13	24	50	21	5	4	169	66
50—	M	46	32	173	130	12	10	210	95	33	80	14	28	67	29	8	8	252	93
	F	31	27	178	111	8	7	157	67	24	56	14	17	58	20	9	6	215	74
55—	M	48	39	169	174	14	8	207	109	42	99	19	41	86	45	10	10	279	106
	F	36	26	159	134	14	8	217	84	41	78	17	20	66	32	11	6	245	85
60—	M	65	52	260	189	20	6	241	109	42	127	20	43	85	60	7	15	346	140
	F	43	48	187	139	19	12	198	84	43	117	27	37	75	42	7	14	303	105
65—	M	70	66	301	220	31	21	311	165	62	153	23	75	118	49	15	19	388	197
	F	81	54	228	131	16	24	265	139	82	129	27	41	108	68	15	17	382	170
70—	M	58	83	274	215	26	18	299	212	73	182	24	61	124	76	17	23	412	197
	F	83	82	224	171	21	13	311	172	94	162	45	66	120	62	19	18	439	172
75—	M	70	72	225	181	34	34	298	186	77	185	21	66	104	63	29	34	430	235
	F	95	74	194	149	37	19	331	176	91	182	40	68	149	59	25	27	517	201
80—	M	52	57	91	80	19	18	159	133	41	111	15	42	86	51	19	24	276	180
	F	66	79	125	115	30	26	236	164	75	148	36	55	126	66	15	19	394	156
85—	M	32	44	42	44	9	16	110	104	30	66	18	40	51	36	5	18	194	128
	F	61	68	60	49	28	16	184	144	78	121	24	40	100	42	12	25	358	150

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1916—*continued.*

Age.	Sex.	Lancashire.		Leicestershire.		Lincolnshire, (Parts of Holland).		Lincolnshire, (Parts of Kesteven).		Lincolnshire, (Parts of Lindsey).		Middlesex.		Monmouthshire.		Norfolk.		Northamptonshire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	10190	1533	602	931	273	318	298	485	655	932	5997	290	1998	300	402	1785	573	795
	F	10036	1438	582	927	262	263	287	478	651	935	6328	245	1561	240	403	1695	538	796
Under 1 month	M	651	108	38	57	10	18	19	34	50	62	401	18	182	10	22	99	34	34
	F	467	65	19	40	7	8	24	23	32	60	303	9	149	12	16	72	26	34
1–3 months	M	329	36	17	19	7	7	5	19	27	20	186	3	73	7	4	41	10	11
	F	198	23	21	9	6	2	7	7	13	23	130	4	44	4	10	20	13	8
3–6 months	M	266	35	15	12	9	8	5	7	17	22	181	7	46	6	7	32	10	7
	F	219	22	8	17	4	4	6	8	14	10	110	3	39	1	5	21	10	
6–12 months	M	431	42	30	31	9	10	7	19	14	30	200	11	120	5	8	39	15	17
	F	308	42	17	24	2	5	3	15	16	24	163	7	82	3	11	26	10	9
Total under 1 year	M	1677	221	100	119	35	43	36	79	108	134	968	39	421	28	41	211	69	69
	F	1192	152	65	90	19	19	40	53	75	117	706	23	314	20	42	139	59	57
1—	M	416	49	20	32	8	5	12	12	17	29	218	10	97	9	9	41	9	12
	F	406	41	23	22	6	3	8	9	12	22	213	9	86	3	6	29	9	11
2—	M	183	17	9	8	2	4	6	10	13	10	83	2	48	3	2	15	6	10
	F	187	15	7	9	5	2	5	2	8	8	79	4	35	2	3	6	7	4
3—	M	116	12	4	14	2	1	3	4	10	10	85	5	25	3	7	12	5	6
	F	117	12	9	10	4	5	3	7	5	6	74	2	16	4	2	11	5	9
4—	M	100	6	6	5	1	4	3	—	11	—	43	1	20	2	1	4	2	5
	F	89	16	1	6	—	2	2	1	11	6	48	3	23	5	2	4	4	5
Total under 5 years	M	2492	305	139	178	48	57	60	105	159	183	1397	57	611	45	60	283	91	102
	F	1991	236	105	137	34	31	58	72	111	159	1120	41	474	34	55	189	84	86
5—	M	270	41	14	21	7	12	6	12	16	16	184	10	47	6	10	33	15	27
	F	277	26	10	23	8	6	7	8	13	20	142	5	42	4	9	30	20	15
10—	M	174	21	11	19	4	7	4	5	11	8	81	8	38	4	5	34	14	6
	F	160	26	4	18	5	6	1	4	18	17	107	8	29	7	5	33	22	14
15—	M	211	41	12	17	9	7	6	9	11	21	127	2	66	7	6	19	21	14
	F	206	22	9	20	5	6	12	10	15	17	135	5	45	12	7	27	22	20
20—	M	191	26	19	10	5	7	8	6	12	15	104	2	49	6	6	30	12	13
	F	236	33	20	22	6	7	7	7	15	25	172	3	41	6	7	44	12	15
25—	M	196	34	12	13	5	6	5	7	16	13	128	7	40	8	6	28	24	8
	F	268	47	17	22	8	5	5	11	20	32	181	9	47	6	7	36	15	19
30—	M	248	29	15	22	4	6	6	7	14	27	161	7	47	8	7	32	10	21
	F	302	46	24	28	8	7	2	10	14	19	185	5	47	5	3	36	17	25
35—	M	340	41	15	26	8	10	9	6	22	18	222	11	58	10	14	37	19	11
	F	371	50	20	27	6	8	8	15	18	31	224	6	73	12	9	46	17	25
40—	M	430	55	24	20	11	5	8	10	14	29	274	6	78	11	11	36	19	15
	F	425	64	20	29	10	12	5	11	31	20	250	10	61	6	9	43	22	18
45—	M	507	72	22	41	10	13	13	11	25	25	300	13	94	15	23	46	13	29
	F	446	66	32	32	3	12	10	13	29	32	265	8	59	9	14	52	19	22
50—	M	643	84	32	46	15	11	8	25	29	30	326	18	129	15	22	62	22	31
	F	545	64	26	46	12	11	6	19	23	40	325	11	63	10	24	70	22	31
55—	M	800	96	31	51	14	13	20	27	52	59	370	25	115	26	18	104	42	48
	F	684	92	30	45	9	9	16	17	33	39	370	17	81	8	21	98	26	43
60—	M	906	135	51	65	17	25	16	39	51	50	477	19	146	22	30	107	61	65
	F	779	102	35	70	16	12	17	32	42	50	394	18	98	16	25	94	32	55
65—	M	863	128	43	93	28	24	30	44	51	72	465	21	166	21	41	172	53	84
	F	871	147	54	85	18	20	19	40	51	67	475	14	96	21	37	128	43	77
70—	M	852	171	64	76	30	37	35	36	64	111	488	35	152	27	46	203	51	89
	F	1006	145	42	84	34	26	33	60	56	88	591	27	118	25	45	186	48	86
75—	M	648	123	48	117	24	33	34	66	47	114	452	20	103	32	48	224	58	97
	F	783	137	55	98	31	36	28	56	73	99	553	28	94	22	39	202	61	83
80—	M	303	96	34	67	19	22	18	34	36	76	242	22	40	24	28	178	27	81
	F	467	87	47	73	24	27	30	50	43	99	472	17	53	15	43	184	31	97
85—	M	116	35	16	49	15	23	12	36	25	65	199	7	19	13	21	157	21	54
	F	219	48	32	68	25	22	23	43	46	81	367	13	40	22	44	197	25	65

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1916—*continued.*

Age.	Sex.	Northumberland.		Nottinghamshire.		Oxfordshire.		Peterborough, Soke of.		Rutlandshire.		Shropshire.		Somersetshire.		Southampton.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	1933	621	1406	855	248	624	230	76	18	104	770	821	1008	1528	1205	1355
	F	1796	565	1394	788	272	611	232	76	16	98	799	841	1061	1412	1131	1229
Under 1 month	M	193	41	123	61	8	26	13	6	2	4	48	36	51	71	72	74
	F	125	36	106	40	7	26	16	6	—	1	36	38	27	53	64	49
1–3 months	M	67	18	82	24	3	3	2	2	2	2	16	12	20	22	33	24
	F	50	9	57	13	2	10	3	2	—	4	7	8	13	16	20	11
3–6 months	M	63	15	57	17	4	3	5	2	1	1	10	1	17	12	23	21
	F	49	7	42	16	2	11	5	1	1	2	14	11	10	18	15	9
6–12 months	M	95	9	80	23	7	8	8	3	1	2	20	17	15	23	39	29
	F	73	12	52	21	1	9	1	—	—	1	18	7	15	17	27	18
Total under 1 year	M	418	83	342	125	22	40	28	13	6	9	94	66	103	128	167	148
	F	297	64	257	90	12	56	25	9	1	8	75	64	65	104	126	87
1—	M	112	7	75	33	4	17	3	—	1	1	19	18	20	24	42	29
	F	118	11	76	32	6	10	4	—	—	—	14	12	16	25	27	15
2—	M	40	3	31	10	5	2	3	—	—	1	12	6	15	12	20	14
	F	31	2	28	9	5	6	3	1	—	1	10	5	10	9	18	11
3—	M	27	7	26	11	1	3	1	—	—	—	12	4	6	7	9	7
	F	25	4	14	5	4	1	1	—	—	—	7	10	3	9	10	9
4—	M	18	2	8	3	1	—	1	—	—	1	9	5	12	9	9	5
	F	15	2	13	9	3	2	2	—	—	1	11	6	2	2	9	6
Total under 5 years	M	615	102	482	182	33	62	36	13	7	12	146	99	156	180	247	203
	F	486	83	388	145	30	75	35	10	1	10	117	97	96	149	190	128
5—	M	55	16	31	21	6	16	2	3	—	—	18	6	21	18	22	18
	F	60	14	38	24	3	13	3	5	1	1	20	13	21	11	17	16
10—	M	38	9	33	14	2	7	3	—	1	—	6	5	16	17	14	20
	F	34	12	18	11	3	13	7	1	1	2	18	21	21	15	16	17
15—	M	37	17	35	17	5	11	4	5	—	1	9	13	12	27	26	14
	F	44	17	39	11	7	10	8	4	—	1	14	14	17	19	23	23
20—	M	40	11	27	15	5	7	4	1	—	1	11	13	17	26	19	16
	F	53	9	40	22	7	14	5	—	1	1	20	12	15	29	21	16
25—	M	47	13	15	16	1	7	6	5	—	2	6	19	25	17	27	16
	F	58	19	39	24	5	13	6	1	—	2	22	16	16	32	28	40
30—	M	65	9	27	15	6	14	4	—	—	3	19	17	17	24	29	32
	F	42	17	36	19	7	14	5	—	—	1	18	22	24	36	18	27
35—	M	54	14	52	23	5	10	3	—	—	1	24	27	13	34	27	29
	F	59	24	56	22	8	17	4	2	1	2	22	24	36	34	41	35
40—	M	76	14	35	32	8	16	6	2	—	3	28	29	29	39	56	50
	F	86	19	48	33	4	12	6	—	1	3	27	19	39	44	33	34
45—	M	76	19	60	26	11	26	11	4	—	3	24	34	48	61	64	61
	F	78	22	58	28	16	17	11	1	—	2	30	21	37	54	50	47
50—	M	91	25	67	34	9	29	14	1	1	5	26	44	73	80	72	74
	F	95	26	66	30	8	18	6	1	1	2	35	34	49	62	48	61
55—	M	115	44	89	45	11	33	17	6	2	7	52	42	74	121	72	69
	F	87	26	70	45	13	35	10	4	1	3	41	45	51	62	63	81
60—	M	125	52	78	63	16	48	21	7	—	9	73	60	94	140	88	114
	F	103	42	92	47	13	38	17	3	2	5	55	57	67	107	73	84
65—	M	139	70	105	73	29	74	24	5	1	12	67	74	99	169	104	120
	F	117	44	78	51	23	55	22	11	—	8	62	69	91	124	100	94
70—	M	171	72	93	83	31	69	26	12	—	15	93	130	102	185	112	143
	F	131	61	103	88	29	68	27	7	1	12	83	82	139	175	112	154
75—	M	102	56	94	89	33	81	23	1	2	10	86	95	100	184	100	165
	F	132	60	87	74	37	77	18	7	1	20	89	122	131	185	112	139
80—	M	56	48	54	61	20	73	17	7	2	11	55	70	61	123	80	120
	F	85	42	80	64	34	52	24	12	1	12	76	89	110	135	111	122
85—	M	31	30	29	46	17	41	9	4	2	9	27	44	51	83	46	91
	F	46	28	58	50	25	70	18	7	3	11	50	84	101	139	75	111

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1916—*continued.*

Age.	Sex.	Staffordshire.		Suffolk, East.		Suffolk, West.		Surrey.		Sussex, East.		Sussex, West.		Warwickshire.		Westmorland.		Wight, Isle of.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	3122	1388	536	785	288	504	2912	693	730	725	536	538	824	1159	160	245	349	196
	F	3150	1324	504	779	328	491	2920	766	835	719	609	528	926	1074	209	221	403	183
Under 1 month	M	279	98	32	52	17	25	167	40	47	28	24	27	61	97	9	19	13	10
	F	197	74	31	29	17	12	130	28	33	24	17	22	42	77	7	5	14	8
1–3 months	M	113	40	16	16	9	7	77	10	14	13	11	6	14	31	5	2	8	5
	F	81	34	8	12	10	5	48	11	5	13	7	5	17	26	3	1	3	1
3–6 months	M	118	34	15	12	6	5	51	6	18	7	9	10	8	26	1	2	2	—
	F	84	19	10	9	3	3	38	11	13	4	6	7	16	16	—	3	2	2
6–12 months	M	159	48	20	20	7	7	80	10	14	14	10	7	27	36	—	4	11	2
	F	135	30	16	14	7	5	46	16	10	12	14	4	23	32	2	2	7	3
Total under 1 year	M	669	220	83	100	39	44	375	66	93	62	54	50	110	190	15	27	34	17
	F	497	157	65	64	37	25	262	66	61	53	44	38	98	151	12	11	26	14
1—	M	189	51	13	18	7	8	79	12	12	7	12	9	39	43	—	2	5	4
	F	164	41	16	19	3	6	74	15	6	19	7	6	22	30	—	1	6	4
2—	M	89	21	8	7	—	4	36	11	8	5	4	5	12	22	1	2	4	2
	F	80	23	14	6	2	3	45	7	5	5	3	5	10	14	2	3	3	1
3—	M	45	18	10	2	2	5	30	3	9	3	4	3	7	16	2	—	2	—
	F	39	12	5	2	4	3	16	2	1	2	2	1	10	11	—	—	4	2
4—	M	40	11	5	4	2	—	20	2	3	1	2	2	7	9	1	1	1	—
	F	37	9	6	4	1	1	11	3	4	3	3	2	6	12	2	1	1	1
Total under 5 years	M	1032	321	119	131	50	61	540	94	125	78	76	69	175	280	19	32	46	23
	F	817	242	106	95	47	38	408	93	77	82	59	52	146	218	16	16	40	22
5—	M	110	28	18	14	4	10	67	18	9	13	4	5	17	32	3	1	9	6
	F	108	29	14	13	7	7	53	12	14	13	9	8	15	20	2	4	7	5
10—	M	59	24	5	9	3	3	48	15	7	12	4	10	13	20	2	4	8	3
	F	83	18	4	16	2	6	38	11	9	13	4	10	17	13	2	2	4	3
15—	M	59	29	9	9	8	7	52	4	5	12	7	10	18	27	3	3	6	4
	F	55	25	12	20	6	9	41	12	8	14	16	12	20	25	2	6	6	4
20—	M	51	20	6	12	4	10	37	15	7	10	7	6	13	19	2	3	4	7
	F	76	26	8	23	5	10	59	16	15	18	11	10	17	28	6	7	6	9
25—	M	71	28	9	7	4	11	59	11	19	12	12	7	11	21	2	1	10	—
	F	68	27	13	18	10	9	81	22	17	16	10	12	26	21	3	—	3	2
30—	M	90	23	15	15	6	11	52	16	16	20	8	10	14	29	4	6	6	6
	F	98	41	9	15	3	10	84	23	18	17	10	8	17	29	3	5	7	7
35—	M	85	44	19	16	6	10	102	18	20	21	16	12	28	35	1	4	11	8
	F	98	40	15	19	9	11	103	29	23	21	12	8	33	27	10	2	13	5
40—	M	119	46	12	15	12	9	114	23	28	19	21	23	39	26	4	11	7	7
	F	135	55	14	23	17	10	97	20	21	18	18	17	24	34	8	6	17	6
45—	M	117	62	20	25	13	16	133	24	31	25	28	17	32	32	10	11	10	9
	F	106	44	20	32	8	11	122	31	43	22	33	23	37	35	8	5	9	9
50—	M	170	75	29	41	17	26	186	33	54	35	29	27	55	62	5	11	19	12
	F	135	67	22	17	13	12	141	30	44	36	34	30	44	45	8	12	21	3
55—	M	207	65	32	50	23	31	187	49	33	48	38	23	50	56	8	21	18	7
	F	171	71	17	39	17	20	168	59	48	34	27	26	37	51	13	9	24	5
60—	M	234	87	31	49	22	35	203	49	59	39	42	37	52	76	18	20	26	11
	F	185	69	27	39	16	39	191	60	60	55	41	42	60	58	15	16	30	5
65—	M	289	122	47	81	27	38	273	75	79	69	60	56	53	97	23	23	34	23
	F	231	112	34	69	25	38	239	73	76	72	54	53	71	84	25	30	27	18
70—	M	289	119	57	81	22	63	294	80	71	102	65	57	75	95	23	29	44	17
	F	281	149	60	81	36	71	302	83	80	72	74	43	83	111	36	29	43	23
75—	M	246	141	43	96	24	63	268	78	68	94	40	73	76	111	13	24	46	16
	F	250	143	50	100	44	60	307	71	112	87	66	67	112	92	22	29	55	19
80—	M	128	102	36	78	30	59	178	54	64	68	46	58	61	75	10	24	30	17
	F	153	95	41	90	37	62	248	69	79	70	66	53	88	107	14	21	40	15
85—	M	66	52	29	56	13	41	119	37	35	48	33	38	42	66	10	17	15	20
	F	100	71	38	70	26	68	238	52	91	59	65	54	79	76	16	22	51	23

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1916—*continued.*

Age.	Sex.	Wiltshire.		Worcestershire.		Yorkshire, East Riding.		Yorkshire, North Riding.		Yorkshire, West Riding.		Anglesey.		Brecknockshire.		Cardiganshire.		Carmarthenshire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb	Rur.
All Ages	M	755	1026	1069	867	424	617	1241	897	7589	2523	163	251	131	287	120	350	486	717
	F	830	927	1029	782	384	584	1150	874	7305	2277	137	228	134	253	140	400	483	705
Under 1 month	M	51	57	73	51	20	52	100	46	543	191	12	18	12	14	2	22	26	68
	F	38	41	50	32	14	33	73	42	379	162	5	7	7	16	4	12	29	38
1–3 months	M	13	15	33	20	13	12	45	17	238	83	6	9	1	15	2	5	14	33
	F	14	9	23	8	5	12	22	18	209	56	3	6	3	5	2	8	10	25
3–6 months	M	11	6	30	14	6	10	40	11	211	88	6	10	1	5	1	10	15	22
	F	9	7	23	7	7	11	19	11	154	56	5	2	2	7	—	—	10	12
6–12 months	M	26	13	41	19	12	18	47	23	304	114	3	5	2	13	1	3	22	23
	F	15	24	24	15	8	10	40	13	233	92	1	3	—	9	2	—	14	21
Total under 1 year	M	101	91	177	104	51	92	232	97	1296	476	27	42	16	47	6	40	77	146
	F	76	81	120	62	34	66	154	84	975	366	14	18	12	37	8	20	63	96
1—	M	14	20	48	13	15	11	69	25	291	138	2	2	4	10	4	3	16	16
	F	23	21	31	28	7	12	58	19	272	98	7	8	6	12	2	3	12	22
2—	M	10	13	15	6	4	7	27	5	129	46	2	2	2	5	1	4	13	10
	F	6	2	12	6	3	6	35	3	134	32	1	3	3	2	—	2	8	7
3—	M	7	4	12	14	1	5	31	2	76	39	5	—	—	3	—	—	9	4
	F	13	6	12	5	2	1	15	5	91	28	3	—	—	—	1	1	6	9
4—	M	7	5	7	6	6	5	11	3	62	23	2	—	3	—	—	—	6	4
	F	9	9	10	3	—	3	20	4	78	20	—	1	—	1	1	—	9	7
Total under 5 years	M	139	133	259	143	77	120	370	132	1854	722	38	46	25	65	11	47	121	180
	F	127	119	185	104	46	88	282	115	1550	544	25	30	21	52	12	26	98	141
5—	M	23	24	24	13	8	12	29	15	218	71	2	4	2	5	2	6	6	20
	F	21	22	29	18	7	5	30	11	195	59	1	2	2	6	1	11	13	11
10—	M	13	15	27	11	6	12	24	11	126	51	2	7	4	6	1	4	6	6
	F	11	11	17	11	6	7	18	11	132	38	2	3	4	6	1	4	10	10
15—	M	15	18	17	17	2	14	21	15	171	63	2	5	2	14	4	10	8	19
	F	17	15	24	17	7	10	21	17	143	54	4	6	7	7	3	14	15	21
20—	M	14	11	17	15	4	9	16	10	119	37	2	8	2	13	2	5	11	21
	F	14	20	28	22	9	17	24	25	181	65	3	4	5	7	3	14	14	25
25—	M	5	17	19	17	9	6	21	11	139	42	2	12	2	3	6	12	16	22
	F	14	16	19	21	9	9	30	21	190	66	2	9	3	4	1	11	13	24
30—	M	14	24	17	17	10	3	24	19	177	54	3	9	4	7	4	5	20	20
	F	17	19	28	25	10	7	35	22	203	76	4	4	2	6	3	10	21	24
35—	M	25	25	30	19	8	8	31	16	248	63	7	4	5	7	2	6	19	22
	F	24	14	24	15	11	14	51	26	223	84	4	8	6	11	1	8	20	17
40—	M	26	32	33	25	15	17	48	30	293	71	5	8	5	17	5	8	17	13
	F	24	33	33	20	10	22	33	28	244	80	5	3	3	6	7	11	17	20
45—	M	31	39	50	21	11	31	47	26	327	102	7	9	9	12	8	20	25	28
	F	25	36	32	25	18	18	34	26	307	76	4	8	6	9	3	14	19	28
50—	M	50	38	48	43	16	17	57	32	461	101	11	7	8	16	5	16	26	27
	F	34	47	32	29	18	18	55	28	362	121	4	15	9	12	8	15	21	33
55—	M	45	60	67	57	24	27	63	55	535	148	9	11	6	15	11	23	23	37
	F	57	50	53	37	22	26	65	50	443	106	11	10	7	9	8	11	28	58
60—	M	51	58	99	66	34	40	100	76	718	199	9	20	20	15	7	24	41	57
	F	51	62	73	45	22	38	70	67	539	146	10	15	5	13	11	29	36	42
65—	M	76	101	88	75	41	60	113	88	646	226	12	27	10	21	8	34	37	50
	F	62	82	96	63	27	48	83	78	654	176	9	17	9	25	11	36	43	55
70—	M	79	131	101	103	55	65	109	109	677	196	25	29	15	24	17	41	45	73
	F	94	97	106	86	44	72	108	87	709	177	18	36	12	26	18	56	33	57
75—	M	72	127	86	115	53	85	90	103	523	182	13	16	5	26	16	46	31	52
	F	105	108	107	98	50	77	93	93	623	186	20	28	10	21	19	48	30	63
80—	M	46	101	48	71	34	44	49	87	242	119	6	17	6	13	6	27	25	42
	F	75	99	81	75	34	51	68	109	400	139	4	17	15	21	14	59	36	40
85—	M	31	72	39	39	17	47	29	62	115	76	8	12	1	8	5	16	9	28
	F	58	77	62	71	34	57	50	60	207	84	7	13	8	12	16	23	16	36

DEATHS AT DIFFERENT AGES IN URBAN AND RURAL AGGREGATES OF ADMINISTRATIVE COUNTIES—1916—*continued.*

Age.	Sex.	Carnarvonshire.		Denbighshire.		Flintshire.		Glamorganshire.		Merionethshire.		Montgomeryshire.		Pembrokeshire.		Radnorshire.	
		Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.	Urb.	Rur.
All Ages	M	392	478	321	750	281	456	3719	1395	155	172	116	252	257	353	37	127
	F	462	517	324	680	259	414	3261	1259	168	186	142	235	294	415	55	121
Under 1 month	M	25	22	16	54	17	20	338	156	5	9	2	15	19	24	1	10
	F	21	15	14	39	17	14	233	91	3	11	3	20	8	25	3	4
1–3 months	M	9	17	6	21	6	9	142	49	1	7	4	4	13	12	—	2
	F	3	15	5	14	5	6	123	43	3	2	1	2	7	13	—	1
3–6 months	M	10	5	4	17	8	13	149	51	5	4	—	5	9	8	—	1
	F	2	3	6	12	7	6	115	37	—	2	2	5	8	7	—	—
6–12 months	M	12	2	7	24	13	19	199	58	3	2	2	2	3	9	—	—
	F	6	6	6	15	7	8	179	36	2	1	2	2	5	12	1	1
Total under 1 year	M	56	46	33	116	44	61	828	314	14	22	8	26	44	53	1	13
	F	32	39	31	80	36	34	650	207	8	16	8	29	28	57	4	6
1—	M	7	7	9	26	7	10	200	63	1	2	1	3	5	5	—	2
	F	10	6	8	23	14	10	183	49	3	4	2	2	7	7	2	1
2—	M	4	1	1	7	3	3	74	25	1	1	2	3	3	1	—	—
	F	8	3	3	10	4	3	76	24	1	1	—	2	2	4	1	3
3—	M	6	3	2	8	2	4	48	15	1	1	—	1	—	3	1	—
	F	4	6	2	3	4	2	45	14	—	4	—	—	1	2	—	1
4—	M	1	4	1	3	5	2	40	7	2	—	2	—	4	2	—	—
	F	3	2	—	4	2	2	41	8	—	—	1	—	3	3	1	—
Total under 5 years	M	74	61	46	160	61	80	1190	424	19	26	13	33	56	64	2	15
	F	57	56	44	120	60	51	995	302	12	25	11	33	41	73	8	11
5—	M	7	9	7	11	7	7	98	36	6	4	2	2	8	7	2	3
	F	6	6	10	11	3	10	99	36	4	2	1	3	8	8	—	2
10—	M	5	7	5	12	4	8	89	28	3	1	—	3	4	3	1	2
	F	5	8	8	11	4	10	63	29	2	2	1	2	2	4	3	1
15—	M	4	17	4	18	3	3	90	42	2	1	—	1	7	7	—	2
	F	11	14	10	13	4	12	83	35	3	4	2	3	7	8	2	5
20—	M	9	12	12	11	4	7	85	34	—	3	4	4	5	12	—	1
	F	6	16	6	16	7	7	110	27	3	8	4	8	15	16	5	2
25—	M	3	5	7	14	2	9	95	35	6	2	1	1	11	7	1	4
	F	20	13	14	19	2	8	116	41	3	6	2	5	10	9	2	4
30—	M	5	13	11	20	8	10	123	43	7	3	—	10	7	6	—	2
	F	15	14	6	30	3	6	115	51	4	3	2	4	12	13	1	5
35—	M	9	14	15	28	11	11	108	48	3	3	1	6	5	17	1	1
	F	20	18	15	23	9	10	134	53	9	8	8	11	15	5	1	—
40—	M	16	16	17	37	13	19	176	50	3	5	3	7	5	9	2	—
	F	13	18	10	31	5	17	141	54	7	5	2	4	4	15	2	4
45—	M	16	20	9	28	11	21	181	61	7	8	3	10	17	9	1	4
	F	22	24	18	29	17	15	157	56	7	9	8	12	10	14	2	9
50—	M	33	17	12	38	10	30	225	74	6	6	6	15	14	19	2	—
	F	27	18	13	34	11	16	151	57	6	4	7	10	9	16	1	7
55—	M	21	32	29	44	23	34	249	68	8	8	9	8	16	17	1	5
	F	27	24	23	31	15	22	163	58	4	7	7	10	17	20	1	5
60—	M	25	39	25	57	18	36	256	98	16	15	13	20	18	20	3	7
	F	38	36	22	43	18	35	185	85	21	13	5	12	23	29	5	3
65—	M	47	56	32	66	18	39	242	103	18	26	14	27	22	28	2	19
	F	39	51	27	53	23	39	188	76	22	11	18	23	18	36	4	16
70—	M	44	63	32	68	40	55	234	92	21	26	22	36	27	45	9	20
	F	53	57	22	70	36	56	229	109	23	26	23	26	28	47	3	17
75—	M	40	44	35	65	25	52	165	94	14	16	13	21	19	40	4	18
	F	45	70	39	65	22	52	163	87	23	20	20	37	33	50	9	11
80—	M	25	32	14	52	14	21	76	47	12	11	8	31	12	23	3	11
	F	30	38	20	50	9	28	103	66	10	19	15	20	23	22	3	12
85—	M	9	21	9	21	9	14	37	18	4	8	4	17	4	20	3	13
	F	28	36	17	31	11	20	66	37	5	14	6	12	19	30	3	7

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
	All Causes	M	265,030	16,792	7,713	6,826	9,685	41,016	10,410	4,468	2,881	2,074
		F	243,187	12,187	5,511	5,093	7,839	30,630	9,590	4,143	2,684	2,070
1	Enteric fever	M	633	—	—	—	—	—	1	1	4	4
		F	489	—	—	—	1	1	2	1	6	6
2	Typhus	M	4	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3	Relapsing fever	M	2	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	A. Relapsing fever ...	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	B. Mediterranean fever	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
4	Malaria	M	59	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
5	Small-pox	M	11	—	1	—	—	1	1	—	—	—
		F	7	—	—	—	—	—	—	1	—	—
6	Measles	M	2,881	5	20	55	547	627	1,160	430	223	138
		F	2,532	3	17	47	433	500	1,002	450	230	124
7	Scarlet fever	M	696	—	2	3	19	24	74	99	86	87
		F	685	—	1	4	20	25	68	98	97	71
8	Whooping cough ...	M	2,681	31	213	307	741	1,292	791	287	143	74
		F	3,394	48	274	292	804	1,418	1,109	403	215	122
9	Diphtheria, Croup ...	M	2,645	6	7	13	74	100	272	341	374	367
		F	2,760	4	5	9	65	83	277	266	361	381
	A. Diphtheria ...	M	2,618	6	7	12	73	98	266	337	371	363
		F	2,740	4	4	9	64	81	274	262	358	377
	B. Membranous laryngitis.	M	3	—	—	—	1	1	—	—	—	—
		F	5	—	—	—	—	—	—	1	2	—
	C. Croup	M	24	—	—	1	—	1	6	4	3	4
		F	15	—	1	—	1	2	3	3	1	4
10	Influenza	M	4,283	28	29	30	43	130	41	26	19	15
		F	4,508	14	24	20	28	86	44	21	20	19
11	Miliary fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
12	Asiatic cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
13	Cholera nostras	M	5	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
14	Dysentery	M	319	1	1	4	3	9	3	2	2	1
		F	229	1	—	1	1	3	3	—	4	2
15	Plague	M	4	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
16	Yellow fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
17	Leprosy	M	5	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
18	Erysipelas	M	404	14	30	13	6	63	4	2	1	1
		F	341	15	19	13	5	52	3	1	—	—

AT DIFFERENT AGE-PERIODS, 1916.

Ages at Death.																	International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
60,849	6,213	3,976	5,866	7,459	7,237	7,905	9,557	10,830	12,482	14,893	16,916	19,538	21,823	21,997	18,957	11,419	7,113	All Causes.
49,117	5,888	4,031	5,172	5,659	6,135	6,603	7,981	8,845	9,970	11,778	13,511	16,206	19,486	22,963	22,039	15,727	12,076	
10	39	49	85	67	63	62	65	53	40	39	26	11	19	3	2	—	—	1
16	43	46	57	49	63	45	40	30	33	28	15	12	7	4	1	—	—	
—	—	—	1	1	—	—	—	1	—	1	—	—	—	—	—	—	—	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	9	7	7	11	5	5	7	5	3	—	—	—	—	—	4
—	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	
2	—	1	1	—	3	2	—	1	—	—	1	—	—	—	—	—	—	5
1	—	—	3	1	—	—	1	—	1	—	—	—	—	—	—	—	—	
2,578	197	19	33	27	8	12	4	—	—	1	2	—	—	—	—	—	—	6
2,306	179	21	7	2	3	2	1	6	—	—	1	3	—	1	—	—	—	
370	208	50	25	18	4	9	6	1	3	2	—	—	—	—	—	—	—	7
359	210	51	24	13	7	7	5	—	3	1	1	1	2	1	—	—	—	
2,587	85	4	—	1	—	—	—	—	—	—	—	—	3	—	—	1	—	8
3,267	117	3	1	—	—	—	—	2	—	1	—	—	—	1	1	—	1	
1,454	914	175	44	14	8	9	5	6	4	3	8	1	—	—	—	—	—	9
1,368	1,084	200	36	18	16	9	11	4	2	2	4	5	1	—	—	—	—	
1,435	906	175	44	14	8	9	5	6	4	3	8	1	—	—	—	—	—	A
1,352	1,080	200	36	18	16	9	11	4	2	2	4	5	1	—	—	—	—	
1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
18	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
13	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
231	55	33	86	79	109	126	157	211	262	336	377	415	462	470	468	245	161	10
190	45	46	68	83	90	90	134	142	184	196	289	388	480	647	603	477	356	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	1	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	13
—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	
17	—	1	7	31	38	43	34	22	21	24	24	13	25	13	5	1	—	14
12	3	—	6	3	12	13	14	17	18	34	16	19	20	20	16	3	3	
—	1	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	15
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	—	—	2	—	—	1	1	—	—	—	—	—	—	17
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
71	5	5	5	8	9	19	13	22	19	21	34	34	44	38	32	19	6	18
56	2	9	8	10	7	5	12	11	21	20	28	27	27	37	31	19	11	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
19	Other epidemic diseases	M	111	4	3	9	21	37	22	6	5	9
		F	79	2	1	4	13	20	18	12	9	8
	A. Mumps	M	27	—	—	2	2	4	2	2	3	4
		F	15	—	—	1	—	1	—	5	3	1
	B. German measles ...	M	49	1	1	4	7	13	12	2	1	4
		F	33	—	—	2	3	5	9	4	5	4
	C. Varicella	M	34	3	2	3	12	20	8	2	1	1
		F	31	2	1	1	10	14	9	3	1	3
	D. Other diseases included under 19.	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
20	Pyæmia, Septicæmia ...	M	326	9	9	3	5	26	7	2	2	2
		F	189	8	3	3	2	16	7	8	1	7
	A. Pyæmia	M	46	5	2	1	—	8	—	—	1	—
		F	33	4	1	—	1	6	1	—	—	2
	B. Septicæmia	M	278	4	7	1	5	17	7	2	1	2
		F	156	4	2	3	1	10	6	8	1	5
	C. Vaccinia	M	2	—	—	1	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
21	Glanders	M	3	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
22	Anthrax (Splenic fever)	M	24	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
23	Rabies	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
24	Tetanus	M	133	13	1	1	—	15	—	1	1	1
		F	33	6	1	—	—	7	—	—	2	1
25	Mycoses	M	23	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	—	—	—	—	—
	A. Actinomycosis ...	M	20	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	—	—	—	—	—
	B. Other mycoses ...	M	3	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
26	Pellagra	M	3	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	—	—	—	—	—
27	Beri-beri	M	4	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
28	Pulmonary tuberculosis (not acute).	M	21,234	1	3	30	59	93	117	70	56	58
		F	16,493	—	2	17	51	70	105	67	50	45
	A. Pulmonary tuberculosis.	M	15,473	1	3	28	53	85	107	60	51	54
		F	11,492	—	2	12	47	61	92	64	41	37
	B. Phthisis (not defined as tuberculous).	M	5,761	—	—	2	6	8	10	10	5	4
		F	5,001	—	—	5	4	9	13	3	9	8
29	Acute phthisis, Acute miliary tuberculosis.	M	2,004	1	2	9	34	46	77	36	38	31
		F	1,814	2	4	9	30	45	47	36	23	23
	A. Acute phthisis ...	M	1,616	—	—	4	9	13	31	11	18	16
		F	1,426	—	2	3	16	21	10	14	13	10
	B. Acute miliary tuberculosis.	M	388	1	2	5	25	33	46	25	20	15
		F	388	2	2	6	14	24	37	22	10	13
28 & 29	Pulmonary tuberculosis, acute and chronic.	M	23,238	2	5	39	93	139	194	106	94	89
		F	18,307	2	6	26	81	115	152	103	73	68
30	Tuberculous meningitis	M	2,590	1	25	116	268	410	454	314	244	139
		F	2,390	—	28	93	231	352	418	264	177	133

AT DIFFERENT AGE-PERIODS, 1916—*continued.*

Total under 5 years.	Ages at Death. 5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
79	13	3	5	2	2	2	1	1	—	—	1	—	—	1	—	1	—	19
67	8	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	
15	7	1	1	—	—	—	1	—	—	—	1	—	—	1	—	—	—	A
10	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	
32	5	2	4	2	1	2	—	—	—	—	—	—	—	—	—	1	—	B
27	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
32	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	C
30	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
39	10	7	23	12	13	16	24	24	23	25	26	36	23	12	10	2	1	20
39	5	9	7	5	12	9	13	10	15	14	7	14	11	9	8	1	1	
9	—	1	5	4	2	3	1	6	3	2	2	4	1	2	1	—	—	A
9	—	2	1	2	1	2	3	3	2	2	—	3	1	2	—	—	—	
29	10	6	18	7	11	13	23	18	20	23	24	32	22	10	9	2	1	B
30	5	7	6	3	11	7	10	7	13	12	7	11	10	7	8	1	1	
1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	21
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	2	1	—	2	2	2	4	6	4	1	—	—	—	—	—	22
—	—	—	1	—	—	—	2	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
18	12	14	6	8	7	7	9	3	8	11	10	11	6	2	—	1	—	24
10	2	2	2	4	2	2	—	4	1	1	—	1	1	1	—	—	—	
—	—	—	1	3	1	3	4	2	5	1	2	—	—	—	1	—	—	25
—	—	—	2	1	—	1	1	1	—	2	—	2	—	1	—	—	—	
—	—	—	1	3	1	3	4	2	4	1	1	—	—	—	—	—	—	A
—	—	—	2	1	—	1	1	1	—	2	—	1	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	
—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	26
—	—	—	—	—	—	1	1	1	2	—	1	1	—	—	—	—	—	
—	—	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
394	237	323	1221	1889	2,065	2,315	2,580	2,581	2,248	1,928	1,458	1,034	609	230	103	14	5	28
337	347	716	1846	2130	2,049	1,913	1,873	1,594	1,129	837	664	452	314	176	79	26	11	
357	188	241	907	1410	1,509	1,643	1,870	1,872	1,636	1,389	1,042	723	440	162	70	11	3	A
295	269	528	1289	1473	1,423	1,308	1,268	1,119	756	594	451	309	212	121	52	19	7	
37	49	82	314	479	556	672	710	709	612	539	416	311	169	68	33	3	2	B
42	78	188	557	657	627	605	605	475	373	243	213	143	102	55	27	7	4	
228	95	105	170	212	188	189	193	197	159	103	81	44	26	10	3	1	—	29
174	131	145	281	232	182	158	150	122	84	64	39	26	13	10	2	1	—	
89	44	71	139	183	168	175	175	182	146	92	77	39	23	9	3	1	—	A
68	69	93	234	205	159	142	134	101	78	63	35	22	12	8	2	1	—	
139	51	34	31	29	20	14	18	15	13	11	4	5	3	1	—	—	—	B
106	62	52	47	27	25	16	16	21	6	1	4	4	1	2	—	—	—	
622	332	428	1391	2101	2,253	2,504	2,773	2,778	2,407	2,031	1,539	1,078	635	240	106	15	5	28 &
511	478	861	2127	2362	2,231	2,071	2,023	1,716	1,213	901	703	478	327	186	81	27	11	29.
1,561	462	262	141	47	29	21	24	14	13	8	5	2	1	—	—	—	—	30
1,344	446	267	143	71	33	21	10	18	15	10	7	3	2	—	—	—	—	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
31	Tuberculosis of peritoneum and intestines.	M	1,722	7	55	130	167	359	310	146	97	49
		F	1,770	1	45	91	127	264	218	134	72	60
	A. Tabes mesenterica	M	238	5	14	36	41	96	62	27	14	5
		F	168	1	8	28	23	60	38	16	6	5
	B. Other peritoneal and intestinal tubercle	M	1,484	2	41	94	126	263	248	119	83	44
		F	1,602	—	37	63	104	204	180	118	66	55
32	Tuberculosis of spinal column.	M	386	—	1	1	1	3	6	5	4	3
		F	277	—	—	—	1	1	4	5	8	4
33	Tuberculosis of joints ...	M	235	—	1	—	2	3	2	3	4	3
		F	139	1	1	—	1	3	3	4	—	1
34	Tuberculosis of other organs.	M	388	3	3	6	18	30	27	4	5	6
		F	322	1	4	5	10	20	9	11	5	3
	A. Lupus	M	5	—	—	—	—	—	—	—	—	—
		F	47	—	—	—	—	—	—	—	—	—
	B. Scrofula	M	7	2	—	—	1	3	2	—	—	—
		F	13	—	2	—	2	4	1	—	—	—
	C. Other tuberculosis included under 34.	M	356	1	3	6	17	27	25	4	5	6
		F	262	1	2	5	8	16	8	11	5	3
35	Disseminated tuberculosis	M	1,167	4	14	34	52	104	115	66	43	28
		F	927	2	10	26	38	76	81	48	33	28
28–35	Tuberculosis (all forms)	M	29,726	17	104	326	601	1,048	1,108	644	491	317
		F	24,132	7	94	241	489	831	885	569	368	297
36	Rickets, Softening of bones.	M	536	3	12	37	135	187	198	71	26	14
		F	424	4	9	28	97	138	154	49	22	11
	A. Rickets	M	508	3	12	37	135	187	196	71	26	13
		F	389	4	9	28	97	138	154	49	22	11
	B. Other forms of bone softening.	M	28	—	—	—	—	—	2	—	—	1
		F	35	—	—	—	—	—	—	—	—	—
37	Syphilis	M	1,154	243	290	129	68	730	27	16	2	—
		F	792	146	202	101	53	502	33	8	3	5
38	Other venereal diseases...	M	35	9	7	2	—	18	—	—	—	—
		F	26	3	7	1	—	11	—	—	1	—
	A. Soft chancre ...	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	B. Gonococcus infection.	M	18	—	1	—	—	1	—	—	—	—
		F	15	—	—	—	—	—	—	—	1	—
	C. Purulent ophthalmia.	M	17	9	6	2	—	17	—	—	—	—
		F	11	3	7	1	—	11	—	—	—	—
39	Cancer of the buccal cavity.	M	2,216	—	—	—	1	1	—	—	1	—
		F	370	—	—	—	1	1	—	—	2	1
40	Cancer of the stomach, liver, &c.	M	7,057	—	—	—	—	—	1	—	1	—
		F	6,579	—	—	1	1	2	—	—	1	1
41	Cancer of the peritoneum, intestines and rectum.	M	3,892	—	—	—	—	—	—	—	—	—
		F	4,370	—	—	—	1	1	—	1	1	1
42	Cancer of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	4,839	—	—	—	—	—	1	—	—	—
43	Cancer of the breast ...	M	28	—	—	—	—	—	—	—	—	—
		F	4,131	—	—	—	—	—	—	—	—	—
44	Cancer of the skin ...	M	644	—	—	—	—	—	—	—	—	—
		F	365	—	—	—	2	2	—	—	—	—
45	Cancer of other or unspecified organs.	M	3,950	—	1	3	2	6	7	21	11	7
		F	2,189	—	1	1	1	3	8	15	13	4

AT DIFFERENT AGE-PERIODS, 1916—*continued.*

Total under 5 years.	Ages at Death. 5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
961	193	139	127	64	44	37	29	33	22	25	16	14	10	6	1	1	—	
748	216	151	149	107	82	85	62	48	43	38	9	12	6	9	3	1	1	31
204	15	6	8	2	1	1	—	1	—	—	—	—	—	—	—	—	—	
125	24	9	4	1	2	1	—	1	1	—	—	—	—	—	—	—	—	A
757	178	133	119	62	43	36	29	32	22	25	16	14	10	6	1	1	—	
623	192	142	145	106	80	84	62	47	42	38	9	12	6	9	3	1	1	B
21	29	49	50	57	30	30	24	21	15	21	14	11	11	2	—	1	—	
22	21	31	19	23	22	17	23	15	17	16	13	15	11	3	7	1	1	32
15	11	28	30	19	15	14	11	14	13	13	14	12	14	7	4	1	—	
11	11	19	16	8	8	8	7	2	7	10	7	8	9	2	3	2	1	33
72	19	23	28	26	28	23	28	20	17	21	19	12	20	13	10	6	3	
48	8	15	29	25	30	17	22	16	9	23	14	14	11	19	16	4	2	34
—	1	2	—	3	—	1	—	1	1	2	4	—	2	4	2	1	1	
—	1	—	4	1	2	2	3	—	2	3	2	6	5	6	7	2	1	A
5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	
5	—	1	2	1	1	—	—	—	—	2	—	—	—	1	—	—	—	B
67	17	21	28	23	28	22	28	19	16	19	15	12	18	9	7	5	2	
43	7	14	23	23	27	15	19	16	7	18	12	8	6	12	9	2	1	C
356	147	116	103	86	47	62	61	53	34	39	26	20	14	—	2	1	—	
266	104	85	106	68	46	33	43	47	39	21	21	19	19	5	3	1	1	35
3,608	1,193	1045	1870	2400	2,446	2,691	2,950	2,933	2,521	2,158	1,633	1,149	705	268	123	25	8	
2,950	1,284	1429	2589	2664	2,452	2,252	2,190	1,862	1,343	1,019	774	549	385	224	113	36	17	28–35
496	13	2	3	1	5	3	3	1	—	—	2	—	2	3	2	—	—	
374	10	2	2	7	5	5	1	2	—	3	2	1	3	3	4	—	—	36
493	12	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	
374	9	2	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	A
3	1	1	2	1	5	3	3	1	—	—	2	—	2	3	1	—	—	
—	1	—	2	7	2	4	1	2	—	3	2	1	3	3	4	—	—	B
775	4	10	6	7	20	27	45	48	50	46	40	30	26	16	4	—	—	
551	5	3	10	19	21	19	22	34	24	26	16	12	17	6	6	1	—	37
18	—	—	1	—	3	4	1	3	1	3	—	1	—	—	—	—	—	
12	—	—	1	2	—	4	4	1	1	—	—	—	1	—	—	—	—	38
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
1	—	—	1	—	3	4	1	3	1	3	—	1	—	—	—	—	—	
1	—	—	1	2	—	4	4	1	1	—	—	—	1	—	—	—	—	B
17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
2	1	3	2	2	1	14	23	88	144	324	332	359	373	257	172	74	45	
4	3	—	3	3	2	9	12	23	34	46	62	36	35	40	30	21	7	39
2	1	2	8	10	23	58	114	295	511	793	1,061	1,257	1,242	931	511	191	47	
4	1	1	2	1	18	61	135	229	450	617	844	1,008	1,144	1,008	658	296	102	40
—	3	1	10	19	17	41	83	153	229	344	504	630	712	619	374	122	31	
4	2	7	3	11	27	57	115	163	260	414	510	625	719	659	492	218	84	41
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	11	11	37	113	244	460	597	750	682	653	531	371	239	105	34	42
—	—	—	—	—	—	—	—	1	—	7	2	8	1	2	6	—	1	
—	—	—	—	1	8	62	204	343	513	541	564	449	455	393	321	169	108	43
—	—	1	2	3	10	3	10	18	35	54	63	76	82	86	106	49	46	
2	1	—	1	—	1	3	2	2	12	14	22	37	46	59	62	63	38	44
52	28	26	32	46	57	73	103	165	291	427	488	576	638	466	329	118	35	
43	12	22	33	38	33	45	71	112	181	233	252	303	291	273	145	71	31	45

International List Nos.	Causes of Death.		AGES AT DEATH. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
39–45	Cancer (all sites) ...	M	17,787	—	1	3	3	7	8	21	13	7
		F	22,843	—	1	2	6	9	9	16	17	7
46	Other tumours (situation undefined).	M	93	—	—	—	1	1	1	—	2	—
		F	106	—	—	1	—	1	—	—	—	—
	A. Angioma	M	2	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	B. Adenoma	M	2	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	C. Other tumours included under 46.	M	89	—	—	—	1	1	1	—	2	—
		F	106	—	—	1	—	1	—	—	—	—
47	Rheumatic fever ...	M	878	—	—	—	2	2	6	1	9	14
		F	1,009	—	—	1	1	2	3	6	5	14
48	Chronic rheumatism, Osteo-arthritis, Gout.	M	863	—	—	—	—	—	—	—	—	—
		F	1,466	—	—	—	—	—	—	—	—	—
	A. Chronic rheumatism.	M	208	—	—	—	—	—	—	—	—	—
		F	325	—	—	—	—	—	—	—	—	—
	B. Osteo-arthritis ...	M	374	—	—	—	—	—	—	—	—	—
		F	1,081	—	—	—	—	—	—	—	—	—
	C. Gout	M	281	—	—	—	—	—	—	—	—	—
		F	60	—	—	—	—	—	—	—	—	—
49	Scurvy	M	22	—	1	1	6	8	7	1	1	—
		F	17	—	—	—	7	7	2	4	—	—
50	Diabetes	M	2,316	1	—	1	2	4	2	3	4	2
		F	2,228	—	—	1	2	3	1	1	3	3
51	Exophthalmic goître ...	M	47	—	—	—	—	—	1	—	—	—
		F	399	—	—	—	—	—	—	—	—	—
52	Addison's disease ...	M	100	—	1	—	—	1	—	—	—	1
		F	132	—	—	—	—	—	—	1	—	—
53	Leucocythæmia, Lymphadenoma.	M	425	1	1	4	4	10	9	2	6	11
		F	319	—	—	1	4	5	5	8	6	2
	A. Leucocythæmia (Leuchæmia).	M	225	1	1	4	4	10	7	1	5	9
		F	217	—	—	1	4	5	5	8	5	2
	B. Lymphadenoma ...	M	200	—	—	—	—	—	2	1	1	2
		F	102	—	—	—	—	—	—	—	1	—
54	Anæmia, Chlorosis ...	M	1,083	2	4	1	5	12	14	5	1	1
		F	1,454	3	1	2	6	12	7	5	3	5
55	Other general diseases ...	M	240	26	10	7	10	53	11	8	4	3
		F	255	24	3	9	7	43	9	4	9	9
	A. Diabetes insipidus	M	19	—	—	—	—	—	—	1	—	—
		F	12	—	—	—	—	—	—	—	—	1
	B. Purpura	M	138	8	5	7	7	27	7	4	2	2
		F	170	10	2	7	5	24	6	4	6	6
	C. Hæmophilia ...	M	62	16	4	—	1	21	3	3	1	—
		F	37	14	1	2	—	17	2	—	2	1
	D. Other diseases included under 55.	M	21	2	1	—	2	5	1	—	1	1
		F	36	—	—	—	2	2	1	—	1	1
56	Alcoholism (acute or chronic).	M	237	—	—	—	—	—	—	—	—	—
		F	119	—	—	—	—	—	—	—	—	—
57	Chronic lead poisoning...	M	57	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
	A. Occupational lead poisoning.	M	54	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
	B. Non-occupational lead poisoning.	M	3	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1916—*continued.*

Ages at Death.																	International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
56	33	33	54	80	108	189	333	720	1,210	1,949	2,450	2,906	3,048	2,361	1,498	554	205	39-45
58	19	30	53	65	126	350	783	1,332	2,047	2,615	2,936	3,111	3,221	2,803	1,947	943	404	
4	2	1	2	4	2	2	4	9	6	11	12	10	7	7	5	5	—	46
1	—	3	2	1	3	4	8	6	9	8	9	9	14	13	12	1	3	
—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	2	1	2	3	2	2	4	9	6	10	11	10	7	7	4	5	—	C
1	—	3	2	1	3	4	8	6	9	8	9	9	14	13	12	1	3	
32	112	149	104	64	48	58	52	49	45	49	44	35	18	12	6	—	1	47
30	96	171	138	105	77	56	60	66	48	43	35	32	19	19	9	4	1	
—	—	—	1	3	1	5	5	15	32	50	81	139	161	152	126	62	30	48
—	—	1	2	3	10	13	22	37	63	63	126	165	242	290	242	128	59	
—	—	—	—	1	1	2	2	5	7	8	14	33	37	38	39	17	4	A
—	—	—	—	—	2	2	3	8	7	12	25	32	55	69	58	38	14	
—	—	—	1	2	—	2	—	9	13	26	31	58	81	61	48	30	12	B
—	—	1	2	3	8	11	19	27	54	49	97	127	180	203	172	85	43	
—	—	—	—	—	—	1	3	1	12	16	36	48	43	53	39	15	14	C
—	—	—	—	—	—	—	—	2	2	2	4	6	7	18	12	5	2	
17	1	—	1	—	1	1	—	1	—	—	—	—	—	—	—	—	—	49
13	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
15	30	44	69	75	96	113	112	111	151	176	238	315	301	251	150	48	21	50
11	19	42	51	69	86	81	98	109	97	170	236	312	339	262	155	65	26	
1	1	—	3	1	7	3	5	4	5	5	5	5	1	1	—	—	—	51
—	—	1	14	25	27	35	50	42	54	42	41	27	19	14	7	1	—	
2	1	3	—	6	4	11	12	13	7	9	11	7	7	6	1	—	—	52
1	—	—	5	6	10	4	13	19	13	14	14	14	9	5	4	1	—	
38	36	36	23	26	32	29	28	31	29	27	25	33	13	17	2	—	—	53
26	17	14	15	14	16	11	31	25	25	21	33	23	22	11	11	4	—	
32	21	17	11	16	16	8	13	17	17	13	13	21	5	4	1	—	—	A
25	10	9	7	6	10	7	21	15	20	13	24	17	16	6	8	3	—	
6	15	19	12	10	16	21	15	14	12	14	12	12	8	13	1	—	—	B
1	7	5	8	8	6	4	10	10	5	8	9	6	6	5	3	1	—	
33	15	10	21	23	35	22	46	76	111	124	143	134	143	89	49	7	2	54
32	10	10	52	43	55	67	97	111	141	142	163	197	149	111	50	19	5	
79	13	15	17	13	11	10	12	7	8	8	9	14	7	10	7	—	—	55
74	19	15	20	15	15	9	9	7	7	14	8	8	11	9	10	3	2	
1	—	1	1	2	—	1	—	1	—	1	1	3	2	2	3	—	—	A
1	—	2	—	—	—	2	—	—	—	—	1	2	1	2	1	—	—	
42	9	11	9	7	8	5	6	6	4	6	7	7	3	5	3	—	—	B
46	14	12	16	11	10	4	6	3	5	9	5	6	6	7	7	2	1	
28	4	3	5	4	2	3	4	—	2	1	1	1	2	1	1	—	—	C
22	—	1	4	2	2	2	2	—	—	1	—	—	—	—	—	1	—	
8	—	—	2	—	1	1	2	—	2	—	—	3	—	2	—	—	—	D
5	5	—	—	2	3	1	1	4	2	4	2	—	4	—	2	—	1	
—	—	—	—	4	8	23	36	38	36	25	28	16	10	5	6	1	1	56
—	—	—	—	—	4	6	14	13	18	17	14	11	10	5	5	2	—	
—	—	—	—	1	—	2	5	11	7	9	7	7	6	2	—	—	—	57
—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	
—	—	—	—	1	—	1	5	11	7	9	5	7	6	2	—	—	—	A
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	B
—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
58	Other chronic occupational poisonings.	M	24	—	—	—	—	—	—	—	—	—
		F	34	—	—	—	—	—	—	—	—	—
59	Other chronic poisonings	M	11	—	—	—	1	1	1	—	—	—
		F	9	—	—	—	—	—	—	—	—	—
60	Encephalitis	M	183	—	2	2	5	9	8	6	10	3
		F	119	—	—	—	—	—	2	2	3	3
61	Meningitis	M	2,661	28	63	166	289	546	317	208	124	86
		F	1,995	13	62	109	244	428	281	170	97	88
	A. Cerebro-spinal fever	M	845	1	4	29	41	75	28	25	24	16
		F	369	1	9	20	36	66	28	19	18	14
	B. Posterior basal meningitis.	M	81	—	4	13	24	41	16	2	5	4
		F	73	—	4	10	20	34	16	8	2	1
	C. Meningitis — other forms.	M	1,735	27	55	124	224	430	273	181	95	66
		F	1,553	12	49	79	188	328	237	143	77	73
62	Locomotor ataxy... ...	M	685	—	—	—	—	—	—	—	—	—
		F	101	—	—	—	—	—	—	—	—	—
63	Other diseases of the spinal cord.	M	1,620	—	1	6	2	9	16	13	9	5
		F	1,272	—	—	4	5	9	18	9	11	9
	A. Diseases formerly classed to "Other nervous affectns."	M	591	—	—	1	—	1	1	—	—	—
		F	442	—	—	—	1	1	1	—	1	—
	B. Other diseases included under 63.	M	1,029	—	1	5	2	8	15	13	9	5
		F	830	—	—	4	4	8	17	9	10	9
64	Cerebral hæmorrhage, Apoplexy.	M	11,151	6	3	2	5	16	6	1	2	2
		F	13,164	5	2	2	4	13	2	4	1	2
	A. Apoplexy	M	2,315	—	—	—	—	—	—	—	—	—
		F	2,612	—	—	—	—	—	—	1	—	1
	B. Serous apoplexy and œdema of brain.	M	64	—	—	—	—	—	1	—	1	—
		F	84	—	1	—	—	1	—	—	—	—
	C. Cerebral congestion	M	50	4	2	2	1	9	2	—	—	—
		F	44	5	1	2	4	12	2	—	—	—
	D. Cerebral atheroma	M	188	—	—	—	—	—	—	—	—	—
		F	166	—	—	—	—	—	—	—	—	—
	E. Cerebral hæmorrhage.	M	8,534	2	1	—	4	7	3	1	1	2
		F	10,258	—	—	—	—	—	—	3	1	1
65	Softening of brain ...	M	637	—	—	—	—	—	—	—	—	—
		F	647	—	—	—	—	—	—	—	—	—
66	Paralysis without specified cause.	M	1,298	—	—	1	—	1	1	4	—	—
		F	1,561	1	—	—	2	3	1	—	—	—
	A. Hemiplegia ...	M	1,019	—	—	1	—	1	1	2	—	—
		F	1,296	—	—	—	2	2	1	—	—	—
	B. Paraplegia	M	92	—	—	—	—	—	—	1	—	—
		F	99	—	—	—	—	—	—	—	—	—
	C. Other forms of paralysis.	M	187	—	—	—	—	—	—	1	—	—
		F	166	1	—	—	—	1	—	—	—	—
67	General paralysis of the insane.	M	1,729	—	—	—	—	—	—	—	—	—
		F	371	—	—	—	—	—	—	—	—	—
68	Other forms of mental alienation.	M	483	—	—	—	—	—	—	—	—	—
		F	682	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1916—*continued.*

Ages at Death.																		International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	2	6	1	1	4	3	1	—	3	2	1	—	—	—	—	—	58
—	—	—	5	14	4	5	3	—	2	—	1	—	—	—	—	—	—	
2	—	—	—	—	—	—	1	3	1	2	—	—	1	1	—	—	—	59
—	—	—	—	—	—	—	1	1	1	2	—	—	1	—	2	1	—	
36	8	11	20	14	16	16	9	11	10	8	6	6	5	3	2	2	—	60
10	9	16	11	10	6	3	7	7	4	9	5	6	3	4	5	3	1	
1,281	262	175	220	217	126	89	76	50	42	31	29	17	16	12	12	6	—	61
1,064	236	172	124	69	50	35	34	36	44	37	26	16	10	18	15	6	3	
168	65	50	136	180	98	55	41	23	13	5	5	3	3	—	—	—	—	A
145	41	42	46	19	14	8	7	11	13	7	8	3	3	2	—	—	—	
68	8	2	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	B
61	3	1	4	2	—	1	—	—	1	—	—	—	—	—	—	—	—	
1,045	189	123	84	36	27	34	34	27	29	26	24	14	13	12	12	6	—	C
858	192	129	74	48	36	26	27	25	30	30	18	13	7	16	15	6	3	
—	—	—	—	—	7	12	39	53	103	106	117	109	76	42	14	4	3	62
—	—	—	—	1	1	2	5	12	17	10	18	13	12	8	2	—	—	
52	25	27	43	29	34	44	84	78	102	123	170	188	235	172	154	45	15	63
56	27	16	21	22	27	56	64	87	93	86	134	135	152	125	124	32	15	
2	1	9	16	6	1	5	12	17	25	21	50	77	107	99	103	31	9	A
3	—	1	4	1	4	4	7	8	20	14	40	46	84	79	92	24	11	
50	24	18	27	23	33	39	72	61	77	102	120	111	128	73	51	14	6	B
53	27	15	17	21	23	52	57	79	73	72	94	89	68	46	32	8	4	
27	10	5	20	15	29	56	128	241	430	742	1,123	1,527	1,763	2,067	1,699	858	411	64
22	4	4	18	18	32	62	138	280	566	913	1,204	1,575	2,004	2,286	2,143	1,201	694	
—	3	1	2	3	5	10	33	54	79	136	218	320	371	452	365	168	95	A
2	1	—	2	4	7	7	23	52	121	173	214	347	375	456	413	279	136	
2	—	—	1	—	2	—	1	4	1	1	5	2	13	8	11	10	3	B
1	—	1	—	1	2	—	1	5	1	2	7	9	7	12	16	11	8	
11	2	2	2	—	1	1	2	6	—	4	3	1	3	2	8	2	—	C
14	—	—	—	1	—	—	1	—	2	2	3	2	4	4	5	3	3	
—	—	—	—	—	—	—	—	1	3	11	18	18	19	38	44	26	10	D
—	—	—	—	—	—	—	—	1	3	5	8	15	29	29	32	26	18	
14	5	2	15	12	21	45	92	176	347	590	879	1,186	1,357	1,567	1,271	652	303	E
5	3	3	16	12	23	55	113	222	439	731	972	1,202	1,589	1,785	1,677	882	529	
—	—	—	2	1	3	2	1	12	16	27	61	85	108	125	104	63	27	65
—	—	—	2	1	—	3	10	11	14	35	51	65	84	117	97	101	56	
6	5	4	4	2	1	9	10	19	26	80	96	165	211	253	229	116	62	66
4	5	2	3	—	4	4	13	36	52	80	92	164	217	285	301	191	108	
4	2	1	—	2	1	3	8	14	18	60	80	137	173	207	175	85	49	A
3	3	1	1	—	2	3	6	28	45	67	85	133	177	238	249	166	89	
1	—	1	2	—	—	2	—	1	2	7	3	14	12	12	20	10	5	B
—	—	—	—	—	2	1	3	4	5	8	1	12	11	15	23	8	6	
1	3	2	2	—	—	4	2	4	6	13	13	14	26	34	34	21	8	C
1	2	1	2	—	—	—	4	4	2	5	6	19	29	32	29	17	13	
—	—	2	10	15	46	187	317	353	282	224	146	74	36	23	8	4	2	67
—	1	1	4	8	12	33	52	50	68	76	31	18	4	8	4	1	—	
—	—	—	2	14	30	30	28	35	41	39	68	63	56	46	19	9	3	68
—	—	—	11	20	31	30	54	63	67	77	81	96	61	43	23	13	12	

International List Nos.	Causes of Death.		Ages at Death. All Ages	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
69	Epilepsy	M	1,758	6	3	—	7	16	19	3	16	9
		F	1,470	2	1	3	7	13	13	10	3	6
70	Convulsions (non-puerperal; 5 years and over).	M	52	—	—	—	—	—	—	—	—	—
		F	55	—	—	—	—	—	—	—	—	—
	A. Epileptiform convulsions.	M	10	—	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	—	—	—	—	—
	B. Others included under 70.	M	42	—	—	—	—	—	—	—	—	—
		F	41	—	—	—	—	—	—	—	—	—
71	Infantile convulsions (under 5 years).	M	4,257	1,404	810	596	710	3,520	557	121	42	17
		F	3,063	872	578	414	583	2,447	459	94	39	24
	A. Convulsions with teething.	M	692	—	—	76	337	413	257	20	1	1
		F	546	—	3	50	270	323	197	23	3	—
	B. Other infantile convulsions.	M	3,565	1,404	810	520	373	3,107	300	101	41	16
		F	2,517	872	575	364	313	2,124	262	71	36	24
72	Chorea	M	26	—	—	—	—	—	—	1	—	—
		F	90	—	—	—	—	—	1	—	—	1
73	Hysteria, Neuralgia, Neuritis.	M	123	—	—	—	—	—	—	—	—	—
		F	237	—	—	—	—	—	—	—	—	—
	A. Hysteria, Neuralgia, Sciatica.	M	22	—	—	—	—	—	—	—	—	—
		F	41	—	—	—	—	—	—	—	—	—
	B. Neuritis	M	101	—	—	—	—	—	—	—	—	—
		F	196	—	—	—	—	—	—	—	—	—
74	Other diseases of the nervous system.	M	1,170	7	3	10	22	42	25	11	21	11
		F	1,146	3	1	6	12	22	28	13	15	20
	A. Idiocy, Imbecility	M	149	1	1	1	5	8	8	3	4	2
		F	143	1	—	—	1	2	8	6	5	7
	B. Cretinism	M	21	—	1	2	—	3	2	2	3	4
		F	49	—	—	2	3	5	5	2	4	2
	C. Cerebral tumour ...	M	527	—	—	—	1	1	5	3	9	3
		F	487	—	—	—	—	—	6	2	4	10
	D. Other diseases included under 74.	M	473	6	1	7	16	30	10	3	5	2
		F	467	2	1	4	8	15	9	3	2	1
75	Diseases of the eyes and annexa.	M	28	—	—	2	1	3	2	3	1	1
		F	26	—	1	—	2	3	—	2	—	—
76	Diseases of the ears ...	M	656	—	15	16	44	75	54	31	19	9
		F	481	1	12	12	31	56	32	22	23	18
	A. Mastoid disease ...	M	177	—	4	1	7	12	12	9	7	2
		F	127	—	3	1	8	12	9	4	4	5
	B. Other diseases of the ears.	M	479	—	11	15	37	63	42	22	12	7
		F	354	1	9	11	23	44	23	18	19	13
77	Pericarditis	M	217	2	—	3	4	9	8	2	2	1
		F	189	2	—	1	5	8	7	1	3	3
78	Acute endocarditis ...	M	782	—	2	—	4	6	1	2	1	3
		F	835	—	—	2	1	3	5	1	5	5
	A. Acute myocarditis	M	177	—	—	—	3	3	—	—	—	1
		F	165	—	—	1	—	1	2	—	—	1
	B. Infective endocarditis.	M	265	—	—	—	—	—	—	—	—	—
		F	251	—	—	—	1	1	2	—	—	2
	C. Other acute endocarditis.	M	340	—	2	—	1	3	1	2	1	2
		F	419	—	—	1	—	1	1	1	5	2

AT DIFFERENT AGE-PERIODS, 1916—*continued.*

Ages at Death.																		
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
63	55	70	120	146	163	159	144	132	122	114	112	103	108	75	42	23	7	69
45	47	66	93	123	123	129	134	126	98	90	118	81	77	56	41	17	6	
—	31	4	2	1	—	3	—	1	1	2	1	1	4	1	—	—	—	70
—	30	7	2	2	1	—	1	—	3	—	1	1	2	1	—	3	1	
—	—	—	1	—	—	1	—	1	1	1	—	1	3	1	—	—	—	A
—	—	2	—	—	—	—	—	—	3	—	1	1	2	1	—	3	1	
—	31	4	1	1	—	2	—	—	—	1	1	—	1	—	—	—	—	B
—	30	5	2	2	1	—	1	—	—	—	—	—	—	—	—	—	—	
4,257	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	71
3,063	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
692	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
516	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3,565	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
2,517	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	7	3	5	3	—	1	—	—	3	—	1	—	2	—	—	—	—	72
2	15	20	20	13	4	1	2	—	3	1	5	3	—	—	—	1	—	
—	—	1	2	—	—	3	8	9	15	17	13	19	12	14	3	5	2	73
—	1	—	5	3	4	7	19	30	25	34	25	29	17	17	10	4	7	
—	—	1	2	—	—	1	1	—	—	2	2	1	3	5	1	1	2	A
—	—	—	4	1	1	—	1	2	3	4	2	2	1	7	5	3	5	
—	—	—	—	—	—	2	7	9	15	15	11	18	9	9	2	4	—	B
—	1	—	1	2	3	7	18	28	22	30	23	27	16	10	5	1	2	
110	83	66	66	48	56	53	70	76	90	83	79	90	74	59	44	14	9	74
98	64	46	58	42	47	65	77	90	77	94	75	88	70	56	51	27	21	
25	23	23	20	12	10	4	3	6	6	3	4	5	4	1	—	—	—	A
28	16	14	19	8	8	8	8	8	5	6	3	6	4	2	—	—	—	
14	2	—	2	—	—	1	—	1	—	—	—	1	—	—	—	—	—	B
18	2	2	4	4	5	5	1	2	2	2	1	1	—	—	—	—	—	
21	38	32	36	31	34	33	52	54	60	51	36	23	16	6	3	—	1	C
22	31	26	28	23	30	39	46	61	39	48	35	31	20	3	3	2	—	
50	20	11	8	5	12	15	15	15	24	29	39	61	54	52	41	14	8	D
30	15	4	7	7	4	13	22	19	31	38	36	50	46	51	48	25	21	
10	1	—	2	2	—	2	—	—	—	1	3	2	1	2	1	—	1	75
5	—	—	1	1	2	1	1	1	1	—	3	—	2	2	3	3	—	
188	81	72	83	62	42	30	29	19	13	13	4	6	5	4	4	1	—	76
151	73	67	53	28	26	16	8	16	7	7	7	8	7	1	5	—	1	
42	28	22	29	15	6	10	7	5	4	5	1	—	—	—	3	—	—	A
34	21	19	12	7	5	5	4	5	3	1	2	3	3	1	2	—	—	
146	53	50	54	47	36	20	22	14	9	8	3	6	5	4	1	1	—	B
117	52	48	41	21	21	11	4	11	4	6	5	5	4	—	3	—	1	
22	18	9	25	22	2	13	11	8	13	8	20	16	10	13	4	2	1	77
22	16	16	11	10	11	9	6	11	8	18	11	9	9	7	12	3	—	
13	35	38	60	64	55	57	61	79	90	80	106	13	14	8	4	4	1	78
19	48	47	60	66	68	69	70	66	70	90	118	18	13	4	5	4	—	
4	3	5	4	5	1	5	12	17	29	32	48	3	4	3	—	1	1	A
4	6	4	—	2	7	10	13	11	20	32	46	4	4	1	1	—	—	
—	10	6	28	28	35	30	28	29	23	19	10	7	8	—	1	3	—	B
5	11	13	19	35	33	21	28	20	16	14	14	11	5	1	3	2	—	
9	22	27	28	31	19	22	21	33	38	29	48	3	2	5	3	—	—	C
10	31	30	41	29	28	38	29	35	34	44	58	3	4	2	1	2	—	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
79	Organic disease of the heart.	M	26,029	—	1	—	8	9	13	9	14	16
		F	29,094	—	—	—	14	14	17	11	8	18
	A. Valvular disease ...	M	11,725	—	—	—	1	1	6	2	8	9
		F	13,231	—	—	—	5	5	9	7	6	9
	B. Fatty degeneration of the heart.	M	1,329	—	—	—	—	—	—	—	—	—
		F	1,713	—	—	—	—	—	1	—	—	2
	C. Other organic disease of the heart.	M	12,975	—	1	—	7	8	7	7	6	7
		F	14,150	—	—	—	9	9	7	4	2	7
80	Angina pectoris	M	723	—	—	—	—	—	—	—	—	—
		F	341	—	—	—	—	—	—	—	—	—
81	Dis. of the arteries, Atheroma, Aneurysm, &c.	M	5,577	—	—	—	—	—	—	—	—	1
		F	3,561	—	—	—	—	—	—	—	—	—
	A. Aneurysm ...	M	800	—	—	—	—	—	—	—	—	1
		F	202	—	—	—	—	—	—	—	—	—
	B. Arterial sclerosis ...	M	4,700	—	—	—	—	—	—	—	—	—
		F	3,312	—	—	—	—	—	—	—	—	—
	C. Other diseases of arteries.	M	77	—	—	—	—	—	—	—	—	—
		F	47	—	—	—	—	—	—	—	—	—
82	Embolism and thrombosis	M	1,340	3	—	—	3	6	—	—	—	—
		F	1,782	—	—	—	—	—	3	—	—	1
	A. Cerebral embolism and thrombosis.	M	1,209	1	—	—	1	2	—	—	—	—
		F	1,637	—	—	—	—	—	2	—	—	—
	B. Other embolism and thrombosis.	M	131	2	—	—	2	4	—	—	—	—
		F	145	—	—	—	—	—	1	—	—	1
83	Dis. of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	M	154	—	—	—	—	—	1	—	—	1
		F	184	—	—	—	—	—	—	—	—	—
	A. Phlebitis	M	74	—	—	—	—	—	1	—	—	1
		F	89	—	—	—	—	—	—	—	—	—
	B. Varix	M	75	—	—	—	—	—	—	—	—	—
		F	93	—	—	—	—	—	—	—	—	—
	C. Pylephlebitis ...	M	2	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
	D. Varicocele	M	3	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
84	Dis. of the lymphatic system (Lymphangitis, &c.)	M	175	19	21	16	21	77	25	8	2	4
		F	129	9	13	26	17	65	10	4	4	1
	A. Status lymphaticus	M	116	17	17	15	15	64	18	5	2	2
		F	82	8	12	20	15	55	5	4	2	1
	B. Other diseases of the lymphatic system.	M	59	2	4	1	6	13	7	3	—	2
		F	47	1	1	6	2	10	5	—	2	—
85	Hæmorrhage, other dis. of the circulatory system.	M	126	4	2	1	—	7	—	—	1	—
		F	124	2	2	1	1	6	—	—	—	—
	A. Functional disease of the heart.	M	84	—	—	—	—	—	—	—	—	—
		F	95	1	—	—	—	1	—	—	—	—
	B. Epistaxis	M	9	3	1	—	—	4	—	—	—	—
		F	10	1	2	1	—	4	—	—	—	—
	C. Other diseases included under 85.	M	33	1	1	1	—	3	—	—	1	—
		F	19	—	—	—	1	1	—	—	—	—
86	Diseases of the nasal fossæ.	M	38	2	3	2	3	10	—	—	—	—
		F	21	1	2	2	1	6	1	—	—	—

AT DIFFERENT AGE-PERIODS, 1916—*continued.*

Ages at Death.																	International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
61	132	236	362	379	338	486	629	991	1,382	1,942	2,569	3,397	4,163	3,957	2,928	1,413	664	79
68	189	361	408	416	481	590	851	1,132	1,508	1,924	2,373	3,283	4,149	4,449	3,665	2,091	1,156	
26	83	162	252	250	212	293	390	547	770	960	1,220	1,508	1,718	1,535	1,118	477	204	A
36	131	241	270	295	310	355	511	669	826	988	1,183	1,448	1,760	1,788	1,327	735	358	
—	—	1	—	3	7	13	24	41	85	128	160	218	240	193	139	56	21	B
3	—	3	1	4	11	18	33	50	85	146	192	255	301	278	194	94	45	
35	49	73	110	126	119	180	215	403	527	854	1,189	1,671	2,205	2,229	1,671	880	439	C
29	58	117	137	117	160	217	307	413	597	790	998	1,580	2,088	2,383	2,144	1,262	753	
—	—	—	—	—	1	4	12	30	38	79	112	129	113	106	67	21	11	80
—	—	—	—	1	2	3	5	8	18	21	30	50	73	58	40	22	10	
1	—	—	1	4	12	37	69	130	227	314	452	621	929	981	916	561	322	81
—	2	—	—	2	4	9	12	36	69	128	169	303	495	666	701	511	454	
1	—	—	1	2	7	25	47	87	138	133	127	77	67	45	33	8	2	A
—	1	—	—	1	2	3	7	12	16	28	26	27	33	16	18	6	6	
—	—	—	—	1	5	10	19	40	80	172	322	537	852	919	873	552	318	B
—	1	—	—	—	2	5	4	22	53	97	140	270	455	639	681	499	444	
—	—	—	—	1	—	2	3	3	9	9	3	7	10	17	10	1	2	C
—	—	—	—	1	—	1	1	2	—	3	3	6	7	11	2	6	4	
6	6	4	8	8	12	8	23	30	46	68	107	134	207	239	209	131	94	82
4	8	4	10	10	17	26	38	40	69	95	146	155	232	319	295	198	116	
2	4	4	6	7	10	7	15	22	35	56	90	121	191	223	198	128	90	A
2	6	4	8	7	9	17	29	28	59	85	134	137	218	304	286	192	112	
4	2	—	2	1	2	1	8	8	11	12	17	13	16	16	11	3	4	B
2	2	—	2	3	8	9	9	12	10	10	12	18	14	15	9	6	4	
2	1	—	3	1	5	7	13	8	11	14	20	23	12	15	8	10	1	83
—	—	—	—	2	5	11	9	15	13	19	23	24	22	17	13	9	2	
2	1	—	1	—	1	3	2	2	6	8	13	12	6	6	6	5	—	A
—	—	—	—	1	4	4	7	9	5	8	11	13	11	5	5	5	1	
—	—	—	2	1	4	3	11	5	5	6	6	11	5	9	2	4	1	B
—	—	—	—	1	1	7	2	5	8	11	12	11	11	11	8	4	1	
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	C
—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	
—	—	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
116	15	6	2	—	4	5	2	3	3	2	2	5	2	1	5	1	1	84
84	13	5	2	—	1	—	2	—	1	3	2	2	4	2	5	2	1	
91	15	4	1	—	2	2	—	—	1	—	—	—	—	—	—	—	—	A
67	9	5	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
25	—	2	1	—	2	3	2	3	2	2	2	5	2	1	5	1	1	B
17	4	—	2	—	—	—	2	—	1	3	2	2	4	2	5	2	1	
8	—	—	2	1	2	2	5	4	8	13	15	12	14	21	8	9	2	85
6	1	1	—	2	4	1	2	5	1	6	10	19	13	20	20	5	8	
—	—	—	1	—	—	2	3	1	5	8	9	12	13	16	7	6	1	A
1	—	—	—	2	3	1	2	3	1	4	9	16	10	16	19	2	6	
4	—	—	1	—	—	—	—	—	1	1	—	—	—	—	1	—	1	B
4	1	1	—	—	—	—	—	—	—	—	—	1	1	1	—	—	1	
4	—	—	—	1	2	—	2	3	2	4	6	—	1	5	—	3	—	C
1	—	—	—	—	1	—	—	2	—	2	1	2	2	3	1	3	1	
10	6	1	—	3	2	—	2	1	3	2	2	1	3	—	—	2	—	86
7	2	3	1	—	—	—	3	—	1	1	—	1	1	1	—	—	—	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
87	Diseases of the larynx ...	M	604	19	15	34	61	129	100	76	60	53
		F	449	5	11	22	39	77	75	59	54	40
	A. Laryngismus stridulus.	M	131	12	3	15	27	57	25	10	14	7
		F	81	2	5	5	15	27	10	11	10	11
	B. Laryngitis	M	449	7	11	18	33	69	73	65	45	46
		F	355	3	6	17	24	50	65	47	43	29
	C. Other diseases of larynx.	M	24	—	1	1	1	3	2	1	1	—
		F	13	—	—	—	—	—	—	1	1	—
88	Diseases of the thyroid body.	M	42	—	1	—	—	1	—	1	1	—
		F	237	—	—	—	—	—	1	1	1	—
89 & 90.	Bronchitis	M	21,538	391	902	833	1,174	3,300	875	249	106	63
		F	21,874	267	696	642	966	2,571	816	229	98	60
	A. Bronchiectasis, Bronchial catarrh, &c.	M	399	6	15	16	12	49	9	6	—	1
		F	317	6	10	10	11	37	10	—	1	2
	B. Other bronchitis ...	M	21,139	385	887	817	1,162	3,251	866	243	106	62
		F	21,557	261	686	632	955	2,534	806	229	97	58
91	Broncho-pneumonia ...	M	9,229	142	627	881	1,917	3,567	1,932	641	287	171
		F	7,938	103	383	570	1,413	2,469	1,801	624	320	153
92	Pneumonia, lobar and undefined.	M	12,576	64	172	233	533	1,002	629	277	181	99
		F	8,173	40	114	172	363	689	574	244	164	110
	A. Lobar pneumonia...	M	5,444	13	42	57	149	261	209	92	68	41
		F	3,336	8	22	39	93	162	142	82	60	44
	B. Pneumonia (type not stated).	M	7,132	51	130	176	384	741	420	185	113	58
		F	4,837	32	92	133	270	527	432	162	104	66
93	Pleurisy	M	860	—	4	7	9	20	36	24	12	9
		F	565	—	2	1	8	11	29	14	14	4
	A. Empyema	M	318	—	4	3	9	16	32	20	9	6
		F	150	—	1	—	7	8	25	12	13	2
	B. Other pleurisy ...	M	542	—	—	4	—	4	4	4	3	3
		F	415	—	1	1	1	3	4	2	1	2
94	Pulmonary congestion, Pulmonary apoplexy.	M	731	30	31	25	27	113	23	6	4	5
		F	767	23	32	17	17	89	13	9	4	2
	A. Pulmonary apoplexy & infarction.	M	12	—	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	—	—	—	—	—
	B. Pulmonary œdema and congestion.	M	627	29	31	22	27	109	23	6	4	5
		F	628	21	32	16	17	86	12	9	4	2
	C. Hypostatic pneumonia.	M	89	1	—	—	—	1	—	—	—	—
		F	123	2	—	—	—	2	—	—	—	—
	D. Collapse of lung (3 months & over).	M	3	—	—	3	—	3	—	—	—	—
		F	2	—	—	1	—	1	1	—	—	—
95	Gangrene of the lung ...	M	42	—	—	—	—	—	1	—	—	—
		F	19	—	—	—	—	—	—	—	—	—
96	Asthma	M	1,186	—	—	3	4	7	2	2	3	3
		F	790	1	—	3	—	4	—	3	—	1
97	Pulmonary emphysema	M	245	—	—	—	—	—	—	1	—	—
		F	106	—	—	—	1	1	—	—	—	—
98	Other diseases of the respiratory system.	M	381	—	2	7	—	9	4	1	—	—
		F	144	—	—	8	2	10	2	2	3	1
	A. Fibroid disease of lung.	M	209	—	—	—	—	—	—	—	—	—
		F	64	—	—	—	—	—	—	—	2	—
	B. Other diseases included under 98.	M	172	—	2	7	—	9	4	1	—	—
		F	80	—	—	8	2	10	2	2	1	1

T DIFFERENT AGE-PERIODS, 1916—*continued.*

Total under 5 years.	Ages at Death. 5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
418	96	10	3	2	4	1	5	6	10	11	12	8	8	3	5	2	—	87
305	71	5	1	7	8	5	4	7	7	4	5	4	5	3	2	5	1	
113	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
69	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
298	78	6	2	2	4	1	4	5	8	9	10	7	6	2	5	2	—	B
234	58	5	1	7	7	4	4	6	4	2	4	3	5	3	2	5	1	
7	—	4	1	—	—	—	1	1	2	2	2	1	2	1	—	—	—	C
2	1	—	—	—	1	1	—	1	3	2	1	1	—	—	—	—	—	
3	3	4	5	2	—	1	1	1	3	7	2	4	3	—	1	1	1	88
3	1	7	8	3	7	4	10	16	13	19	21	22	42	34	14	12	1	
4,593	104	34	47	57	82	123	245	382	559	951	1,310	1,952	2,567	3,008	2,734	1,765	1,025	89 &
3,774	102	32	41	54	62	102	173	253	372	682	997	1,504	2,290	3,291	3,602	2,644	1,899	90
65	5	2	5	12	5	8	14	21	19	25	30	36	33	26	32	28	33	A
50	3	2	8	12	8	5	8	7	7	6	13	14	22	25	39	39	49	
4,528	99	32	42	45	77	115	231	361	540	926	1,280	1,916	2,534	2,982	2,702	1,737	992	B
3,724	99	30	33	42	54	97	165	246	365	676	984	1,490	2,268	3,266	3,563	2,605	1,850	
6,598	233	58	57	55	73	75	87	104	140	187	204	264	308	323	246	149	68	91
5,367	257	76	42	28	52	38	75	59	96	122	183	233	309	327	336	222	116	
2,188	359	199	366	503	523	616	791	853	956	1,010	1,003	995	897	622	401	202	92	92
1,781	281	170	217	224	279	362	396	422	422	502	504	546	612	676	426	220	133	
671	143	87	178	254	279	324	412	429	455	466	471	432	390	242	132	57	22	A
490	107	70	112	116	156	211	194	209	222	219	230	233	255	264	153	58	37	
1,517	216	112	188	249	244	292	379	424	501	544	532	563	507	380	269	145	70	B
1,291	174	100	105	108	123	151	202	213	200	283	274	313	357	412	273	162	96	
101	33	13	28	39	38	31	59	53	63	54	70	85	71	62	40	12	8	93
72	15	19	20	19	14	29	21	29	36	45	31	42	53	41	47	21	11	
83	23	9	13	25	22	12	24	19	22	15	11	17	11	8	3	1	—	A
60	10	6	11	6	7	13	4	3	8	4	1	8	5	1	2	1	—	
18	10	4	15	14	16	19	35	34	41	39	59	68	60	54	37	11	8	B
12	5	13	9	13	7	16	17	26	28	41	30	34	48	40	45	20	11	
151	8	6	3	5	4	8	17	15	24	26	32	44	65	77	97	80	69	94
117	7	5	1	4	4	15	14	11	21	13	23	47	59	106	117	105	98	
—	—	—	—	—	1	—	1	—	2	—	2	3	—	1	1	1	—	A
—	—	—	—	1	—	3	1	1	—	2	1	1	2	1	—	1	—	
147	8	6	3	5	3	8	15	15	21	26	27	40	54	63	73	63	50	B
113	7	5	1	3	4	11	12	9	20	9	22	37	46	90	88	75	76	
1	—	—	—	—	—	—	1	—	1	—	3	1	11	13	23	16	19	C
2	—	—	—	—	—	1	1	1	1	2	—	9	11	15	29	29	22	
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	2	3	2	2	3	2	2	6	4	4	6	2	2	1	—	95
—	1	2	2	1	1	1	1	3	2	1	1	—	—	2	1	—	—	
17	4	—	5	13	19	40	77	66	100	119	130	153	182	125	95	28	13	96
8	5	3	4	8	16	25	30	48	59	80	87	85	126	118	51	22	15	
1	1	1	—	3	1	2	3	5	16	24	27	32	42	41	27	15	4	97
1	—	—	—	—	1	2	2	—	5	4	5	14	17	18	23	10	4	
14	4	6	4	3	9	7	29	33	40	51	50	50	37	20	16	7	1	98
18	—	2	5	5	3	2	3	8	12	11	14	17	16	15	4	7	2	
—	1	2	1	1	2	3	18	14	23	29	39	38	20	11	6	1	—	A
2	—	1	1	1	—	1	2	4	4	5	7	12	11	7	2	3	1	
14	3	4	3	2	7	4	11	19	17	22	11	12	17	9	10	6	1	B
16	—	1	4	4	3	1	1	4	8	6	7	5	5	8	2	4	1	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
99	Diseases of the mouth and annexa.	M	236	40	32	10	11	93	14	7	5	5
		F	200	21	16	9	9	55	10	7	2	3
	A. Diseases of the teeth and gums.	M	160	11	14	6	8	39	10	6	5	5
		F	146	9	4	6	6	25	7	4	2	3
	B. Thrush, Aphthous stomatitis.	M	55	28	17	4	2	51	4	—	—	—
		F	32	11	11	3	2	27	2	2	—	—
	C. Parotitis	M	15	1	1	—	1	3	—	—	—	—
		F	16	1	1	—	—	2	—	—	—	—
	D. Other diseases of mouth and annexa.	M	6	—	—	—	—	—	—	1	—	—
		F	6	—	—	—	1	1	1	1	—	—
100	Diseases of the pharynx, Tonsillitis.	M	336	5	4	6	14	29	17	13	19	18
		F	283	3	5	5	7	20	17	13	16	22
	A. Tonsillitis	M	223	1	1	3	6	11	11	12	16	12
		F	211	1	1	1	4	7	8	13	11	19
	B. Ludwig's angina ...	M	30	—	—	1	—	1	—	1	—	2
		F	12	—	1	2	—	3	2	—	—	1
	C. Other diseases of the pharynx.	M	83	4	3	2	8	17	6	—	3	4
		F	60	2	3	2	3	10	7	—	5	2
101	Diseases of the œsophagus	M	34	—	—	—	—	—	—	—	—	—
		F	31	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of stomach.	M	1,000	—	1	—	1	2	—	1	1	1
		F	945	—	—	—	1	1	—	1	1	2
103	Other diseases of the stomach.	M	1,924	114	308	212	159	793	115	42	30	18
		F	1,929	82	166	181	139	568	105	46	22	20
	A. Inflammation of stomach.	M	1,563	99	286	199	154	738	111	37	29	17
		F	1,594	74	149	169	133	525	95	43	21	15
	B. Other diseases included under 103.	M	361	15	22	13	5	55	4	5	1	1
		F	335	8	17	12	6	43	10	3	1	5
104 & 105	Diarrhœa and enteritis ...	M	8,011	425	1,265	1,559	1,520	4,769	1,033	214	96	53
		F	6,691	252	834	1,190	1,268	3,544	940	224	88	58
	A. Infective enteritis...	M	1,894	55	302	490	499	1,346	351	62	27	8
		F	1,662	34	200	384	429	1,047	351	82	22	13
	B. Diarrhœa—not returned as infective.	M	1,761	97	299	368	332	1,096	246	38	20	11
		F	1,497	52	190	288	294	824	215	39	14	9
	C. Enteritis—not returned as infective.	M	1,465	111	207	258	227	803	164	39	14	10
		F	1,395	53	164	196	180	593	132	34	23	9
	D. Gastro-enteritis—not returned as infective.	M	2,056	132	398	400	438	1,368	266	75	34	24
		F	1,698	86	238	289	338	951	233	68	27	26
	E. Dyspepsia—under 2 years.	M	129	19	54	35	18	126	3	—	—	—
		F	114	16	39	29	21	105	9	—	—	—
	F. Colic	M	46	9	5	7	3	24	—	—	—	—
		F	39	8	3	3	3	17	—	—	—	—
	G. Ulceration of intestines.	M	125	2	—	1	2	5	3	—	—	—
		F	160	2	—	1	3	6	—	1	2	1
	H. Duodenal ulcer ...	M	535	—	—	—	1	1	—	—	1	—
		F	126	1	—	—	—	1	—	—	—	—
106	Ankylostomiasis... ...	M	2	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites	M	13	—	—	1	—	1	2	3	3	1
		F	17	—	—	—	—	—	2	4	2	1
108	Appendicitis	M	1,474	1	—	2	1	4	1	8	25	28
		F	1,129	—	1	1	1	3	1	9	13	25

AT DIFFERENT AGE-PERIODS, 1916—*continued.*

Ages at Death.																		International List Nos.
Total under 5 years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
124	12	2	3	2	9	6	9	5	9	15	13	5	12	6	2	—	2	99
77	12	2	5	1	9	12	8	14	7	7	6	6	11	10	3	4	6	
65	11	1	3	2	8	5	7	5	8	14	10	3	11	4	2	—	1	A
41	12	2	5	1	8	12	8	14	7	6	6	5	8	6	3	—	2	
55	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
31	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
3	1	1	—	—	1	1	2	—	1	1	1	2	—	—	—	—	1	C
2	—	—	—	—	—	—	—	—	—	—	—	1	2	3	—	4	4	
1	—	—	—	—	—	—	—	—	—	—	2	—	1	2	—	—	—	D
3	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	
96	63	20	18	21	21	5	14	12	17	11	11	12	5	2	7	—	1	100
88	66	32	7	10	10	11	9	6	6	7	2	7	3	7	4	4	4	
62	50	16	9	15	17	1	10	4	12	7	3	6	3	2	5	—	1	A
58	57	29	4	9	7	8	6	4	4	6	1	3	1	5	2	4	3	
4	2	1	1	1	4	1	2	1	1	3	3	3	2	—	1	—	—	B
6	—	1	—	—	1	2	—	—	—	—	—	—	1	—	1	—	—	
30	11	3	8	5	—	3	2	7	4	1	5	3	—	—	1	—	—	C
24	9	2	3	1	2	1	3	2	2	1	1	4	1	2	1	—	1	
—	—	—	1	—	2	—	2	1	1	3	6	2	7	2	5	1	1	101
—	1	1	2	—	—	—	—	7	3	3	1	3	5	1	1	2	1	
5	3	2	17	20	55	66	110	124	119	116	119	92	73	40	28	7	4	102
5	4	12	37	56	74	83	82	124	100	94	59	74	58	43	29	9	2	
998	45	19	14	11	21	24	37	49	44	79	78	104	107	105	105	54	30	103
761	60	22	10	21	26	17	35	51	45	59	74	110	108	167	170	119	74	
932	36	16	8	7	16	18	29	30	29	57	50	75	66	72	71	34	17	A
699	45	16	6	15	18	11	18	46	34	49	55	81	88	136	136	86	55	
66	9	3	6	4	5	6	8	19	15	22	28	29	41	33	34	20	13	B
62	15	6	4	6	8	6	17	5	11	10	19	29	20	31	34	33	19	
6,165	113	33	31	37	58	76	121	119	123	130	156	179	171	190	167	93	49	104 &
4,854	143	52	25	42	57	71	78	79	87	96	119	130	177	238	209	144	90	105
1,794	24	4	3	3	2	1	2	6	6	6	6	12	6	7	7	3	2	A
1,515	33	10	4	4	3	8	5	6	5	5	11	10	11	9	9	8	6	
1,411	20	3	2	5	2	2	3	7	7	7	18	29	42	64	63	52	24	B
1,101	21	8	2	2	3	3	6	2	8	11	16	26	36	84	68	59	41	
1,030	25	9	8	6	13	11	21	18	25	21	41	44	54	61	48	20	10	C
791	27	15	3	16	21	24	24	34	31	32	49	46	65	72	79	41	25	
1,767	42	12	7	4	10	7	9	11	16	14	26	34	22	26	26	14	9	D
1,305	59	16	8	6	14	11	13	16	20	21	19	20	41	51	36	27	15	
129	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	E
114	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
24	1	—	—	—	—	1	3	—	—	1	4	1	4	2	3	—	2	F
17	—	—	—	—	1	—	—	1	—	—	1	2	2	5	4	5	1	
8	1	5	3	5	5	10	11	10	4	15	11	11	9	8	7	1	1	G
10	2	3	3	11	11	18	17	13	12	11	8	9	13	9	7	2	1	
2	—	—	8	14	26	44	72	67	65	66	50	48	34	22	13	3	1	H
1	1	—	5	3	4	7	13	7	11	16	15	17	9	8	6	2	1	
—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	106
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	107
9	6	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
66	182	230	208	118	103	72	89	79	62	74	49	59	40	23	13	4	3	108
51	153	188	111	111	69	72	55	58	63	42	52	35	23	18	14	8	6	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
109	Hernia, Intestinal obstruction.	M	2,132	43	43	107	119	312	63	23	15	21
		F	2,156	26	14	48	49	137	31	9	8	1
	A. Hernia	M	840	15	21	25	20	81	19	3	2	3
		F	1,021	12	3	2	2	19	1	2	—	—
	B. Intestinal obstruction.	M	1,292	28	22	82	99	231	44	20	13	18
		F	1,135	14	11	46	47	118	30	7	8	1
110	Other diseases of the intestines.	M	227	4	9	1	7	21	3	1	1	—
		F	266	2	7	15	5	29	6	5	—	2
111	Acute yellow atrophy of the liver.	M	27	—	—	1	—	1	—	2	2	—
		F	38	—	—	—	—	—	—	1	1	—
112	Hydatid of liver	M	13	—	—	—	—	—	—	—	—	—
		F	16	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver ...	M	1,869	—	—	3	4	7	3	1	1	—
		F	1,210	—	—	—	—	—	1	—	—	—
	A. Cirrhosis of the liver not ret'd alcoholic	M	1,690	—	—	2	4	6	3	1	—	—
		F	1,049	—	—	—	—	—	1	—	—	—
	B. Cirrhosis of the liver ret'd as alcoholic.	M	133	—	—	1	—	1	—	—	—	—
		F	114	—	—	—	—	—	—	—	—	—
	C. Dis. formerly classed to "Other dis. of liver and gall bladder."	M	46	—	—	—	—	—	—	—	1	—
		F	47	—	—	—	—	—	—	—	—	—
114	Biliary calculi	M	208	—	—	—	—	—	—	—	—	—
		F	565	—	—	—	—	—	—	—	—	—
115	Other diseases of the liver	M	410	—	—	5	8	13	7	7	—	3
		F	473	—	1	5	2	8	4	7	6	1
116	Diseases of the spleen ...	M	35	—	—	—	1	1	1	—	—	1
		F	24	—	—	—	—	—	1	1	1	—
	A. Infarction of spleen	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
	B. Other diseases of the spleen.	M	35	—	—	—	1	1	1	—	—	1
		F	23	—	—	—	—	—	1	1	1	—
117	Peritonitis (cause unstated).	M	219	3	8	11	3	25	6	4	9	4
		F	289	4	5	1	2	12	7	6	11	12
118	Other diseases of the digestive system.	M	89	1	1	—	—	2	2	—	—	—
		F	95	—	—	—	—	—	—	1	—	1
	A. Abdominal abscess, Sub-phrenic abscs.	M	14	1	—	—	—	1	—	—	—	—
		F	14	—	—	—	—	—	—	—	—	1
	B. Other diseases included under 118	M	75	—	1	—	—	1	2	—	—	—
		F	81	—	—	—	—	—	—	1	—	—
119	Acute nephritis	M	1,150	10	13	11	23	57	60	31	31	23
		F	874	—	6	19	22	47	61	40	29	21
120	Bright's disease	M	6,930	—	—	—	—	—	2	3	3	5
		F	5,695	—	—	—	—	—	3	3	2	3
	A. Bright's disease as in 1901 list.	M	5,850	—	—	—	—	—	1	2	2	4
		F	4,806	—	—	—	—	—	2	3	2	2
	B. Nephritis (unqualified) 10 yrs. and over, and Uræmia.	M	1,080	—	—	—	—	—	1	1	1	1
		F	889	—	—	—	—	—	1	—	—	1
121	Chyluria	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1916—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
434	42	32	47	38	37	50	68	64	99	131	157	165	225	221	205	80	37	109
186	37	27	10	22	39	43	62	107	133	133	159	241	268	265	238	128	58	
108	4	4	8	8	9	12	20	28	36	55	74	91	116	104	99	43	21	A
22	1	1	1	4	5	12	23	46	73	73	91	160	172	132	130	54	21	
326	38	28	39	30	28	38	48	36	63	76	83	74	109	117	106	37	16	B
164	36	26	9	18	34	31	39	61	60	60	68	81	96	133	108	74	37	
26	6	1	7	6	5	5	10	10	14	16	19	24	20	21	21	11	5	110
42	2	—	4	4	6	11	6	13	16	16	13	27	23	20	26	20	17	
5	2	1	2	4	4	2	2	2	—	1	2	—	—	—	—	—	—	111
2	1	—	2	6	7	4	3	1	1	4	3	2	—	1	—	1	—	
—	—	—	1	—	—	—	—	2	3	2	—	—	4	—	1	—	—	112
—	—	1	—	—	3	—	2	3	1	—	1	3	1	—	1	—	—	
12	6	4	2	3	9	29	70	122	231	292	334	288	258	130	61	15	3	113
1	6	5	2	6	6	33	52	102	142	195	175	163	136	109	55	13	9	
10	5	4	2	3	7	23	57	114	201	260	306	258	241	123	59	14	3	A
1	6	5	2	6	6	26	42	85	126	163	147	144	126	96	47	13	8	
1	—	—	—	—	2	5	9	8	23	23	22	24	10	4	1	1	—	B
—	—	—	—	—	—	6	10	15	12	26	22	14	3	3	3	—	—	
1	1	—	—	—	—	1	4	—	7	9	6	6	7	3	1	—	—	C
—	—	—	—	—	—	1	—	2	4	6	6	5	7	10	5	—	1	
—	1	1	2	—	1	2	1	4	16	23	29	26	37	27	23	11	4	114
—	—	—	—	2	6	5	14	20	35	48	62	90	91	80	63	40	9	
30	6	7	3	4	15	18	23	24	34	29	39	50	44	31	21	23	9	115
26	3	6	3	11	6	12	15	21	27	37	40	54	43	58	67	24	20	
3	1	—	2	—	1	5	3	5	2	2	2	7	—	—	2	—	—	116
3	—	—	—	1	—	3	3	2	4	—	1	5	—	1	1	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
3	1	—	2	—	1	5	3	5	2	2	2	7	—	—	2	—	—	B
3	—	—	—	1	—	3	3	2	4	—	1	4	—	1	1	—	—	
48	25	15	8	3	8	6	6	13	12	9	8	16	12	16	6	7	1	117
48	45	17	13	6	14	20	18	19	14	19	7	8	11	11	14	3	2	
4	1	1	2	1	6	6	10	7	7	13	11	5	11	2	1	—	1	118
2	1	—	1	1	2	6	9	7	9	6	11	11	13	9	4	3	—	
1	—	—	—	—	1	3	2	2	1	2	2	—	—	—	—	—	—	A
1	—	—	—	—	—	2	3	1	1	1	1	1	2	1	—	—	—	
3	1	1	2	1	5	3	8	5	6	11	9	5	11	2	1	—	1	B
1	1	—	1	1	2	4	6	6	8	5	10	10	11	8	4	3	—	
202	116	43	45	44	62	52	54	63	95	96	68	75	66	32	25	8	4	119
198	65	41	35	36	47	44	63	62	46	49	49	44	36	29	19	10	1	
13	32	65	84	114	122	166	231	366	541	661	839	949	1,005	836	589	224	93	120
11	31	48	59	84	125	160	282	371	480	537	620	678	751	662	483	211	102	
9	32	49	55	70	87	123	185	300	455	548	708	827	845	734	521	195	67	A
9	29	30	48	62	87	133	234	304	404	461	516	570	667	571	418	182	81	
4	—	16	29	44	35	43	46	66	86	113	131	122	120	102	68	29	26	B
2	2	18	11	22	38	27	48	67	76	76	104	108	84	91	65	29	21	
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	121
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
122	Other diseases of the kidney and annexa.	M	263	—	2	5	3	10	1	3	3	—
		F	229	—	1	2	3	6	1	2	3	—
	A. Abscess of kidney ...	M	26	—	—	1	—	1	—	—	—	—
		F	24	—	—	—	—	—	—	—	—	—
	B. Cystic disease ...	M	15	—	—	—	—	—	—	—	—	—
		F	27	—	—	—	—	—	1	—	—	—
	C. Suppression of urine	M	11	—	1	—	1	2	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
	D. Other diseases included under 122	M	211	—	1	4	2	7	1	3	3	—
		F	175	—	1	2	3	6	—	2	3	—
123	Calculi of the urinary passages.	M	189	—	—	—	—	—	—	1	—	1
		F	81	—	—	—	—	—	—	—	—	—
124	Diseases of the bladder ...	M	1,083	—	2	1	2	5	1	—	—	—
		F	255	—	—	2	—	2	—	—	—	—
125	Diseases of the urethra, Urinary abscess, &c.	M	418	—	—	—	—	—	1	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
	A. Perineal abscess ...	M	23	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	B. Other diseases of urethra, &c.	M	395	—	—	—	—	—	1	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
126	Diseases of the prostate...	M	1,614	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
127	Non-venereal diseases of male genital organs.	M	42	5	7	2	1	15	1	—	—	1
		F	—	—	—	—	—	—	—	—	—	—
128	Uterine hæmorrhage (non-puerperal).	M	—	—	—	—	—	—	—	—	—	—
		F	31	—	—	—	—	—	—	—	—	—
	A. Menorrhagia	M	—	—	—	—	—	—	—	—	—	—
		F	20	—	—	—	—	—	—	—	—	—
	B. Other uterine hæmorrhage.	M	—	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	—	—	—	—	—
129	Uterine tumour (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	321	—	—	—	—	—	—	—	—	—
130	Other diseases of the uterus.	M	—	—	—	—	—	—	—	—	—	—
		F	177	—	—	—	—	—	—	—	—	—
	A. Disorders of menstruation (except menorrhagia).	M	—	—	—	—	—	—	—	—	—	—
		F	16	—	—	—	—	—	—	—	—	—
	B. Other diseases included under 130.	M	—	—	—	—	—	—	—	—	—	—
		F	161	—	—	—	—	—	—	—	—	—
131	Ovarian cyst, tumour (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	307	—	—	—	—	—	1	—	—	—
132	Other diseases of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	218	2	1	—	—	3	1	—	—	1
	A. Diseases of ovary (excluding ovarian tumour).	M	—	—	—	—	—	—	—	—	—	—
		F	15	—	—	—	—	—	—	—	—	—
	B. Other diseases included under 132.	M	—	—	—	—	—	—	—	—	—	—
		F	203	2	1	—	—	3	1	—	—	1
133	Non-puerperal diseases of the breast (non-cancerous).	M	3	2	1	—	—	3	—	—	—	—
		F	18	3	3	—	1	7	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1916—*continued.*

Ages at Death.																	International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
17	2	3	8	8	9	12	12	17	29	23	20	22	29	25	16	8	3	122
12	2	3	2	2	8	12	20	28	21	17	19	22	13	17	21	4	6	
1	—	1	2	3	2	2	4	1	2	2	1	1	3	1	—	—	—	A
—	—	1	—	—	1	1	2	1	5	3	—	3	1	2	3	1	—	
—	—	—	1	—	—	—	2	2	4	4	—	—	2	—	—	—	—	B
1	—	—	—	—	—	—	5	5	4	2	2	3	1	2	2	—	—	
2	—	—	—	—	—	—	—	—	—	—	1	—	—	1	2	3	2	C
—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	
14	2	2	5	5	7	10	6	14	23	17	18	21	24	23	14	5	1	D
11	2	2	2	2	7	11	13	22	12	12	17	16	9	13	16	3	5	
2	3	2	3	7	7	9	12	12	12	20	18	16	22	18	15	10	1	123
—	1	—	3	3	6	4	9	10	10	5	6	10	5	4	3	1	1	
6	2	1	2	4	4	13	16	20	43	41	56	103	138	202	207	139	86	124
2	—	1	—	2	8	6	5	8	8	11	16	17	28	41	35	36	31	
1	—	—	—	2	8	9	13	26	43	48	55	60	57	50	33	11	2	125
—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	1	
—	—	—	—	—	—	2	—	1	—	3	1	6	4	3	2	—	1	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	2	8	7	13	25	43	45	54	54	53	47	31	11	1	B
—	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	1	
—	—	—	—	—	—	1	1	—	7	24	55	155	279	374	379	222	117	126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
17	—	—	—	—	2	—	1	2	1	1	4	5	4	3	2	—	—	127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	128
—	—	3	3	2	4	3	—	5	4	4	—	—	—	1	2	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	2	2	1	2	3	—	5	2	3	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	1	1	1	2	—	—	—	2	1	—	—	—	1	2	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	129
—	—	—	—	2	6	12	22	57	60	42	30	33	21	16	16	2	2	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	130
—	—	—	2	9	8	12	16	17	32	18	19	6	9	12	9	4	4	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	1	1	10	4	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	2	9	8	12	15	16	22	14	19	6	9	12	9	4	4	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	131
1	—	—	2	6	13	13	19	22	33	27	31	25	36	35	27	12	5	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	132
5	—	—	11	26	35	45	41	24	16	8	3	2	1	1	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	1	2	3	4	4	—	—	—	1	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
5	—	—	11	26	34	43	38	20	12	8	3	2	—	1	—	—	—	
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	133
7	—	—	1	—	—	—	—	1	2	—	—	2	—	1	1	3	—	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
134	Accidents of pregnancy	M	—	—	—	—	—	—	—	—	—	—
		F	323	—	—	—	—	—	—	—	—	—
	A. Abortion	M	—	—	—	—	—	—	—	—	—	—
		F	106	—	—	—	—	—	—	—	—	—
	B. Hæmorrhage of pregnancy..	M	—	—	—	—	—	—	—	—	—	—
		F	79	—	—	—	—	—	—	—	—	—
	C. Uncontrollable vomiting.	M	—	—	—	—	—	—	—	—	—	—
		F	38	—	—	—	—	—	—	—	—	—
	D. Ectopic gestation ...	M	—	—	—	—	—	—	—	—	—	—
		F	74	—	—	—	—	—	—	—	—	—
	E. Other accidents of pregnancy.	M	—	—	—	—	—	—	—	—	—	—
		F	26	—	—	—	—	—	—	—	—	—
135	Puerperal hæmorrhage ...	M	—	—	—	—	—	—	—	—	—	—
		F	447	—	—	—	—	—	—	—	—	—
136	Other accidents of childbirth.	M	—	—	—	—	—	—	—	—	—	—
		F	390	—	—	—	—	—	—	—	—	—
137	Puerperal fever...	M	—	—	—	—	—	—	—	—	—	—
		F	1,083	—	—	—	—	—	—	—	—	—
138	Puerperal albuminuria and convulsions.	M	—	—	—	—	—	—	—	—	—	—
		F	656	—	—	—	—	—	—	—	—	—
	A. Puerperal nephritis and uræmia.	M	—	—	—	—	—	—	—	—	—	—
		F	152	—	—	—	—	—	—	—	—	—
	B. Puerperal albuminuria and Bright's disease.	M	—	—	—	—	—	—	—	—	—	—
		F	49	—	—	—	—	—	—	—	—	—
	C. Puerperal convulsions.	M	—	—	—	—	—	—	—	—	—	—
		F	455	—	—	—	—	—	—	—	—	—
139	Puerperal phlegmasia alba dolens, embolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—
		F	307	—	—	—	—	—	—	—	—	—
	A. Puerperal phlegmasia alba dolens and phlebitis.	M	—	—	—	—	—	—	—	—	—	—
		F	64	—	—	—	—	—	—	—	—	—
	B. Puerperal embolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—
		F	243	—	—	—	—	—	—	—	—	—
140	Puerperal insanity ...	M	—	—	—	—	—	—	—	—	—	—
		F	27	—	—	—	—	—	—	—	—	—
141	Puerperal diseases of the breast.	M	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	—	—	—	—
134–141	All accidents of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—
		F	3,239	—	—	—	—	—	—	—	—	—
142	Gangrene	M	886	5	3	1	3	12	11	2	6	1
		F	732	3	2	—	2	7	10	8	8	5
	A. Senile gangrene ...	M	780	—	—	—	—	—	—	—	—	—
		F	633	—	—	—	—	—	—	—	—	—
	B. Noma, Gangrene of mouth.	M	41	2	2	1	2	7	11	1	4	1
		F	48	1	—	—	2	3	8	5	7	5
	C. Noma pudendi ...	M	17	—	—	—	—	—	—	—	1	—
		F	8	—	—	—	—	—	2	3	1	—
	D. Other gangrene ...	M	48	3	1	—	1	5	—	1	1	—
		F	43	2	2	—	—	4	—	—	—	—
143	Carbuncle, Boil	M	161	2	1	1	3	7	—	—	—	—
		F	107	1	1	—	2	4	—	—	—	1

AT DIFFERENT AGE-PERIODS, 1916—*continued.*

Total under 5 Years.	Ages at Death. 5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 134
—	—	—	5	33	50	74	102	41	16	2	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} A
—	—	—	1	15	16	23	36	12	3	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} B
—	—	—	—	—	9	22	26	17	5	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} C
—	—	—	2	6	9	5	11	3	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} D
—	—	—	1	7	14	20	21	7	4	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} E
—	—	—	1	5	2	4	8	2	2	2	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 135
—	—	—	5	31	88	108	139	69	7	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 136
—	—	—	13	45	98	77	99	52	5	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 137
—	—	—	35	190	287	287	198	81	5	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 138
—	—	—	42	137	165	148	97	62	5	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} A
—	—	—	5	19	38	40	35	14	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} B
—	—	—	1	6	12	20	5	5	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} C
—	—	—	36	112	115	88	57	43	4	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 139
—	—	—	5	29	73	73	79	38	10	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} A
—	—	—	—	2	14	17	13	17	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} B
—	—	—	5	27	59	56	66	21	9	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 140
—	—	—	1	5	10	5	3	1	1	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 141
—	—	—	1	—	1	3	1	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 134–141
—	—	—	107	470	772	775	718	344	49	4	—	—	—	—	—	—	—	
32	2	3	1	1	4	2	1	3	9	12	14	71	102	164	202	173	90	} 142
38	7	3	1	2	—	—	3	4	3	11	21	37	81	127	162	117	115	
—	—	—	—	—	—	—	—	—	1	1	3	64	97	160	199	169	86	} A
—	—	—	—	—	—	—	—	—	—	4	6	37	75	123	156	117	115	
24	2	2	—	1	4	—	1	1	1	2	—	1	1	—	—	—	1	} B
28	7	3	1	1	—	—	2	1	1	—	4	—	—	—	—	—	—	
1	—	—	—	—	—	—	—	—	1	—	3	1	2	2	3	2	2	} C
6	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	
7	—	1	1	—	—	2	—	2	6	9	8	5	2	2	—	2	1	} D
4	—	—	—	1	—	—	1	3	2	6	11	—	6	4	5	—	—	
7	—	—	6	4	8	5	5	8	13	15	15	14	17	14	11	9	10	} 143
5	—	3	1	5	3	1	5	4	9	4	13	19	8	7	12	7	1	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
144	Phlegmon, Acute abscess	M	390	16	21	10	11	58	13	6	4	4
		F	320	23	27	13	11	74	13	5	4	—
	A. Phlegmon	M	252	8	9	2	3	22	6	4	3	2
		F	184	12	13	4	3	32	7	1	4	—
	B. Acute Abscess ...	M	138	8	12	8	8	36	7	2	1	2
		F	136	11	14	9	8	42	6	4	—	—
145	Diseases of the integumentary system.	M	487	105	50	30	34	219	26	5	3	3
		F	584	72	32	11	29	144	24	8	3	4
	A. Ulcer, Bedsore ...	M	135	1	3	2	—	6	2	—	—	—
		F	284	2	—	—	1	3	3	1	—	—
	B. Eczema	M	136	22	21	17	23	83	18	4	2	—
		F	84	10	12	7	16	45	6	2	—	4
	C. Pemphigus... ...	M	87	47	12	5	4	68	2	—	—	1
		F	73	37	7	—	1	45	3	1	—	—
	D. Other dis. of the integumentary sys.	M	129	35	14	6	7	62	4	1	1	2
		F	143	23	13	4	11	51	12	4	3	—
146	Diseases of the bones ...	M	325	3	3	1	8	15	11	13	7	6
		F	185	1	6	1	3	11	4	7	7	7
147	Diseases of the joints ...	M	96	1	2	1	3	7	3	1	—	1
		F	72	4	1	2	1	8	1	—	1	1
148	Amputations	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
149	Other diseases of locomotor system.	M	21	—	1	—	—	1	1	—	—	1
		F	18	1	2	—	1	4	—	—	—	—
150	Congenital malformations	M	2,097	1,176	374	178	124	1,852	74	27	21	19
		F	1,679	935	260	141	107	1,443	82	28	14	15
	A. Congenital hydrocephalus.	M	201	18	14	33	48	113	31	13	9	6
		F	139	25	14	17	29	85	32	4	4	3
	B. Phimosis	M	13	3	4	2	2	11	2	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
	C. Congenital malformation of heart.	M	805	504	126	46	36	712	19	7	8	9
		F	633	350	84	40	39	513	30	13	6	7
	D. Other congenital malformations.	M	1,078	651	230	97	38	1,016	22	7	4	4
		F	907	560	162	84	39	845	20	11	4	5
151	Premature birth, Infantile debility, Icterus and Sclerema.	M	13,515	10,502	1,914	747	352	13,515	—	—	—	—
		F	9,934	7,758	1,354	542	280	9,934	—	—	—	—
	A. Premature birth ...	M	8,282	7,569	616	81	16	8,282	—	—	—	—
		F	6,345	5,737	525	69	14	6,345	—	—	—	—
	B. Infant. atrophy, debility and marasmus.	M	4,770	2,583	1,219	635	333	4,770	—	—	—	—
		F	3,321	1,830	778	453	260	3,321	—	—	—	—
	C. Icterus neonatorum	M	371	324	42	5	—	371	—	—	—	—
		F	207	173	31	3	—	207	—	—	—	—
	D. Sclerema and œdema neonatorum.	M	6	2	4	—	—	6	—	—	—	—
		F	17	13	2	2	—	17	—	—	—	—
	E. Want of breast milk	M	86	24	33	26	3	86	—	—	—	—
		F	44	5	18	15	6	44	—	—	—	—
152	Other diseases peculiar to early infancy.	M	1,435	1,381	53	1	—	1,435	—	—	—	—
		F	1,047	994	53	—	—	1,047	—	—	—	—
	A. Diseases of umbilicus, &c.	M	148	131	16	1	—	148	—	—	—	—
		F	152	137	15	—	—	152	—	—	—	—
	B. Atelectasis ...	M	718	689	29	—	—	718	—	—	—	—
		F	516	484	32	—	—	516	—	—	—	—
	C. Injuries at birth ...	M	538	531	7	—	—	538	—	—	—	—
		F	366	362	4	—	—	366	—	—	—	—
	D. Cyanosis neonatorum.	M	31	30	1	—	—	31	—	—	—	—
		F	13	11	2	—	—	13	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1916—*continued.*

Ages at Death.																	
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
85	7	7	9	9	3	13	17	16	19	32	37	34	36	30	22	9	5	144
96	7	6	5	2	5	4	5	14	10	15	21	22	21	33	26	17	11	
37	5	3	5	6	2	7	12	9	11	21	29	27	27	22	17	9	3	A
44	3	5	2	2	2	2	2	11	4	12	13	14	16	20	16	9	7	
48	2	4	4	3	1	6	5	7	8	11	8	7	9	8	5	—	2	B
52	4	1	3	—	3	2	3	3	6	3	8	8	5	13	10	8	4	
256	2	2	1	4	2	1	8	2	7	13	24	16	34	36	36	33	10	145
183	4	1	1	6	3	3	6	16	19	23	34	34	43	62	47	53	46	
8	—	—	—	1	—	1	2	—	3	8	12	10	19	23	22	17	9	A
7	1	—	—	—	1	—	3	6	11	15	26	25	32	45	37	40	35	
107	—	1	—	1	1	—	1	1	1	1	1	1	4	1	8	7	—	B
57	—	—	1	2	1	—	1	—	—	1	2	2	1	7	3	5	1	
71	—	—	1	1	1	—	1	—	—	1	2	2	2	3	2	—	—	C
49	—	—	—	1	—	1	—	4	1	3	1	1	3	2	2	3	2	
70	2	1	—	1	—	—	4	1	3	3	9	3	9	9	4	9	1	D
70	3	1	—	3	1	2	2	6	7	4	5	6	7	8	5	5	8	
52	51	36	31	21	11	8	8	10	8	6	12	16	17	13	14	6	5	146
36	20	26	7	3	5	5	7	5	10	6	6	8	8	17	12	2	2	
12	6	3	3	2	5	4	3	6	5	5	8	13	7	5	4	4	1	147
11	3	1	—	2	2	1	4	2	—	3	5	2	9	15	8	2	2	
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	148
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	—	—	1	—	1	—	1	1	1	2	2	3	1	4	1	—	—	149
4	—	—	1	—	—	—	1	—	2	2	1	1	1	2	1	—	2	
1,993	39	19	14	10	5	5	4	3	3	—	2	—	—	—	—	—	—	150
1,582	33	22	15	8	3	3	5	4	2	1	—	—	—	1	—	—	—	
172	14	5	4	1	2	1	—	—	1	—	1	—	—	—	—	—	—	A
128	6	3	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
755	17	11	8	7	1	2	1	2	1	—	—	—	—	—	—	—	—	C
569	22	13	12	7	3	1	3	1	2	—	—	—	—	—	—	—	—	
1,053	8	3	2	2	2	2	3	1	1	—	1	—	—	—	—	—	—	D
885	5	6	2	1	—	2	1	3	—	1	—	—	—	1	—	—	—	
13,515	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	151
9,934	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8,282	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
6,345	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4,770	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
3,321	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
371	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
207	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
86	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	E
44	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1,435	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	152
1,047	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
148	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
152	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
718	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
516	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
538	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
366	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
31	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
153	Lack of care	M	134	131	3	—	—	134	—	—	—	—
		F	131	131	—	—	—	131	—	—	—	—
154	Old age	M	13,560	—	—	—	—	—	—	—	—	—
		F	18,379	—	—	—	—	—	—	—	—	—
	A. Senile dementia ...	M	534	—	—	—	—	—	—	—	—	—
		F	700	—	—	—	—	—	—	—	—	—
	B. Senile decay ...	M	13,026	—	—	—	—	—	—	—	—	—
		F	17,679	—	—	—	—	—	—	—	—	—
155	Suicide by poison ...	M	130	—	—	—	—	—	—	—	—	—
		F	115	—	—	—	—	—	—	—	—	—
156	Suicide by asphyxia ...	M	77	—	—	—	—	—	—	—	—	—
		F	46	—	—	—	—	—	—	—	—	—
157	Suicide by hanging or strangulation.	M	552	—	—	—	—	—	—	—	—	—
		F	152	—	—	—	—	—	—	—	—	—
158	Suicide by drowning ...	M	364	—	—	—	—	—	—	—	—	—
		F	319	—	—	—	—	—	—	—	—	—
159	Suicide by firearms ...	M	243	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	—	—	—	—
160	Suicide by cutting or piercing instruments.	M	544	—	—	—	—	—	—	—	—	—
		F	97	—	—	—	—	—	—	—	—	—
161	Suicide by jumping from high place.	M	54	—	—	—	—	—	—	—	—	—
		F	33	—	—	—	—	—	—	—	—	—
162	Suicide by crushing ...	M	94	—	—	—	—	—	—	—	—	—
		F	17	—	—	—	—	—	—	—	—	—
163	Other suicides	M	5	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	—	—
164	Poisoning by food ...	M	60	—	—	—	1	1	1	2	1	1
		F	39	—	—	—	—	—	—	3	3	—
165	Other acute poisonings ...	M	76	—	1	1	2	4	2	4	3	2
		F	58	—	—	—	—	—	6	3	1	3
166	Conflagration	M	34	—	—	—	—	—	1	2	—	1
		F	44	—	—	—	1	1	2	2	—	1
167	Burns (conflagration excepted).	M	955	—	5	7	40	52	184	194	127	66
		F	1,403	3	3	9	46	61	151	124	115	122
168	Absorption of deleterious gases (conflagration excepted).	M	543	160	126	81	29	396	5	4	2	2
		F	426	145	113	73	17	348	9	2	—	1
169	Accidental drowning ...	M	2,343	10	1	2	1	14	36	56	45	40
		F	459	6	1	—	4	11	20	18	15	14
170	Injury by firearms ...	M	143	—	—	—	—	—	—	1	—	—
		F	14	—	—	—	—	—	—	1	—	—
171	Injury by cutting or piercing instruments.	M	28	—	—	—	1	1	3	1	—	2
		F	3	—	—	—	—	—	—	—	—	—
172	Injury by fall	M	2,118	1	4	3	8	16	18	20	9	20
		F	1,546	—	2	—	12	14	17	17	11	8
173	Injury in mines and quarries.	M	1,164	—	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1916—*continued.*

Total under 5 Years.	Ages at Death. 5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
134	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	153
131	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	8	27	143	577	2,549	3,698	3,511	3,047	154
—	—	—	—	—	—	—	—	—	—	2	25	186	645	2,756	4,405	5,027	5,333	
—	—	—	—	—	—	—	—	—	—	8	10	38	73	145	119	87	54	A
—	—	—	—	—	—	—	—	—	—	1	6	36	81	162	188	133	93	
—	—	—	—	—	—	—	—	—	—	—	17	105	504	2,404	3,579	3,424	2,9·3	B
—	—	—	—	—	—	—	—	—	—	1	19	150	564	2,594	4,217	4,894	5,240	
—	—	—	2	5	9	16	7	18	14	18	15	8	11	7	—	—	—	155
—	—	—	11	10	11	11	18	13	9	11	6	5	6	3	1	—	—	
—	—	—	—	4	6	5	11	7	7	11	5	12	9	—	—	—	—	156
—	—	—	1	2	4	5	4	7	6	4	5	3	2	1	2	—	—	
—	—	1	10	13	29	36	53	50	57	51	70	71	61	25	18	2	5	157
—	—	—	1	3	7	6	10	11	21	22	24	24	12	6	3	1	1	
—	—	—	6	17	27	23	49	46	32	36	34	29	32	19	11	2	1	158
—	—	3	38	33	23	28	43	30	27	25	26	15	14	8	5	1	—	
—	—	3	15	23	30	38	34	19	17	20	11	10	12	7	3	1	—	159
—	—	—	1	1	2	1	—	1	1	—	—	—	1	—	—	—	—	
—	—	—	—	14	34	67	81	62	62	62	44	31	35	28	13	8	3	160
—	—	—	2	2	9	9	10	13	12	8	5	9	9	4	3	1	1	
—	—	—	—	2	2	3	11	9	3	5	6	6	4	2	1	—	—	161
—	—	—	1	1	4	1	6	4	5	1	1	6	1	1	1	—	—	
—	—	—	4	5	10	8	11	13	12	9	10	3	5	2	1	1	—	162
—	—	—	2	1	1	1	3	2	2	1	1	2	1	—	—	—	—	
—	—	—	1	—	1	—	—	—	—	—	2	—	1	—	—	—	—	163
—	—	—	—	—	—	1	1	1	1	—	—	1	—	—	—	—	—	
6	12	8	1	3	3	4	8	4	2	3	1	2	1	1	—	1	—	164
6	6	2	2	4	2	1	5	1	2	4	3	—	—	—	—	1	—	
15	1	4	—	3	5	3	4	8	6	7	6	5	5	1	2	1	—	165
13	2	—	2	3	4	7	7	4	1	3	2	4	3	1	2	—	—	
4	2	2	—	—	—	4	3	3	3	1	4	—	4	—	1	3	—	166
6	5	2	1	1	2	1	1	2	1	4	—	4	4	6	3	1	—	
623	79	13	10	11	32	11	34	22	25	18	17	5	17	11	16	4	7	167
573	248	110	49	28	20	20	20	22	28	27	23	38	46	47	52	26	26	
409	3	6	8	8	7	9	9	15	8	12	14	8	10	5	7	4	1	168
360	3	1	4	2	3	5	5	6	2	4	6	4	2	4	9	4	2	
191	267	200	182	135	150	168	207	208	166	161	75	94	63	42	20	11	3	169
78	32	14	33	37	24	29	35	33	31	26	24	23	18	11	9	2	—	
1	6	15	23	27	13	14	13	13	9	5	2	1	1	—	—	—	—	170
1	2	2	—	3	2	—	—	1	2	—	—	—	—	—	1	—	—	
7	5	4	1	2	1	—	2	2	2	—	—	1	—	1	—	—	—	171
—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
83	66	50	69	45	64	88	122	151	145	179	166	178	182	180	161	109	80	172
67	20	11	12	6	13	20	28	33	50	61	88	105	129	218	254	211	220	
1	—	49	179	99	88	125	126	110	126	101	71	55	26	6	1	—	1	173
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
174	Injury by machines ...	M	311	—	—	—	—	—	—	—	—	—
		F	23	—	—	—	—	—	—	—	—	—
175	Injury by other crushing (vehicles, railways, landslides, &c.)	M	3,544	—	2	2	3	7	30	38	46	56
		F	719	—	1	—	1	2	18	30	21	28
176	Injury by animals ...	M	104	—	—	1	—	1	—	1	3	1
		F	7	—	—	—	—	—	—	2	1	—
177	Starvation	M	16	—	—	2	—	2	1	—	—	—
		F	15	—	—	—	—	—	1	1	—	—
178	Excessive cold	M	148	—	—	—	—	—	—	1	—	—
		F	29	—	—	1	—	1	—	—	—	—
179	Effects of heat	M	88	—	1	1	2	4	1	4	4	1
		F	45	1	—	—	2	3	2	1	—	2
180	Lightning...	M	11	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
181	Electricity (lightning excepted).	M	34	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
182	Homicide by firearms ...	M	8	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	—	—	—	—
183	Homicide by cutting or piercing instruments.	M	20	—	—	1	—	1	1	1	—	2
		F	27	6	—	2	—	8	2	—	—	—
184	Homicide by other means	M	88	36	1	4	1	42	5	3	1	1
		F	106	22	2	7	3	34	4	1	—	2
185	Fractures (cause not specified).	M	53	2	1	—	1	4	—	1	1	2
		F	21	2	—	—	—	2	—	1	—	—
186	Other violence	M	4,432	11	9	8	13	41	15	9	6	6
		F	316	8	10	7	10	35	12	5	8	9
155–186	All violence	M	18,384	220	151	113	102	586	303	342	248	204
		F	6,101	193	132	99	96	520	244	211	175	190
187	Dropsy	M	18	—	—	2	1	3	1	—	—	—
		F	23	—	—	—	—	—	2	—	—	—
188	Syncope, Sudden death...	M	170	—	—	—	—	—	—	—	—	2
		F	131	—	—	—	—	—	—	—	—	1
	A. Syncope (aged 1 year and under 70 yrs.).	M	168	—	—	—	—	—	—	—	—	2
		F	130	—	—	—	—	—	—	—	—	1
	B. Sudden death (not otherwise defined.)	M	2	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
189	Ill-defined causes ...	M	1,393	57	11	9	17	94	210	38	11	9
		F	1,094	38	7	8	16	69	186	37	15	9
	A. Heart failure (aged 1 yr. and under 70).	M	771	—	—	—	—	—	—	1	2	4
		F	589	—	—	—	—	—	—	1	—	1
	B. Atrophy, debility, marasmus (aged 1 yr. and under 70).	M	293	—	—	—	—	—	199	33	8	4
		F	275	—	—	—	—	—	172	34	12	5
	C. Teething	M	21	—	—	2	13	15	6	—	—	—
		F	20	—	—	—	11	11	9	—	—	—
	D. Pyrexia	M	10	—	1	—	—	1	—	—	—	—
		F	5	—	1	1	—	2	—	—	1	—
	E. Other ill-defined deaths.	M	227	28	6	7	2	43	5	4	1	—
		F	154	16	4	7	3	30	4	2	1	3
	F. Cause not specified	M	71	29	4	—	2	35	—	—	—	1
		F	51	22	2	—	2	26	1	—	1	—

T DIFFERENT AGE-PERIODS, 1916—*continued.*

Total under 5 Years.	Ages at Death.																International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	4	26	54	11	23	25	31	28	21	31	18	17	9	10	3	—	—	174
—	4	4	6	4	3	1	—	1	—	—	—	—	—	—	—	—	—	
177	304	209	249	225	204	228	242	243	264	262	227	210	203	139	94	42	22	175
99	85	45	32	24	28	36	30	30	46	47	50	38	44	35	34	10	6	
6	3	6	8	6	7	4	10	9	10	5	13	7	4	—	3	1	2	176
3	2	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	
3	—	—	—	—	—	—	—	1	2	1	3	2	2	2	—	—	—	177
2	—	—	—	—	—	—	1	—	—	3	1	3	3	—	2	—	—	
1	—	1	8	6	5	8	4	12	12	7	20	14	10	24	10	5	1	178
1	1	1	—	—	1	—	1	—	1	5	3	3	2	3	3	2	2	
14	10	3	—	5	3	5	4	4	4	10	7	4	5	3	4	3	—	179
8	7	—	4	1	1	1	1	1	3	1	3	2	4	2	3	2	1	
—	—	1	1	1	1	—	—	1	—	4	2	—	—	—	—	—	—	180
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	
—	1	2	5	7	6	5	4	2	1	—	1	—	—	—	—	—	—	181
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	—	2	—	—	—	1	1	1	—	—	—	—	1	—	1	—	182
—	—	—	2	2	—	1	1	—	—	—	1	1	—	—	—	—	—	
5	2	—	1	—	2	1	5	—	3	1	—	—	—	—	—	—	—	183
10	1	—	1	—	1	3	4	1	1	2	2	—	—	1	—	—	—	
52	4	4	1	—	2	3	5	3	3	4	3	3	—	1	—	—	—	184
41	1	2	3	11	9	11	12	3	5	2	—	3	1	—	—	1	1	
8	—	—	—	2	2	3	4	5	3	4	4	6	6	4	—	2	—	185
3	1	—	—	—	—	1	—	—	2	1	1	3	—	1	1	2	5	
77	26	26	343	1532	993	562	382	181	113	69	50	35	22	12	4	2	3	186
69	22	12	21	27	16	18	21	26	12	14	15	8	13	13	9	—	—	
1,683	796	633	1183	2211	1759	1466	1477	1250	1133	1097	901	817	740	533	373	203	129	155–186
1,340	444	209	229	206	191	218	267	246	271	276	292	304	315	365	397	266	265	
4	—	—	—	—	—	—	—	1	—	—	2	3	3	3	1	1	—	187
2	1	—	—	—	1	—	1	—	2	2	—	1	2	5	3	1	2	
2	1	3	2	4	6	1	6	7	15	14	25	46	37	1	—	—	—	188
1	1	—	4	5	3	5	6	8	7	14	22	24	31	—	—	—	—	
2	1	3	2	4	6	—	6	7	15	14	25	46	37	—	—	—	—	A
1	1	—	4	5	3	5	6	8	7	14	22	23	31	—	—	—	—	
—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
362	24	10	13	17	21	27	35	51	60	115	169	215	223	27	16	4	4	189
316	20	11	10	13	20	16	36	46	64	95	94	139	177	17	11	4	5	
7	12	2	7	11	20	21	25	36	43	94	138	170	185	—	—	—	—	A
2	3	9	7	9	15	12	28	34	51	73	78	116	152	—	—	—	—	
244	6	1	2	—	—	—	1	2	1	6	4	16	10	—	—	—	—	B
223	10	1	1	1	1	—	2	4	—	7	2	13	10	—	—	—	—	
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	1	2	—	1	1	—	3	—	—	—	—	1	—	—	—	D
3	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
53	5	6	3	3	1	5	3	9	12	14	25	22	26	23	12	4	1	E
40	5	—	1	2	3	3	4	7	13	11	14	8	13	16	9	3	2	
36	1	1	—	1	—	—	5	4	1	1	2	7	2	3	4	—	3	F
28	1	1	1	1	1	1	2	1	—	4	—	1	2	1	2	1	3	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
	All Causes	M	32,168	1,894	993	1,006	1,223	5,116	1,347	563	343	241
		F	30,157	1,286	710	712	1,040	3,748	1,275	551	340	260
1	Enteric fever	M	38	—	—	—	—	—	—	—	—	—
		F	39	—	—	—	1	1	1	—	—	1
2	Typhus	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3	Relapsing fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
4	Malaria	M	3	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
5	Small-pox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
6	Measles	M	419	—	3	9	88	100	183	62	33	16
		F	403	1	3	9	60	73	182	77	32	17
7	Scarlet fever	M	82	—	—	—	1	1	14	14	14	5
		F	64	—	—	—	2	2	7	11	13	7
8	Whooping cough ...	M	344	1	27	40	92	160	111	32	19	9
		F	458	6	38	37	111	192	156	52	26	17
9A	Diphtheria	M	297	—	1	4	14	19	41	44	43	39
		F	315	—	—	—	13	13	40	25	46	53
9 B, C	Croup	M	2	—	—	—	—	—	2	—	—	—
		F	3	—	—	—	—	—	1	—	1	—
10	Influenza	M	401	5	—	5	1	11	5	4	4	3
		F	514	—	1	3	1	5	3	1	1	1
11	Miliary fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
12	Asiatic cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
13	Cholera nostras	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
14	Dysentery	M	73	—	—	—	1	1	—	—	1	—
		F	73	—	—	—	—	—	—	—	—	—
15	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
16	Yellow fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
17	Leprosy	M	4	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
18	Erysipelas	M	42	1	4	2	—	7	—	—	—	—
		F	51	2	3	2	1	8	—	—	—	—
19	Other epidemic diseases	M	13	—	—	2	2	4	3	—	1	—
		F	9	—	—	—	2	2	4	1	1	1
20	Pyæmia, Septicæmia ...	M	43	2	4	—	1	7	—	1	—	—
		F	34	3	1	—	—	4	1	3	—	3
21	Glanders	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—

T DIFFERENT AGE-PERIODS, 1916—(Civil Population only).

Total under 5 Years.	Ages at Death. 5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
7,610	754	435	555	541	711	939	1,145	1,453	1,713	2,061	2,349	2,598	2,701	2,528	2,102	1,212	761	All
6,174	648	431	606	630	752	804	1,001	1,137	1,338	1,668	1,634	2,047	2,384	2,772	2,663	1,902	1,566	Causes
—	3	2	5	1	3	7	7	2	1	5	1	—	1	—	—	—	—	1
3	1	4	5	3	7	1	2	2	3	2	3	—	2	1	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	4
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
394	23	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	6
381	21	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
48	27	5	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	7
40	19	2	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
331	12	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
443	14	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
186	96	12	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	9 A
177	112	15	3	3	2	—	1	1	—	1	—	—	—	—	—	—	—	
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B, C
27	5	2	5	4	5	7	14	20	38	30	48	47	38	31	42	23	15	10
11	2	5	5	6	7	6	17	12	19	32	32	48	51	70	78	61	52	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	—	—	1	—	5	8	6	4	10	11	7	2	13	3	1	—	—	14
—	—	—	—	1	5	7	4	10	6	8	5	7	7	8	4	—	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	—	—	2	—	—	—	1	—	—	—	—	—	—	17
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7	—	1	—	—	—	1	—	3	2	2	3	5	6	6	1	5	—	18
8	—	1	2	1	2	—	2	—	2	3	3	3	2	7	8	6	1	
8	3	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	19
9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8	5	3	3	1	—	2	2	1	4	2	2	3	4	1	2	—	—	20
11	2	1	1	—	4	2	3	1	2	1	2	2	—	2	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
22	Anthrax (Splenic fever)	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
23	Rabies	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
24	Tetanus	M	12	3	—	—	—	3	—	1	—	—
		F	4	—	—	—	—	—	—	—	—	—
25	Mycoses	M	8	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
26	Pellagra	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
27	Beri-beri	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
28	Pulmonary tuberculosis (not acute).	M	3,662	—	—	6	9	15	9	11	9	9
		F	2,368	—	2	1	6	9	18	12	10	5
29A	Acute phthisis	M	175	—	—	—	—	—	5	2	1	3
		F	159	—	—	1	3	4	—	1	1	2
29B	Acute miliary tuberculosis	M	65	—	—	2	5	7	12	5	8	1
		F	62	—	—	—	3	3	10	5	3	1
28–29	Pulmonary tuberculosis, acute and chronic.	M	3,902	—	—	8	14	22	26	18	18	13
		F	2,589	—	2	2	12	16	28	18	14	8
30	Tuberculous meningitis	M	400	—	9	19	39	67	78	48	35	17
		F	375	—	4	20	37	61	76	49	29	22
31	Tuberculosis of peritoneum and intestines.	M	149	1	9	19	20	49	24	9	8	6
		F	127	—	4	12	11	27	9	4	5	7
32	Tuberculosis of spinal column.	M	53	—	1	—	—	1	2	1	—	—
		F	30	—	—	—	—	—	—	1	1	—
33	Tuberculosis of joints ...	M	23	—	—	—	—	—	—	—	—	1
		F	18	—	—	—	—	—	—	—	—	1
34	Tuberculosis of other organs.	M	46	1	1	—	1	3	4	1	—	1
		F	29	—	—	—	1	1	2	1	1	—
35	Disseminated tuberculosis	M	155	—	1	9	10	20	18	13	8	1
		F	109	—	1	2	9	12	19	4	6	7
28–35	Tuberculosis (all forms)	M	4,728	2	21	55	84	162	152	90	69	39
		F	3,277	—	11	36	70	117	134	77	56	45
36	Rickets, Softening of bones.	M	58	—	2	4	18	24	23	8	2	—
		F	49	1	1	5	17	24	15	4	3	—
37	Syphilis	M	178	41	45	15	11	112	1	1	—	—
		F	122	23	26	22	7	78	3	—	—	—
38	Other venereal diseases...	M	2	1	—	1	—	2	—	—	—	—
		F	6	—	3	1	—	4	—	—	—	—
39	Cancer of the buccal cavity.	M	317	—	—	—	—	—	—	—	—	—
		F	41	—	—	—	—	—	—	—	1	—
40	Cancer of the stomach, liver, &c.	M	863	—	—	—	—	—	1	—	—	—
		F	717	—	—	1	—	1	—	—	—	—
41	Cancer of the peritoneum, intestines, and rectum.	M	489	—	—	—	—	—	—	—	—	—
		F	566	—	—	—	—	—	—	—	—	—
42	Cancer of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	668	—	—	—	—	—	1	—	—	—
43	Cancer of the breast ...	M	4	—	—	—	—	—	—	—	—	—
		F	585	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1916—(Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	2	1	1	—	—	—	1	—	1	1	1	—	—	—	—	—	—	24
—	—	—	—	—	—	1	—	2	—	1	—	—	—	—	—	—	—	
—	—	—	—	1	1	—	2	1	2	—	1	—	—	—	—	—	—	25
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
53	30	32	165	238	348	380	437	453	396	397	294	213	139	57	26	3	1	28
54	44	86	259	263	250	230	262	239	192	171	113	93	53	35	15	7	2	
11	4	5	11	12	15	26	19	22	22	13	5	6	2	1	1	—	—	29A
8	3	9	24	12	23	13	21	15	13	7	4	5	—	1	1	—	—	
33	9	5	4	1	3	—	4	—	2	1	2	1	—	—	—	—	—	29B
22	11	9	8	3	3	3	1	2	—	—	—	—	—	—	—	—	—	
97	43	42	180	251	366	406	460	475	420	411	301	220	141	58	27	3	1	28 & 29
84	58	104	291	278	276	246	284	256	205	178	117	98	53	36	16	7	2	
245	84	38	19	3	4	3	2	—	1	—	1	—	—	—	—	—	—	30
237	75	31	12	5	6	3	—	2	1	1	1	1	—	—	—	—	—	
96	10	13	8	5	2	3	—	1	4	4	1	—	1	—	—	1	—	31
52	22	14	7	8	5	4	7	2	3	2	—	—	—	1	—	—	—	
4	4	8	4	8	—	5	2	4	3	3	3	2	1	1	—	1	—	32
2	4	4	4	—	2	4	2	3	—	1	1	1	—	—	2	—	—	
1	2	5	2	3	2	1	—	—	1	1	1	2	1	—	—	1	—	33
1	2	3	3	2	1	2	—	—	1	—	—	1	2	—	—	—	—	
9	—	2	5	2	4	3	4	2	2	2	3	4	3	—	—	—	1	34
5	—	1	2	1	2	3	—	2	3	3	1	3	1	—	2	—	—	
60	32	15	9	3	5	4	3	2	6	6	4	2	4	—	—	—	—	35
48	13	6	10	7	3	5	3	4	1	4	1	—	3	—	1	—	—	
512	175	123	227	275	383	425	471	484	437	427	314	230	151	59	27	6	2	28–35
429	174	163	329	301	295	267	296	269	214	189	121	104	59	37	21	7	2	
57	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	36
46	—	—	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	
114	—	1	—	—	4	4	6	7	14	7	8	5	4	3	1	—	—	37
81	1	1	1	3	2	1	5	4	5	7	5	2	2	2	—	—	—	
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	38
4	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	
—	—	—	—	—	—	1	2	11	17	53	50	65	50	29	21	15	3	39
1	—	—	1	—	—	—	1	2	4	4	13	2	4	2	3	1	3	
1	—	1	—	—	—	7	15	36	55	98	162	168	156	85	56	19	4	40
1	—	—	1	—	5	9	26	23	48	72	91	111	98	100	83	34	15	
—	—	—	—	—	2	3	9	25	31	46	64	88	88	65	53	13	2	41
—	—	1	1	1	6	7	15	14	30	54	57	94	89	98	60	30	9	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	42
1	—	—	—	2	5	12	36	58	83	118	85	89	68	53	37	14	7	
—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	2	—	—	43
—	—	—	—	—	—	14	26	54	70	76	73	57	69	58	49	25	14	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ...	M	58	—	—	—	—	—	—	—	—	—
		F	40	—	—	—	—	—	—	—	—	—
45	Cancer of other or unspecified organs.	M	606	—	—	—	—	—	—	3	3	2
		F	282	—	—	—	—	—	2	3	1	—
39–45	Cancer (all sites)... ...	M	2,337	—	—	—	—	—	1	3	3	2
		F	2,899	—	—	1	—	1	3	3	2	—
46	Other tumours (situation undefined).	M	9	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	—	—	—	—
47	Rheumatic fever... ...	M	74	—	—	—	—	—	—	—	2	2
		F	106	—	—	1	—	1	—	3	1	1
48 A, B	Chronic rheumatism, Osteo-arthritis.	M	53	—	—	—	—	—	—	—	—	—
		F	176	—	—	—	—	—	—	—	—	—
48C	Gout	M	51	—	—	—	—	—	—	—	—	—
		F	12	—	—	—	—	—	—	—	—	—
49	Scurvy	M	1	—	—	—	—	—	—	1	—	—
		F	3	—	—	—	2	2	—	1	—	—
50	Diabetes	M	250	—	—	—	—	—	—	—	—	—
		F	232	—	—	—	—	—	—	1	—	1
51	Exophthalmic goître ...	M	4	—	—	—	—	—	—	—	—	—
		F	28	—	—	—	—	—	—	—	—	—
52	Addison's disease ...	M	7	—	1	—	—	1	—	—	—	—
		F	9	—	—	—	—	—	—	—	—	—
53	Leucocythæmia, Lymphadenoma.	M	59	—	—	1	1	2	2	—	1	—
		F	43	—	—	—	1	1	—	3	2	1
54	Anæmia, Chlorosis ...	M	83	—	2	—	—	2	1	—	—	—
		F	102	—	—	—	1	1	—	—	—	—
55	Other general diseases ...	M	21	—	1	3	4	8	—	1	—	1
		F	26	2	—	2	1	5	—	—	1	1
56	Alcoholism (acute or chronic).	M	22	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	—	—	—	—
57	Chronic lead poisoning ...	M	10	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
58	Other chronic occupational poisonings.	M	2	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	—	—	—	—
59	Other chronic poisonings	M	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
60	Encephalitis	M	16	—	—	1	1	2	—	1	2	—
		F	12	—	—	—	—	—	—	1	—	—
61A	Cerebro-spinal fever ...	M	114	—	2	12	26	40	16	6	7	2
		F	110	—	7	10	19	36	16	8	9	4
61B	Posterior basal meningitis	M	10	—	—	3	3	6	1	—	1	—
		F	15	—	—	1	4	5	4	2	1	—
61C	Meningitis, other forms	M	165	6	5	10	18	39	45	23	3	8
		F	124	—	6	10	19	35	23	14	7	6
62	Locomotor ataxy... ...	M	112	—	—	—	—	—	—	—	—	—
		F	16	—	—	—	—	—	—	—	—	—
63	Other diseases of the spinal cord.	M	169	—	—	1	—	1	2	1	—	—
		F	166	—	—	—	1	1	5	2	1	2

AT DIFFERENT AGE-PERIODS, 1916 (Civil Population only)—*continued.*

Total under 5 Years.	Ages at Death. 5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
—	—	—	—	—	2	1	—	1	4	6	6	9	8	11	6	1	3	44
—	—	—	—	—	—	1	1	1	2	3	4	1	5	8	6	6	2	
8	5	2	5	5	10	12	17	30	42	51	78	82	99	79	53	21	7	45
6	—	5	2	5	2	6	9	18	16	29	24	41	43	39	20	13	4	
9	5	3	5	5	14	24	43	103	149	255	360	412	402	269	191	69	19	39–45
9	—	6	5	8	18	49	114	170	253	356	347	395	376	358	258	123	54	
—	—	1	—	—	—	—	—	2	1	1	2	—	1	—	—	1	—	46
—	—	—	—	—	—	2	—	—	1	1	1	1	1	—	1	—	—	
4	13	15	10	6	2	3	3	4	2	2	6	1	1	2	—	—	—	47
6	12	16	16	12	5	5	5	7	7	3	2	3	3	3	1	—	—	
—	—	—	—	—	—	—	—	—	1	5	3	5	16	8	7	8	—	48
—	—	—	—	—	1	2	—	4	5	5	15	22	28	32	29	21	12	A, B
—	—	—	—	—	—	—	—	—	3	4	6	6	8	9	9	3	3	48C
—	—	—	—	—	—	—	—	—	—	—	1	—	—	3	4	2	2	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	49
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	4	3	3	10	7	13	11	9	19	23	30	41	30	22	17	2	6	50
2	—	2	2	6	9	10	10	12	16	18	26	29	35	33	12	6	4	
—	—	—	—	—	1	1	1	—	—	—	—	1	—	—	—	—	—	51
—	—	—	—	1	1	2	2	6	8	1	3	1	3	—	—	—	—	
1	—	1	—	—	1	1	—	1	1	—	—	—	—	1	—	—	—	52
—	—	—	1	—	—	—	—	1	3	1	2	—	—	—	1	—	—	
5	7	10	3	4	5	5	1	6	1	2	2	4	1	3	—	—	—	53
7	3	2	4	2	1	3	3	2	1	2	3	4	1	2	1	2	—	
3	3	2	1	1	4	2	3	5	9	8	10	7	14	5	4	2	—	54
1	—	1	3	—	3	3	11	9	7	15	11	12	11	8	2	4	1	
10	1	3	—	—	—	—	—	—	—	1	—	3	1	1	1	—	—	55
7	3	—	2	2	1	1	—	2	1	3	1	1	—	1	—	1	—	
—	—	—	—	—	1	3	6	3	2	2	2	2	—	1	—	—	—	56
—	—	—	—	—	—	—	—	1	2	2	—	—	—	1	—	—	—	
—	—	—	—	—	—	—	2	—	3	1	2	2	—	—	—	—	—	57
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	58
—	—	—	1	1	2	1	—	—	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	59
—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	
5	1	—	2	2	—	—	—	2	—	1	2	—	—	1	—	—	—	60
1	—	2	1	—	1	—	2	—	1	1	1	1	1	—	—	—	—	
71	16	10	5	5	2	1	1	1	1	—	—	—	1	—	—	—	—	61A
73	6	9	6	—	2	3	—	3	5	1	2	—	—	—	—	—	—	
8	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	61B
12	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
118	9	7	6	4	2	—	4	3	4	2	2	—	2	1	1	—	—	61C
85	12	4	2	2	3	1	2	2	2	4	2	1	—	1	1	—	—	
—	—	—	—	—	—	2	5	12	11	22	18	23	10	5	2	1	1	62
—	—	—	—	—	—	1	2	2	—	2	2	3	2	2	—	—	—	
4	—	8	4	3	3	7	7	4	12	9	19	19	27	13	20	5	5	63
11	4	1	3	2	1	4	6	9	10	13	15	17	19	22	21	5	3	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
64	Cerebral hæmorrhage, Apoplexy.	M	1,004	1	1	—	—	2	2	—	1	1
		F	1,268	—	—	—	—	—	—	1	—	—
65	Softening of brain ...	M	63	—	—	—	—	—	—	—	—	—
		F	75	—	—	—	—	—	—	—	—	—
66	Paralysis without specified cause.	M	115	—	—	1	—	1	—	—	—	—
		F	159	—	—	—	—	—	—	—	—	—
67	General paralysis of the insane.	M	344	—	—	—	—	—	—	—	—	—
		F	73	—	—	—	—	—	—	—	—	—
68	Other forms of mental alienation.	M	85	—	—	—	—	—	—	—	—	—
		F	97	—	—	—	—	—	—	—	—	—
69	Epilepsy	M	257	—	—	—	—	—	1	—	4	—
		F	129	—	—	—	1	1	—	—	—	1
70	Convulsions (non-puerperal ; 5 yrs. and over).	M	2	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
71	Infantile convulsions (under 5 years).	M	252	92	43	52	31	218	25	4	4	1
		F	185	63	35	22	42	162	14	6	1	2
72	Chorea	M	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
73	Hysteria, Neuralgia, Neuritis.	M	17	—	—	—	—	—	—	—	—	—
		F	38	—	—	—	—	—	—	—	—	—
74	Other diseases of the nervous system.	M	138	—	2	1	4	7	5	4	4	1
		F	127	—	—	1	2	3	6	1	3	3
75	Diseases of the eyes and annexa.	M	5	—	—	—	—	—	—	1	1	—
		F	5	—	—	—	1	1	—	—	—	—
76A	Mastoid disease	M	30	—	—	—	1	1	1	1	3	1
		F	16	—	—	1	2	3	1	1	—	—
76B	Other diseases of the ears	M	46	—	1	2	2	5	3	3	3	—
		F	55	—	1	1	6	8	3	2	1	2
77	Pericarditis	M	43	2	—	1	1	4	4	—	—	1
		F	41	1	—	—	2	3	5	1	1	2
78	Acute endocarditis ...	M	102	—	—	—	—	—	—	—	1	—
		F	119	—	—	—	—	—	1	—	1	1
79A	Valvular disease	M	1,535	—	—	—	—	—	1	—	—	—
		F	1,665	—	—	—	1	1	1	—	1	—
79B	Fatty degeneration of the heart.	M	267	—	—	—	—	—	—	—	—	—
		F	317	—	—	—	—	—	1	—	—	1
79C	Other organic disease of the heart.	M	1,524	—	—	—	1	1	—	1	—	—
		F	1,710	—	—	—	—	—	1	—	—	2
80	Angina pectoris	M	85	—	—	—	—	—	—	—	—	—
		F	37	—	—	—	—	—	—	—	—	—
81A	Aneurysm	M	163	—	—	—	—	—	—	—	—	—
		F	54	—	—	—	—	—	—	—	—	—
81B	Arterial sclerosis... ...	M	609	—	—	—	—	—	—	—	—	—
		F	484	—	—	—	—	—	—	—	—	—
81C	Other diseases of arteries	M	11	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1916 (Civil Population only)—*continued.*

Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
							Ages at Death.											
6	4	—	1	1	3	4	8	29	42	73	123	136	166	169	139	56	44	64
1	—	—	1	4	4	9	8	33	71	96	103	149	197	219	192	107	74	
—	—	—	—	—	—	—	—	1	1	5	11	11	11	8	9	4	2	65
—	—	—	—	—	—	1	2	2	—	8	6	11	8	12	8	13	4	
1	1	1	—	—	—	—	2	4	1	4	7	18	17	20	21	10	8	66
—	—	—	—	—	—	1	1	4	4	10	8	18	15	31	32	20	15	
—	—	1	2	3	9	35	58	71	58	45	38	13	6	2	2	—	1	67
—	—	—	1	1	5	8	11	11	14	16	2	2	1	1	—	—	—	
—	—	—	1	2	11	9	7	13	11	6	6	7	6	2	2	2	—	68
—	—	—	5	6	7	5	8	8	11	7	7	7	10	7	5	2	2	
5	5	5	16	22	22	24	27	14	18	11	26	24	16	12	7	1	2	69
2	5	4	5	8	15	12	13	15	8	6	8	10	9	4	2	3	—	
—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	70
—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	
252	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	71
185	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	72
—	—	—	—	2	—	—	1	—	—	—	—	1	—	—	—	—	—	
—	—	—	—	—	—	1	1	1	1	2	2	2	—	5	1	1	—	73
—	—	—	2	—	1	2	3	4	5	6	2	4	5	1	3	—	—	
21	10	17	9	6	4	7	3	12	8	8	6	8	9	4	4	1	1	74
16	11	10	5	4	6	4	5	9	6	8	7	7	12	5	3	5	4	
2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	1	75
1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	2	—	—	
7	4	7	6	1	1	1	1	1	—	—	—	—	—	—	1	—	—	76A
5	2	3	1	—	—	1	1	—	—	—	2	1	—	—	—	—	—	
14	6	5	3	3	5	—	2	1	1	2	—	—	4	—	—	—	—	76B
16	11	7	6	3	3	—	1	1	1	2	2	1	1	—	—	—	—	
9	5	1	4	1	1	3	2	1	4	—	5	1	1	3	2	—	—	77
12	2	5	2	1	5	—	—	1	1	3	—	3	2	2	2	—	—	
1	2	2	11	5	10	9	7	10	11	12	13	3	4	1	—	1	—	78
3	6	6	11	17	18	6	8	8	6	11	11	4	2	1	1	—	—	
1	13	16	41	44	34	49	59	83	95	135	153	178	211	190	137	76	20	79A
3	19	32	41	49	54	42	58	93	109	138	146	172	191	205	152	99	62	
—	—	1	—	1	2	4	4	7	15	26	40	53	45	35	26	7	1	79B
2	—	1	—	—	3	4	8	7	18	22	33	50	50	47	35	26	11	
2	4	12	22	20	14	27	21	61	60	107	140	181	243	249	199	95	67	79C
3	8	16	23	15	19	28	50	48	82	100	102	205	245	245	251	165	105	
—	—	—	—	—	—	—	3	2	5	9	10	16	19	9	11	1	—	80
—	—	—	—	—	—	—	1	1	2	2	5	8	3	7	5	3	—	
—	—	—	—	—	2	6	8	17	26	24	26	20	14	11	6	3	—	81A
—	—	—	—	—	1	1	2	3	7	7	8	8	5	5	4	2	1	
—	—	—	—	—	1	2	1	10	14	30	46	70	97	108	113	73	44	81B
—	—	—	—	—	—	2	—	7	11	8	20	29	77	87	100	71	72	
—	—	—	—	—	—	1	—	2	—	2	—	—	2	1	3	—	—	81C
—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	1	1	—	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis.	M	183	—	—	—	1	1	—	—	—	—
		F	230	—	—	—	—	—	—	—	—	—
82B	Other embolism and thrombosis.	M	14	1	—	—	2	3	—	—	—	—
		F	15	—	—	—	—	—	—	—	—	1
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	M	12	—	—	—	—	—	—	—	—	—
		F	12	—	—	—	—	—	—	—	—	—
84A	Status lymphaticus ...	M	38	3	5	7	7	22	7	4	—	—
		F	21	1	4	3	3	11	3	1	2	—
84B	Other diseases of the lymphatic system.	M	9	—	—	—	2	2	—	—	—	1
		F	7	—	—	—	—	—	3	—	—	—
85	Hæmorrhage; other diseases of the circulatory system.	M	19	1	1	—	—	2	—	—	1	—
		F	18	—	1	—	1	2	—	—	—	—
86	Diseases of the nasal fossæ.	M	6	—	—	1	1	2	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
87	Diseases of the larynx ...	M	39	1	—	2	3	6	14	3	3	4
		F	31	—	2	4	2	8	8	2	2	—
88	Diseases of the thyroid body.	M	7	—	1	—	—	1	—	1	—	—
		F	30	—	—	—	—	—	—	—	—	—
89 & 90	Bronchitis	M	2,656	41	76	77	91	285	70	16	10	5
		F	2,937	25	66	69	80	240	79	23	4	4
91	Broncho-pneumonia ...	M	1,348	30	100	148	248	526	278	97	29	28
		F	1,202	25	67	91	198	381	246	89	47	22
92A	Lobar pneumonia ...	M	711	1	4	9	19	33	37	14	4	8
		F	550	1	4	10	13	28	27	13	9	7
92B	Pneumonia (type not stated).	M	791	11	21	33	44	109	55	28	12	7
		F	620	10	13	16	45	84	69	19	14	6
93	Pleurisy	M	110	—	1	3	1	5	8	2	—	1
		F	81	—	2	—	1	3	7	4	2	—
94	Pulmonary congestion, Pulmonary apoplexy.	M	86	4	4	1	2	11	1	—	1	1
		F	117	—	7	2	1	10	1	—	—	1
95	Gangrene of the lung ...	M	10	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
96	Asthma	M	122	—	—	—	—	—	—	—	—	—
		F	81	—	—	—	—	—	—	—	—	—
97	Pulmonary emphysema	M	43	—	—	—	—	—	—	1	—	—
		F	19	—	—	—	—	—	—	—	—	—
98A	Fibroid disease of lung ...	M	18	—	—	—	—	—	—	—	—	—
		F	10	—	—	—	—	—	—	—	—	—
98B	Other diseases of the respiratory system.	M	28	—	—	1	—	1	—	—	—	—
		F	13	—	—	—	1	1	—	—	1	—
99A	Diseases of the teeth and gums.	M	22	3	1	—	2	6	1	1	1	—
		F	20	1	—	—	1	2	—	—	—	1
99 B, C, D	Other diseases of the mouth and annexa.	M	4	3	—	—	—	3	—	—	—	—
		F	4	—	1	—	—	1	—	—	—	—
100	Diseases of pharynx, Tonsillitis.	M	36	2	—	1	4	7	3	3	5	1
		F	33	—	—	1	—	1	3	2	1	4

AT DIFFERENT AGE-PERIODS, 1916 (Civil Population only)—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
1	—	2	2	1	—	2	—	1	7	10	16	26	34	28	29	15	9	82A
—	2	—	2	3	1	2	4	3	10	15	12	22	38	41	35	25	15	
3	—	—	—	—	—	—	1	—	3	—	1	2	1	1	1	1	—	82B
1	1	—	—	1	1	—	—	1	1	—	1	—	4	2	1	1	—	
—	—	—	2	—	—	—	—	—	—	1	4	2	2	1	—	—	—	83
—	—	—	—	1	—	—	1	1	—	3	—	3	1	2	—	—	—	
33	2	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	84A
17	1	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
3	—	—	—	—	1	—	—	—	—	—	—	1	1	1	1	1	—	84B
3	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	
3	—	—	—	—	—	—	3	—	2	1	3	1	1	2	2	—	1	85
2	—	—	—	—	1	—	—	—	—	—	1	2	3	2	4	1	2	
2	—	—	—	—	—	—	1	1	1	—	—	—	1	—	—	—	—	86
—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
30	3	—	—	—	—	—	—	2	—	3	1	—	—	—	—	—	—	87
20	4	—	—	—	2	—	—	2	—	—	—	—	2	—	—	1	—	
2	—	1	—	—	—	—	—	—	1	1	—	1	1	—	—	—	—	88
—	—	1	1	—	—	—	3	4	—	3	2	—	6	4	2	4	—	
386	11	1	4	8	4	10	28	62	96	149	184	278	333	419	337	219	127	89 &
350	7	4	1	5	7	15	26	36	67	112	133	215	308	435	507	396	313	90
958	26	9	5	2	7	10	5	20	27	27	28	51	55	44	38	25	11	91
785	26	8	4	4	8	6	11	12	14	32	33	39	42	61	53	37	27	
96	19	5	10	20	12	30	34	49	66	70	76	77	71	33	24	11	8	92A
84	13	5	16	14	22	33	26	38	47	32	41	34	46	50	27	9	13	
211	18	10	11	13	15	25	39	41	59	60	64	72	60	46	29	11	7	92B
192	14	11	9	9	11	18	18	26	27	39	40	26	51	53	43	15	18	
16	—	3	4	3	3	1	12	7	7	7	9	12	11	10	3	1	1	93
16	—	3	1	1	4	5	5	4	4	1	3	3	11	7	10	2	1	
14	—	—	—	—	1	1	1	5	3	7	5	5	8	4	9	14	9	94
12	3	—	—	—	1	3	2	2	—	—	5	6	13	20	17	11	22	
—	—	—	—	1	—	1	2	—	—	2	1	1	1	—	—	1	—	95
—	—	1	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	
—	—	—	—	1	4	5	10	6	9	14	20	8	19	16	7	2	1	96
—	—	—	—	—	3	4	3	6	1	12	7	15	16	8	3	2	1	
1	—	—	—	—	—	1	1	2	2	2	2	9	8	5	6	3	1	97
—	—	—	—	—	1	—	—	—	1	—	2	2	3	3	3	2	2	
—	1	—	—	—	—	—	2	1	2	4	4	1	1	—	1	1	—	98A
—	—	—	—	1	—	—	—	—	1	1	—	3	1	2	1	—	—	
1	1	—	—	—	1	2	1	1	1	6	2	2	3	2	2	2	1	98B
2	—	—	—	—	—	—	—	1	2	1	1	2	—	2	1	1	—	
9	1	—	—	—	—	2	—	—	1	3	2	—	3	—	—	—	1	99A
3	1	1	1	—	—	2	2	3	1	2	1	1	1	1	—	—	—	
3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	99 B
1	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	C, D.
19	5	2	1	—	2	1	—	1	3	—	—	1	1	—	—	—	—	100
11	8	4	2	—	5	—	—	—	1	—	—	2	—	—	—	—	—	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ...	M	2	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of stomach.	M	160	—	—	—	—	—	—	1	—	—
		F	114	—	—	—	—	—	—	—	—	1
103A	Inflammation of stomach	M	126	7	25	16	12	60	10	4	2	2
		F	138	4	12	21	4	41	4	5	—	2
103B	Other diseases of the stomach.	M	31	2	2	1	—	5	1	—	—	—
		F	29	—	1	3	—	4	3	—	—	—
104 & 105.	Diarrhœa and enteritis ...	M	1,146	57	215	289	261	822	123	21	5	5
		F	863	28	120	197	213	558	105	32	6	5
106	Ankylostomiasis	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites	M	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
108	Appendicitis	M	135	—	—	—	—	—	1	—	3	5
		F	133	—	—	—	—	—	—	4	2	2
109A	Hernia	M	101	1	4	4	2	11	2	1	—	—
		F	137	2	—	—	—	2	1	—	—	—
109B	Intestinal obstruction ...	M	169	4	4	17	14	39	10	3	3	5
		F	155	3	2	7	5	17	3	2	1	—
110	Other diseases of the intestines.	M	35	1	2	—	1	4	—	—	—	—
		F	41	—	3	1	1	5	1	1	—	2
111	Acute yellow atrophy of liver.	M	4	—	—	—	—	—	—	1	1	—
		F	3	—	—	—	—	—	—	—	1	—
112	Hydatid of liver ...	M	3	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver ...	M	294	—	—	—	—	—	1	1	—	—
		F	222	—	—	—	—	—	—	—	—	—
114	Biliary calculi	M	13	—	—	—	—	—	—	—	—	—
		F	53	—	—	—	—	—	—	—	—	—
115	Other diseases of the liver	M	46	—	—	—	—	—	2	1	—	—
		F	56	—	—	—	1	1	—	2	—	—
116	Diseases of the spleen ...	M	4	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	1	—	—	—
117	Peritonitis (cause unstated).	M	22	1	—	2	—	3	1	1	—	—
		F	40	2	—	—	—	2	2	—	4	2
118	Other diseases of the digestive system.	M	9	—	—	—	—	—	1	—	—	—
		F	12	—	—	—	—	—	—	—	—	—
119	Acute nephritis	M	111	2	1	1	1	5	1	1	2	4
		F	80	—	—	2	1	3	2	4	4	—
120	Bright's disease	M	918	—	—	—	—	—	—	—	—	—
		F	801	—	—	—	—	—	—	—	—	—
121	Chyluria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
122	Other diseases of the kidney and annexa.	M	50	—	1	1	—	2	—	—	1	—
		F	37	—	—	1	2	3	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1916—(Civil Population only)—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	101
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	3	—	1	9	20	22	23	17	23	14	14	8	5	—	—	102
1	1	—	5	7	10	10	7	14	9	15	8	13	6	3	5	—	—	
78	3	—	—	—	1	—	—	1	3	4	2	11	4	4	8	5	2	103A
52	2	1	—	1	2	2	2	2	2	5	8	10	4	12	18	9	6	
6	1	—	—	—	1	—	1	—	—	—	4	2	4	5	3	1	3	103B
7	1	—	1	—	—	—	1	—	1	1	1	1	—	5	3	6	1	
976	9	1	2	4	3	5	13	20	14	14	13	14	13	19	15	10	1	104 &
706	8	3	1	6	6	5	9	8	13	5	13	9	13	18	20	11	9	105
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	106
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	107
—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	19	23	15	2	9	8	6	10	3	10	5	6	6	3	1	—	—	108
8	20	17	16	9	4	7	8	13	7	9	5	4	2	2	1	1	—	
14	1	1	1	1	—	2	1	2	5	7	7	12	12	13	15	5	2	109A
3	—	—	—	1	—	3	2	5	11	15	10	27	20	19	13	6	2	
60	3	1	3	1	3	5	4	2	5	7	15	13	12	18	11	5	1	109B
23	2	4	—	3	5	4	6	8	6	10	8	6	17	18	14	11	10	
4	—	—	1	—	1	1	2	1	4	3	1	4	3	6	2	1	1	110
9	—	—	—	1	—	3	—	2	4	5	2	3	3	1	4	2	2	
2	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	111
1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	
—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	112
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
2	2	—	—	—	—	1	8	19	37	50	57	51	38	16	10	3	—	113
—	1	1	—	1	—	9	8	13	25	41	45	23	22	18	12	1	2	
—	—	—	—	—	—	—	—	—	1	1	3	3	2	1	1	1	—	114
—	—	—	—	—	1	—	2	—	8	1	5	8	9	12	5	1	1	
3	—	1	—	1	—	1	2	3	3	2	7	6	7	4	2	3	1	115
3	—	1	—	1	3	—	3	5	1	7	3	6	5	7	6	3	2	
—	—	—	—	—	—	2	1	—	—	—	—	1	—	—	—	—	—	116
1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
5	1	—	1	1	1	—	1	1	1	—	2	2	4	2	—	—	—	117
10	7	2	2	—	1	1	2	1	2	1	2	2	1	3	2	1	—	
1	—	—	—	—	1	1	2	2	—	—	1	1	—	—	—	—	—	118
—	—	—	—	—	—	—	1	1	—	1	1	1	3	3	1	—	—	
13	8	2	5	3	7	8	5	3	12	13	11	5	9	2	2	2	1	119
13	4	5	1	4	5	3	9	1	5	8	6	5	7	—	2	2	—	
—	2	5	8	6	14	21	26	51	84	101	119	119	124	110	89	28	11	120
—	3	7	5	7	19	24	33	47	64	85	87	103	98	108	63	38	10	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	121
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	—	1	2	3	1	1	2	3	1	4	6	5	6	8	2	1	1	122
3	—	1	—	—	1	2	1	4	3	3	1	5	3	3	7	—	—	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages.	M	26	—	—	—	—	—	—	—	—	—
		F	17	—	—	—	—	—	—	—	—	—
124	Diseases of the bladder...	M	123	—	—	1	—	1	—	—	—	—
		F	32	—	—	1	—	1	—	—	—	—
125	Diseases of the urethra, Urinary abscess, &c.	M	52	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
126	Diseases of the prostate...	M	175	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
127	Non-venereal diseases of male genital organs.	M	6	1	2	1	—	4	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
128	Uterine hæmorrhage (non-puerperal).	M	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
129	Uterine tumour (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	44	—	—	—	—	—	—	—	—	—
130	Other diseases of the uterus.	M	—	—	—	—	—	—	—	—	—	—
		F	17	—	—	—	—	—	—	—	—	—
131	Ovarian cyst, tumour (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	32	—	—	—	—	—	—	—	—	—
132	Other diseases of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	30	—	—	—	—	—	—	—	—	1
133	Non-puerperal dis. of the breast (non-cancerous).	M	1	1	—	—	—	1	—	—	—	—
		F	3	—	1	—	—	1	—	—	—	—
134	Accidents of pregnancy...	M	—	—	—	—	—	—	—	—	—	—
		F	32	—	—	—	—	—	—	—	—	—
135	Puerperal hæmorrhage ...	M	—	—	—	—	—	—	—	—	—	—
		F	43	—	—	—	—	—	—	—	—	—
136	Other accidents of child-birth.	M	—	—	—	—	—	—	—	—	—	—
		F	39	—	—	—	—	—	—	—	—	—
137	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—
		F	158	—	—	—	—	—	—	—	—	—
138	Puerperal albuminuria and convulsions.	M	—	—	—	—	—	—	—	—	—	—
		F	46	—	—	—	—	—	—	—	—	—
139	Puerperal phlegmasia alba dolens, embolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—
		F	16	—	—	—	—	—	—	—	—	—
140	Puerperal insanity ...	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
141	Puerperal diseases of the breast.	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
134–141	All accidents of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—
		F	334	—	—	—	—	—	—	—	—	—
142A	Senile gangrene	M	85	—	—	—	—	—	—	—	—	—
		F	77	—	—	—	—	—	—	—	—	—
142B, C, D.	Gangrene, other types ...	M	9	1	—	1	—	2	2	1	—	—
		F	13	—	—	—	1	1	2	1	1	2
143	Carbuncle, Boil	M	24	1	—	—	—	1	—	—	—	—
		F	10	—	—	—	—	—	—	—	—	—
144	Phlegmon, Acute abscess	M	53	2	4	1	3	10	5	—	2	—
		F	37	2	1	—	3	6	1	1	1	—
145	Diseases of the integumentary system.	M	59	14	4	3	4	25	4	—	1	1
		F	63	5	7	1	2	15	5	1	—	—

T DIFFERENT AGE-PERIODS, 1916—(Civil Population only)—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	1	—	—	1	1	4	3	1	2	3	2	1	4	2	1	—	123
—	1	—	—	1	—	—	3	2	2	2	2	2	1	1	—	—	—	
1	—	—	—	1	2	2	2	—	5	5	4	17	12	29	15	20	8	124
1	—	—	—	—	—	1	1	—	—	1	3	3	7	7	4	2	2	
—	—	—	—	—	1	2	4	3	5	3	4	14	5	5	4	1	1	125
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	1	—	—	3	7	19	30	38	43	22	12	126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	128
—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	129
—	—	—	—	—	1	—	5	6	7	3	4	8	4	2	4	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	130
—	—	—	—	—	3	1	—	1	—	1	4	1	1	4	1	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	131
—	—	—	—	—	2	—	2	2	5	6	2	4	1	4	3	—	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	132
1	—	—	1	3	6	7	6	3	1	—	1	1	—	—	—	—	—	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	133
1	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134
—	—	—	—	3	5	8	10	4	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	135
—	—	—	1	3	3	12	18	5	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	136
—	—	—	1	8	10	9	7	4	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	137
—	—	—	3	26	42	40	34	12	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	138
—	—	—	3	11	11	16	3	2	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	139
—	—	—	1	—	3	5	6	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	140
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134–141
—	—	—	9	51	74	90	78	28	4	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	1	9	12	22	16	17	7	142A
—	—	—	—	—	—	—	—	—	—	2	—	4	13	14	23	13	8	
5	—	—	—	—	2	—	1	—	—	—	—	1	—	—	—	—	—	142B, C, D.
7	1	1	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	
1	—	—	—	—	1	1	—	2	2	4	4	2	2	2	1	—	2	143
—	—	—	—	—	—	—	—	—	2	1	2	1	1	—	1	2	—	
17	—	—	1	1	—	3	2	2	1	3	8	6	2	2	2	1	2	144
9	1	1	—	—	—	—	—	1	1	—	3	3	5	7	3	3	—	
31	1	1	—	—	—	—	—	—	—	—	4	3	3	6	7	2	1	145
21	1	—	—	—	1	1	1	—	1	6	3	2	7	3	6	7	3	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ...	M	36	1	1	—	1	3	—	1	2	1
		F	30	—	1	1	—	2	2	—	—	2
147	Diseases of the joints ...	M	13	—	—	—	—	—	—	—	—	1
		F	17	2	—	—	—	2	1	—	1	1
148	Amputations	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
149	Other diseases of locomotor system.	M	3	—	—	—	—	—	—	—	—	1
		F	1	—	—	—	—	—	—	—	—	—
150	Congenital malformations	M	261	141	62	20	18	241	4	2	1	1
		F	191	101	45	15	9	170	7	4	1	2
151A	Premature birth	M	936	855	72	8	1	936	—	—	—	—
		F	693	614	73	6	—	693	—	—	—	—
151, B–E.	Infantile debility, Icterus and Sclerema.	M	593	257	170	113	53	593	—	—	—	—
		F	373	154	103	75	41	373	—	—	—	—
152	Other diseases peculiar to early infancy.	M	224	212	12	—	—	224	—	—	—	—
		F	157	144	13	—	—	157	—	—	—	—
153	Lack of care	M	17	17	—	—	—	17	—	—	—	—
		F	19	19	—	—	—	19	—	—	—	—
154	Old age	M	1,133	—	—	—	—	—	—	—	—	—
		F	1,831	—	—	—	—	—	—	—	—	—
155	Suicide by poison ...	M	23	—	—	—	—	—	—	—	—	—
		F	23	—	—	—	—	—	—	—	—	—
156	Suicide by asphyxia ...	M	13	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	—	—	—	—	—
157	Suicide by hanging or strangulation.	M	49	—	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	—	—	—	—	—
158	Suicide by drowning ...	M	12	—	—	—	—	—	—	—	—	—
		F	23	—	—	—	—	—	—	—	—	—
159	Suicide by firearms ...	M	13	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
160	Suicide by cutting or piercing instruments.	M	50	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	—	—	—	—
161	Suicide by jumping from high place.	M	17	—	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	—	—	—	—	—
162	Suicide by crushing ...	M	12	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
163	Other suicides	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
164	Poisoning by food ...	M	2	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	1	—
165	Other acute poisonings ...	M	10	—	—	—	—	—	1	—	—	—
		F	9	—	—	—	—	—	1	—	—	—
166	Conflagration	M	8	—	—	—	—	—	1	—	—	1
		F	6	—	—	—	—	—	—	—	—	—
167	Burns (conflagration excepted).	M	80	—	1	—	3	4	18	20	6	3
		F	150	—	1	2	9	12	25	24	11	9
168	Absorption of deleterious gases (conflagration excepted).	M	102	36	26	16	6	84	1	1	—	—
		F	80	32	19	15	3	69	3	—	—	—

T DIFFERENT AGE-PERIODS, 1916 (Civil Population only)—*continued.*

Total under 5 Years.	Ages at Death.																International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
7	9	3	3	3	—	1	—	1	—	—	2	—	3	1	2	1	—	146
6	2	2	3	1	—	2	—	—	2	3	1	—	2	3	3	—	—	
1	2	1	—	—	1	—	—	1	—	—	1	3	2	—	—	1	—	147
5	1	—	—	1	—	1	1	1	—	1	—	—	2	3	1	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	148
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	149
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
249	2	5	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	150
184	1	2	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
936	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	151A
693	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
593	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	151 B–E.
373	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
224	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	152
157	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	153
19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	4	17	56	228	288	283	257	154
—	—	—	—	—	—	—	—	—	—	—	2	21	81	263	430	473	561	
—	—	—	—	—	—	—	1	3	4	5	3	3	1	3	—	—	—	155
—	—	—	1	3	2	2	4	3	3	2	1	1	—	1	—	—	—	
—	—	—	—	—	—	3	4	—	2	—	—	2	2	—	—	—	—	156
—	—	—	—	—	—	3	—	4	—	1	1	—	—	—	—	—	—	
—	—	—	1	—	1	6	4	4	8	5	9	6	2	3	—	—	—	157
—	—	—	1	—	—	—	—	1	3	1	2	4	—	1	—	—	1	
—	—	—	—	—	2	1	—	3	2	1	—	1	2	—	—	—	—	158
—	—	—	2	3	1	4	5	3	—	1	1	2	1	—	—	—	—	
—	—	—	1	—	—	1	2	—	2	2	1	2	2	—	—	—	—	159
—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	2	5	5	7	6	6	5	4	5	3	1	1	—	160
—	—	—	—	—	1	1	—	2	—	1	—	1	1	1	—	—	—	
—	—	—	—	1	—	1	3	1	—	—	1	4	3	2	1	—	—	161
—	—	—	—	—	4	—	3	2	—	—	1	3	—	—	1	—	—	
—	—	—	1	1	1	2	—	2	2	1	—	1	1	—	—	—	—	162
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	163
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	164
1	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	1	1	—	1	1	1	2	1	—	—	—	1	—	165
1	1	—	—	—	1	1	1	1	1	1	—	—	—	—	1	—	—	
2	—	—	—	—	—	2	—	—	1	—	—	—	1	—	1	1	—	166
—	2	—	—	—	—	—	1	—	—	—	—	—	—	1	1	1	—	
51	9	3	—	1	2	—	—	—	—	1	1	—	2	3	2	2	3	167
81	21	5	3	3	4	2	1	4	1	2	1	5	7	4	2	2	2	
86	—	—	1	1	1	2	1	—	1	—	2	2	2	—	2	1	—	168
72	—	—	—	1	—	—	1	1	—	1	—	—	1	1	2	—	—	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ...	M	169	2	—	—	—	2	—	2	1	5
		F	30	1	—	—	—	1	1	3	—	2
170	Injury by firearms ...	M	2	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
171	Injury by cutting or piercing instruments.	M	2	—	—	—	1	1	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—
172	Injury by fall	M	307	—	1	—	3	4	3	3	2	3
		F	285	—	1	—	4	5	7	4	5	2
173	Injury in mines and quarries.	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
174	Injury by machines ...	M	27	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
175	Injury by other crushing (vehicles, railways, landslides, &c.).	M	526	—	1	—	—	1	6	9	15	11
		F	158	—	—	—	—	—	1	4	5	3
176	Injury by animals ...	M	5	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
177	Starvation	M	2	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
178	Excessive cold	M	2	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
179	Effects of heat	M	5	—	—	—	—	—	—	—	1	—
		F	5	—	—	—	—	—	—	—	—	1
180	Lightning...	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
181	Electricity (lightning excepted)	M	2	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
182	Homicide by firearms ...	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
183	Homicide by cutting or piercing instruments.	M	2	—	—	1	—	1	—	—	—	—
		F	4	1	—	—	—	1	—	—	—	—
184	Homicide by other means	M	13	9	—	—	1	10	—	1	—	—
		F	25	4	1	—	—	5	1	1	—	—
185	Fractures (cause not specified)	M	15	2	—	—	—	2	—	1	—	2
		F	6	1	—	—	—	1	—	—	—	—
186	Other violence	M	101	3	4	2	3	12	5	4	—	2
		F	55	2	2	2	4	10	4	—	1	—
155–186	All violence ...	M	1,572	52	33	19	17	121	35	42	25	27
		F	915	41	24	19	20	104	43	36	23	17
187	Dropsy	M	1	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—
188A	Syncope (aged 1 year and under 70).	M	1	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
188B	Sudden death (not otherwise defined)	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
189A	Heart failure (aged 1 year and under 70).	M	9	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	—	—	—	—	—
189 B–E.	Other ill-defined causes...	M	43	—	—	—	1	1	25	5	3	1
		F	33	—	1	1	1	3	14	4	2	—
189F	Cause not specified ...	M	7	6	—	—	1	7	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—

T DIFFERENT AGE-PERIODS, 1916—(Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
10	29	23	11	7	15	6	8	9	14	10	6	7	3	6	3	2	—	169
7	4	1	1	1	2	1	4	3	1	1	1	1	1	1	—	—	—	
—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	170
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	171
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
15	13	7	6	—	7	17	13	14	18	22	22	39	27	25	32	16	14	172
23	5	3	1	—	3	3	7	6	8	16	15	13	22	33	43	40	44	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	173
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	2	7	—	—	1	2	4	2	3	1	3	—	1	—	—	—	174
—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
42	81	32	36	9	9	15	24	29	36	44	30	37	34	33	14	10	11	175
13	17	12	7	3	3	8	3	5	15	17	10	11	15	9	7	2	1	
—	—	—	—	—	—	—	1	—	—	—	2	2	—	—	—	—	—	176
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	177
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	178
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	
1	1	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	179
1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	180
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	181
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	182
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	183
1	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	
11	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	184
7	—	—	2	4	3	4	2	1	1	—	—	—	—	—	—	1	—	
5	—	—	—	1	—	—	—	2	—	1	1	—	2	2	—	1	—	185
1	—	—	—	—	—	1	—	—	—	1	—	2	—	—	—	—	1	
23	1	5	2	6	6	6	8	5	9	9	12	3	2	4	—	—	—	186
15	1	1	2	6	1	4	4	2	3	2	3	1	3	6	1	—	—	
250	136	72	67	29	47	71	80	85	108	111	100	121	91	85	56	35	28	155–186
223	53	22	22	26	27	36	38	38	36	49	37	44	51	58	59	47	49	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	187
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	188A
—	—	—	—	—	—	1	—	—	—	—	—	—	3	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	188B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	2	—	3	1	3	—	—	—	—	189A
—	—	—	1	1	—	1	—	—	—	1	2	—	5	—	—	—	—	
35	1	—	—	—	—	—	—	—	—	2	—	4	1	—	—	—	—	189 B–E
23	1	—	—	1	—	—	—	2	1	1	—	1	3	—	—	—	—	
7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	189F
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
	All causes	M	91,366	6,163	3,116	2,790	4,161	16,230	4,735	2,028	1199	872
		F	86,395	4,529	2,229	2,144	3,469	12,371	4,328	1,828	1154	820
1	Enteric fever	M	199	—	—	—	—	—	—	1	3	1
		F	154	—	—	—	—	—	—	1	2	—
2	Typhus	M	2	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3	Relapsing fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
4	Malaria	M	19	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
5	Small-pox	M	3	—	—	—	—	—	1	—	—	—
		F	3	—	—	—	—	—	—	1	—	—
6	Measles	M	1,419	2	8	17	280	307	599	232	118	68
		F	1,225	2	8	21	228	259	502	213	109	51
7	Scarlet fever	M	263	—	—	2	12	14	28	44	29	45
		F	265	—	1	1	6	8	29	46	38	35
8	Whooping cough... ...	M	1,207	7	81	125	326	539	377	143	74	37
		F	1,473	13	88	115	338	554	503	187	118	51
9A	Diphtheria	M	887	1	2	3	33	39	111	133	132	129
		F	919	1	2	6	30	39	115	102	122	121
9 B, C	Croup	M	7	—	—	1	—	1	—	2	—	2
		F	3	—	—	—	—	—	1	1	—	1
10	Influenza	M	1,262	6	16	12	8	42	10	4	4	5
		F	1,278	7	10	8	8	33	14	6	5	5
11	Miliary fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
12	Asiatic cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
13	Cholera nostras	M	1	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
14	Dysentery	M	68	—	1	1	1	3	2	—	1	—
		F	58	1	—	—	—	1	3	—	2	—
15	Plague	M	4	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
16	Yellow fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
17	Leprosy	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
18	Erysipelas	M	149	6	11	7	4	28	2	1	—	—
		F	130	8	4	7	2	21	2	—	—	—
19	Other epidemic diseases	M	39	2	—	4	9	15	10	4	1	5
		F	22	—	—	2	1	3	5	1	4	4
20	Pyæmia, Septicæmia ...	M	96	1	3	2	1	7	6	1	1	1
		F	65	4	—	1	1	6	2	5	1	3
21	Glanders	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1916 (Civil Population only).

Total under 5 Years.	Ages at Death. 5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
25,064	2,306	1446	1605	1595	1,840	2,413	3,226	3,962	4,764	5,634	6,252	6,903	7,544	6,962	5,427	2,875	1,548	All Causes.
20,501	2,303	1512	1937	2064	2,161	2,397	2,939	3,327	3,746	4,339	4,900	5,863	6,647	7,614	6,908	4,267	2,970	
5	9	19	19	16	14	24	24	16	11	17	10	5	6	2	2	—	—	1
3	17	11	22	14	17	13	14	11	10	11	3	5	2	—	1	—	—	
—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	—	2	4	2	3	3	2	2	—	—	—	—	—	4
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	5
1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1,324	88	1	5	—	1	—	—	—	—	—	—	—	—	—	—	—	—	6
1,134	83	2	2	—	1	—	—	1	—	—	—	2	—	—	—	—	—	
160	77	15	4	1	—	—	3	—	2	1	—	—	—	—	—	—	—	7
156	71	15	12	6	1	2	1	—	1	—	—	—	—	—	—	—	—	
1,170	37	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
1,413	60	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
544	266	51	11	2	2	2	3	1	2	2	1	—	—	—	—	—	—	9A
499	349	43	9	8	3	2	2	1	1	1	1	—	—	—	—	—	—	
5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B, C
65	21	12	23	16	33	42	59	69	89	116	133	120	129	133	125	45	32	10
63	10	13	20	21	28	26	35	49	66	69	105	106	139	173	164	117	74	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
6	—	—	1	1	4	9	5	6	5	5	5	9	8	3	—	1	—	14
6	—	—	1	1	—	5	—	1	7	9	6	6	7	4	4	—	1	
—	1	—	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	15
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	17
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
31	3	1	1	—	5	8	4	6	3	9	21	13	20	9	10	3	2	18
23	1	5	2	5	3	—	3	6	6	7	11	15	11	12	11	6	3	
35	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	19
17	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	
16	1	2	2	2	4	5	8	8	8	9	7	12	2	7	1	1	1	20
17	2	4	3	1	4	2	2	4	5	4	3	4	—	5	4	1	—	
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	21
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

International List Nos.	Causes of Death.		AGES AT DEATH. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
22	Anthrax (Splenic fever)	M	5	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
23	Rabies	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
24	Tetanus	M	24	—	—	—	—	—	—	—	—	—
		F	8	2	—	—	—	2	—	—	—	—
25	Mycoses	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
26	Pellagra	M	2	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
27	Beri-beri	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
28	Pulmonary tuberculosis (not acute).	M	8,230	—	3	9	23	35	66	32	23	25
		F	6,251	—	—	9	19	28	51	33	25	17
29A	Acute phthisis	M	581	—	—	2	5	7	21	5	11	6
		F	582	—	—	1	6	7	3	7	9	6
29B	Acute miliary tuberculosis	M	129	—	2	1	11	14	12	10	3	10
		F	124	1	—	2	3	6	15	7	5	5
28–29	Pulmonary tuberculosis, acute and chronic.	M	8,940	—	5	12	39	56	99	47	37	41
		F	6,957	1	—	12	28	41	69	47	39	28
30	Tuberculous meningitis	M	985	—	10	39	100	149	197	138	110	67
		F	911	—	10	35	98	143	158	95	75	55
31	Tuberculosis of peritoneum and intestines.	M	733	1	22	71	79	173	144	68	41	21
		F	724	1	25	44	63	133	97	65	30	30
32	Tuberculosis of spinal column.	M	120	—	—	—	—	—	—	3	2	1
		F	100	—	—	—	—	—	1	2	4	—
33	Tuberculosis of joints ...	M	96	—	1	—	2	3	1	1	3	1
		F	54	—	—	—	—	—	2	2	—	—
34	Tuberculosis of other organs.	M	137	—	1	3	10	14	10	2	5	1
		F	123	1	3	3	4	11	3	3	2	2
35	Disseminated tuberculosis	M	429	3	7	13	18	41	46	31	20	15
		F	354	2	5	14	16	37	32	23	15	7
28–35	Tuberculosis (all forms)	M	11,440	4	46	138	248	436	497	290	218	147
		F	9,223	5	43	108	209	365	362	237	165	122
36	Rickets, Softening of bones.	M	238	2	6	18	55	81	84	39	13	5
		F	158	1	3	11	33	48	60	27	6	4
37	Syphilis	M	508	121	151	59	32	363	15	10	1	—
		F	373	71	99	41	29	240	16	8	1	2
38	Other venereal diseases...	M	14	4	3	—	—	7	—	—	—	—
		F	11	1	4	—	—	5	—	—	—	—
39	Cancer of the buccal cavity.	M	780	—	—	—	1	1	—	—	1	—
		F	121	—	—	—	1	1	—	—	1	—
40	Cancer of the stomach, liver, &c.	M	2,176	—	—	—	—	—	—	—	1	—
		F	2,056	—	—	—	1	1	—	—	—	1
41	Cancer of the peritoneum, intestines, and rectum.	M	1,165	—	—	—	—	—	—	—	—	—
		F	1,377	—	—	—	1	1	—	—	—	—
42	Cancer of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	1,791	—	—	—	—	—	—	—	—	—
43	Cancer of the breast ...	M	10	—	—	—	—	—	—	—	—	—
		F	1,257	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1916 (Civil Population only)—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	1	1	—	2	1	—	—	—	—	—	—	—	22
—	—	—	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	2	—	1	2	2	2	2	—	2	5	3	3	—	—	—	—	—	24
2	—	—	—	2	—	1	—	1	—	—	—	1	—	1	—	—	—	
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	25
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	26
—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
181	111	148	127	652	684	871	1,034	1049	936	803	599	405	223	69	36	1	1	28
154	145	295	737	801	726	714	728	617	455	308	243	148	98	55	21	3	3	
50	17	29	43	54	48	54	69	78	60	29	30	11	6	2	—	1	—	29A
32	32	41	96	77	59	64	54	40	27	31	16	5	7	—	—	1	—	
49	21	11	12	5	6	6	7	7	3	1	1	—	—	—	—	—	—	29B
38	29	14	12	4	7	3	3	11	1	—	1	1	—	—	—	—	—	
280	149	188	482	711	738	931	1110	1134	999	833	630	416	229	71	36	2	1	28 &
224	206	350	845	882	792	781	785	668	483	339	260	154	105	55	21	4	3	29
661	149	92	31	9	9	8	6	9	5	2	2	1	1	—	—	—	—	30
526	165	109	51	24	6	6	5	7	5	3	3	1	—	—	—	—	—	
447	94	45	48	16	17	6	9	15	7	9	9	6	2	2	1	—	—	31
355	96	63	57	36	19	27	17	16	11	14	5	4	1	2	1	—	—	
6	10	15	20	16	7	11	5	5	3	10	3	5	4	—	—	—	—	32
7	10	15	9	8	7	4	7	4	5	6	3	6	5	1	3	—	—	
9	5	10	13	6	7	4	3	4	6	5	5	5	9	3	2	—	—	33
4	5	9	10	3	3	2	2	—	3	3	4	4	2	—	—	—	—	
32	11	10	12	4	7	9	6	6	6	11	7	3	4	1	4	4	—	34
21	3	10	8	6	14	8	10	6	2	6	3	4	4	9	7	1	1	
153	51	49	45	25	13	18	17	14	10	11	12	6	4	—	1	—	—	35
114	45	36	39	23	16	8	16	14	11	6	6	9	10	—	—	1	—	
1,588	469	409	651	787	798	987	1,156	1,187	1036	881	668	442	253	77	44	6	1	28–35
1,251	530	592	1019	982	857	836	842	715	520	377	284	182	127	67	32	6	4	
222	5	1	1	—	2	1	2	1	—	—	1	—	—	2	—	—	—	36
145	5	1	—	2	—	2	—	—	—	—	—	—	—	2	1	—	—	
389	1	4	2	2	5	7	12	17	14	16	15	6	11	5	2	—	—	37
267	3	—	5	6	12	8	11	16	12	10	5	8	6	1	2	1	—	
7	—	—	—	—	2	1	—	2	—	1	—	1	—	—	—	—	—	38
5	—	—	—	1	—	3	1	1	—	—	—	—	—	—	—	—	—	
2	1	1	—	—	1	5	9	30	63	131	123	117	135	90	51	15	6	39
2	3	—	2	2	1	4	6	9	9	17	23	14	11	10	4	3	1	
1	1	—	2	2	5	16	36	105	194	276	319	416	391	241	112	51	8	40
2	1	—	1	1	5	23	40	85	152	210	272	345	348	299	168	78	26	
—	1	—	1	3	5	10	24	47	88	118	159	209	225	168	77	22	8	41
1	—	—	—	3	14	27	37	60	102	140	177	199	229	201	127	47	13	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	42
—	—	—	4	3	20	46	98	167	240	306	246	237	185	121	82	26	10	
—	—	—	—	—	—	—	—	1	—	1	1	5	—	1	1	—	—	43
—	—	—	—	—	4	22	65	116	171	165	164	137	127	131	95	40	20	

International List Nos.	Causes of Death.		AGES AT DEATH. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ...	M	221	—	—	—	—	—	—	—	—	—
		F	109	—	—	—	1	1	—	—	—	—
45	Cancer of other or unspecified organs.	M	1,284	—	—	—	—	—	4	5	4	3
		F	714	—	—	1	—	1	2	6	8	1
39-45	Cancer (all sites) ...	M	5,636	—	—	—	1	1	4	5	6	3
		F	7,425	—	—	1	4	5	2	6	9	2
46	Other tumours (situation undefined).	M	27	—	—	—	—	—	—	—	—	—
		F	38	—	—	—	—	—	—	—	—	—
47	Rheumatic fever ...	M	302	—	—	—	—	—	3	1	3	4
		F	353	—	—	—	—	—	1	2	4	8
48 A, B	Chronic rheumatism, Osteo-arthritis.	M	169	—	—	—	—	—	—	—	—	—
		F	417	—	—	—	—	—	—	—	—	—
48C	Gout	M	70	—	—	—	—	—	—	—	—	—
		F	18	—	—	—	—	—	—	—	—	—
49	Scurvy	M	6	—	1	—	3	4	2	—	—	—
		F	5	—	—	—	3	3	2	—	—	—
50	Diabetes	M	675	—	—	—	—	—	1	2	—	1
		F	730	—	—	1	1	2	—	—	2	1
51	Exophthalmic goître ...	M	11	—	—	—	—	—	—	—	—	—
		F	129	—	—	—	—	—	—	—	—	—
52	Addison's disease ..	M	27	—	—	—	—	—	—	—	—	—
		F	46	—	—	—	—	—	—	1	—	—
53	Leucocythæmia, Lymphadenoma.	M	117	—	—	2	2	4	3	1	1	5
		F	88	—	—	—	1	1	2	1	1	—
54	Anæmia, Chlorosis ...	M	344	1	2	—	—	3	5	5	1	1
		F	485	—	—	2	4	6	3	5	1	2
55	Other general diseases ...	M	69	5	5	1	4	15	4	4	1	1
		F	80	10	2	3	5	20	2	1	4	5
56	Alcoholism (acute or chronic).	M	84	—	—	—	—	—	—	—	—	—
		F	48	—	—	—	—	—	—	—	—	—
57	Chronic lead poisoning ...	M	18	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
58	Other chronic occupational poisonings.	M	5	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	—	—	—	—	—
59	Other chronic poisonings	M	8	—	—	—	1	1	1	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
60	Encephalitis	M	62	—	1	—	1	2	—	2	3	2
		F	53	—	—	—	—	—	2	—	2	2
61A	Cerebro-spinal fever ...	M	136	—	—	10	7	17	8	8	8	3
		F	100	1	1	4	10	16	5	5	5	3
61B	Posterior basal meningitis	M	36	—	—	7	14	21	9	1	—	3
		F	26	—	2	5	9	16	5	3	—	—
61C	Meningitis, other forms	M	661	6	20	47	93	166	92	74	44	22
		F	649	4	19	36	75	134	102	61	35	34
62	Locomotor ataxy... ...	M	233	—	—	—	—	—	—	—	—	—
		F	38	—	—	—	—	—	—	—	—	—
63	Other diseases of the spinal cord.	M	493	—	1	4	2	7	6	3	6	1
		F	387	—	—	1	1	2	7	1	5	1

AT DIFFERENT AGE-PERIODS, 1916 (Civil Population only)—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	1	3	4	1	5	9	10	24	27	26	33	28	29	14	7	44
1	1	—	1	—	—	1	—	1	4	5	8	12	21	19	11	15	9	
16	5	9	6	14	16	19	30	58	110	160	187	197	200	131	93	26	7	45
18	7	7	15	13	12	21	26	40	64	74	83	101	81	80	44	19	9	
19	8	10	10	22	31	51	104	250	465	710	816	970	984	659	363	128	36	39–45
24	12	7	23	22	56	144	272	478	742	917	973	1,045	1,002	861	531	228	88	
—	1	—	—	—	—	1	—	2	2	6	4	3	3	2	2	1	—	46
—	—	1	—	—	1	—	3	3	4	5	5	2	7	5	2	—	—	
11	40	56	29	14	16	18	19	18	20	18	20	17	2	3	1	—	—	47
15	33	57	41	40	26	17	21	27	15	15	13	15	7	6	3	1	1	
—	—	—	1	3	1	4	1	6	5	13	15	29	38	24	18	8	3	48
—	—	—	—	1	3	6	9	8	21	16	33	51	83	73	71	27	12	A, B.
—	—	—	—	—	—	—	2	1	2	7	9	12	9	12	10	3	3	48C
—	—	—	—	—	—	—	—	2	1	1	—	1	2	8	1	2	—	
6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	49
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	4	9	19	24	26	27	36	44	48	64	73	82	92	67	36	15	5	50
5	6	14	16	27	33	21	36	37	27	58	94	113	102	68	49	15	9	
—	—	—	1	1	2	1	2	1	1	—	1	1	—	—	—	—	—	51
—	—	—	5	8	10	13	19	15	15	12	14	8	3	4	3	—	—	
—	—	1	—	1	—	2	5	2	2	3	4	3	3	1	—	—	—	52
1	—	—	1	1	3	—	4	10	7	7	3	5	2	1	1	—	—	
14	15	8	4	6	7	7	7	8	12	5	8	7	5	4	—	—	—	53
5	3	5	3	2	4	4	9	6	8	7	10	5	6	5	6	—	—	
15	4	4	10	3	11	5	16	23	37	48	42	40	40	31	12	2	1	54
17	4	2	23	15	15	23	31	40	50	34	52	73	40	41	18	5	2	
25	8	3	5	4	2	2	1	1	5	2	2	3	1	1	4	—	—	55
32	7	4	6	5	2	1	2	1	—	6	2	3	2	4	1	—	2	
—	—	—	—	1	4	2	14	14	17	9	10	9	4	—	—	—	—	56
—	—	—	—	—	2	3	7	8	5	6	5	4	5	2	—	1	—	
—	—	—	—	—	—	—	1	2	3	5	2	2	2	1	—	—	—	57
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	—	—	1	—	—	3	—	—	—	—	—	—	—	58
—	—	—	2	2	1	3	—	—	—	—	1	—	—	—	—	—	—	
2	—	—	—	—	—	—	1	1	1	1	—	—	1	1	—	—	—	59
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	
9	4	4	7	2	7	9	4	2	3	2	1	3	3	—	1	1	—	60
6	7	5	5	5	2	2	3	3	—	4	2	1	2	2	2	2	—	
44	23	16	17	7	5	3	6	7	2	1	3	1	1	—	—	—	—	61A
34	16	10	17	7	2	1	3	2	2	1	4	1	—	—	—	—	—	
34	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	61B
24	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
398	77	52	20	5	9	14	10	7	12	7	11	8	8	9	8	6	—	61C
366	85	54	26	19	9	9	15	8	9	7	5	6	3	11	12	4	1	
—	—	—	—	—	3	5	16	21	46	33	33	36	21	16	2	1	—	62
—	—	—	—	1	1	1	3	6	7	3	5	3	5	3	—	—	—	
23	4	5	11	9	14	9	31	33	38	41	55	58	66	44	39	10	3	63
16	8	4	5	9	14	14	20	20	32	30	45	44	44	40	31	7	4	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
64	Cerebral hæmorrhage, Apoplexy.	M	3,735	1	1	1	2	5	—	1	—	1
		F	4,439	1	—	2	3	6	1	1	1	2
65	Softening of brain ...	M	230	—	—	—	—	—	—	—	—	—
		F	235	—	—	—	—	—	—	—	—	—
66	Paralysis without specified cause.	M	458	—	—	—	—	—	—	1	—	—
		F	552	1	—	—	—	1	1	—	—	—
67	General paralysis of the insane.	M	662	—	—	—	—	—	—	—	—	—
		F	146	—	—	—	—	—	—	—	—	—
68	Other forms of mental alienation.	M	179	—	—	—	—	—	—	—	—	—
		F	256	—	—	—	—	—	—	—	—	—
69	Epilepsy	M	570	1	—	—	1	2	4	2	5	3
		F	514	—	1	1	5	7	5	4	3	2
70	Convulsions (non-puerperal; 5 years and over).	M	20	—	—	—	—	—	—	—	—	—
		F	17	—	—	—	—	—	—	—	—	—
71	Infantile convulsions (under 5 years).	M	1,684	557	321	222	288	1,388	231	48	9	8
		F	1,217	324	236	152	245	957	197	39	16	8
72	Chorea	M	10	—	—	—	—	—	—	1	—	—
		F	34	—	—	—	—	—	1	—	—	—
73	Hysteria, Neuralgia, Neuritis.	M	39	—	—	—	—	—	—	—	—	—
		F	90	—	—	—	—	—	—	—	—	—
74	Other diseases of the nervous system.	M	397	—	1	4	12	17	3	5	6	7
		F	391	—	1	1	4	6	13	4	6	6
75	Diseases of the eyes and annexa.	M	11	—	—	1	—	1	1	—	—	1
		F	5	—	1	—	—	1	—	—	—	—
76A	Mastoid disease	M	65	—	2	1	3	6	6	6	2	—
		F	49	—	2	—	3	5	2	2	4	1
76B	Other diseases of the ears	M	153	—	4	6	11	21	17	9	5	3
		F	143	1	6	4	10	21	10	9	13	3
77	Pericarditis	M	70	—	—	—	1	1	3	2	1	—
		F	66	—	—	1	1	2	2	—	—	1
78	Acute endocarditis ...	M	286	—	2	—	4	6	1	1	—	—
		F	316	—	—	1	1	2	3	1	1	2
79A	Valvular disease... ...	M	3,858	—	—	—	1	1	3	1	2	3
		F	4,422	—	—	—	3	3	6	3	1	3
79B	Fatty degeneration of the heart.	M	379	—	—	—	—	—	—	—	—	—
		F	513	—	—	—	—	—	—	—	—	—
79C	Other organic disease of the heart.	M	4,015	—	—	—	2	2	2	2	—	4
		F	4,400	—	—	—	4	4	4	2	1	2
80	Angina pectoris	M	260	—	—	—	—	—	—	—	—	—
		F	129	—	—	—	—	—	—	—	—	—
81A	Aneurysm	M	248	—	—	—	—	—	—	—	—	—
		F	74	—	—	—	—	—	—	—	—	—
81B	Arterial sclerosis... ...	M	1,593	—	—	—	—	—	—	—	—	—
		F	1,238	—	—	—	—	—	—	—	—	—
81C	Other diseases of arteries	M	22	—	—	—	—	—	—	—	—	—
		F	17	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1916 (Civil Population only)—*continued.*

Total under 5 Years.	Ages at Death. 5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
7	2	3	6	4	3	25	49	89	175	298	413	585	601	675	493	227	80	64
11	3	1	7	5	9	19	54	102	210	368	443	592	691	764	662	318	180	
—	—	—	2	—	2	2	—	2	6	9	26	27	42	54	34	19	5	65
—	—	—	—	1	—	—	3	3	8	14	21	25	30	40	40	29	21	
1	—	1	1	—	—	3	3	8	12	37	49	66	79	75	74	33	16	66
2	1	—	2	—	—	1	6	16	23	31	42	63	79	102	96	58	30	
—	—	—	4	6	17	70	120	131	108	95	59	29	13	7	1	2	—	67
—	—	—	—	4	6	14	28	18	22	31	11	7	2	2	—	1	—	
—	—	—	—	5	5	10	2	11	10	18	31	27	23	25	7	3	2	68
—	—	—	2	3	5	8	20	28	25	37	34	33	31	15	3	6	6	
16	21	24	38	52	58	54	34	44	40	38	34	38	38	23	12	4	2	69
21	12	22	29	46	36	50	46	42	36	37	46	29	27	16	9	6	4	
—	14	1	1	—	—	1	—	—	—	1	1	—	1	—	—	—	—	70
—	9	1	—	1	—	—	1	—	3	—	—	—	1	—	—	1	—	
1,684	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	71
1,217	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	2	1	2	1	—	1	—	—	1	—	1	—	—	—	—	—	—	72
1	5	8	6	6	1	—	1	—	1	1	1	2	—	—	—	1	—	
—	—	—	—	—	—	—	4	1	6	5	6	6	3	4	2	2	—	73
—	—	—	—	1	2	2	5	12	11	11	17	13	7	5	1	1	2	
38	31	18	18	14	25	16	18	21	28	30	29	38	25	23	18	5	2	74
35	24	9	18	13	16	30	26	30	30	27	28	27	23	22	19	8	6	
3	1	—	1	1	—	1	—	—	—	—	1	1	1	1	—	—	—	75
1	—	—	—	—	—	1	—	—	—	—	—	—	2	—	—	1	—	
20	13	10	8	4	1	3	2	—	1	2	—	—	—	—	1	—	—	76A
14	5	10	7	3	1	—	3	2	—	—	—	1	1	1	1	—	—	
55	18	24	13	8	8	7	5	4	2	4	2	3	—	—	—	—	—	76B
56	15	16	19	7	8	5	1	5	2	2	1	3	2	—	—	—	1	
7	5	3	5	4	—	3	4	2	5	5	7	9	5	6	—	—	—	77
5	7	3	2	6	2	3	4	6	4	6	5	2	4	1	4	2	—	
8	9	17	26	16	14	26	14	29	34	34	44	4	5	4	1	1	—	78
9	17	21	24	24	26	27	28	22	31	36	40	4	2	2	—	3	—	
10	39	65	76	70	79	112	149	207	316	371	475	521	554	423	255	96	40	79A
16	46	97	114	111	110	129	192	265	337	355	438	497	597	527	346	175	70	
—	—	—	—	—	1	1	11	13	32	39	53	65	71	45	29	12	7	79B
—	—	2	1	2	5	5	11	15	31	55	62	90	81	85	42	17	9	
10	16	27	28	41	44	62	74	156	210	319	431	546	728	613	425	199	86	79C
13	24	47	48	43	63	78	113	162	219	302	333	529	642	711	585	323	165	
—	—	—	—	—	—	2	4	12	14	35	40	42	42	37	21	4	7	80
—	—	—	—	—	2	1	3	2	9	7	8	18	28	18	15	12	6	
—	—	—	1	—	2	9	14	28	44	41	38	24	24	11	10	2	—	81A
—	1	—	—	—	—	1	1	8	4	12	7	10	15	7	5	3	—	
—	—	—	—	—	2	5	5	15	30	61	142	201	334	315	276	144	63	81B
—	1	—	—	—	2	2	2	8	21	52	67	129	185	239	255	162	113	
—	—	—	—	—	—	1	2	—	5	—	1	2	2	5	3	1	—	81C
—	—	—	—	1	—	1	1	1	—	2	3	1	3	2	—	2	—	

International List Nos	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis.	M	336	1	—	—	—	1	—	—	—	—
		F	463	—	—	—	—	—	1	—	—	—
82B	Other embolism and thrombosis.	M	35	—	—	—	—	—	—	—	—	—
		F	48	—	—	—	—	—	—	—	—	—
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	M	51	—	—	—	—	—	—	—	—	—
		F	64	—	—	—	—	—	—	—	—	—
84A	Status lymphaticus ...	M	35	5	7	3	2	17	1	—	1	2
		F	26	3	4	8	4	19	1	—	—	—
84B	Other diseases of the lymphatic system.	M	22	1	—	1	2	4	7	1	—	—
		F	20	1	—	3	1	5	—	—	1	—
85	Hæmorrhage; other diseases of the circulatory system.	M	44	1	—	1	—	2	—	—	—	—
		F	34	1	—	—	—	1	—	—	—	—
86	Diseases of the nasal fossæ.	M	15	—	3	1	1	5	—	—	—	—
		F	5	—	1	1	1	3	—	—	—	—
87	Diseases of the larynx ...	M	216	7	4	12	34	57	36	31	18	15
		F	155	2	4	5	19	30	27	18	12	15
88	Diseases of the thyroid body.	M	10	—	—	—	—	—	—	—	—	—
		F	51	—	—	—	—	—	—	1	—	—
89 & 90.	Bronchitis	M	8,491	164	399	358	507	1,428	414	121	47	28
		F	8,542	121	299	262	457	1,139	363	96	45	24
91	Broncho-pneumonia ...	M	3,944	46	252	374	838	1,510	893	309	138	84
		F	3,480	36	155	248	622	1,061	851	316	152	77
92A	Lobar pneumonia ...	M	2,160	5	22	23	57	107	85	46	38	20
		F	1,282	3	7	12	47	69	56	41	30	15
92B	Pneumonia (type not stated).	M	2,693	19	49	66	163	297	203	86	47	20
		F	1,923	9	40	51	113	213	203	82	39	28
93	Pleurisy	M	287	—	1	2	3	6	18	10	4	6
		F	201	—	—	—	3	3	12	4	8	1
94	Pulmonary congestion, Pulmonary apoplexy.	M	221	11	13	11	7	42	12	3	1	1
		F	232	11	5	7	5	28	7	5	2	1
95	Gangrene of the lung ...	M	16	—	—	—	—	—	1	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
96	Asthma	M	375	—	—	1	2	3	1	2	—	—
		F	298	1	—	1	—	2	—	2	—	1
97	Pulmonary emphysema	M	81	—	—	—	—	—	—	—	—	—
		F	43	—	—	—	—	—	—	—	—	—
98A	Fibroid disease of lung ...	M	49	—	—	—	—	—	—	—	—	—
		F	13	—	—	—	—	—	—	—	1	—
98B	Other diseases of the respiratory system.	M	67	—	2	4	—	6	2	—	—	—
		F	28	—	—	5	1	6	2	—	—	—
99A	Diseases of the teeth and gums.	M	51	3	3	4	3	13	3	2	3	2
		F	54	4	1	2	3	10	3	3	1	2
99B, C, D.	Other diseases of the mouth and annexa.	M	32	13	6	3	—	22	3	1	—	—
		F	23	6	3	—	2	11	2	3	—	—
100	Diseases of pharynx, Tonsillitis.	M	86	2	—	—	5	7	5	3	6	8
		F	97	—	3	2	5	10	10	2	4	5

T DIFFERENT AGE-PERIODS, 1916—(Civil Population only)—*continued.*

Total under 5 Years.	Ages at Death. 5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
1	2	1	2	2	4	3	4	7	7	16	30	35	61	64	45	35	17	82A
1	2	1	5	2	4	3	11	12	17	27	43	46	66	85	73	41	24	
—	2	—	1	—	—	—	2	1	3	6	6	2	2	6	4	—	—	82B
—	—	—	1	1	2	5	2	4	4	8	4	4	5	5	—	1	2	
—	—	—	—	—	—	3	4	3	4	6	7	8	5	5	3	3	—	83
—	—	—	—	—	2	4	1	6	8	7	10	5	10	2	6	3	—	
21	10	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	84A
20	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12	—	2	—	—	—	1	—	1	—	—	1	3	—	—	1	—	1	84B
6	1	—	—	—	—	—	1	—	—	1	1	—	3	1	4	2	—	
2	—	—	—	—	—	2	2	2	2	6	5	3	5	7	3	5	—	85
1	—	1	—	—	—	1	1	1	—	1	3	7	3	7	7	—	1	
5	2	—	—	1	—	—	—	—	1	1	2	—	1	—	—	2	—	86
3	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	
157	30	3	2	1	2	—	3	—	4	2	5	3	2	—	2	—	—	87
102	23	1	—	3	1	2	—	4	5	3	2	3	2	—	1	2	1	
—	1	1	1	2	—	1	1	—	—	1	—	1	—	—	1	—	—	88
1	—	3	1	2	1	2	—	4	6	3	6	8	8	1	3	1	1	
2,038	46	21	8	14	23	38	104	177	249	430	606	844	1,075	1,122	933	500	263	89 &
1,667	43	16	17	23	28	42	82	130	162	326	461	670	978	1,314	1,306	777	500	90.
2,934	110	27	14	15	13	19	32	39	55	90	97	100	129	123	89	39	19	91
2,457	119	35	19	14	22	18	33	26	47	49	80	90	128	126	115	66	36	
296	62	43	57	72	97	130	150	189	201	206	198	170	149	87	36	14	3	92A
211	47	33	39	43	52	74	80	86	86	85	92	92	82	94	49	24	13	
653	91	44	49	60	62	90	138	170	206	222	210	220	202	130	86	43	17	92B
565	78	49	52	33	52	60	81	102	87	113	116	137	113	121	90	43	31	
44	16	2	9	6	14	9	23	18	22	20	24	29	24	14	10	3	—	93
28	11	3	7	6	5	13	9	11	15	18	14	14	15	12	12	6	2	
59	3	2	1	4	2	3	8	2	8	8	7	11	26	26	25	17	9	94
43	1	4	—	1	—	5	7	4	5	4	3	20	18	30	36	29	22	
1	—	—	1	—	1	1	—	1	2	3	1	2	3	—	—	—	—	95
—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	
6	—	—	2	3	3	13	22	24	41	41	43	43	60	37	26	7	4	96
5	1	—	1	1	8	11	6	21	27	35	35	31	47	39	17	9	4	
—	—	—	—	—	—	—	2	—	5	5	12	12	14	12	13	5	1	97
—	—	—	—	—	—	2	1	—	1	2	1	7	7	7	9	5	1	
—	—	1	—	—	1	—	3	4	8	7	8	5	6	4	2	—	—	98A
1	—	—	1	—	—	—	1	2	1	1	—	3	2	1	—	—	—	
8	1	1	2	1	2	1	4	11	9	8	3	5	6	1	3	1	—	98B
8	—	1	1	3	1	—	—	—	2	2	2	1	2	3	1	1	—	
23	4	—	—	1	3	—	3	3	4	4	2	1	2	1	—	—	—	99A
19	6	—	2	—	1	3	3	5	2	2	3	1	3	2	1	—	1	
26	—	1	—	—	—	—	1	—	1	1	—	—	—	1	—	—	1	99B
16	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	2	2	C, D
29	16	4	2	—	3	—	2	5	8	3	6	5	1	—	2	—	—	100
31	22	9	2	5	1	4	5	4	2	3	1	3	—	1	1	1	2	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ...	M	11	—	—	—	—	—	—	—	—	—
		F	16	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of stomach.	M	295	—	1	—	1	2	—	—	—	1
		F	340	—	—	—	—	—	—	1	—	—
103A	Inflammation of stomach	M	563	37	114	76	52	279	41	21	8	8
		F	563	31	69	70	53	223	40	14	6	7
103B	Other diseases of the stomach.	M	130	6	11	6	1	24	1	—	1	1
		F	113	3	8	4	4	19	3	1	1	1
104 & 105.	Diarrhœa and enteritis ...	M	3,406	186	523	688	699	2,096	523	90	51	24
		F	2,958	98	374	568	608	1,648	470	99	45	26
106	Ankylostomiasis	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites	M	4	—	—	1	—	1	1	—	—	1
		F	5	—	—	—	—	—	1	1	1	1
108	Appendicitis	M	444	—	—	1	—	1	—	4	9	9
		F	362	—	—	—	—	—	1	1	4	8
109A	Hernia	M	253	8	10	5	11	34	7	1	1	1
		F	363	6	1	1	—	8	—	2	—	—
109B	Intestinal obstruction ...	M	379	9	9	37	33	88	17	5	5	7
		F	364	3	5	17	18	43	11	1	2	—
110	Other diseases of the intestines.	M	68	—	5	—	3	8	—	1	1	—
		F	84	—	2	8	1	11	4	3	—	—
111	Acute yellow atrophy of liver.	M	6	—	—	1	—	1	—	—	1	—
		F	14	—	—	—	—	—	—	1	—	—
112	Hydatid of liver ...	M	4	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver ...	M	537	—	—	1	2	3	1	—	1	—
		F	369	—	—	—	—	—	1	—	—	—
114	Biliary calculi	M	68	—	—	—	—	—	—	—	—	—
		F	215	—	—	—	—	—	—	—	—	—
115	Other diseases of the liver	M	113	—	—	2	2	4	3	1	—	1
		F	140	—	1	2	—	3	—	2	—	1
116	Diseases of the spleen ...	M	11	—	—	—	—	—	—	—	—	1
		F	7	—	—	—	—	—	—	—	1	—
117	Peritonitis (cause unstated).	M	81	—	4	4	1	9	2	3	3	—
		F	105	—	2	1	—	3	2	2	2	4
118	Other diseases of the digestive system.	M	32	—	—	—	—	—	—	—	—	—
		F	32	—	—	—	—	—	—	—	—	1
119	Acute nephritis	M	424	3	5	7	7	22	30	17	10	7
		F	357	—	1	9	7	17	29	18	9	9
120	Bright's disease	M	2,319	—	—	—	—	—	1	1	1	3
		F	1,865	—	—	—	—	—	1	—	—	—
121	Chyluria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
122	Other diseases of the kidney and annexa.	M	80	—	1	2	—	3	—	2	—	—
		F	64	—	1	1	—	2	—	—	2	—

AT DIFFERENT AGE-PERIODS, 1916—(Civil Population only)—*continued.*

Total under 5 Years.	Ages at Death. 5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
—	—	—	—	—	1	—	—	—	—	1	4	1	2	1	1	—	—	101
—	1	—	—	—	—	—	—	5	1	1	1	3	2	—	1	—	1	
3	2	1	5	5	16	17	40	36	31	40	38	22	21	11	6	1	—	102
1	2	4	11	19	27	34	39	49	43	28	17	25	18	15	7	1	—	
357	17	9	—	1	5	5	14	15	5	18	21	17	25	27	16	6	5	103A
290	18	6	4	4	8	4	7	10	12	22	13	25	27	40	39	19	15	
27	6	1	1	3	2	2	1	7	6	11	10	11	14	10	9	5	4	103B
25	3	2	1	4	3	2	8	2	6	2	11	11	7	7	7	6	6	
2,784	56	15	10	11	9	20	45	40	47	44	48	67	54	69	53	22	12	104 &
2,288	60	21	12	13	22	22	19	36	30	34	50	51	70	82	81	48	19	105
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	106
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	107
4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
23	59	88	56	20	27	17	30	22	24	27	15	14	15	2	5	—	—	108
14	50	59	40	40	21	25	18	10	18	13	19	11	7	6	6	2	3	
44	—	2	1	4	1	1	8	9	12	22	22	20	35	34	24	11	3	109A
10	1	1	1	—	2	3	6	16	28	17	32	60	69	58	40	14	5	
122	15	12	6	6	9	6	12	10	17	20	23	22	32	28	25	10	4	109B
57	15	7	2	6	16	13	10	16	15	22	24	33	32	42	28	15	11	
10	2	—	1	1	—	2	1	3	3	4	8	12	7	4	7	3	—	110
18	—	—	2	1	4	3	4	3	4	5	4	6	9	7	6	5	3	
2	—	1	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	111
1	—	—	1	2	3	2	1	—	—	3	1	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	1	1	—	—	2	—	—	—	—	112
—	—	1	—	—	2	—	—	—	1	—	—	—	1	—	—	—	—	
5	2	1	—	2	3	11	22	38	81	92	94	79	62	34	9	2	—	113
1	1	3	1	1	3	11	22	33	48	62	37	50	44	30	11	5	3	
—	—	—	—	—	—	1	1	2	7	4	13	8	18	9	4	—	1	114
—	—	—	—	1	3	3	7	11	11	17	24	37	32	30	25	11	3	
9	3	3	—	—	1	5	4	4	12	10	7	17	15	12	5	5	1	115
6	—	—	—	2	2	5	3	7	12	13	14	23	17	11	16	5	4	
1	1	—	1	—	—	1	1	2	—	1	—	3	—	—	—	—	—	116
1	—	—	—	1	—	—	1	—	2	—	—	1	—	—	1	—	—	
17	10	10	2	—	4	3	4	3	6	4	1	7	3	3	2	2	—	117
13	21	7	6	3	6	6	7	9	3	9	2	4	2	2	3	1	1	
—	1	—	—	1	3	1	4	1	2	7	4	—	7	1	—	—	—	118
1	—	—	1	—	2	4	5	2	2	2	2	4	2	2	1	2	—	
86	46	12	17	11	13	13	22	30	29	36	26	34	23	15	6	4	1	119
82	26	19	20	17	21	16	20	30	15	15	18	18	11	15	10	3	1	
6	14	29	32	31	33	62	96	137	232	241	293	345	330	228	141	58	11	120
1	16	16	23	34	45	49	104	139	178	184	222	225	228	198	121	53	29	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	121
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	2	1	1	—	1	3	3	9	9	8	8	5	15	5	3	1	1	122
4	1	—	—	—	3	3	4	10	6	4	7	8	3	3	5	1	2	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages.	M	47	—	—	—	—	—	—	1	—	1
		F	22	—	—	—	—	—	—	—	—	—
124	Diseases of the bladder	M	288	—	1	—	—	1	1	—	—	—
		F	78	—	—	—	—	—	—	—	—	—
125	Diseases of the urethra, Urinary abscess, &c.	M	180	—	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
126	Diseases of the prostate	M	471	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
127	Non-venereal diseases of male genital organs.	M	19	2	2	—	—	4	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—
128	Uterine hæmorrhage (non-puerperal).	M	—	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	—	—	—	—	—
129	Uterine tumour (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	95	—	—	—	—	—	—	—	—	—
130	Other diseases of the uterus.	M	—	—	—	—	—	—	—	—	—	—
		F	72	—	—	—	—	—	—	—	—	—
131	Ovarian cyst, tumour (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	99	—	—	—	—	—	1	—	—	—
132	Other diseases of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	99	1	—	—	—	1	1	—	—	—
133	Non-puerperal dis. of the breast (non-cancerous).	M	2	1	1	—	—	2	—	—	—	—
		F	6	1	—	—	1	2	—	—	—	—
134	Accidents of pregnancy...	M	—	—	—	—	—	—	—	—	—	—
		F	114	—	—	—	—	—	—	—	—	—
135	Puerperal hæmorrhage ...	M	—	—	—	—	—	—	—	—	—	—
		F	141	—	—	—	—	—	—	—	—	—
136	Other accidents of childbirth.	M	—	—	—	—	—	—	—	—	—	—
		F	121	—	—	—	—	—	—	—	—	—
137	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—
		F	399	—	—	—	—	—	—	—	—	—
138	Puerperal albuminuria and convulsions.	M	—	—	—	—	—	—	—	—	—	—
		F	204	—	—	—	—	—	—	—	—	—
139	Puerperal phlegmasia alba dolens, embolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—
		F	84	—	—	—	—	—	—	—	—	—
140	Puerperal insanity ...	M	—	—	—	—	—	—	—	—	—	—
		F	15	—	—	—	—	—	—	—	—	—
141	Puerperal diseases of the breast.	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
134–141	All accidents of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—
		F	1,079	—	—	—	—	—	—	—	—	—
142A	Senile gangrene	M	239	—	—	—	—	—	—	—	—	—
		F	193	—	—	—	—	—	—	—	—	—
142B, C, D.	Gangrene, other types ...	M	39	—	2	—	—	2	7	1	4	1
		F	41	—	2	—	—	2	5	6	5	2
143	Carbuncle, Boil	M	42	—	1	1	2	4	—	—	—	—
		F	33	1	1	—	—	2	—	—	—	1
144	Phlegmon, Acute abscess	M	129	4	7	6	4	21	6	4	—	1
		F	115	9	8	3	3	23	5	2	2	—
145	Diseases of the integumentary system.	M	160	44	16	11	15	86	10	3	1	1
		F	177	22	12	1	8	43	7	3	2	1

AT DIFFERENT AGE-PERIODS, 1916 (Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
2	—	—	—	2	1	4	—	3	5	4	4	3	10	5	2	1	1	123
—	—	—	2	1	2	2	4	2	2	1	—	3	1	—	1	—	1	
2	2	1	1	1	1	3	7	9	15	11	20	27	36	53	58	23	18	124
—	—	—	—	1	4	1	1	4	4	4	8	7	9	10	11	9	5	
1	—	—	—	2	4	1	3	11	19	20	24	25	33	20	16	1	—	125
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	5	8	17	54	96	106	111	54	20	126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	—	—	—	—	2	—	—	—	—	1	2	2	3	2	2	—	—	127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	128
—	—	1	1	1	1	1	—	2	2	1	—	—	—	—	1	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	129
—	—	—	—	1	2	4	4	19	21	13	10	10	—	6	3	1	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	130
—	—	—	1	3	3	6	4	7	13	8	10	4	4	4	4	1	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	131
1	—	—	2	3	4	5	10	8	8	8	6	9	17	9	5	4	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	132
2	—	—	4	12	18	26	17	10	5	3	—	1	—	1	—	—	—	
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	133
2	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	1	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134
—	—	—	1	12	18	24	36	18	5	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	135
—	—	—	2	13	27	38	45	14	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	136
—	—	—	3	20	29	17	37	14	—	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	137
—	—	—	8	74	108	109	66	33	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	138
—	—	—	9	47	47	47	35	16	3	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	139
—	—	—	—	11	19	23	17	9	5	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	140
—	—	—	—	4	7	2	1	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134–141
—	—	—	23	181	255	261	237	105	16	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	2	26	29	49	72	43	18	142A
—	—	—	—	—	—	—	—	—	—	—	2	14	21	46	50	24	36	
15	2	1	—	—	1	1	—	2	3	3	4	2	2	2	—	—	1	142B, C D.
20	1	2	—	2	—	—	2	1	1	4	2	—	4	1	1	—	—	
4	—	—	1	1	1	—	2	1	3	3	3	6	4	6	4	2	1	143
3	—	1	—	2	—	—	1	1	1	1	6	7	2	3	2	2	1	
32	2	2	1	1	—	2	5	7	6	15	15	10	13	7	7	3	1	144
32	4	3	—	1	3	2	2	6	6	7	4	9	8	11	7	6	4	
101	—	—	—	—	1	—	3	1	3	5	6	2	13	10	8	5	2	145
56	1	—	1	4	—	—	1	4	6	5	14	13	14	19	10	19	10	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ...	M	99	1	1	—	4	6	5	7	2	3
		F	62	1	3	—	1	5	1	2	2	3
147	Diseases of the joints ...	M	33	—	2	—	3	5	2	1	—	—
		F	16	1	1	1	—	3	—	—	—	—
148	Amputations	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
149	Other diseases of locomotor system.	M	6	—	—	—	—	—	—	—	—	—
		F	9	—	2	—	1	3	—	—	—	—
150	Congenital malformations	M	705	408	131	50	40	629	22	9	7	10
		F	573	316	94	52	42	504	27	8	4	7
151A	Premature birth	M	3,123	2,836	251	28	8	3,123	—	—	—	—
		F	2,432	2,180	217	26	9	2,432	—	—	—	—
151 B–E.	Infantile debility, Icterus and Sclerema.	M	1,870	1,001	482	253	134	1,870	—	—	—	—
		F	1,267	674	293	192	108	1,267	—	—	—	—
152	Other diseases peculiar to early infancy.	M	481	463	17	1	—	481	—	—	—	—
		F	383	367	16	—	—	383	—	—	—	—
153	Lack of care	M	51	51	—	—	—	51	—	—	—	—
		F	62	62	—	—	—	62	—	—	—	—
154	Old age	M	3,870	—	—	—	—	—	—	—	—	—
		F	5,431	—	—	—	—	—	—	—	—	—
155	Suicide by poison ...	M	44	—	—	—	—	—	—	—	—	—
		F	39	—	—	—	—	—	—	—	—	—
156	Suicide by asphyxia ...	M	36	—	—	—	—	—	—	—	—	—
		F	22	—	—	—	—	—	—	—	—	—
157	Suicide by hanging or strangulation.	M	151	—	—	—	—	—	—	—	—	—
		F	44	—	—	—	—	—	—	—	—	—
158	Suicide by drowning ...	M	94	—	—	—	—	—	—	—	—	—
		F	97	—	—	—	—	—	—	—	—	—
159	Suicide by firearms ...	M	32	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
160	Suicide by cutting or piercing instruments.	M	146	—	—	—	—	—	—	—	—	—
		F	37	—	—	—	—	—	—	—	—	—
161	Suicide by jumping from high place.	M	18	—	—	—	—	—	—	—	—	—
		F	10	—	—	—	—	—	—	—	—	—
162	Suicide by crushing ...	M	21	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
163	Other suicides	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
164	Poisoning by food ...	M	21	—	—	—	—	—	—	1	1	1
		F	18	—	—	—	—	—	—	3	1	—
165	Other acute poisonings ...	M	23	—	—	1	1	2	1	2	—	—
		F	20	—	—	—	—	—	1	—	—	2
166	Conflagration	M	10	—	—	—	—	—	—	1	—	—
		F	13	—	—	—	—	—	—	—	—	—
167	Burns (conflagration excepted).	M	435	—	2	2	20	24	79	90	50	33
		F	661	3	2	3	19	27	74	53	58	57
168	Absorption of deleterious gases (conflagration excepted).	M	238	67	58	37	13	175	1	2	2	1
		F	196	69	51	31	8	159	5	2	—	1

AT DIFFERENT AGE-PERIODS, 1916—(Civil Population only)—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
23	19	14	11	4	—	1	1	3	2	2	4	6	4	1	4	—	—	146
13	5	12	2	—	1	—	3	1	4	2	1	5	2	5	5	1	—	
8	2	—	1	—	—	—	1	1	3	1	3	5	2	1	3	1	1	147
3	—	1	—	—	1	—	—	—	—	—	3	1	2	2	1	1	1	
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	148
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	1	—	—	—	—	2	—	2	1	—	—	149
3	—	—	—	—	—	—	1	—	—	1	1	—	1	1	1	—	—	
677	9	4	4	3	2	3	2	—	1	—	—	—	—	—	—	—	—	150
550	11	4	2	3	2	—	1	—	—	—	—	—	—	—	—	—	—	
3,123	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	151A
2,432	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1,870	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	151
1,267	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B–E
481	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	152
383	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
51	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	153
62	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	5	14	64	231	910	1,082	891	673	154
—	—	—	—	—	—	—	—	—	—	1	11	85	247	982	1,476	1,353	1,276	
—	—	—	1	—	5	3	3	5	6	6	7	3	4	1	—	—	—	155
—	—	—	3	1	5	5	8	5	1	2	3	1	3	1	1	—	—	
—	—	—	—	1	4	2	4	3	4	6	4	4	4	—	—	—	—	156
—	—	—	1	1	2	1	3	2	5	1	1	2	2	—	1	—	—	
—	—	—	3	1	4	7	19	14	13	20	22	23	20	—	3	1	1	157
—	—	—	—	2	3	2	3	5	7	7	7	5	2	1	—	—	—	
—	—	—	4	2	8	5	15	8	7	6	13	8	6	8	3	—	1	158
—	—	—	12	11	9	6	17	9	10	10	5	1	3	2	1	1	—	
—	—	1	1	1	3	6	3	1	2	4	2	4	1	3	—	—	—	159
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	3	6	12	17	22	19	19	15	9	9	8	3	3	1	160
—	—	—	—	1	5	2	3	6	4	2	3	5	2	1	1	1	1	
—	—	—	—	—	2	—	2	4	1	4	2	2	1	—	—	—	—	161
—	—	—	—	—	—	1	2	1	3	—	—	1	1	1	—	—	—	
—	—	—	1	1	2	1	3	3	3	2	3	1	—	1	—	—	—	162
—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	163
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
3	8	2	1	1	1	1	2	1	—	—	—	—	—	1	—	—	—	164
4	3	—	1	3	1	1	1	—	2	1	1	—	—	—	—	—	—	
5	—	1	—	—	2	1	—	5	2	2	1	1	2	—	1	—	—	165
3	1	—	1	—	1	3	3	2	—	—	1	1	3	—	1	—	—	
1	1	—	—	—	—	—	—	1	1	1	2	—	2	—	—	1	—	166
—	1	—	—	—	1	—	—	2	1	3	—	2	2	—	1	—	—	
276	33	6	1	6	21	6	19	11	17	9	7	3	6	6	7	—	1	167
269	139	58	15	13	6	13	9	12	18	11	10	17	22	15	19	11	4	
181	3	4	2	3	2	3	5	6	5	5	4	2	4	3	2	3	1	168
167	3	—	1	—	1	2	2	2	1	3	3	2	—	3	3	2	1	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ...	M	666	2	1	—	—	3	5	10	13	9
		F	153	2	—	—	—	2	8	3	4	4
170	Injury by firearms ...	M	10	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	—	—
171	Injury by cutting or piercing instruments.	M	9	—	—	—	—	—	2	—	—	1
		F	2	—	—	—	—	—	—	—	—	—
172	Injury by fall	M	835	1	2	1	5	9	10	9	3	7
		F	602	—	—	—	7	7	7	8	1	4
173	Injury in mines and quarries	M	129	—	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—
174	Injury by machines ...	M	127	—	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	—	—	—	—	—
175	Injury by other crushing (vehicles, railways, landslides, &c.).	M	1,039	—	—	1	1	2	10	14	11	22
		F	259	—	—	—	1	1	8	13	7	14
176	Injury by animals ...	M	16	—	—	1	—	1	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
177	Starvation	M	4	—	—	1	—	1	—	—	—	—
		F	4	—	—	—	—	—	—	1	—	—
178	Excessive cold	M	18	—	—	—	—	—	—	—	—	—
		F	9	—	—	1	—	1	—	—	—	—
179	Effects of heat	M	19	—	—	—	1	1	—	1	2	1
		F	11	—	—	—	—	—	1	—	—	1
180	Lightning...	M	4	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
181	Electricity (lightning excepted).	M	9	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
182	Homicide by firearms ...	M	1	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
183	Homicide by cutting or piercing instruments.	M	9	—	—	—	—	—	1	—	—	1
		F	8	1	—	—	—	1	—	—	—	—
184	Homicide by other means	M	20	9	1	—	—	10	1	2	1	—
		F	39	10	—	2	1	13	—	—	—	—
185	Fractures (cause not specified).	M	12	—	—	—	—	—	—	—	1	—
		F	7	—	—	—	—	—	—	—	—	—
186	Other violence	M	235	5	5	3	6	19	5	4	3	3
		F	130	5	5	5	3	18	—	3	2	6
155–186	All violence	M	4,431	84	69	47	47	247	115	136	87	80
		F	2,406	90	58	42	39	229	104	86	73	89
187	Dropsy	M	7	—	—	1	—	1	—	—	—	—
		F	10	—	—	—	—	—	1	—	—	—
188A	Syncope (aged 1 year and under 70).	M	61	—	—	—	—	—	—	—	—	1
		F	53	—	—	—	—	—	—	—	—	—
188B	Sudden death (not otherwise defined).	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
189A	Heart failure (aged 1 year and under 70).	M	217	—	—	—	—	—	—	—	1	—
		F	172	—	—	—	—	—	—	—	—	—
189 B–E.	Other ill-defined causes...	M	246	8	—	2	6	16	104	16	4	1
		F	195	2	2	3	5	12	83	16	11	3
189F	Cause not specified ...	M	11	6	—	—	—	6	—	—	—	1
		F	11	5	1	—	1	7	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1916 (Civil Population only)—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
40	103	66	47	25	30	45	47	65	44	43	29	41	19	14	4	2	2	169
21	11	7	6	15	9	20	12	10	9	11	4	8	4	3	2	1	—	
—	2	2	1	1	1	—	—	—	2	—	—	1	—	—	—	—	—	170
—	—	1	—	1	1	—	—	—	1	—	—	—	—	—	1	—	—	
3	2	1	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	171
—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
38	28	25	27	17	25	35	54	60	71	76	70	67	63	76	54	30	19	172
27	10	4	4	1	2	11	8	14	27	19	39	50	59	102	102	64	59	
1	—	4	23	9	9	13	13	15	17	8	9	5	2	—	—	—	1	173
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	10	23	8	13	10	12	11	9	15	6	5	3	2	—	—	—	174
—	—	3	4	2	3	1	—	1	—	—	—	—	—	—	—	—	—	
59	93	64	30	36	28	58	60	81	79	89	83	70	73	53	30	16	8	175
43	26	17	7	5	12	10	11	16	19	18	25	12	14	11	8	4	1	
1	1	2	1	1	—	—	—	4	1	—	2	1	1	—	1	—	—	176
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
1	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	177
1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—	
—	—	—	2	—	—	—	—	2	1	1	2	3	—	3	4	—	—	178
1	—	—	—	—	—	—	—	—	—	—	—	1	1	3	1	1	1	
5	2	—	—	1	—	2	—	1	1	1	4	—	—	1	—	1	—	179
2	2	—	1	—	—	—	—	1	—	1	1	—	—	1	2	—	—	
—	—	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	180
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	2	2	1	2	—	1	—	—	—	—	—	—	—	—	181
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	182
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	1	—	1	—	—	—	1	—	3	1	—	—	—	—	—	—	—	183
1	—	—	—	—	1	1	1	—	1	1	2	—	—	—	—	—	—	
14	—	—	—	—	—	—	2	2	1	1	—	—	—	—	—	—	—	184
13	—	2	1	2	5	3	8	—	2	—	—	2	—	—	—	—	1	
1	—	—	—	—	—	1	1	1	1	1	1	2	2	1	—	—	—	185
—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	1	1	2	
34	6	11	7	13	22	26	14	21	17	15	14	11	12	4	—	1	2	186
29	13	4	12	6	8	7	8	13	6	5	6	4	6	1	2	—	—	
665	283	200	207	137	190	238	299	349	330	336	303	267	234	186	112	58	37	155–186
581	211	96	70	65	77	90	100	101	118	96	112	115	124	146	148	86	70	
1	—	—	—	—	—	—	—	1	—	—	1	1	2	—	—	1	—	187
1	1	—	—	—	—	—	—	—	1	1	—	1	1	1	2	—	1	
1	1	1	—	2	2	—	3	3	5	8	8	16	11	—	—	—	—	188A
—	—	—	1	3	1	1	3	4	2	6	15	5	12	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	188B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	3	1	3	3	6	6	6	7	15	33	41	45	47	—	—	—	—	189A
—	—	1	1	2	5	4	11	9	17	22	25	39	36	—	—	—	—	
141	5	3	3	1	—	3	1	7	7	10	13	20	18	10	2	2	—	189 B–E.
125	7	1	2	2	3	1	4	3	5	6	4	11	8	8	3	1	1	
7	—	—	—	—	—	—	1	—	—	1	—	1	—	—	1	—	—	189F
7	—	—	—	—	1	—	2	—	—	1	—	—	—	—	—	—	—	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
	All Causes	M	79,783	5,505	2,410	2,080	2,958	12,953	2,959	1,323	924	694
		F	78,794	4,025	1,722	1,526	2,273	9,546	2,775	1,269	813	690
1	Enteric fever	M	202	—	—	—	—	—	—	—	1	1
		F	206	—	—	—	—	—	—	—	2	3
2	Typhus	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3	Relapsing fever	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
4	Malaria	M	5	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
5	Small-pox	M	6	—	1	—	—	1	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
6	Measles	M	715	1	7	21	131	160	290	109	57	41
		F	655	—	5	13	111	129	231	126	65	41
7	Scarlet fever	M	201	—	2	—	2	4	18	30	28	27
		F	236	—	—	3	9	12	22	30	35	19
8	Whooping cough ...	M	746	8	56	91	209	364	214	80	38	19
		F	974	17	84	92	243	436	297	120	50	39
9A	Diphtheria	M	933	2	3	2	20	27	78	114	142	139
		F	983	2	2	1	15	20	88	95	128	146
9 B, C	Croup	M	12	—	—	—	1	1	1	2	3	2
		F	10	—	1	—	1	2	1	2	1	2
10	Influenza	M	1,332	7	8	8	19	42	19	13	8	4
		F	1,502	2	5	4	9	20	11	7	6	9
11	Miliary fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
12	Asiatic cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
13	Cholera nostras	M	3	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
14	Dysentery	M	54	1	—	1	—	2	1	1	—	1
		F	64	—	—	1	1	2	—	—	2	2
15	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
16	Yellow fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
17	Leprosy	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
18	Erysipelas	M	129	4	11	2	2	19	2	—	—	—
		F	103	4	7	2	1	14	1	1	—	—
19	Other epidemic diseases	M	23	1	2	2	6	11	3	1	1	2
		F	32	1	—	1	8	10	8	6	2	3
20	Pyæmia, Septicæmia ...	M	92	3	1	1	1	6	1	—	1	—
		F	50	1	1	1	1	4	3	—	—	1
21	Glanders	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1916—(Civil Population only).

Ages at Death.																	International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
18,853	2,058	1300	1645	1381	1,601	1,943	2,553	3,047	3,575	4,499	5,158	6,313	6,859	7,127	6,124	3,603	2,144	All Causes
15,093	1,950	1302	1680	1865	2,036	2,142	2,649	2,857	3,208	3,758	4,469	5,231	6,362	7,561	7,291	5,318	4,022	
2	15	16	25	15	23	14	17	21	18	12	12	3	9	—	—	—	—	1
5	18	23	23	22	25	21	20	11	12	8	9	5	2	2	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	1	1	—	1	1	—	—	1	—	—	—	—	—	—	4
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
1	—	—	1	—	2	—	—	1	—	—	1	—	—	—	—	—	—	5
—	—	—	1	1	—	—	1	—	1	—	—	—	—	—	—	—	—	
657	47	6	—	1	—	1	2	—	—	1	—	—	—	—	—	—	—	6
592	48	7	1	1	1	1	—	2	—	—	1	—	—	1	—	—	—	
107	70	16	3	2	—	1	—	—	1	1	—	—	—	—	—	—	—	7
118	81	19	5	3	4	1	1	—	1	—	1	—	2	—	—	—	—	
715	29	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	8
942	27	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—	1	
500	349	60	11	1	1	2	1	1	—	—	6	1	—	—	—	—	—	9A
477	397	78	8	5	7	2	3	1	1	—	2	2	—	—	—	—	—	
9	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
8	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B, C
86	17	6	20	26	30	43	44	69	71	113	97	143	150	160	148	68	41	10
53	19	11	22	34	36	30	47	41	60	65	100	134	161	236	181	150	122	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	13
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
5	—	1	1	2	4	9	7	2	3	7	6	1	1	4	1	—	—	14
6	1	—	3	—	5	1	4	1	4	15	3	3	5	5	5	3	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
21	—	2	3	2	2	5	5	7	11	8	5	11	12	11	17	4	3	18
16	1	1	4	2	1	4	6	4	10	4	9	6	9	10	7	4	5	
18	3	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	19
29	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8	2	1	8	2	2	3	6	8	6	9	9	12	14	2	—	—	—	20
8	1	1	1	2	3	5	4	2	3	2	2	4	5	2	4	—	1	
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
22	Anthrax (Splenic fever)	M	11	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
23	Rabies	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
24	Tetanus	M	42	7	1	—	—	8	—	—	—	1
		F	12	2	1	—	—	3	—	—	1	1
25	Mycoses	M	4	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	—	—	—	—
26	Pellagra	M	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
27	Beri-beri	M	2	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
28	Pulmonary tuberculosis (not acute).	M	5,760	—	—	9	20	29	32	19	17	19
		F	4,995	—	—	6	22	28	21	14	6	17
29A	Acute phthisis	M	475	—	—	1	1	2	4	3	6	5
		F	425	—	2	—	6	8	6	5	2	2
29B	Acute miliary tuberculosis	M	116	—	—	1	7	8	15	8	8	2
		F	114	—	—	3	4	7	9	7	—	5
28 & 29	Pulmonary tuberculosis, acute and chronic.	M	6,351	—	—	11	28	39	51	30	31	26
		F	5,534	—	2	9	32	43	36	26	8	24
30	Tuberculous meningitis	M	780	1	4	40	90	135	123	94	67	41
		F	748	—	8	27	63	98	125	85	50	36
31	Tuberculosis of peritoneum and intestines.	M	552	5	14	29	46	94	110	48	33	17
		F	603	—	9	23	34	66	81	49	26	17
32	Tuberculosis of spinal column.	M	124	—	—	1	—	1	3	—	1	1
		F	93	—	—	—	1	1	3	2	1	2
33	Tuberculosis of joints ...	M	70	—	—	—	—	—	1	2	1	—
		F	31	—	1	—	—	1	1	2	—	—
34	Tuberculosis of other organs.	M	109	—	—	1	5	6	7	1	—	1
		F	102	—	—	1	4	5	2	6	1	1
35	Disseminated tuberculosis	M	378	1	4	12	19	36	39	16	11	9
		F	307	—	3	8	10	21	20	17	8	10
28–35	Tuberculosis (all forms)	M	8,364	7	22	94	188	311	334	191	144	95
		F	7,418	—	23	68	144	235	268	187	94	90
36	Rickets, Softening of bones.	M	154	—	2	10	42	54	60	15	6	7
		F	151	—	4	6	34	44	61	12	9	5
37	Syphilis	M	316	54	75	47	19	195	6	4	—	—
		F	226	39	63	29	15	146	10	—	2	3
38	Other venereal diseases...	M	12	3	4	—	—	7	—	—	—	—
		F	6	2	—	—	—	2	—	—	1	—
39	Cancer of the buccal cavity.	M	670	—	—	—	—	—	—	—	—	—
		F	117	—	—	—	—	—	—	—	—	1
40	Cancer of the stomach, liver, &c.	M	2,217	—	—	—	—	—	—	—	—	—
		F	2,245	—	—	—	—	—	—	—	1	—
41	Cancer of the peritoneum, intestines, and rectum.	M	1,239	—	—	—	—	—	—	—	—	—
		F	1,493	—	—	—	—	—	—	—	1	1
42	Cancer of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	1,538	—	—	—	—	—	—	—	—	—
43	Cancer of the breast ...	M	8	—	—	—	—	—	—	—	—	—
		F	1,440	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1916 (Civil Population only)—*continued.*

Total under 5 Years.	Ages at Death. 5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
—	—	—	1	—	—	—	1	—	2	3	4	—	—	—	—	—	—	22
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9	3	7	2	2	1	1	—	1	2	2	1	6	5	—	—	—	—	24
5	2	1	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—	—	25
—	—	—	1	—	—	1	1	1	—	2	—	1	—	1	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	26
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
116	67	90	365	531	601	644	695	703	594	473	365	272	153	69	15	4	3	28
86	104	205	573	667	672	600	564	475	315	233	191	121	91	62	25	7	4	
20	17	21	52	38	47	48	44	55	43	36	26	12	12	3	1	—	—	29A
23	20	23	68	70	44	43	43	29	22	19	9	7	2	2	1	—	—	
41	14	13	8	5	5	4	2	4	6	7	1	2	3	1	—	—	—	29B
28	15	12	13	11	7	7	7	6	4	—	2	1	—	1	—	—	—	
177	98	124	425	574	653	696	741	762	643	516	392	286	168	73	16	4	3	28 & 29
137	139	240	654	748	723	650	614	510	341	252	202	129	93	65	26	7	4	
460	157	83	45	10	3	2	9	3	5	2	1	—	—	—	—	—	—	30
394	142	81	57	27	16	9	3	6	6	3	2	—	2	—	—	—	—	
302	60	59	45	13	5	13	12	12	7	8	3	7	5	1	—	—	—	31
239	69	43	55	35	36	31	28	19	17	14	2	6	4	3	2	—	—	
6	10	19	16	14	16	10	8	7	4	3	4	2	4	1	—	—	—	32
9	5	9	4	10	6	4	12	4	6	6	7	5	2	1	1	1	1	
4	2	11	10	6	4	2	2	8	5	3	5	2	2	2	2	—	—	33
4	1	5	3	2	2	1	1	—	1	5	2	—	2	—	1	—	1	
15	7	6	5	10	8	8	9	8	4	5	4	2	9	2	4	1	2	34
15	3	3	9	11	10	4	5	3	2	8	8	3	2	6	6	3	1	
111	49	33	33	30	13	23	22	24	10	11	5	9	4	—	—	1	—	35
76	29	34	42	24	20	11	13	17	15	6	7	5	4	2	1	—	1	
1,075	383	335	579	657	702	754	803	824	678	548	414	308	192	79	22	6	5	28–35
874	388	415	824	857	813	710	676	559	388	294	230	148	109	77	37	11	8	
142	5	—	1	1	1	1	1	—	—	—	—	—	—	1	1	—	—	36
131	3	—	1	5	4	1	—	—	—	—	1	1	2	1	1	—	—	
205	2	4	1	2	2	10	14	12	14	14	11	12	7	6	—	—	—	37
161	1	1	1	10	5	5	4	12	5	5	5	—	6	1	4	—	—	
7	—	—	1	—	—	—	—	1	1	2	—	—	—	—	—	—	—	38
3	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	
—	—	—	2	1	—	3	7	31	42	97	105	120	108	74	46	22	12	39
1	—	—	—	1	1	5	3	7	14	17	15	11	8	14	12	7	1	
—	—	1	3	3	11	13	31	80	141	257	350	390	385	313	169	56	14	40
1	—	1	—	—	6	19	46	76	163	221	298	324	406	337	229	96	22	
—	2	1	2	4	2	13	27	46	55	99	165	198	242	215	112	46	10	41
2	—	4	2	4	4	19	47	60	81	155	167	202	247	205	177	87	30	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	42
—	—	—	4	5	8	38	72	161	187	215	222	211	176	124	76	32	7	
—	—	—	—	—	—	—	—	—	—	1	—	3	—	—	3	—	1	43
—	—	—	—	—	4	19	72	114	182	184	214	153	155	130	117	55	41	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ...	M	196	—	—	—	—	—	—	—	—	—
		F	123	—	—	—	1	1	—	—	—	—
45	Cancer of other or unspecified organs.	M	1,223	—	1	2	1	4	—	7	3	2
		F	721	—	1	—	—	1	3	4	3	3
39–45	Cancer (all sites) ...	M	5,553	—	1	2	1	4	—	7	3	2
		F	7,677	—	1	—	1	2	3	4	5	5
46	Other tumours (situation undefined).	M	24	—	—	—	—	—	1	—	1	—
		F	40	—	—	1	—	1	—	—	—	—
47	Rheumatic fever... ...	M	291	—	—	—	2	2	3	—	2	8
		F	335	—	—	—	1	1	2	1	—	2
48 A,B	Chronic rheumatism, Osteo-arthritis.	M	185	—	—	—	—	—	—	—	—	—
		F	463	—	—	—	—	—	—	—	—	—
48C	Gout	M	102	—	—	—	—	—	—	—	—	—
		F	16	—	—	—	—	—	—	—	—	—
49	Scurvy	M	10	—	—	1	1	2	5	—	1	—
		F	7	—	—	—	1	1	—	3	—	—
50	Diabetes	M	845	—	—	1	1	2	—	—	2	—
		F	752	—	—	—	1	1	1	—	—	1
51	Exophthalmic goître ...	M	21	—	—	—	—	—	1	—	—	—
		F	138	—	—	—	—	—	—	—	—	—
52	Addison's disease ...	M	32	—	—	—	—	—	—	—	—	—
		F	50	—	—	—	—	—	—	—	—	—
53	Leucocythæmia, Lymphadenoma.	M	131	—	1	1	1	3	3	1	3	3
		F	103	—	—	1	1	2	1	3	1	—
54	Anæmia, Chlorosis ...	M	375	1	—	—	5	6	6	—	—	—
		F	519	1	—	—	1	2	3	—	1	1
55	Other general diseases ...	M	72	13	3	1	1	18	4	2	2	—
		F	93	8	—	3	—	11	6	2	3	2
56	Alcoholism (acute or chronic).	M	73	—	—	—	—	—	—	—	—	—
		F	49	—	—	—	—	—	—	—	—	—
57	Chronic lead poisoning...	M	19	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
58	Other chronic occupational poisonings.	M	15	—	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	—	—	—	—	—
59	Other chronic poisonings	M	2	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
60	Encephalitis	M	44	—	1	—	2	3	3	—	4	—
		F	35	—	—	—	—	—	—	1	—	—
61A	Cerebro spinal fever ...	M	103	—	2	5	7	14	3	6	8	7
		F	104	—	1	6	5	12	7	4	3	6
61B	Posterior basal meningitis	M	28	—	2	2	7	11	5	1	3	1
		F	26	—	—	4	6	10	6	3	1	1
61C	Meningitis, other forms	M	605	10	15	45	84	154	96	67	30	25
		F	509	6	17	21	66	110	64	50	22	20
62	Locomotor ataxy ...	M	244	—	—	—	—	—	—	—	—	—
		F	30	—	—	—	—	—	—	—	—	—
63	Other diseases of the spinal cord.	M	531	—	—	1	—	1	4	6	2	3
		F	432	—	—	2	1	3	4	5	3	4

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1916 (Civil Population only)—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	1	1	—	2	—	3	6	11	17	15	24	27	27	34	12	16	44
1	—	—	—	—	1	1	1	—	3	5	6	19	14	20	25	18	9	
16	11	11	6	9	11	21	39	40	84	133	135	198	198	154	111	39	7	45
14	3	4	7	12	12	13	21	36	68	85	85	92	102	89	46	22	10	
16	13	14	14	17	26	50	107	203	333	604	770	933	960	783	475	175	60	39–45
19	3	9	13	22	36	114	262	454	698	882	1007	1012	1108	919	682	317	120	
2	—	—	—	3	—	—	2	3	1	2	2	4	1	4	—	—	—	46
1	—	1	2	—	—	—	4	2	3	2	2	4	6	7	5	—	1	
15	36	46	29	24	15	23	19	18	15	19	7	10	11	1	2	—	1	47
6	31	61	47	30	26	20	20	23	19	12	12	11	8	6	2	1	—	
—	—	—	—	—	—	—	1	6	9	12	19	26	33	29	32	12	6	48
—	—	—	1	1	2	4	9	14	23	23	45	46	75	97	74	33	16	A, B.
—	—	—	—	—	—	1	—	—	4	4	16	23	17	17	8	7	5	48C
—	—	—	—	—	—	—	—	—	1	1	1	3	2	3	5	—	—	
8	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	49
4	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
4	12	15	23	24	33	40	40	33	48	59	87	126	121	103	50	22	5	50
3	7	15	18	23	28	26	35	32	29	65	73	109	117	88	52	24	8	
1	—	—	1	—	4	—	2	3	3	1	3	2	—	1	—	—	—	51
—	—	1	5	8	9	12	17	13	15	20	11	10	8	6	3	—	—	
—	1	1	—	—	1	2	4	7	4	2	3	2	3	1	1	—	—	52
—	—	—	1	2	6	4	3	4	3	3	7	7	5	2	2	1	—	
13	11	12	10	3	7	8	10	8	8	9	8	12	6	5	1	—	—	53
7	10	5	4	8	4	2	12	7	7	7	9	6	10	3	1	1	—	
12	5	2	6	2	6	8	16	32	34	44	57	49	50	34	17	1	—	54
7	5	4	15	17	24	25	33	41	49	52	64	68	60	35	12	7	1	
26	1	6	5	2	4	4	4	5	2	2	4	4	—	3	—	—	—	55
24	7	7	6	4	6	4	6	3	4	4	4	3	4	—	6	1	—	
—	—	—	—	1	—	7	7	12	12	8	11	2	5	2	4	1	1	56
—	—	—	—	—	2	2	5	4	7	8	6	5	5	1	3	1	—	
—	—	—	—	—	—	1	1	8	1	3	1	2	1	1	—	—	—	57
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
—	—	1	4	1	1	3	1	1	—	—	2	1	—	—	—	—	—	58
—	—	—	1	9	—	1	3	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	59
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	
10	2	2	2	2	1	2	4	4	5	2	2	2	1	2	—	1	—	60
1	1	7	3	4	2	—	2	2	2	2	2	2	—	1	3	1	—	
38	19	16	7	2	1	5	2	3	5	1	1	2	1	—	—	—	—	61A
32	11	17	10	7	7	2	2	2	4	4	1	1	2	2	—	—	—	
21	5	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	61B
21	1	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
372	74	46	31	8	3	12	13	6	8	14	9	5	2	1	1	—	—	61C
266	65	47	28	18	16	10	6	8	16	16	4	4	2	—	1	1	1	
—	—	—	—	—	3	4	11	17	34	34	48	40	24	17	9	1	2	62
—	—	—	—	—	—	—	—	3	8	2	7	4	2	2	2	—	—	
16	10	8	13	6	7	15	26	24	27	44	65	58	74	64	58	15	1	63
19	7	7	4	5	9	27	23	39	30	26	46	48	54	35	38	9	6	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
64	Cerebral hæmorrhage, Apoplexy.	M	3,756	3	1	1	3	8	3	—	1	—
		F	4,435	3	1	—	1	5	1	2	—	—
65	Softening of brain ...	M	186	—	—	—	—	—	—	—	—	—
		F	215	—	—	—	—	—	—	—	—	—
66	Paralysis without specified cause.	M	408	—	—	—	—	—	1	2	—	—
		F	497	—	—	—	1	1	—	—	—	—
67	General paralysis of the insane.	M	465	—	—	—	—	—	—	—	—	—
		F	92	—	—	—	—	—	—	—	—	—
68	Other forms of mental alienation.	M	130	—	—	—	—	—	—	—	—	—
		F	202	—	—	—	—	—	—	—	—	—
69	Epilepsy	M	542	2	1	—	5	8	7	—	3	5
		F	500	1	—	2	1	4	6	4	—	1
70	Convulsions (non-puerperal; 5 yrs. and over).	M	14	—	—	—	—	—	—	—	—	—
		F	29	—	—	—	—	—	—	—	—	—
71	Infantile convulsions (under 5 years).	M	1,494	471	272	219	256	1,218	201	47	20	8
		F	1,056	293	183	164	199	839	166	30	14	7
72	Chorea	M	8	—	—	—	—	—	—	—	—	—
		F	33	—	—	—	—	—	—	—	—	1
73	Hysteria, Neuralgia, Neuritis.	M	40	—	—	—	—	—	—	—	—	—
		F	80	—	—	—	—	—	—	—	—	—
74	Other diseases of the nervous system.	M	368	2	—	4	5	11	8	2	9	2
		F	379	2	—	2	2	6	7	6	6	7
75	Diseases of the eyes and annexa.	M	10	—	—	—	1	1	1	2	—	—
		F	10	—	—	—	1	1	—	1	—	—
76A	Mastoid disease	M	42	—	1	—	3	4	4	2	2	1
		F	46	—	1	—	1	2	3	1	—	3
76B	Other diseases of the ears	M	142	—	3	7	19	29	15	7	3	1
		F	102	—	—	4	4	8	8	4	4	4
77	Pericarditis	M	50	—	—	1	2	3	1	—	1	—
		F	57	1	—	—	—	1	—	—	1	—
78	Acute endocarditis ...	M	208	—	—	—	—	—	—	—	—	2
		F	273	—	—	—	—	—	1	—	3	1
79A	Valvular disease	M	3,584	—	—	—	—	—	1	1	3	6
		F	4,294	—	—	—	—	—	—	3	4	4
79B	Fatty degeneration of the heart.	M	375	—	—	—	—	—	—	—	—	—
		F	538	—	—	—	—	—	—	—	—	1
79C	Other organic disease of the heart.	M	4,096	—	—	—	4	4	1	1	5	2
		F	4,729	—	—	—	3	3	2	2	—	2
80	Angina pectoris	M	248	—	—	—	—	—	—	—	—	—
		F	108	—	—	—	—	—	—	—	—	—
81A	Aneurysm	M	224	—	—	—	—	—	—	—	—	1
		F	50	—	—	—	—	—	—	—	—	—
81B	Arterial sclerosis... ...	M	1,474	—	—	—	—	—	—	—	—	—
		F	1,007	—	—	—	—	—	—	—	—	—
81C	Other diseases of arteries	M	30	—	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1916 (Civil Population only)—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
12	3	2	6	2	8	11	45	82	138	247	387	513	585	725	572	285	133	64
8	1	2	6	6	11	19	51	102	199	287	415	519	671	780	728	400	230	
—	—	—	—	1	1	—	—	4	7	7	13	27	31	30	32	24	9	65
—	—	—	2	—	—	1	4	3	5	9	14	17	31	42	35	35	17	
3	2	1	3	1	—	4	5	4	7	21	25	52	72	93	67	35	13	66
1	3	2	1	—	2	—	3	14	18	23	32	56	74	98	86	58	26	
—	—	1	4	3	7	38	87	96	82	65	40	24	9	6	2	1	—	67
—	—	1	—	3	1	6	9	13	17	20	12	5	—	2	3	—	—	
—	—	—	—	2	7	3	9	5	12	10	24	22	16	13	3	4	—	68
—	—	—	3	3	8	13	16	18	16	20	25	41	15	10	9	3	2	
23	19	29	38	40	48	45	44	49	37	35	32	25	35	17	12	12	2	69
15	9	27	37	44	46	41	46	41	32	27	40	27	30	18	16	3	1	
—	9	2	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	70
—	15	5	2	1	—	—	—	—	—	—	1	1	1	1	—	1	1	
1,494	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	71
1,056	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	3	1	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	72
1	6	9	9	3	2	1	—	—	—	—	2	—	—	—	—	—	—	
—	—	1	—	—	—	1	3	3	6	7	4	9	2	3	—	1	—	73
—	1	—	3	2	1	3	9	9	7	13	5	11	4	3	4	2	3	
32	29	20	15	11	12	12	31	25	36	26	30	30	19	19	13	3	5	74
32	17	18	24	16	12	17	28	36	22	41	20	32	20	13	20	6	5	
4	—	—	1	1	—	—	—	—	—	1	2	—	—	1	—	—	—	75
2	—	—	1	1	—	—	—	—	1	—	2	—	—	1	1	1	—	
13	9	2	7	—	1	2	1	3	2	1	1	—	—	—	—	—	—	76A
9	13	5	3	3	2	4	—	—	2	1	—	1	2	—	1	—	—	
55	26	12	16	10	7	2	4	3	3	1	—	2	—	—	—	1	—	76B
28	13	22	10	7	7	4	2	4	—	1	—	1	1	—	2	—	—	
5	5	4	6	4	1	1	1	4	1	1	4	3	4	3	1	1	1	77
2	6	5	6	3	3	2	1	2	3	9	5	3	3	1	3	—	—	
2	18	12	13	15	15	8	20	16	22	24	30	4	4	2	1	1	1	78
5	18	11	21	20	13	25	21	24	25	27	43	9	6	1	4	—	—	
11	20	54	83	83	51	72	102	155	219	280	369	496	532	485	365	132	75	79A
11	44	80	74	97	109	118	182	212	237	314	362	465	574	583	475	245	112	
—	—	—	—	—	1	2	4	10	23	41	40	57	69	61	46	16	5	79B
1	—	—	—	2	2	5	11	23	23	47	60	78	98	78	63	33	14	
13	17	23	40	33	32	50	66	115	161	279	374	565	730	727	503	249	119	79C
9	21	40	41	34	55	74	106	141	205	242	365	543	687	793	701	412	260	
—	—	—	—	—	1	—	2	10	13	22	45	47	29	40	25	12	2	80
—	—	—	—	—	—	2	1	3	3	8	9	17	27	20	11	4	3	
1	—	—	—	—	2	5	11	24	35	38	46	23	16	14	7	1	1	81A
—	—	—	—	1	1	—	3	1	4	7	9	4	7	3	7	1	2	
—	—	—	—	1	1	1	6	8	21	56	89	173	276	292	275	165	110	81B
—	—	—	—	—	—	—	1	4	14	21	35	73	132	203	215	160	149	
—	—	—	—	1	—	—	—	1	2	6	1	4	5	7	3	—	—	81C
—	—	—	—	—	—	—	—	1	—	1	—	2	3	2	1	1	3	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.		AGES AT DEATH. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis.	M	407	—	—	—	—	—	—	—	—	—
		F	599	—	—	—	—	—	1	—	—	—
82B	Other embolism and thrombosis.	M	38	—	—	—	—	—	—	—	—	—
		F	50	—	—	—	—	—	1	—	—	—
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	M	44	—	—	—	—	—	—	—	—	1
		F	65	—	—	—	—	—	—	—	—	—
84A	Status lymphaticus ...	M	29	7	2	3	2	14	9	1	1	—
		F	28	2	3	7	7	19	—	3	—	1
84B	Other diseases of the lymphatic system.	M	15	—	2	—	2	4	—	1	—	1
		F	14	—	1	2	—	3	—	—	—	—
85	Hæmorrhage; other diseases of the circulatory system.	M	30	—	—	—	—	—	—	—	—	—
		F	46	1	1	—	—	2	—	—	—	—
86	Diseases of the nasal fossæ.	M	7	2	—	—	1	3	—	—	—	—
		F	7	—	—	—	—	—	1	—	—	—
87	Diseases of the larynx ...	M	212	8	7	11	11	37	27	34	24	21
		F	162	2	4	6	12	24	24	26	26	16
88	Diseases of the thyroid body.	M	12	—	—	—	—	—	—	—	—	—
		F	88	—	—	—	—	—	—	—	—	—
89 & 90	Bronchitis	M	6,437	119	286	275	393	1,073	252	80	35	22
		F	6,704	79	220	222	277	798	263	81	33	22
91	Broncho-pneumonia ...	M	2,591	46	193	253	572	1,064	537	174	91	46
		F	2,271	26	119	161	411	717	501	167	95	41
92A	Lobar pneumonia ...	M	1,416	5	10	17	53	85	60	22	22	9
		F	1,005	2	8	12	21	43	47	19	17	18
92B	Pneumonia (type not stated).	M	2,052	12	39	45	114	210	110	44	34	23
		F	1,511	8	28	45	76	157	118	47	33	23
93	Pleurisy	M	250	—	2	1	5	8	5	10	6	2
		F	174	—	—	1	2	3	9	1	3	2
94	Pulmonary congestion, Pulmonary apoplexy.	M	261	10	10	12	8	40	6	2	1	3
		F	264	6	9	4	8	27	3	2	2	—
95	Gangrene of the lung ...	M	9	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	—	—
96	Asthma	M	386	—	—	—	1	1	1	—	2	3
		F	267	—	—	1	—	1	—	—	—	—
97	Pulmonary emphysema	M	64	—	—	—	—	—	—	—	—	—
		F	25	—	—	—	—	—	—	—	—	—
98A	Fibroid disease of lung...	M	70	—	—	—	—	—	—	—	—	—
		F	17	—	—	—	—	—	—	—	—	—
98B	Other diseases of the respiratory system.	M	44	—	—	1	—	1	1	1	—	—
		F	19	—	—	—	—	—	—	1	—	1
99A	Diseases of the teeth and gums.	M	51	2	5	2	2	11	4	3	1	2
		F	46	3	2	4	1	10	4	—	—	—
99B, C,D.	Other diseases of the mouth and annexa.	M	28	10	9	—	2	21	1	—	—	—
		F	14	5	4	—	1	10	1	—	—	—
100	Diseases of pharynx, Tonsillitis.	M	115	—	3	4	5	12	5	5	7	6
		F	96	3	2	2	—	7	2	6	7	9

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1916 (Civil Population only)—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	1	1	1	1	3	—	5	7	12	21	23	40	61	84	81	37	29	82A
1	1	—	1	1	1	9	5	10	20	28	54	48	72	115	112	78	43	
—	—	—	1	—	—	—	2	3	—	4	6	5	8	5	1	1	2	82B
1	1	—	1	—	2	4	5	5	5	1	5	7	2	5	4	2	—	
1	—	—	1	—	2	1	4	2	5	4	7	8	1	5	1	2	—	83
—	—	—	—	1	3	5	4	4	2	4	9	9	9	8	4	3	—	
25	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84A
23	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	—	—	1	—	—	1	1	2	—	1	—	1	1	—	1	—	—	84B
3	2	—	2	—	—	—	1	—	1	—	1	2	1	—	1	—	—	
—	—	—	1	—	—	—	—	—	2	6	5	3	4	4	3	1	1	85
2	1	—	—	—	2	—	1	3	—	2	4	6	5	8	5	3	4	
3	1	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	86
1	—	3	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	
143	39	4	1	—	1	—	2	—	3	4	2	3	5	2	1	2	—	87
116	27	1	—	—	3	2	3	1	1	1	3	—	—	1	1	2	—	
—	1	—	2	—	—	—	—	1	2	2	—	—	2	—	—	1	1	88
—	1	1	2	—	2	1	6	5	4	11	8	7	15	15	6	4	—	
1,462	29	6	20	13	13	22	46	78	146	270	378	594	754	922	836	545	303	89 & 90
1,197	40	7	16	15	17	31	47	64	111	178	295	442	672	1,003	1,079	883	607	
1,912	65	12	13	7	11	17	12	17	31	41	59	85	78	101	65	44	21	91
1,521	76	21	14	9	13	10	22	14	27	22	46	74	95	91	102	73	41	
198	42	24	43	29	60	85	126	114	106	120	121	108	108	68	40	18	6	92A
144	37	25	37	37	53	65	59	61	61	68	67	76	77	74	44	16	4	
421	80	40	54	36	62	61	98	125	162	163	150	180	140	125	90	44	21	92B
378	65	24	28	45	42	41	66	61	59	88	83	86	116	153	91	53	32	
31	11	3	2	9	9	5	14	16	20	18	21	25	21	22	13	6	4	93
18	4	7	7	6	3	7	6	8	9	20	8	16	15	12	11	10	7	
52	4	2	—	—	—	3	7	3	9	7	10	15	22	34	40	28	25	94
34	1	1	—	3	1	5	4	4	13	4	12	13	23	42	39	33	32	
—	—	—	1	—	—	—	1	1	—	1	1	1	1	—	2	—	—	95
—	—	—	2	—	—	—	1	—	—	—	1	—	—	1	—	—	—	
7	4	—	1	2	5	5	19	20	30	41	39	59	64	34	38	14	4	96
1	1	2	3	6	1	5	17	15	18	21	30	26	42	46	19	6	8	
—	1	1	—	1	—	—	—	1	3	10	9	7	11	14	1	4	1	97
—	—	—	—	—	—	—	—	—	3	1	2	3	2	5	7	2	—	
—	—	1	1	—	—	1	6	7	10	9	9	17	4	2	3	—	—	98A
—	—	1	—	—	—	1	—	1	—	1	3	5	4	1	—	—	—	
3	1	2	1	—	2	—	3	3	4	5	3	4	4	3	3	3	—	98B
2	—	—	2	—	—	1	—	2	2	2	4	1	1	1	—	1	—	
21	6	1	2	—	1	1	2	1	—	6	3	1	4	1	1	—	—	99A
14	4	—	1	1	4	5	—	3	2	2	—	2	2	3	2	—	1	
22	1	—	—	—	—	1	—	—	—	—	1	2	—	1	—	—	—	99B, C, D.
11	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	
35	28	8	8	3	6	1	5	3	2	3	3	4	2	—	4	—	—	100
31	27	9	—	3	2	6	2	—	2	3	1	—	2	5	2	1	—	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ...	M	11	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of stomach.	M	276	—	—	—	—	—	—	—	1	—
		F	309	—	—	—	—	—	—	—	1	1
103A	Inflammation of stomach	M	575	37	103	74	61	275	40	10	7	6
		F	576	27	44	50	48	169	39	19	12	4
103B	Other diseases of the stomach.	M	111	7	4	5	2	18	2	—	—	—
		F	109	4	8	3	—	15	2	1	—	4
104 & 105.	Diarrhœa and enteritis ...	M	2,312	126	364	421	409	1,320	271	68	27	17
		F	1,957	83	259	302	321	965	252	63	21	15
106	Ankylostomiasis	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites	M	5	—	—	—	—	—	1	1	2	—
		F	3	—	—	—	—	—	1	—	—	—
108	Appendicitis	M	430	1	—	1	1	3	—	3	7	8
		F	424	—	1	1	—	2	—	3	6	11
109A	Hernia	M	279	5	6	12	6	29	7	1	—	2
		F	347	2	2	—	1	5	—	—	—	—
109B	Intestinal obstruction ...	M	392	8	6	19	33	66	10	4	4	6
		F	356	4	1	13	15	33	11	3	5	1
110	Other diseases of the intestines.	M	68	1	1	—	1	3	2	—	—	—
		F	83	2	—	4	—	6	—	—	—	—
111	Acute yellow atrophy of liver.	M	7	—	—	—	—	—	—	1	—	—
		F	8	—	—	—	—	—	—	—	—	—
112	Hydatid of liver... ...	M	2	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver ...	M	613	—	—	2	2	4	—	—	—	—
		F	407	—	—	—	—	—	—	—	—	—
114	Biliary calculi	M	72	—	—	—	—	—	—	—	—	—
		F	196	—	—	—	—	—	—	—	—	—
115	Other diseases of the liver	M	120	—	—	2	3	5	1	3	—	1
		F	156	—	—	1	1	2	2	—	5	—
116	Diseases of the spleen ...	M	9	—	—	—	—	—	1	—	—	—
		F	11	—	—	—	—	—	—	1	—	—
117	Peritonitis (cause unstated).	M	63	2	3	—	2	7	2	—	4	4
		F	88	2	2	—	1	5	2	3	3	4
118	Other diseases of the digestive system.	M	29	1	1	—	—	2	—	—	—	—
		F	36	—	—	—	—	—	—	1	—	—
119	Acute nephritis	M	340	2	2	2	10	16	21	8	11	10
		F	293	—	3	5	12	20	22	14	11	8
120	Bright's disease	M	2,152	—	—	—	—	—	1	—	2	2
		F	1,959	—	—	—	—	—	1	2	1	3
121	Chyluria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
122	Other diseases of the kidney and annexa.	M	61	—	—	2	2	4	1	1	2	—
		F	81	—	—	—	—	—	1	2	1	—

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1916—(Civil Population only)—*continued.*

Ages at Death.																	International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	1	—	—	—	—	—	1	2	—	—	4	1	2	—	—	101
—	—	1	1	—	—	—	—	2	1	1	—	—	1	1	—	—	—	
1	1	1	4	3	14	15	31	33	40	29	32	31	18	9	8	4	2	102
2	—	4	15	19	23	22	15	38	31	33	26	25	23	17	10	5	1	
338	13	3	7	2	3	4	11	12	15	24	15	31	25	28	28	11	5	103A
243	19	7	2	3	3	4	6	21	13	15	23	28	42	51	52	27	17	
20	2	2	2	—	—	2	5	4	4	8	8	8	11	12	11	8	4	103B
22	6	2	2	1	4	3	6	2	3	3	4	9	7	12	6	13	4	
1,703	31	10	10	7	25	28	31	36	31	44	54	66	71	64	54	35	12	104 &
1,316	50	16	8	15	18	33	36	24	28	36	38	51	60	82	63	46	37	105.
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	106
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	107
1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
21	61	81	56	17	19	24	25	26	15	20	15	23	9	10	2	3	3	108
22	50	75	37	48	24	19	22	28	25	15	22	16	11	1	2	5	2	
39	2	—	2	1	1	5	6	11	13	13	28	36	45	35	30	9	3	109A
5	—	—	—	2	1	2	8	18	24	29	36	53	59	33	47	21	9	
90	9	9	10	6	11	8	14	12	23	24	24	28	45	32	34	10	3	109B
53	14	9	3	6	8	7	10	21	20	19	24	20	29	41	38	25	9	
5	2	1	4	1	3	1	3	1	5	6	4	5	8	10	4	5	—	110
6	2	—	1	1	—	4	2	7	4	5	5	12	5	7	9	7	6	
1	1	—	1	1	1	—	—	1	—	1	—	—	—	—	—	—	—	111
—	1	—	1	1	1	—	—	1	—	1	—	2	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	112
—	—	—	—	—	1	—	1	2	—	—	1	1	—	—	—	—	—	
4	—	1	1	1	3	9	23	42	76	91	103	113	88	33	19	5	1	113
—	4	—	1	2	2	12	15	40	46	61	59	62	37	38	21	5	2	
—	—	—	—	—	1	1	—	2	3	9	10	11	12	7	10	4	2	114
—	—	—	—	1	2	2	3	7	14	23	19	31	26	25	21	19	3	
10	3	1	1	—	2	3	6	7	8	9	19	14	13	8	5	8	3	115
9	2	1	2	4	1	3	4	3	9	10	12	17	11	22	30	10	6	
1	—	—	1	—	1	—	—	—	1	1	1	2	—	—	1	—	—	116
1	—	—	—	—	—	2	2	2	1	—	—	3	—	—	—	—	—	
17	6	3	—	1	2	1	—	4	2	3	4	6	3	6	2	2	1	117
17	8	4	4	3	5	10	6	8	5	5	3	1	2	4	2	1	—	
2	—	1	1	—	2	1	—	3	4	5	4	2	2	—	1	—	1	118
1	—	—	—	—	—	1	1	4	5	3	5	4	6	3	2	1	—	
66	34	21	15	7	13	15	11	19	24	36	17	29	17	8	7	1	—	119
75	22	11	8	11	15	17	20	21	21	16	18	12	11	9	5	1	—	
5	12	22	23	26	29	41	61	113	144	203	268	306	329	276	199	69	26	120
7	8	18	21	25	44	68	99	131	169	180	210	232	259	209	170	74	35	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	121
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8	—	—	1	—	—	2	2	1	8	9	4	8	3	7	5	2	1	122
4	—	1	2	2	3	4	11	9	7	8	6	7	4	6	2	2	3	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.		AGES AT DEATH. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages.	M	56	—	—	—	—	—	—	—	—	—
		F	23	—	—	—	—	—	—	—	—	—
124	Diseases of the bladder...	M	392	—	1	—	—	1	—	—	—	—
		F	86	—	—	1	—	1	—	—	—	—
125	Diseases of the urethra, Urinary abscess, &c.	M	112	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
126	Diseases of the prostate...	M	525	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
127	Non-venereal diseases of male genital organs.	M	11	2	2	1	1	6	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
128	Uterine hæmorrhage (non-puerperal).	M	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	—	—	—	—
129	Uterine tumour (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	110	—	—	—	—	—	—	—	—	—
130	Other diseases of the uterus.	M	—	—	—	—	—	—	—	—	—	—
		F	58	—	—	—	—	—	—	—	—	—
131	Ovarian cyst, tumour (non-cancerous)	M	—	—	—	—	—	—	—	—	—	—
		F	113	—	—	—	—	—	—	—	—	—
132	Other diseases of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	57	—	1	—	—	1	—	—	—	—
133	Non-puerperal dis. of the breast (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	7	2	1	—	—	3	—	—	—	—
134	Accidents of pregnancy...	M	—	—	—	—	—	—	—	—	—	—
		F	115	—	—	—	—	—	—	—	—	—
135	Puerperal hæmorrhage ...	M	—	—	—	—	—	—	—	—	—	—
		F	166	—	—	—	—	—	—	—	—	—
136	Other accidents of child-birth.	M	—	—	—	—	—	—	—	—	—	—
		F	142	—	—	—	—	—	—	—	—	—
137	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—
		F	345	—	—	—	—	—	—	—	—	—
138	Puerperal albuminuria and convulsions.	M	—	—	—	—	—	—	—	—	—	—
		F	257	—	—	—	—	—	—	—	—	—
139	Puerperal phlegmasia alba dolens, embolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—
		F	117	—	—	—	—	—	—	—	—	—
140	Puerperal insanity ...	M	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	—	—
141	Puerperal diseases of the breast.	M	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
134–141	All accidents of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—
		F	1,150	—	—	—	—	—	—	—	—	—
142A	Senile gangrene	M	209	—	—	—	—	—	—	—	—	—
		F	215	—	—	—	—	—	—	—	—	—
142B, C, D.	Gangrene, other types ...	M	35	2	1	—	1	4	1	—	2	—
		F	29	2	—	—	—	2	1	1	2	1
143	Carbuncle, Boil	M	54	1	—	—	1	2	—	—	—	—
		F	38	—	—	—	1	1	—	—	—	—
144	Phlegmon, Acute abscess	M	124	8	7	3	2	20	1	2	—	1
		F	100	8	7	5	4	24	4	2	1	—
145	Diseases of the integumentary system.	M	151	30	24	10	10	74	5	2	1	—
		F	201	30	8	5	12	55	9	2	—	1

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1916 (Civil Population only)—*continued.*

Ages at Death.																	International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	3	1	1	1	1	—	5	2	2	7	9	10	3	4	3	4	—	123
—	—	—	1	1	3	2	1	5	—	1	1	5	—	2	1	—	—	
1	—	—	1	1	—	3	3	6	13	17	17	42	55	71	77	52	33	124
1	—	1	—	1	4	2	1	2	2	6	4	5	6	13	7	13	18	
—	—	—	—	—	—	—	4	6	12	10	21	17	12	19	6	5	—	125
—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	
—	—	—	—	—	—	—	—	—	—	11	13	46	86	127	119	79	44	126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	—	—	—	—	—	—	—	1	1	—	—	2	—	1	—	—	—	127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	128
—	—	1	—	—	1	2	—	1	—	2	—	—	—	1	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	129
—	—	—	—	—	3	3	10	17	21	15	11	9	11	4	6	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	130
—	—	—	—	3	1	4	7	7	13	5	3	1	2	4	3	3	2	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	131
—	—	—	—	2	5	5	5	9	15	8	12	9	8	14	13	5	3	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	132
1	—	—	5	6	5	9	12	7	7	2	2	—	1	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	133
3	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	2	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134
—	—	—	3	12	16	25	40	11	6	2	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	135
—	—	—	1	8	42	34	50	27	4	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	136
—	—	—	7	13	37	34	33	15	3	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	137
—	—	—	18	52	86	91	75	21	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	138
—	—	—	22	53	70	47	36	27	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	139
—	—	—	3	9	31	24	38	8	4	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	140
—	—	—	—	—	—	2	2	—	—	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141
—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134–141
—	—	—	55	147	283	257	275	109	21	3	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	13	30	46	55	45	20	142A
—	—	—	—	—	—	—	—	—	—	2	3	12	25	42	46	42	43	
7	—	2	—	1	—	1	—	—	3	6	6	1	1	—	3	3	1	142B
7	5	—	—	—	—	—	1	1	1	1	6	—	2	2	3	—	—	C, D
2	—	—	1	—	1	—	1	4	4	6	4	3	5	5	6	6	6	143
1	—	—	1	1	1	1	2	3	4	2	1	8	3	1	6	3	—	
24	2	4	3	3	—	3	1	3	7	10	11	14	17	12	6	3	1	144
31	2	2	4	1	—	2	—	4	1	6	10	5	6	7	9	7	3	
82	1	—	1	—	—	—	2	1	2	4	10	5	8	9	12	12	2	145
67	1	1	—	—	2	1	2	10	8	7	7	11	15	21	19	12	17	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ...	M	91	1	—	—	2	3	4	4	3	2
		F	63	—	1	—	1	2	1	4	3	2
147	Diseases of the joints ...	M	24	1	—	1	—	2	1	—	—	—
		F	26	1	—	1	—	2	—	—	—	—
148	Amputations	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
149	Other diseases of locomotor system.	M	6	—	1	—	—	1	—	—	—	—
		F	6	1	—	—	—	1	—	—	—	—
150	Congenital malformations	M	719	408	118	65	50	641	24	6	6	6
		F	588	333	79	57	31	500	30	9	4	4
151A	Premature birth	M	2,699	2,457	206	30	6	2,699	—	—	—	—
		F	2,062	1,855	177	27	3	2,062	—	—	—	—
151 B–E.	Infantile debility, Icterus and Sclerema.	M	1,787	1,043	438	202	104	1,787	—	—	—	—
		F	1,246	752	281	129	84	1,246	—	—	—	—
152	Other diseases peculiar to early infancy.	M	445	431	14	—	—	445	—	—	—	—
		F	318	305	13	—	—	318	—	—	—	—
153	Lack of care	M	45	42	3	—	—	45	—	—	—	—
		F	34	34	—	—	—	34	—	—	—	—
154	Old age	M	4,457	—	—	—	—	—	—	—	—	—
		F	6,377	—	—	—	—	—	—	—	—	—
155	Suicide by poison ...	M	34	—	—	—	—	—	—	—	—	—
		F	29	—	—	—	—	—	—	—	—	—
156	Suicide by asphyxia ...	M	22	—	—	—	—	—	—	—	—	—
		F	15	—	—	—	—	—	—	—	—	—
157	Suicide by hanging or strangulation.	M	160	—	—	—	—	—	—	—	—	—
		F	61	—	—	—	—	—	—	—	—	—
158	Suicide by drowning ...	M	120	—	—	—	—	—	—	—	—	—
		F	111	—	—	—	—	—	—	—	—	—
159	Suicide by firearms ...	M	34	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
160	Suicide by cutting or piercing instruments.	M	138	—	—	—	—	—	—	—	—	—
		F	31	—	—	—	—	—	—	—	—	—
161	Suicide by jumping from high place.	M	7	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	—	—	—	—	—
162	Suicide by crushing ...	M	25	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	—	—	—	—
163	Other suicides	M	1	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
164	Poisoning by food ...	M	25	—	—	—	1	1	1	1	—	—
		F	12	—	—	—	—	—	—	—	—	—
165	Other acute poisonings ...	M	24	—	1	—	1	2	—	1	1	—
		F	16	—	—	—	—	—	2	—	—	—
166	Conflagration	M	7	—	—	—	—	—	—	1	—	—
		F	15	—	—	—	—	—	2	1	—	—
167	Burns (conflagration excepted).	M	300	—	—	4	9	13	53	61	49	24
		F	385	—	—	3	13	16	35	29	32	38
168	Absorption of deleterious gases (conflagration excepted).	M	119	34	29	20	7	90	—	1	—	—
		F	96	26	27	15	4	72	—	—	—	—

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1916 (Civil Population only)—*continued.*

AGES AT DEATH.																	International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
16	13	8	10	2	4	1	4	1	3	2	3	7	3	4	5	3	2	146
12	9	7	2	1	3	3	3	4	2	—	3	3	1	5	4	1	—	
3	1	2	—	—	—	2	2	1	1	1	4	3	1	1	—	2	—	147
2	2	—	—	1	—	—	1	1	—	1	2	1	4	5	4	1	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	148
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	1	—	1	—	—	—	—	—	1	1	—	1	—	—	—	149
1	—	—	1	—	—	—	—	—	2	1	—	—	—	—	—	—	1	
683	16	5	4	4	2	2	—	—	2	—	1	—	—	—	—	—	—	150
547	13	9	5	2	1	2	3	3	2	—	—	—	—	1	—	—	—	
2,699	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	151A
2,062	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1,787	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	151, B–
1,246	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
445	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	152
318	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
45	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	153
34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	3	8	44	199	827	1,311	1,153	912	154
—	—	—	—	—	—	—	—	—	—	1	6	49	214	985	1,522	1,787	1,813	
—	—	—	—	1	2	8	2	6	1	4	2	1	6	1	—	—	—	155
—	—	—	2	6	3	2	3	3	3	4	1	—	2	—	—	—	—	
—	—	—	—	1	1	—	2	4	1	4	1	6	2	—	—	—	—	156
—	—	—	—	1	2	1	1	1	1	2	3	1	—	1	1	—	—	
—	—	—	2	5	3	11	13	15	16	13	23	19	22	10	6	1	1	157
—	—	—	—	1	3	2	5	4	7	9	8	11	6	2	2	1	—	
—	—	—	2	2	6	5	15	16	10	14	14	13	12	8	3	—	—	158
—	—	2	14	9	7	11	11	8	12	10	11	7	6	2	1	—	—	
—	—	2	1	2	3	1	5	2	5	3	4	3	2	—	1	—	—	159
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	
—	—	—	—	4	5	12	19	9	17	21	10	11	11	10	6	3	—	160
—	—	—	1	1	2	5	2	2	4	4	1	3	4	1	1	—	—	
—	—	—	—	—	—	1	2	—	1	1	2	—	—	—	—	—	—	161
—	—	—	—	1	—	—	1	1	1	1	—	2	—	—	—	—	—	
—	—	—	2	1	2	1	1	3	3	4	3	—	2	1	1	1	—	162
—	—	—	1	—	—	1	1	1	1	—	1	1	1	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	163
—	—	—	—	—	—	—	1	1	1	—	—	1	—	—	—	—	—	
3	3	6	—	1	—	1	4	2	1	2	—	—	1	—	—	1	—	164
—	1	1	—	—	—	—	3	1	—	3	2	—	—	—	—	1	—	
4	1	2	—	—	1	—	2	1	2	4	3	1	2	1	—	—	—	165
2	—	—	1	1	1	2	3	1	—	1	—	3	—	1	—	—	—	
1	1	1	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	166
3	2	2	1	—	1	1	—	—	—	1	—	—	2	2	—	—	—	
200	28	3	6	3	7	1	11	5	6	6	8	2	6	1	4	1	2	167
150	63	28	15	9	6	1	5	3	7	10	9	14	9	17	20	7	12	
91	—	1	2	1	—	2	1	3	2	5	3	2	3	1	2	—	—	168
72	—	1	2	1	1	3	1	3	1	—	3	2	1	—	3	2	—	

AGGREGATE OF URBAN DISTRICTS (other than London and the County Boroughs).—

International List Nos.	Causes of Death		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ...	M	661	2	—	—	—	2	9	16	16	16
		F	167	2	—	—	3	5	7	9	8	3
170	Injury by firearms ...	M	16	—	—	—	—	—	—	1	—	—
		F	1	—	—	—	—	—	—	1	—	—
171	Injury by cutting or piercing instruments.	M	3	—	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—
172	Injury by fall	M	555	—	1	—	—	1	3	7	3	8
		F	426	—	1	—	1	2	2	3	4	2
173	Injury in mines and quarries.	M	642	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
174	Injury by machines ...	M	94	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
175	Injury by other crushing (vehicles, railways, landslides, &c.).	M	857	—	1	—	—	1	10	12	12	18
		F	212	—	1	—	—	1	7	8	5	9
176	Injury by animals ...	M	18	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	2	—	—
177	Starvation	M	4	—	—	1	—	1	—	—	—	—
		F	7	—	—	—	—	—	1	—	—	—
178	Excessive cold	M	51	—	—	—	—	—	—	1	—	—
		F	8	—	—	—	—	—	—	—	—	—
179	Effects of heat	M	31	—	1	—	1	2	1	2	—	—
		F	16	1	—	—	1	2	1	1	—	—
180	Lightning...	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
181	Electricity (lightning excepted).	M	19	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
182	Homicide by firearms ...	M	3	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
183	Homicide by cutting or piercing instruments.	M	3	—	—	—	—	—	—	1	—	1
		F	9	2	—	1	—	3	1	—	—	—
184	Homicide by other means	M	34	11	—	2	—	13	2	—	—	1
		F	31	4	1	3	2	10	2	—	—	2
185	Fractures (cause not specified).	M	13	—	1	—	1	2	—	—	—	—
		F	6	1	—	—	—	1	—	1	—	—
186	Other violence	M	263	3	—	3	3	9	3	—	1	1
		F	91	—	2	—	2	4	6	2	2	2
155–186	All violence	M	4,283	50	34	30	23	137	82	105	82	70
		F	1,775	36	32	22	26	116	66	57	51	56
187	Dropsy	M	4	—	—	1	1	2	—	—	—	—
		F	7	—	—	—	—	—	—	—	—	—
188A	Syncope (aged 1 year and under 70).	M	53	—	—	—	—	—	—	—	—	—
		F	43	—	—	—	—	—	—	—	—	1
188B	Sudden death (not otherwise defined).	M	1	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
189A	Heart failure (aged 1 year and under 70).	M	281	—	—	—	—	—	—	1	1	2
		F	202	—	—	—	—	—	—	1	—	1
189 B–E.	Other ill-defined causes...	M	150	11	5	3	4	23	59	12	1	2
		F	156	8	1	2	6	17	64	13	1	3
189F	Cause not specified ...	M	15	7	—	—	—	7	—	—	—	—
		F	18	12	—	—	1	13	—	—	—	—

CAUSES OF DEATH AT DIFFERENT AGE-PERIODS, 1916 (Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
59	81	64	53	22	29	38	57	55	64	55	21	20	20	10	8	4	1	169
32	10	1	14	11	6	3	17	15	13	9	12	13	4	5	2	—	—	
1	—	1	5	—	—	2	1	4	—	2	—	—	—	—	—	—	—	170
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	171
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22	16	13	20	9	8	17	23	38	28	52	51	56	51	58	40	30	23	172
13	3	1	4	4	7	4	11	11	12	17	25	28	32	53	69	62	70	
—	—	32	105	59	43	79	76	53	69	50	32	29	12	3	—	—	—	173
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	9	16	1	5	9	10	10	5	9	7	7	2	2	1	—	—	174
—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
53	80	68	51	28	39	52	56	53	75	72	69	53	48	26	23	9	2	175
30	33	11	14	10	7	12	13	7	8	8	12	11	8	10	14	3	1	
—	1	1	2	2	—	1	1	—	2	1	3	2	1	—	—	—	1	176
2	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
1	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	177
1	—	—	—	—	—	—	—	—	—	1	1	1	2	—	1	—	—	
1	—	1	1	—	—	1	2	4	5	3	12	4	2	11	1	3	—	178
—	1	—	—	—	1	—	1	—	—	2	1	—	1	—	—	—	1	
5	5	2	—	1	—	2	—	1	1	5	1	1	3	2	2	—	—	179
4	3	—	2	—	1	—	—	—	—	—	1	—	3	1	1	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	180
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	2	4	3	3	3	2	1	—	—	1	—	—	—	—	—	—	181
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	182
—	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	
2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	183
4	1	—	—	—	—	—	2	—	—	1	—	—	—	1	—	—	—	
16	4	4	—	—	1	1	1	1	1	1	2	1	—	1	—	—	—	184
14	1	—	—	4	1	4	2	—	1	2	—	1	1	—	—	—	—	
2	—	—	—	—	—	—	2	—	2	2	1	2	1	—	—	1	—	185
2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	2	
14	15	8	18	26	42	22	18	26	22	18	14	13	4	2	—	—	1	186
16	6	5	4	13	5	6	7	7	2	7	4	2	3	2	2	—	—	
476	239	220	291	172	200	270	326	315	343	351	289	246	214	148	98	54	31	155–186
346	125	53	77	74	54	58	90	69	74	92	97	102	86	98	117	77	86	
2	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	187
—	—	—	—	—	1	—	1	—	—	—	—	—	1	2	—	1	1	
—	—	2	2	—	1	—	—	—	9	2	6	19	12	—	—	—	—	188A
1	—	—	1	1	2	1	2	4	2	4	5	9	11	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	188B
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
4	6	1	—	4	5	7	8	9	15	37	48	68	69	—	—	—	—	189A
2	1	6	2	4	5	4	10	10	22	25	24	32	55	—	—	—	—	
97	3	3	—	—	—	1	—	3	4	5	9	9	7	7	1	—	1	189
98	7	—	—	—	1	2	1	3	5	8	5	7	6	6	5	1	1	B–E
7	1	—	—	—	—	—	1	3	1	—	—	2	—	—	—	—	—	189F
13	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	1	

Aggregate of Rural Districts.—Causes of Death

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
	All causes	M	50,641	3,230	1,194	950	1,343	6,717	1,369	554	415	267
		F	47,841	2,347	850	711	1,057	4,965	1,212	495	377	300
1	Enteric fever	M	117	—	—	—	—	—	1	—	—	2
		F	90	—	—	—	—	—	1	—	2	2
2	Typhus	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3	Relapsing fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
4	Malaria	M	3	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
5	Small-pox	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
6	Measles	M	262	2	2	8	48	60	88	27	15	13
		F	249	—	1	4	34	39	87	34	24	15
7	Scarlet fever	M	115	—	—	1	4	5	14	11	15	10
		F	120	—	—	—	3	3	10	11	11	10
8	Whooping cough ...	M	384	15	49	51	114	229	89	32	12	9
		F	489	12	64	48	112	236	153	44	21	15
9A	Diphtheria	M	472	3	1	3	6	13	36	46	54	56
		F	523	1	—	2	6	9	31	40	62	57
9 B, C	Croup	M	6	—	—	—	—	—	3	—	—	—
		F	4	—	—	—	—	—	—	1	1	1
10	Influenza	M	1,198	10	5	5	15	35	7	5	3	3
		F	1,214	5	8	5	10	28	16	7	8	4
11	Miliary fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
12	Asiatic cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
13	Cholera nostras	M	1	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
14	Dysentery	M	43	—	—	2	1	3	—	1	—	—
		F	34	—	—	—	—	—	—	—	—	—
15	Plague	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
16	Yellow fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
17	Leprosy	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
18	Erysipelas	M	72	3	4	2	—	9	—	1	1	1
		F	57	1	5	2	1	9	—	—	—	—
19	Other epidemic diseases	M	27	1	1	1	4	7	6	1	2	2
		F	16	1	1	1	2	5	1	4	2	—
20	Pyæmia, Septicæmia ...	M	63	3	1	—	2	6	—	—	—	1
		F	40	—	1	1	—	2	1	—	—	—
21	Glanders	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1916—(Civil Population only).

Ages at Death.																	International List Nos.
under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
9,322	1,095	795	999	836	913	1,096	1,279	1,546	1,907	2,378	3,033	3,678	4,705	5,376	5,299	3,726	2,658	All Causes
7,349	987	786	949	1100	1,186	1,260	1,392	1,524	1,678	2,013	2,508	3,065	4,093	5,016	5,177	4,240	3,518	
3	12	12	20	10	11	12	7	8	7	5	3	3	3	1	—	—	—	1
5	7	8	7	10	14	10	4	6	8	7	—	2	1	1	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	4
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
203	39	12	3	2	—	1	—	—	—	—	2	—	—	—	—	—	—	6
199	27	12	3	1	1	1	1	3	—	—	—	1	—	—	—	—	—	
55	34	14	8	—	2	1	—	1	—	—	—	—	—	—	—	—	—	7
45	39	15	6	4	2	4	3	—	—	1	—	—	—	1	—	—	—	
371	7	3	—	1	—	—	—	—	—	—	—	—	1	—	—	1	—	8
469	16	1	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	
205	195	52	8	3	2	2	—	3	—	1	1	—	—	—	—	—	—	9 A
199	222	64	16	2	4	5	5	1	—	—	1	3	1	—	—	—	—	
3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9 B, C
3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
53	12	13	31	17	19	18	33	47	58	73	95	103	145	146	153	109	73	10
63	14	17	21	22	19	28	35	40	39	30	52	100	129	168	180	149	108	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	13
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
4	—	—	1	4	2	8	1	4	3	1	5	1	3	3	3	—	—	14
—	2	—	2	1	2	—	6	5	1	2	2	3	1	3	3	—	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12	2	1	—	3	—	3	3	5	3	1	5	5	6	12	3	7	1	18
9	—	2	—	2	1	1	1	1	3	6	5	3	5	8	5	3	2	
18	4	3	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	19
12	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7	2	1	3	1	—	2	4	5	3	5	8	9	3	2	7	1	—	20
3	—	3	2	2	1	—	4	3	5	7	—	4	6	—	—	—	—	
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
22	Anthrax (Splenic fever)	M	3	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
23	Rabies	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
24	Tetanus	M	42	3	—	1	—	4	—	—	1	—
		F	9	2	—	—	—	2	—	—	1	—
25	Mycoses	M	7	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
26	Pellagra	M	1	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
27	Beri-beri	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
28	Pulmonary tuberculosis (not acute).	M	2,980	1	—	6	7	14	10	8	7	5
		F	2,879	—	—	1	4	5	15	8	9	6
29A	Acute phthisis	M	214	—	—	1	3	4	1	1	—	2
		F	260	—	—	1	1	2	1	1	1	—
29B	Acute miliary tuberculosis	M	53	1	—	1	2	4	7	2	1	2
		F	88	1	2	1	4	8	3	3	2	2
28 & 29	Pulmonary tuberculosis, acute and chronic.	M	3,247	2	—	8	12	22	18	11	8	9
		F	3,227	1	2	3	9	15	19	12	12	8
30	Tuberculous meningitis	M	362	—	2	18	39	59	56	34	32	14
		F	356	—	6	11	33	50	59	35	23	20
31	Tuberculosis of peritoneum and intestines.	M	244	—	10	11	22	43	32	21	15	5
		F	316	—	7	12	19	38	31	16	11	6
32	Tuberculosis of spinal column.	M	71	—	—	—	1	1	1	1	1	1
		F	54	—	—	—	—	—	—	—	2	2
33	Tuberculosis of joints	M	44	—	—	—	—	—	—	—	—	1
		F	36	1	—	—	1	2	—	—	—	—
34	Tuberculosis of other organs.	M	84	2	1	2	2	7	6	—	—	3
		F	68	—	1	1	1	3	2	1	1	—
35	Disseminated tuberculosis	M	182	—	2	—	5	7	12	6	4	3
		F	157	—	1	2	3	6	10	4	4	4
28–35	Tuberculosis (all forms)	M	4,234	4	15	39	81	139	125	73	60	36
		F	4,214	2	17	29	66	114	121	68	53	40
36	Rickets, Softening of bones.	M	86	1	2	5	20	28	31	9	5	2
		F	66	2	1	6	13	22	18	6	4	2
37	Syphilis	M	121	27	19	8	6	60	5	1	1	—
		F	71	13	14	9	2	38	4	—	—	—
38	Other venereal diseases...	M	3	1	—	1	—	2	—	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
39	Cancer of the buccal cavity.	M	429	—	—	—	—	—	—	—	—	—
		F	91	—	—	—	—	—	—	—	—	—
40	Cancer of the stomach, liver, &c.	M	1,684	—	—	—	—	—	—	—	—	—
		F	1,561	—	—	—	—	—	—	—	—	—
41	Cancer of the peritoneum, intestines, and rectum.	M	935	—	—	—	—	—	—	—	—	—
		F	934	—	—	—	—	—	—	1	—	—
42	Cancer of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	842	—	—	—	—	—	—	—	—	—
43	Cancer of the breast ...	M	6	—	—	—	—	—	—	—	—	—
		F	849	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1916—(Civil Population only)—*continued.*

Total under 5 Years.	Ages at Death. 5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	5	6	2	—	—	1	4	2	3	3	5	2	1	2	—	1	—	24
3	—	1	1	—	1	—	—	1	1	—	—	—	1	—	—	—	—	
—	—	—	1	—	—	1	—	—	3	1	1	—	—	—	—	—	—	25
—	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	26
—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
44	29	53	212	308	311	344	321	316	298	244	197	143	94	35	26	5	—	28
43	54	130	277	399	401	369	319	263	167	125	117	90	72	24	18	9	2	
8	6	16	15	30	21	24	22	12	17	11	16	9	3	3	1	—	—	29A
5	14	20	46	46	33	22	16	17	16	6	6	5	3	5	—	—	—	
16	7	5	3	4	5	3	2	3	2	1	—	2	—	—	—	—	—	29B
18	7	17	14	9	6	3	5	2	1	1	1	2	1	1	—	—	—	
68	42	74	230	342	337	371	345	331	317	256	213	154	97	38	27	5	—	28 & 29
66	75	167	337	454	440	394	340	282	184	132	124	97	76	30	18	9	2	
195	72	49	18	5	7	4	3	1	2	4	1	1	—	—	—	—	—	30
187	64	46	23	15	5	3	2	3	3	3	1	1	—	—	—	—	—	
116	29	22	16	12	12	12	5	5	2	4	3	1	2	3	—	—	—	31
102	29	31	30	28	22	23	10	11	12	8	2	2	1	3	—	1	1	
5	5	7	8	8	5	2	9	5	4	5	4	2	2	—	—	—	—	32
4	2	3	2	5	7	5	2	4	6	3	2	3	4	1	1	—	—	
1	2	2	5	4	—	7	6	2	1	4	3	3	2	2	—	—	—	33
2	3	2	—	1	2	3	4	2	2	2	1	3	3	2	2	2	—	
16	1	5	6	5	6	3	6	3	5	3	5	3	4	10	2	1	—	34
7	2	1	10	7	4	2	7	5	2	6	2	4	4	4	1	—	—	
32	15	19	13	17	13	16	17	10	8	11	5	3	2	—	1	—	—	35
28	17	9	15	14	7	9	11	12	12	5	7	5	2	3	1	—	—	
433	166	178	296	393	380	415	391	357	339	287	234	167	109	53	30	6	—	28–35
396	192	259	417	524	487	439	376	319	221	159	139	115	90	43	23	12	3	
75	3	1	1	—	2	1	—	—	—	—	1	—	2	—	—	—	—	36
52	2	1	1	—	1	2	1	2	—	2	1	—	1	—	—	—	—	
67	1	1	2	—	2	1	7	7	6	8	5	7	4	2	1	—	—	37
42	—	1	3	—	2	5	2	2	2	4	1	2	3	2	—	—	—	
2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	38
—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	
—	—	2	—	—	—	1	4	13	20	36	53	56	80	64	54	22	24	39
—	—	—	—	—	—	—	2	5	7	8	11	9	12	14	11	10	2	
—	—	—	2	—	2	11	18	45	94	147	224	280	309	292	174	65	21	40
—	—	—	—	—	2	10	23	45	87	114	183	228	292	272	178	88	39	
—	—	—	5	2	3	7	14	23	48	74	113	134	157	171	132	41	11	41
1	2	2	—	3	3	4	16	29	47	65	109	130	154	155	128	54	32	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	42
—	—	—	3	1	4	17	38	74	87	111	129	116	102	73	44	33	10	
—	—	—	—	—	—	—	—	—	—	4	1	—	—	1	—	—	—	43
—	—	—	—	1	—	7	41	59	90	116	113	102	104	74	60	49	33	

International List Nos.	Causes of Death.		AGES AT DEATH. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
44	Cancer of the skin ...	M	166	—	—	—	—	—	—	—	—	—
		F	93	—	—	—	—	—	—	—	—	—
45	Cancer of other or unspecified organs.	M	749	—	—	1	1	2	3	6	1	—
		F	472	—	—	—	1	1	1	2	1	—
39-45	Cancer (all sites) ...	M	3,969	—	—	1	1	2	3	6	1	—
		F	4,842	—	—	—	1	1	1	3	1	—
46	Other tumours (situation undefined).	M	24	—	—	—	1	1	—	—	1	—
		F	20	—	—	—	—	—	—	—	—	—
47	Rheumatic fever... ...	M	170	—	—	—	—	—	—	—	2	—
		F	215	—	—	—	—	—	—	—	—	3
48 A, B	Chronic rheumatism, Osteo-arthritis.	M	175	—	—	—	—	—	—	—	—	—
		F	350	—	—	—	—	—	—	—	—	—
48C	Gout	M	56	—	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	—	—	—	—	—
49	Scurvy	M	3	—	—	—	2	2	—	—	—	—
		F	2	—	—	—	1	1	—	—	—	—
50	Diabetes	M	488	1	—	—	1	2	1	1	2	1
		F	514	—	—	—	—	—	—	—	1	—
51	Exophthalmic goître ...	M	10	—	—	—	—	—	—	—	—	—
		F	104	—	—	—	—	—	—	—	—	—
52	Addison's disease ...	M	22	—	—	—	—	—	—	—	—	1
		F	27	—	—	—	—	—	—	—	—	—
53	Leucocythæmia, Lymphadenoma.	M	84	1	—	—	—	1	1	—	1	3
		F	85	—	—	—	1	1	2	1	2	1
54	Anæmia, Chlorosis ...	M	242	—	—	1	—	1	2	—	—	—
		F	348	2	1	—	—	3	1	—	1	2
55	Other general diseases ...	M	56	8	1	2	1	12	3	1	1	1
		F	56	4	1	1	1	7	1	1	1	1
56	Alcoholism (acute or chronic).	M	35	—	—	—	—	—	—	—	—	—
		F	16	—	—	—	—	—	—	—	—	—
57	Chronic lead poisoning ...	M	9	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
58	Other chronic occupational poisonings.	M	2	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	—	—
59	Other chronic poisonings	M	1	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
60	Encephalitis	M	38	—	—	1	1	2	5	3	1	1
		F	19	—	—	—	—	—	—	—	1	1
61A	Cerebro-spinal fever ...	M	43	1	—	2	1	4	1	5	1	4
		F	55	—	—	—	2	2	—	2	1	1
61B	Posterior basal meningitis	M	6	—	2	1	—	3	1	—	1	—
		F	6	—	2	—	1	3	1	—	—	—
61C	Meningitis, other forms	M	255	5	15	22	29	71	40	17	18	11
		F	271	2	7	12	28	49	48	18	13	13
62	Locomotor ataxy ...	M	93	—	—	—	—	—	—	—	—	—
		F	17	—	—	—	—	—	—	—	—	—
63	Other diseases of the spinal cord.	M	393	—	—	—	—	—	4	3	1	1
		F	287	—	—	1	2	3	2	1	2	2

AT DIFFERENT AGE-PERIODS, 1916 (Civil Population only)—*continued.*

Total under 5 Years.	Ages at Death.																International List Nos.
	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	2	—	2	1	9	7	15	17	14	20	37	22	20	44
—	—	—	—	—	—	—	—	—	3	1	4	5	6	12	20	24	18	
12	7	4	10	5	9	12	8	26	44	70	83	98	141	102	72	32	14	45
5	2	6	9	8	7	5	15	18	33	45	60	69	65	65	35	17	8	
12	7	6	17	7	16	31	46	108	215	338	489	585	701	650	469	182	90	39–45
6	4	8	12	13	16	43	135	230	354	460	609	659	735	665	476	275	142	
2	1	—	1	1	—	—	—	—	1	2	4	3	2	1	3	3	—	46
—	—	1	—	1	2	2	1	1	1	—	1	2	—	1	4	1	2	
2	23	32	25	8	6	10	9	8	6	10	11	7	4	6	3	—	—	47
3	20	37	34	23	20	14	14	9	7	13	8	3	1	4	3	2	—	
—	—	—	—	—	—	—	—	2	5	4	8	31	31	38	30	19	7	48
—	—	1	1	1	4	1	4	9	12	17	29	37	49	70	56	42	17	A, B
—	—	—	—	—	—	—	—	—	2	1	5	7	9	15	12	2	3	48C
—	—	—	—	—	—	—	—	—	—	—	2	2	3	4	2	1	—	
2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	49
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7	10	17	17	7	14	22	22	21	34	26	47	66	58	59	47	9	5	50
1	6	11	15	13	16	24	17	28	25	29	43	61	85	73	42	20	5	
—	1	—	1	—	—	—	—	—	1	4	1	1	1	—	—	—	—	51
—	—	—	4	8	7	8	12	8	16	9	13	8	5	4	1	1	—	
1	—	—	—	1	—	2	2	3	—	3	4	2	1	3	—	—	—	52
—	—	—	2	3	1	—	6	4	—	3	2	2	2	2	—	—	—	
6	3	6	2	3	5	4	7	5	8	11	7	10	1	5	1	—	—	53
7	1	2	4	2	7	2	7	10	9	5	11	8	5	1	3	1	—	
3	3	2	4	5	4	4	8	13	27	23	32	37	39	19	16	2	1	54
7	1	3	11	11	13	16	22	21	35	41	36	44	38	27	18	3	1	
18	3	3	3	—	1	1	5	—	1	2	3	4	5	5	2	—	—	55
11	2	4	6	4	6	3	1	1	2	1	1	1	5	4	3	1	—	
—	—	—	—	—	1	3	3	7	4	5	5	2	1	2	2	—	—	56
—	—	—	—	—	—	1	2	—	4	1	3	2	—	1	2	—	—	
—	—	—	—	—	—	1	1	1	—	—	2	1	3	—	—	—	—	57
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	58
—	—	—	1	2	1	—	—	—	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	59
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
12	1	5	4	—	2	2	1	3	1	3	1	1	1	—	1	—	—	60
2	1	2	2	1	1	1	—	2	1	2	—	2	—	1	—	—	1	
15	7	8	5	2	1	1	3	—	1	—	—	—	—	—	—	—	—	61A
6	8	6	13	5	3	2	2	4	2	1	1	1	1	—	—	—	—	
5	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	61B
4	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	
157	29	18	15	3	6	4	2	8	4	2	2	1	1	1	2	—	—	61C
141	30	24	18	9	8	6	4	7	3	3	7	2	2	4	1	1	1	
—	—	—	—	—	1	1	6	3	11	17	17	10	21	4	1	1	—	62
—	—	—	—	—	—	—	—	1	2	3	4	3	3	1	—	—	—	
9	11	6	9	6	7	6	13	16	21	28	31	53	68	51	37	15	6	63
10	8	4	9	6	3	11	15	19	21	17	28	26	35	28	34	11	2	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
64	Cerebral hæmorrhage, Apoplexy.	M	2,557	1	—	—	—	1	1	—	—	—
		F	3,022	1	1	—	—	2	—	—	—	—
65	Softening of brain ...	M	157	—	—	—	—	—	—	—	—	—
		F	122	—	—	—	—	—	—	—	—	—
66	Paralysis without specified cause.	M	313	—	—	—	—	—	—	1	—	—
		F	353	—	—	—	1	1	—	—	—	—
67	General paralysis of the insane.	M	166	—	—	—	—	—	—	—	—	—
		F	60	—	—	—	—	—	—	—	—	—
68	Other forms of mental alienation.	M	68	—	—	—	—	—	—	—	—	—
		F	127	—	—	—	—	—	—	—	—	—
69	Epilepsy	M	354	3	2	—	1	6	7	1	4	1
		F	327	1	—	—	—	1	2	2	—	2
70	Convulsions (non-puerperal ; 5 yrs. and over)	M	15	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	—	—	—	—
71	Infantile convulsions (under 5 years).	M	827	284	174	103	135	696	100	22	9	—
		F	605	192	124	76	97	489	82	19	8	7
72	Chorea	M	7	—	—	—	—	—	—	—	—	—
		F	19	—	—	—	—	—	—	—	—	—
73.	Hysteria, Neuralgia, Neuritis.	M	24	—	—	—	—	—	—	—	—	—
		F	29	—	—	—	—	—	—	—	—	—
74	Other diseases of the nervous system.	M	227	5	—	1	1	7	9	—	2	1
		F	249	1	—	2	4	7	2	2	—	4
75	Diseases of the eyes and annexa.	M	2	—	—	1	—	1	—	—	—	—
		F	6	—	—	—	—	—	—	1	—	—
76A	Mastoid disease	M	15	—	1	—	—	1	1	—	—	—
		F	16	—	—	—	2	2	3	—	—	1
76B	Other diseases of the ears	M	76	—	3	—	5	8	7	3	1	3
		F	54	—	2	2	3	7	2	3	1	4
77	Pericarditis	M	29	—	—	1	—	1	—	—	—	—
		F	25	—	—	—	2	2	—	—	1	—
78	Acute endocarditis ...	M	95	—	—	—	—	—	—	1	—	1
		F	127	—	—	1	—	1	—	—	—	1
79A	Valvular disease	M	2,586	—	—	—	—	—	1	—	3	—
		F	2,850	—	—	—	1	1	2	1	—	2
79B	Fatty degeneration of the heart.	M	281	—	—	—	—	—	—	—	—	—
		F	345	—	—	—	—	—	—	—	—	—
79C	Other organic disease of the heart.	M	3,245	—	1	—	—	1	4	3	1	1
		F	3,311	—	—	—	2	2	—	—	1	1
80	Angina pectoris	M	116	—	—	—	—	—	—	—	—	—
		F	67	—	—	—	—	—	—	—	—	—
81A	Aneurysm	M	116	—	—	—	—	—	—	—	—	—
		F	24	—	—	—	—	—	—	—	—	—
81B	Arterial sclerosis... ...	M	1,002	—	—	—	—	—	—	—	—	—
		F	583	—	—	—	—	—	—	—	—	—
81C	Other diseases of arteries	M	13	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	—	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1916 (Civil Population only)—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
2	1	—	3	3	6	3	12	26	61	113	191	288	411	498	495	290	154	64
2	—	1	4	3	8	15	25	43	86	162	243	315	445	523	561	376	210	
—	—	—	—	—	—	—	1	4	2	6	11	20	24	33	29	16	11	65
—	—	—	—	—	—	1	1	3	1	4	10	12	15	23	14	24	14	
1	2	1	—	—	1	1	—	3	5	17	15	29	43	65	67	38	25	66
1	1	—	—	—	2	2	3	2	7	16	10	27	49	54	87	55	37	
—	—	—	—	2	5	13	26	39	25	19	8	8	8	8	3	1	1	67
—	1	—	3	—	—	5	4	8	15	9	6	4	1	3	1	—	—	
—	—	—	—	2	3	3	6	4	8	4	6	7	11	6	7	—	1	68
—	—	—	1	8	11	4	10	9	15	13	15	15	5	11	6	2	2	
19	10	12	26	26	25	30	33	23	26	29	20	15	19	23	11	6	1	69
7	21	13	22	25	26	26	29	28	22	20	24	15	11	18	14	5	1	
—	7	1	—	—	—	1	—	1	—	1	—	1	2	1	—	—	—	70
—	4	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
827	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	71
605	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	2	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	72
—	4	3	5	2	1	—	—	—	2	—	2	—	—	—	—	—	—	
—	—	—	1	—	—	1	—	4	—	3	1	2	7	2	—	1	2	73
—	—	—	—	—	—	—	2	5	2	4	1	1	1	8	2	1	2	
19	13	11	17	6	11	10	14	15	15	19	14	14	21	13	9	5	1	74
15	12	9	11	9	13	14	18	15	19	18	20	22	15	16	9	8	6	
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	75
1	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	1	—	
2	2	3	3	—	—	—	1	—	1	2	—	—	—	—	1	—	—	76A
6	1	1	1	1	2	—	—	3	1	—	—	—	—	—	—	—	—	
22	3	9	11	5	4	3	4	5	2	—	1	1	1	4	1	—	—	76B
17	13	3	6	4	3	2	—	1	1	1	2	—	—	—	1	—	—	
1	3	1	3	1	—	3	2	1	3	1	4	3	—	1	1	1	—	77
3	1	3	1	—	1	4	1	2	—	—	1	1	—	3	3	1	—	
2	6	7	2	8	1	4	3	14	17	9	15	2	1	1	2	1	—	78
2	7	9	4	5	11	11	13	12	8	16	24	1	3	—	—	1	—	
4	11	27	44	30	35	39	60	77	116	158	217	311	419	436	360	173	69	79A
6	22	32	41	38	37	66	79	99	143	181	237	314	398	473	354	216	114	
—	—	—	—	—	1	3	3	6	12	15	26	41	55	52	38	21	8	79B
—	—	—	—	—	1	4	3	5	13	22	37	37	72	68	54	18	11	
10	12	11	19	20	22	28	36	53	81	143	240	379	503	640	544	337	167	79C
4	5	14	25	25	23	37	38	62	91	146	198	303	514	634	607	362	223	
—	—	—	—	—	—	—	1	3	3	10	16	24	23	20	10	4	2	80
—	—	—	—	1	—	—	—	2	4	4	8	7	15	13	9	3	1	
—	—	—	—	—	—	2	4	4	24	21	16	10	13	9	10	2	1	81A
—	—	—	—	—	—	1	1	—	1	2	2	5	6	1	2	—	3	
—	—	—	—	—	1	—	2	5	10	21	42	92	145	204	209	170	101	81B
—	—	—	—	—	—	1	1	3	7	16	18	39	61	110	111	106	110	
—	—	—	—	—	—	—	—	—	2	1	1	1	1	4	1	—	2	81C
—	—	—	—	—	—	—	—	—	—	—	—	2	1	5	—	2	1	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
82A	Cerebral embolism and thrombosis.	M	268	—	—	—	—	—	—	—	—	—
		F	345	—	—	—	—	—	—	—	—	—
82B	Other embolism and thrombosis.	M	34	1	—	—	—	1	—	—	—	—
		F	32	—	—	—	—	—	—	—	—	—
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	M	33	—	—	—	—	—	1	—	—	—
		F	43	—	—	—	—	—	—	—	—	—
84A	Status lymphaticus ...	M	12	2	3	2	4	11	1	—	—	—
		F	7	2	1	2	1	6	1	—	—	—
84B	Other diseases of the lymphatic system.	M	9	1	2	—	—	3	—	1	—	—
		F	6	—	—	1	1	2	2	—	1	—
85	Hæmorrhage ; other diseases of the circulatory system.	M	30	2	1	—	—	3	—	—	—	—
		F	26	—	—	1	—	1	—	—	—	—
86	Diseases of the nasal fossæ.	M	5	—	—	—	—	—	—	—	—	—
		F	7	1	1	1	—	3	—	—	—	—
87	Diseases of the larynx ...	M	135	3	4	9	13	29	23	8	15	13
		F	101	1	1	7	6	15	16	13	14	9
88	Diseases of the thyroid body.	M	13	—	—	—	—	—	—	—	1	—
		F	68	—	—	—	—	—	1	—	1	—
89 & 90	Bronchitis	M	3,732	67	141	123	183	514	139	32	14	8
		F	3,691	42	111	89	152	394	111	29	16	10
91	Broncho-pneumonia ...	M	1,160	20	82	106	259	467	224	61	29	13
		F	985	16	42	70	182	310	203	52	26	13
92A	Lobar pneumonia ...	M	737	2	6	8	20	36	27	10	4	4
		F	499	2	3	5	12	22	12	9	4	4
92B	Pneumonia (type not stated).	M	1,132	9	21	32	63	125	52	27	20	8
		F	783	5	11	21	36	73	42	14	18	9
93	Pleurisy	M	163	—	—	1	—	1	5	2	2	—
		F	109	—	—	—	2	2	1	5	1	1
94	Pulmonary congestion, Pulmonary apoplexy.	M	157	5	4	1	10	20	4	1	1	—
		F	154	6	11	4	3	24	2	2	—	—
95	Gangrene of the lung ...	M	5	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	—	—	—	—	—
96	Asthma	M	253	—	—	2	1	3	—	—	1	—
		F	144	—	—	1	—	1	—	1	—	—
97	Pulmonary emphysema	M	47	—	—	—	—	—	—	—	—	—
		F	19	—	—	—	1	1	—	—	—	—
98A	Fibroid disease of lung ...	M	69	—	—	—	—	—	—	—	—	—
		F	24	—	—	—	—	—	—	—	1	—
98B	Other diseases of the respiratory system.	M	25	—	—	1	—	1	1	—	—	—
		F	20	—	—	3	—	3	—	1	—	—
99A	Diseases of the teeth and gums.	M	26	3	5	—	1	9	2	—	—	1
		F	26	1	1	—	1	3	—	1	1	—
99B, C,D	Other diseases of the mouth and annexa.	M	10	3	3	1	1	8	—	—	—	—
		F	13	1	4	3	—	8	—	—	—	—
100	Diseases of pharynx, Tonsillitis.	M	63	1	1	1	—	3	4	2	1	3
		F	57	—	—	—	2	2	2	3	4	4

T DIFFERENT AGE-PERIODS, 1916 (Civil Population only)—*continued.*

Ages at Death.																		
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
—	1	—	1	1	1	—	4	5	7	9	19	19	35	47	43	41	35	82A
—	1	3	—	1	3	3	9	3	12	15	25	21	42	63	66	48	30	
1	—	—	—	—	—	—	2	2	3	1	4	4	5	4	5	1	2	82B
—	—	—	—	1	3	—	2	2	—	1	2	7	3	3	4	2	2	
1	1	—	—	—	1	—	1	1	—	3	2	5	4	4	4	5	1	83
—	—	—	—	—	—	2	3	4	3	5	4	7	2	5	3	3	2	
12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84A
7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	—	—	—	—	—	—	1	—	1	—	1	—	—	—	2	—	—	84B
5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	—	—	—	—	2	—	—	1	2	—	2	5	4	8	—	3	—	85
1	—	—	—	2	1	—	—	1	1	3	2	4	2	3	4	1	1	
—	3	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	86
3	1	—	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	
88	24	3	—	—	1	—	—	4	3	2	4	2	1	1	2	—	—	87
67	17	3	1	4	2	1	1	—	1	—	—	1	1	2	—	—	—	
1	1	2	2	—	—	—	—	—	—	3	2	2	—	—	—	—	—	88
2	—	2	4	1	4	1	1	3	3	2	5	7	13	14	3	3	—	
707	18	6	9	3	5	15	21	38	48	84	138	231	404	544	628	501	332	89 & 90
560	12	5	7	11	10	14	18	23	32	66	108	177	332	539	710	588	479	
794	32	10	7	4	4	4	4	9	16	21	15	28	45	55	54	41	17	91
604	36	12	5	1	9	4	9	7	8	19	24	30	44	49	66	46	12	
81	20	15	24	17	29	34	46	52	59	53	68	73	61	54	32	14	5	92A
51	10	7	20	22	29	39	29	24	28	34	30	31	50	46	33	9	7	
232	27	18	27	28	24	34	41	59	51	81	104	87	104	79	64	47	25	92B
156	17	16	16	21	18	32	37	24	27	43	35	64	77	85	49	51	15	
10	6	5	8	7	4	7	6	8	9	9	15	19	15	16	14	2	3	93
10	—	6	5	6	2	4	1	6	8	6	6	9	12	10	14	3	1	
26	1	2	2	1	—	1	—	2	4	3	10	13	9	13	23	21	26	94
28	2	—	1	—	2	2	1	1	3	5	3	8	5	14	25	32	22	
—	—	—	—	1	—	—	—	—	—	—	1	—	1	2	—	—	—	95
—	—	1	—	1	—	—	—	2	1	—	—	—	—	1	1	—	—	
4	—	—	2	—	4	4	11	11	17	21	27	42	39	38	24	5	4	96
2	3	1	—	1	4	5	4	6	13	12	15	13	21	25	12	5	2	
—	—	—	—	—	—	—	—	1	3	5	4	4	9	10	7	3	1	97
1	—	—	—	—	—	—	1	—	—	1	—	2	5	3	4	1	1	
—	—	—	—	1	1	1	6	2	2	9	18	15	9	5	—	—	—	98A
1	—	—	—	—	—	—	1	1	2	2	4	1	4	3	1	3	1	
2	—	1	—	1	—	—	2	2	2	2	3	1	4	3	2	—	—	98B
4	—	—	1	1	2	—	1	1	2	1	—	1	2	2	—	1	1	
12	—	—	—	—	2	—	—	1	1	1	3	1	2	2	1	—	—	99A
5	1	1	1	—	3	2	3	3	2	—	2	1	2	—	—	—	—	
8	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	99B, C, D
8	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	1	1	
13	14	6	3	1	3	—	4	2	3	5	2	2	1	2	1	—	1	100
15	9	10	3	2	2	1	2	2	1	1	—	2	1	1	1	2	2	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
101	Diseases of œsophagus ...	M	8	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of stomach.	M	188	—	—	—	—	—	—	—	—	—
		F	182	—	—	—	1	1	—	—	—	—
103A	Inflammation of stomach	M	283	18	44	33	29	124	20	2	12	1
		F	317	12	24	28	28	92	12	5	3	2
103B	Other diseases of the stomach.	M	78	—	5	1	2	8	—	5	—	—
		F	84	1	—	2	2	5	2	1	—	—
104 & 105	Diarrhœa and enteritis ...	M	1,066	56	163	161	151	531	116	35	13	7
		F	913	43	81	123	126	373	113	30	16	12
106	Ankylostomiasis... ...	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites	M	4	—	—	—	—	—	—	2	1	—
		F	7	—	—	—	—	—	—	3	1	—
108	Appendicitis	M	289	—	—	—	—	—	—	1	6	6
		F	210	—	—	—	1	1	—	1	1	4
109A	Hernia	M	190	1	1	4	1	7	3	—	1	—
		F	174	2	—	1	1	4	—	—	—	—
109B	Intestinal obstruction ...	M	299	7	3	9	19	38	7	8	1	—
		F	260	4	3	9	9	25	5	1	—	—
110	Other diseases of the intestines.	M	43	2	1	1	2	6	1	—	—	—
		F	58	—	2	2	3	7	1	1	—	—
111	Acute yellow atrophy of liver.	M	3	—	—	—	—	—	—	—	—	—
		F	13	—	—	—	—	—	—	—	—	—
112	Hydatid of liver ...	M	2	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver ...	M	400	—	—	—	—	—	1	—	—	—
		F	212	—	—	—	—	—	—	—	—	—
114	Biliary calculi	M	50	—	—	—	—	—	—	—	—	—
		F	101	—	—	—	—	—	—	—	—	—
115	Other diseases of the liver	M	95	—	—	1	3	4	1	2	—	1
		F	121	—	—	2	—	2	2	3	1	—
116	Diseases of the spleen ...	M	10	—	—	—	1	1	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
117	Peritonitis (cause unstated).	M	44	—	1	5	—	6	1	—	2	—
		F	56	—	1	—	1	2	1	1	2	2
118	Other diseases of the digestive system.	M	13	—	—	—	—	—	1	—	—	—
		F	15	—	—	—	—	—	—	—	—	—
119	Acute nephritis	M	200	3	5	1	5	14	8	5	8	2
		F	144	—	2	3	2	7	8	4	5	4
120	Bright's disease	M	1,361	—	—	—	—	—	—	2	—	—
		F	1,070	—	—	—	—	—	1	1	1	—
121	Chyluria	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
122	Other diseases of the kidney and annexa.	M	43	—	—	—	1	1	—	—	—	—
		F	47	—	—	—	1	1	—	—	—	—

AT DIFFERENT AGE-PERIODS, 1916 (Civil Population only)—*continued.*

Total under 5 Years.	Ages at Death. 5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
—	—	—	—	—	—	—	1	—	—	—	1	1	1	—	2	1	1	101
—	—	—	—	—	—	—	—	—	1	1	—	—	2	—	—	2	—	
—	—	—	4	4	7	7	10	19	17	27	23	25	20	12	9	2	2	102
1	1	4	6	11	14	17	21	23	17	18	8	11	11	8	7	3	1	
159	3	4	1	2	2	5	2	1	6	10	11	16	12	13	19	12	5	103A
114	6	2	—	7	5	1	3	13	7	7	11	18	15	33	27	31	17	
13	—	—	1	—	1	—	1	5	4	2	6	8	12	6	11	6	2	103B
8	5	2	—	1	1	1	2	1	1	4	3	8	6	7	18	8	8	
702	17	7	6	6	8	13	11	13	24	22	40	31	33	38	45	26	24	104 &
544	25	12	4	8	11	11	14	11	16	21	18	19	34	56	45	39	25	105
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	106
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	107
4	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13	43	38	37	19	12	15	15	14	16	15	13	15	10	8	5	1	—	108
7	33	37	18	14	20	21	7	7	13	5	6	4	3	9	5	—	1	
11	1	1	3	—	1	2	3	4	6	11	17	23	24	22	30	18	13	109A
4	—	—	—	1	2	4	7	7	10	12	13	20	24	22	30	13	5	
54	11	6	6	6	3	10	8	9	16	24	20	11	20	39	36	12	8	109B
31	5	6	4	3	5	7	13	16	19	9	12	22	18	32	28	23	7	
7	2	—	—	—	1	—	2	3	2	2	4	3	2	1	8	2	4	110
9	—	—	1	1	2	1	—	1	4	1	2	6	6	5	7	6	6	
—	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	111
—	—	—	—	3	3	1	2	—	1	—	2	—	—	—	—	1	—	
—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	112
—	—	—	—	—	—	—	—	1	—	—	—	2	—	—	1	—	—	
1	2	2	1	—	1	4	13	18	32	56	79	44	70	47	23	5	2	113
—	—	1	—	2	1	1	7	16	23	31	34	28	33	23	8	2	2	
—	1	1	1	—	—	—	—	—	2	8	3	4	5	10	8	6	1	114
—	—	—	—	—	—	—	2	2	2	7	14	14	24	13	12	9	2	
8	—	2	—	—	2	3	5	5	9	7	5	13	9	7	9	7	4	115
8	1	4	1	4	—	4	5	6	5	7	11	8	10	18	15	6	8	
1	—	—	—	—	—	2	1	3	—	—	1	1	—	—	1	—	—	116
—	—	—	—	—	—	1	—	—	—	—	1	1	—	1	—	—	—	
9	8	2	2	—	1	1	—	3	3	1	1	1	2	5	2	3	—	117
8	9	4	1	—	2	3	3	1	4	4	—	1	6	2	7	—	1	
1	—	—	—	—	—	1	2	—	1	1	2	2	2	1	—	—	—	118
—	1	—	—	1	—	1	2	—	2	—	3	2	2	1	—	—	—	
37	28	8	6	10	8	6	2	7	19	11	14	7	17	7	10	1	2	119
28	13	6	6	4	6	8	14	10	5	10	7	9	7	5	2	4	—	
2	4	9	13	16	17	19	30	41	60	104	152	179	221	221	159	69	45	120
3	4	7	10	18	17	19	46	54	69	88	101	118	166	147	129	46	28	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	121
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	1	1	3	1	3	1	2	5	—	1	4	5	5	6	4	—	122
1	1	1	—	—	1	3	4	5	5	2	5	2	3	5	7	1	1	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
123	Calculi of the urinary passages.	M	42	—	—	—	—	—	—	—	—	—
		F	19	—	—	—	—	—	—	—	—	—
124	Diseases of the bladder...	M	268	—	—	—	2	2	—	—	—	—
		F	59	—	—	—	—	—	—	—	—	—
125	Diseases of the urethra, Urinary abscess, &c.	M	44	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
126	Diseases of the prostate...	M	440	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
127	Non-venereal diseases of male genital organs.	M	5	—	1	—	—	1	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
128	Uterine hæmorrhage (non-puerperal).	M	—	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	—	—	—	—	—
129	Uterine tumour (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	72	—	—	—	—	—	—	—	—	—
130	Other diseases of the uterus.	M	—	—	—	—	—	—	—	—	—	—
		F	30	—	—	—	—	—	—	—	—	—
131	Ovarian cyst, tumour (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	63	—	—	—	—	—	—	—	—	—
132	Other diseases of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	32	1	—	—	—	1	—	—	—	—
133	Non-puerperal dis. of the breast (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	2	—	1	—	—	1	—	—	—	—
134	Accidents of pregnancy...	M	—	—	—	—	—	—	—	—	—	—
		F	62	—	—	—	—	—	—	—	—	—
135	Puerperal hæmorrhage ...	M	—	—	—	—	—	—	—	—	—	—
		F	97	—	—	—	—	—	—	—	—	—
136	Other accidents of child-birth.	M	—	—	—	—	—	—	—	—	—	—
		F	88	—	—	—	—	—	—	—	—	—
137	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—
		F	181	—	—	—	—	—	—	—	—	—
138	Puerperal albuminuria and convulsions.	M	—	—	—	—	—	—	—	—	—	—
		F	149	—	—	—	—	—	—	—	—	—
139	Puerperal phlegmasia alba dolens, embolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—
		F	90	—	—	—	—	—	—	—	—	—
140	Puerperal insanity ...	M	—	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	—	—	—	—	—
141	Puerperal diseases of the breast.	M	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
134–141	All accidents of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—
		F	676	—	—	—	—	—	—	—	—	—
142A	Senile gangrene	M	246	—	—	—	—	—	—	—	—	—
		F	148	—	—	—	—	—	—	—	—	—
142B, C,D.	Gangrene, other types ...	M	20	2	—	—	2	4	1	—	—	—
		F	16	1	—	—	1	2	2	—	—	—
143	Carbuncle, Boil	M	27	—	—	—	—	—	—	—	—	—
		F	26	—	—	—	1	1	—	—	—	—
144	Phlegmon, Acute abscess	M	64	2	3	—	2	7	1	—	2	2
		F	68	4	11	5	1	21	3	—	—	—
145	Diseases of the integumentary system.	M	113	17	6	6	5	34	7	—	—	1
		F	143	15	5	4	7	31	3	2	1	2

T DIFFERENT AGE-PERIODS, 1916—(Civil Population only)—*continued.*

Ages at Death.																	International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	1	—	1	1	2	3	6	2	1	8	5	8	4	—	123
—	—	—	—	—	1	—	1	1	6	1	3	—	3	1	1	1	—	
2	—	—	—	—	1	3	2	3	7	7	15	16	35	49	57	44	27	124
—	—	—	—	—	—	2	2	2	2	—	1	2	6	11	13	12	6	
—	—	—	—	—	—	1	1	—	2	7	4	4	7	6	7	4	1	125
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	
—	—	—	—	—	—	—	—	—	2	2	18	36	66	103	106	66	41	126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	128
—	—	—	2	1	2	—	—	1	1	1	—	—	—	—	1	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	129
—	—	—	—	1	—	5	3	15	11	11	5	6	6	4	3	1	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	130
—	—	—	1	3	1	1	5	2	6	4	2	—	2	—	1	—	2	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	131
—	—	—	—	1	2	3	2	3	5	5	11	3	10	8	6	3	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	132
1	—	—	1	5	6	3	6	4	3	3	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	133
1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134
—	—	—	1	6	11	17	16	8	3	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	135
—	—	—	1	7	16	24	26	23	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	136
—	—	—	2	4	22	17	22	19	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	137
—	—	—	6	38	51	47	23	15	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	138
—	—	—	8	26	37	38	23	17	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	139
—	—	—	1	9	20	21	18	20	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	140
—	—	—	1	1	3	1	—	—	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141
—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134–141
—	—	—	20	91	160	167	128	102	8	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	1	—	—	16	26	43	56	64	40	142A
—	—	—	—	—	—	—	—	—	—	—	1	7	16	21	37	38	28	
5	—	—	—	—	—	—	—	1	1	2	1	3	2	2	—	1	2	142B, C, D.
4	—	—	1	—	—	—	—	1	—	2	5	—	—	1	2	—	—	
—	—	—	3	1	2	—	—	—	3	2	4	3	6	1	—	1	1	143
1	—	2	—	2	2	—	2	—	2	—	4	3	2	3	3	—	—	
12	3	1	4	—	—	2	5	3	1	3	3	4	4	9	7	2	1	144
24	—	—	1	—	2	—	3	3	2	2	4	5	2	8	7	1	4	
42	—	1	—	2	—	1	2	—	2	4	4	6	10	11	9	14	5	145
39	1	—	—	2	—	1	2	2	4	5	10	8	7	19	12	15	16	

International List Nos.	Causes of Death.		Ages at Death. All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
146	Diseases of the bones ...	M	71	—	1	1	1	3	2	1	—	—
		F	30	—	1	—	1	2	—	1	2	—
147	Diseases of the joints ...	M	17	—	—	—	—	—	—	—	—	—
		F	13	—	—	—	1	1	—	—	—	—
148	Amputations	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
149	Other diseases of locomotor system.	M	6	—	—	—	—	—	1	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
150	Congenital malformations	M	411	219	63	43	16	341	24	10	7	2
		F	327	185	42	17	25	269	18	7	5	2
151A	Premature birth	M	1,524	1,421	87	15	1	1,524	—	—	—	—
		F	1,158	1,088	58	10	2	1,158	—	—	—	—
151 B–E.	Infantile debility, Icterus and Sclerema.	M	983	632	208	98	45	983	—	—	—	—
		F	703	441	152	77	33	703	—	—	—	—
152	Other diseases peculiar to early infancy.	M	285	275	10	—	—	285	—	—	—	—
		F	189	178	11	—	—	189	—	—	—	—
153	Lack of care	M	21	21	—	—	—	21	—	—	—	—
		F	16	16	—	—	—	16	—	—	—	—
154	Old age	M	4,094	—	—	—	—	—	—	—	—	—
		F	4,740	—	—	—	—	—	—	—	—	—
155	Suicide by poison ...	M	19	—	—	—	—	—	—	—	—	—
		F	24	—	—	—	—	—	—	—	—	—
156	Suicide by asphyxia ...	M	3	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
157	Suicide by hanging or strangulation.	M	146	—	—	—	—	—	—	—	—	—
		F	33	—	—	—	—	—	—	—	—	—
158	Suicide by drowning ...	M	100	—	—	—	—	—	—	—	—	—
		F	88	—	—	—	—	—	—	—	—	—
159	Suicide by firearms ...	M	65	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	—	—
160	Suicide by cutting or piercing instruments.	M	93	—	—	—	—	—	—	—	—	—
		F	21	—	—	—	—	—	—	—	—	—
161	Suicide by jumping from high place.	M	2	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
162	Suicide by crushing ...	M	21	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	—	—
163	Other suicides	M	3	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
164	Poisoning by food ...	M	5	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	1	—
165	Other acute poisonings ...	M	11	—	—	—	—	—	—	1	2	2
		F	13	—	—	—	—	—	2	3	1	1
166	Conflagration	M	7	—	—	—	—	—	—	—	—	—
		F	10	—	—	—	1	1	—	1	—	1
167	Burns (conflagration excepted).	M	135	—	2	1	8	11	34	23	22	6
		F	207	—	—	1	5	6	17	18	14	18
168	Absorption of deleterious gases (conflagration excepted).	M	75	23	13	8	3	47	3	—	—	1
		F	54	18	16	12	2	48	1	—	—	—

AT DIFFERENT AGE-PERIODS, 1916—(Civil Population only)—*continued.*

Ages at Death.																		International List Nos.
Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
6	10	11	4	1	1	2	1	4	2	2	3	3	6	7	3	2	3	146
5	4	5	—	1	1	—	1	—	2	1	1	—	3	4	—	—	2	
—	1	—	2	—	—	—	—	2	1	3	—	2	2	3	1	—	—	147
1	—	—	—	—	1	—	2	—	—	1	—	—	1	5	2	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	148
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	—	—	1	1	1	1	—	1	—	—	—	—	149
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	
384	12	5	3	1	—	—	2	3	—	—	1	—	—	—	—	—	—	150
301	8	7	5	2	—	1	1	1	—	1	—	—	—	—	—	—	—	
1,524	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	151A
1,158	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
983	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	151 B–E.
703	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
285	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	152
189	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	153
16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	1	17	91	583	1,015	1,183	1,204	154
—	—	—	—	—	—	—	—	—	—	—	6	31	103	526	977	1,414	1,683	
—	—	—	1	—	—	3	—	3	3	3	3	1	—	2	—	—	—	155
—	—	—	5	—	1	2	3	2	2	3	1	3	1	1	—	—	—	
—	—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	—	—	156
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	1	3	3	8	6	7	10	18	12	15	22	17	12	9	—	3	157
—	—	—	—	—	1	2	2	1	4	5	7	4	4	2	1	—	—	
—	—	—	—	4	3	7	12	13	10	15	7	7	12	3	5	2	—	158
—	—	1	10	10	6	7	10	10	5	4	9	5	4	4	3	—	—	
—	—	—	3	1	5	6	11	8	4	9	3	1	7	4	2	1	—	159
—	—	—	1	1	—	1	—	1	1	—	—	—	—	—	—	—	—	
—	—	—	—	1	3	5	5	9	15	14	11	7	10	7	3	1	2	160
—	—	—	1	—	1	1	5	3	4	1	1	—	2	1	1	—	—	
—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	161
—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	2	2	3	4	2	4	1	2	—	—	—	—	162
—	—	—	—	1	—	—	1	1	1	—	—	1	—	—	—	—	—	
—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	163
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	1	—	1	1	1	1	—	—	—	—	—	164
1	1	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	
5	—	1	—	—	—	—	—	—	1	—	—	2	1	—	1	—	—	165
7	—	—	—	2	1	1	—	—	—	1	1	—	—	—	—	—	—	
—	—	1	—	—	—	2	1	—	—	—	1	—	1	—	—	1	—	166
3	—	—	—	1	—	—	—	—	—	—	—	2	—	3	1	—	—	
96	9	1	3	—	1	4	3	5	1	2	1	—	3	1	3	1	1	167
73	25	19	16	3	4	4	5	3	2	4	3	2	8	11	11	6	8	
51	—	1	3	1	2	—	1	4	—	2	5	2	1	1	1	—	—	168
49	—	—	1	—	1	—	1	—	—	—	—	—	—	—	1	—	1	

International List Nos.	Causes of Death.		Ages at Death.									
			All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—
169	Accidental drowning ...	M	541	4	—	2	1	7	22	28	15	10
		F	109	1	1	—	1	3	4	3	3	5
170	Injury by firearms ...	M	56	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	—	—	—	—
171	Injury by cutting or piercing instruments.	M	9	—	—	—	—	—	1	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
172	Injury by fall	M	309	—	—	2	—	2	2	1	1	2
		F	233	—	—	—	—	—	1	2	1	—
173	Injury in mines and quarries.	M	393	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
174	Injury by machines ...	M	62	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
175	Injury by other crushing (vehicles, railways, landslides, &c.)	M	660	—	—	1	2	3	4	3	8	5
		F	90	—	—	—	—	—	2	5	4	2
176	Injury by animals ...	M	51	—	—	—	—	—	—	1	3	1
		F	2	—	—	—	—	—	—	—	1	—
177	Starvation	M	6	—	—	—	—	—	1	—	—	—
		F	3	—	—	—	—	—	—	—	—	—
178	Excessive cold	M	56	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	—	—	—	—	—
179	Effects of heat	M	29	—	—	1	—	1	—	1	1	—
		F	13	—	—	—	1	1	—	—	—	—
180	Lightning...	M	5	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	—	—
181	Electricity (lightning excepted).	M	3	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
182	Homicide by firearms ...	M	3	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	—	—	—	—
183	Homicide by cutting or piercing instruments.	M	1	—	—	—	—	—	—	—	—	—
		F	6	2	—	1	—	3	1	—	—	—
184	Homicide by other means	M	19	7	—	2	—	9	2	—	—	—
		F	11	4	—	2	—	6	1	—	—	—
185	Fractures (cause not specified).	M	9	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—
186	Other violence	M	130	—	—	—	1	1	2	1	2	—
		F	40	1	1	—	1	3	2	—	3	1
155–186	All violence	M	3,027	34	15	17	15	81	71	59	54	27
		F	1,005	26	18	16	11	71	31	32	28	28
187	Dropsy	M	6	—	—	—	—	—	1	—	—	—
		F	5	—	—	—	—	—	—	—	—	—
188A	Syncope (aged 1 year and under 70).	M	44	—	—	—	—	—	—	—	—	1
		F	30	—	—	—	—	—	—	—	—	—
188B	Sudden death (not otherwise defined).	M	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
189A	Heart failure (aged 1 year and under 70).	M	229	—	—	—	—	—	—	—	—	2
		F	204	—	—	—	—	—	—	—	—	—
189 B–E.	Other ill-defined causes...	M	105	9	2	4	4	19	22	4	1	—
		F	70	6	1	2	2	11	24	3	—	2
189F.	Cause not specified ...	M	34	10	4	—	1	15	—	—	—	—
		F	22	5	1	—	—	6	1	—	1	—

AT DIFFERENT AGE-PERIODS, 1916—(Civil Population only)—*continued.*

Total under 5 Years.	Ages at Death. 5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	International List Nos.
82	54	47	42	24	21	31	38	44	34	39	19	26	20	12	5	3	—	169
18	7	5	12	10	7	5	2	5	8	5	7	1	9	2	5	1	—	
—	4	12	7	5	3	8	3	4	4	3	2	—	1	—	—	—	—	170
—	2	1	—	2	1	—	—	1	1	—	—	—	—	—	—	—	—	
1	1	3	1	—	—	—	1	—	—	—	—	1	—	1	—	—	—	171
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8	9	5	8	3	7	11	10	19	16	21	22	16	41	21	35	33	24	172
4	2	3	3	1	1	2	2	2	3	9	9	14	16	30	40	45	47	
—	—	13	51	31	36	33	37	42	40	43	30	21	12	3	1	—	—	173
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	2	5	8	2	4	5	7	3	5	4	4	2	4	5	2	—	—	174
—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
23	50	45	53	24	36	38	50	46	51	45	40	49	48	27	27	7	1	175
13	9	5	4	6	6	6	3	2	4	4	3	4	7	5	5	1	3	
5	1	3	2	2	2	—	6	5	7	4	6	2	2	—	2	1	1	176
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	—	—	—	—	1	2	—	1	1	—	—	—	177
—	—	—	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	
—	—	—	1	—	—	4	2	4	5	3	6	5	8	10	5	2	1	178
—	—	1	—	—	—	—	—	—	1	3	2	2	—	—	1	1	—	
3	2	1	—	1	3	—	2	1	2	3	2	3	2	—	2	2	—	179
1	1	—	1	1	—	1	—	—	3	—	—	2	1	—	—	1	1	
—	—	—	—	—	—	—	—	1	—	3	1	—	—	—	—	—	—	180
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	
—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	181
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	182
—	—	—	1	—	—	1	1	—	—	—	1	—	—	—	—	—	—	
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	183
4	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
11	—	—	1	—	1	—	1	—	1	2	—	2	—	—	—	—	—	184
7	—	—	—	1	—	—	—	2	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	1	1	2	—	—	1	2	1	1	—	—	—	185
—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	
6	4	2	10	14	17	15	10	6	11	11	6	8	3	2	4	1	—	186
9	2	2	3	2	2	1	2	4	1	—	2	1	1	4	4	—	—	
292	138	141	197	117	156	181	211	233	234	243	194	181	199	114	107	56	33	155–186
190	55	38	60	41	33	34	39	38	43	39	46	43	54	63	73	56	60	
1	—	—	—	—	—	—	—	—	—	—	1	1	1	1	1	—	—	187
—	—	—	—	—	—	—	—	—	1	1	—	—	—	2	1	—	—	
1	—	—	—	—	1	—	1	3	—	4	10	11	13	—	—	—	—	188A
—	1	—	2	1	—	2	1	—	3	4	2	9	5	—	—	—	—	
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	188B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	3	—	4	—	4	4	6	13	9	19	45	55	65	—	—	—	—	189A
—	2	2	3	2	5	3	7	15	12	25	27	45	56	—	—	—	—	
46	2	1	2	1	1	2	2	1	4	3	7	5	10	7	9	2	—	189 B–E
40	1	—	—	—	—	—	1	3	2	3	7	3	6	2	1	1	—	
15	—	1	—	—	—	—	1	—	—	—	2	4	2	3	3	—	3	189F
8	—	1	1	1	—	—	—	1	—	2	—	1	2	1	1	1	2	

Causes of Death in each Quarter of the Year

Note.—The figures for England and Wales relate to the total deaths

International List Nos.	Causes of Death.		England and Wales.					London.				
			Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
	All Causes	M	265,030	74,250	66,324	54,643	69,813	32,168	8,858	7,796	6,546	8,968
		F	243,187	68,733	60,210	47,792	66,452	30,157	8,516	7,238	5,744	8,659
1	Enteric fever	M	633	169	142	151	171	38	11	7	12	8
		F	489	122	104	112	151	39	8	8	10	13
2	Typhus	M	4	2	1	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
3	Relapsing fever	M	2	—	1	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
4	Malaria	M	59	13	10	14	22	3	—	2	1	—
		F	3	1	—	2	—	1	—	—	1	—
5	Small-pox	M	11	3	7	1	—	—	—	—	—	—
		F	7	3	4	—	—	—	—	—	—	—
6	Measles	M	2,881	969	1,003	466	443	419	80	148	85	106
		F	2,532	875	833	493	331	403	81	144	104	74
7	Scarlet fever	M	696	254	196	119	127	82	35	23	11	13
		F	685	244	174	146	121	64	24	18	13	9
8	Whooping cough ...	M	2,681	961	1,119	402	199	344	143	156	36	9
		F	3,394	1,195	1,424	504	271	458	199	202	41	16
9A	Diphtheria	M	2,618	899	581	487	651	297	113	50	58	76
		F	2,740	921	607	523	689	315	103	66	64	82
9 B, C	Croup	M	27	10	6	2	9	2	1	1	—	—
		F	20	10	2	3	5	3	—	2	—	1
10	Influenza	M	4,283	1,071	1,109	270	1,833	401	95	104	20	182
		F	4,508	1,042	1,092	229	2,145	514	132	110	18	254
11	Miliary fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
12	Asiatic cholera	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
13	Cholera nostras	M	5	1	—	4	—	—	—	—	—	—
		F	3	—	1	1	1	—	—	—	—	—
14	Dysentery	M	319	124	72	55	68	73	33	21	8	11
		F	229	81	52	35	61	73	23	14	16	20
15	Plague	M	4	—	—	4	—	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—
16	Yellow fever	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
17	Leprosy	M	5	2	2	1	—	4	1	2	1	—
		F	—	—	—	—	—	—	—	—	—	—
18	Erysipelas	M	404	143	116	58	87	42	11	14	6	11
		F	341	121	91	52	77	51	15	7	13	16
19	Other epidemic diseases	M	111	41	34	19	17	13	7	3	3	—
		F	79	32	22	19	6	9	2	3	3	1
20	Pyæmia, Septicæmia ...	M	326	95	88	70	73	43	13	11	10	9
		F	189	67	59	33	30	34	10	12	9	3
21	Glanders	M	3	—	1	1	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—

IN DIFFERENT CLASSES OF AREA, 1916.

registered, while those for the other areas relate to deaths of civilians only.—

AGGREGATE OF COUNTY BOROUGHS.					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter	3rd Quarter.	4th Quarter.	
91,366	25,990	23,109	18,610	23,657	79,783	22,765	20,060	16,047	20,911	50,641	14,307	12,990	10,098	13,246	All Causes
86,395	24,660	21,456	16,986	23,293	78,794	22,138	19,525	15,699	21,432	47,841	13,419	11,991	9,363	13,068	
199	58	54	41	46	202	47	46	45	64	117	25	22	30	40	1
154	44	29	41	40	206	49	51	41	65	90	21	16	20	33	
2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
19	5	4	6	4	5	—	—	3	2	3	1	—	—	2	4
1	1	—	—	—	1	—	—	1	—	—	—	—	—	—	
3	1	2	—	—	6	2	4	—	—	—	—	—	—	—	5
3	2	1	—	—	4	1	3	—	—	—	—	—	—	—	
1,419	538	521	197	163	715	227	249	131	108	262	103	65	43	51	6
1,225	460	423	208	134	655	224	196	150	85	249	110	70	31	38	
263	97	75	44	47	201	72	51	38	40	115	43	26	22	24	7
265	90	69	60	46	236	82	60	45	49	120	48	27	28	17	
1,207	431	539	155	82	746	284	280	120	62	384	103	144	91	46	8
1,473	497	679	190	107	974	364	362	167	81	489	135	181	106	67	
887	307	195	159	226	933	312	227	173	221	472	154	101	92	125	9A
919	297	213	195	214	983	337	226	165	255	523	184	102	99	138	
7	2	3	—	2	12	5	2	1	4	6	2	—	1	3	9
3	2	—	1	—	10	5	—	2	3	4	3	—	—	1	B, C.
1,262	349	323	89	501	1,332	326	313	105	588	1,198	276	343	52	527	10
1,278	333	322	71	552	1,502	307	348	88	759	1,214	270	312	52	580	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	1	—	3	—	—	3	—	1	1	—	—	—	13
1	—	1	—	—	1	—	—	1	—	1	—	—	—	1	
68	20	15	13	20	54	15	13	12	14	43	11	14	10	8	14
58	25	13	3	17	64	22	18	12	12	34	11	7	4	12	
4	—	—	4	—	—	—	—	—	—	—	—	—	—	—	15
1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	17
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
149	50	44	20	35	129	49	37	18	25	72	28	18	11	15	18
130	45	32	21	32	103	40	39	8	16	57	21	13	10	13	
39	13	16	5	5	23	10	5	4	4	27	6	7	7	7	19
22	9	6	6	1	32	16	9	5	2	16	5	4	5	2	
96	30	30	16	20	92	26	21	19	26	63	20	13	16	14	20
65	22	21	10	12	50	16	12	13	9	40	19	14	1	6	
1	—	—	1	—	1	—	—	—	1	1	—	1	—	—	21
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

International List Nos.	Causes of Death.		England and Wales. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	London. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
22	Anthrax (Splenic fever)	M	24	10	8	—	6	1	—	1	—	—
		F	4	1	2	—	1	—	—	—	—	—
23	Rabies	M	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
24	Tetanus	M	133	31	26	43	33	12	2	2	5	3
		F	33	12	10	4	7	4	3	—	1	—
25	Mycoses	M	23	3	6	9	5	8	—	2	4	2
		F	11	4	3	1	3	—	—	—	—	—
26	Pellagra	M	3	1	—	—	2	—	—	—	—	—
		F	7	1	4	1	1	1	—	1	—	—
27	Beri-beri	M	4	—	2	—	2	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
28	Pulmonary tuberculosis (not acute).	M	21,234	5,770	5,718	4,320	5,426	3,662	976	907	738	1,041
		F	16,493	4,333	4,372	3,540	4,248	2,368	656	584	500	628
29A	Acute phthisis	M	1,616	470	484	334	328	175	56	50	39	30
		F	1,426	347	456	310	313	159	41	46	37	35
29B	Acute miliary tuberculosis	M	388	103	115	89	81	65	13	19	20	13
		F	388	111	130	78	69	62	18	16	19	9
28 & 29	Pulmonary tuberculosis acute and chronic.	M	23,238	6,343	6,317	4,743	5,835	3,902	1,045	976	797	1,084
		F	18,307	4,791	4,958	3,928	4,630	2,589	715	646	556	672
30	Tuberculous meningitis	M	2,590	727	793	602	468	400	109	109	99	83
		F	2,390	629	727	541	493	375	104	115	80	76
31	Tuberculosis of peritoneum and intestines.	M	1,722	453	500	398	371	149	36	43	32	38
		F	1,770	455	460	454	401	127	35	29	36	27
32	Tuberculosis of spinal column.	M	386	85	113	87	101	53	12	18	8	15
		F	277	62	71	71	73	30	6	7	8	9
33	Tuberculosis of joints ...	M	235	52	59	69	55	23	4	8	5	6
		F	139	28	47	30	34	18	2	6	7	3
34	Tuberculosis of other organs.	M	388	111	116	71	90	46	8	11	11	16
		F	322	94	91	67	70	29	10	4	9	6
35	Disseminated tuberculosis	M	1,167	311	369	248	239	155	40	50	29	36
		F	927	236	257	231	203	109	33	27	25	24
28–35	Tuberculosis (all forms)	M	29,726	8,082	8,267	6,218	7,159	4,728	1,254	1,215	981	1,278
		F	24,132	6,295	6,611	5,322	5,904	3,277	905	834	721	817
36	Rickets, Softening of bones.	M	536	175	138	99	124	58	17	13	11	17
		F	424	127	124	80	93	49	9	14	12	14
37	Syphilis	M	1,154	274	292	284	304	178	42	48	43	45
		F	792	196	208	184	204	122	36	24	31	31
38	Other venereal diseases ...	M	35	11	5	12	7	2	—	1	1	—
		F	26	8	4	9	5	6	1	3	2	—
39	Cancer of the buccal cavity.	M	2,216	572	554	524	566	317	75	91	74	77
		F	370	82	92	91	105	41	11	14	8	8
40	Cancer of the stomach, liver, &c.	M	7,057	1,749	1,732	1,820	1,756	863	205	190	227	241
		F	6,579	1,620	1,565	1,666	1,728	717	172	158	185	202
41	Cancer of the peritoneum, intestines, and rectum.	M	3,892	945	938	960	1,049	489	125	105	123	136
		F	4,370	988	1,122	1,087	1,173	566	126	146	137	157
42	Cancer of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	4,839	1,176	1,169	1,227	1,267	668	173	167	167	161
43	Cancer of the breast ...	M	28	6	8	7	7	4	1	1	1	1
		F	4,131	1,025	999	968	1,139	585	139	149	129	168

IN DIFFERENT CLASSES OF AREA, 1916—*continued.*

AGGREGATE OF COUNTY BOROUGHS.					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	
5	3	1	—	1	11	5	2	—	4	3	1	1	—	1	22
3	1	1	—	1	1	—	1	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
24	4	6	7	7	42	9	9	13	11	42	14	5	13	10	24
8	5	2	—	1	12	—	5	2	5	9	4	3	1	1	
1	—	—	1	—	4	2	1	—	1	7	—	3	2	2	25
—	—	—	—	—	8	4	3	—	1	3	—	—	1	2	
2	1	—	—	1	—	—	—	—	—	1	—	—	—	1	26
3	1	2	—	—	1	—	1	—	—	2	—	—	1	1	
1	—	—	—	1	2	—	1	—	1	—	—	—	—	—	27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8,230	2,283	2,202	1,672	2,073	5,760	1,526	1,562	1,174	1,498	2,980	811	855	609	705	28
6,251	1,637	1,639	1,326	1,649	4,995	1,304	1,352	1,081	1,258	2,879	736	797	633	713	
581	158	177	125	121	475	126	149	92	108	214	71	62	44	37	29A
582	146	187	117	132	425	98	145	90	92	260	62	78	66	54	
129	39	42	23	25	116	28	30	32	26	53	18	17	8	10	29B
124	34	47	21	22	114	28	41	27	18	88	31	26	11	20	
8,940	2,480	2,421	1,820	2,219	6,351	1,680	1,741	1,298	1,632	3,247	900	934	661	752	28 &
6,957	1,817	1,873	1,464	1,803	5,534	1,430	1,538	1,198	1,368	3,227	829	901	710	787	29
985	288	297	230	170	780	218	257	173	132	362	91	115	85	71	30
911	236	279	211	185	748	199	217	166	166	356	90	116	84	66	
733	192	217	168	156	552	150	159	127	116	244	61	73	58	52	31
724	177	198	178	171	603	164	155	142	142	316	79	78	98	61	
120	24	38	31	27	124	35	30	23	36	71	12	24	18	17	32
100	19	30	26	25	93	25	21	23	24	54	12	13	14	15	
96	25	19	26	26	70	13	20	22	15	44	9	11	16	8	33
54	11	19	9	15	31	5	12	6	8	36	10	10	8	8	
137	41	46	25	25	109	33	28	17	31	84	25	26	16	17	34
123	29	36	30	28	102	32	30	13	27	68	23	21	15	9	
429	114	142	94	79	378	99	114	89	76	182	50	58	33	41	35
354	91	101	89	73	307	66	86	83	72	157	46	43	34	34	
11,440	3,164	3,180	2,394	2,702	8,364	2,228	2,349	1,749	2,038	4,234	1,148	1,241	887	958	28–35
9,223	2,380	2,536	2,007	2,300	7,418	1,921	2,059	1,631	1,807	4,214	1,089	1,182	963	980	
238	78	75	41	44	154	51	34	25	44	86	29	16	22	19	36
158	49	39	38	32	151	48	49	20	34	66	21	22	10	13	
508	121	136	120	131	316	74	76	86	80	121	32	28	28	33	37
373	86	91	86	110	226	60	64	54	48	71	14	29	13	15	
14	6	1	5	2	12	2	3	5	2	3	2	—	—	1	38
11	3	1	5	2	6	2	—	1	3	3	2	—	1	—	
780	207	172	191	210	670	185	178	150	157	429	105	105	105	114	39
121	23	32	33	33	117	26	24	28	39	91	22	22	22	25	
2,176	551	520	581	524	2,217	557	550	543	567	1,684	412	434	439	399	40
2,056	528	488	519	521	2,245	565	523	567	590	1,561	355	396	395	415	
1,165	277	279	311	298	1,239	289	306	293	351	935	238	232	217	248	41
1,377	291	343	369	374	1,493	358	400	353	382	934	213	233	228	260	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	42
1,791	449	418	442	482	1,538	370	390	385	393	842	184	194	233	231	
10	—	3	3	4	8	3	2	2	1	6	2	2	1	1	43
1,257	330	265	309	353	1,440	341	368	337	394	849	215	217	193	224	

CAUSES OF DEATH IN EACH QUARTER OF THE YEAR

International List Nos.	Causes of Death.		England and Wales. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	London. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
44	Cancer of the skin ...	M	644	163	146	146	189	58	15	14	16	13
		F	365	91	85	81	108	40	13	4	12	11
45	Cancer of other or unspecified organs.	M	3,950	993	1,010	987	960	606	141	157	152	156
		F	2,189	533	513	568	575	282	71	61	64	86
39–45	Cancer (all sites)... ...	M	17,787	4,428	4,388	4,444	4,527	2,337	562	558	593	624
		F	22,843	5,515	5,545	5,688	6,095	2,899	705	699	702	793
46	Other tumours (situation undefined).	M	93	25	21	17	30	9	3	1	2	3
		F	106	26	29	27	24	8	1	2	5	—
47	Rheumatic fever... ...	M	878	245	251	167	215	74	22	16	14	22
		F	1,009	325	259	204	221	106	29	37	21	19
48 A, B	Chronic rheumatism, Osteo-arthritis.	M	582	154	137	130	161	53	10	14	12	17
		F	1,406	378	342	300	386	176	47	42	40	47
48C	Gout	M	281	73	66	83	59	51	15	13	13	10
		F	60	19	14	18	9	12	3	4	3	2
49	Scurvy	M	22	3	8	6	5	1	1	—	—	—
		F	17	4	4	4	5	3	1	1	—	1
50	Diabetes	M	2,316	639	566	463	648	250	61	60	57	72
		F	2,228	629	505	442	652	232	69	55	45	63
51	Exophthalmic goitre ...	M	47	10	10	10	17	4	—	2	2	—
		F	399	88	98	91	122	28	8	8	5	7
52	Addison's disease ...	M	100	30	25	28	17	7	1	3	2	1
		F	132	35	39	25	33	9	3	2	2	2
53	Leucocythæmia, Lymphadenoma.	M	425	113	121	92	99	59	16	14	15	14
		F	319	67	82	80	90	43	12	12	11	8
54	Anæmia, Chlorosis ...	M	1,083	274	276	244	289	83	12	14	23	34
		F	1,454	386	362	318	388	102	27	25	20	30
55	Other general diseases ...	M	240	69	62	51	58	21	8	3	4	6
		F	255	69	64	60	62	26	7	10	3	6
56	Alcoholism (acute or chronic).	M	237	89	56	49	43	22	4	7	6	5
		F	119	31	30	28	30	6	2	1	1	2
57	Chronic lead poisoning...	M	57	11	18	15	13	10	3	2	3	2
		F	3	—	2	—	1	1	—	—	—	1
58	Other chronic occupational poisonings.	M	24	3	2	11	8	2	—	1	1	—
		F	34	3	7	11	13	6	1	1	2	2
59	Other chronic poisonings	M	11	4	5	1	1	—	—	—	—	—
		F	9	2	3	3	1	3	1	1	—	1
60	Encephalitis	M	183	58	42	36	47	16	8	3	3	2
		F	119	46	29	22	22	12	3	3	3	3
61A	Cerebro-spinal fever ...	M	845	256	318	132	139	114	29	43	23	19
		F	369	122	130	65	52	110	32	40	23	15
61B	Posterior basal meningitis	M	81	15	28	15	23	10	1	6	—	3
		F	73	18	21	18	16	15	5	6	1	3
61C	Meningitis, other forms	M	1,735	515	470	381	369	165	50	43	38	34
		F	1,553	435	440	360	318	124	42	39	24	19
62	Locomotor ataxy... ...	M	685	199	170	131	185	112	33	21	22	36
		F	101	23	31	16	31	16	6	5	2	3
63	Other diseases of the spinal cord.	M	1,620	463	361	355	441	169	39	45	35	50
		F	1,272	350	301	273	348	166	40	41	40	45

IN DIFFERENT CLASSES OF AREA, 1916—*continued.*

AGGREGATE OF COUNTY BOROUGHS.					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	
221	55	56	53	57	196	53	40	35	68	166	39	35	41	51	44
109	30	25	19	35	123	28	26	29	40	93	20	30	21	22	
1,284	309	325	334	316	1,223	321	306	305	291	749	203	196	174	176	45
714	158	200	193	163	721	178	143	189	211	472	126	109	122	115	
5,636	1,399	1,355	1,473	1,409	5,553	1,408	1,382	1,328	1,435	3,969	999	1,004	977	989	39–45
7,425	1,809	1,771	1,884	1,961	7,677	1,866	1,874	1,888	2,049	4,842	1,135	1,201	1,214	1,292	
27	5	7	6	9	24	8	6	3	7	24	3	6	6	9	46
38	11	8	8	11	40	9	14	11	6	20	5	5	3	7	
302	80	79	64	79	291	79	94	53	65	170	49	50	29	42	47
353	122	89	62	80	335	110	77	79	69	215	64	56	42	53	
169	44	41	32	52	185	53	38	48	46	175	47	44	38	46	48
417	105	94	88	130	463	127	118	104	114	350	99	88	68	95	A, B.
70	22	11	24	13	102	23	26	33	20	56	13	15	13	15	48C
18	9	2	4	3	16	6	4	5	1	14	1	4	6	3	
6	1	1	2	2	10	1	7	1	1	3	—	—	2	1	49
5	—	2	2	1	7	3	—	2	2	2	—	1	—	1	
675	183	154	142	196	845	231	229	161	224	488	152	108	88	140	50
730	205	172	145	208	752	211	159	149	233	514	144	119	103	148	
11	3	1	2	5	21	4	5	5	7	10	3	2	1	4	51
129	25	32	35	37	138	35	30	31	42	104	20	28	20	36	
27	5	6	11	5	32	13	4	8	7	22	6	9	6	1	52
46	11	16	7	12	50	16	16	10	8	27	5	5	6	11	
117	22	36	29	30	131	46	40	18	27	84	24	24	18	18	53
88	19	21	17	31	103	24	24	27	28	85	12	25	25	23	
344	87	100	68	89	375	92	90	106	87	242	71	64	38	69	54
485	142	112	98	133	519	142	118	121	138	348	75	107	79	87	
69	16	21	15	17	72	23	16	15	18	56	15	15	13	13	55
80	20	22	14	24	93	29	22	24	18	56	13	10	19	14	
84	33	21	20	10	73	32	13	13	15	35	12	8	6	9	56
48	9	15	13	11	49	14	10	12	13	16	6	4	2	4	
18	3	6	3	6	19	2	7	8	2	9	2	3	1	3	57
—	—	—	—	—	1	—	1	—	—	1	—	1	—	—	
5	—	—	2	3	15	3	—	7	5	2	—	1	1	—	58
9	1	2	3	3	14	—	4	4	6	5	1	—	2	2	
8	4	2	1	1	2	—	2	—	—	1	—	1	—	—	59
3	—	2	1	—	2	1	—	1	—	1	—	—	1	—	
62	19	15	12	16	44	17	8	8	11	38	9	10	6	13	60
53	18	17	9	9	35	14	6	6	9	19	11	3	4	1	
136	38	61	19	18	103	32	41	15	15	43	16	12	6	9	61A
100	29	36	16	19	104	41	38	15	10	55	20	16	11	8	
36	5	15	6	10	28	6	6	7	9	6	3	1	1	1	61B
26	7	6	6	7	26	2	7	11	6	6	4	2	—	—	
661	190	190	144	137	605	179	152	136	138	255	79	75	52	49	61C
649	184	171	154	140	509	126	160	116	107	271	83	70	66	52	
233	72	65	38	58	244	67	63	51	63	93	26	20	20	27	62
38	5	10	7	16	30	8	8	4	10	17	4	8	3	2	
493	150	98	111	134	531	168	120	110	133	393	100	90	90	113	63
387	109	102	74	102	432	124	95	99	114	287	77	63	60	87	

International List Nos.	Causes of Death.		England and Wales. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	London. Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
64	Cerebral hæmorrhage, Apoplexy.	M	11,151	3,129	2,769	2,289	2,964	1,004	261	229	218	296
		F	13,164	3,731	3,150	2,734	3,549	1,268	344	322	262	340
65	Softening of brain ...	M	637	195	137	126	179	63	16	13	14	20
		F	647	162	170	144	171	75	19	24	14	18
66	Paralysis without specified cause.	M	1,298	392	319	228	359	115	32	27	19	37
		F	1,561	487	367	291	416	159	38	29	35	57
67	General paralysis of the insane.	M	1,729	496	416	322	495	344	87	71	78	108
		F	371	114	79	72	106	73	28	16	12	17
68	Other forms of mental alienation.	M	483	142	108	99	134	85	33	14	14	24
		F	682	201	176	148	157	97	28	22	17	30
69	Epilepsy	M	1,758	527	474	369	388	257	84	77	40	56
		F	1,470	414	391	324	341	129	39	32	28	30
70	Convulsions (non-puerperal ; 5 yrs. and over).	M	52	15	12	15	10	2	1	—	—	1
		F	55	14	17	14	10	3	1	—	—	2
71	Infantile convulsions (under 5 years).	M	4,257	1,351	1,092	847	967	252	76	77	51	48
		F	3,063	960	817	612	674	185	62	48	36	39
72	Chorea	M	26	11	7	2	6	—	—	—	—	—
		F	90	27	24	15	24	4	1	2	—	1
73	Hysteria, Neuralgia, Neuritis.	M	123	33	27	34	29	17	7	2	4	4
		F	237	83	48	51	55	38	13	7	8	10
74	Other diseases of the nervous system.	M	1,170	343	300	235	292	138	45	36	25	32
		F	1,146	346	283	227	290	127	30	28	27	42
75	Diseases of the eyes and annexa.	M	28	9	8	3	8	5	—	1	1	3
		F	26	7	9	2	8	5	2	1	1	1
76A	Mastoid disease	M	177	41	45	53	38	30	9	7	10	4
		F	127	38	34	22	33	16	2	6	1	7
76B	Other diseases of the ears	M	479	138	124	98	119	46	13	12	10	11
		F	354	97	96	71	90	55	18	9	12	16
77	Pericarditis	M	217	60	71	44	42	43	15	13	5	10
		F	189	68	53	33	35	41	16	12	8	5
78	Acute endocarditis ...	M	782	209	221	179	173	102	23	23	29	27
		F	835	223	223	190	199	119	30	32	31	26
79A	Valvular disease	M	11,725	3,091	3,050	2,479	3,105	1,535	417	383	320	415
		F	13,231	3,562	3,265	2,733	3,671	1,665	469	379	351	466
79B	Fatty degeneration of the heart.	M	1,329	370	342	278	339	267	77	60	57	73
		F	1,713	503	432	309	469	317	86	74	55	102
79C	Other organic disease of the heart.	M	12,975	3,660	3,155	2,692	3,468	1,524	443	328	311	442
		F	14,150	4,031	3,382	2,780	3,957	1,710	490	385	318	517
80	Angina pectoris	M	723	175	193	147	208	85	23	13	23	26
		F	341	94	93	58	96	37	4	7	11	15
81A	Aneurysm	M	800	217	226	181	176	163	44	58	34	27
		F	202	52	48	42	60	54	16	16	8	14
81B	Arterial sclerosis ...	M	4,700	1,321	1,157	933	1,289	609	167	174	101	167
		F	3,312	926	815	653	918	484	126	120	94	144
81C	Other diseases of arteries	M	77	25	18	21	13	11	6	3	1	1
		F	47	8	8	13	18	5	1	—	3	1

IN DIFFERENT CLASSES OF AREA, 1916—*continued.*

AGGREGATE OF COUNTY BOROUGHS.					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	
3,735	1,055	877	793	1,010	3,756	1,047	979	746	984	2,557	733	665	514	645	64
4,439	1,260	1,091	915	1,173	4,435	1,269	1,042	955	1,169	3,022	858	695	602	867	
230	64	53	46	67	186	53	36	42	55	157	62	34	24	37	65
235	63	60	47	65	215	50	51	54	60	122	30	35	29	28	
458	139	105	82	132	408	122	102	66	118	313	99	84	61	69	66
552	183	136	85	148	497	157	124	96	120	353	109	78	75	91	
662	197	163	113	189	465	148	122	81	114	166	41	39	36	50	67
146	42	29	27	48	92	29	19	21	23	60	15	15	12	18	
179	42	51	41	45	130	40	25	19	46	68	23	14	19	12	68
256	66	76	51	63	202	68	45	52	37	127	39	33	28	27	
570	171	148	122	129	542	153	139	129	121	354	107	101	70	76	69
514	151	133	117	113	500	125	139	111	125	327	99	87	68	73	
20	4	5	5	6	14	3	3	6	2	15	6	4	4	1	70
17	5	4	7	1	29	8	12	5	4	6	—	1	2	3	
1,684	511	416	366	391	1,494	490	382	280	342	827	274	217	150	186	71
1,217	355	327	240	295	1,056	359	270	213	214	605	184	172	123	126	
10	4	4	—	2	8	4	2	—	2	7	2	1	2	2	72
34	9	14	4	7	33	12	2	7	12	19	5	6	4	4	
39	11	10	9	9	40	10	7	15	8	24	4	8	4	8	73
90	32	20	19	19	80	29	15	15	21	29	9	6	9	5	
397	120	101	80	96	368	108	94	74	92	227	62	58	50	57	74
391	113	103	75	100	379	116	88	77	98	249	87	64	48	50	
11	2	4	2	3	10	6	2	—	2	2	1	1	—	—	75
5	—	1	1	3	10	5	3	—	2	6	—	4	—	2	
65	19	13	18	15	42	7	11	16	8	15	2	4	4	5	76A
49	18	9	12	10	46	14	14	6	12	16	4	5	3	4	
153	48	29	38	38	142	49	41	19	33	76	16	22	17	21	76B
143	35	39	30	39	102	28	28	20	26	54	16	20	9	9	
70	19	18	18	15	50	13	16	12	9	29	9	11	4	5	77
66	21	19	16	10	57	23	14	7	13	25	8	8	2	7	
286	76	93	50	67	208	63	54	49	42	95	22	31	19	23	78
316	83	85	73	75	273	73	69	68	63	127	37	37	18	35	
3,858	1,056	998	809	995	3,584	902	965	774	943	2,586	681	658	543	704	79A
4,422	1,200	1,107	914	1,201	4,294	1,114	1,102	885	1,193	2,850	779	677	583	811	
379	109	94	79	97	375	98	104	84	89	281	76	78	51	76	79B
513	152	133	88	140	538	162	137	97	142	345	103	88	69	85	
4,015	1,123	1,028	824	1,040	4,096	1,194	979	819	1,104	3,245	875	796	714	860	79C
4,400	1,253	1,080	882	1,185	4,729	1,336	1,105	953	1,335	3,311	952	812	627	920	
260	50	75	52	83	248	68	63	50	67	116	33	36	19	28	80
129	43	25	21	40	108	29	35	14	30	67	18	26	12	11	
248	59	74	62	53	224	63	56	52	53	116	35	21	26	34	81A
74	24	15	18	17	50	8	11	14	17	24	4	6	2	12	
1,593	445	380	328	440	1,474	418	344	300	412	1,002	286	254	199	263	81B
1,238	362	299	233	344	1,007	267	265	208	267	583	171	131	118	163	
22	7	7	6	2	30	8	7	8	7	13	4	1	5	3	81C
17	1	3	4	9	14	4	2	3	5	11	2	3	3	3	

International List Nos.	Causes of Death.		England and Wales.					London.				
			Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
82A	Cerebral embolism and thrombosis.	M	1,209	357	287	238	327	183	51	48	37	47
		F	1,637	438	413	350	436	230	48	62	49	71
82B	Other embolism and thrombosis.	M	131	35	44	21	31	14	3	6	2	3
		F	145	41	31	26	47	15	3	1	6	5
83	Diseases of the veins (Varices, Hæmorrhoids, Phlebitis, &c.).	M	154	46	34	34	40	12	3	3	2	4
		F	184	54	51	29	50	12	4	2	3	3
84A	Status lymphaticus ...	M	116	38	29	16	33	38	15	10	6	7
		F	82	23	20	17	22	21	3	4	6	8
84B	Other diseases of the lymphatic system.	M	59	13	16	17	13	9	2	3	1	3
		F	47	18	9	11	9	7	1	2	1	3
85	Hæmorrhage; other diseases of the circulatory system.	M	126	44	23	28	31	19	6	4	4	5
		F	124	37	28	22	37	18	7	1	3	7
86	Diseases of the nasal fossæ.	M	38	16	4	6	12	6	2	—	—	4
		F	21	4	8	2	7	2	—	2	—	—
87	Diseases of the larynx ...	M	604	239	147	84	134	39	11	13	7	8
		F	449	160	116	63	110	31	8	13	5	5
88	Diseases of the thyroid body.	M	42	12	5	7	18	7	3	—	1	3
		F	237	76	44	40	77	30	14	5	2	9
89 & 90	Bronchitis	M	21,538	7,233	4,930	2,406	6,969	2,656	914	533	275	934
		F	21,874	7,391	4,709	2,035	7,739	2,937	1,008	612	205	1,112
91	Broncho-pneumonia ...	M	9,229	3,377	2,297	1,041	2,514	1,348	417	339	139	453
		F	7,938	2,906	2,002	834	2,196	1,202	367	308	114	413
92A	Lobar pneumonia ...	M	5,444	1,602	1,596	896	1,350	711	222	184	103	202
		F	3,336	1,049	933	474	880	550	181	146	61	162
92B	Pneumonia (type not stated).	M	7,132	2,173	2,011	1,100	1,848	791	229	186	121	255
		F	4,837	1,541	1,328	690	1,278	620	198	148	76	198
93	Pleurisy	M	860	233	248	179	200	110	29	32	27	22
		F	565	154	161	118	132	81	18	22	23	18
94	Pulmonary congestion, Pulmonary apoplexy.	M	731	227	178	122	204	86	27	23	12	24
		F	767	226	193	118	230	117	39	24	20	34
95	Gangrene of the lung ...	M	42	16	10	6	10	10	5	3	2	—
		F	19	2	4	8	5	4	1	—	3	—
96	Asthma	M	1,186	359	253	161	413	122	36	13	16	57
		F	790	242	145	111	292	81	27	8	10	36
97	Pulmonary emphysema	M	245	84	57	38	66	43	10	9	6	18
		F	106	46	22	12	26	19	9	4	1	5
98A	Fibroid disease of lung.	M	209	56	55	41	57	18	6	2	5	5
		F	64	19	12	15	18	10	2	2	4	2
98B	Other diseases of the respiratory system.	M	172	35	47	40	50	28	6	10	4	8
		F	80	21	27	11	21	13	3	6	1	3
99A	Diseases of the teeth and gums.	M	160	39	49	33	39	22	1	10	3	8
		F	146	34	45	37	30	20	5	9	3	3
99B, C, D.	Other diseases of the mouth and annexa.	M	76	25	18	13	20	4	4	—	—	—
		F	54	11	16	14	13	4	1	2	—	1
100	Diseases of pharynx, Tonsillitis.	M	336	102	75	75	84	36	16	5	11	4
		F	283	95	64	58	66	33	10	7	7	9

IN DIFFERENT CLASSES OF AREA, 1916—*continued.*

AGGREGATE OF COUNTY BOROUGHS.					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	
336	91	84	68	93	407	124	95	82	106	268	88	56	48	76	82A
463	127	108	100	128	599	170	142	135	152	345	93	101	66	85	
35	14	9	7	5	38	12	7	8	11	34	3	18	3	10	82B
48	12	13	8	15	50	19	10	9	12	32	7	7	3	15	
51	12	12	12	15	44	20	7	12	5	33	9	10	5	9	83
64	20	22	6	16	65	21	16	15	13	43	9	11	5	18	
35	9	6	7	13	29	12	8	1	8	12	2	4	2	4	84A
26	6	7	6	7	28	11	8	5	4	7	3	1	—	3	
22	4	9	5	4	15	3	3	6	3	9	4	—	4	1	84B
20	7	6	4	3	14	7	1	3	3	6	3	—	3	—	
44	13	9	12	10	30	13	4	8	5	30	11	6	3	10	85
34	11	8	6	9	46	16	11	9	10	26	3	8	4	11	
15	7	1	3	4	7	3	2	1	1	5	1	1	—	3	86
5	—	2	—	3	7	1	2	2	2	7	3	2	—	2	
216	97	49	24	46	212	83	52	31	46	135	47	33	22	33	87
155	65	33	18	39	162	51	50	23	38	101	36	20	17	28	
10	4	3	1	2	12	3	2	2	5	13	2	—	3	8	88
51	20	6	9	16	88	23	18	19	28	68	19	15	10	24	
8,491	2,808	1,971	1,023	2,689	6,437	2,154	1,516	706	2,061	3,732	1,261	871	386	1,214	89 &
8,542	2,894	1,792	828	3,028	6,704	2,248	1,457	662	2,337	3,691	1,241	848	340	1,262	90.
3,944	1,482	992	452	1,018	2,591	987	616	284	704	1,160	424	304	147	285	91
3,480	1,296	888	376	920	2,271	852	558	249	612	985	391	248	95	251	
2,160	609	633	391	527	1,416	400	426	231	359	737	249	227	106	155	92A
1,282	427	352	187	316	1,005	303	283	156	263	499	138	152	70	139	
2,693	808	761	455	669	2,052	623	592	294	543	1,132	367	327	162	276	92B
1,923	629	536	276	482	1,511	449	416	227	419	783	265	228	111	179	
287	79	91	52	65	250	64	70	54	62	163	51	39	37	36	93
201	51	61	42	47	174	56	45	36	37	109	29	33	17	30	
221	67	57	35	62	261	83	59	44	75	157	50	37	29	41	94
232	53	75	36	68	264	77	63	41	83	154	57	31	21	45	
16	6	5	2	3	9	3	—	1	5	5	2	2	1	—	95
3	—	—	2	1	5	1	4	—	—	7	—	—	3	4	
375	107	79	52	137	386	117	103	53	113	253	84	51	37	81	96
298	83	64	47	104	267	80	51	36	100	144	52	22	18	52	
81	26	20	14	21	64	30	12	8	14	47	13	13	9	12	97
43	15	9	7	12	25	11	6	1	7	19	11	3	3	2	
49	15	10	12	12	70	18	21	9	22	69	17	21	15	16	98A
13	3	4	4	2	17	6	1	2	8	24	8	5	5	6	
67	19	17	12	19	44	5	12	15	12	25	4	7	6	8	98B
28	10	7	3	8	19	3	5	4	7	20	5	9	3	3	
51	16	14	8	13	51	14	18	11	8	26	7	5	8	6	99A
54	18	16	12	8	46	7	11	12	16	26	4	9	10	3	
32	13	7	4	8	28	6	5	8	9	10	—	6	1	3	99B,
23	6	7	6	4	14	2	4	5	3	13	2	3	3	5	C, D.
86	28	22	12	24	115	37	23	24	31	63	12	13	20	18	100
97	38	22	18	19	96	31	18	20	27	57	16	17	13	11	

Causes of Death in each Quarter of the Year

International List Nos.	Causes of Death.		England and Wales.					London.				
			Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
101	Diseases of œsophagus ...	M	34	6	8	8	12	2	—	—	—	2
		F	31	12	6	8	5	1	—	1	—	—
102	Perforating ulcer of stomach.	M	1,000	255	264	218	263	160	48	36	30	46
		F	945	246	236	214	249	114	30	25	25	34
103A	Inflammation of stomach	M	1,563	420	377	394	372	126	34	27	35	30
		F	1,594	429	386	355	424	138	38	35	30	35
103B	Other diseases of the stomach.	M	361	100	76	81	104	31	7	9	7	8
		F	335	90	86	83	76	29	8	9	11	1
104 & 105.	Diarrhœa and enteritis ...	M	8,011	1,365	1,241	3,238	2,167	1,146	157	185	492	312
		F	6,691	1,129	995	2,626	1,941	863	142	96	346	279
106	Ankylostomiasis... ...	M	2	—	—	1	1	1	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites	M	13	3	3	5	2	—	—	—	—	—
		F	17	9	3	1	4	2	2	—	—	—
108	Appendicitis	M	1,474	397	329	388	360	135	31	35	36	33
		F	1,129	275	288	288	278	133	30	38	29	36
109A	Hernia	M	840	216	195	195	234	101	29	26	25	21
		F	1,021	251	246	229	295	137	30	37	28	42
109B	Intestinal obstruction ...	M	1,292	324	345	326	297	169	42	50	50	27
		F	1,135	313	265	257	300	155	48	27	35	45
110	Other diseases of the intestines.	M	227	62	64	46	55	35	7	13	5	10
		F	266	80	65	68	53	41	17	9	9	6
111	Acute yellow atrophy of liver.	M	27	7	9	4	7	4	—	1	—	3
		F	38	8	8	12	10	3	1	1	1	—
112	Hydatid of liver... ...	M	13	4	2	3	4	3	1	—	1	1
		F	16	6	3	3	4	1	—	—	1	—
113	Cirrhosis of the liver ...	M	1,869	510	462	456	441	294	8	73	72	71
		F	1,210	366	294	260	290	222	73	56	36	57
114	Biliary calculi	M	208	53	57	50	48	13	2	4	3	4
		F	565	145	148	138	134	53	14	11	14	14
115	Other diseases of the liver	M	410	106	124	89	91	46	8	18	10	10
		F	473	127	120	108	118	56	15	14	10	17
116	Diseases of the spleen ...	M	35	11	9	6	9	4	3	—	—	1
		F	24	7	6	7	4	2	1	1	—	—
117	Peritonitis (cause unstated).	M	219	66	54	42	57	22	4	7	4	7
		F	289	85	76	62	66	40	17	7	8	8
118	Other diseases of the digestive system.	M	89	23	23	22	21	9	2	1	2	4
		F	95	24	25	22	24	12	3	3	3	3
119	Acute nephritis	M	1,150	365	289	229	267	111	29	30	17	35
		F	874	244	220	175	235	80	14	25	17	24
120	Bright's disease	M	6,930	1,876	1,769	1,512	1,773	918	274	213	195	236
		F	5,695	1,580	1,468	1,185	1,462	801	249	211	155	186
121	Chyluria	M	1	1	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
122	Other diseases of the kidney and annexa.	M	263	70	73	63	57	50	12	19	10	9
		F	229	59	70	48	52	37	11	8	6	12

IN DIFFERENT CLASSES OF AREA, 1916—*continued.*

Aggregate of County Boroughs.					Aggregate of Urban Districts.					Aggregate of Rural Districts.					International List Nos.
Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	
11	2	3	3	3	11	2	3	3	3	8	1	2	1	4	101
16	6	3	4	3	8	3	1	3	1	6	3	1	1	1	
295	62	93	64	76	276	75	66	63	72	188	55	43	42	48	102
340	104	88	61	87	309	74	81	78	76	182	38	42	50	52	
563	141	145	127	150	575	160	124	155	136	283	81	78	73	51	103A
563	154	137	135	137	576	153	130	128	165	317	84	84	62	87	
130	30	25	36	39	111	33	22	22	34	78	27	18	12	21	103B
113	26	26	27	34	109	34	33	15	27	84	22	18	30	14	
3,406	503	462	1,507	934	2,312	439	367	888	618	1,066	244	214	328	280	104 &
2,958	442	411	1,269	836	1,957	344	304	730	579	913	201	184	281	247	105
—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	106
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	1	2	—	1	5	—	—	4	1	4	2	1	1	—	107
5	2	1	—	2	3	1	—	—	2	7	4	2	1	—	
444	123	97	117	107	430	126	90	104	110	289	75	65	78	71	108
362	95	90	85	92	424	98	109	119	98	210	52	51	55	52	
253	59	55	57	82	279	74	69	62	74	190	47	40	47	56	109A
363	106	83	81	93	347	81	83	80	103	174	34	43	40	57	
379	93	102	86	98	392	99	103	107	83	299	71	81	72	75	109B
364	106	92	84	82	356	97	84	76	99	260	62	62	62	74	
68	23	17	13	15	68	18	16	14	20	43	11	14	10	8	110
84	27	21	20	16	83	23	19	26	15	58	13	16	13	16	
6	3	1	—	2	7	3	1	2	1	3	—	1	1	1	111
14	2	5	4	3	8	3	—	2	3	13	2	2	5	4	
4	1	1	—	2	2	1	—	1	—	2	—	1	—	1	112
5	1	1	1	2	6	3	1	1	1	4	2	1	—	1	
537	147	137	138	115	613	161	155	135	162	400	118	94	103	85	113
369	120	79	79	91	407	116	100	93	98	212	57	59	52	44	
68	11	22	17	18	72	24	13	19	16	50	14	16	10	10	114
215	59	57	43	56	196	42	45	63	46	101	30	35	18	18	
113	25	26	24	38	120	33	34	27	26	95	27	35	21	12	115
140	37	38	30	35	156	42	36	47	31	121	33	32	21	35	
11	2	3	1	5	9	2	5	—	2	10	4	1	4	1	116
7	1	2	3	1	11	5	1	3	2	4	—	2	1	1	
81	22	19	16	24	63	21	15	15	12	44	17	10	5	12	117
105	28	27	24	26	88	30	21	20	17	56	10	21	10	15	
32	9	11	6	6	29	7	5	11	6	13	3	5	2	3	118
32	8	11	6	7	36	10	9	9	8	15	3	2	4	6	
424	133	106	97	88	340	120	84	59	77	200	62	49	45	44	119
357	99	80	64	114	293	97	79	58	59	144	34	36	36	38	
2,319	631	586	493	609	2,152	561	573	495	523	1,361	350	350	296	365	120
1,865	494	492	378	501	1,959	525	495	430	509	1,070	312	270	222	266	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	121
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
80	18	23	18	21	61	17	15	15	14	43	12	9	12	10	122
64	14	21	15	14	81	15	26	21	19	47	19	15	6	7	

Causes of Death in each Quarter of the Year

International List Nos.	Causes of Death.		England and Wales.					London.				
			Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
123	Calculi of the urinary passages.	M	189	45	53	49	42	26	4	5	12	5
		F	81	20	15	21	25	17	6	4	3	4
124	Diseases of the bladder ...	M	1,083	319	270	232	262	123	34	31	31	27
		F	255	77	70	53	55	32	7	9	9	7
125	Diseases of the urethra, Urinary abscess, &c.	M	418	92	113	94	119	52	10	19	9	14
		F	4	1	2	1	—	—	—	—	—	—
126	Diseases of the prostate ...	M	1,614	390	375	386	463	175	40	45	41	49
		F	—	—	—	—	—	—	—	—	—	—
127	Non-venereal diseases of male genital organs.	M	42	9	11	11	11	6	1	1	1	3
		F	—	—	—	—	—	—	—	—	—	—
128	Uterine hæmorrhage (non-puerperal).	M	—	—	—	—	—	—	—	—	—	—
		F	31	12	6	8	5	3	2	1	—	—
129	Uterine tumour (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	321	81	82	77	81	44	9	10	16	9
130	Other diseases of the uterus.	M	—	—	—	—	—	—	—	—	—	—
		F	177	42	61	35	39	17	2	10	2	3
131	Ovarian cyst, tumour (non-cancerous).	M	—	—	—	—	—	—	—	—	—	—
		F	307	76	70	74	87	32	6	11	6	9
132	Other diseases of the female genital organs.	M	—	—	—	—	—	—	—	—	—	—
		F	218	56	50	62	50	30	13	4	2	11
133	Non-puerperal dis. of the breast (non-cancerous).	M	3	1	—	1	1	1	1	—	—	—
		F	18	8	6	2	2	3	1	2	—	—
134	Accidents of pregnancy...	M	—	—	—	—	—	—	—	—	—	—
		F	323	76	86	77	84	32	8	9	8	7
135	Puerperal hæmorrhage ...	M	—	—	—	—	—	—	—	—	—	—
		F	447	92	125	127	103	43	14	12	13	4
136	Other accidents of child-birth.	M	—	—	—	—	—	—	—	—	—	—
		F	390	111	102	84	93	39	10	10	11	8
137	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—
		F	1,083	331	279	218	255	158	47	38	30	43
138	Puerperal albuminuria and convulsions.	M	—	—	—	—	—	—	—	—	—	—
		F	656	148	185	156	167	46	7	18	10	11
139	Puerperal phlegmasia alba dolens, embolism and sudden death.	M	—	—	—	—	—	—	—	—	—	—
		F	307	85	72	59	91	16	5	4	2	5
140	Puerperal insanity ...	M	—	—	—	—	—	—	—	—	—	—
		F	27	8	7	5	7	—	—	—	—	—
141	Puerperal diseases of the breast.	M	—	—	—	—	—	—	—	—	—	—
		F	6	2	—	1	3	—	—	—	—	—
134–141	All accidents of pregnancy and childbirth.	M	—	—	—	—	—	—	—	—	—	—
		F	3,239	853	856	727	803	334	91	91	74	78
142A	Senile gangrene	M	780	219	224	148	189	85	24	26	15	20
		F	633	183	167	140	143	77	21	18	18	20
142B, C, D.	Gangrene, other types ...	M	106	33	24	18	31	9	3	2	2	2
		F	99	33	21	20	25	13	4	4	1	4
143	Carbuncle, Boil	M	161	52	44	27	38	24	9	6	4	5
		F	107	25	32	19	31	10	3	4	—	3
144	Phlegmon, Acute abscess	M	390	130	96	77	87	53	15	13	9	16
		F	320	90	82	70	78	37	5	12	5	15
145	Diseases of the integumentary system.	M	487	142	133	105	107	59	13	14	15	17
		F	584	153	154	115	162	63	10	17	18	18

IN DIFFERENT CLASSES OF AREA, 1916—*continued.*

AGGREGATE OF COUNTY BOROUGHS					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	
47	10	14	16	7	56	13	20	10	13	42	12	9	8	13	123
22	6	2	6	8	23	6	4	4	9	19	2	5	8	4	
288	76	76	64	72	392	124	82	92	94	268	82	76	42	68	124
78	23	21	13	21	86	27	27	18	14	59	20	13	13	13	
180	35	48	42	55	112	31	25	27	29	44	8	14	10	12	125
—	—	—	—	—	2	—	1	1	—	2	1	1	—	—	
471	113	106	114	138	525	131	125	126	143	440	104	99	104	133	126
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
19	4	5	5	5	11	2	4	2	3	5	1	1	3	—	127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	128
11	3	2	5	1	8	2	3	—	3	9	5	—	3	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	129
95	26	27	21	21	110	29	30	18	33	72	17	15	22	18	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	130
72	18	21	14	19	58	12	22	12	12	30	10	8	7	5	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	131
99	22	17	28	32	113	30	24	26	33	63	18	18	14	13	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	132
99	20	22	34	23	57	14	15	20	8	32	9	9	6	8	
2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	133
6	3	2	1	—	7	3	2	—	2	2	1	—	1	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134
114	26	37	24	27	115	31	29	28	27	62	11	11	17	23	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	135
141	25	46	36	34	166	37	36	51	42	97	16	31	27	23	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	136
121	40	26	22	33	142	44	36	29	33	88	17	30	22	19	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	137
399	127	102	88	82	345	96	97	65	87	181	61	42	35	43	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	138
204	47	61	46	50	257	59	68	67	63	149	35	38	33	43	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	139
84	21	22	16	25	117	29	28	24	36	90	30	18	17	25	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	140
15	5	4	3	3	5	2	—	2	1	7	1	3	—	3	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141
1	1	—	—	—	3	1	—	1	1	2	—	—	—	2	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134–141
1,079	292	298	235	254	1,150	299	294	267	290	676	171	173	151	181	
239	68	63	51	57	209	65	52	34	58	246	62	82	48	54	142A.
193	55	49	44	45	215	65	59	41	50	148	42	41	37	28	
39	10	8	5	16	35	13	7	8	7	20	4	7	3	6	142B, C, D
41	8	12	9	12	29	14	3	9	3	16	7	2	1	6	
42	14	12	5	11	54	18	14	10	12	27	10	6	6	5	143
33	10	4	7	12	38	7	12	7	12	26	5	12	5	4	
129	45	28	29	27	124	40	32	26	26	64	25	16	9	14	144
115	44	21	28	22	100	24	31	18	27	68	17	18	19	14	
160	55	51	28	26	151	46	38	32	35	113	27	29	28	29	145
177	52	42	35	48	201	51	49	41	60	143	40	46	21	36	

Causes of Death in each Quarter of the Year

International List Nos.	Causes of Death.		England and Wales.					London.				
			Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
146	Diseases of the bones ...	M	325	97	83	66	79	36	11	13	5	7
		F	185	51	49	41	44	30	14	7	7	2
147	Diseases of the joints ...	M	96	22	30	21	23	13	2	4	4	3
		F	72	14	25	17	16	17	2	3	6	6
148	Amputations	M	1	—	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
149	Other diseases of locomotor system.	M	21	3	5	7	6	3	—	1	1	1
		F	18	7	3	4	4	1	—	—	1	—
150	Congenital malformations	M	2,097	579	526	471	521	261	73	51	72	65
		F	1,679	408	427	403	441	191	44	55	47	45
151A	Premature birth ...	M	8,282	2,264	2,071	1,870	2,077	936	254	223	223	236
		F	6,345	1,764	1,540	1,421	1,620	693	202	139	156	196
151 B–E.	Infantile debility, Icterus and Sclerema.	M	5,233	1,422	1,274	1,119	1,418	593	143	148	133	169
		F	3,589	997	852	764	976	373	93	87	78	115
152	Other diseases peculiar to early infancy.	M	1,435	386	389	324	336	224	70	60	41	53
		F	1,047	290	265	222	270	157	39	34	37	47
153	Lack of care	M	134	47	30	31	26	17	4	6	4	3
		F	131	40	31	30	30	19	8	3	3	5
154	Old age	M	13,560	4,006	3,196	2,495	3,863	1,133	329	249	207	348
		F	18,379	5,201	4,489	3,343	5,346	1,831	497	441	317	576
155	Suicide by poison ...	M	130	38	29	38	25	23	5	5	8	5
		F	115	34	29	24	28	23	12	1	2	8
156	Suicide by asphyxia ...	M	77	19	21	19	18	13	2	3	3	5
		F	46	9	16	7	14	9	1	4	1	3
157	Suicide by hanging or strangulation.	M	552	130	153	141	128	49	8	15	15	11
		F	152	31	52	37	32	14	3	7	2	2
158	Suicide by drowning ...	M	364	65	115	114	70	12	2	5	4	1
		F	319	74	96	84	65	23	4	6	6	7
159	Suicide by firearms ...	M	243	57	78	46	62	13	3	4	2	4
		F	8	1	5	2	—	2	—	1	1	—
160	Suicide by cutting or piercing instruments.	M	544	131	168	123	122	50	11	13	16	10
		F	97	18	33	31	15	8	3	1	2	2
161	Suicide by jumping from high place.	M	54	11	14	14	15	17	3	5	3	6
		F	33	7	11	9	6	14	2	4	6	2
162	Suicide by crushing ...	M	94	24	23	25	22	12	4	3	1	4
		F	17	5	5	6	1	1	—	—	1	—
163	Other suicides ...	M	5	2	—	2	1	1	—	—	1	—
		F	5	2	2	1	—	—	—	—	—	—
164	Poisoning by food ...	M	60	14	11	23	12	2	1	—	—	1
		F	39	10	11	10	8	4	1	—	2	1
165	Other acute poisonings ...	M	76	14	20	21	21	10	1	6	2	1
		F	58	12	17	15	14	9	2	5	1	1
166	Conflagration	M	34	6	10	8	10	8	1	3	2	2
		F	44	12	12	10	10	6	—	2	1	3
167	Burns (conflagration excepted).	M	955	293	196	186	280	80	27	19	13	21
		F	1,403	504	282	166	451	150	59	26	19	46
168	Absorption of deleterious gases (conflagration excepted).	M	543	156	116	98	173	102	32	21	17	32
		F	426	134	111	67	114	80	22	21	16	21

IN DIFFERENT CLASSES OF AREA, 1916—*continued.*

AGGREGATE OF COUNTY BOROUGHS.					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	
99	29	26	21	23	91	27	25	18	21	71	22	14	15	20	146
62	14	19	11	18	63	15	19	16	13	30	8	4	7	11	
33	9	13	6	5	24	6	4	5	9	17	5	5	4	3	147
16	4	3	5	4	26	6	10	5	5	13	2	9	1	1	
1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	148
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	1	1	3	1	6	1	—	3	2	6	1	3	—	2	149
9	4	2	2	1	6	1	1	1	3	2	2	—	—	—	
705	197	177	138	193	719	201	193	157	168	411	108	104	104	95	150
573	148	144	126	155	588	142	153	154	139	327	74	75	76	102	
3,123	850	796	695	782	2,699	754	662	594	689	1,524	406	390	358	370	151A
2,432	684	596	550	602	2,062	563	519	447	533	1,158	315	286	268	289	
1,870	508	434	394	534	1,787	505	418	385	479	983	266	274	207	236	151
1,267	346	264	278	379	1,246	336	328	274	308	703	222	173	134	174	B–E.
481	133	126	103	119	445	118	121	108	98	285	65	82	72	66	152
383	107	103	84	89	318	92	85	56	85	189	52	43	45	49	
51	20	11	13	7	45	18	10	10	7	21	5	3	4	9	153
62	20	13	14	15	34	10	10	8	6	16	2	5	5	4	
3,870	1,114	906	756	1,094	4,457	1,315	1,064	826	1,252	4,094	1,244	975	706	1,169	154
5,431	1,558	1,329	988	1,556	6,377	1,799	1,543	1,145	1,890	4,740	1,347	1,176	893	1,324	
44	17	8	10	9	34	9	12	6	7	19	3	3	11	2	155
39	10	12	12	5	29	6	10	5	8	24	6	6	5	7	
36	9	8	11	8	22	6	8	4	4	3	1	1	—	1	156
22	4	5	4	9	15	4	7	2	2	—	—	—	—	—	
151	36	37	48	30	160	40	41	41	38	146	35	48	28	35	157
44	7	15	15	7	61	14	23	9	15	33	7	7	11	8	
94	15	31	27	21	120	19	42	43	16	100	23	26	30	21	158
97	25	28	23	21	111	29	34	29	19	88	16	28	26	18	
32	7	11	5	9	34	10	10	7	7	65	15	21	17	12	159
—	—	—	—	—	1	—	1	—	—	5	1	3	1	—	
146	38	42	32	34	138	43	39	25	31	93	16	34	23	20	160
37	7	17	10	3	31	5	12	7	7	21	3	3	12	3	
18	4	4	4	6	7	1	2	2	2	2	1	—	—	1	161
10	2	5	2	1	7	2	2	—	3	2	1	—	1	—	
21	5	7	5	4	25	6	5	8	6	21	5	2	7	7	162
3	—	1	2	—	8	3	2	2	1	5	2	2	1	—	
—	—	—	—	—	1	—	—	—	1	3	2	—	1	—	163
1	—	1	—	—	4	2	1	1	—	—	—	—	—	—	
21	7	3	9	2	25	2	7	11	5	5	3	—	2	—	164
18	6	4	4	4	12	3	6	2	1	5	—	1	2	2	
23	5	6	5	7	24	3	2	10	9	11	2	3	4	2	165
20	4	4	5	7	16	5	3	5	3	13	1	5	4	3	
10	2	3	3	2	7	1	2	3	1	7	—	2	—	5	166
13	6	2	3	2	15	2	6	5	2	10	4	2	1	3	
435	143	81	92	119	300	85	64	52	99	135	36	32	29	38	167
661	240	130	74	217	385	143	84	48	110	207	62	42	25	78	
238	66	53	44	75	119	36	26	20	37	75	18	16	15	26	168
196	59	49	25	63	96	39	27	10	20	54	14	14	16	10	

Causes of Death in each Quarter of the Year

International List Nos.	Causes of Death.		England and Wales.					London.				
			Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
169	Accidental drowning ...	M	2,343	525	627	710	481	169	27	42	75	25
		F	459	93	117	151	98	30	4	7	15	4
170	Injury by firearms ...	M	143	26	47	37	33	2	—	2	—	—
		F	14	5	2	4	3	—	—	—	—	—
171	Injury by cutting or piercing instruments.	M	28	1	9	9	9	2	—	1	1	—
		F	3	1	2	—	—	—	—	—	—	—
172	Injury by fall	M	2,118	550	478	483	607	307	85	73	68	81
		F	1,546	428	338	337	443	285	86	55	68	76
173	Injuries in mines and quarries.	M	1,164	296	243	305	320	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—
174	Injury by machines ...	M	311	91	72	75	73	27	8	8	5	6
		F	23	8	6	5	4	2	2	—	—	—
175	Injury by other crushing (vehicles, railways, landslides, &c.).	M	3,544	904	808	818	1,014	526	143	115	115	153
		F	719	165	172	185	197	158	41	28	33	56
176	Injury by animals ...	M	104	21	28	31	24	5	2	1	—	2
		F	7	2	2	2	1	—	—	—	—	—
177	Starvation	M	16	4	3	4	5	2	1	—	—	1
		F	15	8	4	2	1	1	1	—	—	—
178	Excessive cold	M	148	58	25	6	59	2	2	—	—	—
		F	29	13	7	—	9	1	—	—	—	1
179	Effects of heat ...	M	88	—	8	79	1	5	—	—	5	—
		F	45	—	4	41	—	5	—	—	5	—
180	Lightning	M	11	1	4	6	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—
181	Electricity (lightning excepted).	M	34	10	4	8	12	2	1	—	—	1
		F	—	—	—	—	—	—	—	—	—	—
182	Homicide by firearms ...	M	8	1	1	5	1	—	—	—	—	—
		F	8	4	1	3	—	—	—	—	—	—
183	Homicide by cutting or piercing instruments.	M	20	5	5	2	8	2	1	—	1	—
		F	27	8	6	8	5	4	1	1	1	1
184	Homicide by other means	M	88	18	22	22	26	13	5	—	3	5
		F	106	21	29	32	24	25	3	8	5	9
185	Fractures (cause not specified).	M	53	8	13	15	17	15	3	4	2	6
		F	21	11	1	4	5	6	4	—	1	1
186	Other violence	M	4,432	470	562	2,011	1,389	101	22	18	33	28
		F	316	99	54	76	87	55	11	7	28	9
155–186	All violence	M	18,384	3,949	3,913	5,484	5,038	1,572	400	366	395	411
		F	6,101	1,719	1,427	1,320	1,635	915	262	184	216	253
187	Dropsy	M	18	5	5	3	5	1	—	1	—	—
		F	23	6	7	3	7	1	1	—	—	—
188A	Syncope (aged 1 year and under 70).	M	168	53	35	39	41	1	—	—	—	1
		F	130	40	22	22	46	4	1	—	2	1
188B	Sudden death (not otherwise defined).	M	2	—	1	1	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—
189A	Heart failure (aged 1 year and under 70).	M	771	214	178	148	231	9	2	1	3	3
		F	589	176	134	114	165	11	6	4	1	—
189 B–E.	Other ill-defined causes	M	551	176	140	96	139	43	13	12	10	8
		F	454	145	108	69	132	33	9	13	8	3
189F	Cause not specified ...	M	71	24	15	16	16	7	2	2	1	2
		F	51	15	13	7	16	—	—	—	—	—

IN DIFFERENT CLASSES OF AREA, 1916—*continued.*

AGGREGATE OF COUNTY BOROUGHS.					AGGREGATE OF URBAN DISTRICTS.					AGGREGATE OF RURAL DISTRICTS.					International List Nos.
Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter	3rd Quarter.	4th Quarter.	Year.	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.	
666	125	188	200	153	661	139	152	229	141	541	146	138	142	115	169
153	29	40	59	25	167	36	39	47	45	109	24	31	30	24	
10	4	3	1	2	16	2	4	4	6	56	10	12	24	10	170
5	1	1	2	1	1	—	—	1	—	8	4	1	1	2	
9	1	3	3	2	3	—	—	1	2	9	—	4	1	4	171
2	—	2	—	—	—	—	—	—	—	1	1	—	—	—	
835	228	190	189	228	555	138	125	120	172	309	75	65	80	89	172
602	166	127	127	182	426	119	102	91	114	233	57	54	51	71	
129	31	26	37	35	642	165	128	167	182	393	100	89	101	103	173
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
127	35	27	31	34	94	28	21	25	20	62	20	15	14	13	174
14	4	3	4	3	3	1	1	—	1	4	1	2	1	—	
1,039	276	229	218	316	857	220	209	193	235	660	159	155	177	169	175
259	58	70	70	61	212	41	58	57	56	90	25	16	25	24	
16	5	4	5	2	18	6	4	2	6	51	5	16	20	10	176
1	1	—	—	—	4	1	1	1	1	2	—	1	1	—	
4	2	—	1	1	4	—	1	2	1	6	1	2	1	2	177
4	1	2	1	—	7	3	2	1	1	3	3	—	—	—	
18	6	1	4	7	51	22	10	1	18	56	22	10	—	24	178
9	3	2	—	4	8	4	3	—	1	11	6	2	—	3	
19	—	3	16	—	31	—	1	29	1	29	—	2	27	—	179
11	—	2	9	—	16	—	1	15	—	13	—	1	12	—	
4	—	1	3	—	—	—	—	—	—	5	1	1	3	—	180
—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	
9	4	1	—	4	19	4	2	6	7	3	—	1	2	—	181
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	1	3	1	1	1	—	3	—	—	3	—	182
1	—	1	—	—	3	2	—	1	—	4	2	—	2	—	
9	2	3	1	3	3	1	1	—	1	1	—	—	—	1	183
8	1	1	3	3	9	6	1	1	1	6	—	3	3	—	
20	4	5	5	6	34	6	11	8	9	19	2	6	6	5	184
39	12	8	13	6	31	4	10	11	6	11	2	3	3	3	
12	1	4	2	5	13	—	4	6	3	9	2	1	4	2	185
7	3	1	2	1	6	4	—	—	2	2	—	—	1	1	
235	86	52	41	56	263	100	84	38	41	130	17	76	18	19	186
130	32	25	29	44	91	48	16	8	19	40	8	6	11	15	
4431	1164	1034	1052	1181	4283	1093	1018	1064	1108	3027	720	781	790	736	155–186
2106	681	558	498	669	1775	526	452	359	438	1005	250	233	247	275	
7	4	2	1	—	4	—	1	2	1	6	1	1	—	4	187
10	3	1	1	5	7	2	3	—	2	5	—	3	2	—	
61	19	10	15	17	53	21	14	9	9	44	11	10	13	10	188A
53	17	12	8	16	43	9	9	6	19	30	13	1	6	10	
—	—	—	—	—	1	—	—	1	—	1	—	1	—	—	188B
—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	
217	60	47	38	72	281	82	62	51	86	229	61	60	47	61	189A
172	47	35	33	57	202	59	50	41	52	204	64	45	39	56	
246	82	62	43	59	150	45	49	22	34	105	35	16	19	35	189 B–E.
195	56	40	25	74	156	58	40	22	36	70	22	15	14	19	
11	4	5	2	—	15	6	2	5	2	34	12	6	7	9	189F
11	4	3	1	3	18	5	6	4	3	22	6	4	2	10	

England and Wales.—Causes of Death of Non-civilians at Different Age-periods, 1916.

Causes of Death.	All Ages.	15—	20—	25—	30—	35—	40—	45—	50—	55 years and upwards.
All Causes	11,072	1,062	3,106	2,172	1,514	1,354	822	523	321	198
Enteric fever	77	16	25	12	5	10	6	3	—	—
Typhus	2	—	1	—	—	—	1	—	—	—
Malaria	29	—	7	6	4	6	1	1	4	—
Small-pox	2	—	—	1	1	—	—	—	—	—
Measles	66	25	23	7	10	1	—	—	—	—
Scarlet fever	35	10	14	2	6	3	—	—	—	—
Diphtheria	29	13	8	3	3	—	1	1	—	—
Influenza	90	7	16	22	16	7	6	6	4	6
Dysentery	81	3	24	23	9	15	6	—	—	1
Erysipelas	12	1	3	2	2	1	1	—	1	1
German measles	8	3	2	1	2	—	—	—	—	—
Pyæmia, Septicæmia	32	7	6	7	4	4	2	2	—	—
Anthrax	4	1	1	—	—	—	1	—	1	—
Tetanus	13	—	4	4	3	2	—	—	—	—
Phthisis	798	74	223	159	100	117	76	28	15	6
Tuberculous meningitis	63	28	20	6	4	4	1	—	—	—
Other tuberculous diseases	99	15	45	18	6	8	4	3	—	—
Syphilis	31	1	3	7	5	6	5	2	1	1
Cancer	292	8	29	21	33	33	56	48	42	22
Rheumatic fever	41	11	12	9	4	2	1	2	—	—
Diabetes	58	7	10	16	11	3	4	2	4	1
Leucocythæmia	16	2	8	3	—	—	3	—	—	—
Lymphadenoma	18	2	2	5	5	3	1	—	—	—
Anæmia, Chlorosis	39	—	12	10	3	3	3	4	1	3
Other general diseases	58	6	13	9	13	8	5	2	2	—
Alcoholism	23	—	2	2	8	6	2	1	1	1
Cerebro-spinal fever (61A and B)	450	102	165	89	45	29	12	4	3	1
Meningitis—other forms	49	12	16	7	4	5	3	1	1	—
Cerebral hæmorrhage, Apoplexy	99	4	5	9	13	14	15	14	11	14
General paralysis of the insane	92	—	1	8	31	26	16	9	—	1
Epilepsy	35	2	6	10	6	6	2	1	1	1
Other diseases of the nervous system	131	20	29	17	24	16	7	13	3	2
Diseases of the ears	87	16	31	15	12	9	2	1	1	—
Valvular disease	162	8	23	13	21	20	25	24	16	12
Aneurysm	49	—	2	1	3	10	14	9	9	1
Other diseases of the heart and circulatory system.	323	17	51	33	40	54	45	39	24	20
Bronchitis	222	6	19	37	38	46	27	20	18	11
Broncho-pneumonia	186	18	27	38	25	34	19	11	8	6
Lobar pneumonia	420	44	116	81	45	56	25	23	17	13
Pneumonia (type not stated)	464	47	112	81	82	63	29	23	18	9
Empyema	23	3	9	4	3	—	2	2	—	—
Pleurisy	27	2	5	4	6	4	2	3	—	1
Other diseases of the respiratory system	86	—	13	10	17	19	11	8	6	2
Gastric ulcer	81	1	8	17	18	9	14	8	3	3
Duodenal ulcer	51	1	4	6	6	15	7	7	4	1
Appendicitis	176	44	60	36	8	13	7	4	2	2
Other diseases of the digestive system	281	32	49	46	41	42	30	18	14	9
Acute nephritis	75	2	13	21	10	14	4	11	—	—
Bright's disease	180	8	35	29	23	18	24	21	12	10
Other diseases of the genito-urinary system	94	6	6	13	14	9	13	15	12	6
Other diseases	87	5	22	19	12	9	4	7	1	8
Suicide	338	10	47	64	73	76	43	14	5	6
Homicide	8	1	—	1	2	4	—	—	—	—
Drowning	306	29	57	55	48	57	35	10	14	1
Injury by crushing (vehicles, railways, &c.)	462	50	128	92	65	52	34	23	12	6
Wounds in battle, &c.	3,604	295	1,432	887	485	323	117	47	13	5
Other violence	353	36	92	67	33	49	39	24	12	1
Ill-defined causes	55	1	10	7	4	11	9	4	5	4

Causes of Death (see page xlix) at Different Periods of Life—1916.

All Areas—England and Wales.

Note.—The deaths in this Table relate to the Total Deaths registered, while those for the administrative areas or groups of area relate to deaths of civilians only.

	Causes of Death.	Sex.	England and Wales.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	265,030	41,016	10,410	9,423	10,189	13,325	35,529	63,829	81,309
		F	243,187	30,630	9,590	8,897	9,919	10,831	29,564	51,465	92,291
1	Enteric fever	M	633	—	1	9	88	152	243	116	24
		F	489	1	2	13	89	106	178	88	12
2	Small-pox	M	11	1	1	—	1	1	6	1	—
		F	7	—	—	1	—	4	1	1	—
3	Measles	M	2,881	627	1,160	791	216	60	24	3	—
		F	2,532	500	1,002	804	200	9	12	4	1
4	Scarlet fever	M	696	24	74	272	258	43	20	5	—
		F	685	25	68	266	261	37	19	6	3
5	Whooping cough ...	M	2,681	1,292	791	504	89	1	—	—	4
		F	3,394	1,418	1,109	740	120	1	2	1	3
6	Diphtheria and croup ...	M	2,645	100	272	1,082	1,089	58	28	16	—
		F	2,760	83	277	1,008	1,284	54	40	13	1
7	Influenza	M	4,283	130	41	60	88	165	603	1,390	1,806
		F	4,508	86	44	60	91	151	456	1,057	2,563
8	Erysipelas	M	404	63	4	4	10	13	63	108	139
		F	341	52	3	1	11	18	35	96	125
9	Pulmonary tuberculosis	M	23,238	139	194	289	760	3,492	10,308	7,055	1,001
		F	18,307	115	152	244	1,339	4,489	8,041	3,295	632
10	Tuberculous meningitis	M	2,590	410	454	697	724	188	88	28	1
		F	2,390	352	418	574	713	214	82	35	2
11	Other tuberculous diseases.	M	3,898	499	460	466	754	590	624	378	127
		F	3,435	364	315	416	661	550	633	355	141
12	Cancer, malignant disease	M	17,787	7	8	41	66	134	1,350	8,515	7,666
		F	22,843	9	9	40	49	118	2,591	10,709	9,318
13	Rheumatic fever ...	M	878	2	6	24	261	168	207	173	37
		F	1,009	2	3	25	267	243	259	158	52
14	Meningitis	M	2,661	546	317	418	437	437	341	119	46
		F	1,995	428	281	355	408	193	155	123	52
15	Organic heart disease ...	M	26,029	9	13	39	368	741	2,444	9,290	13,125
		F	29,094	14	17	37	550	824	3,054	9,088	15,510
16	Bronchitis	M	21,538	3,300	875	418	138	104	832	4,772	11,099
		F	21,874	2,571	816	387	134	95	590	3,555	13,726
17	Pneumonia (all forms)...	M	21,805	4,569	2,561	1,656	849	981	3,122	4,759	3,308
		F	16,111	3,158	2,375	1,615	784	511	1,683	2,608	3,377
18	Other respiratory diseases	M	4,129	289	166	261	196	123	549	1,271	1,274
		F	3,098	198	121	212	148	89	347	753	1,230
19	Diarrhœa, &c.	M	8,011	4,769	1,03	363	146	68	374	588	670
		F	6,691	3,544	940	370	195	67	285	432	858
20	Appendicitis and typhlitis	M	1,474	4	1	61	412	326	343	244	83
		F	1,129	3	1	47	341	222	254	192	69
21	Cirrhosis of liver ...	M	1,869	7	3	2	10	5	230	1,145	467
		F	1,210	—	1	—	11	8	193	675	322
21A	Alcoholism	M	237	—	—	—	—	4	105	105	23
		F	119	—	—	—	—	—	37	60	22
22	Nephritis and Bright's disease.	M	8,080	57	62	96	256	287	1,116	3,324	2,882
		F	6,569	47	66	98	185	214	1,154	2,503	2,304
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—
		F	1,083	—	—	—	—	225	853	5	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—
		F	2,156	—	—	—	—	352	1,756	48	—
25	Congenital debility, &c.	M	15,612	15,367	74	67	58	24	17	5	—
		F	11,613	11,377	82	57	55	23	15	3	1
26	Violence, apart from suicide.	M	16,322	586	303	794	1,425	3,273	5,127	3,165	1,648
		F	5,309	520	244	576	650	325	621	854	1,519
27	Suicide	M	2,063	—	—	—	4	121	825	783	330
		F	792	—	—	—	3	110	301	289	89
28	Other defined diseases ...	M	70,995	8,122	1,325	949	1,448	1,730	6,385	15,807	35,229
		F	70,396	5,694	1,058	889	1,337	1,547	5,775	13,995	40,101
	Causes ill-defined or unknown.	M	1,581	97	211	60	38	36	155	664	320
		F	1,248	69	188	62	33	32	142	144	258

Causes of Death at Different Periods of Life—1916.

London and County Boroughs.

(*See note at head of page* 80.)

Causes of Death.	Sex.	London.									Aggregate of County Boroughs.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65
All Causes	M	32,168	5116	1347	1147	1189	1096	4248	8721	9304	91,366	16230	4735	4099	3752	3200	11441	23553	24
	F	30,157	3748	1275	1151	1079	1236	3694	6687	11287	86,395	12371	4328	3802	3815	4001	10824	18848	28
1 Enteric fever	M	38	—	—	—	5	6	19	7	1	199	—	—	5	28	35	78	43	
	F	39	1	1	1	5	8	12	8	3	154	—	—	3	28	36	55	29	
2 Small-pox	M	—	—	—	—	—	—	—	—	—	3	—	1	—	1	—	1	—	
	F	—	—	—	—	—	—	—	—	—	3	—	—	1	—	2	—	—	
3 Measles	M	419	100	183	111	23	1	1	—	—	1,419	307	599	418	89	5	1	—	
	F	403	73	182	126	21	1	—	—	—	1,225	259	502	373	85	2	2	2	
4 Scarlet fever	M	82	1	14	33	32	1	1	—	—	263	14	28	118	92	5	3	3	
	F	64	2	7	31	21	1	—	2	—	265	8	29	119	86	18	4	1	
5 Whooping cough ...	M	344	160	111	60	13	—	—	—	—	1,207	539	377	254	37	—	—	—	
	F	458	192	156	95	15	—	—	—	—	1,473	554	503	356	60	—	—	—	
6 Diphtheria and croup ...	M	299	19	43	126	108	1	1	1	—	894	40	111	398	319	13	8	5	
	F	318	13	41	125	128	6	4	1	—	922	39	116	347	392	17	8	3	
7 Influenza	M	401	11	5	11	7	9	46	163	149	1,262	42	10	13	33	39	203	458	
	F	514	5	3	3	7	11	42	131	312	1,278	33	14	16	23	41	138	346	
8 Erysipelas	M	42	7	—	—	1	—	4	12	18	149	28	2	1	4	1	23	46	
	F	51	8	—	—	1	3	4	11	24	130	21	2	—	6	7	12	39	
9 Pulmonary tuberculosis	M	3,902	22	26	49	85	431	1707	1352	230	8,940	56	99	125	337	1193	3913	2878	
	F	2,589	16	28	40	162	569	1062	598	114	6,957	41	69	114	556	1727	3026	1236	
10 Tuberculous meningitis	M	400	67	78	100	122	22	9	2	—	985	149	197	315	241	40	32	10	
	F	375	61	76	100	106	17	11	4	—	911	143	158	225	274	75	24	12	
11 Other tuberculous diseases.	M	426	73	48	49	91	49	47	54	15	1,515	231	201	215	300	205	183	139	
	F	313	40	30	38	69	44	54	26	12	1,355	181	135	185	292	199	200	115	
12 Cancer, malignant disease	M	2,337	—	1	8	8	10	184	1176	950	5,636	1	4	14	18	32	436	2961	2
	F	2,899	1	3	5	6	13	351	1351	1169	7,425	5	2	17	19	45	950	3677	2
13 Rheumatic fever ...	M	74	—	—	4	28	16	12	11	3	302	—	3	8	96	43	71	75	
	F	106	1	—	5	28	28	22	15	7	353	—	1	14	90	81	91	58	
14 Meningitis	M	289	85	62	50	44	20	14	9	5	833	204	109	163	170	49	61	45	
	F	249	76	43	51	32	11	17	17	2	775	166	112	146	166	70	49	35	
15 Organic heart disease ...	M	3,326	1	1	1	46	128	365	1183	1601	8,252	3	5	12	147	215	909	3378	3
	F	3,692	1	3	4	76	128	414	1177	1889	9,335	7	10	12	216	319	1148	3248	4
16 Bronchitis	M	2,656	285	70	31	12	12	104	707	1435	8,491	1428	414	196	67	22	342	2129	3
	F	2,937	240	79	31	11	6	84	527	1959	8,542	1139	363	165	59	40	282	1619	4
17 Pneumonia (all forms)...	M	2,850	668	370	227	87	61	287	677	473	8,797	1914	1181	788	377	267	1129	1975	1
	F	2,372	493	342	226	77	56	229	404	545	6,685	1343	1110	780	361	200	686	1074	1
18 Other respiratory diseases	M	469	26	23	17	9	9	75	155	155	1,337	119	70	91	63	36	179	412	
	F	388	22	16	12	13	4	57	80	184	1,029	72	48	71	49	27	124	281	
19 Diarrhœa, &c.	M	1,146	822	123	31	10	6	41	55	58	3,406	2096	523	165	71	21	114	206	
	F	863	558	105	43	11	7	28	40	71	2,958	1648	470	170	81	25	99	165	
20 Appendicitis and typhlitis	M	135	—	1	8	42	17	33	24	10	444	1	—	22	147	76	96	80	
	F	133	—	—	8	37	25	32	25	6	362	—	1	13	109	80	74	61	
21 Cirrhosis of liver ...	M	294	—	1	1	2	—	28	195	67	537	3	1	1	3	2	74	346	
	F	222	—	—	—	2	1	30	134	55	369	—	1	—	4	2	69	197	
21A Alcoholism	M	22	—	—	—	—	—	13	8	1	84	—	—	—	—	1	34	45	
	F	6	—	—	—	—	—	1	4	1	48	—	—	—	—	—	20	20	
22 Nephritis and Bright's disease.	M	1,029	5	1	7	17	22	135	464	378	2,743	22	31	39	101	91	406	1236	
	F	881	3	2	8	19	17	141	363	328	2,222	17	30	36	77	94	424	875	
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	158	—	—	—	—	29	128	1	—	399	—	—	—	—	82	316	1	
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	176	—	—	—	—	31	142	3	—	680	—	—	—	—	122	542	16	
25 Congenital debility, &c.	M	1,790	1770	4	4	7	5	—	—	—	5,698	5622	22	26	13	7	7	1	
	F	1,257	1236	7	7	3	4	—	—	—	4,272	4203	27	19	15	5	3	—	
26 Violence, apart from suicide.	M	1,382	121	35	94	208	90	219	352	263	3,889	247	115	303	482	325	880	992	
	F	821	104	43	76	75	38	92	136	257	2,153	229	104	248	307	102	260	355	
27 Suicide	M	190	—	—	—	—	6	64	88	32	542	—	—	—	1	19	196	244	
	F	94	—	—	—	—	10	47	30	7	253	—	—	—	—	33	108	86	
28 Other defined diseases ...	M	7,766	865	122	116	181	174	839	2014	3454	22,997	3141	528	385	591	446	2016	5621	10
	F	7,730	599	93	110	153	165	686	1593	4331	23,421	2244	437	342	450	539	2058	5136	12
29 Causes ill-defined or unknown.	M	61	8	25	9	1	—	—	12	6	542	23	104	24	14	12	46	225	
	F	49	3	15	6	1	3	4	6	11	441	19	84	30	10	11	52	161	

Causes of Death at Different Periods of Life—1916.

Urban and Rural Districts—England and Wales.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	79,783	12953	2959	2941	3358	3026	9144	19545	25857	50,641	6717	1369	1236	1890	1835	4834	10996	21764
	F	78,794	9546	2775	2772	3252	3545	9684	16666	30554	47,841	4965	1212	1172	1773	2049	5362	9264	22044
Enteric fever	M	202	—	—	2	31	40	75	45	9	117	—	1	2	24	30	38	18	4
	F	206	—	—	5	41	45	77	34	4	90	—	1	4	15	17	34	17	2
Small-pox	M	6	1	—	—	—	1	3	1	—	—	—	—	—	—	—	—	—	—
	F	4	—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—
Measles	M	715	160	290	207	53	1	3	1	—	262	60	88	55	51	5	1	2	—
	F	655	129	231	232	55	2	4	1	1	249	39	87	73	39	4	6	1	—
Scarlet fever	M	201	4	18	85	86	5	1	2	—	115	5	14	36	48	8	4	—	—
	F	236	12	22	84	100	8	6	2	2	120	3	10	32	54	10	9	1	1
Whooping cough ...	M	746	364	214	137	29	—	—	—	2	384	229	89	53	10	1	—	—	2
	F	974	436	297	209	28	1	1	—	2	489	236	153	80	17	—	1	1	1
Diphtheria and croup ...	M	945	28	79	402	412	12	5	7	—	478	13	39	156	250	11	7	2	—
	F	993	22	89	374	477	13	13	5	—	527	9	31	162	287	18	15	4	1
Influenza	M	1,332	42	19	25	23	46	186	424	567	1,198	35	7	11	25	48	117	329	626
	F	1,502	20	11	22	30	56	154	359	850	1,214	28	16	19	31	43	122	221	734
Erysipelas	M	129	19	2	—	2	5	19	35	47	72	9	—	3	3	3	11	14	29
	F	103	14	1	1	2	6	15	29	35	57	9	—	—	2	2	4	17	23
Pulmonary tuberculosis	M	6,351	39	51	87	222	999	2852	1837	264	3,247	22	18	28	116	572	1384	940	167
	F	5,534	43	36	58	379	1402	2497	924	195	3,227	15	19	32	242	791	1456	537	135
Tuberculous meningitis	M	780	135	123	202	240	55	17	8	—	362	59	56	80	121	23	15	8	—
	F	748	98	125	171	223	84	34	11	2	356	50	59	78	110	38	13	8	—
Other tuberculous diseases.	M	1,233	137	160	141	256	182	214	103	40	625	58	51	61	107	94	144	79	31
	F	1,136	94	107	142	201	195	227	125	45	631	49	43	51	99	112	152	89	36
Cancer, malignant disease	M	5,553	4	—	12	27	31	386	2640	2453	3,969	2	3	7	13	24	201	1627	2092
	F	7,677	2	3	14	12	35	866	3599	3146	4,842	1	1	4	12	25	424	2082	2293
Rheumatic fever ...	M	291	2	3	10	82	53	75	51	15	170	—	—	2	55	33	33	34	13
	F	335	1	2	3	92	77	89	54	17	215	—	—	3	57	57	57	31	10
Meningitis	M	736	179	104	148	161	48	46	45	5	304	78	42	57	62	25	26	10	4
	F	639	132	77	110	142	66	53	50	9	332	54	49	48	68	46	36	21	10
Organic heart disease ...	M	8,055	4	2	18	114	239	660	2904	4114	6,112	1	5	8	61	113	363	1739	3822
	F	9,561	3	2	16	185	248	1038	2941	5128	6,506	3	2	5	73	129	454	1722	4118
Bronchitis	M	6,437	1073	252	157	35	33	159	1388	3360	3,732	514	139	54	24	12	79	501	2409
	F	6,704	798	263	136	47	31	159	1026	4244	3,691	394	111	55	17	18	65	383	2648
Pneumonia (all forms)	M	6,059	1359	707	465	263	182	788	1326	969	3,029	628	303	176	122	107	340	656	697
	F	4,787	917	666	460	248	170	507	757	1062	2,267	405	257	149	98	85	261	373	639
Other respiratory diseases	M	1,315	90	40	109	76	21	135	405	439	872	54	33	44	48	25	78	277	313
	F	1,028	55	37	80	50	31	106	254	415	653	49	20	49	36	27	60	138	274
Diarrhœa, &c.	M	2,312	1320	271	112	41	17	120	195	236	1,066	531	116	55	24	12	45	117	166
	F	1,957	965	252	99	66	23	111	153	288	913	373	113	58	37	12	47	74	199
Appendicitis and typhlitis	M	430	3	—	18	142	73	94	73	27	289	—	—	13	81	56	56	59	24
	F	424	2	—	20	125	85	93	78	21	210	1	—	6	70	32	55	28	18
Cirrhosis of liver ...	M	613	4	—	—	1	2	77	383	146	400	—	1	—	4	1	36	211	147
	F	407	—	—	—	4	3	69	228	103	212	—	—	—	1	2	25	116	68
Alcoholism	M	73	—	—	—	—	1	26	33	13	35	—	—	—	—	—	14	16	5
	F	49	—	—	—	—	—	13	26	10	16	—	—	—	—	—	3	10	3
Nephritis and Bright's disease.	M	2,492	16	22	33	89	71	302	1027	932	1,561	14	8	17	49	45	130	546	752
	F	2,252	20	23	39	59	65	415	858	773	1,214	7	9	15	30	38	174	407	534
Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	345	—	—	—	—	70	273	2	—	181	—	—	—	—	44	136	1	—
Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	805	—	—	—	—	132	651	22	—	495	—	—	—	—	67	421	7	—
Congenital debility, &c.	M	5,205	5127	24	18	21	8	4	3	—	2,918	2848	24	19	17	4	5	1	—
	F	3,896	3808	30	17	22	7	9	2	1	2,188	2130	18	14	15	7	3	1	—
Violence, apart from suicide.	M	3,742	137	82	257	457	440	936	998	435	2,575	81	71	140	278	298	647	657	403
	F	1,508	116	66	164	176	114	186	254	432	827	71	31	88	92	71	83	109	282
Suicide	M	541	—	—	—	2	23	175	231	110	452	—	—	—	1	16	134	195	106
	F	267	—	—	—	2	37	85	111	32	178	—	—	—	1	30	61	62	24
Other defined diseases ...	M	22,785	2674	437	297	477	432	1748	5145	11575	15,878	1442	238	151	289	262	886	2778	9832
	F	23,635	1829	371	296	471	529	1884	4610	13645	15,610	1022	157	141	263	314	1147	2656	9910
Causes ill-defined or unknown.	M	504	32	59	19	16	6	38	235	99	419	34	23	8	7	7	40	180	120
	F	427	30	64	20	15	8	48	150	92	331	17	25	6	7	10	38	147	81

Causes of Death at Different Periods of Life—1916.

All Areas—North and Midland.

	Causes of Death.	Sex.	Aggregate of Northern Counties.									Aggregate of Midland Counties.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	93,047	16654	4685	4055	4030	3454	11240	23906	25023	74,941	11797	2818	2676	2967	2618	8128	17306	2663
		F	86,692	12332	4277	3783	3993	4020	11127	19291	27869	72,785	8851	2605	2517	2973	3228	8431	14446	2973
1	Enteric fever	M	292	—	—	7	41	65	103	63	13	115	—	—	—	20	21	47	23	
		F	243	—	1	9	38	50	93	46	6	94	—	—	1	25	20	29	17	
2	Small-pox	M	5	1	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	1	—	2	—	1	—	—	—	—	—	—	—	—	—	—
3	Measles	M	1,203	285	503	336	72	4	2	1	—	812	154	331	243	76	5	1	2	—
		F	1,070	225	418	329	90	3	3	2	—	729	143	267	251	58	4	4	1	
4	Scarlet fever	M	315	6	28	152	118	6	2	3	—	151	10	17	55	60	6	2	1	—
		F	326	13	34	132	122	20	4	1	—	168	6	14	63	69	6	7	1	
5	Whooping cough ...	M	1,042	453	335	211	41	—	—	—	2	860	453	226	160	19	1	—	—	
		F	1,284	505	428	300	49	—	—	—	2	1,084	465	354	230	33	—	—	1	
6	Diphtheria and croup ...	M	915	40	110	406	338	10	8	3	—	870	22	71	329	410	18	10	10	—
		F	949	31	106	359	430	11	10	2	—	957	27	87	334	466	26	13	4	—
7	Influenza	M	1,335	47	12	15	34	61	223	454	489	1,356	48	14	18	26	39	169	421	62
		F	1,233	32	15	13	27	53	172	341	580	1,404	24	15	27	32	47	131	293	83
8	Erysipelas	M	141	23	3	3	5	3	19	44	41	141	25	—	—	2	4	23	36	5
		F	104	20	2	—	5	6	10	32	29	120	16	1	—	4	7	14	35	4
9	Pulmonary tuberculosis	M	7,943	51	88	127	336	1106	3387	2553	295	6,320	41	52	77	210	968	2833	1873	26
		F	6,388	41	72	111	573	1579	2797	1053	162	5,296	33	33	52	359	1344	2351	924	20
10	Tuberculous meningitis	M	950	156	190	275	255	41	24	8	1	683	118	112	191	188	42	22	10	—
		F	856	125	154	196	266	72	29	12	2	661	83	115	178	187	68	20	10	—
11	Other tuberculous diseases.	M	1,652	213	222	241	345	223	210	144	54	1,042	135	135	112	205	152	175	97	3
		F	1,442	155	150	220	294	230	226	122	45	957	100	84	97	192	156	179	106	4
12	Cancer, malignant disease	M	5,568	—	3	10	15	36	439	2910	2155	5,483	6	3	16	21	35	375	2464	256
		F	7,417	4	3	16	16	44	937	3746	2651	7,144	2	2	11	17	37	750	3265	306
13	Rheumatic fever ...	M	342	1	2	8	92	53	94	81	11	242	1	4	8	84	41	46	44	1
		F	373	—	3	10	81	94	115	53	17	294	1	—	5	91	57	65	56	1
14	Meningitis	M	867	219	127	183	169	41	49	48	31	590	143	84	118	129	40	40	32	
		F	794	188	125	149	166	49	39	40	38	551	105	74	102	115	67	52	33	
15	Organic heart disease ...	M	8,491	6	7	16	136	251	851	3450	3774	7,676	1	3	13	108	176	632	2568	417
		F	9,507	8	4	12	208	286	1212	3404	4373	8,852	1	6	10	148	246	855	2517	506
16	Bronchitis	M	8,387	1566	431	195	58	30	318	2129	3660	6,268	933	243	124	42	20	156	1172	357
		F	8,347	1222	396	183	67	46	289	1623	4521	6,396	754	230	114	36	23	137	891	421
17	Pneumonia (all forms)...	M	9,014	1980	1165	775	430	292	1240	1981	1151	5,268	1227	631	420	209	157	577	1176	87
		F	6,692	1313	1102	729	381	230	768	1072	1097	4,262	853	596	415	224	145	424	636	96
18	Other respiratory diseases	M	1,378	109	61	110	85	34	182	436	361	1,174	99	56	80	59	24	108	341	40
		F	1,064	83	49	91	54	42	127	286	332	928	60	38	57	47	24	97	226	37
19	Diarrhœa, &c.	M	3,407	1955	512	171	78	28	146	265	252	2,037	1209	265	99	38	15	77	141	19
		F	2,896	1521	474	185	86	23	107	181	319	1,771	903	244	90	58	26	82	107	26
20	Appendicitis and typhlitis	M	468	1	—	19	140	92	103	86	27	393	3	—	25	137	61	83	63	2
		F	395	—	1	13	122	87	87	63	22	346	2	—	14	107	63	83	54	2
21	Cirrhosis of liver ...	M	563	5	2	1	3	1	75	356	120	575	2	—	—	3	2	65	352	15
		F	333	—	—	—	2	4	58	198	71	382	—	1	—	5	1	68	202	10
21A	Alcoholism	M	90	—	—	—	—	2	34	46	8	45	—	—	—	—	—	17	25	
		F	41	—	—	—	—	—	12	20	9	41	—	—	—	—	—	14	22	
22	Nephritis and Bright's disease.	M	2,833	23	30	46	118	99	408	1278	831	2,166	17	27	32	74	67	233	849	86
		F	2,557	29	41	49	84	89	504	1033	737	1,736	8	16	33	59	69	291	611	64
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	384	—	—	—	—	79	305	—	—	315	—	—	—	—	62	251	2	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	862	—	—	—	—	148	693	21	—	639	—	—	—	—	100	523	16	—
25	Congenital debility, &c.	M	5,972	5887	24	25	19	10	7	—	—	4,869	4788	35	17	18	4	4	3	—
		F	4,407	4328	31	20	18	6	4	—	—	3,580	3506	20	15	23	8	5	3	—
26	Violence, apart from suicide.	M	4,375	210	119	301	532	458	1058	1139	558	3,157	148	90	244	388	286	680	812	50
		F	1,997	177	100	242	295	118	244	326	495	1,497	151	61	164	200	89	167	232	43
27	Suicide	M	605	—	—	—	1	27	203	273	101	529	—	—	—	1	22	177	225	10
		F	261	—	—	—	1	47	95	90	28	247	—	—	—	2	36	82	98	2
28	Other defined diseases ...	M	24,227	3385	608	398	549	470	1998	5858	10961	21,597	2185	350	274	429	403	1533	4340	1208
		F	23,930	2292	474	379	496	601	2128	5322	12238	21,947	1585	292	237	412	486	1690	3936	1330
29	Causes ill-defined or unknown.	M	667	32	103	24	20	11	53	297	127	522	29	69	21	11	9	43	226	11
		F	536	20	94	35	22	10	59	201	95	387	23	55	17	4	11	47	147	8

Causes of Death at Different Periods of Life—1916.

All Areas—South and Wales.

Causes of Death.	Sex.	Aggregate of Southern Counties (including London).									Aggregate of Wales and Monmouth.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	68,351	9422	2213	2079	2462	2261	8093	17399	24422	17,619	3143	694	613	730	824	2206	4204	5205
	F	67,621	7078	2049	2008	2269	2664	7833	14455	29265	16,089	2369	659	589	684	919	2173	3273	5423
Enteric fever	M	110	—	—	—	17	17	47	23	6	39	—	1	2	10	8	13	4	1
	F	116	1	1	2	15	26	44	23	4	36	—	—	1	11	10	12	2	—
Small-pox	M	—	—	—	—	—	—	—	—	—	4	—	1	—	1	1	—	1	—
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	2	1	—	—
Measles	M	631	141	258	174	52	3	3	—	—	169	47	68	38	16	—	—	—	—
	F	585	111	243	183	44	1	2	1	—	148	21	74	41	8	1	3	—	—
Scarlet fever	M	153	5	22	54	62	7	2	1	—	42	3	7	11	18	—	3	—	—
	F	135	5	11	51	52	9	3	3	1	56	1	9	20	18	2	5	1	—
Whooping cough ...	M	659	324	194	114	26	—	—	—	1	120	62	36	19	3	—	—	—	—
	F	853	381	269	169	31	1	2	—	—	173	67	58	41	7	—	—	—	—
Diphtheria and croup ...	M	634	28	68	261	269	5	1	2	—	197	10	23	86	72	4	2	—	—
	F	659	18	59	234	316	12	12	7	1	195	7	25	81	72	5	5	—	—
Influenza	M	1,208	29	15	23	22	30	124	397	568	294	6	—	4	6	12	36	102	128
	F	1,582	24	9	15	24	46	126	340	998	289	6	5	5	8	5	27	83	150
Erysipelas	M	79	11	1	1	2	—	9	22	33	31	4	—	—	1	2	6	5	13
	F	97	15	—	1	1	4	8	21	47	20	1	—	—	1	1	3	8	6
Pulmonary tuberculosis	M	6,773	36	37	69	168	858	3021	2214	370	1,404	11	17	16	46	263	615	367	69
	F	5,215	30	42	67	325	1161	2248	1109	233	1,408	11	5	14	82	405	645	209	37
Tuberculous meningitis	M	726	113	126	203	214	42	19	9	—	168	23	26	28	67	15	8	1	—
	F	683	113	130	161	197	52	22	8	—	190	31	19	39	63	22	11	5	—
Other tuberculous diseases.	M	878	118	81	98	165	111	161	108	36	227	33	22	15	39	44	42	26	6
	F	818	87	58	82	142	121	171	110	47	218	22	23	17	33	43	57	17	6
Cancer, malignant disease	M	5,389	—	1	13	21	19	324	2510	2501	1,055	1	1	2	9	7	69	520	446
	F	7,018	2	4	9	15	27	746	3093	3122	1,264	1	—	4	1	10	158	605	485
Rheumatic fever ...	M	181	—	—	7	62	36	35	30	11	72	—	—	1	23	15	16	16	1
	F	244	1	—	9	59	66	61	33	15	98	—	—	1	36	26	18	16	1
Meningitis	M	561	147	87	89	111	47	43	27	10	144	37	19	28	28	14	15	2	1
	F	516	113	72	85	97	47	52	40	10	134	22	10	19	30	30	12	10	1
Organic heart disease ...	M	7,778	1	3	7	83	207	652	2571	4254	1,800	1	—	3	41	61	162	615	917
	F	8,827	4	5	10	135	231	777	2566	5099	1,908	1	2	5	59	61	210	601	969
Bronchitis	M	5,237	588	141	69	31	24	170	1095	3119	1,424	213	60	30	7	5	40	329	740
	F	5,950	440	132	66	22	17	130	847	4296	1,181	155	58	24	9	9	34	194	698
Pneumonia (all forms)...	M	4,990	1052	587	361	161	114	517	1159	1039	1,463	310	178	100	49	54	210	318	244
	F	4,142	786	514	364	143	94	398	737	1106	1,015	206	163	107	36	42	93	163	205
Other respiratory diseases	M	1,109	54	34	42	36	23	140	366	414	332	27	15	29	16	10	37	106	92
	F	895	42	23	33	31	18	103	197	448	211	13	11	31	16	5	20	44	71
Diarrhœa, &c.	M	1,913	1267	187	60	17	11	74	124	173	573	338	69	33	13	2	23	43	52
	F	1,557	852	165	74	36	16	75	105	234	467	268	57	21	15	2	21	39	44
Appendicitis and typhlitis	M	354	—	1	14	110	55	71	72	31	83	—	—	3	25	14	22	15	4
	F	327	1	—	18	91	57	76	64	20	61	—	—	2	21	15	8	11	4
Cirrhosis of liver ...	M	610	—	1	1	4	—	60	377	167	96	—	—	—	—	2	15	50	29
	F	451	—	—	—	4	3	59	251	134	44	—	—	—	—	—	8	24	12
Alcoholism	M	60	—	—	—	—	—	28	24	8	19	—	—	—	—	—	8	7	4
	F	28	—	—	—	—	—	6	15	7	9	—	—	—	—	—	5	3	1
Nephritis and Bright's disease.	M	2,281	12	2	10	40	51	259	932	975	545	5	3	8	24	12	73	214	206
	F	1,861	7	6	11	33	46	280	703	775	415	3	1	5	9	19	79	156	143
Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	282	—	—	—	—	56	224	2	—	102	—	—	—	—	28	73	1	—
Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	445	—	—	—	—	64	371	10	—	210	—	—	—	—	40	169	1	—
Congenital debility, &c.	M	3,613	3548	12	19	18	9	5	2	—	1,157	1144	3	6	3	1	—	—	—
	F	2,734	2676	21	14	11	8	3	—	1	892	867	10	8	3	1	3	—	—
Violence, apart from suicide.	M	2,875	210	68	165	385	222	599	731	495	1,181	18	26	84	120	187	345	317	84
	F	1,532	178	64	126	116	92	182	250	524	283	14	19	44	39	26	28	46	67
Suicide	M	484	—	—	—	1	12	142	222	107	107	—	—	—	1	3	47	38	18
	F	229	—	—	—	—	20	105	82	22	55	—	—	—	—	7	19	19	10
Other defined diseases ...	M	18,833	1714	255	211	379	355	1572	4294	10053	4,768	838	112	66	91	86	386	1066	2123
	F	19,619	1172	195	216	326	362	1526	3758	12064	4,900	645	97	57	103	98	431	979	2490
Causes ill-defined or unknown.	M	232	24	32	14	6	3	15	87	51	105	12	7	1	1	2	13	42	27
	F	221	19	26	8	3	7	21	80	57	104	7	13	2	4	4	15	36	23

Causes of Death at Different Periods of Life—1916.

County Boroughs—North and Midland.

	Causes of Death.	Sex.	Aggregate of County Boroughs (North).									Aggregate of County Boroughs (Midland).								
			All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	52,828	9664	2969	2520	2257	1872	6769	14045	12732	26,650	4808	1337	1173	1050	924	3194	6492	767
		F	48,817	7229	2695	2316	2283	2303	6289	10966	14736	25,340	3689	1264	1113	1066	1146	3038	5245	877
1	Enteric fever	M	133	—	—	4	16	27	47	32	7	34	—	—	—	7	3	16	5	
		F	111	—	—	3	17	23	40	25	3	21	—	—	—	6	6	6	3	—
2	Small-pox	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	780	180	320	235	43	1	1	—	—	491	96	216	141	35	3	—	—	—
		F	707	152	289	209	53	2	1	1	—	400	88	156	130	26	—	—	—	—
4	Scarlet fever	M	182	5	18	88	63	3	2	3	—	63	6	8	25	22	2	—	—	—
		F	182	6	19	82	57	14	3	1	—	63	2	7	29	23	1	1	—	—
5	Whooping cough ...	M	693	277	240	150	26	—	—	—	—	394	199	107	81	7	—	—	—	—
		F	817	304	269	208	36	—	—	—	—	528	199	196	116	17	—	—	—	—
6	Diphtheria and croup ...	M	477	28	67	218	152	7	3	2	—	293	8	34	119	118	6	5	3	—
		F	476	21	66	182	200	4	3	—	—	305	15	41	117	117	11	2	2	—
7	Influenza	M	716	28	5	5	22	27	123	264	242	339	9	2	2	7	10	53	131	12
		F	638	18	9	6	13	26	88	192	286	343	6	3	4	7	10	34	83	19
8	Erysipelas	M	76	13	2	1	2	—	12	22	24	60	12	—	—	2	1	10	20	1
		F	60	11	2	—	3	3	5	22	14	54	8	—	—	3	4	5	11	2
9	Pulmonary tuberculosis	M	5,135	32	65	80	221	654	2201	1690	192	2,710	16	26	34	87	376	1199	878	9
		F	3,868	25	49	72	342	961	1663	661	95	2,052	11	18	27	142	493	915	380	6
10	Tuberculous meningitis	M	590	93	131	182	136	24	16	7	1	265	42	51	86	67	6	11	2	—
		F	521	77	95	130	158	39	14	8	—	253	34	48	72	72	20	5	2	—
11	Other tuberculous diseases.	M	954	142	122	147	207	127	104	80	25	385	60	58	45	67	55	49	40	1
		F	822	96	84	132	187	118	113	65	27	349	51	33	39	78	52	55	27	1
12	Cancer, malignant disease	M	3,026	—	1	6	7	18	251	1687	1056	1,737	1	2	8	8	11	137	845	72
		F	4,016	3	2	11	9	26	550	2058	1357	2,168	—	—	4	8	13	254	1053	83
13	Rheumatic fever ...	M	169	—	1	5	47	22	43	50	1	88	—	2	3	31	14	18	18	
		F	196	—	1	8	41	49	57	28	12	109	—	—	3	31	23	23	24	
14	Meningitis	M	477	119	62	99	93	24	26	25	29	241	64	29	47	54	14	19	13	
		F	458	103	68	85	104	30	18	21	29	219	50	30	44	42	25	19	8	
15	Organic heart disease ...	M	4,479	2	5	5	88	126	517	1967	1769	2,463	1	—	4	41	67	272	913	116
		F	4,985	5	3	7	129	173	673	1875	2120	2,860	1	4	4	60	105	338	919	142
16	Bronchitis	M	5,028	897	264	131	43	15	229	1371	2078	2,519	405	109	47	17	5	72	556	130
		F	5,018	716	240	105	39	29	198	1040	2651	2,502	324	97	50	14	8	59	433	151
17	Pneumonia (all forms)...	M	5,650	1195	777	529	261	187	785	1251	665	2,251	548	302	212	87	50	240	510	30
		F	4,226	805	734	499	243	144	472	696	633	1,762	404	297	219	90	38	149	254	31
18	Other respiratory diseases	M	747	58	43	54	40	21	101	230	200	402	42	24	26	15	13	50	122	11
		F	564	42	26	36	29	20	66	167	178	277	19	17	24	11	5	39	65	9
19	Diarrhœa, &c.	M	2,096	1261	338	106	48	15	80	130	118	935	595	139	45	21	5	21	50	5
		F	1,798	1012	310	103	49	12	61	91	160	812	456	129	46	19	9	22	43	8
20	Appendicitis and typhlitis	M	240	1	—	8	75	43	57	45	11	134	—	—	11	51	22	29	17	
		F	194	—	1	7	56	50	41	32	7	109	—	—	4	36	21	23	14	1
21	Cirrhosis of liver ...	M	287	3	1	1	2	—	41	189	50	161	—	—	—	1	—	21	110	2
		F	170	—	—	—	1	2	34	99	34	126	—	1	—	2	—	28	60	3
21A	Alcoholism	M	55	—	—	—	—	1	21	31	2	14	—	—	—	—	—	6	7	
		F	23	—	—	—	—	—	8	9	6	14	—	—	—	—	—	8	5	
22	Nephritis and Bright's disease.	M	1,594	11	19	23	72	56	260	733	420	765	10	11	14	22	27	98	342	24
		F	1,338	14	24	21	49	51	260	544	375	562	2	6	13	19	33	111	217	16
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	227	—	—	—	—	49	178	—	—	115	—	—	—	—	19	96	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	409	—	—	—	—	73	327	9	—	195	—	—	—	—	33	156	6	—
25	Congenital debility, &c.	M	3,285	3242	11	15	8	4	5	—	—	1,802	1780	9	7	3	1	1	1	—
		F	2,374	2335	16	13	7	3	—	—	—	1,359	1341	5	2	7	1	3	—	—
26	Violence, apart from suicide.	M	2,322	142	68	168	278	197	543	618	308	1,076	77	37	98	134	88	219	255	16
		F	1,286	133	67	152	197	61	159	208	309	623	70	30	77	92	30	68	102	15
27	Suicide	M	298	—	—	—	—	12	109	134	43	165	—	—	—	—	7	57	73	2
		F	143	—	—	—	—	21	60	51	11	69	—	—	—	—	10	26	24	
28	Other defined diseases ...	M	12,961	1919	343	246	295	254	1160	3320	5424	6,722	834	135	111	145	134	578	1524	326
		F	12,894	1339	265	222	254	314	1166	2955	6379	6,965	606	120	81	144	171	575	1464	380
29	Causes ill-defined or unknown.	M	377	16	66	14	12	7	31	164	67	141	3	36	7	1	4	13	57	2
		F	294	12	56	22	10	5	31	108	50	126	2	26	8	—	5	18	46	2

Causes of Death at Different Periods of Life—1916.

County Boroughs—South and Wales.

Causes of Death.	Sex.	Aggregate of County Boroughs (South).									Aggregate of County Boroughs (Wales and Monmouth).								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	8,333	1144	246	266	284	240	959	2087	3107	3,555	614	183	140	161	164	519	929	845
	F	9,222	951	202	237	315	361	1098	2022	4036	3,016	502	167	136	151	191	399	615	855
Enteric fever	M	24	—	—	—	3	5	10	6	—	8	—	—	1	2	—	5	—	—
	F	18	—	—	—	3	7	7	1	—	4	—	—	—	2	—	2	—	—
Small-pox	M	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
Measles	M	66	12	28	21	4	1	—	—	—	82	19	35	21	7	—	—	—	—
	F	54	9	23	15	5	—	1	1	—	64	10	34	19	1	—	—	—	—
Scarlet fever	M	12	2	1	3	5	—	1	—	—	6	1	1	2	2	—	—	—	—
	F	16	—	1	7	5	3	—	—	—	4	—	2	1	1	—	—	—	—
Whooping cough ...	M	82	44	19	16	3	—	—	—	—	38	19	11	7	1	—	—	—	—
	F	82	33	22	22	5	—	—	—	—	46	18	16	10	2	—	—	—	—
Diphtheria and croup ...	M	91	2	8	45	36	—	—	—	—	33	2	2	16	13	—	—	—	—
	F	108	3	6	34	61	1	2	1	—	33	—	3	14	14	1	1	—	—
Influenza	M	163	3	3	5	3	2	18	51	78	44	2	—	1	1	—	9	12	19
	F	269	7	2	4	3	5	15	60	173	28	2	—	2	—	—	1	11	12
Erysipelas	M	8	2	—	—	—	—	1	3	2	5	1	—	—	—	—	—	1	3
	F	13	2	—	—	—	—	1	4	6	3	—	—	—	—	—	1	2	—
Pulmonary tuberculosis	M	752	4	1	5	17	96	367	224	38	343	4	7	6	12	67	146	86	15
	F	725	3	2	7	42	176	322	152	21	312	2	—	8	30	97	126	43	6
Tuberculous meningitis	M	82	10	9	36	21	4	1	1	—	48	4	6	11	17	6	4	—	—
	F	75	17	10	11	25	9	2	1	—	62	15	5	12	19	7	3	1	—
Other tuberculous diseases.	M	131	20	15	20	20	15	22	14	5	45	9	6	3	6	8	8	5	—
	F	150	26	14	13	19	21	28	22	7	34	8	4	1	8	8	4	1	—
Cancer, malignant disease	M	682	—	—	—	—	1	34	327	320	191	—	1	—	3	2	14	102	69
	F	1,018	1	—	1	2	5	110	448	451	223	1	—	1	—	1	36	118	66
Rheumatic fever ...	M	31	—	—	—	13	5	6	5	2	14	—	—	—	5	2	4	2	1
	F	33	—	—	2	14	6	8	2	1	15	—	—	1	4	3	3	4	—
Meningitis	M	77	15	11	9	14	8	11	7	2	38	6	7	8	9	3	5	—	—
	F	68	5	11	13	15	9	10	4	1	30	8	3	4	5	6	2	2	—
Organic heart disease ...	M	955	—	—	3	8	9	77	352	506	355	—	—	—	10	13	43	146	143
	F	1,148	1	2	1	18	28	103	333	662	342	—	1	—	9	13	34	121	164
Bronchitis	M	669	90	31	12	5	2	28	126	375	275	36	10	6	2	—	13	76	132
	F	780	56	10	7	3	2	20	106	576	242	43	16	3	3	1	5	40	131
Pneumonia (all forms)...	M	552	110	59	31	21	15	48	121	147	344	61	43	16	8	15	56	93	52
	F	484	88	42	40	18	10	50	87	149	213	46	37	22	10	8	15	37	38
Other respiratory diseases	M	142	13	2	7	4	2	17	48	49	46	6	1	4	4	—	11	12	8
	F	151	11	2	4	5	1	15	40	73	37	—	3	7	4	1	4	9	9
Diarrhœa, &c.	M	233	146	25	6	2	1	10	18	25	142	94	21	8	—	—	3	8	8
	F	241	113	20	14	8	3	14	25	44	107	67	11	7	5	1	2	6	8
Appendicitis and typhlitis	M	54	—	—	3	14	9	8	13	7	16	—	—	—	7	2	2	5	—
	F	46	—	—	2	12	7	8	12	5	13	—	—	—	5	2	2	3	1
Cirrhosis of liver ...	M	62	—	—	—	—	—	7	32	23	27	—	—	—	—	2	5	15	5
	F	65	—	—	—	1	—	6	33	25	8	—	—	—	—	—	1	5	2
Alcoholism	M	9	—	—	—	—	—	4	4	1	6	—	—	—	—	—	3	3	—
	F	8	—	—	—	—	—	2	5	1	3	—	—	—	—	—	2	1	—
Nephritis and Bright's disease.	M	274	1	—	—	4	7	28	110	124	110	—	1	2	3	1	20	51	32
	F	257	1	—	1	5	8	43	87	112	65	—	—	1	4	2	10	27	21
Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	30	—	—	—	—	5	25	—	—	27	—	—	—	—	9	17	1	—
Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	48	—	—	—	—	5	42	1	—	28	—	—	—	—	11	17	—	—
Congenital debility, &c	M	419	412	1	2	1	2	1	—	—	192	188	1	2	1	—	—	—	—
	F	381	376	3	—	1	1	—	—	—	158	151	3	4	—	—	—	—	—
Violence, apart from suicide.	M	268	25	4	20	40	14	51	66	48	223	3	6	17	30	26	67	53	21
	F	188	21	4	12	11	10	25	34	71	56	5	3	7	7	1	8	11	14
Suicide	M	53	—	—	—	1	—	15	28	9	26	—	—	—	—	—	15	9	2
	F	33	—	—	—	—	—	18	10	5	8	—	—	—	—	2	4	1	1
Other defined diseases ...	M	2,425	229	28	19	44	41	193	530	1341	889	159	22	9	17	17	85	247	333
	F	2,716	174	27	27	34	39	218	547	1650	846	125	25	12	18	15	99	170	382
Causes ill-defined or unknown.	M	17	4	1	3	1	1	1	1	5	7	—	1	—	—	—	1	3	2
	F	17	4	1	—	—	—	3	6	3	4	1	1	—	—	1	—	1	—

Causes of Death at Different Periods of Life—1916.

Urban Districts—North and Midland.

	Causes of Death.	Sex.	Aggregate of Urban Districts (North).									Aggregate of Urban Districts (Midland).							
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—
	All Causes	M	28,967	5063	1249	1181	1282	1124	3358	7393	8317	27,097	4369	968	983	1140	999	3059	6327
		F	27,817	3659	1205	1140	1285	1263	3560	6312	9393	27,157	3217	884	938	1144	1231	3253	5469
1	Enteric fever	M	101	—	—	2	14	21	33	26	5	46	—	—	—	8	8	21	9
		F	99	—	—	2	18	20	42	15	2	47	—	—	1	13	7	17	8
2	Small-pox	M	4	1	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
3	Measles	M	352	86	153	93	19	—	1	—	—	204	30	81	70	20	1	1	1
		F	304	64	109	100	29	1	1	—	—	213	37	74	82	14	1	3	1
4	Scarlet fever	M	94	—	7	44	41	2	—	—	—	56	3	5	23	23	1	—	1
		F	102	6	10	39	42	4	1	—	—	62	2	5	21	28	3	1	—
5	Whooping cough ...	M	257	129	73	46	8	—	—	—	1	284	141	79	54	10	—	—	—
		F	364	154	120	78	10	—	—	—	2	336	152	97	77	10	—	—	—
6	Diphtheria and croup ...	M	324	10	33	139	135	3	3	1	—	346	8	20	146	160	6	1	5
		F	369	9	34	141	175	4	5	1	—	397	7	31	144	203	7	3	2
7	Influenza	M	393	11	5	8	6	21	73	120	149	489	22	8	13	8	9	63	150
		F	374	7	3	5	8	20	49	101	181	545	3	3	13	12	20	47	129
8	Erysipelas	M	45	8	1	—	1	2	4	19	10	48	7	—	—	—	3	7	8
		F	32	7	—	—	2	1	4	8	10	42	4	1	—	—	3	7	16
9	Pulmonary tuberculosis	M	2,183	11	19	37	80	335	933	689	79	2,319	17	19	31	87	374	1073	619
		F	1,871	14	19	27	179	462	835	292	43	1,955	15	8	16	110	521	862	341
10	Tuberculous meningitis	M	259	43	42	70	87	13	4	—	—	288	54	41	78	83	23	5	4
		F	251	35	44	47	87	25	9	2	2	271	31	51	75	69	27	12	6
11	Other tuberculous diseases.	M	518	54	80	73	111	70	67	44	19	398	48	53	39	90	61	74	23
		F	471	49	46	70	84	86	83	42	11	357	27	37	39	69	58	67	38
12	Cancer, malignant disease	M	1,801	—	—	3	6	11	144	904	733	1,976	3	—	6	9	12	146	913
		F	2,506	—	1	4	5	15	301	1265	915	2,819	2	2	6	3	12	320	1315
13	Rheumatic fever ...	M	128	1	1	2	33	23	40	22	6	84	1	2	4	28	13	16	15
		F	122	—	2	1	30	30	36	20	3	111	1	—	—	35	19	30	16
14	Meningitis	M	301	77	51	68	54	11	18	21	1	235	52	34	48	54	19	14	13
		F	250	68	33	55	46	14	14	15	5	203	35	30	34	45	22	20	17
15	Organic heart disease ...	M	2,754	4	—	8	32	96	240	1082	1292	2,727	—	2	6	48	71	214	972
		F	3,320	2	—	4	62	79	428	1170	1575	3,280	—	2	3	64	87	332	923
16	Bronchitis	M	2,543	488	125	50	10	9	71	628	1162	2,159	339	72	54	11	12	50	417
		F	2,562	373	118	61	20	14	72	480	1424	2,298	274	87	41	15	7	54	306
17	Pneumonia (all forms)...	M	2,483	568	285	194	126	75	356	551	328	1,924	443	235	140	79	64	226	423
		F	1,885	370	296	178	114	64	210	304	349	1,594	291	201	154	87	70	177	234
18	Other respiratory diseases	M	449	35	10	46	31	7	63	141	116	422	35	17	34	25	4	27	125
		F	346	23	17	38	14	13	47	88	106	389	20	13	17	23	9	34	103
19	Diarrhœa, &c.	M	968	518	115	44	23	9	57	101	101	723	436	88	34	8	5	35	51
		F	809	378	113	55	31	10	33	67	122	629	325	78	25	23	10	41	39
20	Appendicitis and typhlitis	M	156	—	—	8	46	33	34	26	9	150	3	—	8	53	24	28	23
		F	144	—	—	4	44	30	32	23	11	151	2	—	9	44	28	33	30
21	Cirrhosis of liver ...	M	193	2	—	—	1	1	24	123	42	218	2	—	—	—	1	28	133
		F	123	—	—	—	1	1	21	76	24	149	—	—	—	3	1	25	84
21A	Alcoholism	M	23	—	—	—	—	1	8	10	4	22	—	—	—	—	—	7	14
		F	11	—	—	—	—	—	3	6	2	21	—	—	—	—	—	6	12
22	Nephritis and Bright's disease.	M	940	9	8	16	36	32	119	416	304	776	2	12	11	27	22	90	286
		F	949	14	13	23	25	22	185	381	286	672	3	6	13	27	23	118	233
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	112	—	—	—	—	21	91	—	—	122	—	—	—	—	24	97	1
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	328	—	—	—	—	54	265	9	—	247	—	—	—	—	40	198	9
25	Congenital debility, &c.	M	1,932	1901	9	7	10	5	—	—	—	1,851	1827	10	3	6	1	2	2
		F	1,413	1387	11	4	6	2	3	—	—	1,356	1324	9	7	11	3	—	2
26	Violence, apart from suicide.	M	1,393	42	27	104	182	175	350	358	155	1,103	46	29	84	133	98	253	296
		F	507	30	25	67	71	37	61	95	121	543	50	21	57	70	36	66	89
27	Suicide	M	214	—	—	—	1	10	68	101	34	170	—	—	—	1	8	60	70
		F	77	—	—	—	1	15	20	28	13	109	—	—	—	1	13	36	47
28	Other defined diseases ...	M	7,944	1055	179	112	182	156	630	1911	3719	7,903	839	138	88	162	158	606	1669
		F	7,939	662	159	126	173	214	691	1761	4153	8,122	603	111	98	162	178	634	1424
29	Causes ill-defined or unknown	M	215	10	26	7	7	3	15	99	48	176	11	23	9	7	1	12	85
		F	175	7	32	11	8	4	18	62	33	117	9	17	6	3	2	13	44

Causes of Death at Different Periods of Life—1916.

Urban Districts—South and Wales.

Causes of Death.	Sex.	Aggregate of Urban Districts (South).									Aggregate of Urban Districts (Wales and Monmouth).								
		All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	15,543	1946	389	438	578	526	1707	3833	6126	8,176	1575	353	339	358	377	1020	1992	2162
	F	16,400	1462	344	386	499	633	1809	3354	7913	7,420	1208	342	308	324	418	1062	1531	2227
Enteric fever	M	35	—	—	—	5	5	14	7	4	20	—	—	—	4	6	7	3	—
	F	36	—	—	1	3	9	12	10	1	24	—	—	1	7	9	6	1	—
Small-pox	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—
Measles	M	92	22	30	31	8	—	1	—	—	67	22	26	13	6	—	—	—	—
	F	84	20	22	33	9	—	—	—	—	54	8	26	17	3	—	—	—	—
Scarlet fever	M	31	—	3	10	15	2	—	1	—	20	1	3	8	7	—	1	—	—
	F	35	3	2	9	20	—	—	1	—	37	1	5	15	10	1	4	1	—
Whooping cough ...	M	141	62	43	26	9	—	—	—	1	64	32	19	11	2	—	—	—	—
	F	184	96	51	30	5	1	1	—	—	90	34	29	24	3	—	—	—	—
Diphtheria and croup ...	M	168	4	10	65	86	2	—	1	—	107	6	16	52	31	1	1	—	—
	F	128	1	7	43	70	1	4	2	—	99	5	17	46	29	1	1	—	—
Influenza	M	319	7	6	2	4	8	30	104	158	131	2	—	2	5	8	20	50	44
	F	457	7	2	4	7	13	43	83	298	126	3	3	—	3	3	15	46	53
Erysipelas	M	20	1	1	—	—	—	4	5	9	16	3	—	—	1	—	4	3	5
	F	21	2	—	1	—	1	2	3	12	8	1	—	—	—	1	2	2	2
Pulmonary tuberculosis	M	1,262	7	7	12	32	192	569	379	64	587	4	6	7	23	98	277	150	22
	F	1,115	8	7	11	61	251	509	209	59	593	6	2	4	29	168	291	82	11
Tuberculous meningitis	M	159	24	26	45	40	14	6	4	—	74	14	14	9	30	5	2	—	—
	F	149	23	24	33	41	21	6	1	—	77	9	6	16	26	11	7	2	—
Other tuberculous diseases.	M	195	16	16	20	35	25	52	24	7	122	19	11	9	20	26	21	12	4
	F	202	8	11	23	31	35	48	35	11	106	10	13	10	17	16	29	10	1
Cancer, malignant disease	M	1,316	—	—	2	8	5	67	582	652	460	1	—	1	4	3	29	241	181
	F	1,810	—	—	2	3	3	175	744	883	542	—	—	2	1	5	70	275	189
Rheumatic fever ...	M	44	—	—	3	9	11	11	6	4	35	—	—	1	12	6	8	8	—
	F	53	—	—	2	9	14	14	10	4	49	—	—	—	18	14	9	8	—
Meningitis	M	132	31	11	19	40	12	7	9	3	68	19	8	13	13	6	7	2	—
	F	117	21	9	11	34	15	12	12	3	69	8	5	10	17	15	7	6	1
Organic heart disease ...	M	1,790	—	—	1	14	41	128	567	1039	784	—	—	3	20	31	78	283	369
	F	2,182	—	—	5	26	52	160	589	1350	779	1	—	4	33	30	118	259	3 4
Bronchitis	M	1,037	138	24	15	9	8	19	169	655	698	108	31	18	5	4	19	174	339
	F	1,295	76	27	19	7	5	16	138	1007	549	75	31	15	5	5	17	102	299
Pneumonia (all forms)	M	936	180	96	69	31	25	103	204	228	716	168	91	62	27	18	103	148	99
	F	802	136	83	64	27	19	75	153	245	506	120	86	64	20	17	45	66	88
Other respiratory diseases	M	266	7	3	8	12	6	30	81	119	178	13	10	21	8	4	15	58	49
	F	197	4	1	12	4	7	15	43	111	96	8	6	13	9	2	10	20	28
Diarrhœa, &c.	M	334	202	31	15	4	1	15	22	44	287	164	37	19	6	2	13	21	25
	F	280	124	25	8	8	2	24	24	65	239	138	36	11	4	1	13	23	13
Appendicitis and typhlitis	M	87	—	—	1	30	13	21	16	6	37	—	—	1	13	3	11	8	1
	F	98	—	—	5	25	18	24	22	4	31	—	—	2	12	9	4	3	1
Cirrhosis of liver ...	M	156	—	—	—	—	—	18	99	39	46	—	—	—	—	—	7	28	11
	F	113	—	—	—	—	1	18	56	38	22	—	—	—	—	—	5	12	5
Alcoholism	M	17	—	—	—	—	—	7	6	4	11	—	—	—	—	—	4	3	4
	F	12	—	—	—	—	—	2	6	4	5	—	—	—	—	—	2	2	1
Nephritis and Bright's disease.	M	546	3	1	2	13	9	59	222	237	230	2	1	4	13	8	34	103	65
	F	434	2	3	1	4	10	66	161	187	197	1	1	2	3	10	46	83	51
Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	64	—	—	—	—	14	49	1	—	47	—	—	—	—	11	36	—	—
Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	122	—	—	—	—	18	101	3	—	108	—	—	—	—	20	87	1	—
Congenital debility, &c.	M	825	807	3	6	4	2	2	1	—	597	592	2	2	1	—	—	—	—
	F	676	656	7	3	4	2	3	—	1	451	441	3	3	1	—	3	—	—
Violence, apart from suicide.	M	662	41	16	27	76	59	179	180	84	584	8	10	42	66	108	154	164	32
	F	328	31	9	15	20	26	45	53	129	130	5	11	25	15	15	14	17	28
Suicide	M	119	—	—	—	—	3	34	47	35	38	—	—	—	—	2	13	13	10
	F	55	—	—	—	—	6	23	24	2	26	—	—	—	—	3	6	12	5
Other defined diseases	M	4,788	385	57	57	93	83	326	1068	2719	2,150	395	63	40	40	35	186	497	894
	F	5,271	235	47	49	79	88	353	942	3478	2,303	329	54	23	57	49	206	483	1102
Causes ill-defined or unknown.	M	66	9	5	2	1	—	5	29	15	47	2	5	1	1	2	6	22	8
	F	80	9	7	2	2	1	9	29	21	55	5	8	1	2	1	8	15	15

Causes of Death at Different Periods of Life—1916.

Rural Districts—North and Midland.

Causes of Death.	Sex.	Aggregate of Rural Districts (North).									Aggregate of Rural Districts (Midland).								
		All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65
All Causes	M	11,252	1927	467	354	491	458	1113	2468	3974	21,194	2620	513	520	777	695	1875	4487	97
	F	10,058	1444	377	327	425	454	1278	2013	3740	20,288	1945	457	466	763	851	2140	3732	99
1 Enteric fever	M	58	—	—	1	11	17	23	5	1	35	—	—	—	5	10	10	9	
	F	33	—	1	4	3	7	11	6	1	26	—	—	—	6	7	6	6	
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Measles	M	71	19	30	8	10	3	—	1	—	117	28	34	32	21	1	—	1	
	F	59	9	20	20	8	—	1	1	—	116	18	37	39	18	3	1	—	
4 Scarlet fever	M	39	1	3	20	14	1	—	—	—	32	1	4	7	15	3	2	—	
	F	42	1	5	11	23	2	—	—	—	43	2	2	13	18	2	5	1	
5 Whooping cough ...	M	92	47	22	15	7	—	—	—	1	182	113	40	25	2	1	—	—	
	F	103	47	39	14	3	—	—	—	—	220	114	61	37	6	—	—	1	
6 Diphtheria and croup ...	M	114	2	10	49	51	—	2	—	—	231	6	17	64	132	6	4	2	
	F	104	1	6	36	55	3	2	1	—	255	5	15	73	146	8	3	—	
7 Influenza	M	226	8	2	2	6	13	27	70	98	528	17	4	3	11	20	53	140	28
	F	221	7	3	2	6	7	35	48	113	516	15	9	10	13	17	50	81	32
8 Erysipelas	M	20	2	—	2	2	1	3	3	7	33	6	—	—	—	—	6	8	
	F	12	2	—	—	—	2	1	2	5	24	4	—	—	1	—	2	8	
9 Pulmonary tuberculosis	M	625	8	4	10	35	117	253	174	24	1,291	8	7	12	36	218	561	376	
	F	649	2	4	12	52	156	299	100	24	1,289	7	7	9	107	330	574	203	
10 Tuberculous meningitis	M	101	20	17	23	32	4	4	1	—	130	22	20	27	38	13	6	4	
	F	84	13	15	19	21	8	6	2	—	137	18	16	31	46	21	3	2	
11 Other tuberculous diseases.	M	180	17	20	21	27	26	39	20	10	259	27	24	28	48	36	52	34	
	F	149	10	20	18	23	26	30	15	7	251	22	14	19	45	46	57	4	
12 Cancer, malignant disease	M	741	—	2	1	2	7	44	319	366	1,770	2	1	2	4	12	92	706	95
	F	895	1	—	1	2	3	86	423	379	2,157	—	—	1	6	12	176	897	106
13 Rheumatic fever ...	M	45	—	—	1	12	8	11	9	4	70	—	—	1	25	14	12	11	
	F	55	—	—	1	10	15	22	5	2	74	—	—	2	25	15	12	16	
14 Meningitis	M	89	23	14	16	22	6	5	2	1	114	27	21	23	21	7	7	6	
	F	86	17	24	9	16	5	7	4	4	129	20	14	24	28	20	13	8	
15 Organic heart disease ...	M	1,258	—	2	3	16	29	94	401	713	2,486	—	1	3	19	38	146	683	159
	F	1,202	1	1	1	17	34	111	359	678	2,712	—	—	3	24	54	185	675	177
16 Bronchitis	M	816	181	42	14	5	6	18	130	420	1,590	189	62	23	14	3	34	199	106
	F	767	133	38	17	8	3	19	103	446	1,596	156	46	23	7	8	24	152	118
17 Pneumonia (all forms)...	M	881	217	103	52	43	30	99	179	158	1,095	236	94	68	43	43	111	243	25
	F	581	138	72	52	24	22	86	72	115	906	158	98	42	47	37	98	148	27
18 Other respiratory diseases	M	182	16	8	10	14	6	18	65	45	350	22	15	20	19	7	31	94	14
	F	154	18	6	17	11	9	14	31	48	262	21	8	16	13	10	24	58	11
19 Diarrhœa, &c.	M	343	176	59	21	7	4	9	34	33	379	178	38	20	9	5	21	40	6
	F	289	131	51	27	6	1	13	23	37	330	122	37	19	16	7	19	25	8
20 Appendicitis and typhlitis	M	72	—	—	3	19	16	12	15	7	109	—	—	6	33	15	26	23	
	F	57	—	—	2	22	7	14	8	4	86	—	—	1	27	14	27	10	
21 Cirrhosis of liver ...	M	83	—	1	—	—	—	10	44	28	196	—	—	—	2	1	16	109	6
	F	40	—	—	—	—	1	3	23	13	107	—	—	—	—	—	15	58	3
21A Alcoholism	M	12	—	—	—	—	—	5	5	2	9	—	—	—	—	—	4	4	
	F	7	—	—	—	—	—	1	5	1	6	—	—	—	—	—	—	5	
22 Nephritis and Bright's disease.	M	299	3	3	7	10	11	29	129	107	625	5	4	7	25	18	45	221	30
	F	270	1	4	5	10	7	59	108	76	502	3	4	7	13	13	62	161	23
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	45	—	—	—	—	9	36	—	—	78	—	—	—	—	19	58	1	
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	F	125	—	—	—	—	21	101	3	—	197	—	—	—	—	27	169	1	
25 Congenital debility, &c.	M	755	744	4	3	1	1	2	—	—	1,216	1181	16	7	9	2	1	—	
	F	620	606	4	3	5	1	1	—	—	865	841	6	6	5	4	2	1	
26 Violence, apart from suicide	M	660	26	24	29	72	86	165	163	95	978	25	24	62	121	100	208	261	17
	F	204	14	8	23	27	20	24	23	65	331	31	10	30	38	23	33	41	12
27 Suicide	M	93	—	—	—	—	5	26	38	24	194	—	—	—	—	7	60	82	4
	F	41	—	—	—	—	11	15	11	4	69	—	—	—	1	13	20	27	
28 Other defined diseases ...	M	3,322	411	86	40	72	60	208	627	1818	6,972	512	77	75	122	111	349	1147	457
	F	3,097	291	50	31	69	73	271	606	1706	6,860	376	61	58	106	137	481	1048	459
29 Causes ill-defined or unknown.	M	75	6	11	3	1	1	7	34	12	205	15	10	5	3	4	18	84	
	F	67	1	6	2	4	1	10	31	12	144	12	12	3	1	4	16	57	

Causes of Death at Different Periods of Life—1916.

Rural Districts—South and Wales.

	Causes of Death.	Sex.	Aggregate of Rural Districts (South).									Aggregate of Rural Districts (Wales and Monmouth).							
			All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	12,307	1216	231	228	411	399	1179	2758	5885	5,888	954	158	134	211	283	667	1283	2198
		F	11,842	917	228	234	376	434	1232	2392	6029	5,653	659	150	145	209	310	712	1127	2341
1	Enteric fever	M	13	—	—	—	4	1	4	3	1	11	—	1	1	4	2	1	1	1
		F	23	—	—	—	4	2	13	4	—	8	—	—	—	2	1	4	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	54	7	17	11	17	1	1	—	—	20	6	7	4	3	—	—	—	—
		F	44	9	16	9	9	—	1	—	—	30	3	14	5	4	1	3	—	—
4	Scarlet fever	M	28	2	4	8	10	4	—	—	—	16	1	3	1	9	—	2	—	—
		F	20	—	1	4	6	5	3	—	1	15	—	2	4	7	1	1	—	—
5	Whooping cough ...	M	92	58	21	12	1	—	—	—	—	18	11	6	1	—	—	—	—	—
		F	129	60	40	22	6	—	1	—	—	37	15	13	7	2	—	—	—	—
6	Diphtheria and croup ...	M	76	3	7	25	39	2	—	—	—	57	2	5	18	28	3	1	—	—
		F	105	1	5	32	57	4	2	3	1	63	2	5	21	29	3	3	—	—
7	Influenza	M	325	8	1	5	8	11	30	79	183	119	2	—	1	—	4	7	40	65
		F	342	5	2	4	7	17	26	66	215	135	1	2	3	5	2	11	26	85
8	Erysipelas	M	9	1	—	1	1	—	—	2	4	10	—	—	—	—	2	2	1	5
		F	12	3	—	—	—	—	1	3	5	9	—	—	—	1	—	—	4	4
9	Pulmonary tuberculosis	M	857	3	3	3	34	139	378	259	38	474	3	4	3	11	98	192	131	32
		F	786	3	5	9	60	165	355	150	39	503	3	3	2	23	140	228	84	20
10	Tuberculous meningitis	M	85	12	13	22	31	2	3	2	—	46	5	6	8	20	4	2	1	—
		F	84	12	20	17	25	5	3	2	—	51	7	8	11	18	4	1	2	—
11	Other tuberculous diseases.	M	126	9	2	9	19	22	40	16	9	60	5	5	3	13	10	13	9	2
		F	153	13	3	8	23	21	41	27	17	78	4	6	6	8	19	24	6	5
12	Cancer, malignant disease	M	1,054	—	—	3	5	3	39	425	579	404	—	—	1	2	2	26	177	196
		F	1,291	—	1	1	4	6	110	550	619	499	—	—	1	—	4	52	212	230
13	Rheumatic fever ...	M	32	—	—	—	12	4	6	8	2	23	—	—	—	6	7	4	6	—
		F	52	—	—	—	8	18	17	6	3	34	—	—	—	14	9	6	4	1
14	Meningitis	M	63	16	3	11	13	7	11	2	—	38	12	4	7	6	5	3	—	1
		F	82	11	9	10	16	12	13	7	4	35	6	2	5	8	9	3	2	—
15	Organic heart disease ...	M	1,707	—	2	2	15	29	82	469	1108	661	1	—	—	11	17	41	186	405
		F	1,805	2	—	—	15	23	100	467	1198	787	—	1	1	17	18	58	221	471
16	Bronchitis	M	875	75	16	11	5	2	19	93	654	451	69	19	6	—	1	8	79	269
		F	938	68	16	9	1	4	10	76	754	390	37	11	6	1	3	12	52	268
17	Pneumonia (all forms)...	M	652	94	62	34	22	13	79	157	191	403	81	44	22	14	21	51	77	93
		F	484	69	47	34	21	9	44	93	167	296	40	40	21	6	17	33	60	79
18	Other respiratory diseases	M	232	8	6	10	11	6	18	82	91	108	8	4	4	4	6	11	36	35
		F	159	5	4	5	9	6	16	34	80	78	5	2	11	3	2	6	15	34
19	Diarrhœa, &c.	M	200	97	8	8	1	3	8	29	46	144	80	11	6	7	—	7	14	19
		F	173	57	15	9	9	4	9	16	54	121	63	10	3	6	—	6	10	23
20	Appendicitis and typhlitis	M	78	—	—	2	24	16	9	19	8	30	—	—	2	5	9	9	2	3
		F	50	1	—	3	17	7	12	5	5	17	—	—	—	4	4	2	5	2
21	Cirrhosis of liver ...	M	98	—	—	—	2	—	7	51	38	23	—	—	—	—	—	3	7	13
		F	51	—	—	—	1	1	5	28	16	14	—	—	—	—	—	2	7	5
22A	Alcoholism	M	12	—	—	—	—	—	4	6	2	2	—	—	—	—	—	1	1	—
		F	2	—	—	—	—	—	1	—	1	1	—	—	—	—	—	1	—	—
22	Nephritis and Bright's disease.	M	432	3	—	1	6	13	37	136	236	205	3	1	2	8	3	19	60	109
		F	289	1	1	1	5	11	30	92	148	153	2	—	2	2	7	23	46	71
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	30	—	—	—	—	8	22	—	—	28	—	—	—	—	8	20	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	99	—	—	—	—	10	86	3	—	74	—	—	—	—	9	65	—	—
25	Congenital debility, &c.	M	579	559	4	7	6	—	2	1	—	368	364	—	2	1	1	—	—	—
		F	420	408	4	4	3	1	—	—	—	283	275	4	1	2	1	—	—	—
26	Violence, apart from suicide.	M	563	23	13	24	61	59	150	133	100	374	7	10	25	24	53	124	100	31
		F	195	22	8	23	10	18	20	27	67	97	4	5	12	17	10	6	18	25
27	Suicide	M	122	—	—	—	—	3	29	59	31	43	—	—	—	1	1	19	16	6
		F	47	—	—	—	—	4	17	18	8	21	—	—	—	—	2	9	6	4
28	Other defined diseases ...	M	3,855	235	48	19	61	57	214	682	2539	1,729	284	27	17	34	34	115	322	896
		F	3,902	164	28	30	60	70	269	776	2605	1,751	191	18	22	28	34	126	326	1006
29	Causes ill-defined or unknown.	M	88	3	1	—	3	2	9	45	25	51	10	1	—	—	—	6	17	17
		F	75	3	3	—	—	3	5	39	22	43	1	4	1	2	2	7	20	8

Causes of Death at Different Periods of Life in Metropolitan Boroughs—1916.

	Causes of Death.	Sex.	City of London.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	131	9	1	1	1	7	17	39	56
		F	103	6	—	—	—	3	16	32	46
1	Enteric fever	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	1	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
6	Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
7	Influenza	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
8	Erysipelas	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	15	—	—	—	—	3	3	6	3
		F	12	—	—	—	—	1	8	3	—
10	Tuberculous meningitis	M	1	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
11	Other tuberculous diseases.	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
12	Cancer, malignant disease	M	11	—	—	—	—	—	2	6	3
		F	14	—	—	—	—	—	1	8	5
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
14	Meningitis	M	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—
15	Organic heart disease ...	M	22	—	—	—	—	—	3	4	15
		F	17	—	—	—	—	—	2	8	7
16	Bronchitis	M	10	1	—	—	—	—	1	3	5
		F	14	1	—	—	—	—	—	4	9
17	Pneumonia (all forms)	M	9	1	—	1	—	—	1	3	3
		F	2	—	—	—	—	—	—	1	1
18	Other respiratory diseases	M	3	—	—	—	—	—	1	1	1
		F	—	—	—	—	—	—	—	—	—
19	Diarrhœa, &c.	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
20	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
21	Cirrhosis of liver ...	M	2	—	—	—	—	—	—	2	—
		F	1	—	—	—	—	—	—	—	1
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	4	—	—	—	—	—	—	3	1
		F	3	—	—	—	—	—	—	—	3
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—
25	Congenital debility, &c.	M	2	2	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	11	4	—	—	—	1	2	4	—
		F	8	1	—	—	—	2	—	—	5
27	Suicide	M	2	—	—	—	—	1	1	—	—
		F	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	37	—	—	—	—	2	3	7	25
		F	29	3	—	—	—	—	3	8	15
29	Causes ill-defined or unknown.	M	1	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in Metropolitan Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Battersea. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Bermondsey. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,112	181	45	36	58	51	142	291	308	1,062	187	75	46	51	39	135	263	266
		F	1,109	137	41	42	44	36	154	239	416	920	163	45	48	40	47	96	200	281
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
		F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	16	2	8	5	1	—	—	—	—	20	3	12	5	—	—	—	—	—
		F	11	1	5	5	—	—	—	—	—	22	8	8	6	—	—	—	—	—
4	Scarlet fever	M	2	—	2	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	5	—	—	3	2	—	—	—	—	3	—	—	2	1	—	—	—	—
5	Whooping cough ...	M	16	10	1	4	1	—	—	—	—	4	2	2	—	—	—	—	—	—
		F	14	8	5	1	—	—	—	—	—	11	5	4	2	—	—	—	—	
6	Diphtheria and croup ...	M	12	2	1	2	7	—	—	—	—	17	1	3	9	3	1	—	—	—
		F	15	2	2	4	7	—	—	—	—	10	—	2	4	4	—	—	—	—
7	Influenza	M	19	—	—	—	—	1	2	10	6	6	1	1	—	—	—	—	3	1
		F	26	—	—	—	—	—	3	8	9	9	—	—	—	—	—	—	5	4
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
		F	2	—	—	—	—	—	—	2	—	2	—	—	—	—	—	1	—	1
9	Pulmonary tuberculosis	M	138	1	1	2	2	17	65	45	5	109	1	2	2	3	12	47	36	6
		F	92	1	—	1	7	15	48	19	1	85	1	—	1	6	25	32	19	1
10	Tuberculous meningitis	M	20	3	3	2	9	2	1	—	—	24	5	8	5	5	1	—	—	—
		F	13	2	2	3	4	1	1	—	—	15	5	4	4	2	—	—	—	—
11	Other tuberculous diseases.	M	16	3	2	—	5	4	—	1	1	19	3	2	1	8	1	2	2	—
		F	8	1	1	2	—	1	2	—	1	21	4	1	3	5	3	3	1	1
12	Cancer, malignant disease	M	84	—	—	—	2	—	4	43	35	62	—	—	—	—	—	2	37	23
		F	114	—	—	—	—	—	16	55	43	65	—	—	—	—	1	7	33	24
13	Rheumatic fever ...	M	2	—	—	—	1	1	—	—	—	4	—	—	1	2	—	—	—	1
		F	7	—	—	—	1	1	4	1	—	5	—	—	—	2	1	—	2	—
14	Meningitis	M	5	—	1	1	2	1	—	—	—	8	5	—	—	1	—	—	1	1
		F	5	1	—	—	2	1	1	—	—	9	3	1	2	2	—	1	—	—
15	Organic heart disease ...	M	126	—	—	—	2	5	16	50	53	116	—	—	—	2	6	13	44	51
		F	130	—	—	—	4	1	14	51	60	124	—	—	—	4	4	10	45	61
16	Bronchitis	M	85	10	1	3	—	—	2	16	53	140	15	7	2	—	1	9	41	65
		F	93	8	1	1	—	—	3	15	65	121	19	1	2	2	—	2	14	81
17	Pneumonia (all forms)	M	102	22	14	8	5	4	10	22	17	100	30	15	9	3	1	14	16	12
		F	68	11	12	7	3	3	4	10	18	98	36	14	12	3	5	5	10	13
18	Other respiratory diseases	M	18	1	1	1	—	—	3	7	5	11	3	1	—	—	1	2	3	1
		F	17	1	—	—	1	—	3	2	10	6	—	—	—	—	1	2	—	3
19	Diarrhœa, &c.	M	37	27	3	—	1	—	1	1	4	54	33	9	2	1	1	—	6	2
		F	31	24	2	2	—	—	—	—	3	22	11	3	2	1	—	—	3	2
20	Appendicitis and typhlitis	M	4	—	—	—	1	1	2	—	—	2	—	—	1	1	—	—	—	—
		F	10	—	—	1	5	1	1	2	—	4	—	—	—	1	1	1	1	—
21	Cirrhosis of liver ...	M	11	—	—	—	—	—	1	8	2	8	—	1	—	1	—	3	3	—
		F	9	—	—	—	—	—	4	4	1	7	—	—	—	—	—	—	7	—
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	26	—	—	—	—	—	1	11	14	22	—	—	—	2	—	5	11	4
		F	34	—	1	2	—	1	2	15	13	19	—	—	—	—	—	6	10	3
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	1	5	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	1	7	—	—	8	—	—	—	—	1	6	1	—
25	Congenital debility, &c.	M	64	64	—	—	—	—	—	—	—	55	55	—	—	—	—	—	—	—
		F	57	57	—	—	—	—	—	—	—	46	44	—	2	—	—	—	—	—
26	Violence, apart from suicide.	M	45	2	—	5	9	3	7	13	6	66	3	3	5	14	8	15	8	10
		F	31	4	1	5	4	2	6	1	8	31	7	3	3	3	1	5	2	7
27	Suicide	M	8	—	—	—	—	—	5	2	1	9	—	—	—	—	—	3	4	2
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—
28	Other defined diseases ...	M	254	34	7	3	10	12	22	60	106	201	27	7	4	4	5	20	48	86
		F	305	16	7	5	4	6	30	53	184	175	20	4	3	4	3	14	47	80
29	Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	1	—	2	—	2	—	—	—	—	—	—
		F	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in Metropolitan Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Bethnal Green.									Camberwell.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	924	198	51	36	30	29	125	243	212	1763	262	49	55	80	70	236	469	542
		F	848	167	52	43	34	42	118	168	224	1659	186	67	57	84	78	202	336	649
1	Enteric fever	M	2	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	11	3	7	1	—	—	—	—	—	11	4	3	2	2	—	—	—	—
		F	11	2	3	6	—	—	—	—	—	12	3	4	4	1	—	—	—	—
4	Scarlet fever	M	3	—	—	2	1	—	—	—	—	6	—	—	3	3	—	—	—	—
		F	2	—	2	—	—	—	—	—	—	4	—	1	2	1	—	—	—	—
5	Whooping cough ...	M	16	5	9	1	1	—	—	—	—	10	6	3	—	1	—	—	—	—
		F	28	10	8	8	2	—	—	—	—	22	5	10	5	2	—	—	—	—
6	Diphtheria and croup ...	M	9	1	1	6	1	—	—	—	—	15	1	3	4	7	—	—	—	—
		F	14	1	2	5	5	—	—	1	—	15	—	1	5	9	—	—	—	—
7	Influenza	M	5	—	—	—	—	—	2	2	1	30	—	—	—	1	1	3	14	11
		F	5	—	—	—	—	1	—	—	4	25	—	—	—	—	—	2	7	16
8	Erysipelas	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	—	3
		F	7	2	—	—	1	1	—	—	3	2	—	—	—	—	—	—	—	2
9	Pulmonary tuberculosis	M	110	1	1	—	5	14	40	42	7	243	—	1	5	6	30	123	73	5
		F	90	—	1	—	7	18	36	25	3	159	1	4	2	12	41	70	24	5
10	Tuberculous meningitis	M	10	2	4	2	1	1	—	—	—	20	3	3	6	8	—	—	—	—
		F	18	4	5	1	5	2	1	—	—	26	3	5	8	9	1	—	—	—
11	Other tuberculous diseases.	M	14	1	2	2	5	1	1	1	1	19	3	—	—	5	4	3	4	—
		F	10	4	2	—	2	1	1	—	—	13	2	1	2	3	—	4	—	1
12	Cancer, malignant disease	M	59	—	—	1	—	—	8	36	14	118	—	—	1	1	1	6	61	48
		F	46	—	—	1	—	—	4	27	14	153	—	—	—	1	1	14	77	60
13	Rheumatic fever ...	M	2	—	—	1	—	—	1	—	—	4	—	—	—	1	1	1	1	—
		F	3	—	—	—	—	1	1	—	1	6	—	—	1	1	2	1	1	—
14	Meningitis	M	7	2	1	3	—	—	1	—	—	15	1	3	6	1	2	1	—	1
		F	10	5	2	1	1	—	—	1	—	16	7	1	3	4	1	—	—	—
15	Organic heart disease ...	M	94	—	—	—	—	8	17	21	48	211	—	—	—	2	6	13	81	109
		F	95	—	—	—	—	3	19	29	44	221	—	—	—	7	3	19	66	126
16	Bronchitis	M	89	14	3	3	—	—	5	35	29	120	12	2	—	1	—	3	33	78
		F	84	12	2	2	2	—	4	13	49	149	6	3	1	2	—	2	25	110
17	Pneumonia (all forms)	M	93	24	17	7	2	—	9	21	13	168	42	17	15	6	6	10	41	31
		F	82	21	13	11	2	3	11	9	12	150	20	22	9	7	6	16	17	53
18	Other respiratory diseases	M	12	1	1	—	1	—	1	6	2	29	2	1	1	2	—	4	6	13
		F	12	1	—	1	—	—	2	3	5	21	—	1	2	1	—	3	4	10
19	Diarrhœa, &c.	M	51	43	3	—	—	—	3	1	1	62	38	8	1	1	—	3	7	4
		F	34	29	2	1	—	—	1	—	1	52	35	6	3	—	—	2	4	2
20	Appendicitis and typhlitis	M	4	—	—	—	2	—	2	—	—	11	—	—	1	4	1	1	3	1
		F	1	—	—	—	—	1	—	—	—	11	—	—	—	5	2	2	1	1
21	Cirrhosis of liver ...	M	5	—	—	—	—	—	1	4	—	10	—	—	—	—	—	—	6	4
		F	5	—	—	—	—	—	1	2	2	15	—	—	—	—	—	1	12	2
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	34	—	—	—	—	—	5	13	16	62	—	—	—	3	2	8	30	19
		F	20	—	—	—	1	—	3	11	5	63	—	—	—	2	1	9	24	27
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	6	—	—	9	—	—	—	—	2	7	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	8	—	—	12	—	—	—	—	2	10	—	—
25	Congenital debility, &c.	M	58	57	—	1	—	—	—	—	—	112	112	—	—	—	—	—	—	—
		F	48	47	—	—	—	1	—	—	—	68	67	—	—	1	—	—	—	—
26	Violence, apart from suicide.	M	38	9	1	4	3	—	5	6	10	50	2	1	4	11	5	7	9	11
		F	24	6	3	3	1	2	1	1	7	36	8	3	2	3	1	2	2	15
27	Suicide	M	5	—	—	—	—	1	1	3	—	10	—	—	—	—	1	4	3	2
		F	2	—	—	—	—	—	—	2	—	4	—	—	—	—	1	2	—	1
28	Other defined diseases ...	M	192	35	1	2	8	4	23	49	70	411	35	4	6	13	10	46	96	201
		F	182	23	7	3	4	8	19	44	74	386	29	3	7	13	12	35	70	217
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	1
		F	1	—	—	—	1	—	—	—	—	8	—	2	1	—	2	—	2	1

Causes of Death at Different Periods of Life in Metropolitan Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Chelsea.									Deptford.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	497	61	12	17	11	12	52	131	201	879	159	37	36	28	32	116	226	245
		F	471	45	11	9	12	14	49	130	201	788	99	34	29	46	31	97	147	305
1	Enteric fever	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	4	2	1	1	—	—	—	—	—	19	3	7	7	2	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	14	2	4	5	3	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—
5	Whooping cough ...	M	8	3	4	1	—	—	—	—	—	9	5	2	1	1	—	—	—	—
		F	9	3	4	2	—	—	—	—	—	5	1	4	—	—	—	—	—	—
6	Diphtheria and croup ...	M	8	1	1	2	4	—	—	—	—	8	—	—	4	4	—	—	—	—
		F	7	—	—	2	5	—	—	—	—	5	—	—	1	4	—	—	—	—
7	Influenza	M	11	—	—	1	—	—	2	3	5	9	—	—	—	—	—	2	5	2
		F	14	—	—	—	—	—	—	3	11	16	—	—	1	—	1	1	4	9
8	Erysipelas	M	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	55	—	1	—	—	9	11	26	8	100	1	—	—	3	14	47	33	2
		F	30	—	—	1	3	3	7	14	2	76	1	2	1	6	14	33	15	4
10	Tuberculous meningitis	M	3	—	—	3	—	—	—	—	—	8	3	1	2	2	—	—	—	—
		F	2	1	—	—	—	—	—	1	—	11	—	1	4	6	—	—	—	—
11	Other tuberculous diseases.	M	3	—	—	—	1	—	1	1	—	11	2	2	1	—	4	1	—	1
		F	2	—	—	—	—	1	1	—	—	4	—	—	1	1	1	—	1	—
12	Cancer, malignant disease	M	39	—	—	1	—	—	2	22	14	62	—	—	—	—	—	3	33	26
		F	51	—	—	—	—	—	8	21	22	78	—	—	—	1	—	6	29	42
13	Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	1	—	2	—
		F	—	—	—	—	—	—	—	—	—	5	—	—	—	2	2	—	1	—
14	Meningitis	M	4	—	1	—	1	1	—	1	—	9	5	1	2	—	—	1	—	—
		F	6	3	—	—	1	1	1	—	—	4	1	1	—	2	—	—	—	—
15	Organic heart disease ...	M	73	—	—	—	1	1	6	19	46	64	—	—	—	1	1	10	20	32
		F	73	—	—	—	—	3	8	29	33	76	—	—	—	5	2	9	24	36
16	Bronchitis	M	62	3	1	1	—	—	—	9	48	91	7	2	3	2	—	3	24	50
		F	42	7	—	—	—	—	—	7	28	99	11	3	1	—	2	3	13	66
17	Pneumonia (all forms)	M	29	9	2	3	—	—	4	6	5	75	18	11	4	2	2	11	24	3
		F	34	8	2	3	1	1	1	5	13	68	19	13	7	5	1	4	10	9
18	Other respiratory diseases	M	8	—	—	—	—	—	—	3	5	12	1	1	—	—	1	1	3	5
		F	8	1	—	1	—	—	1	2	3	3	—	—	—	—	—	2	—	1
19	Diarrhœa, &c.	M	18	12	1	1	—	—	2	—	2	33	26	4	—	—	—	3	—	—
		F	11	5	2	—	—	1	1	1	1	27	19	4	1	—	—	1	2	—
20	Appendicitis and typhlitis	M	2	—	—	—	—	—	1	1	—	4	—	—	—	1	2	1	—	—
		F	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—
21	Cirrhosis of liver ...	M	4	—	—	—	—	—	1	2	1	8	—	—	—	—	—	1	7	—
		F	2	—	—	—	—	—	—	1	1	4	—	—	—	—	—	1	1	2
21A	Alcoholism	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	12	—	—	—	—	—	2	4	6	35	—	—	—	—	—	4	18	13
		F	12	—	—	—	—	—	2	7	3	20	—	1	—	1	—	6	10	2
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	7	—	—	—	—	—	6	1	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	2	—	—	—	—	2	—	—	—
25	Congenital debility, &c.	M	18	18	—	—	—	—	—	—	—	58	58	—	—	—	—	—	—	—
		F	10	10	—	—	—	—	—	—	—	29	29	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	15	1	—	—	2	—	2	6	4	36	1	4	6	6	2	3	8	6
		F	14	1	1	—	1	1	2	3	5	19	2	—	3	3	1	3	3	4
27	Suicide	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—
		F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	116	11	—	3	2	1	16	26	57	214	28	1	4	2	4	23	48	104
		F	135	6	2	—	—	2	11	35	79	212	14	—	3	6	4	22	33	130
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	4	1	1	1	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGHS—1916—*cont.*

	Causes of Death.	Sex.	FINSBURY.									FULHAM.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	ALL CAUSES	M	739	128	42	39	18	26	94	206	186	991	184	46	32	38	33	136	260	262
		F	701	117	40	40	30	24	81	149	220	997	146	32	33	34	47	133	229	343
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	23	12	6	5	—	—	—	—	—	11	5	4	1	1	—	—	—	—
		F	14	3	7	2	2	—	—	—	—	7	—	4	2	1	—	—	—	—
4	Scarlet fever	M	2	—	—	1	1	—	—	—	—	3	—	1	1	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—
5	Whooping cough ...	M	3	—	3	—	—	—	—	—	—	17	8	6	3	—	—	—	—	—
		F	9	3	3	3	—	—	—	—	—	15	6	3	6	—	—	—	—	—
6	Diphtheria and croup ...	M	3	—	2	1	—	—	—	—	—	8	—	1	2	5	—	—	—	—
		F	10	1	2	4	3	—	—	—	—	12	—	1	5	5	—	1	—	—
7	Influenza	M	10	2	—	—	—	1	—	5	2	11	—	—	—	—	—	1	6	4
		F	7	—	—	—	—	1	—	6	—	21	—	—	1	1	—	1	9	9
8	Erysipelas	M	1	1	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	2
		F	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
9	Pulmonary tuberculosis	M	95	—	—	3	2	10	45	31	4	108	—	2	—	—	13	59	31	3
		F	65	—	—	—	3	13	29	17	3	103	—	—	2	6	28	42	21	4
10	Tuberculous meningitis	M	4	2	1	1	—	—	—	—	—	11	2	1	4	3	1	—	—	—
		F	13	2	3	4	4	—	—	—	—	12	2	4	1	4	—	1	—	—
11	Other tuberculous diseases.	M	3	—	—	—	2	—	—	1	—	21	4	7	1	4	2	2	1	—
		F	6	—	—	3	1	2	—	—	—	13	1	—	2	1	3	3	1	2
12	Cancer, malignant disease	M	27	—	—	—	—	—	2	17	8	74	—	—	—	—	1	5	40	28
		F	32	—	—	—	—	—	7	16	9	108	—	—	—	—	1	21	43	43
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	4	—	—	—	1	2	1	—	—
14	Meningitis	M	7	—	2	2	—	1	1	1	—	11	—	4	2	2	2	—	1	—
		F	16	10	3	3	—	—	—	—	—	4	—	—	2	1	—	—	1	—
15	Organic heart disease ...	M	67	—	—	—	—	5	10	24	28	93	—	—	—	2	3	12	37	39
		F	85	—	—	—	4	3	11	32	35	115	—	—	—	1	4	11	31	68
16	Bronchitis	M	80	11	1	2	—	—	4	32	30	89	9	2	1	1	—	4	24	48
		F	81	9	5	1	—	1	6	17	42	121	10	5	—	—	—	4	22	80
17	Pneumonia (all forms)	M	86	15	22	11	1	3	2	20	12	88	24	12	8	1	2	6	19	16
		F	64	19	10	13	3	—	7	3	9	70	20	8	5	3	1	9	14	10
18	Other respiratory diseases	M	12	1	1	1	—	1	4	2	2	12	1	1	—	2	—	1	3	4
		F	9	—	1	1	2	—	2	1	2	15	1	—	—	—	—	2	1	11
19	Diarrhœa, &c.	M	22	18	1	—	—	—	—	2	1	38	31	2	—	1	—	—	2	2
		F	27	16	4	1	1	—	—	2	3	36	28	5	—	—	—	1	—	4
20	Appendicitis and typhlitis	M	2	—	—	—	1	—	—	1	—	3	—	—	—	3	—	—	—	—
		F	3	—	—	—	—	1	—	2	—	2	—	—	—	—	—	1	1	—
21	Cirrhosis of liver ...	M	4	—	—	—	—	—	—	3	1	12	—	—	—	—	—	2	6	4
		F	3	—	—	—	—	—	—	3	—	5	—	—	—	—	—	—	3	2
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	21	1	—	—	—	1	2	14	3	23	—	—	2	1	—	5	8	7
		F	12	—	—	—	—	—	2	8	2	24	—	—	—	—	1	4	13	6
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	4	—	—	—	—	1	3	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	6	—	—	7	—	—	—	—	1	6	—	—
25	Congenital debility, &c.	M	37	37	—	—	—	—	—	—	—	65	62	2	1	—	—	—	—	—
		F	32	32	—	—	—	—	—	—	—	52	52	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	28	5	1	3	6	2	—	10	1	44	7	—	3	7	2	8	10	7
		F	20	2	—	4	1	—	2	5	6	27	4	3	2	4	—	3	6	5
27	Suicide	M	1	—	—	—	—	—	1	—	—	10	—	—	—	—	—	5	3	2
		F	1	—	—	—	—	—	1	—	—	4	—	—	—	—	—	1	3	—
28	Other defined diseases ...	M	200	23	2	9	5	2	23	42	94	234	31	1	3	3	7	25	68	96
		F	181	19	2	1	6	3	6	36	108	212	21	1	4	5	5	18	59	99
29	Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGHS—1916—*cont.*

	Causes of Death.	Sex.	GREENWICH.									HACKNEY.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	ALL CAUSES	M	786	119	47	38	34	41	99	180	228	1,455	256	64	55	54	40	194	388	404
		F	646	78	33	49	34	25	77	138	212	1,439	168	50	53	58	66	168	302	574
1	Enteric fever	M	5	—	—	—	1	1	2	—	1	1	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	28	4	13	8	3	—	—	—	—	22	3	8	7	3	1	—	—	—
		F	22	1	9	10	2	—	—	—	—	17	1	9	7	—	—	—	—	—
4	Scarlet fever	M	3	—	1	1	1	—	—	—	—	4	—	1	3	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—
5	Whooping cough ...	M	9	3	5	1	—	—	—	—	—	18	9	6	3	—	—	—	—	—
		F	14	3	5	6	—	—	—	—	—	19	11	5	3	—	—	—	—	—
6	Diphtheria and croup ...	M	9	—	—	8	1	—	—	—	—	10	—	2	4	4	—	—	—	—
		F	13	—	2	6	4	1	—	—	—	16	—	2	9	4	—	1	—	—
7	Influenza	M	14	2	1	—	—	—	1	3	7	9	1	—	—	—	—	2	—	6
		F	14	—	1	—	—	—	2	2	9	20	—	—	—	1	1	2	4	12
8	Erysipelas	M	3	—	—	—	—	—	—	2	1	3	2	—	—	—	—	—	1	—
		F	1	—	—	—	—	—	—	1	—	7	2	—	—	—	—	1	2	2
9	Pulmonary tuberculosis	M	83	1	—	3	3	16	37	20	3	171	—	5	4	6	16	79	55	6
		F	51	—	—	—	5	10	22	13	1	129	—	2	1	8	31	57	25	5
10	Tuberculous meningitis	M	14	1	3	2	5	2	1	—	—	18	5	1	5	7	—	—	—	—
		F	7	2	—	3	2	—	—	—	—	21	1	3	4	11	1	1	—	—
11	Other tuberculous diseases.	M	10	4	1	1	1	1	—	1	1	20	6	4	4	4	1	1	—	—
		F	7	2	1	—	2	1	1	—	—	16	—	1	2	8	2	3	—	—
12	Cancer, malignant disease	M	51	—	—	2	—	2	6	25	16	121	—	—	—	—	—	16	71	34
		F	55	—	—	—	—	1	6	26	23	132	—	—	—	—	1	12	62	57
13	Rheumatic fever ...	M	2	—	—	—	2	—	—	—	—	6	—	—	1	1	1	2	1	—
		F	4	—	—	—	2	1	—	—	1	3	—	—	1	2	—	—	—	—
14	Meningitis	M	3	—	—	1	2	—	—	—	—	17	4	3	4	6	—	—	—	—
		F	5	1	—	3	1	—	—	—	—	11	5	—	2	1	2	1	—	—
15	Organic heart disease ...	M	70	—	—	—	2	2	7	24	35	143	—	—	—	3	4	14	58	64
		F	74	—	—	—	4	2	6	28	34	207	1	—	1	7	12	22	65	99
16	Bronchitis	M	71	11	2	2	—	—	—	15	41	117	17	1	1	—	—	5	28	65
		F	62	7	5	2	—	—	1	12	35	157	13	2	1	1	—	1	24	115
17	Pneumonia (all forms)	M	66	9	12	6	3	3	7	18	8	132	29	24	11	5	2	12	33	16
		F	48	9	3	12	6	—	4	8	6	113	21	19	11	3	3	12	21	23
18	Other respiratory diseases	M	13	—	1	—	—	1	3	4	4	20	—	—	2	—	—	2	7	9
		F	8	—	2	—	—	—	3	—	3	16	2	—	1	—	—	3	3	7
19	Diarrhœa, &c.	M	24	19	2	—	—	—	1	—	2	56	45	4	1	—	—	3	2	1
		F	19	16	1	—	—	—	1	—	1	29	20	1	2	—	1	—	1	4
20	Appendicitis and typhlitis	M	3	—	—	—	—	1	—	1	1	6	—	—	1	1	—	1	2	1
		F	3	—	—	—	1	1	—	—	1	2	—	—	—	—	1	1	—	—
21	Cirrhosis of liver ...	M	4	—	—	—	—	—	1	3	—	13	—	—	—	—	—	—	7	6
		F	5	—	—	—	—	—	—	3	2	8	—	—	—	—	—	1	5	2
21A	Alcoholism	M	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	31	—	—	—	—	—	4	16	11	58	—	—	—	1	3	6	24	24
		F	19	—	—	—	—	—	5	8	6	47	—	—	—	1	—	7	17	22
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	9	—	—	—	—	3	6	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	1	4	—	—	6	—	—	—	—	2	4	—	—
25	Congenital debility, &c.	M	38	37	1	—	—	—	—	—	—	87	85	—	—	2	—	—	—	—
		F	24	24	—	—	—	—	—	—	—	63	63	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	41	4	—	1	8	3	10	8	7	46	11	3	1	2	4	7	9	9
		F	16	3	—	2	2	2	1	3	3	31	5	2	4	1	—	4	5	10
27	Suicide	M	5	—	—	—	—	—	2	2	1	7	—	—	—	—	—	2	3	2
		F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	1	1	—	—
28	Other defined diseases ...	M	180	22	4	1	2	9	16	38	88	350	39	2	3	8	8	42	87	161
		F	160	10	4	3	2	4	17	31	86	354	23	4	3	10	5	28	67	214
29	Causes ill-defined or unknown.	M	4	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	2	—	—	—	—	1	2	—	—	1	—	—	—	—	1

Causes of Death at Different Periods of Life in Metropolitan Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Hammersmith.									Hampstead.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	837	139	32	24	27	30	106	224	255	405	50	6	5	6	11	37	131	159
		F	837	84	28	22	27	50	91	195	340	465	26	5	6	13	13	51	115	236
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	13	5	5	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	12	2	6	3	1	—	—	—	—	1	—	1	—	—	—	—	—	—
4	Scarlet fever	M	3	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	2	1	1	—	—	—	—	—	—	6	5	1	—	—	—	—	—	—
		F	10	4	4	2	—	—	—	—	—	2	1	—	1	—	—	—	—	—
6	Diphtheria and croup ...	M	6	—	—	4	2	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	9	—	—	3	6	—	—	—	—	3	1	—	1	1	—	—	—	—
7	Influenza	M	8	1	—	—	—	—	—	2	5	10	—	—	—	—	—	1	3	6
		F	12	—	—	—	—	—	—	5	7	19	—	—	—	—	—	2	3	14
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	100	—	2	—	2	15	41	33	7	28	—	—	—	2	4	9	12	1
		F	78	—	1	—	3	24	24	20	6	32	—	—	—	3	8	13	6	2
10	Tuberculous meningitis	M	11	2	3	1	3	2	—	—	—	5	—	1	1	1	1	1	—	—
		F	8	—	2	3	1	2	—	—	—	5	1	1	2	1	—	—	—	—
11	Other tuberculous diseases.	M	9	2	—	—	1	2	2	2	—	4	1	1	—	—	1	—	1	—
		F	9	1	1	—	—	3	3	1	—	6	—	—	1	1	1	2	1	—
12	Cancer, malignant disease	M	64	—	—	—	—	1	5	33	25	41	—	—	—	1	—	3	16	21
		F	81	—	—	—	—	—	15	36	30	74	—	—	—	—	—	9	30	35
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
		F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
14	Meningitis	M	7	2	1	3	—	1	—	—	—	4	—	1	2	—	—	—	1	—
		F	6	2	1	1	1	1	—	—	—	2	—	—	—	1	—	—	1	—
15	Organic heart disease ...	M	79	—	—	—	3	1	12	32	31	38	—	—	—	—	1	—	17	20
		F	105	—	1	—	—	4	6	33	61	52	—	—	—	—	—	3	14	35
16	Bronchitis	M	74	2	1	1	—	—	3	23	44	23	2	—	—	—	—	—	5	16
		F	83	9	1	—	1	—	2	17	53	31	2	—	—	—	—	—	5	24
17	Pneumonia (all forms)	M	74	17	11	4	—	—	6	16	20	30	7	1	1	—	1	3	7	10
		F	52	5	5	3	2	—	5	14	18	31	3	2	—	—	—	3	7	16
18	Other respiratory diseases	M	8	—	—	—	—	—	3	3	2	7	—	—	—	—	—	—	2	5
		F	15	—	—	—	2	—	1	3	9	8	1	—	—	1	—	—	2	4
19	Diarrhœa, &c.	M	24	18	1	—	—	—	—	2	3	6	4	—	—	—	—	—	2	—
		F	21	12	3	—	3	—	—	—	3	5	2	—	—	—	—	—	—	3
20	Appendicitis and typhlitis	M	4	—	—	—	—	1	1	1	1	3	—	—	—	—	—	—	3	—
		F	5	—	—	—	1	2	2	—	—	3	—	—	—	—	1	1	1	—
21	Cirrhosis of liver ...	M	9	—	—	—	—	—	—	5	4	7	—	—	—	—	—	—	3	4
		F	9	—	—	—	—	—	—	7	2	2	—	—	—	—	—	—	2	—
21A	Alcoholism	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	26	—	—	—	—	—	2	13	11	13	—	—	—	—	—	2	7	4
		F	21	—	—	—	2	—	4	9	6	17	—	—	—	—	—	1	4	12
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	3	4	—	—	3	—	—	—	—	2	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	4	—	—	—	—	—	4	—	—
25	Congenital debility, &c.	M	60	60	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—
		F	36	35	—	—	—	1	—	—	—	10	9	—	1	—	—	—	—	—
26	Violence, apart from suicide.	M	28	1	—	2	5	3	4	9	4	12	1	—	—	1	1	1	4	4
		F	22	2	1	—	1	1	2	3	12	10	—	—	—	—	—	—	4	6
27	Suicide	M	6	—	—	—	—	—	4	2	—	3	—	—	—	—	—	1	1	1
		F	4	—	—	—	—	1	2	1	—	2	—	—	—	—	—	1	1	—
28	Other defined diseases ...	M	219	28	6	5	9	4	22	48	97	143	11	1	—	1	1	15	47	67
		F	225	12	2	6	3	6	17	46	133	143	6	1	—	5	1	11	34	85
29	Causes ill-defined or unknown.	M	2	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGHS—1916—*cont.*

Causes of Death.	Sex.	HOLBORN.									ISLINGTON.								
		All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
ALL CAUSES	M	375	33	10	6	8	15	55	129	119	2,465	392	113	90	94	79	296	672	729
	F	296	30	10	8	6	17	29	79	117	2,383	251	116	86	74	94	285	528	949
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—
	F	—	—	—	—	—	—	—	—	—	7	—	—	—	1	1	1	4	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	2	—	1	1	—	—	—	—	—	44	12	17	12	3	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	39	5	22	12	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	1	—	—	—	—	10	—	2	2	4	1	1	—	—
	F	1	—	—	1	—	—	—	—	—	8	—	—	4	4	—	—	—	—
5 Whooping cough ...	M	2	1	1	—	—	—	—	—	—	24	11	7	5	1	—	—	—	—
	F	2	1	1	—	—	—	—	—	—	36	20	10	5	1	—	—	—	—
6 Diphtheria and croup	M	3	1	—	1	1	—	—	—	—	20	1	3	11	5	—	—	—	—
	F	7	—	2	4	1	—	—	—	—	25	2	1	7	12	2	1	—	—
7 Influenza	M	3	—	—	—	—	—	—	3	—	21	—	—	—	—	—	3	8	10
	F	3	—	—	—	—	—	—	—	3	22	—	—	—	—	—	—	6	16
8 Erysipelas	M	1	—	—	—	—	—	—	1	—	4	1	—	—	—	—	1	1	1
	F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	—	1	1
9 Pulmonary tuberculosis	M	48	—	—	—	—	7	20	15	6	298	3	3	2	7	27	121	112	23
	F	27	—	—	—	2	5	6	11	3	185	—	3	1	7	40	86	41	7
10 Tuberculous meningitis	M	3	—	1	—	1	—	—	1	—	35	4	7	12	11	1	—	—	—
	F	2	—	—	1	—	1	—	—	—	21	3	5	4	8	1	—	—	—
11 Other tuberculous diseases.	M	5	—	—	2	1	—	1	1	—	36	4	4	4	9	4	6	5	—
	F	—	—	—	—	—	—	—	—	—	23	1	5	3	3	5	3	2	1
12 Cancer, malignant disease	M	27	—	—	—	—	—	2	19	6	200	—	—	—	2	—	12	102	84
	F	15	—	—	—	—	—	3	6	6	225	—	—	—	1	—	22	111	91
13 Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	5	—	—	—	—	3	1	1	—
	F	—	—	—	—	—	—	—	—	—	6	—	—	—	2	1	1	2	—
14 Meningitis	M	2	1	1	—	—	—	—	—	—	19	9	4	2	2	2	—	—	—
	F	2	—	1	—	—	—	1	—	—	19	3	6	5	—	2	1	2	—
15 Organic heart disease ...	M	40	—	—	—	—	2	5	10	23	237	1	—	—	4	14	26	85	107
	F	33	—	—	—	1	1	3	14	14	340	—	1	1	7	17	42	95	177
16 Bronchitis	M	33	1	1	—	—	1	3	9	18	245	27	10	2	1	—	9	74	122
	F	31	1	1	—	—	—	1	8	20	269	17	8	2	—	—	8	48	186
17 Pneumonia (all forms)	M	33	7	4	1	1	2	3	10	5	231	60	30	15	8	6	20	47	45
	F	22	3	2	—	2	1	1	5	8	207	39	38	21	6	1	20	47	35
18 Other respiratory diseases	M	4	1	—	—	—	—	1	1	1	27	2	2	2	—	1	4	10	6
	F	8	1	—	—	—	—	2	4	1	26	1	1	1	—	—	3	6	14
19 Diarrhœa, &c.	M	9	5	—	—	—	1	—	2	1	79	59	12	2	1	—	3	—	2
	F	7	6	—	—	—	—	—	1	—	55	34	6	2	—	—	7	1	5
20 Appendicitis and typhlitis	M	2	—	—	—	1	—	—	1	—	6	—	—	—	2	—	2	1	1
	F	3	—	—	1	—	2	—	—	—	9	—	—	1	2	2	2	1	1
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	—	1	1	15	—	—	—	—	—	2	9	4
	F	7	—	—	—	—	—	—	6	1	14	—	—	—	—	—	—	10	4
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	9	—	—	—	—	—	—	5	4	64	—	—	—	1	2	11	28	22
	F	5	—	—	—	—	1	2	2	—	50	1	—	—	1	1	8	19	20
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	11	—	—	—	—	2	9	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	12	—	—	—	—	1	11	—	—
25 Congenital debility, &c.	M	12	12	—	—	—	—	—	—	—	140	138	1	—	1	—	—	—	—
	F	9	9	—	—	—	—	—	—	—	77	77	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	12	—	—	1	—	—	3	5	3	103	7	—	5	17	3	15	30	26
	F	10	—	1	—	—	1	2	2	4	56	9	4	3	2	1	3	8	26
27 Suicide	M	6	—	—	—	—	—	2	2	2	15	—	—	—	—	—	6	7	2
	F	3	—	—	—	—	—	2	1	—	8	—	—	—	—	—	4	4	—
28 Other defined diseases ...	M	115	4	1	—	2	2	15	42	49	576	53	7	12	14	15	52	149	274
	F	97	9	1	1	—	5	5	19	57	626	39	4	13	17	16	53	120	364
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	8	—	4	2	1	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	4	—	2	1	—	—	—	—	1

Causes of Death at Different Periods of Life in Metropolitan Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Kensington.									Lambeth.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,070	147	28	35	28	27	134	293	378	2,224	342	85	77	77	71	303	622	647
		F	1,280	113	35	26	28	40	156	289	593	2,077	235	67	68	77	89	244	470	827
1	Enteric fever	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	3	1	2	—	—	—	—	—	—	31	5	17	6	3	—	—	—	—
		F	3	1	1	1	—	—	—	—	—	17	1	6	7	3	—	—	—	—
4	Scarlet fever	M	1	—	—	1	—	—	—	—	—	3	—	1	1	1	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	5	—	1	1	3	—	—	—	—
5	Whooping cough ...	M	2	1	—	—	1	—	—	—	—	24	11	7	5	1	—	—	—	—
		F	9	2	6	—	1	—	—	—	—	24	8	9	6	1	—	—	—	—
6	Diphtheria and croup ...	M	5	1	1	2	1	—	—	—	—	30	1	6	13	10	—	—	—	—
		F	4	—	—	—	4	—	—	—	—	14	—	1	7	6	—	—	—	—
7	Influenza	M	22	—	—	—	—	1	4	8	9	30	1	—	1	2	2	4	12	8
		F	43	—	—	—	—	—	3	9	31	33	—	—	—	3	2	4	9	15
8	Erysipelas	M	2	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—
9	Pulmonary tuberculosis	M	98	1	—	1	3	7	47	35	4	250	2	1	1	4	23	125	82	12
		F	94	—	—	1	7	22	42	18	4	182	—	2	1	11	44	77	40	7
10	Tuberculous meningitis	M	9	2	—	4	2	—	—	1	—	24	4	—	8	8	2	2	—	—
		F	13	1	3	5	1	1	—	2	—	17	1	3	4	9	—	—	—	—
11	Other tuberculous diseases.	M	18	9	2	3	2	2	—	—	—	19	3	2	4	—	1	2	5	2
		F	15	4	—	2	3	2	2	2	—	14	—	—	3	4	—	2	3	2
12	Cancer, malignant disease	M	83	—	1	—	—	1	4	35	42	181	—	—	1	—	—	12	97	71
		F	151	—	—	—	—	—	19	66	66	208	—	1	2	—	3	24	95	83
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	8	—	—	1	3	1	2	—	1
		F	—	—	—	—	—	—	—	—	—	8	—	—	—	1	2	3	—	2
14	Meningitis	M	15	3	4	3	3	—	2	—	—	20	5	3	2	7	2	—	—	1
		F	13	3	2	3	2	—	1	2	—	19	4	2	6	2	—	1	4	—
15	Organic heart disease ...	M	161	—	—	—	1	4	9	54	93	250	—	—	—	3	11	25	89	122
		F	198	—	—	—	—	7	14	46	131	243	—	—	1	11	5	24	81	121
16	Bronchitis	M	86	7	3	—	—	—	5	21	50	127	11	6	1	1	2	5	32	69
		F	115	5	3	1	—	1	8	16	81	177	11	8	1	1	—	6	33	117
17	Pneumonia (all forms)	M	86	19	7	9	4	4	9	19	15	183	43	19	8	6	3	15	52	37
		F	108	21	15	3	3	1	11	20	34	146	29	12	13	4	8	23	25	32
18	Other respiratory diseases	M	16	—	—	2	—	—	2	6	6	37	2	2	1	—	1	8	9	14
		F	18	2	—	—	1	—	1	3	11	26	2	5	1	—	1	2	6	9
19	Diarrhœa, &c.	M	23	15	4	—	—	1	—	1	2	85	62	7	4	—	1	4	4	3
		F	31	18	3	3	—	—	2	2	3	67	51	7	1	—	—	—	2	6
20	Appendicitis and typhlitis	M	3	—	—	—	1	—	1	—	1	13	—	—	—	6	2	2	2	1
		F	6	—	—	—	2	—	2	2	—	7	—	—	—	2	1	2	2	—
21	Cirrhosis of liver ...	M	12	—	—	—	—	—	3	6	3	18	—	—	—	—	—	—	15	3
		F	8	—	—	—	—	—	—	5	3	14	—	—	—	—	—	2	10	2
21A	Alcoholism	M	1	—	—	—	—	—	1	—	—	4	—	—	—	—	—	1	3	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	34	—	—	—	1	—	3	12	18	93	1	—	—	—	2	14	42	34
		F	35	—	—	—	—	—	1	15	19	86	1	—	1	2	2	10	27	43
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	1	8	—	—	10	—	—	—	—	1	9	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	12	—	—	—	—	2	10	—	—
25	Congenital debility, &c.	M	56	56	—	—	—	—	—	—	—	110	110	—	—	—	—	—	—	—
		F	41	41	—	—	—	—	—	—	—	71	70	1	—	—	—	—	—	—
26	Violence, apart from suicide.	M	57	9	1	6	4	2	8	17	10	86	1	2	5	8	5	16	28	21
		F	34	1	—	2	3	2	7	5	14	50	6	2	5	6	3	7	5	16
27	Suicide	M	8	—	—	—	—	—	1	5	2	21	—	—	—	—	1	2	12	6
		F	4	—	—	—	—	—	2	2	—	5	—	—	—	—	—	1	2	2
28	Other defined diseases ...	M	266	23	3	2	4	5	34	72	123	568	79	0	14	14	12	63	135	241
		F	320	14	1	4	1	2	30	73	195	615	50	5	8	8	15	36	124	369
29	Causes ill-defined or unknown.	M	2	—	—	2	—	—	—	—	—	7	1	2	1	—	—	—	2	1
		F	3	—	1	—	—	—	—	1	1	5	—	2	—	—	—	1	1	1

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGHS—1916—*cont.*

	Causes of Death.	Sex.	LEWISHAM. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	PADDINGTON. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	ALL CAUSES	M	957	128	35	29	44	37	110	241	333	910	142	27	19	31	21	131	240	299
		F	987	115	21	27	31	37	116	189	451	973	113	26	20	23	37	124	217	413
1	Enteric fever	M	3	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	—	1
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	7	1	3	1	2	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	7	4	1	2	—	—	—	—	—	3	1	1	—	—	1	—	—	—
4	Scarlet fever	M	1	—	—	1	—	—	—	—	—	4	—	—	1	3	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	10	4	2	3	1	—	—	—	—	8	3	3	1	1	—	—	—	—
		F	18	8	6	3	1	—	—	—	—	14	9	3	1	1	—	—	—	—
6	Diphtheria and croup ...	M	9	1	—	5	3	—	—	—	—	4	—	—	1	3	—	—	—	—
		F	10	1	1	4	4	—	—	—	—	5	—	—	2	3	—	—	—	—
7	Influenza	M	12	—	—	—	—	—	2	4	6	14	—	—	—	—	—	1	7	6
		F	23	3	—	—	—	1	—	3	16	25	—	1	—	1	—	4	5	14
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	3	1	—	—	—	—	—	—	2
9	Pulmonary tuberculosis	M	101	—	1	—	5	20	45	27	3	109	—	—	3	1	7	59	37	2
		F	74	1	—	1	4	14	33	15	6	71	—	—	—	3	17	27	19	5
10	Tuberculous meningitis	M	15	—	3	4	5	2	1	—	—	8	2	2	2	2	—	—	—	—
		F	13	4	1	3	3	1	1	—	—	7	—	2	1	4	—	—	—	—
11	Other tuberculous diseases.	M	16	2	1	2	5	2	1	3	—	7	1	—	—	2	1	3	—	—
		F	10	1	1	—	2	1	4	—	1	6	—	—	1	—	3	1	1	—
12	Cancer, malignant disease	M	78	—	—	—	—	—	4	33	41	82	—	—	—	1	—	8	32	41
		F	124	—	—	—	—	—	6	51	67	125	—	—	—	—	—	12	58	55
13	Rheumatic fever ...	M	3	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	1	2	2	1	—	4	—	—	—	—	2	1	1	—
14	Meningitis	M	8	2	1	2	2	1	—	—	—	5	1	—	1	1	—	1	—	1
		F	4	1	—	1	1	—	—	—	1	2	1	—	1	—	—	—	—	—
15	Organic heart disease ...	M	118	—	—	—	3	3	12	34	66	101	—	—	1	—	2	8	38	52
		F	98	—	—	—	2	3	9	38	46	101	—	—	—	—	2	11	31	57
16	Bronchitis	M	75	5	2	1	1	—	1	17	48	69	15	4	—	—	—	1	10	39
		F	94	5	4	1	—	—	2	12	70	88	7	1	3	—	—	1	8	68
17	Pneumonia (all forms)	M	59	10	5	3	4	2	8	17	10	68	19	8	3	—	1	6	19	12
		F	61	17	2	3	3	1	8	4	23	67	15	8	5	1	—	2	18	18
18	Other respiratory diseases	M	13	—	2	1	—	—	—	3	7	15	2	1	—	1	—	1	3	7
		F	12	2	1	—	1	—	1	1	6	20	—	—	—	—	—	2	6	12
19	Diarrhœa, &c.	M	39	28	4	1	—	—	1	1	4	43	30	6	1	1	—	1	2	2
		F	18	12	1	1	—	—	2	—	2	26	18	4	1	—	—	—	—	3
20	Appendicitis and typhlitis	M	3	—	—	—	2	—	—	1	—	5	—	—	1	—	2	1	—	1
		F	5	—	—	2	—	1	1	1	—	7	—	—	1	—	1	4	—	1
21	Cirrhosis of liver ...	M	11	—	—	—	—	—	—	10	1	17	—	—	—	—	—	2	12	3
		F	6	—	—	—	—	—	4	—	2	15	—	—	—	—	—	3	7	5
21A	Alcoholism	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	21	—	—	—	—	—	2	7	12	29	—	—	—	—	1	5	9	14
		F	42	—	—	1	—	2	6	14	19	27	1	—	—	—	1	4	12	9
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	9	—	—	—	—	2	7	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	5	—	—	7	—	—	—	—	—	6	1	—
25	Congenital debility, &c.	M	41	40	—	1	—	—	—	—	—	44	44	—	—	—	—	—	—	—
		F	37	37	—	—	—	—	—	—	—	42	41	—	—	—	1	—	—	—
26	Violence, apart from suicide.	M	41	9	2	1	4	2	5	7	11	37	3	1	2	11	5	3	5	7
		F	21	4	1	3	1	2	2	1	7	37	4	1	2	4	2	7	5	12
27	Suicide	M	6	—	—	—	—	—	3	2	1	9	—	—	—	—	—	2	5	2
		F	3	—	—	—	—	—	3	—	—	10	—	—	—	—	—	8	2	—
28	Other defined diseases ...	M	265	26	8	3	6	4	23	72	123	230	21	2	2	4	2	28	61	110
		F	290	15	1	2	8	8	24	48	184	250	15	5	2	6	5	23	43	151
29	Causes ill-defined or unknown.	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in Metropolitan Boroughs—1916—*cont*

	Causes of Death.	Sex.	Poplar.									St. Marylebone.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,413	274	83	75	50	50	216	341	324	766	107	18	13	20	23	84	246	255
		F	1,120	197	91	69	34	58	120	230	321	779	74	23	16	18	25	99	179	345
1	Enteric fever	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
		F	4	—	—	—	1	2	1	—	—	2	—	—	—	—	1	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	26	4	12	10	—	—	—	—	—	2	—	1	1	—	—	—	—	—
		F	24	7	11	4	2	—	—	—	—	5	2	2	1	—	—	—	—	—
4	Scarlet fever	M	4	—	1	1	2	—	—	—	—	2	—	—	2	—	—	—	—	—
		F	3	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	20	9	4	7	—	—	—	—	—	9	6	2	—	1	—	—	—	—
		F	24	11	8	5	—	—	—	—	—	12	4	6	2	—	—	—	—	—
6	Diphtheria and croup ...	M	11	—	4	6	1	—	—	—	—	3	2	—	—	1	—	—	—	—
		F	17	—	7	8	2	—	—	—	—	3	—	1	1	1	—	—	—	—
7	Influenza	M	7	—	—	—	—	—	—	3	4	13	—	—	—	—	—	1	4	8
		F	5	—	—	—	—	—	—	2	3	22	—	—	—	—	—	2	5	15
8	Erysipelas	M	4	—	—	—	—	—	—	1	3	2	—	—	—	—	—	—	—	2
		F	4	1	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	1
9	Pulmonary tuberculosis	M	153	4	2	4	4	20	76	38	5	108	—	—	1	2	12	36	47	10
		F	97	2	—	5	7	30	30	21	2	44	—	—	—	—	9	16	16	3
10	Tuberculous meningitis	M	25	8	2	7	7	1	—	—	—	6	—	2	1	2	1	—	—	—
		F	22	6	5	7	4	—	—	—	—	12	2	3	2	3	2	—	—	—
11	Other tuberculous diseases.	M	18	2	—	5	4	2	3	2	—	6	2	—	—	1	1	1	1	—
		F	12	1	3	3	2	2	1	—	—	10	1	—	—	4	—	3	1	1
12	Cancer, malignant disease	M	72	—	—	1	—	—	4	37	30	63	—	—	—	—	—	6	31	26
		F	71	—	—	—	—	—	9	38	24	87	—	—	—	—	—	10	36	41
13	Rheumatic fever ...	M	5	—	—	—	3	2	—	—	—	1	—	—	—	1	—	—	—	—
		F	9	—	—	—	2	3	2	1	1	2	—	—	—	1	—	—	1	—
14	Meningitis	M	12	7	2	1	1	1	—	—	—	8	4	2	1	—	—	—	1	—
		F	9	2	2	2	2	1	—	—	—	3	—	1	—	1	—	1	—	—
15	Organic heart disease ...	M	133	—	—	—	1	2	22	54	54	81	—	—	—	1	—	6	36	38
		F	113	—	—	—	1	6	10	48	48	107	—	1	—	—	4	16	22	64
16	Bronchitis	M	132	20	5	1	1	1	8	43	53	67	9	—	—	—	—	1	18	39
		F	122	15	4	1	—	—	2	27	73	68	6	—	2	2	—	2	11	45
17	Pneumonia (all forms)	M	148	30	24	16	5	3	20	31	19	60	15	2	3	3	1	6	13	17
		F	94	17	22	17	2	1	9	16	10	59	7	4	2	1	1	9	12	23
18	Other respiratory diseases	M	23	—	2	—	—	2	5	9	5	14	—	—	2	—	—	—	4	8
		F	11	2	—	1	—	—	3	3	2	17	1	—	—	—	—	2	2	12
19	Diarrhœa, &c.	M	76	50	14	3	1	—	3	1	4	28	20	3	—	—	1	1	2	1
		F	50	32	10	3	—	1	—	3	1	10	5	2	2	—	—	—	—	1
20	Appendicitis and typhlitis	M	8	—	—	—	1	1	6	—	—	3	—	—	—	1	—	—	2	—
		F	2	—	—	—	—	1	1	—	—	2	—	—	—	1	1	—	—	—
21	Cirrhosis of liver ...	M	8	—	—	—	1	—	3	4	—	11	—	—	—	—	—	—	9	2
		F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	3	1
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	2	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	32	—	1	—	2	3	3	16	7	19	—	—	—	—	—	1	11	7
		F	22	—	—	1	1	—	3	9	8	24	—	—	—	1	—	3	14	6
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	1	7	—	—	5	—	—	—	—	1	4	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	2	6	—	—	4	—	—	—	—	2	2	—	—
25	Congenital debility, &c.	M	86	85	—	—	—	1	—	—	—	34	34	—	—	—	—	—	—	—
		F	61	59	1	1	—	—	—	—	—	28	27	1	—	—	—	—	—	—
26	Violence, apart from suicide.	M	82	4	1	6	8	4	23	22	14	32	1	2	1	4	5	1	9	9
		F	35	6	3	6	—	4	2	6	8	28	—	1	2	2	2	4	6	11
27	Suicide	M	7	—	—	—	—	—	1	5	1	4	—	—	—	—	—	1	3	—
		F	2	—	—	—	—	—	1	1	—	3	—	—	—	—	1	—	2	—
28	Other defined diseases ...	M	310	51	5	7	8	7	38	70	124	186	14	3	1	3	2	20	55	88
		F	278	35	11	5	6	4	31	52	134	217	19	1	2	1	1	24	48	121
29	Causes ill-defined or unknown.	M	9	—	4	—	—	—	—	4	1	1	—	1	—	—	—	—	—	—
		F	12	1	3	—	—	—	2	2	4	—	—	—	—	—	—	—	—	—

CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE IN METROPOLITAN BOROUGHS—1916—*cont.*

	Causes of Death.	Sex.	St. Pancras.									Shoreditch.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	ALL CAUSES	M	1,576	194	52	63	57	43	218	463	486	980	203	63	58	40	30	125	261	200
		F	1,474	190	59	65	51	47	183	363	516	851	165	73	57	37	42	95	181	201
1	Enteric fever	M	2	—	—	—	—	—	2	—	—	3	—	—	—	—	—	1	2	—
		F	3	1	1	—	1	—	—	—	—	2	—	—	—	—	—	—	2	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	20	6	5	7	2	—	—	—	—	11	5	2	4	—	—	—	—	—
		F	21	8	6	6	1	—	—	—	—	23	2	12	7	2	—	—	—	—
4	Scarlet fever	M	3	—	—	1	2	—	—	—	—	8	1	3	2	2	—	—	—	—
		F	6	—	1	4	1	—	—	—	—	2	—	—	1	—	—	—	1	—
5	Whooping cough ...	M	13	8	5	—	—	—	—	—	—	12	5	5	2	—	—	—	—	—
		F	26	7	7	11	1	—	—	—	—	24	10	10	4	—	—	—	—	—
6	Diphtheria and croup ...	M	13	1	1	8	3	—	—	—	—	13	2	2	5	3	—	—	1	—
		F	11	1	3	5	2	—	—	—	—	7	1	—	4	2	—	—	—	—
7	Influenza	M	16	1	—	1	—	—	2	6	6	14	1	2	2	1	—	1	5	2
		F	23	—	—	—	—	—	3	3	17	8	2	1	—	—	1	—	—	4
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—
		F	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1
9	Pulmonary tuberculosis	M	222	1	—	2	4	18	88	87	22	135	1	2	5	—	8	58	47	14
		F	129	3	3	2	9	21	55	28	8	85	—	2	8	4	20	24	21	6
10	Tuberculous meningitis	M	24	2	5	7	5	2	3	—	—	19	4	7	4	4	—	—	—	—
		F	18	3	3	6	3	—	2	1	—	17	2	7	3	4	1	—	—	—
11	Other tuberculous diseases.	M	18	1	—	5	5	1	3	1	2	29	8	3	4	4	3	2	4	1
		F	14	1	2	1	5	1	2	1	1	18	4	2	4	3	1	2	2	—
12	Cancer, malignant disease	M	128	—	—	—	—	—	15	53	60	59	—	—	—	—	—	4	34	21
		F	148	—	—	—	—	—	13	76	59	42	—	—	—	1	—	10	26	5
13	Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
		F	5	—	—	1	2	—	1	—	1	2	—	—	—	1	1	—	—	—
14	Meningitis	M	11	1	2	4	1	—	2	—	1	16	5	6	1	—	2	1	1	—
		F	12	4	1	3	1	—	2	1	—	10	5	1	2	—	—	—	2	—
15	Organic heart disease ...	M	162	—	—	—	2	3	17	61	79	53	—	—	—	2	6	11	15	19
		F	194	—	—	—	5	4	22	65	98	72	—	—	—	4	6	13	21	28
16	Bronchitis	M	143	10	4	3	1	—	6	36	83	56	12	—	3	—	3	2	16	20
		F	138	5	—	—	—	—	5	31	97	60	4	4	—	—	1	3	18	30
17	Pneumonia (all forms)	M	127	26	12	11	6	2	21	25	24	101	27	18	10	1	1	11	21	12
		F	115	31	19	11	2	3	10	18	21	83	24	15	9	3	2	3	12	15
18	Other respiratory diseases	M	30	—	2	—	—	1	4	11	12	17	2	—	1	—	—	4	8	2
		F	19	—	1	1	2	—	3	5	7	6	—	1	—	—	—	—	2	3
19	Diarrhœa, &c.	M	41	26	2	4	2	—	3	3	1	49	37	7	1	—	1	—	3	—
		F	39	14	7	1	4	1	1	6	5	58	40	12	4	—	—	—	2	—
20	Appendicitis and typhlitis	M	3	—	—	—	2	1	—	—	—	3	—	—	—	1	—	1	1	—
		F	6	—	—	—	2	1	2	1	—	3	—	—	—	2	—	—	1	—
21	Cirrhosis of liver ...	M	26	—	—	1	—	—	3	16	6	4	—	—	—	—	—	—	4	—
		F	18	—	—	—	1	1	2	9	5	8	—	—	—	—	—	2	5	1
21A	Alcoholism	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	57	—	—	—	1	3	8	20	25	45	—	—	1	1	—	6	21	16
		F	40	—	—	—	—	1	8	19	12	32	—	—	1	1	—	6	13	11
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	2	4	—	—	2	—	—	—	—	—	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	10	—	—	—	—	3	7	—	—	4	—	—	—	—	3	1	—	—
25	Congenital debility, &c	M	80	78	—	—	—	2	—	—	—	65	63	—	1	1	—	—	—	—
		F	71	70	—	—	1	—	—	—	—	47	47	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	61	3	3	4	10	4	8	20	9	57	7	2	7	13	3	4	14	7
		F	40	7	—	8	3	1	2	10	9	29	4	1	5	2	3	1	4	9
27	Suicide	M	8	—	—	—	—	—	2	4	2	4	—	—	—	—	—	2	1	1
		F	5	—	—	—	—	—	3	1	1	4	—	—	—	—	—	2	2	—
28	Other defined diseases ...	M	364	30	9	5	11	6	30	119	154	203	22	4	5	7	3	15	62	85
		F	353	35	5	5	5	8	35	86	174	202	20	5	5	8	3	24	49	88
29	Causes ill-defined or unknown.	M	2	—	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in Metropolitan Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Southwark.									Stepney.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,680	286	102	81	62	50	239	442	418	2,153	392	128	80	85	89	296	610	473
		F	1,384	199	100	72	60	58	187	310	398	1,694	264	107	92	62	75	237	367	490
1	Enteric fever	M	2	—	—	—	1	—	1	—	—	3	—	—	—	1	—	2	—	—
		F	—	—	—	—	—	—	—	—	—	5	—	—	—	1	1	1	1	1
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	37	4	21	12	—	—	—	—	—	30	10	17	3	—	—	—	—	—
		F	47	7	28	11	1	—	—	—	—	39	5	21	12	1	—	—	—	—
4	Scarlet fever	M	2	—	—	2	—	—	—	—	—	7	—	1	4	2	—	—	—	—
		F	3	—	—	3	—	—	—	—	—	6	2	1	1	2	—	—	—	—
5	Whooping cough ...	M	15	6	3	6	—	—	—	—	—	43	20	13	10	—	—	—	—	—
		F	29	12	10	6	1	—	—	—	—	32	16	8	7	1	—	—	—	—
6	Diphtheria and croup	M	14	2	3	4	5	—	—	—	—	25	1	7	10	6	—	1	—	—
		F	27	2	4	7	12	2	—	—	—	15	1	4	9	1	—	—	—	—
7	Influenza	M	21	—	—	2	1	1	4	11	2	15	—	—	—	1	—	2	5	7
		F	11	—	—	—	1	1	2	2	5	13	—	—	—	—	—	—	5	8
8	Erysipelas	M	1	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	1	1	1	1	—	—	—	—	1	—	—	—
9	Pulmonary tuberculosis	M	245	2	1	6	8	19	110	85	14	319	2	—	2	6	30	120	131	28
		F	152	2	3	2	14	32	54	40	5	172	1	4	5	10	31	76	37	8
10	Tuberculous meningitis	M	20	5	4	5	5	1	—	—	—	24	3	9	3	8	1	—	—	—
		F	19	3	4	8	2	2	—	—	—	28	7	2	8	8	—	3	—	—
11	Other tuberculous diseases.	M	31	4	5	2	6	4	2	5	3	30	2	5	3	6	4	3	4	3
		F	15	1	1	2	5	1	2	3	—	20	7	3	—	4	3	2	1	—
12	Cancer, malignant disease	M	102	—	—	—	—	2	9	54	37	128	—	—	—	—	—	14	66	48
		F	107	1	—	1	—	—	20	46	39	112	—	1	1	—	4	23	54	29
13	Rheumatic fever ...	M	2	—	—	—	—	1	1	—	—	8	—	—	—	4	2	2	—	—
		F	4	1	—	—	—	1	1	1	—	7	—	—	1	3	2	1	—	—
14	Meningitis	M	16	6	7	1	1	1	—	—	—	26	11	5	4	2	2	1	1	—
		F	10	3	5	1	1	—	—	—	—	18	6	3	4	1	2	1	1	—
15	Organic heart disease ...	M	116	—	1	—	4	7	17	43	44	202	—	—	—	1	13	23	80	85
		F	141	—	—	—	2	6	26	51	56	220	—	—	—	5	8	33	79	95
16	Bronchitis	M	152	13	4	—	—	1	6	40	88	158	18	3	—	1	2	5	53	76
		F	165	14	6	1	—	—	7	40	97	162	18	5	3	—	1	3	32	100
17	Pneumonia (all forms)	M	186	46	26	29	7	3	19	29	27	225	62	34	19	5	6	19	59	21
		F	130	27	28	14	4	1	8	24	24	129	25	26	20	3	4	14	19	18
18	Other respiratory diseases	M	32	—	1	1	1	—	7	16	6	22	2	—	1	2	—	4	7	6
		F	18	1	1	2	1	1	2	5	5	24	—	1	—	1	1	6	5	10
19	Diarrhœa, &c.	M	60	44	9	2	1	—	—	1	3	92	59	16	5	—	—	1	6	5
		F	45	29	5	3	1	—	3	1	3	62	34	13	5	1	—	—	3	6
20	Appendicitis and typhlitis	M	5	—	1	—	2	—	1	1	—	7	—	—	—	3	1	1	1	1
		F	1	—	—	—	—	—	1	—	—	8	—	—	1	5	—	1	1	—
21	Cirrhosis of liver ...	M	11	—	—	—	—	—	1	8	2	12	—	—	—	—	—	1	9	2
		F	6	—	—	—	—	—	—	5	1	6	—	—	—	—	—	1	3	2
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	62	2	—	—	2	2	5	30	21	61	—	—	2	1	2	9	28	19
		F	57	—	—	1	2	2	10	21	21	53	—	—	—	1	1	16	22	13
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	10	—	—	—	—	3	7	—	—	5	—	—	—	—	1	4	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	1	5	—	—	13	—	—	—	—	1	12	—	—
25	Congenital debility, &c.	M	96	95	—	—	1	—	—	—	—	110	110	—	—	—	—	—	—	—
		F	58	58	—	—	—	—	—	—	—	90	88	1	1	—	—	—	—	—
26	Violence, apart from suicide.	M	63	8	5	3	8	2	10	15	12	103	8	2	9	20	7	15	24	18
		F	50	5	3	2	8	—	5	10	17	40	4	5	3	6	3	2	9	8
27	Suicide	M	6	—	—	—	—	1	2	3	—	11	—	—	—	—	1	3	6	1
		F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	2	1	—
28	Other defined diseases	M	380	49	9	6	9	5	44	100	158	483	83	12	5	16	18	69	128	152
		F	269	33	2	8	5	5	33	59	124	407	50	8	10	8	10	36	94	191
29	Causes ill-defined or unknown.	M	3	—	2	—	—	—	—	1	—	7	—	4	—	—	—	—	2	1
		F	—	—	—	—	—	—	—	—	—	4	—	1	1	—	1	—	—	1

Causes of Death at Different Periods of Life in Metropolitan Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Stoke Newington.									Wandsworth.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	321	35	4	8	10	12	42	83	127	1,788	291	52	51	76	66	222	446	584
		F	326	26	6	6	9	9	44	69	157	1,914	201	58	62	62	71	236	406	818
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	3	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	1	—	1	—	—	—	—	—	—	7	1	3	2	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	17	7	5	5	—	—	—	—	—
4	Scarlet fever	M	2	—	—	2	—	—	—	—	—	2	—	—	—	2	—	—	—	—
		F	2	—	—	2	—	—	—	—	—	3	—	—	1	1	1	—	—	—
5	Whooping cough ...	M	—	—	—	—	—	—	—	—	—	23	8	10	3	2	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	28	16	7	4	1	—	—	—	—
6	Diphtheria and croup ...	M	6	—	—	2	4	—	—	—	—	23	—	—	9	14	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	33	—	3	14	15	—	1	—	—
7	Influenza	M	4	—	—	—	—	—	1	1	2	26	1	1	3	1	—	3	10	7
		F	12	—	—	—	—	1	1	2	8	49	—	—	1	—	—	7	11	30
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	2
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2
9	Pulmonary tuberculosis	M	48	—	—	—	—	7	18	18	5	186	—	1	1	5	29	81	57	12
		F	21	1	—	—	2	2	12	3	1	140	2	1	2	8	28	59	33	7
10	Tuberculous meningitis	M	2	—	—	1	1	—	—	—	—	18	3	4	5	6	—	—	—	—
		F	2	—	1	1	—	—	—	—	—	16	4	3	3	4	1	1	—	—
11	Other tuberculous diseases.	M	4	2	—	—	—	—	—	2	—	15	1	2	3	3	1	2	3	—
		F	5	—	—	1	2	1	1	—	—	20	2	3	1	5	3	4	1	1
12	Cancer, malignant disease	M	27	—	—	—	—	—	1	12	14	146	—	—	—	1	1	12	57	75
		F	41	—	—	—	—	—	4	21	16	255	—	—	—	—	1	34	106	114
13	Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	7	—	—	—	3	2	1	—	1
		F	—	—	—	—	—	—	—	—	—	11	—	—	1	3	2	3	2	—
14	Meningitis	M	3	1	—	—	2	—	—	—	—	22	7	4	1	5	1	3	1	—
		F	4	1	1	1	1	—	—	—	—	15	3	5	2	3	—	1	1	—
15	Organic heart disease ...	M	40	—	—	—	—	2	1	13	24	198	—	—	—	4	8	21	64	101
		F	44	—	—	—	—	2	6	12	24	221	—	—	1	—	10	23	60	127
16	Bronchitis	M	25	2	—	—	—	—	3	2	18	99	13	3	1	1	—	1	19	61
		F	32	1	—	—	—	—	—	4	27	144	13	3	2	—	—	5	25	96
17	Pneumonia (all forms)	M	18	2	1	1	—	1	4	5	4	126	30	15	8	6	2	14	28	23
		F	19	3	2	1	—	2	4	2	5	112	19	16	11	2	1	11	17	35
18	Other respiratory diseases	M	3	1	—	—	—	—	—	2	—	34	3	1	1	—	—	7	10	12
		F	2	1	—	—	—	—	—	—	1	26	1	—	—	—	—	3	8	14
19	Diarrhœa, &c.	M	10	8	—	1	—	—	—	—	1	51	39	1	2	—	—	3	1	5
		F	3	1	—	—	—	—	—	1	1	41	23	3	4	—	1	2	3	5
20	Appendicitis and typhlitis	M	3	—	—	—	1	1	—	—	1	10	—	—	1	3	1	5	—	—
		F	2	—	—	—	2	—	—	—	—	13	—	—	—	2	2	3	5	1
21	Cirrhosis of liver ...	M	3	—	—	—	—	—	—	2	1	18	—	—	—	—	—	1	13	4
		F	3	—	—	—	—	—	2	—	1	15	—	—	—	1	—	1	6	7
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—
22	Nephritis and Bright's disease.	M	9	—	—	—	—	—	1	5	3	62	—	—	1	1	1	11	27	21
		F	6	—	—	—	—	—	—	4	2	41	—	—	1	1	—	9	12	18
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	12	—	—	—	—	1	11	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	8	—	—	—	—	2	6	—	—
25	Congenital debility, &c.	M	15	15	—	—	—	—	—	—	—	126	125	—	—	1	—	—	—	—
		F	13	13	—	—	—	—	—	—	—	79	75	2	—	1	1	—	—	—
26	Violence, apart from suicide.	M	9	1	—	1	1	—	1	2	3	67	3	1	5	8	9	11	18	12
		F	14	2	1	—	1	—	3	5	2	36	1	2	4	4	1	3	12	9
27	Suicide	M	1	—	—	—	—	—	1	—	—	6	—	—	—	—	—	1	5	—
		F	1	—	—	—	—	—	1	—	—	10	—	—	—	—	4	1	3	2
28	Other defined diseases ...	M	85	3	1	—	—	1	11	18	51	508	55	6	5	10	10	41	133	248
		F	96	3	—	—	1	1	7	15	69	563	34	5	5	11	12	46	100	350
29	Causes ill-defined or unknown.	M	2	—	1	—	—	—	—	1	—	1	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in Metropolitan Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Westminster.									Woolwich.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	995	91	18	19	26	17	142	334	348	914	126	22	23	45	45	146	247	260
		F	846	66	11	16	21	23	91	244	374	790	87	34	30	30	38	115	186	270
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
		F	5	—	—	1	1	—	—	3	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	7	—	4	2	1	—	—	—	—	12	4	3	5	—	—	—	—	—
		F	2	—	1	1	—	—	—	—	—	12	—	4	7	1	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—
5	Whooping cough ...	M	4	—	2	1	1	—	—	—	—	16	10	3	3	—	—	—	—	—
		F	4	1	—	1	2	—	—	—	—	17	7	9	1	—	—	—	—	—
6	Diphtheria and croup ...	M	8	—	—	2	6	—	—	—	—	6	—	2	—	4	—	—	—	—
		F	5	—	—	3	2	—	—	—	—	6	—	—	1	4	1	—	—	—
7	Influenza	M	22	—	—	1	—	—	1	11	9	19	—	—	—	—	2	1	9	7
		F	26	—	—	—	—	—	1	10	15	14	—	—	—	—	1	2	3	8
8	Erysipelas	M	3	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—	—	1
		F	2	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	1
9	Pulmonary tuberculosis	M	117	1	—	1	1	5	48	52	9	110	—	—	1	1	19	49	39	1
		F	55	—	—	1	2	4	24	19	5	59	—	—	2	3	19	20	15	—
10	Tuberculous meningitis	M	9	2	3	1	3	—	—	—	—	10	—	—	2	7	1	—	—	—
		F	7	2	2	2	1	—	—	—	—	10	—	2	5	3	—	—	—	—
11	Other tuberculous diseases.	M	11	2	1	—	3	1	3	1	—	14	1	2	2	4	1	2	2	—
		F	9	2	1	—	2	1	—	3	—	7	—	1	1	1	1	2	1	—
12	Cancer, malignant disease	M	93	—	—	1	—	1	5	49	37	55	—	—	—	—	—	8	25	22
		F	106	—	—	—	—	—	7	53	46	78	—	1	—	2	—	9	45	21
13	Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	4	—	—	—	4	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	—	—	1
14	Meningitis	M	5	3	1	—	1	—	—	—	—	4	—	2	1	1	—	—	—	—
		F	8	1	2	—	—	—	3	1	1	6	1	2	3	—	—	—	—	—
15	Organic heart disease ...	M	126	—	—	—	1	3	10	40	72	112	—	—	—	1	5	19	36	51
		F	93	—	—	—	1	3	6	28	55	100	—	—	—	1	3	16	31	49
16	Bronchitis	M	69	2	—	—	—	1	6	18	42	60	6	2	—	1	—	3	11	37
		F	65	—	—	1	—	—	—	15	49	70	4	4	2	—	—	3	11	46
17	Pneumonia (all forms)	M	80	9	4	2	—	—	5	32	28	67	16	3	1	3	—	12	24	8
		F	77	15	3	2	—	3	10	22	22	63	9	7	1	3	3	5	14	21
18	Other respiratory diseases	M	9	—	—	—	—	—	2	3	4	8	1	2	—	—	—	1	3	1
		F	12	—	—	—	—	—	2	2	8	5	1	1	—	—	—	1	1	1
19	Diarrhœa, &c.	M	23	14	—	—	—	—	4	3	2	13	12	—	—	—	—	1	—	—
		F	22	14	1	—	—	2	1	2	2	15	10	—	1	—	—	3	—	1
20	Appendicitis and typhlitis	M	5	—	—	2	—	—	2	1	—	8	—	—	1	2	2	2	1	—
		F	8	—	—	—	2	1	1	3	1	5	—	—	1	1	—	3	—	—
21	Cirrhosis of liver ...	M	15	—	—	—	—	—	2	8	5	14	—	—	—	—	—	—	10	4
		F	10	—	—	—	—	—	4	4	2	12	—	—	—	—	—	1	10	1
21A	Alcoholism ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	38	1	—	1	—	—	6	19	11	27	—	—	—	—	—	4	12	11
		F	31	—	—	—	1	3	2	14	11	19	—	—	—	1	—	2	10	6
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	7	—	—	—	—	2	5	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	—	1	—	8	—	—	—	—	1	7	—	—
25	Congenital debility, &c.	M	44	42	—	—	1	1	—	—	—	58	57	—	—	—	1	—	—	—
		F	18	16	1	1	—	—	—	—	—	39	38	—	1	—	—	—	—	—
26	Violence, apart from suicide.	M	49	5	—	3	7	—	10	14	10	63	1	—	1	11	5	15	18	12
		F	33	5	—	1	4	—	4	7	12	19	1	1	2	5	—	7	3	—
27	Suicide	M	9	—	—	—	—	—	5	4	—	1	—	—	—	—	—	—	-	1
		F	4	—	—	—	—	—	3	—	1	3	—	—	—	—	—	3	-	—
28	Other defined diseases ...	M	248	10	3	2	1	5	31	78	118	227	18	3	4	5	8	29	56	104
		F	238	10	—	1	3	5	22	55	142	210	16	2	1	3	6	26	42	114
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1916.

	Causes of Death.	Sex.	Barnsley.									Barrow in Furness.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	400	83	18	22	25	11	42	107	92	577	109	24	21	37	28	77	141	140
		F	350	76	24	16	22	9	45	64	94	453	79	18	23	22	29	60	101	121
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
4	Scarlet fever	M	1	—	—	1	—	—	—	—	—	2	—	—	—	2	—	—	—	—
		F	2	—	—	2	—	—	—	—	—	1	—	—	—	1	—	—	—	—
5	Whooping cough ...	M	2	—	1	—	1	—	—	—	—	3	1	—	1	1	—	—	—	—
		F	5	1	1	3	—	—	—	—	—	6	2	3	—	1	—	—	—	—
6	Diphtheria and croup ...	M	1	—	—	1	—	—	—	—	—	10	—	2	5	3	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	7	1	—	5	1	—	—	—	—
7	Influenza	M	16	1	—	—	2	—	4	5	4	10	—	—	—	—	—	5	4	1
		F	7	1	1	1	—	—	1	1	2	1	—	—	—	—	—	—	1	—
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
9	Pulmonary tuberculosis	M	28	1	—	1	3	2	10	10	1	54	1	—	—	3	8	23	17	2
		F	21	1	1	—	3	2	10	4	—	30	—	—	1	5	8	12	4	—
10	Tuberculous meningitis	M	2	—	—	2	—	—	—	—	—	4	—	—	1	3	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	3	—	1	2	—	—	—	—	—
11	Other tuberculous diseases.	M	8	1	1	2	1	1	1	1	—	16	6	3	—	3	1	2	1	—
		F	3	1	—	—	—	1	1	—	—	7	3	1	1	—	1	1	—	—
12	Cancer, malignant disease	M	29	—	—	—	—	—	3	19	7	25	—	—	—	—	—	2	11	12
		F	27	—	1	—	—	—	7	8	11	32	—	—	—	—	—	4	18	10
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	1	1	—
		F	1	—	—	—	—	1	—	—	—	4	—	—	—	3	—	—	1	—
14	Meningitis	M	6	2	—	—	4	—	—	—	—	4	1	2	1	—	—	—	—	—
		F	4	1	1	—	1	—	1	—	—	9	2	—	4	2	1	—	—	—
15	Organic heart disease ...	M	30	—	—	2	—	1	3	13	11	37	—	—	—	1	2	5	14	15
		F	40	—	—	—	5	1	4	14	16	42	—	—	1	2	6	8	13	12
16	Bronchitis	M	46	13	4	2	1	—	1	9	16	55	4	4	—	1	1	4	16	25
		F	40	12	5	2	—	—	1	8	12	62	6	4	2	—	—	1	11	38
17	Pneumonia (all forms)	M	49	8	4	6	4	4	5	9	9	64	8	8	4	2	4	9	21	8
		F	29	4	8	7	3	—	2	4	1	31	3	7	2	1	4	6	6	2
18	Other respiratory diseases	M	5	1	—	—	—	—	—	4	—	11	—	—	2	1	—	1	5	2
		F	4	—	—	—	1	—	1	1	1	3	—	—	—	—	—	—	1	2
19	Diarrhœa, &c.	M	20	14	2	—	1	—	1	1	1	15	10	3	—	—	—	1	1	—
		F	16	11	3	—	1	—	—	—	1	11	7	—	1	—	1	—	1	1
20	Appendicitis and typhlitis	M	3	—	—	—	1	1	—	1	—	8	—	—	1	4	3	—	—	—
		F	1	—	—	—	1	—	—	—	—	2	—	—	—	1	1	—	—	—
21	Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	1
		F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	—	1
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
22	Nephritis and Bright's disease.	M	24	—	1	—	—	—	2	11	10	13	—	—	—	2	2	3	5	1
		F	13	—	1	—	1	2	3	3	3	4	—	—	—	—	—	—	3	1
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	8	—	—	6	—	—	—	—	2	3	1	—
25	Congenital debility, &c.	M	30	29	—	1	—	—	—	—	—	57	57	—	—	—	—	—	—	—
		F	25	25	—	—	—	—	—	—	—	38	37	—	1	—	—	—	—	—
26	Violence, apart from suicide.	M	17	1	—	2	3	—	4	5	2	36	—	1	2	5	5	8	12	3
		F	6	1	1	—	—	—	—	1	3	7	—	—	1	1	—	3	2	—
27	Suicide	M	4	—	—	—	—	—	3	1	—	1	—	—	—	—	—	—	1	—
		F	6	—	—	—	—	2	—	4	—	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	75	12	4	2	4	2	5	17	29	134	21	—	4	5	2	9	25	68
		F	90	17	1	1	6	—	6	15	44	132	16	1	2	4	3	18	38	50
29	Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	—	2	10	—	1	—	—	—	1	6	2
		F	—	—	—	—	—	—	—	—	—	7	2	—	—	—	1	—	1	3

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Bath.									Birkenhead.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	423	49	1	5	22	8	38	125	175	1,083	215	51	53	34	38	167	259	266
		F	494	28	4	11	13	14	43	85	296	959	190	47	48	38	38	118	192	288
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	1	—
		F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	3	—	—	2	1	—	—	—	—	16	4	4	7	1	—	—	—	—
		F	4	—	—	4	—	—	—	—	—	11	3	2	4	2	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	3	—	—	—	2	1	—	—	—
5	Whooping cough ...	M	3	3	—	—	—	—	—	—	—	13	5	6	1	1	—	—	—	—
		F	3	1	1	1	—	—	—	—	—	17	9	5	3	—	—	—	—	—
6	Diphtheria and croup ...	M	11	2	—	2	7	—	—	—	—	7	—	2	3	2	—	—	—	—
		F	6	—	—	2	4	—	—	—	—	8	—	2	5	1	—	—	—	—
7	Influenza	M	5	—	—	—	—	—	—	2	3	6	—	—	—	1	—	1	—	8
		F	12	—	—	—	—	—	—	2	10	20	2	—	—	1	1	3	5	4
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
9	Pulmonary tuberculosis	M	29	—	—	—	1	2	13	11	2	105	1	—	1	4	14	55	23	7
		F	27	—	—	—	1	7	12	7	—	69	—	—	—	6	18	29	13	3
10	Tuberculous meningitis	M	2	—	—	—	2	—	—	—	—	15	4	6	3	—	1	1	—	—
		F	—	—	—	—	—	—	—	—	—	12	4	3	2	3	—	—	—	—
11	Other tuberculous diseases.	M	4	—	—	—	1	2	—	1	—	23	5	3	6	3	1	3	2	—
		F	7	—	—	—	3	1	2	—	1	19	2	1	6	3	2	3	1	1
12	Cancer, malignant disease	M	32	—	—	—	—	—	1	19	12	65	—	—	—	—	—	9	34	22
		F	67	—	—	1	—	—	5	20	41	84	—	—	—	—	—	8	44	32
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
14	Meningitis	M	3	—	—	—	1	—	1	1	—	7	1	1	2	2	—	1	—	—
		F	3	—	1	—	1	1	—	—	—	10	3	—	4	2	—	1	—	—
15	Organic heart disease ...	M	53	—	—	—	—	—	4	19	30	102	—	—	—	1	1	13	43	44
		F	88	—	—	—	—	1	5	18	64	86	—	—	—	1	2	15	35	33
16	Bronchitis	M	38	3	—	—	1	—	3	12	19	60	9	1	1	—	—	3	13	33
		F	38	1	—	—	—	1	—	2	34	74	7	2	1	—	—	1	15	48
17	Pneumonia (all forms)	M	80	5	—	—	—	—	4	11	10	148	30	14	14	3	9	32	25	21
		F	26	6	—	1	—	—	1	6	12	99	19	15	6	8	3	16	17	15
18	Other respiratory diseases	M	5	1	—	—	—	—	—	1	3	16	1	—	1	1	—	2	5	6
		F	6	—	—	—	—	—	1	1	4	7	—	—	—	—	—	—	2	5
19	Diarrhœa, &c.	M	4	2	—	—	—	—	—	1	1	60	44	5	4	1	—	—	5	1
		F	6	—	2	—	—	—	—	—	4	72	51	9	5	—	—	3	—	4
20	Appendicitis and typhlitis	M	1	—	—	—	—	—	—	—	1	8	—	—	1	1	3	2	1	—
		F	—	—	—	—	—	—	—	—	—	7	—	—	—	1	4	2	—	—
21	Cirrhosis of liver ...	M	3	—	—	—	—	—	1	1	1	3	—	—	—	—	—	—	2	1
		F	3	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	1	—
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	16	—	—	—	—	—	3	5	8	41	—	1	—	—	2	10	20	8
		F	14	—	—	—	—	1	1	3	9	24	—	1	1	1	1	3	10	7
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	3	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	7	—	—	—	—	3	4	—	—
25	Congenital debility, &c.	M	21	20	—	—	—	1	—	—	—	72	69	1	2	—	—	—	—	—
		F	17	17	—	—	—	—	—	—	—	54	53	1	—	—	—	—	—	—
26	Violence, apart from suicide.	M	11	1	1	1	3	1	1	2	1	38	1	—	3	3	2	9	15	5
		F	10	—	—	1	3	1	—	1	4	21	2	2	5	3	—	2	—	7
27	Suicide	M	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	1	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	146	12	—	—	5	2	6	37	84	267	40	7	4	7	4	23	68	114
		F	150	3	—	—	1	1	12	22	111	246	35	4	5	4	3	23	48	124
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	2	1	1	—	—	1	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Birmingham.									Blackburn.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	6,159	1170	362	264	213	190	800	1523	1637	874	139	37	36	33	32	98	261	238
		F	5,942	977	375	274	240	232	694	1233	1917	927	110	26	41	24	31	115	247	333
1	Enteric fever	M	3	—	—	—	—	—	2	1	—	1	—	—	—	—	—	1	—	—
		F	2	—	—	—	1	—	1	—	—	1	—	—	—	—	—	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	61	9	30	16	5	1	—	—	—	9	3	2	3	1	—	—	—	—
		F	41	7	16	12	6	—	—	—	—	8	2	5	1	—	—	—	—	—
4	Scarlet fever	M	14	1	1	8	4	—	—	—	—	2	—	—	1	1	—	—	—	—
		F	12	1	2	4	5	—	—	—	—	2	—	—	1	1	—	—	—	—
5	Whooping cough ...	M	159	82	46	29	2	—	—	—	—	2	—	2	—	—	—	—	—	—
		F	218	80	84	46	8	—	—	—	—	7	4	1	1	1	—	—	—	—
6	Diphtheria and croup ...	M	61	1	6	25	26	1	2	—	—	5	1	—	4	—	—	—	—	—
		F	58	5	9	19	24	—	1	—	—	5	—	—	4	1	—	—	—	—
7	Influenza	M	81	1	1	—	2	1	16	27	33	12	—	—	—	—	—	2	5	5
		F	69	—	1	—	1	1	7	22	37	17	—	—	—	1	—	4	7	5
8	Erysipelas	M	10	1	—	—	—	—	1	4	4	—	—	—	—	—	—	—	—	—
		F	15	1	—	—	1	2	1	4	6	2	—	—	—	—	—	—	1	1
9	Pulmonary tuberculosis	M	692	2	6	8	19	76	321	238	22	72	—	—	—	2	7	32	29	2
		F	421	1	5	4	29	93	210	69	10	52	—	—	1	2	11	26	10	2
10	Tuberculous meningitis	M	46	8	12	17	6	1	2	—	—	3	—	1	1	1	—	—	—	—
		F	51	9	7	20	11	3	1	—	—	4	1	—	2	1	—	—	—	—
11	Other tuberculous diseases.	M	67	12	12	10	12	5	9	7	—	16	1	1	—	3	7	1	3	—
		F	52	12	3	5	10	7	11	3	1	10	2	—	3	—	4	1	—	—
12	Cancer, malignant disease	M	399	—	1	1	2	2	38	203	152	45	—	—	—	—	—	4	27	14
		F	503	—	—	1	2	3	63	247	187	92	—	—	—	—	—	10	52	30
13	Rheumatic fever ...	M	14	—	—	1	5	3	2	3	—	5	—	—	—	1	3	1	—	—
		F	27	—	—	—	12	3	7	2	3	4	—	—	—	1	1	1	—	1
14	Meningitis	M	54	13	8	10	8	5	6	4	—	8	2	1	4	1	—	—	—	—
		F	62	20	11	14	9	6	2	—	—	11	3	1	1	4	1	—	1	—
15	Organic heart disease ...	M	560	—	—	1	6	16	67	183	287	84	—	1	—	2	2	4	32	43
		F	655	—	1	—	15	19	70	195	355	127	—	—	—	4	1	19	48	55
16	Bronchitis	M	597	96	33	14	2	1	12	140	299	84	17	5	2	—	—	4	27	29
		F	608	87	30	13	4	2	18	130	324	114	10	7	4	1	1	3	22	66
17	Pneumonia (all forms)	M	527	134	81	41	20	14	66	111	60	105	15	13	7	6	2	12	29	21
		F	477	112	100	68	21	10	36	58	72	67	12	8	7	1	1	6	12	20
18	Other respiratory diseases	M	97	13	10	7	—	4	8	31	24	23	1	3	4	—	1	2	5	7
		F	77	5	8	6	1	1	10	18	28	20	2	—	1	—	—	1	11	5
19	Diarrhœa, &c.	M	251	155	50	13	3	2	4	11	13	21	13	2	—	—	2	1	2	1
		F	241	132	44	9	5	3	10	12	26	18	12	—	5	—	—	—	1	—
20	Appendicitis and typhlitis	M	43	—	—	2	21	5	10	5	—	5	—	—	—	2	1	1	1	—
		F	28	—	—	2	8	6	9	2	1	2	—	—	—	—	1	1	—	—
21	Cirrhosis of liver ...	M	38	—	—	—	—	—	7	26	5	4	—	—	—	—	—	1	1	2
		F	26	—	1	—	—	—	11	13	1	3	—	—	—	—	—	—	1	2
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
22	Nephritis and Bright's disease.	M	194	3	5	7	4	6	24	86	59	22	—	—	—	1	1	2	12	6
		F	122	1	1	4	3	7	21	54	31	21	—	—	—	—	1	4	8	8
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	33	—	—	—	—	8	25	—	—	4	—	—	—	—	2	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	40	—	—	—	—	7	33	—	—	4	—	—	—	—	2	2	—	—
25	Congenital debility, &c.	M	415	410	3	1	1	—	—	—	—	57	57	—	—	—	—	—	—	—
		F	306	304	1	—	1	—	—	—	—	44	42	1	—	—	1	—	—	—
26	Violence, apart from suicide.	M	224	20	6	23	29	16	49	54	27	32	2	—	4	8	1	7	7	3
		F	141	19	5	20	23	4	16	20	34	25	2	—	4	3	—	2	4	10
27	Suicide	M	32	—	—	—	—	—	13	15	4	23	—	—	—	—	1	7	9	6
		F	14	—	—	—	—	1	4	9	—	4	—	—	—	—	—	1	1	2
28	Other defined diseases ...	M	1,445	208	36	27	36	28	132	342	636	222	27	6	6	4	4	14	65	96
		F	1,577	180	38	22	40	43	118	344	792	252	18	3	6	3	4	30	63	125
29	Causes ill-defined or unknown.	M	75	1	15	3	—	3	9	32	12	9	—	—	—	—	—	—	6	3
		F	65	1	8	5	—	3	9	30	9	6	—	—	—	—	—	—	5	1

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Blackpool.									Bolton.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	418	43	11	14	20	13	44	123	150	1,207	187	45	54	62	45	160	346	308
		F	460	37	7	11	11	13	57	132	192	1,215	133	50	37	61	58	176	319	381
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	7	—	—	—	—	3	3	1	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	4	2	—	—	2	—	—	—	—	4	1	2	1	—	—	—	—	—
		F	4	—	1	2	1	—	—	—	—	6	3	1	2	—	—	—	—	—
4	Scarlet fever	M	3	—	—	2	1	—	—	—	—	5	—	1	2	2	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	4	—	—	1	3	—	—	—	—
5	Whooping cough ...	M	4	1	3	—	—	—	—	—	—	13	3	9	1	—	—	—	—	—
		F	4	4	—	—	—	—	—	—	—	14	4	6	3	1	—	—	—	—
6	Diphtheria and croup ...	M	3	—	—	—	3	—	—	—	—	13	—	2	5	6	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	8	—	—	3	4	—	1	—	—
7	Influenza	M	5	—	—	—	—	—	—	3	2	8	—	—	—	1	1	—	3	3
		F	12	—	—	—	—	—	1	2	9	13	—	—	—	—	1	2	6	4
8	Erysipelas	M	1	—	—	—	—	—	—	—	1	4	—	—	—	—	—	1	2	1
		F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—
9	Pulmonary tuberculosis	M	40	—	—	1	1	4	18	14	2	98	—	—	3	7	9	48	29	2
		F	29	—	—	1	2	6	11	9	—	88	—	—	1	6	27	33	19	2
10	Tuberculous meningitis	M	7	—	1	2	4	—	—	—	—	12	3	1	3	3	1	—	1	—
		F	2	—	—	—	2	—	—	—	—	12	—	4	2	5	—	1	—	—
11	Other tuberculous diseases.	M	6	1	1	—	—	2	—	2	—	23	2	3	4	3	4	3	3	1
		F	3	—	—	—	1	—	2	—	—	15	2	1	4	5	—	—	3	—
12	Cancer, malignant disease	M	43	—	—	—	—	—	1	27	15	63	—	—	1	—	—	2	36	24
		F	50	—	—	1	—	—	8	21	20	104	—	—	—	—	1	21	53	29
13	Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	5	—	—	2	1	—	—	1	1
		F	2	—	—	—	—	—	1	—	1	8	—	—	1	2	2	3	—	—
14	Meningitis	M	3	2	1	—	—	—	—	—	—	14	4	1	—	4	1	3	1	—
		F	6	2	1	—	1	—	2	—	—	10	2	5	1	2	—	—	—	—
15	Organic heart disease ...	M	32	—	—	—	—	2	2	16	12	122	—	1	—	4	4	16	57	40
		F	47	—	—	—	2	1	2	19	23	143	—	—	—	3	5	17	56	62
16	Bronchitis	M	45	5	1	2	1	—	2	9	25	135	22	4	3	3	1	8	35	59
		F	55	4	—	—	—	—	2	11	38	152	14	6	2	2	2	4	45	77
17	Pneumonia (all forms)	M	20	6	1	3	1	—	1	3	5	118	24	11	18	8	2	18	23	14
		F	28	4	2	2	1	1	6	9	3	83	12	12	9	7	4	12	14	13
18	Other respiratory diseases	M	10	—	—	1	—	—	—	5	4	14	2	—	—	1	—	—	9	2
		F	4	—	—	—	—	1	—	1	2	14	1	2	1	—	1	4	1	4
19	Diarrhœa, &c.	M	9	6	1	—	—	—	1	—	1	32	16	4	2	1	—	5	3	1
		F	10	3	2	1	—	—	2	2	—	43	22	2	2	3	—	2	4	8
20	Appendicitis and typhlitis	M	3	—	—	—	2	—	1	—	—	5	—	—	—	2	2	1	—	—
		F	1	—	—	—	—	—	—	—	1	7	—	—	—	3	—	2	2	—
21	Cirrhosis of liver ...	M	2	—	—	—	—	—	—	1	1	7	—	—	—	—	—	—	7	—
		F	3	—	—	—	—	—	—	1	2	2	—	—	—	—	—	—	1	1
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	13	—	—	—	—	1	6	4	2	41	—	—	—	4	4	6	17	10
		F	13	—	—	—	—	—	2	4	7	42	—	—	—	2	1	11	17	11
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	5	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	4	—	—	9	—	—	—	—	—	9	—	—
25	Congenital debility, &c.	M	14	13	—	—	—	1	—	—	—	64	62	—	—	1	—	1	—	—
		F	12	10	—	2	—	—	—	—	—	45	45	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	11	—	—	1	3	—	2	4	1	61	1	1	7	5	6	15	15	11
		F	2	—	—	—	—	—	—	1	1	27	1	—	1	5	2	8	5	5
27	Suicide	M	5	—	—	—	—	—	2	2	1	10	—	—	—	—	—	5	4	1
		F	5	—	—	—	—	—	2	2	1	4	—	—	—	—	1	2	—	1
28	Other defined diseases ...	M	127	7	2	2	1	3	6	28	78	323	47	5	2	6	7	25	93	138
		F	154	10	1	1	1	3	11	43	84	350	27	8	4	7	11	38	92	163
29	Causes ill-defined or unknown.	M	7	—	—	—	—	—	2	5	—	5	—	—	—	—	—	—	5	—
		F	8	—	—	—	—	—	1	7	—	5	—	3	—	—	—	—	1	1

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Bootle. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Bournemouth. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	676	128	40	35	29	21	102	175	146	494	51	8	7	11	8	49	118	242
		F	597	99	54	31	32	32	82	133	134	607	35	12	8	10	13	81	141	307
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	11	4	6	—	1	—	—	—	—	4	—	3	1	—	—	—	—	—
		F	6	2	2	2	—	—	—	—	—	2	—	1	—	1	—	—	—	—
4	Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	8	2	4	2	—	—	—	—	—	4	3	1	—	—	—	—	—	—
		F	11	2	6	3	—	—	—	—	—	3	—	3	—	—	—	—	—	—
6	Diphtheria and croup ...	M	4	—	2	1	—	1	—	—	—	2	—	—	—	2	—	—	—	—
		F	7	—	—	3	4	—	—	—	—	5	—	—	2	3	—	—	—	—
7	Influenza	M	8	—	—	—	1	—	3	4	—	25	1	—	—	—	1	1	5	17
		F	5	—	—	—	—	—	—	3	2	49	3	—	—	—	—	1	8	37
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	72	—	1	2	2	12	37	16	2	49	—	—	1	—	5	24	16	3
		F	68	—	—	1	6	19	30	12	—	48	—	—	—	1	3	33	10	1
10	Tuberculous meningitis	M	12	2	2	4	3	—	—	—	1	2	1	—	1	—	—	—	—	—
		F	10	—	5	3	2	—	—	—	—	6	—	2	2	1	1	—	—	—
11	Other tuberculous diseases.	M	8	—	1	—	2	2	3	—	—	5	1	—	—	—	—	2	—	2
		F	9	1	—	2	2	—	2	1	1	6	1	—	—	—	—	3	2	—
12	Cancer, malignant disease	M	35	—	—	—	—	—	5	21	9	49	—	—	—	—	—	1	17	31
		F	42	—	—	—	—	1	8	23	10	72	—	—	—	—	—	6	32	34
13	Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	1	—	1	—	—
		F	4	—	—	—	2	1	1	—	—	2	—	—	—	2	—	—	—	—
14	Meningitis	M	6	1	2	2	1	—	—	—	—	1	—	—	—	—	—	—	—	1
		F	3	1	—	1	1	—	—	—	—	8	—	—	—	1	2	4	1	—
15	Organic heart disease ...	M	49	—	—	—	2	1	6	22	18	67	—	—	—	—	—	5	21	41
		F	43	—	—	—	2	2	8	20	11	76	—	—	—	1	—	4	18	53
16	Bronchitis	M	52	8	—	2	—	—	5	17	20	30	2	1	—	1	—	2	5	19
		F	47	4	1	—	—	1	3	9	29	40	—	1	—	—	—	1	4	34
17	Pneumonia (all forms)	M	80	18	8	10	4	1	5	18	16	37	8	1	1	4	—	2	4	17
		F	69	17	18	6	2	2	4	10	10	25	2	3	—	—	—	5	5	10
18	Other respiratory diseases	M	5	1	—	—	1	—	2	—	1	7	1	—	—	—	—	—	2	4
		F	4	—	1	—	1	—	2	—	—	9	1	—	1	—	—	1	4	2
19	Diarrhœa, &c.	M	55	42	6	1	—	—	1	2	3	6	4	—	—	—	—	1	1	—
		F	40	26	9	1	1	—	1	1	1	10	3	—	1	—	—	—	3	3
20	Appendicitis and typhlitis	M	3	—	—	—	—	1	—	1	1	1	—	—	—	—	—	—	1	—
		F	1	—	—	—	—	1	—	—	—	4	—	—	1	—	—	—	2	1
21	Cirrhosis of liver ...	M	5	—	—	—	—	—	—	4	1	4	—	—	—	—	—	—	3	1
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	2
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
22	Nephritis and Bright's disease.	M	22	—	—	1	3	1	5	9	3	17	—	—	—	—	—	—	11	6
		F	22	1	1	—	—	—	2	10	8	9	—	—	—	—	1	3	1	4
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	6	—	—	5	—	—	—	—	1	4	—	—
25	Congenital debility, &c.	M	31	31	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—
		F	25	25	—	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	37	—	—	4	5	1	11	6	10	12	3	—	1	—	1	—	3	4
		F	15	1	1	3	2	—	5	2	1	10	2	1	—	—	—	1	3	3
27	Suicide	M	3	—	—	—	—	—	—	2	1	2	—	—	—	—	—	—	2	—
		F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	2	1	1
28	Other defined diseases ...	M	149	18	8	4	4	1	17	41	56	149	9	2	2	3	1	10	26	96
		F	143	17	7	4	5	5	7	39	59	198	12	1	1	—	5	12	45	122
29	Causes ill-defined or unknown.	M	18	1	—	1	—	—	2	10	4	—	—	—	—	—	—	—	—	—
		F	12	2	2	1	1	—	1	3	2	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Bradford.									Brighton.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	2,179	366	68	54	63	52	287	620	669	912	112	19	23	17	26	101	257	357
		F	2,177	219	75	58	86	98	298	526	817	982	90	21	20	22	35	113	230	451
1	Enteric fever	M	5	—	—	—	—	—	2	3	—	1	—	—	—	—	—	1	—	—
		F	7	—	—	—	1	2	3	1	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	11	4	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	12	4	6	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	3	—	—	2	—	—	1	—	—	1	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
5	Whooping cough ...	M	13	7	2	3	1	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	22	9	6	6	1	—	—	—	—	3	—	2	1	—	—	—	—	—
6	Diphtheria and croup ...	M	22	2	4	8	7	—	1	—	—	5	—	2	2	1	—	—	—	—
		F	26	—	1	6	18	—	1	—	—	8	1	—	4	3	—	—	—	—
7	Influenza...	M	39	1	3	1	—	1	6	6	21	18	—	—	—	—	—	3	3	12
		F	45	—	—	—	1	1	6	8	29	31	1	1	—	—	1	1	10	17
8	Erysipelas	M	5	—	—	—	—	—	2	1	2	1	—	—	—	—	—	1	—	—
		F	4	3	—	—	—	—	1	—	—	3	—	—	—	—	—	—	1	2
9	Pulmonary tuberculosis	M	187	4	3	1	5	20	73	70	11	95	—	—	—	1	10	45	32	7
		F	152	3	5	—	10	29	67	32	6	74	—	—	—	1	15	35	20	3
10	Tuberculous meningitis	M	18	6	4	4	2	2	—	—	—	15	—	2	10	2	1	—	—	—
		F	27	5	2	6	11	3	—	—	—	6	2	1	—	2	1	—	—	—
11	Other tuberculous diseases.	M	40	7	6	3	10	5	5	4	—	17	1	2	2	2	3	2	4	1
		F	45	7	3	2	7	7	6	7	6	22	—	3	1	4	4	3	5	2
12	Cancer, malignant disease	M	133	—	—	1	—	1	11	67	53	92	—	—	—	—	—	3	41	48
		F	237	—	—	1	—	2	30	115	89	116	—	—	—	—	1	7	57	51
13	Rheumatic fever ...	M	7	—	—	—	1	—	2	4	—	4	—	—	—	1	1	1	1	—
		F	7	—	—	—	1	2	1	3	—	2	—	—	—	1	1	—	—	—
14	Meningitis	M	13	4	2	1	—	1	3	2	—	5	2	1	—	—	—	2	—	—
		F	13	4	—	1	1	2	2	2	1	3	—	1	1	1	—	—	—	—
15	Organic heart disease ...	M	202	—	—	—	2	3	25	89	83	92	—	—	—	1	2	3	32	54
		F	244	—	—	—	2	6	23	96	117	127	—	—	—	—	5	13	36	73
16	Bronchitis	M	169	21	4	1	2	—	6	48	87	64	6	2	1	—	—	—	11	44
		F	195	15	8	3	2	—	10	29	128	68	3	—	—	—	1	1	13	50
17	Pneumonia (all forms)	M	175	38	12	12	6	1	26	44	36	63	13	6	3	3	1	6	15	16
		F	134	20	25	8	6	5	14	22	34	66	10	5	5	2	1	7	18	18
18	Other respiratory diseases	M	23	2	—	—	—	—	3	10	8	19	1	—	—	1	1	1	8	7
		F	24	2	—	—	1	1	2	7	11	14	—	—	1	—	—	3	4	6
19	Diarrhœa, &c.	M	59	34	7	2	1	—	2	5	8	29	18	3	1	—	—	1	4	2
		F	35	14	4	3	3	1	2	3	5	25	10	5	1	1	—	2	3	3
20	Appendicitis and typhlitis	M	12	—	—	1	5	1	3	2	—	7	—	—	—	2	—	1	2	2
		F	10	—	—	—	1	3	3	2	1	4	—	—	—	1	—	1	—	2
21	Cirrhosis of liver ...	M	18	2	—	—	1	—	3	10	2	15	—	—	—	—	—	1	8	6
		F	7	—	—	—	—	—	2	4	1	12	—	—	—	—	—	1	3	8
21A	Alcoholism	M	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
22	Nephritis and Bright's disease.	M	61	1	—	—	—	2	7	38	13	35	—	—	—	—	3	3	16	13
		F	74	1	1	1	1	4	15	26	25	32	—	—	1	1	1	5	13	11
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	18	—	—	—	—	8	10	—	—	2	—	—	—	—	1	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	22	—	—	—	—	2	19	1	—	5	—	—	—	—	—	5	—	—
25	Congenital debility, &c.	M	135	135	—	—	—	—	—	—	—	46	46	—	—	—	—	—	—	—
		F	81	81	—	—	—	—	—	—	—	40	38	1	—	—	1	—	—	—
26	Violence, apart from suicide.	M	97	1	3	3	8	7	40	24	11	20	2	—	2	1	—	4	4	7
		F	71	5	4	12	10	2	11	12	15	27	4	1	1	1	1	1	3	15
27	Suicide	M	20	—	—	—	—	1	7	8	4	7	—	—	—	—	—	1	6	—
		F	14	—	—	—	—	2	7	4	1	3	—	—	—	—	—	3	—	—
28	Other defined diseases ...	M	690	97	14	9	11	7	56	171	325	257	20	1	1	2	4	21	70	138
		F	631	46	10	7	9	15	60	139	345	286	21	1	3	4	1	24	43	189
29	Causes ill-defined or unknown.	M	20	—	—	—	—	—	3	12	5	2	2	—	—	—	—	—	—	—
		F	20	—	—	—	—	1	3	13	3	1	—	—	—	—	—	—	1	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Bristol. All Ages.	Bristol. 0—	Bristol. 1—	Bristol. 2—	Bristol. 5—	Bristol. 15—	Bristol. 25—	Bristol. 45—	Bristol. 65—	Burnley. All Ages.	Burnley. 0—	Burnley. 1—	Burnley. 2—	Burnley. 5—	Burnley. 15—	Burnley. 25—	Burnley. 45—	Burnley. 65—
	All Causes	M	2,444	416	93	85	87	97	278	581	807	902	178	62	40	34	33	90	240	225
		F	2,464	281	100	61	82	136	288	505	1011	848	98	62	29	33	44	106	226	250
1	Enteric fever	M	2	—	—	—	—	—	2	—	—	3	—	—	1	1	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	6	—	—	—	—	1	4	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	56	9	28	17	2	—	—	—	—	26	4	15	6	1	—	—	—	—
		F	60	13	29	16	2	—	—	—	—	21	4	14	3	—	—	—	—	—
4	Scarlet fever	M	3	—	—	3	—	—	—	—	—	2	—	—	1	1	—	—	—	—
		F	7	—	2	—	5	—	—	—	—	2	—	—	1	1	—	—	—	—
5	Whooping cough ...	M	12	5	5	2	—	—	—	—	—	18	6	8	4	—	—	—	—	—
		F	11	4	5	2	—	—	—	—	—	11	2	4	5	—	—	—	—	—
6	Diphtheria and croup ...	M	16	—	2	7	7	—	—	—	—	9	—	2	3	3	—	1	—	—
		F	14	—	2	8	3	1	—	—	—	7	—	1	4	2	—	—	—	—
7	Influenza	M	28	—	—	—	—	—	—	10	18	8	—	—	—	—	1	2	2	3
		F	36	—	—	—	—	2	4	4	26	8	1	—	—	—	3	—	1	3
8	Erysipelas	M	3	—	—	—	—	—	1	1	1	1	—	—	—	—	—	—	1	—
		F	6	2	—	—	—	—	1	—	3	2	—	—	—	—	—	—	1	1
9	Pulmonary tuberculosis	M	254	—	2	5	6	52	100	78	11	62	—	—	—	4	9	27	22	—
		F	206	1	—	1	14	54	90	38	8	57	—	—	—	4	19	20	12	2
10	Tuberculous meningitis	M	29	8	6	8	7	—	—	—	—	6	1	1	2	1	—	—	1	—
		F	20	1	7	3	5	3	—	1	—	6	—	1	2	1	2	—	—	—
11	Other tuberculous diseases.	M	24	4	1	4	2	4	6	1	2	14	5	1	1	—	5	1	1	—
		F	30	5	1	1	9	5	5	1	3	13	2	2	1	4	—	4	—	—
12	Cancer, malignant disease	M	165	—	—	2	—	—	13	62	88	46	—	—	—	—	2	1	25	18
		F	220	—	—	—	2	1	29	86	102	70	—	—	—	—	—	13	35	22
13	Rheumatic fever ...	M	10	—	—	1	3	3	1	—	2	2	—	—	—	1	—	1	—	—
		F	11	—	—	1	2	2	1	5	—	6	—	—	—	1	2	2	1	—
14	Meningitis	M	18	5	3	1	5	2	—	2	—	6	2	1	2	1	—	—	—	—
		F	12	—	2	2	5	2	—	1	—	8	2	4	1	—	1	—	—	—
15	Organic heart disease ...	M	238	—	—	—	3	4	25	81	125	72	—	—	1	—	2	9	31	29
		F	324	1	1	—	4	18	34	93	173	86	—	—	—	5	2	10	37	32
16	Bronchitis	M	180	30	6	1	—	—	2	33	108	119	21	12	2	2	1	7	27	47
		F	236	19	7	2	2	1	3	38	164	119	15	8	1	3	—	7	31	54
17	Pneumonia (all forms)...	M	207	46	17	12	8	3	24	60	37	75	19	10	4	3	4	10	18	7
		F	141	24	22	14	8	3	19	19	32	53	8	8	4	3	3	6	14	7
18	Other respiratory diseases	M	52	2	2	—	4	2	5	16	21	18	4	—	3	2	—	1	6	2
		F	22	2	2	1	1	1	1	5	9	14	1	1	1	2	—	1	5	3
19	Diarrhœa, &c.	M	74	51	6	—	5	1	2	3	6	35	21	5	4	1	—	—	2	2
		F	68	44	9	1	2	1	—	2	9	39	18	10	2	2	1	—	2	4
20	Appendicitis and typhlitis	M	10	—	—	1	4	1	2	1	1	2	—	—	—	2	—	—	—	—
		F	8	—	—	—	2	—	1	2	3	2	—	—	—	—	—	1	1	—
21	Cirrhosis of liver ...	M	18	—	—	—	1	—	—	14	3	3	—	—	—	—	—	—	2	1
		F	13	—	—	—	—	—	1	5	7	—	—	—	—	—	—	—	—	—
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
		F	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	81	1	—	—	4	1	7	34	34	31	2	1	—	3	1	5	12	7
		F	69	—	—	—	3	3	12	26	25	26	1	—	—	1	2	6	13	3
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	3	5	—	—	2	—	—	—	—	—	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	26	—	—	—	—	6	20	—	—	5	—	—	—	—	—	5	—	—
25	Congenital debility, &c.	M	168	164	—	3	—	—	1	—	—	45	45	—	—	—	—	—	—	—
		F	113	111	1	—	1	—	—	—	—	25	24	1	—	—	—	—	—	—
26	Violence, apart from suicide.	M	110	4	4	12	13	10	22	24	21	32	2	2	4	4	2	8	7	3
		F	47	2	1	3	3	2	9	15	12	10	—	1	1	2	—	3	2	1
27	Suicide	M	14	—	—	—	—	1	5	8	—	8	—	—	—	—	—	1	5	2
		F	7	—	—	—	—	3	2	2	—	3	—	—	—	—	—	3	—	—
28	Other defined diseases ...	M	669	87	11	6	13	13	60	150	329	248	46	4	2	4	5	14	71	102
		F	741	52	7	6	9	25	49	161	432	243	20	7	3	2	8	19	67	117
29	Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	2	—	10	—	—	—	—	—	1	7	2
		F	6	—	2	—	—	—	1	1	2	4	—	—	—	—	—	—	3	1

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Burton upon Trent.									Bury.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	352	42	8	7	14	11	53	100	117	454	70	18	14	18	10	54	142	128
		F	271	28	6	7	16	16	41	47	110	456	51	13	9	20	14	58	127	164
1	Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
5	Whooping cough ...	M	2	1	—	1	—	—	—	—	—	2	2	—	—	—	—	—	—	—
		F	7	4	1	2	—	—	—	—	—	7	4	—	2	1	—	—	—	—
6	Diphtheria and croup ...	M	3	—	1	—	2	—	—	—	—	1	—	1	—	—	—	—	—	—
		F	3	—	—	—	2	1	—	—	—	2	—	1	—	1	—	—	—	—
7	Influenza	M	7	1	—	—	—	—	1	4	1	10	—	—	—	—	—	3	4	3
		F	4	—	—	—	—	—	2	—	2	8	—	—	—	—	1	—	2	5
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	50	—	—	—	2	5	23	14	6	24	—	—	1	—	4	10	8	1
		F	23	—	—	—	—	4	11	5	3	28	—	—	1	1	5	15	6	—
10	Tuberculous meningitis	M	4	1	1	—	1	—	1	—	—	8	—	4	3	1	—	—	—	—
		F	6	1	1	2	1	1	—	—	—	3	—	1	—	2	—	—	—	—
11	Other tuberculous diseases.	M	6	2	1	—	1	—	1	1	—	7	1	1	—	2	—	1	1	1
		F	5	—	—	—	2	2	1	—	—	5	1	1	1	1	—	—	1	—
12	Cancer, malignant disease	M	29	—	—	—	—	—	2	15	12	28	—	—	—	—	—	—	18	10
		F	14	—	—	—	—	—	4	5	5	40	—	—	—	—	—	4	27	9
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	1	—	—	—	1	—	—	—	—	3	—	—	—	1	—	1	—	1
14	Meningitis	M	2	1	—	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	5	3	1	1	—	—	—	—	—
15	Organic heart disease ...	M	37	—	—	—	2	1	5	15	14	63	—	—	—	1	—	7	34	21
		F	38	—	—	—	1	—	4	10	23	80	1	—	—	5	2	9	30	33
16	Bronchitis	M	24	2	2	—	—	—	—	8	12	41	7	1	—	—	1	2	10	20
		F	20	1	2	—	—	—	1	3	13	46	1	1	—	—	—	2	20	22
17	Pneumonia (all forms)	M	15	3	1	3	—	—	2	3	3	48	14	4	3	4	2	5	14	2
		F	8	2	1	1	—	—	—	—	4	29	6	6	1	2	2	4	5	3
18	Other respiratory diseases	M	2	—	—	1	—	—	1	—	—	6	—	—	—	—	—	2	2	2
		F	2	—	—	1	—	—	—	1	—	5	—	—	—	—	1	1	2	1
19	Diarrhœa, &c.	M	8	5	—	—	1	1	—	—	1	23	11	3	—	2	1	2	2	2
		F	4	3	—	—	—	—	—	—	1	14	10	—	—	—	—	1	—	3
20	Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	2	—	—	—	1	1	—	—	—
		F	3	—	—	—	1	1	1	—	—	2	—	—	—	1	—	1	—	—
21	Cirrhosis of liver ...	M	3	—	—	—	—	—	—	2	1	5	—	—	—	—	—	—	4	1
		F	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
21A	Alcoholism	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	12	—	—	—	1	1	3	4	3	15	—	—	1	2	—	3	6	3
		F	8	—	—	—	2	—	2	2	2	4	—	—	—	—	—	1	2	1
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	1	—	—	—	—	—	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	3	—	—	—	1	—	—	—	—	—	1	—	—
25	Congenital debility, &c.	M	17	17	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—
		F	10	10	—	—	—	—	—	—	—	15	15	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	13	—	1	1	2	1	—	5	3	17	1	1	2	2	—	3	6	2
		F	17	1	—	1	3	4	1	5	2	5	—	—	—	2	—	—	1	2
27	Suicide	M	2	—	—	—	—	—	—	1	1	5	—	—	—	—	—	1	4	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—
28	Other defined diseases ...	M	112	8	1	1	2	2	10	28	60	123	16	—	3	3	1	13	28	59
		F	88	6	1	—	2	—	11	13	55	146	10	2	1	3	3	16	28	83
29	Causes ill-defined or unknown.	M	1	1	—	—	—	—	—	—	—	4	—	1	—	—	—	1	1	1
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Canterbury. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Carlisle. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	170	14	7	2	10	5	11	40	81	407	68	14	23	26	12	56	97	111
		F	184	18	5	4	4	7	19	38	89	405	53	7	18	18	21	64	87	137
1	Enteric fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	3	—	—	3	—	—	—	—	—
5	Whooping cough ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	15	1	—	6	8	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	14	—	—	6	7	1	—	—	—
7	Influenza	M	2	—	1	1	—	—	—	—	—	16	2	—	—	1	1	1	6	5
		F	6	—	—	—	—	—	—	2	4	11	2	1	1	—	—	2	1	4
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	13	—	—	—	1	2	4	4	2	29	—	—	1	1	2	19	6	—
		F	21	—	—	1	1	5	9	5	—	38	—	—	—	2	9	20	4	3
10	Tuberculous meningitis	M	2	—	—	—	1	—	1	—	—	11	1	4	4	1	—	1	—	—
		F	1	—	—	—	1	—	—	—	—	6	3	1	—	1	—	—	1	—
11	Other tuberculous diseases.	M	1	—	1	—	—	—	—	—	—	5	—	1	—	3	1	—	—	—
		F	2	1	1	—	—	—	—	—	—	8	—	—	1	1	2	3	1	—
12	Cancer, malignant disease	M	21	—	—	—	—	—	—	7	14	27	—	—	—	—	—	2	17	8
		F	23	—	—	—	—	1	—	9	13	52	—	—	—	—	1	6	25	20
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
14	Meningitis	M	2	—	—	—	1	1	—	—	—	3	—	—	—	1	—	2	—	—
		F	4	—	1	—	2	—	—	—	1	5	—	1	—	2	—	—	1	—
15	Organic heart disease ...	M	22	—	—	—	1	1	1	6	13	45	—	—	—	—	1	2	14	28
		F	20	—	—	—	—	—	—	6	14	61	1	—	—	1	1	8	21	29
16	Bronchitis	M	16	1	—	—	—	—	—	3	12	14	4	—	1	—	—	—	2	7
		F	14	2	—	—	—	—	—	1	11	9	2	—	—	—	—	—	2	5
17	Pneumonia (all forms)	M	11	1	2	—	—	—	1	2	5	33	7	2	1	—	1	2	12	8
		F	6	2	—	—	—	—	1	1	2	21	3	2	2	—	1	5	2	6
18	Other respiratory diseases	M	5	—	—	—	1	—	—	3	1	8	1	1	1	—	—	3	1	1
		F	4	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—
19	Diarrhœa, &c.	M	4	3	—	—	—	—	1	—	—	10	7	2	—	—	—	—	—	1
		F	6	2	1	—	—	—	—	1	2	21	14	1	1	—	1	1	2	1
20	Appendicitis and typhlitis	M	3	—	—	1	1	—	—	1	—	2	—	—	—	—	1	1	—	—
		F	—	—	—	—	—	—	—	—	—	3	—	—	1	—	—	2	—	—
21	Cirrhosis of liver ...	M	3	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	1	—
		F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
22	Nephritis and Bright's disease.	M	2	—	—	—	—	—	—	1	1	14	—	—	1	1	1	—	7	4
		F	2	—	—	—	—	—	1	—	1	9	—	—	—	—	—	3	3	3
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	3	—	—
25	Congenital debility, &c.	M	5	4	1	—	—	—	—	—	—	31	31	—	—	—	—	—	—	—
		F	5	5	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	5	1	—	—	1	—	1	1	1	27	—	2	2	3	2	9	6	3
		F	2	—	—	—	—	—	—	1	1	8	—	1	1	1	2	—	1	2
27	Suicide	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—
28	Other defined diseases ...	M	48	4	2	—	1	1	1	10	29	107	13	1	3	5	2	13	24	46
		F	59	5	—	2	—	—	4	11	37	105	9	—	1	3	2	8	20	62
29	Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	1	1	3	—	1	1	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Chester.									Coventry.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	335	53	8	8	16	12	40	104	94	727	149	39	31	30	32	109	172	165
		F	333	27	13	9	12	14	41	80	137	651	114	38	45	43	32	81	116	182
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	19	6	10	2	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	21	4	5	10	2	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	5	—	—	2	3	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
5	Whooping cough ...	M	1	—	1	—	—	—	—	—	—	15	6	6	3	—	—	—	—	—
		F	3	2	—	1	—	—	—	—	—	30	13	9	7	1	—	—	—	—
6	Diphtheria and croup ...	M	4	—	—	2	2	—	—	—	—	20	1	2	5	11	1	—	—	—
		F	3	—	—	1	2	—	—	—	—	28	—	4	8	16	—	—	—	—
7	Influenza	M	9	—	—	—	—	—	3	4	2	11	—	—	—	—	2	7	1	1
		F	9	—	—	—	—	—	1	4	4	4	—	—	—	—	—	1	2	1
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
9	Pulmonary tuberculosis	M	32	—	—	—	1	3	15	13	—	101	1	—	—	—	15	54	29	2
		F	21	—	—	—	—	7	10	3	1	58	—	—	—	1	14	23	17	3
10	Tuberculous meningitis	M	3	—	2	—	1	—	—	—	—	11	4	—	2	3	2	—	—	—
		F	2	—	1	—	1	—	—	—	—	14	—	2	3	8	1	—	—	—
11	Other tuberculous diseases.	M	6	1	—	1	3	—	1	—	—	6	2	—	—	1	2	1	—	—
		F	6	1	—	1	2	—	2	—	—	7	—	—	—	1	3	1	2	—
12	Cancer, malignant disease	M	24	—	—	—	—	—	1	14	9	41	—	—	1	—	—	3	21	16
		F	48	—	—	—	1	—	4	18	25	42	—	—	—	—	—	4	19	19
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—
		F	1	—	—	—	—	1	—	—	—	6	—	—	—	2	1	1	2	—
14	Meningitis	M	2	1	—	—	1	—	—	—	—	4	1	1	—	1	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	9	—	3	—	2	3	1	—	—
15	Organic heart disease ...	M	27	—	—	—	—	2	1	12	12	65	—	—	—	—	2	6	36	21
		F	38	—	—	—	—	—	3	14	21	61	—	—	1	4	2	9	21	24
16	Bronchitis	M	27	4	—	—	—	—	—	9	14	49	15	3	—	—	—	1	6	24
		F	39	3	1	—	—	—	2	6	27	50	12	2	3	—	—	1	3	29
17	Pneumonia (all forms)	M	31	4	3	3	2	2	5	10	2	65	16	4	6	—	1	6	20	12
		F	32	4	6	3	2	3	5	3	6	47	17	6	8		—	5	5	4
18	Other respiratory diseases	M	8	—	1	—	—	—	1	5	1	7	—	1	—	—	1	—	4	1
		F	2	—	—	—	—	—	—	2	—	3	—	—	1	—	—	—	2	—
19	Diarrhœa, &c.	M	19	15	—	—	1	—	1	—	2	12	10	2	—	—	—	—	—	—
		F	5	4	1	—	—	—	—	—	—	9	5	—	—	—	—	—	2	2
20	Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	3	—	—	—	—	2	1	—	—
		F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	1	—	3	1
21	Cirrhosis of liver ...	M	5	—	1	—	—	—	—	1	3	4	—	—	—	—	—	—	4	—
		F	2	—	—	—	—	—	—	2	—	3	—	—	—	—	—	—	2	1
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	14	—	—	—	—	—	2	9	3	21	1	—	—	1	—	4	9	6
		F	8	—	—	1	—	—	3	4	—	12	—	—	—	1	1	6	—	4
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	4	—	—	6	—	—	—	—	1	5	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	8	—	—	—	—	—	8	—	—
25	Congenital debility, &c.	M	18	18	—	—	—	—	—	—	—	60	59	—	1	—	—	—	—	—
		F	4	4	—	—	—	—	—	—	—	44	44	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	13	—	—	1	2	4	3	2	1	21	1	2	2	3	1	2	5	5
		F	7	1	1	—	—	1	1	2	1	13	1	1	3	—	1	—	2	5
27	Suicide	M	2	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	1	2
		F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—
28	Other defined diseases ...	M	89	10	—	1	3	1	5	24	45	177	26	5	7	5	2	23	35	74
		F	97	8	3	2	4	1	6	21	52	163	18	6	1	2	3	12	32	89
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	3	—	3	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Croydon. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Darlington. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,015	167	24	32	35	26	132	241	358	496	110	29	19	20	19	55	115	129
		F	1,133	119	19	22	42	50	127	238	516	418	65	22	20	20	18	55	84	134
1	Enteric fever	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	5	1	4	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	7	2	1	3	1	—	—	—	—
4	Scarlet fever	M	3	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	1	1	—	—	—	1	—	—	1	—	—	—	—	—
5	Whooping cough ...	M	10	7	1	2	—	—	—	—	—	8	5	2	1	—	—	—	—	—
		F	20	7	6	7	—	—	—	—	—	11	6	3	2	—	—	—	—	—
6	Diphtheria and croup ...	M	4	—	—	3	1	—	—	—	—	13	1	2	4	6	—	—	—	—
		F	10	—	—	2	6	1	—	1	—	8	—	1	3	3	—	1	—	—
7	Influenza	M	16	—	—	—	1	—	4	7	4	14	3	—	—	—	—	2	5	4
		F	34	—	—	1	2	—	3	6	22	12	—	1	—	—	—	1	2	8
8	Erysipelas	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	91	2	—	—	2	10	51	24	2	42	—	1	—	2	8	25	6	—
		F	99	—	—	—	10	30	39	17	3	28	—	—	—	4	5	13	5	1
10	Tuberculous meningitis	M	6	—	—	4	2	—	—	—	—	6	1	2	1	—	2	—	—	—
		F	10	1	3	3	3	—	—	—	—	1	—	—	—	1	—	—	—	—
11	Other tuberculous diseases.	M	12	—	1	5	3	1	1	—	1	6	1	1	1	3	—	—	—	—
		F	13	4	—	—	2	1	3	3	—	13	2	2	3	1	1	1	1	2
12	Cancer, malignant disease	M	85	—	—	—	—	—	7	44	34	26	—	—	—	—	—	1	13	12
		F	147	—	—	—	1	—	15	56	75	47	—	—	—	—	—	5	22	20
13	Rheumatic fever ...	M	4	—	—	—	1	—	1	1	1	1	—	—	—	—	1	—	—	—
		F	2	—	—	—	1	—	1	—	—	1	—	—	—	—	1	—	—	—
14	Meningitis	M	6	2	1	—	1	—	2	—	—	4	1	—	2	1	—	—	—	—
		F	3	1	1	—	1	—	—	—	—	2	—	—	—	1	1	—	—	—
15	Organic heart disease ...	M	97	—	—	1	—	3	13	35	45	32	—	—	—	—	1	2	18	11
		F	135	1	—	—	2	4	12	40	76	40	—	—	—	1	1	3	13	22
16	Bronchitis	M	83	11	3	1	1	—	4	10	53	50	6	1	4	1	—	—	11	27
		F	95	10	—	1	—	—	—	9	75	36	7	2	—	—	1	1	6	19
17	Pneumonia (all forms)	M	73	14	6	8	3	2	5	18	17	48	16	9	1	—	1	6	10	5
		F	79	20	4	4	2	2	8	11	28	33	6	6	5	2	—	4	5	5
18	Other respiratory diseases	M	14	—	—	—	1	—	1	2	10	8	—	—	3	1	1	1	1	1
		F	12	1	—	—	—	—	1	5	5	11	1	—	—	—	1	2	4	3
19	Diarrhœa, &c.	M	37	19	5	1	1	—	1	3	7	24	15	2	1	2	—	—	3	1
		F	27	13	1	2	1	2	—	2	6	12	6	2	—	—	—	1	2	1
20	Appendicitis and typhlitis	M	10	—	—	—	2	2	2	2	2	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	2	1	3	1	1	1	—	—	—	1	—	—	—	—
21	Cirrhosis of liver ...	M	6	—	—	—	—	—	—	5	1	1	—	—	—	—	—	1	—	—
		F	9	—	—	—	1	—	—	7	1	4	—	—	—	—	—	2	2	—
21A	Alcoholism	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
22	Nephritis and Bright's disease.	M	21	—	—	—	2	—	—	9	10	5	—	—	—	1	—	1	1	2
		F	38	—	—	—	—	2	8	14	14	10	—	—	—	—	—	2	4	4
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	1	5	—	—	1	—	—	—	—	—	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	7	—	—	—	—	3	4	—	—
25	Congenital debility, &c.	M	67	64	—	1	—	1	1	—	—	33	33	—	—	—	—	—	—	—
		F	38	37	1	—	—	—	—	—	—	24	24	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	41	4	1	—	5	3	10	13	5	19	3	1	—	2	2	7	4	—
		F	29	2	1	2	1	1	7	3	12	9	3	1	—	3	—	—	—	2
27	Suicide	M	8	—	—	—	1	—	2	4	1	8	—	—	—	—	1	4	3	—
		F	3	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	315	44	5	4	7	4	27	62	162	135	24	3	—	1	2	4	37	64
		F	313	22	2	—	6	4	20	62	197	93	8	3	3	2	3	12	16	46
29	Causes ill-defined or unknown.	M	2	—	—	1	—	—	—	—	1	7	—	1	1	—	—	—	3	2
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Derby. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Dewsbury. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	881	133	23	34	40	23	87	259	282	406	64	12	9	13	6	54	114	134
		F	805	110	29	29	39	27	102	184	285	389	40	15	9	14	19	61	92	139
1	Enteric fever	M	3	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	1	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
4	Scarlet fever	M	2	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	2	—	—	—	—	1	—	—	1	—	—	—	—	—
5	Whooping cough ...	M	16	8	4	3	1	—	—	—	—	2	1	1	—	—	—	—	—	—
		F	17	7	7	2	1	—	—	—	—	3	—	1	2	—	—	—	—	—
6	Diphtheria and croup ...	M	8	—	1	1	4	1	1	—	—	1	—	—	1	—	—	—	—	—
		F	11	—	3	4	3	1	—	—	—	5	—	—	1	4	—	—	—	—
7	Influenza	M	13	2	—	—	—	—	2	5	4	11	—	—	—	—	—	3	4	4
		F	13	1	—	1	—	—	1	4	6	3	—	—	—	—	—	—	1	2
8	Erysipelas	M	4	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	69	—	1	2	3	5	27	26	5	19	—	—	1	1	1	11	5	—
		F	63	—	—	1	3	12	31	13	3	25	—	—	1	1	10	9	4	—
10	Tuberculous meningitis	M	8	1	2	—	4	1	—	—	—	2	1	1	—	—	—	—	—	—
		F	10	2	1	4	2	1	—	—	—	—	—	—	—	—	—	—	—	—
11	Other tuberculous diseases.	M	15	1	1	1	3	1	3	3	2	5	1	—	1	3	—	—	—	—
		F	10	1	1	1	3	2	2	—	—	3	—	—	—	1	2	—	—	—
12	Cancer, malignant disease	M	56	—	—	—	—	—	6	29	21	22	—	—	—	—	—	1	9	12
		F	80	—	—	—	—	—	7	46	27	35	—	—	—	—	—	5	15	15
13	Rheumatic fever ...	M	4	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	1	—	2	1	—	1	—	—	—	—	—	1	—	—
14	Meningitis	M	9	—	—	1	6	—	1	1	—	3	2	—	1	—	—	—	—	—
		F	7	2	1	2	—	—	1	1	—	1	—	—	—	1	—	—	—	—
15	Organic heart disease ...	M	82	—	—	—	1	4	8	39	30	49	—	—	—	2	—	6	24	17
		F	76	—	—	—	3	2	12	23	36	47	—	—	—	—	2	12	15	18
16	Bronchitis	M	95	5	2	4	1	—	1	26	56	45	9	2	—	—	—	4	9	21
		F	82	7	1	2	1	—	1	16	54	40	5	3	—	—	1	4	5	22
17	Pneumonia (all forms)	M	59	9	3	8	3	3	4	16	13	25	6	—	2	1	—	3	6	7
		F	55	18	5	4	6	—	5	13	4	22	2	2	2	2	—	4	3	7
18	Other respiratory diseases	M	18	1	3	1	1	—	3	6	3	6	—	—	1	—	—	1	1	3
		F	10	1	1	1	—	—	1	2	4	4	—	—	—	—	—	1	2	1
19	Diarrhœa, &c.	M	23	9	2	2	1	—	1	5	3	13	8	2	—	1	—	1	—	1
		F	12	5	3	—	—	—	—	—	4	8	2	2	—	1	—	—	—	3
20	Appendicitis and typhlitis	M	6	—	—	—	3	1	1	1	—	4	—	—	—	1	1	—	2	—
		F	2	—	—	—	1	1	—	—	—	2	—	—	—	—	—	1	1	—
21	Cirrhosis of liver ...	M	3	—	—	—	—	—	1	2	—	2	—	—	—	—	—	—	2	—
		F	8	—	—	—	—	—	1	6	1	—	—	—	—	—	—	—	—	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	34	—	—	—	—	—	3	15	16	21	—	—	—	—	—	7	10	4
		F	31	—	—	1	2	1	8	12	7	13	—	—	—	—	—	4	8	1
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	6	—	—	2	—	—	—	—	2	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	5	—	—	—	—	—	5	—	—
25	Congenital debility, &c.	M	68	67	1	—	—	—	—	—	—	22	21	—	—	1	—	—	—	—
		F	47	47	—	—	—	—	—	—	—	17	16	1	—	—	—	—	—	—
26	Violence, apart from suicide.	M	39	—	1	4	2	3	7	15	7	15	3	—	—	2	—	6	3	1
		F	30	—	1	5	5	—	3	2	14	7	—	—	1	1	—	1	—	4
27	Suicide	M	2	—	—	—	—	—	1	—	1	4	—	—	—	—	—	2	—	2
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—
28	Other defined diseases ...	M	242	25	2	7	4	4	13	67	120	133	12	6	1	1	4	9	38	62
		F	220	19	5	1	6	5	17	43	124	139	14	4	1	2	2	13	37	66
29	Causes ill-defined or unknown.	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	2	1	3	—	2	—	1	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Dudley. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Eastbourne. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	405	85	31	14	15	26	52	88	94	268	37	3	9	5	7	36	51	120
		F	375	69	22	21	22	17	45	52	127	306	35	6	5	8	8	42	76	126
1	Enteric fever	M	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	15	1	6	5	3	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	12	2	6	4	—	—	—	—	—	4	1	3	—	—	—	—	—	—
4	Scarlet fever	M	1	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—
		F	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—
7	Influenza	M	4	—	—	—	—	—	2	1	1	6	—	1	1	—	—	—	1	3
		F	11	—	—	1	2	1	2	2	3	11	—	—	—	1	—	2	3	5
8	Erysipelas	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1
9	Pulmonary tuberculosis	M	28	1	1	—	1	8	13	3	1	33	—	—	—	—	3	21	8	1
		F	21	—	—	1	1	6	11	2	—	21	1	—	—	—	4	10	5	1
10	Tuberculous meningitis	M	1	—	—	1	—	—	—	—	—	2	—	—	2	—	—	—	—	—
		F	3	—	—	—	3	—	—	—	—	1	1	—	—	—	—	—	—	—
11	Other tuberculous diseases.	M	8	—	2	1	—	3	1	1	—	3	—	1	—	2	—	—	—	—
		F	7	2	—	1	3	1	—	—	—	6	1	—	2	1	—	2	—	—
12	Cancer, malignant disease	M	21	—	—	—	—	—	4	11	6	24	—	—	—	—	—	1	9	14
		F	21	—	—	1	—	1	1	9	9	39	—	—	—	—	—	6	15	18
13	Rheumatic fever ...	M	3	—	—	—	3	—	—	—	—	1	—	—	—	—	1	—	—	—
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
14	Meningitis	M	3	1	—	—	1	—	1	—	—	3	—	1	—	—	—	—	1	1
		F	3	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
15	Organic heart disease ...	M	40	—	—	—	—	2	7	20	11	37	—	—	—	—	—	2	9	26
		F	45	—	—	—	—	5	5	7	28	29	—	—	—	—	1	3	10	15
16	Bronchitis	M	53	10	4	—	—	—	3	13	23	9	—	—	1	—	—	—	1	7
		F	39	8	5	1	—	—	1	6	18	18	—	—	1	—	—	1	4	12
17	Pneumonia (all forms)	M	28	5	7	2	—	2	2	7	3	14	6	—	1	—	—	—	3	4
		F	29	6	5	6	4	1	2	4	1	18	4	2	—	—	—	4	2	6
18	Other respiratory diseases	M	6	—	—	—	—	1	1	4	—	3	—	—	—	1	—	—	2	—
		F	4	—	—	—	—	—	2	1	1	10	—	—	—	—	—	2	4	4
19	Diarrhœa, &c.	M	18	9	5	1	1	—	—	2	—	9	7	—	—	—	—	—	1	1
		F	13	7	1	2	—	1	—	1	1	9	4	1	—	1	—	—	2	1
20	Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	1	1	—	—	—	4	—	—	—	—	1	1	2	—
21	Cirrhosis of liver ...	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	1
		F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	3	1
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	11	—	1	1	—	1	3	3	2	13	—	—	—	1	—	2	4	6
		F	12	1	1	1	—	—	2	3	4	11	—	—	—	1	—	1	5	4
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	2	—	—	—	—	—	2	—	—
25	Congenital debility, &c.	M	41	41	—	—	—	—	—	—	—	14	14	—	—	—	—	—	—	—
		F	31	30	—	—	—	—	1	—	—	14	14	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	16	—	2	2	2	3	5	1	1	7	—	—	1	—	1	3	1	1
		F	4	—	1	1	1	—	—	—	1	5	1	—	1	1	—	—	1	1
27	Suicide	M	3	—	—	—	—	—	3	—	—	3	—	—	—	—	—	1	—	2
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	99	17	2	—	4	4	6	21	45	77	7	—	—	1	2	5	9	53
		F	105	11	1	2	4	—	13	15	59	95	8	—	—	1	2	7	20	57
29	Causes ill-defined or unknown.	M	2	—	—	1	—	—	—	1	—	1	1	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	East Ham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Exeter. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	837	145	41	32	39	39	101	207	233	348	51	9	4	12	12	31	91	138
		F	767	100	27	37	44	41	100	158	260	513	36	11	9	15	20	54	112	256
1	Enteric fever	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	16	2	7	5	2	—	—	—	—	3	3	—	—	—	—	—	—	—
		F	15	2	6	6	1	—	—	—	—	5	—	3	1	—	—	1	—	—
4	Scarlet fever	M	3	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	3	1	—	—	—	4	—	1	1	1	1	—	—	—
5	Whooping cough ...	M	12	7	5	—	—	—	—	—	—	7	3	2	2	—	—	—	—	—
		F	10	4	1	3	2	—	—	—	—	6	3	—	1	2	—	—	—	—
6	Diphtheria and croup ...	M	19	—	2	6	10	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	16	—	2	7	7	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Influenza	M	12	—	—	—	—	—	1	7	4	6	—	—	—	—	—	—	3	3
		F	17	—	—	—	—	—	—	6	11	15	—	—	—	—	—	—	4	11
8	Erysipelas	M	3	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	95	1	—	—	1	20	39	32	2	36	—	—	—	3	4	11	15	3
		F	62	—	—	1	5	8	24	21	3	44	—	—	—	2	13	18	9	2
10	Tuberculous meningitis	M	13	1	3	5	4	—	—	—	—	2	—	1	—	1	—	—	—	—
		F	13	1	5	3	2	2	—	—	—	4	—	—	—	3	1	—	—	—
11	Other tuberculous diseases.	M	7	—	3	—	—	—	3	1	—	8	2	—	—	1	3	1	1	—
		F	10	—	1	2	6	—	—	—	1	3	1	—	—	—	—	—	2	—
12	Cancer, malignant disease	M	64	—	—	—	—	1	6	28	29	23	—	—	—	—	—	1	13	9
		F	72	—	—	1	—	1	7	29	34	61	—	—	—	—	1	5	28	27
13	Rheumatic fever ...	M	5	—	—	1	2	—	1	1	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—
14	Meningitis	M	6	2	—	1	2	—	—	1	—	1	—	—	—	—	—	—	1	—
		F	7	—	—	2	—	3	2	—	—	3	—	—	—	1	1	1	—	—
15	Organic heart disease ...	M	76	—	—	—	1	2	3	27	43	37	—	—	—	—	—	2	13	22
		F	71	—	—	—	1	1	12	24	33	69	—	—	—	1	—	4	21	43
16	Bronchitis	M	71	11	2	2	1	—	3	13	39	38	3	1	1	—	—	—	8	25
		F	61	6	1	1	—	—	1	12	40	58	1	1	1	—	—	1	6	48
17	Pneumonia (all forms)	M	72	12	10	4	3	3	8	21	11	31	2	4	—	1	3	3	7	11
		F	67	10	4	6	4	4	8	15	16	22	8	1	2	1	1	—	3	6
18	Other respiratory diseases	M	7	2	1	1	—	—	1	1	1	9	1	—	—	—	—	3	4	1
		F	7	—	1	1	1	—	2	—	2	13	1	—	—	—	—	—	3	9
19	Diarrhœa, &c.	M	33	25	3	—	—	—	1	1	3	12	10	1	1	—	—	—	—	—
		F	16	12	1	1	—	—	—	2	—	12	3	2	1	—	1	1	1	3
20	Appendicitis and typhlitis	M	2	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	—	1
		F	3	—	—	—	1	1	1	—	—	2	—	—	—	2	—	—	—	—
21	Cirrhosis of liver ...	M	4	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—	1	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	16	—	—	—	—	2	1	7	6	15	—	—	—	—	—	1	5	9
		F	16	—	—	—	1	1	5	5	4	19	—	—	—	1	—	4	3	11
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	1	7	1	—	—	—	—	—	—	—	—	—	—
25	Congenital debility, &c.	M	57	57	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—
		F	48	48	—	—	—	—	—	—	—	18	17	1	—	—	—	—	—	—
26	Violence, apart from suicide.	M	46	3	3	3	4	3	13	12	5	10	1	—	—	4	—	2	2	1
		F	19	2	1	—	3	2	4	3	4	6	—	—	—	—	—	2	3	1
27	Suicide	M	7	—	—	—	—	1	2	3	1	3	—	—	—	—	—	—	1	2
		F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	3	1	—
28	Other defined diseases ...	M	188	21	2	3	6	6	15	46	89	88	9	—	—	2	2	7	17	51
		F	212	15	3	3	7	14	22	38	110	141	2	2	2	1	1	12	27	94
29	Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Gateshead. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Gloucester. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1150	257	74	66	57	54	125	274	243	360	56	8	11	15	15	27	93	135
		F	975	194	72	49	70	50	119	186	235	375	28	6	15	13	15	40	103	155
1	Enteric fever	M	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	1	—	2	—	—	1	—	—	—	—	—	—	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	13	3	6	3	1	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	11	1	5	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	8	—	1	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	28	12	13	3	—	—	—	—	—	2	1	1	—	—	—	—	—	—
		F	23	11	6	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Diphtheria and croup ...	M	6	—	—	6	—	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	5	1	3	1	—	—	—	—	—	15	—	—	7	6	2	—	—	—
7	Influenza	M	9	—	—	—	1	—	1	4	3	6	—	—	—	—	—	—	4	2
		F	4	—	—	—	—	1	1	2	—	7	—	—	—	1	—	—	3	3
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	1
9	Pulmonary tuberculosis	M	106	1	1	1	5	19	43	30	6	24	—	—	—	1	10	7	6	—
		F	90	—	—	3	22	17	34	14	—	27	—	—	—	2	7	14	3	1
10	Tuberculous meningitis	M	10	1	—	7	2	—	—	—	—	3	—	2	—	1	—	—	—	—
		F	16	2	4	2	5	1	1	1	—	—	—	—	—	—	—	—	—	—
11	Other tuberculous diseases.	M	21	—	4	4	11	1	—	1	—	3	—	—	—	1	—	—	2	—
		F	27	5	3	2	10	2	3	—	2	2	—	—	—	—	—	1	1	—
12	Cancer, malignant disease	M	63	—	—	—	—	—	6	30	27	24	—	—	—	—	—	—	12	12
		F	63	—	—	—	—	2	12	30	19	42	—	—	—	—	—	3	20	19
13	Rheumatic fever ...	M	2	—	—	1	1	—	—	—	—	2	—	—	—	1	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
14	Meningitis	M	14	4	3	3	2	1	—	1	—	5	2	1	—	2	—	—	—	—
		F	14	1	3	3	3	3	—	1	—	2	—	1	—	1	—	—	—	—
15	Organic heart disease ...	M	93	—	—	—	1	4	11	50	27	56	—	—	—	2	1	5	19	29
		F	86	—	—	—	—	4	11	37	34	59	—	—	1	1	2	6	21	28
16	Bronchitis	M	86	24	6	8	1	—	4	22	21	44	7	—	1	—	—	—	6	30
		F	78	23	5	3	2	1	4	8	32	38	—	—	1	—	—	—	10	27
17	Pneumonia (all forms)	M	134	29	14	7	6	10	14	37	17	21	7	4	1	1	—	1	6	1
		F	81	24	12	10	6	3	8	12	6	18	7	2	2	—	—	2	3	2
18	Other respiratory diseases	M	14	—	—	—	1	1	3	5	4	4	—	—	1	—	—	1	2	—
		F	9	—	1	1	—	—	—	4	3	8	—	1	1	—	—	1	1	4
19	Diarrhœa, &c.	M	53	33	10	1	2	1	2	2	2	8	8	—	—	—	—	—	—	—
		F	42	19	16	—	1	1	—	—	5	6	4	—	1	—	—	—	—	1
20	Appendicitis and typhlitis	M	7	—	—	—	2	2	3	—	—	1	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—
21	Cirrhosis of liver ...	M	7	—	—	—	—	—	3	3	1	1	—	—	—	—	—	—	1	—
		F	3	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—	—	1
21A	Alcoholism	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—
22	Nephritis and Bright's disease.	M	26	1	2	1	1	3	1	8	9	14	—	—	—	—	1	—	8	5
		F	33	1	2	1	1	4	6	12	6	14	—	—	—	—	1	1	5	7
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	1	4	—	—	2	—	—	—	—	1	1	—	—
25	Congenital debility, &c.	M	95	94	—	1	—	—	—	—	—	23	23	—	—	—	—	—	—	—
		F	60	59	—	—	1	—	—	—	—	11	11	—	—	—	—	—	—	—
26	Violence, apart from suicide	M	52	—	—	8	7	2	16	16	3	14	1	—	4	1	2	3	1	2
		F	25	3	1	5	3	—	2	5	6	9	—	1	1	—	—	2	3	2
27	Suicide	M	6	—	—	—	—	—	2	3	1	4	—	—	—	—	—	1	3	—
		F	3	—	—	—	—	1	1	1	—	3	—	—	—	—	—	2	1	—
28	Other defined diseases ...	M	284	55	12	7	10	7	14	59	120	97	7	—	1	4	—	9	23	53
		F	276	43	9	9	9	6	22	56	122	105	6	1	1	1	2	5	30	59
29	Causes ill-defined or unknown.	M	9	—	2	—	1	1	2	1	2	2	—	—	1	—	—	—	—	1
		F	8	—	2	2	1	—	3	—	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Great Yarmouth.									Grimsby.								
			All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25 –	45—	65—
	All Causes	M	417	55	22	19	23	12	46	92	148	559	111	25	25	34	19	72	128	145
		F	401	43	12	14	19	21	42	69	181	481	75	19	21	27	20	78	100	141
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	12	2	5	3	2	—	—	—	—	19	7	4	8	—	—	—	—	—
		F	5	2	2	1	—	—	—	—	—	14	3	5	6	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
5	Whooping cough ...	M	9	2	5	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—
		F	12	6	3	3	—	—	—	—	—	2	2	—	—	—	—	—	—	—
6	Diphtheria and croup ...	M	7	—	—	2	4	—	—	1	—	5	—	1	1	3	—	—	—	—
		F	9	—	—	5	3	1	—	—	—	1	—	—	1	—	—	—	—	—
7	Influenza	M	7	—	—	—	1	—	—	3	3	7	1	—	—	1	—	1	3	1
		F	12	2	—	—	—	—	1	2	7	5	—	—	—	—	—	—	—	5
8	Erysipelas	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
9	Pulmonary tuberculosis	M	28	1	1	1	2	5	10	6	2	44	1	1	1	3	5	19	13	1
		F	39	—	—	—	4	11	16	6	2	47	—	—	2	5	9	26	5	—
10	Tuberculous meningitis	M	1	—	—	1	—	—	—	—	—	8	—	1	4	1	1	1	—	—
		F	2	—	2	—	—	—	—	—	—	9	2	2	3	2	—	—	—	—
11	Other tuberculous diseases.	M	18	4	2	1	3	3	2	2	1	11	1	2	—	4	3	1	—	—
		F	8	1	—	—	2	2	—	1	2	10	—	—	—	4	3	2	1	—
12	Cancer, malignant disease	M	29	—	—	—	—	—	3	9	17	39	—	—	—	1	1	1	17	19
		F	41	—	—	—	—	1	5	19	16	44	—	—	—	—	—	5	25	14
13	Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	1	1	—	—
14	Meningitis	M	3	1	—	2	—	—	—	—	—	5	—	—	2	2	—	—	1	—
		F	2	1	—	1	—	—	—	—	—	5	1	—	—	3	—	1	—	—
15	Organic heart disease ...	M	36	—	—	—	1	—	2	14	19	62	—	—	—	—	2	10	21	29
		F	29	—	—	1	1	2	3	4	18	53	—	—	—	1	1	9	17	25
16	Bronchitis	M	22	4	2	—	—	—	—	6	10	36	10	3	—	—	—	—	9	14
		F	27	1	—	1	—	—	—	2	23	42	11	1	—	—	—	3	5	22
17	Pneumonia (all forms)	M	20	6	3	2	—	—	2	5	2	43	10	7	2	3	1	8	6	6
		F	13	2	2	2	1	—	1	2	3	24	9	4	3	—	—	—	7	1
18	Other respiratory diseases	M	16	1	—	—	3	—	2	3	7	13	1	2	—	—	1	4	1	4
		F	14	—	—	—	—	—	3	2	9	1	—	—	—	—	—	—	—	1
19	Diarrhœa, &c.	M	8	6	—	—	—	—	—	1	1	13	10	—	1	—	—	—	1	1
		F	6	5	—	—	—	—	—	—	1	7	4	2	—	—	—	—	1	—
20	Appendicitis and typhlitis	M	2	—	—	—	2	—	—	—	—	3	—	—	1	2	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	3	—	—	—	2	1	—	—	—
21	Cirrhosis of liver ...	M	5	—	—	—	—	—	—	2	3	5	—	—	—	—	—	1	3	1
		F	1	—	—	—	—	—	—	1	—	2	—	—	—	1	—	—	1	—
21A	Alcoholism	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	8	—	—	—	—	—	2	5	1	12	—	—	—	1	—	1	6	4
		F	6	—	—	—	—	—	1	3	2	7	—	—	1	1	—	2	2	1
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	6	—	—	—	—	—	6	—	—
25	Congenital debility, &c.	M	19	18	—	1	—	—	—	—	—	50	50	—	—	—	—	—	—	—
		F	17	15	1	—	—	1	—	—	—	29	28	—	—	1	—	—	—	—
26	Violence, apart from suicide.	M	27	—	—	1	3	1	10	8	4	27	2	—	1	3	3	7	10	1
		F	11	1	1	—	4	2	—	—	3	11	1	—	1	4	1	3	1	—
27	Suicide	M	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	1	5	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—
28	Other defined diseases ...	M	136	10	4	3	1	2	12	26	78	147	18	2	4	8	2	17	32	64
		F	140	7	1	—	2	1	9	26	94	151	13	4	3	3	4	18	35	71
29	Causes ill-defined or unknown.	M	1	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2		1	—	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Halifax. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Hastings. All Ages.	0—	1—	2—	5—	15 —	25—	45—	65—
	All Causes	M	727	77	15	21	32	33	74	220	255	374	24	9	17	10	5	38	94	177
		F	744	67	16	16	19	31	89	167	339	514	23	10	6	15	15	49	127	269
1	Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	1	1	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	1	—	1	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—
		F	2	1	—	1	—	—	—	—	—	4	2	1	1	—	—	—	—	—
6	Diphtheria and croup ...	M	7	—	—	3	2	2	—	—	—	8	—	2	5	1	—	—	—	—
		F	8	1	—	3	4	—	—	—	—	7	—	2	1	4	—	—	—	—
7	Influenza	M	4	—	—	—	—	—	—	2	2	7	—	—	—	—	—	—	3	4
		F	8	—	—	—	—	—	—	1	7	19	—	—	1	—	—	1	—	17
8	Erysipelas	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	53	—	—	2	3	9	21	16	2	35	—	—	2	—	3	18	11	1
		F	38	1	—	—	1	13	16	1	6	40	—	1	1	5	6	18	6	3
10	Tuberculous meningitis	M	3	—	—	—	2	1	—	—	—	4	1	—	1	2	—	—	—	—
		F	3	—	1	1	1	—	—	—	—	2	—	2	—	—	—	—	—	—
11	Other tuberculous diseases.	M	20	3	1	1	6	7	—	2	—	7	—	1	3	1	—	1	1	—
		F	16	1	1	2	2	3	2	4	1	9	—	1	—	—	4	1	2	1
12	Cancer, malignant disease	M	44	—	—	—	1	—	—	30	13	41	—	—	—	—	—	4	20	17
		F	74	—	—	1	—	2	14	34	23	73	—	—	—	—	—	7	34	32
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1
		F	2	—	—	—	1	—	1	—	—	2	—	—	—	1	1	—	—	—
14	Meningitis	M	6	2	—	3	1	—	—	—	—	3	1	1	1	—	—	—	—	—
		F	7	—	3	1	2	—	—	1	—	2	—	—	—	—	1	1	—	—
15	Organic heart disease ...	M	76	—	—	—	1	3	4	35	33	42	—	—	—	—	—	2	16	24
		F	79	—	—	—	—	2	13	25	39	64	—	—	—	—	—	3	20	41
16	Bronchitis	M	70	5	—	—	—	—	—	19	46	8	1	1	—	—	—	—	—	6
		F	68	4	—	1	—	—	3	9	51	21	—	—	—	—	—	1	3	17
17	Pneumonia (all forms)	M	62	10	5	4	5	1	12	13	12	25	4	2	—	—	—	—	5	14
		F	54	7	9	2	3	3	8	8	14	33	—	1	1	—	—	—	7	24
18	Other respiratory diseases	M	10	1	1	3	2	1	1	1	—	11	2	—	1	—	—	2	1	5
		F	6	—	—	—	—	—	1	1	4	7	—	—	—	—	—	1	1	5
19	Diarrhœa, &c.	M	12	6	3	1	1	—	—	1	—	4	—	—	1	—	—	1	—	2
		F	16	9	—	1	1	—	1	—	4	4	1	—	—	—	—	—	1	2
20	Appendicitis and typhlitis	M	4	—	—	—	1	—	—	2	1	2	—	—	—	2	—	—	—	—
		F	6	—	—	1	1	2	1	—	1	4	—	—	—	—	1	—	2	1
21	Cirrhosis of liver ...	M	5	—	—	—	—	—	—	3	2	2	—	—	—	—	—	—	1	1
		F	2	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	1	1
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—
22	Nephritis and Bright's disease.	M	32	—	—	—	1	—	6	16	9	16	—	—	—	—	—	1	5	10
		F	23	—	—	—	1	1	5	9	7	19	1	—	—	—	1	3	5	9
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	6	—	—	2	—	—	—	—	—	2	—	—
25	Congenital debility, &c.	M	29	29	—	—	—	—	—	—	—	8	8	—	—	—	—	—	—	—
		F	30	30	—	—	—	—	—	—	—	10	10	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	26	2	1	1	3	3	10	2	4	5	—	—	—	1	—	—	2	2
		F	8	—	1	—	1	1	—	3	2	9	—	—	1	—	1	1	2	4
27	Suicide	M	11	—	—	—	—	—	2	8	1	5	—	—	—	—	—	1	1	3
		F	2	—	—	—	—	—	1	1	—	4	—	—	—	—	—	—	2	2
28	Other defined diseases ...	M	248	18	3	3	3	6	16	70	129	132	5	1	2	2	2	8	27	85
		F	280	13	—	2	1	4	14	68	178	172	9	1	—	4	—	10	38	110
29	Causes ill-defined or unknown.	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Huddersfield. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Ipswich. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	857	109	25	29	36	34	104	275	245	503	76	19	21	18	23	55	110	181
		F	820	88	30	29	31	37	102	200	303	523	57	16	12	20	25	67	95	231
1	Enteric fever	M	2	—	—	—	—	—	1	1	—	1	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	2	—	—	—	1	1	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	1	1	—	—	—	—	—	—	—	4	2	—	2	—	—	—	—	—
		F	2	1	—	1	—	—	—	—	—	3	1	1	—	1	—	—	—	—
4	Scarlet fever	M	1	—	—	—	1	—	—	—	—	2	—	—	2	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	14	7	4	3	—	—	—	—	—	8	4	2	1	1	—	—	—	—
		F	23	7	9	5	2	—	—	—	—	5	3	1	1	—	—	—	—	—
6	Diphtheria and croup ...	M	9	—	—	5	3	1	—	—	—	3	—	—	—	3	—	—	—	—
		F	8	—	1	1	6	—	—	—	—	5	—	—	—	5	—	—	—	—
7	Influenza	M	6	—	—	—	—	—	—	3	3	8	—	—	—	—	1	—	2	5
		F	5	—	—	—	—	1	1	2	1	8	—	—	—	—	1	—	1	6
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	55	—	—	—	2	10	19	24	—	49	1	—	1	1	13	15	15	3
		F	52	1	2	2	5	18	17	7	—	44	1	1	—	1	14	16	9	2
10	Tuberculous meningitis	M	8	—	3	3	2	—	—	—	—	9	1	4	1	2	—	1	—	—
		F	7	1	1	1	2	2	—	—	—	3	1	—	2	—	—	—	—	—
11	Other tuberculous diseases.	M	9	—	—	1	3	2	2	1	—	10	2	1	—	1	3	1	2	—
		F	10	1	1	1	—	5	—	2	—	8	2	—	3	2	—	—	1	—
12	Cancer, malignant disease	M	63	—	—	—	—	—	5	36	22	49	—	—	2	1	—	3	16	27
		F	78	—	—	—	—	—	14	36	28	51	—	—	—	—	—	7	18	26
13	Rheumatic fever ...	M	5	—	—	—	—	2	3	—	—	2	—	—	—	—	—	1	1	—
		F	2	—	—	—	—	1	—	1	—	1	—	—	—	1	—	—	—	—
14	Meningitis	M	4	—	—	1	2	1	—	—	—	9	2	—	4	2	1	—	—	—
		F	2	—	—	—	2	—	—	—	—	6	2	—	1	—	1	1	1	—
15	Organic heart disease ...	M	83	—	—	—	1	4	10	34	34	52	—	—	—	1	—	7	15	29
		F	109	—	—	1	—	—	14	41	53	65	—	—	—	2	1	11	19	32
16	Bronchitis	M	78	9	3	3	—	1	5	24	33	34	9	2	—	—	—	—	3	20
		F	88	7	4	—	—	—	3	14	60	47	2	4	2	—	—	—	4	35
17	Pneumonia (all forms)	M	88	16	8	7	5	4	19	20	9	39	4	2	4	1	1	5	7	15
		F	49	4	11	5	4	—	5	8	12	36	7	4	—	1	1	1	5	17
18	Other respiratory diseases	M	17	1	—	—	3	1	2	6	4	8	1	—	1	—	—	—	3	3
		F	12	1	—	2	—	—	—	4	5	4	—	—	—	—	—	2	—	2
19	Diarrhœa, &c.	M	21	7	—	1	2	2	3	5	1	9	5	1	—	1	—	—	—	2
		F	18	10	—	1	—	—	1	—	6	8	1	2	—	1	—	1	1	2
20	Appendicitis and typhlitis	M	5	—	—	—	2	1	1	1	—	3	—	—	—	—	—	2	—	1
		F	8	—	—	—	5	1	—	2	—	3	—	—	—	1	1	—	—	1
21	Cirrhosis of liver ...	M	12	—	—	—	—	—	1	10	1	3	—	—	—	—	—	—	3	—
		F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	2	—
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	39	—	—	—	1	—	8	17	13	10	1	—	—	—	—	2	7	—
		F	35	—	—	—	—	3	6	13	13	11	—	—	—	—	3	2	2	4
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	3	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	10	—	—	—	—	1	8	1	—	3	—	—	—	—	—	3	—	—
25	Congenital debility, &c.	M	42	40	2	—	—	—	—	—	—	27	27	—	—	—	—	—	—	—
		F	35	34	1	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	26	1	1	2	2	2	6	7	5	18	—	—	1	1	3	5	5	3
		F	11	—	—	2	1	1	1	3	3	16	3	—	2	1	1	1	4	4
27	Suicide	M	9	—	—	—	—	—	3	5	1	4	—	—	—	—	—	1	2	1
		F	5	—	—	—	—	—	1	3	1	1	—	—	—	—	—	—	—	1
28	Other defined diseases ...	M	256	27	4	3	7	3	16	78	118	131	17	7	2	1	1	10	25	68
		F	245	21	—	7	3	4	29	60	121	158	11	2	1	3	1	17	26	97
29	Causes ill-defined or unknown.	M	3	—	—	—	—	—	—	2	1	9	—	—	—	1	—	1	4	3
		F	2	—	—	—	—	—	—	2	—	6	—	1	—	—	—	1	2	2

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Kingston upon Hull.									Leeds.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	2,322	441	130	100	116	89	287	566	593	3,648	699	214	160	118	122	461	941	933
		F	1,970	324	116	96	104	89	232	423	586	3,301	515	180	125	122	165	427	736	1031
1	Enteric fever	M	13	—	—	2	2	1	4	2	2	5	—	—	—	—	1	2	2	—
		F	11	—	—	—	—	4	3	3	1	4	—	—	—	—	1	1	2	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	36	9	17	10	—	—	—	—	—	74	19	31	24	—	—	—	—	—
		F	26	8	7	8	3	—	—	—	—	76	22	28	18	8	—	—	—	—
4	Scarlet fever	M	4	1	—	1	1	—	—	1	—	15	—	3	9	2	1	—	—	—
		F	4	—	2	1	—	1	—	—	—	7	1	—	3	1	1	1	—	—
5	Whooping cough ...	M	21	9	7	3	2	—	—	—	—	25	8	12	4	1	—	—	—	—
		F	35	11	12	8	4	—	—	—	—	21	6	10	3	2	—	—	—	—
6	Diphtheria and croup ...	M	12	1	2	4	4	—	1	—	—	20	4	5	8	3	—	—	—	—
		F	12	—	2	2	8	—	—	—	—	19	3	3	2	11	—	—	—	—
7	Influenza	M	42	1	—	—	1	3	4	16	17	34	1	—	—	1	—	10	15	7
		F	32	—	—	—	—	2	5	10	15	34	2	—	—	1	1	5	12	13
8	Erysipelas	M	5	—	1	—	—	—	—	1	3	8	3	1	—	—	—	2	2	—
		F	3	1	—	—	—	—	—	—	2	6	1	—	—	—	—	1	2	2
9	Pulmonary tuberculosis	M	206	—	2	4	19	35	88	52	6	417	7	10	10	16	47	191	117	19
		F	162	—	4	3	17	42	75	18	3	284	7	5	7	12	86	124	38	5
10	Tuberculous meningitis	M	32	6	8	11	6	—	—	1	—	33	5	6	10	10	2	—	—	—
		F	21	4	6	5	4	2	—	—	—	47	11	10	8	12	4	1	1	—
11	Other tuberculous diseases.	M	37	4	6	9	7	3	5	3	—	103	21	17	15	21	9	13	5	2
		F	39	2	7	10	14	2	1	2	1	87	17	9	13	17	9	13	5	4
12	Cancer, malignant disease	M	124	—	—	1	1	1	7	63	51	203	—	—	1	1	2	23	95	81
		F	170	—	—	—	—	1	16	95	58	304	—	—	2	1	1	44	154	102
13	Rheumatic fever ...	M	4	—	—	—	2	—	1	1	—	11	—	—	—	2	1	1	7	—
		F	4	—	—	—	—	1	3	—	—	7	—	—	1	—	2	3	—	1
14	Meningitis	M	25	6	1	3	8	4	1	1	1	60	13	2	4	2	1	1	11	26
		F	22	3	2	6	10	1	—	—	—	47	5	2	4	6	—	1	3	26
15	Organic heart disease ...	M	236	—	1	—	8	6	20	109	92	329	—	—	1	6	6	36	155	125
		F	182	—	—	—	5	10	17	74	76	382	—	1	—	7	12	50	144	168
16	Bronchitis	M	193	38	10	—	—	—	6	51	88	321	63	29	7	4	1	10	88	119
		F	193	29	5	6	2	—	6	37	108	290	54	20	4	2	1	10	44	155
17	Pneumonia (all forms)	M	216	68	43	23	13	3	17	34	15	355	83	43	30	13	11	45	82	48
		F	179	55	37	25	7	3	12	22	18	246	44	50	33	9	10	19	43	38
18	Other respiratory diseases	M	42	4	4	2	2	2	4	10	14	75	5	3	3	—	1	6	20	37
		F	39	4	2	3	1	—	6	8	15	42	4	2	2	—	3	1	9	21
19	Diarrhœa, &c.	M	114	75	13	3	6	—	1	7	9	152	99	18	6	—	—	6	12	11
		F	83	51	14	4	2	—	2	2	8	133	90	10	3	1	—	5	3	21
20	Appendicitis and typhlitis	M	8	—	—	—	5	1	—	1	1	15	—	—	1	1	2	9	1	1
		F	5	—	—	1	2	—	2	—	—	6	—	1	—	3	—	2	—	—
21	Cirrhosis of liver ...	M	10	—	—	—	—	—	2	7	1	18	—	—	—	—	—	1	13	4
		F	5	—	—	—	—	—	—	4	1	7	—	—	—	—	—	1	5	1
21A	Alcoholism	M	4	—	—	—	—	—	2	2	—	4	—	—	—	—	—	1	3	—
		F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	1	2
22	Nephritis and Bright's disease.	M	52	—	—	2	4	3	8	14	21	113	1	—	3	2	1	14	49	43
		F	31	—	1	—	1	—	5	17	7	106	—	1	1	5	7	19	38	35
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	1	10	—	—	14	—	—	—	—	6	8	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	16	—	—	—	—	4	11	1	—	25	—	—	—	—	5	20	—	—
25	Congenital debility, &c.	M	131	130	1	—	—	—	—	—	—	204	200	1	—	1	1	1	—	—
		F	98	97	1	—	—	—	—	—	—	139	139	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	147	6	3	10	14	15	47	36	16	117	7	5	7	14	11	14	33	26
		F	50	5	1	3	9	3	9	7	13	107	15	5	5	13	2	17	23	27
27	Suicide	M	14	—	—	—	—	1	5	6	2	18	—	—	—	—	1	8	6	3
		F	4	—	—	—	—	—	2	1	1	8	—	—	—	—	1	5	1	1
28	Other defined diseases ...	M	588	82	10	11	10	11	64	147	253	909	159	23	17	18	23	67	221	381
		F	528	53	12	10	15	12	47	121	258	844	94	21	16	11	13	75	205	409
29	Causes ill-defined or unknown.	M	6	1	1	1	1	—	—	1	1	10	1	5	—	—	—	—	4	—
		F	4	1	1	1	—	—	—	—	1	6	—	2	—	—	—	1	3	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Leicester.									Lincoln.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,568	271	74	67	50	66	187	369	484	376	53	13	18	4	12	46	98	132
		F	1,527	221	68	57	43	72	188	343	535	378	42	14	12	17	10	44	79	160
1	Enteric fever	M	2	—	—	—	—	1	1	—	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	81	17	33	24	6	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	61	16	23	20	2	—	—	—	—	2	—	2	—	—	—	—	—	—
4	Scarlet fever	M	1	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	12	5	3	4	—	—	—	—	—	5	3	1	1	—	—	—	—	—
		F	26	9	11	5	1	—	—	—	—	11	5	2	4	—	—	—	—	—
6	Diphtheria and croup ...	M	8	2	1	2	3	—	—	—	—	3	—	—	1	—	—	1	1	—
		F	3	—	—	2	1	—	—	—	—	2	—	—	1	1	—	—	—	—
7	Influenza	M	11	1	—	—	—	—	4	5	1	7	—	—	—	—	—	1	5	1
		F	9	—	—	—	1	—	1	2	5	4	—	—	—	—	—	2	1	1
8	Erysipelas	M	6	1	—	—	—	—	—	5	—	2	—	—	—	—	—	2	—	—
		F	3	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	172	—	3	2	3	34	64	61	5	37	—	—	3	1	4	18	10	1
		F	154	—	2	1	7	41	74	26	3	23	—	—	—	6	4	7	3	3
10	Tuberculous meningitis	M	14	—	1	3	6	—	3	1	—	4	—	1	2	1	—	—	—	—
		F	14	—	3	4	6	1	—	—	—	2	1	—	—	1	—	—	—	—
11	Other tuberculous diseases.	M	21	6	1	2	4	3	2	2	1	6	1	1	—	—	2	1	—	1
		F	21	3	3	3	4	3	2	2	1	7	—	1	2	2	1	1	—	—
12	Cancer, malignant disease	M	104	—	—	1	1	1	7	53	41	26	—	—	—	—	—	1	10	15
		F	138	—	—	—	2	1	16	77	42	41	—	—	—	—	—	7	17	17
13	Rheumatic fever ...	M	6	—	—	—	1	—	1	4	—	2	—	—	—	—	—	—	2	—
		F	6	—	—	—	1	1	1	3	—	3	—	—	—	—	1	—	2	—
14	Meningitis	M	13	6	2	—	3	—	2	—	—	4	—	2	1	—	1	—	—	—
		F	11	3	—	1	3	—	3	1	—	2	—	—	1	—	—	—	1	—
15	Organic heart disease ...	M	135	—	—	—	2	7	12	59	55	52	—	—	—	—	—	4	23	25
		F	170	—	—	—	1	4	16	69	80	56	—	1	—	—	1	4	18	32
16	Bronchitis	M	174	29	6	3	—	—	5	28	103	32	3	2	1	—	—	2	6	18
		F	184	29	1	1	—	—	2	26	125	31	4	—	—	1	—	—	2	24
17	Pneumonia (all forms)	M	102	20	11	13	4	2	14	28	10	28	8	2	3	—	—	2	7	6
		F	79	12	13	12	2	2	5	13	20	8	1	3	—	1	—	—	2	1
18	Other respiratory diseases	M	26	3	2	2	1	—	3	5	10	4	1	—	1	—	—	—	1	1
		F	13	2	—	—	—	—	1	5	5	8	—	—	1	—	—	3	1	3
19	Diarrhœa, &c.	M	49	35	5	2	—	—	2	1	4	3	1	—	—	—	—	1	—	1
		F	43	23	4	3	2	—	1	2	8	3	1	—	—	—	—	—	2	—
20	Appendicitis and typhlitis	M	9	—	—	—	3	—	2	3	1	—	—	—	—	—	—	—	—	—
		F	13	—	—	—	4	3	3	1	2	—	—	—	—	—	—	—	—	—
21	Cirrhosis of liver ...	M	7	—	—	—	—	—	2	3	2	2	—	—	—	—	—	—	2	—
		F	7	—	—	—	—	—	1	3	3	2	—	—	—	—	—	1	1	—
21A	Alcoholism	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	44	—	—	—	2	4	6	17	15	7	—	1	—	—	—	2	1	3
		F	27	—	—	—	—	—	3	15	9	15	—	2	—	1	1	3	4	4
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	10	—	—	—	—	2	8	—	—	2	—	—	—	—	—	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	1	8	—	—	5	—	—	—	—	2	3	—	—
25	Congenital debility, &c.	M	92	92	—	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—
		F	70	69	—	—	—	—	1	—	—	22	22	—	—	—	—	—	—	—
26	Violence, apart from suicide	M	55	8	—	2	9	3	13	8	12	14	—	1	—	1	4	6	2	—
		F	41	10	1	—	2	1	—	6	21	9	1	2	1	2	—	1	—	2
27	Suicide	M	13	—	—	—	—	—	7	3	3	3	—	—	—	—	—	—	2	1
		F	5	—	—	—	—	1	3	1	—	2	—	—	—	—	—	—	1	1
28	Other defined diseases ...	M	406	46	5	6	2	10	36	80	221	109	12	2	4	1	1	4	26	59
		F	404	45	4	3	4	11	39	90	208	117	7	—	2	2	—	10	24	72
29	Causes ill-defined or unknown	M	4	—	1	—	—	—	—	3	—	1	—	—	1	—	—	—	—	—
		F	5	—	3	1	—	—	—	—	1	1	—	1	—	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Liverpool.									Manchester.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	7,339	1376	519	409	331	233	1004	1913	1554	5,650	964	355	289	227	208	796	1601	1210
		F	6,674	1057	470	379	328	302	827	1434	1877	5,375	773	295	280	237	274	719	1273	1524
1	Enteric fever	M	6	—	—	—	—	3	2	1	—	12	—	—	—	—	1	5	6	—
		F	6	—	—	—	—	2	3	1	—	11	—	—	—	1	3	3	2	2
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	134	33	50	45	6	—	—	—	—	87	21	39	24	2	1	—	—	—
		F	125	35	52	28	9	1	—	—	—	97	21	42	26	6	—	1	1	—
4	Scarlet fever	M	35	1	4	14	13	2	—	1	—	12	—	1	4	7	—	—	—	—
		F	31	2	1	18	7	2	1	—	—	21	1	4	12	2	2	—	—	—
5	Whooping cough ...	M	108	47	31	26	4	—	—	—	—	153	59	43	43	8	—	—	—	—
		F	127	41	48	32	6	—	—	—	—	151	50	54	43	4	—	—	—	—
6	Diphtheria and croup ...	M	77	2	14	31	29	1	—	—	—	34	3	6	14	10	1	—	—	—
		F	61	7	12	20	20	2	—	—	—	30	1	5	11	13	—	—	—	—
7	Influenza	M	119	2	—	—	2	4	18	47	46	70	6	1	2	2	3	9	30	17
		F	77	1	2	1	2	—	9	25	37	70	2	2	—	2	2	8	23	31
8	Erysipelas	M	11	2	—	—	—	—	1	1	7	11	1	—	—	1	—	1	6	2
		F	10	—	1	—	1	—	2	4	2	3	—	—	—	—	—	—	3	—
9	Pulmonary tuberculosis	M	754	4	11	10	32	78	345	250	24	745	3	8	8	30	88	312	261	35
		F	574	2	13	13	57	132	249	96	12	513	3	3	7	32	125	213	116	14
10	Tuberculous meningitis	M	87	18	19	24	19	3	2	2	—	64	8	15	22	15	2	1	1	—
		F	71	12	11	21	19	3	3	2	—	65	2	12	15	25	8	2	1	—
11	Other tuberculous diseases.	M	110	14	9	15	26	13	15	12	6	117	14	15	22	22	15	13	10	6
		F	77	5	9	13	19	15	12	3	1	83	9	10	12	22	13	11	4	2
12	Cancer, malignant disease	M	351	—	—	—	3	2	24	200	122	360	—	1	—	—	7	38	222	92
		F	461	—	—	1	1	2	63	240	154	445	2	—	1	3	2	72	232	133
13	Rheumatic fever ...	M	14	—	—	—	3	2	3	6	—	24	—	—	1	9	2	9	3	—
		F	31	—	—	2	8	9	5	5	2	17	—	—	—	3	4	8	1	1
14	Meningitis	M	58	19	5	18	9	2	4	1	—	41	6	9	9	9	4	1	2	1
		F	60	23	12	13	10	1	1	—	—	34	9	4	6	6	4	2	3	—
15	Organic heart disease ...	M	529	—	—	—	17	20	80	221	191	389	1	—	1	7	15	50	175	140
		F	574	—	1	1	20	23	78	202	249	483	1	—	1	18	19	84	189	171
16	Bronchitis	M	736	104	34	21	5	4	41	237	290	599	88	36	9	4	2	41	156	263
		F	766	81	39	15	5	4	36	197	389	633	75	20	15	4	3	29	157	330
17	Pneumonia (all forms)	M	958	148	152	104	45	32	142	235	100	538	122	82	62	21	18	68	114	51
		F	741	117	120	100	57	31	90	136	90	453	88	76	60	26	17	38	81	67
18	Other respiratory diseases	M	89	7	8	5	7	3	14	25	20	67	6	8	4	2	2	13	18	14
		F	78	4	4	8	6	1	9	25	21	47	2	1	2	2	—	4	17	19
19	Diarrhœa, &c.	M	398	228	89	24	11	3	7	19	17	214	122	39	11	2	—	6	16	18
		F	359	201	79	26	11	2	8	16	16	193	110	34	9	5	—	7	16	12
20	Appendicitis and typhlitis	M	24	—	—	1	5	3	8	6	1	32	—	—	1	10	5	8	7	1
		F	13	—	—	—	3	5	2	3	—	25	—	—	1	7	9	1	7	—
21	Cirrhosis of liver ...	M	35	—	—	1	—	—	7	20	7	27	—	—	—	—	—	5	15	7
		F	24	—	—	—	—	1	5	15	3	32	—	—	—	—	—	8	19	5
21A	Alcoholism	M	16	—	—	—	—	—	9	7	—	6	—	—	—	—	—	2	4	—
		F	3	—	—	—	—	—	—	1	2	6	—	—	—	—	—	1	4	1
22	Nephritis and Bright's disease.	M	211	1	4	2	11	7	39	94	53	188	1	2	2	9	7	31	93	43
		F	149	6	3	4	5	7	29	61	34	143	—	2	4	6	4	30	58	39
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	30	—	—	—	—	3	27	—	—	21	—	—	—	—	4	17	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	47	—	—	—	—	8	38	1	—	43	—	—	—	—	5	36	2	—
25	Congenital debility, &c.	M	442	440	—	—	1	—	1	—	—	278	274	1	2	—	—	1	—	—
		F	311	306	2	3	—	—	—	—	—	245	235	4	3	2	1	—	—	—
26	Violence, apart from suicide.	M	300	27	14	26	38	16	62	77	40	244	31	11	20	30	11	44	74	23
		F	187	19	12	27	29	5	18	32	45	180	35	6	22	30	10	11	27	39
27	Suicide	M	27	—	—	—	—	—	16	10	1	17	—	—	—	—	1	3	10	3
		F	14	—	—	—	—	2	5	7	—	9	—	—	—	—	—	4	4	1
28	Other defined diseases ...	M	1,645	278	51	38	45	34	163	414	622	1,306	197	33	28	27	23	134	372	192
		F	1,626	194	39	29	32	41	131	348	812	1,309	127	14	27	18	38	128	301	656
29	Causes ill-defined or unknown.	M	65	1	24	4	—	1	1	27	7	15	1	5	—	—	—	1	6	2
		F	41	1	10	4	1	—	3	14	8	13	—	2	3	—	1	1	5	1

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Middlesbrough.									Newcastle upon Tyne.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,139	236	78	91	45	42	153	287	207	2,417	516	153	87	95	94	306	636	530
		F	929	192	63	82	80	45	130	149	188	2,017	379	130	101	92	102	303	358	552
1	Enteric fever	M	5	—	—	—	—	1	1	3	—	6	—	—	—	2	2	2	—	—
		F	3	—	—	—	—	1	2	—	—	4	—	—	1	—	1	1	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	3	—	1	2	—	—	—	—	—	32	8	15	8	1	—	—	—	—
		F	6	1	2	2	1	—	—	—	—	37	10	15	10	2	—	—	—	—
4	Scarlet fever	M	7	—	1	4	2	—	—	—	—	11	1	2	5	3	—	—	—	—
		F	10	—	—	4	6	—	—	—	—	13	—	2	5	6	—	—	—	—
5	Whooping cough ...	M	15	3	4	8	—	—	—	—	—	36	17	12	6	1	—	—	—	—
		F	12	3	2	6	1	—	—	—	—	43	14	17	12	—	—	—	—	—
6	Diphtheria and croup ...	M	25	1	4	14	5	—	—	1	—	15	3	2	5	4	—	—	1	—
		F	25	—	3	10	12	—	—	—	—	14	1	2	8	3	—	—	—	—
7	Influenza	M	8	—	—	—	—	—	3	4	1	24	1	—	—	1	—	4	9	9
		F	6	—	—	—	—	—	1	3	2	13	—	—	—	—	—	1	3	9
8	Erysipelas	M	1	1	—	—	—	—	—	—	—	4	1	—	1	—	—	1	1	—
		F	2	1	—	—	—	—	—	1	—	3	1	—	—	—	—	—	2	—
9	Pulmonary tuberculosis	M	83	1	3	2	3	7	45	21	1	251	—	8	5	7	39	102	82	8
		F	80	—	—	4	12	19	33	11	1	172	—	2	5	15	35	92	19	4
10	Tuberculous meningitis	M	6	1	—	4	1	—	—	—	—	42	7	13	8	10	2	1	1	—
		F	11	—	1	5	4	—	1	—	—	31	6	9	7	7	—	2	—	—
11	Other tuberculous diseases.	M	12	—	2	4	4	1	1	—	—	38	4	5	6	6	7	5	3	2
		F	19	1	2	4	8	3	1	—	—	26	1	3	3	8	5	4	1	1
12	Cancer, malignant disease	M	42	—	—	—	—	—	2	29	11	145	—	—	—	1	1	12	82	49
		F	41	—	—	—	1	1	6	24	9	128	—	—	—	—	—	15	52	61
13	Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	14	—	—	—	2	1	3	8	—
		F	—	—	—	—	—	—	—	—	—	12	—	—	—	2	4	3	3	—
14	Meningitis	M	23	7	3	4	5	1	1	2	—	19	3	3	4	5	3	1	—	—
		F	17	1	2	4	6	3	—	1	—	30	9	3	4	7	4	2	—	1
15	Organic heart disease ...	M	82	—	—	—	3	—	11	28	40	227	—	—	—	3	4	36	106	78
		F	73	—	—	1	3	1	13	22	33	188	—	—	—	5	9	26	72	76
16	Bronchitis	M	90	22	7	4	—	—	4	24	29	179	33	7	8	2	1	11	48	69
		F	56	13	3	1	—	—	2	6	31	198	42	9	—	3	3	13	30	98
17	Pneumonia (all forms)	M	222	32	24	23	9	8	41	63	22	254	88	41	12	7	7	31	43	25
		F	144	24	24	21	8	2	21	27	17	155	44	25	19	7	7	26	16	11
18	Other respiratory diseases	M	15	—	3	3	1	—	3	3	2	42	1	—	—	2	2	8	17	12
		F	10	2	—	1	1	1	1	2	2	22	1	1	1	—	—	6	6	7
19	Diarrhœa, &c.	M	60	40	11	4	3	—	—	1	1	83	49	11	3	—	—	7	11	2
		F	61	43	7	3	3	1	1	1	2	57	29	9	4	—	—	7	2	6
20	Appendicitis and typhlitis	M	4	—	—	—	—	1	—	3	—	6	—	—	—	4	—	—	2	—
		F	1	—	—	—	—	1	—	—	—	8	—	—	—	1	4	2	—	1
21	Cirrhosis of liver ...	M	5	—	—	—	—	—	1	3	1	9	—	—	—	—	—	3	4	2
		F	1	—	—	—	—	—	1	—	—	10	—	—	—	—	—	2	5	3
21A	Alcoholism	M	2	—	—	—	—	—	1	—	1	4	—	—	—	—	—	1	3	—
		F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—
22	Nephritis and Bright's disease.	M	20	—	—	—	2	1	3	6	8	64	—	—	—	5	3	8	26	22
		F	23	1	1	1	—	1	5	9	5	68	1	2	—	4	4	14	23	20
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	1	3	—	—	12	—	—	—	—	4	8	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	—	9	—	—	23	—	—	—	—	5	18	—	—
25	Congenital debility, &c.	M	79	78	—	1	—	—	—	—	—	179	178	1	—	—	—	—	—	—
		F	74	73	—	—	1	—	—	—	—	138	137	—	1	—	—	—	—	—
26	Violence, apart from suicide.	M	60	2	1	4	4	15	13	14	7	100	4	3	5	13	10	21	28	16
		F	24	1	—	4	4	2	7	1	5	46	1	4	9	5	1	7	8	11
27	Suicide	M	3	—	—	—	—	—	1	2	—	14	—	—	—	—	1	6	5	2
		F	2	—	—	—	—	—	1	1	—	3	—	—	—	—	—	2	1	—
28	Other defined diseases ...	M	256	47	11	9	2	6	20	79	82	606	117	25	11	15	11	42	153	232
		F	203	28	7	10	9	8	21	39	81	552	82	23	11	16	16	49	113	242
29	Causes ill-defined or unknown.	M	10	1	3	1	1	1	1	1	1	13	1	5	—	1	—	1	3	2
		F	11	—	9	1	—	—	—	1	—	9	—	4	1	1	—	1	1	1

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Newport (Mon.).									Northampton.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	618	121	37	32	25	20	91	151	141	593	77	15	16	30	27	92	133	203
		F	546	92	42	31	42	34	69	108	128	563	50	9	22	27	34	77	123	221
1	Enteric fever	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	18	7	6	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	20	—	15	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	1	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
5	Whooping cough ...	M	11	4	3	3	1	—	—	—	—	5	3	1	—	1	—	—	—	—
		F	13	5	4	3	1	—	—	—	—	4	1	1	1	1	—	—	—	—
6	Diphtheria and croup ...	M	7	—	—	5	2	—	—	—	—	6	—	—	4	2	—	—	—	—
		F	7	—	2	2	2	1	—	—	—	11	1	1	4	5	—	—	—	—
7	Influenza	M	11	—	—	—	—	—	1	2	8	9	1	—	—	—	1	—	3	4
		F	10	1	—	2	—	—	1	1	5	10	—	—	—	—	1	1	4	4
8	Erysipelas	M	1	—	—	—	—	—	—	1	—	3	1	—	—	—	—	—	1	1
		F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	—	3
9	Pulmonary tuberculosis	M	48	—	—	—	1	8	25	11	3	75	—	—	—	—	10	44	20	1
		F	52	1	—	3	7	12	24	4	1	50	—	—	—	2	12	24	12	—
10	Tuberculous meningitis	M	7	—	—	2	2	1	2	—	—	3	—	—	—	3	—	—	—	—
		F	17	2	—	3	6	4	1	1	—	6	1	1	2	2	—	—	—	—
11	Other tuberculous diseases.	M	7	1	1	—	2	—	2	1	—	13	—	2	—	6	3	—	2	—
		F	11	3	1	—	3	3	1	—	—	9	—	—	1	2	2	3	1	—
12	Cancer, malignant disease	M	37	—	—	—	2	1	3	17	14	51	—	—	—	—	1	3	27	20
		F	42	—	—	1	—	—	10	22	9	61	—	—	—	—	1	5	28	27
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	1	—	—
		F	3	—	—	1	1	1	—	—	—	1	—	—	—	1	—	—	—	—
14	Meningitis	M	10	1	2	4	2	—	1	—	—	11	1	—	4	2	2	1	1	—
		F	4	—	1	—	2	1	—	—	—	6	—	—	3	1	1	1	—	—
15	Organic heart disease ...	M	58	—	—	—	—	1	6	30	21	72	1	—	—	3	—	11	23	34
		F	67	—	—	—	—	2	5	30	30	61	—	—	—	3	5	9	22	22
16	Bronchitis	M	52	6	1	1	1	—	1	18	24	43	5	1	1	1	1	2	5	27
		F	31	4	2	1	1	—	—	4	19	45	3	1	2	1	1	1	7	29
17	Pneumonia (all forms)	M	58	9	7	6	—	3	11	13	9	37	11	8	3	3	1	4	6	1
		F	35	8	6	5	4	—	5	3	4	31	7	3	3	3	—	5	7	3
18	Other respiratory diseases	M	12	5	1	—	1	—	3	1	1	12	—	1	1	2	—	2	5	1
		F	4	—	—	—	1	1	—	—	2	9	—	—	1	1	—	3	3	1
19	Diarrhœa, &c.	M	27	13	7	5	—	—	1	1	—	8	6	—	—	—	—	—	1	1
		F	13	7	3	1	—	1	—	1	—	15	4	1	2	—	—	—	3	5
20	Appendicitis and typhlitis	M	2	—	—	—	1	1	—	—	—	1	—	—	—	1	—	—	—	—
		F	4	—	—	—	2	—	—	2	—	1	—	—	—	—	1	—	—	—
21	Cirrhosis of liver ...	M	3	—	—	—	—	—	1	—	2	2	—	—	—	—	—	1	1	—
		F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—
21A	Alcoholism	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	21	—	—	—	1	—	4	8	8	17	—	—	1	2	—	2	5	7
		F	7	—	—	—	1	—	1	2	3	16	—	—	1	1	3	3	4	4
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	1	3	—	—	3	—	—	—	—	1	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	1	4	—	—	6	—	—	—	—	—	6	—	—
25	Congenital debility, &c.	M	42	41	1	—	—	—	—	—	—	34	33	1	—	—	—	—	—	—
		F	39	36	1	2	—	—	—	—	—	28	28	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	37	—	2	3	4	2	11	9	6	13	2	—	1	—	2	1	2	5
		F	11	1	2	1	4	—	1	—	2	9	2	—	—	1	—	—	—	6
27	Suicide	M	7	—	—	—	—	—	3	3	1	8	—	—	—	—	1	2	3	2
		F	1	—	—	—	—	1	—	—	—	3	—	—	—	—	1	—	1	1
28	Other defined diseases ...	M	137	34	6	—	2	3	13	35	44	163	12	1	1	3	4	17	26	99
		F	144	24	4	2	6	5	13	37	53	171	3	1	2	2	5	12	30	116
29	Causes ill-defined or unknown.	M	2	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Norwich. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Nottingham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	825	131	30	24	21	29	68	198	324	1,946	336	104	73	66	62	242	468	595
		F	951	113	25	23	36	49	105	183	417	1,844	256	83	60	63	85	220	411	666
1	Enteric fever	M	3	—	—	—	—	—	2	—	1	3	—	—	—	—	—	2	—	1
		F	—	—	—	—	—	—	—	—	—	5	—	—	—	1	2	1	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	31	8	14	6	3	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	30	5	14	10	1	—	—	—	—
4	Scarlet fever	M	1	—	—	—	1	—	—	—	—	3	—	—	1	—	2	—	—	—
		F	1	—	—	—	—	—	1	—	—	2	—	1	1	—	—	—	—	—
5	Whooping cough ...	M	3	—	1	1	1	—	—	—	—	6	2	2	2	—	—	—	—	—
		F	4	—	3	1	—	—	—	—	—	16	6	5	5	—	—	—	—	—
6	Diphtheria and croup ...	M	8	—	1	4	2	—	—	1	—	9	—	1	4	4	—	—	—	—
		F	7	—	1	4	2	—	—	—	—	7	—	1	3	2	1	—	—	—
7	Influenza	M	11	1	—	—	—	—	3	3	4	21	—	—	—	—	3	3	5	10
		F	25	—	—	—	—	—	2	5	18	16	1	—	—	1	—	1	3	10
8	Erysipelas	M	3	3	—	—	—	—	—	—	—	4	—	—	—	2	—	—	1	1
		F	3	1	—	—	1	—	—	—	1	4	3	—	—	1	—	—	—	—
9	Pulmonary tuberculosis	M	69	—	1	—	1	8	33	19	7	183	2	1	—	5	20	85	65	5
		F	86	1	—	1	9	27	31	16	1	140	2	2	1	6	35	64	25	5
10	Tuberculous meningitis	M	7	1	2	3	—	—	1	—	—	22	3	1	8	9	1	—	—	—
		F	11	1	2	—	6	2	—	—	—	18	1	2	3	9	2	—	1	—
11	Other tuberculous diseases.	M	17	5	3	2	1	2	2	2	—	22	4	3	4	5	2	3	1	—
		F	16	2	3	3	1	2	2	2	1	38	3	6	—	10	9	7	3	—
12	Cancer, malignant disease	M	78	—	—	—	1	—	2	40	35	122	1	—	—	—	4	14	51	52
		F	81	—	—	—	1	—	10	35	35	135	—	—	—	—	—	14	80	41
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	2	—	—	—
		F	4	—	—	—	—	1	2	1	—	9	—	—	1	1	3	3	1	—
14	Meningitis	M	4	1	—	—	1	—	1	1	—	22	5	2	7	5	1	2	—	—
		F	4	—	1	—	—	—	1	2	—	21	3	1	5	6	3	3	—	—
15	Organic heart disease ...	M	104	—	—	—	4	6	4	34	56	191	—	—	1	3	3	25	80	79
		F	116	—	—	—	—	6	11	37	62	217	—	1	—	3	3	21	80	109
16	Bronchitis	M	54	10	2	—	1	—	1	9	31	189	24	4	4	2	—	8	44	103
		F	94	10	5	—	—	—	1	5	73	168	13	5	1	2	—	4	30	113
17	Pneumonia (all forms)	M	38	12	8	4	—	1	1	7	5	189	51	38	17	6	1	10	38	28
		F	50	8	3	5	1	2	7	7	17	144	39	15	13	7	3	12	26	29
18	Other respiratory diseases	M	11	1	—	2	—	—	1	2	5	21	3	—	1	—	—	7	5	5
		F	6	—	—	—	—	1	—	2	3	23	3	—	3	—	—	2	5	10
19	Diarrhœa, &c.	M	29	19	4	3	1	—	—	—	2	92	54	16	1	2	—	4	6	9
		F	31	18	6	1	3	—	—	1	2	77	45	12	6	1	1	1	4	7
20	Appendicitis and typhlitis	M	3	—	—	—	1	2	—	—	—	5	—	—	1	2	1	1	—	—
		F	1	—	—	—	1	—	—	—	—	7	—	—	1	—	—	4	1	1
21	Cirrhosis of liver ...	M	7	—	—	—	—	—	2	4	1	14	—	—	—	—	—	2	9	3
		F	5	—	—	—	—	—	—	2	3	11	—	—	—	—	—	4	7	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	1	3	—
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—
22	Nephritis and Bright's disease.	M	17	—	—	—	—	1	1	9	6	52	—	1	—	—	2	10	20	19
		F	12	—	—	—	—	1	1	7	3	44	—	1	1	—	2	7	14	19
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	1	4	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	2	6	3	—	15	—	—	—	—	4	11	—	—
25	Congenital debility &c.	M	56	55	1	—	—	—	—	—	—	110	109	—	—	1	—	—	—	—
		F	56	56	—	—	—	—	—	—	—	94	92	2	—	—	—	—	—	—
26	Violence, apart from suicide.	M	22	1	—	1	2	3	1	8	6	69	4	4	8	8	7	9	16	13
		F	15	—	—	3	2	1	3	—	6	40	7	2	4	4	1	7	8	7
27	Suicide	M	8	—	—	—	—	—	3	5	—	11	—	—	—	—	2	5	2	2
		F	8	—	—	—	—	—	4	2	2	8	—	—	—	—	1	4	2	1
28	Other defined diseases ...	M	272	22	7	4	4	6	10	54	165	543	65	14	8	8	11	51	121	265
		F	302	16	1	5	8	4	22	56	190	544	33	10	2	8	14	46	118	313
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	5	1	3	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	5	—	3	—	—	—	—	1	1

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Oldham. All Ages.	Oldham. 0—	Oldham. 1—	Oldham. 2—	Oldham. 5—	Oldham. 15—	Oldham. 25—	Oldham. 45—	Oldham. 65—	Oxford. All Ages.	Oxford. 0—	Oxford. 1—	Oxford. 2—	Oxford. 5—	Oxford. 15—	Oxford. 25—	Oxford. 45—	Oxford. 65—
	All Causes	M	1,163	192	47	51	55	40	158	369	251	274	33	6	7	8	7	25	62	126
		F	1,139	139	45	34	62	59	168	333	299	337	26	6	8	5	10	26	69	187
1	Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	16	5	5	5	1	—	—	—	—	1	—	1	—	—	—	—	—	—
		F	11	1	8	1	—	1	—	—	—	1	1	—	—	—	—	—	—	—
4	Scarlet fever	M	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	24	10	9	5	—	—	—	—	—	3	2	—	1	—	—	—	—	—
		F	25	8	8	6	3	—	—	—	—	5	1	3	1	—	—	—	—	—
6	Diphtheria and croup ...	M	11	—	1	6	4	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	17	—	4	8	5	—	—	—	—	1	—	—	1	—	—	—	—	—
7	Influenza	M	14	—	—	—	1	2	3	4	4	6	1	—	—	—	—	—	3	2
		F	17	—	—	—	—	1	5	9	2	10	—	—	—	—	1	—	—	9
8	Erysipelas	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	118	1	1	1	3	13	43	51	5	24	—	—	—	1	3	12	8	—
		F	91	—	1	—	7	20	35	23	5	17	—	—	—	1	4	8	2	2
10	Tuberculous meningitis	M	13	1	—	3	7	2	—	—	—	3	1	—	1	1	—	—	—	—
		F	13	2	1	3	5	2	—	—	—	—	—	—	—	—	—	—	—	—
11	Other tuberculous diseases.	M	15	1	2	—	3	4	2	3	—	2	1	—	—	—	—	—	1	—
		F	14	1	1	1	4	4	2	1	—	6	—	1	2	—	—	1	2	—
12	Cancer, malignant disease	M	81	—	—	—	—	—	10	48	23	22	—	—	1	—	—	—	8	13
		F	104	1	—	—	—	1	11	70	21	56	—	—	—	—	—	2	23	31
13	Rheumatic fever ...	M	3	—	—	—	—	1	1	1	—	3	—	1	—	1	1	—	—	—
		F	6	—	—	—	—	2	2	2	—	1	—	—	—	—	1	—	—	—
14	Meningitis	M	10	1	—	4	4	—	—	1	—	2	—	1	—	1	—	—	—	—
		F	8	—	3	1	2	—	—	1	1	1	1	—	—	—	—	—	—	—
15	Organic heart disease ...	M	119	—	—	—	3	3	16	49	48	37	—	—	—	1	1	1	9	25
		F	164	—	—	—	3	5	24	65	67	51	—	—	1	—	1	1	10	38
16	Bronchitis	M	118	30	4	3	—	—	10	28	43	28	2	—	—	—	—	1	6	19
		F	103	18	2	1	1	1	6	30	44	37	3	—	—	—	—	1	2	31
17	Pneumonia (all forms)	M	77	14	5	7	7	2	15	19	8	16	4	—	1	—	—	2	2	7
		F	57	11	10	3	4	1	12	10	6	13	—	1	—	1	—	—	2	9
18	Other respiratory diseases	M	15	3	2	1	4	1	1	2	1	5	2	—	—	1	—	1	1	—
		F	13	2	—	1	3	1	2	4	—	3	—	—	2	—	—	—	1	—
19	Diarrhœa, &c.	M	42	26	6	1	3	—	4	1	1	8	4	2	1	—	—	—	1	—
		F	28	14	—	—	—	—	4	4	6	2	1	1	—	—	—	—	—	—
20	Appendicitis and typhlitis	M	8	—	—	—	2	1	1	3	1	—	—	—	—	—	—	—	—	—
		F	16	—	—	—	5	5	3	2	1	2	—	—	—	—	—	1	1	—
21	Cirrhosis of liver ...	M	12	—	—	—	—	—	2	9	1	3	—	—	—	—	—	1	1	1
		F	3	—	—	—	—	—	—	1	2	3	—	—	—	—	—	—	2	1
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease	M	48	—	—	1	1	2	7	28	9	9	—	—	—	—	—	—	6	3
		F	40	—	—	—	3	1	13	18	5	4	—	—	—	—	—	—	—	4
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	1	4	—	—	2	—	—	—	—	—	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	1	—	—	—	—	—	1	—	—
25	Congenital debility, &c.	M	62	61	—	1	—	—	—	—	—	12	11	—	—	1	—	—	—	—
		F	46	46	—	—	—	—	—	—	—	12	11	—	—	1	—	—	—	—
26	Violence, apart from suicide.	M	45	4	2	3	5	2	6	18	5	13	—	1	1	1	2	1	1	6
		F	25	2	3	2	8	2	1	3	4	9	—	—	1	1	1	1	4	1
27	Suicide	M	7	—	—	—	—	—	3	3	1	1	—	—	—	—	—	1	—	—
		F	4	—	—	—	—	—	1	2	1	1	—	—	—	—	—	—	—	1
28	Other defined diseases ...	M	258	30	7	9	4	6	30	84	88	75	5	—	—	—	—	5	15	50
		F	290	28	2	5	6	10	35	79	125	99	8	—	—	1	2	8	20	60
29	Causes ill-defined or unknown.	M	43	5	3	—	2	1	3	16	13	—	—	—	—	—	—	—	—	—
		F	30	5	2	1	2	1	3	7	9	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Plymouth.									Portsmouth.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,419	200	60	55	56	60	166	379	443	1,462	222	57	66	65	44	179	327	502
		F	1,545	199	56	50	69	71	217	323	560	1,478	199	32	60	70	63	175	333	546
1	Enteric fever	M	7	—	—	—	1	2	2	2	—	4	—	—	—	1	2	1	—	—
		F	1	—	—	—	—	—	1	—	—	6	—	—	—	2	3	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	32	7	16	7	2	—	—	—	—	7	1	1	4	—	1	—	—	—
		F	18	4	7	4	2	—	—	1	—	9	2	4	3	—	—	—	—	—
4	Scarlet fever	M	2	—	—	—	2	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	2	—	—	1	1	—	—	—	—	3	—	—	2	1	—	—	—	—
5	Whooping cough ...	M	8	5	3	—	—	—	—	—	—	22	8	8	3	3	—	—	—	—
		F	10	5	—	3	2	—	—	—	—	22	10	6	5	1	—	—	—	—
6	Diphtheria and croup ...	M	27	—	3	16	8	—	—	—	—	22	—	1	12	9	—	—	—	—
		F	23	2	1	8	11	—	1	—	—	32	—	1	10	20	—	1	—	—
7	Influenza	M	25	—	—	—	—	—	3	11	11	29	1	1	3	1	—	5	9	9
		F	33	1	—	—	—	3	1	9	19	19	—	—	1	—	1	2	7	8
8	Erysipelas	M	1	—	—	—	—	—	—	1	—	2	1	—	—	—	—	—	1	—
		F	4	1	—	—	—	—	1	—	2	4	1	—	—	—	—	—	2	1
9	Pulmonary tuberculosis	M	128	—	—	1	4	29	52	38	4	114	1	1	—	1	15	69	23	4
		F	134	2	1	3	11	38	57	20	2	92	—	—	1	3	24	39	24	1
10	Tuberculous meningitis	M	15	1	2	6	4	2	—	—	—	22	3	4	9	5	1	—	—	—
		F	17	4	1	1	8	2	1	—	—	21	8	1	4	6	2	—	—	—
11	Other tuberculous diseases.	M	30	12	3	3	3	2	5	2	—	26	1	3	6	4	2	8	2	—
		F	41	11	6	3	2	5	9	3	2	25	5	2	4	3	3	3	4	1
12	Cancer, malignant disease	M	100	—	—	—	—	1	8	50	41	93	—	—	—	—	—	3	45	45
		F	137	1	—	—	—	1	19	74	42	134	—	—	—	—	—	20	58	56
13	Rheumatic fever ...	M	3	—	—	—	2	1	—	—	—	11	—	—	—	6	2	2	1	—
		F	6	—	—	—	2	1	3	—	—	11	—	—	2	5	1	3	—	—
14	Meningitis	M	16	4	1	1	4	2	3	1	—	16	2	2	4	6	2	—	—	—
		F	12	2	1	5	2	—	2	—	—	16	2	4	2	5	1	1	1	—
15	Organic heart disease ...	M	161	—	—	1	4	1	15	81	59	185	—	—	—	2	2	17	61	103
		F	172	—	—	1	7	2	17	59	86	172	—	—	—	3	9	23	57	80
16	Bronchitis	M	121	17	3	1	1	2	6	32	59	139	30	16	3	1	—	4	27	58
		F	133	17	5	1	1	—	5	16	88	142	10	1	2	1	—	7	28	93
17	Pneumonia (all forms)	M	94	16	15	9	1	5	10	15	23	89	22	9	7	7	2	7	21	14
		F	73	12	15	7	3	2	8	6	20	69	13	3	11	6	3	5	17	11
18	Other respiratory diseases	M	36	5	1	4	—	1	4	15	6	17	—	1	1	—	—	5	5	5
		F	26	6	1	1	2	1	3	4	8	23	2	1	1	1	—	2	6	10
19	Diarrhœa, &c.	M	40	29	3	1	—	1	—	4	2	47	31	5	1	1	—	3	1	5
		F	38	18	5	3	3	—	4	3	2	46	29	2	4	—	—	4	2	5
20	Appendicitis and typhlitis	M	9	—	—	—	2	1	2	3	1	8	—	—	1	4	2	1	—	—
		F	9	—	—	1	1	2	3	2	—	5	—	—	—	3	1	—	1	—
21	Cirrhosis of liver ...	M	8	—	—	—	—	—	1	5	2	8	—	—	—	—	—	—	3	5
		F	8	—	—	—	—	—	1	5	2	9	—	—	—	—	—	3	4	2
21A	Alcoholism	M	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—
22	Nephritis and Bright's disease	M	43	—	—	—	—	—	9	16	18	45	1	—	—	1	3	4	15	21
		F	32	—	—	—	1	1	6	13	11	37	—	—	—	—	1	6	13	17
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	2	6	—	—	2	—	—	—	—	—	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	12	—	—	—	—	—	12	—	—	13	—	—	—	—	4	8	1	—
25	Congenital debility, &c.	M	61	60	—	—	1	—	—	—	—	80	79	—	1	—	—	—	—	—
		F	73	72	—	—	1	—	—	—	—	79	79	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	61	3	1	3	11	4	13	14	12	53	8	1	6	5	1	14	13	5
		F	39	2	—	2	3	2	7	10	13	28	9	1	2	1	1	3	4	7
27	Suicide	M	2	—	—	—	—	—	—	1	1	11	—	—	—	—	—	5	6	—
		F	7	—	—	—	—	—	2	4	1	3	—	—	—	—	—	2	1	—
28	Other defined diseases ...	M	386	41	9	2	5	6	31	88	204	408	32	4	4	8	9	29	94	228
		F	475	37	13	6	6	9	48	94	262	451	28	6	6	9	9	38	101	254
29	Causes ill-defined or unknown.	M	1	—	—	—	1	—	—	—	—	2	—	—	1	—	—	1	—	—
		F	2	2	—	—	—	—	—	—	—	3	1	—	—	—	—	1	1	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Preston. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Reading. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	867	147	48	38	49	26	93	230	236	615	90	22	14	16	21	70	147	235
		F	908	107	43	35	39	41	100	237	306	614	57	10	17	24	29	74	126	277
1	Enteric fever	M	8	—	—	—	3	1	3	1	—	6	—	—	—	—	1	3	2	—
		F	3	—	—	—	2	1	—	—	—	5	—	—	—	—	3	1	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	8	3	4	—	1	—	—	—	—	9	1	3	5	—	—	—	—	—
		F	6	1	5	—	—	—	—	—	—	6	2	2	2	—	—	—	—	—
4	Scarlet fever	M	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	1	3	2	2	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	5	—	4	1	—	—	—	—	—	5	1	3	1	—	—	—	—	—
		F	7	2	2	3	—	—	—	—	—	1	1	—	—	—	—	—	—	—
6	Diphtheria and croup ...	M	20	1	2	12	5	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	18	1	4	8	5	—	—	—	—	4	—	—	2	2	—	—	—	—
7	Influenza	M	19	2	—	1	—	1	3	8	4	10	—	—	—	1	—	1	3	5
		F	18	—	—	—	—	1	3	6	8	18	1	1	—	—	—	3	4	9
8	Erysipelas	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	67	—	1	1	2	9	19	27	8	45	1	—	1	3	9	19	10	2
		F	60	—	—	—	5	15	24	15	1	48	—	—	—	5	11	19	11	2
10	Tuberculous meningitis	M	14	3	2	5	3	—	1	—	—	6	4	—	1	1	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	5	—	—	1	1	2	1	—	—
11	Other tuberculous diseases.	M	18	7	—	2	4	1	2	2	—	5	1	1	—	1	1	—	1	—
		F	12	—	—	1	2	3	3	3	—	4	—	1	—	3	—	—	—	—
12	Cancer, malignant disease	M	51	—	—	—	—	—	2	27	22	59	—	—	—	—	—	2	30	27
		F	94	—	—	—	—	—	8	52	34	69	—	—	—	1	1	5	29	33
13	Rheumatic fever ...	M	5	—	—	1	1	1	1	1	—	2	—	—	—	2	—	—	—	—
		F	8	—	—	—	1	2	5	—	—	4	—	—	—	2	2	—	—	—
14	Meningitis	M	5	1	—	—	2	1	1	—	—	12	1	1	3	—	3	2	2	—
		F	6	1	1	1	1	1	—	1	—	7	—	—	3	1	2	1	—	—
15	Organic heart disease ...	M	104	—	1	—	1	2	13	40	47	83	—	—	—	—	—	6	26	51
		F	106	—	—	—	—	3	11	43	49	86	—	1	—	—	3	9	22	51
16	Bronchitis	M	68	10	5	—	1	—	3	17	32	45	4	1	—	—	—	3	7	30
		F	82	15	—	2	1	—	3	14	47	59	2	—	—	1	—	2	7	47
17	Pneumonia (all forms)	M	86	14	16	6	8	3	9	14	16	41	9	7	—	1	—	8	8	8
		F	87	10	18	11	6	2	6	18	16	25	4	4	5	1	—	3	3	5
18	Other respiratory diseases	M	14	1	1	2	—	—	4	2	4	3	1	—	—	—	—	—	—	2
		F	15	1	1	1	1	—	4	4	3	10	—	—	—	1	—	—	2	7
19	Diarrhœa, &c.	M	36	22	3	1	—	—	2	4	4	20	11	3	—	—	—	—	2	4
		F	33	19	4	2	—	1	—	1	6	25	12	—	1	—	—	2	2	8
20	Appendicitis and typhlitis	M	3	—	—	—	1	1	—	1	—	3	—	—	1	—	1	—	1	—
		F	3	—	—	1	1	—	—	1	—	5	—	—	—	3	1	—	1	—
21	Cirrhosis of liver ...	M	4	—	—	—	1	—	—	2	1	5	—	—	—	—	—	2	1	2
		F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	1	2
21A	Alcoholism	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
22	Nephritis and Bright's disease.	M	13	—	—	1	—	1	3	7	1	16	—	—	—	—	—	2	5	9
		F	14	—	—	—	2	1	3	3	5	17	—	—	—	—	—	3	3	11
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	4	—	—	—	—	—	4	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	1	—	—	—	—	—	1	—	—
25	Congenital debility, &c.	M	55	54	1	—	—	—	—	—	—	30	30	—	—	—	—	—	—	—
		F	31	31	—	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	28	1	2	—	7	2	5	9	2	18	2	—	—	5	2	1	4	4
		F	12	2	1	—	2	—	—	—	7	11	1	—	—	1	1	2	2	4
27	Suicide	M	5	—	—	—	—	—	1	2	2	7	—	—	—	—	—	4	3	—
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
28	Other defined diseases ...	M	211	26	5	3	7	3	18	59	90	182	24	2	1	1	4	17	42	91
		F	258	24	5	1	7	8	23	64	126	167	10	—	3	2	3	15	37	97
29	Causes ill-defined or unknown.	M	16	2	1	—	2	—	3	6	2	2	—	1	1	—	—	—	—	—
		F	17	—	1	1	—	—	2	9	4	5	1	1	—	—	—	2	—	1

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Rochdale. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Rotherham. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	732	84	34	39	30	31	85	224	205	560	137	31	21	29	24	67	134	117
		F	809	69	31	35	24	29	115	224	273	454	102	29	26	20	23	45	96	113
1	Enteric fever	M	2	—	—	—	—	—	1	1	—	2	—	—	—	—	2	—	—	—
		F	2	—	—	—	1	1	—	—	—	2	—	—	—	—	—	1	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	52	10	21	17	4	—	—	—	—	2	—	—	—	1	—	1	—	—
		F	38	5	13	16	4	—	—	—	—	3	—	3	—	—	—	—	—	—
4	Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
5	Whooping cough ...	M	2	—	1	1	—	—	—	—	—	5	3	1	1	—	—	—	—	—
		F	4	1	1	1	1	—	—	—	—	6	3	1	2	—	—	—	—	—
6	Diphtheria and croup ...	M	6	—	1	4	1	—	—	—	—	2	—	—	1	1	—	—	—	—
		F	6	—	2	—	3	1	—	—	—	1	1	—	—	—	—	—	—	—
7	Influenza	M	7	—	—	—	—	—	1	3	3	8	—	—	1	—	—	2	4	1
		F	8	—	—	—	—	—	2	3	3	2	—	—	—	1	—	—	1	—
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	72	—	1	—	1	8	29	28	5	35	—	—	—	2	4	14	13	2
		F	48	—	—	1	1	13	24	7	2	38	1	—	2	5	8	11	9	2
10	Tuberculous meningitis	M	5	—	1	2	—	2	—	—	—	8	2	5	1	—	—	—	—	—
		F	4	1	1	1	1	—	—	—	—	2	1	—	—	—	1	—	—	—
11	Other tuberculous diseases.	M	16	1	2	2	1	5	—	4	1	11	1	2	2	4	1	1	—	—
		F	11	1	—	2	2	1	1	2	2	12	4	—	—	2	2	2	2	—
12	Cancer, malignant disease	M	40	—	—	—	—	—	3	23	14	34	—	—	—	—	—	5	22	7
		F	75	—	—	—	—	1	8	40	26	30	—	—	1	—	—	3	17	9
13	Rheumatic fever ...	M	5	—	—	—	2	1	1	1	—	3	—	—	—	2	1	—	—	—
		F	2	—	—	—	—	—	2	—	—	6	—	1	—	1	1	—	2	1
14	Meningitis	M	1	—	—	—	1	—	—	—	—	6	3	1	1	1	—	—	—	—
		F	6	1	2	—	1	1	1	—	—	6	2	—	2	2	—	—	—	—
15	Organic heart disease ...	M	67	—	—	—	2	3	5	33	24	47	—	—	—	2	5	5	19	16
		F	104	—	—	2	2	3	11	49	37	32	—	—	—	—	3	2	8	19
16	Bronchitis	M	80	3	—	—	1	—	2	34	40	52	20	3	3	—	—	—	7	19
		F	89	5	4	—	1	1	6	26	46	42	14	1	4	1	—	—	4	18
17	Pneumonia (all forms)	M	46	7	6	4	2	2	4	10	11	68	19	7	3	3	2	12	13	9
		F	54	8	5	5	—	2	9	14	11	43	13	8	5	1	—	6	6	4
18	Other respiratory diseases	M	7	—	—	3	—	—	1	2	1	6	—	—	—	—	—	2	2	2
		F	8	—	—	1	—	—	1	3	3	3	—	1	1	—	—	1	—	—
19	Diarrhœa, &c.	M	13	7	1	—	—	—	2	—	3	14	6	5	—	1	—	1	1	—
		F	19	9	1	1	—	—	1	6	1	23	9	7	2	1	—	—	2	2
20	Appendicitis and typhlitis	M	9	—	—	—	3	2	3	1	—	3	—	—	1	1	1	—	—	—
		F	5	—	—	1	1	1	2	—	—	5	—	—	—	1	2	2	—	—
21	Cirrhosis of liver ...	M	4	—	—	—	—	—	3	1	—	2	—	—	—	—	—	1	1	—
		F	2	—	—	—	—	—	—	2	—	4	—	—	—	1	—	—	3	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	25	—	—	1	—	—	2	19	3	11	—	—	—	—	—	1	6	4
		F	21	—	—	1	—	—	4	9	7	16	—	1	—	1	1	1	8	4
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	3	—	—	—	—	1	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	12	—	—	—	—	—	12	—	—	2	—	—	—	—	—	2	—	—
25	Congenital debility, &c.	M	39	37	—	—	2	—	—	—	—	56	54	—	—	2	—	—	—	—
		F	23	22	—	1	—	—	—	—	—	38	38	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	26	—	—	2	3	3	9	3	6	44	2	2	3	7	6	9	9	6
		F	17	1	—	1	—	2	3	3	7	14	3	—	4	—	—	3	2	2
27	Suicide	M	4	—	—	—	—	—	—	4	—	3	—	—	—	—	1	2	—	—
		F	3	—	—	—	—	—	3	—	—	1	—	—	—	—	—	1	—	—
28	Other defined diseases ...	M	197	19	—	3	6	5	19	53	92	133	27	4	4	2	1	11	35	49
		F	233	15	2	1	5	2	22	59	127	115	13	6	2	2	4	8	28	52
29	Causes ill-defined or unknown.	M	6	—	—	—	—	—	—	4	2	5	—	1	—	—	—	—	2	2
		F	3	—	—	—	1	—	—	1	1	4	—	—	1	—	—	—	3	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	St. Helens.									Salford.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	804	154	63	60	42	39	103	192	151	1,758	38	103	83	81	65	243	460	385
		F	714	127	73	76	55	26	82	139	136	1,625	246	84	86	88	103	212	374	432
1	Enteric fever	M	1	—	—	—	—	—	—	1	—	6	—	—	1	1	1	1	2	—
		F	1	—	—	—	—	1	—	—	—	6	—	—	—	3	1	1	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	38	13	12	7	6	—	—	—	—
		F	2	—	1	1	—	—	—	—	—	30	5	13	7	5	—	—	—	—
4	Scarlet fever	M	12	2	2	5	3	—	—	—	—	11	—	—	6	4	—	—	1	—
		F	18	1	4	5	8	—	—	—	—	11	—	—	4	3	3	1	—	—
5	Whooping cough ...	M	16	6	6	4	—	—	—	—	—	14	3	8	2	1	—	—	—	—
		F	18	3	7	7	1	—	—	—	—	21	11	4	6	—	—	—	—	—
6	Diphtheria and croup	M	40	3	4	22	11	—	—	—	—	7	—	—	6	1	—	—	—	—
		F	45	1	7	21	16	—	—	—	—	12	—	3	3	6	—	—	—	—
7	Influenza	M	11	1	—	—	1	1	2	6	—	19	—	—	—	1	3	3	9	3
		F	12	—	—	1	—	—	3	4	4	23	1	1	—	—	1	2	7	11
8	Erysipelas	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—
9	Pulmonary tuberculosis	M	76	—	—	3	3	11	36	22	1	194	4	4	3	10	25	90	56	2
		F	51	—	—	2	7	10	24	8	—	144	—	—	4	16	42	55	23	4
10	Tuberculous meningitis	M	10	—	4	2	4	—	—	—	—	18	1	4	5	7	—	1	—	—
		F	8	3	3	—	2	—	—	—	—	22	3	5	8	3	3	—	—	—
11	Other tuberculous diseases.	M	9	3	2	1	1	1	1	—	—	37	12	6	6	6	4	1	1	1
		F	11	3	3	2	2	1	—	—	—	32	7	2	7	5	5	3	2	1
12	Cancer, malignant disease	M	41	—	—	—	—	—	5	24	12	104	—	—	1	—	—	10	58	35
		F	30	—	—	—	—	—	2	21	7	112	—	—	—	—	1	17	63	31
13	Rheumatic fever ...	M	1	—	—	—	—	1	—	—	—	8	—	1	—	3	—	3	1	—
		F	4	—	—	2	1	—	1	—	—	11	—	—	—	2	2	2	3	2
14	Meningitis	M	11	1	2	3	3	—	1	—	1	10	2	4	3	1	—	—	—	—
		F	8	3	1	2	1	1	—	—	—	17	5	—	3	6	1	1	1	—
15	Organic heart disease ...	M	68	—	—	—	—	1	7	38	22	120	1	—	—	2	3	16	56	42
		F	67	1	—	—	1	5	9	28	23	181	1	—	—	8	8	34	70	60
16	Bronchitis	M	66	6	6	2	—	—	3	23	26	204	31	6	6	2	—	10	68	81
		F	63	7	3	5	—	—	2	16	30	184	25	4	4	—	2	11	47	91
17	Pneumonia (all forms)	M	74	6	13	10	4	10	14	12	5	177	47	34	17	5	6	23	28	17
		F	76	14	23	17	2	2	8	6	4	143	42	22	20	9	4	13	19	14
18	Other respiratory diseases	M	16	2	3	2	1	—	1	4	3	26	2	—	1	2	—	3	9	9
		F	8	—	3	2	1	—	—	1	1	29	2	1	3	1	1	1	13	7
19	Diarrhœa, &c.	M	37	25	10	2	—	—	—	—	—	67	46	11	2	—	—	3	4	1
		F	27	16	7	1	—	—	—	3	—	53	29	10	4	—	—	1	3	6
20	Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	9	—	—	—	5	—	3	1	—
		F	2	—	—	—	1	—	1	—	—	8	—	—	—	4	—	4	—	—
21	Cirrhosis of liver ...	M	7	—	—	—	—	—	—	6	1	8	—	—	—	—	—	2	6	—
		F	—	—	—	—	—	—	—	—	—	10	—	—	—	—	—	1	6	3
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	14	—	1	—	—	1	1	3	8	62	—	—	—	2	1	12	31	16
		F	33	—	1	1	2	—	7	12	10	31	—	—	1	2	1	9	11	7
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	5	—	—	—	—	—	5	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	8	—	—	8	—	—	—	—	4	4	—	—
25	Congenital debility, &c.	M	64	64	—	—	—	—	—	—	—	111	109	1	1	—	—	—	—	—
		F	50	50	—	—	—	—	—	—	—	66	66	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	39	—	1	2	6	7	11	11	1	84	8	1	6	13	6	16	19	15
		F	12	—	—	3	4	1	2	1	1	51	7	4	5	6	3	3	13	10
27	Suicide	M	3	—	—	—	—	—	1	2	—	5	—	—	—	—	—	4	—	1
		F	2	—	—	—	—	1	1	—	—	4	—	—	—	—	2	—	2	—
28	Other defined diseases ...	M	181	35	9	2	4	6	19	36	70	404	59	11	10	8	14	37	106	159
		F	153	25	7	4	6	4	12	39	56	399	41	15	7	9	18	41	83	185
29	Causes ill-defined or unknown.	M	5	—	—	—	—	—	1	4	—	12	—	—	—	1	1	3	4	3
		F	4	—	3	—	—	—	1	—	—	9	1	—	—	—	1	3	4	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Sheffield. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Smethwick. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	3,870	739	241	212	161	152	508	995	862	442	90	19	20	15	17	59	108	114
		F	3,392	576	214	180	151	140	391	745	995	423	72	29	20	21	25	60	82	114
1	Enteric fever	M	7	—	—	—	—	1	1	3	2	1	—	—	—	—	—	1	—	—
		F	6	—	—	—	—	—	3	3	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	104	17	44	35	8	—	—	—	—	6	3	2	1	—	—	—	—	—
		F	91	11	38	38	4	—	—	—	—	1	—	—	1	—	—	—	—	—
4	Scarlet fever	M	11	—	2	7	2	—	—	—	—	2	—	—	—	2	—	—	—	—
		F	6	—	1	3	2	—	—	—	—	2	—	—	2	—	—	—	—	—
5	Whooping cough ...	M	54	25	17	9	3	—	—	—	—	9	6	—	3	—	—	—	—	—
		F	64	31	17	16	—	—	—	—	—	6	2	3	1	—	—	—	—	—
6	Diphtheria and croup ...	M	33	2	4	13	13	1	—	—	—	3	1	—	—	2	—	—	—	—
		F	35	1	3	17	14	—	—	—	—	2	—	—	—	1	1	—	—	—
7	Influenza	M	52	3	1	—	—	5	12	16	15	7	—	—	—	—	—	2	3	2
		F	36	2	—	—	1	2	3	14	14	5	—	—	—	—	—	1	2	2
8	Erysipelas	M	6	2	—	—	—	—	1	2	1	1	—	—	—	—	—	—	1	—
		F	5	2	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	425	2	3	10	12	49	155	170	24	54	—	—	—	1	11	27	13	2
		F	211	4	4	5	23	49	79	40	7	39	—	1	1	3	9	21	4	—
10	Tuberculous meningitis	M	50	10	5	15	13	2	5	—	—	2	1	—	1	—	—	—	—	—
		F	30	5	1	10	11	—	3	—	—	3	1	—	1	1	—	—	—	—
11	Other tuberculous diseases.	M	68	13	6	10	14	6	9	8	2	3	—	—	—	2	1	—	—	—
		F	44	5	6	9	10	7	6	1	—	5	1	—	—	1	2	—	1	—
12	Cancer, malignant disease	M	214	—	—	1	—	1	18	122	72	28	—	—	—	—	—	4	16	8
		F	287	—	—	2	1	2	33	151	98	38	—	—	1	—	1	5	20	11
13	Rheumatic fever ...	M	11	—	—	—	5	3	1	2	—	—	—	—	—	—	—	—	—	—
		F	17	—	—	—	5	4	5	2	1	2	—	—	1	—	—	1	—	—
14	Meningitis	M	29	8	4	9	6	2	—	—	—	7	3	1	—	1	—	1	1	—
		F	20	3	5	6	4	1	1	—	—	10	2	5	—	1	1	—	1	—
15	Organic heart disease ...	M	284	—	—	—	8	11	32	120	113	37	—	—	—	—	—	2	19	16
		F	344	—	—	—	9	5	49	129	152	48	—	—	—	3	2	8	16	19
16	Bronchitis	M	426	95	19	11	3	—	10	123	165	32	5	1	—	—	—	1	2	23
		F	355	73	22	11	2	3	6	57	181	28	7	2	—	—	—	2	2	15
17	Pneumonia (all forms)	M	481	110	77	44	17	19	80	85	49	43	11	7	8	1	—	3	6	7
		F	338	76	59	28	18	17	37	43	60	44	15	7	6	2	1	1	2	10
18	Other respiratory diseases	M	47	7	2	3	2	1	7	18	7	10	2	—	2	1	—	—	2	3
		F	30	5	3	1	2	2	5	4	8	4	—	—	—	1	—	1	1	1
19	Diarrhœa, &c.	M	132	74	22	11	1	5	9	3	7	20	12	4	1	—	—	—	1	2
		F	113	67	20	7	2	—	4	3	10	15	4	8	1	1	—	—	—	1
20	Appendicitis and typhlitis	M	15	—	—	—	2	2	3	6	2	5	—	—	—	1	1	1	2	—
		F	11	—	—	1	3	4	1	2	—	2	—	—	—	2	—	—	—	—
21	Cirrhosis of liver ...	M	20	—	—	—	—	—	4	14	2	3	—	—	—	—	—	—	2	1
		F	18	—	—	—	—	1	4	10	3	3	—	—	—	—	—	—	1	2
21A	Alcoholism	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	2	—
22	Nephritis and Bright's disease.	M	117	1	—	2	6	6	24	52	26	20	—	—	—	1	1	2	9	7
		F	93	—	2	1	2	—	19	48	21	9	—	—	1	—	2	2	2	2
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	24	—	—	—	—	6	18	—	—	3	—	—	—	—	2	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	32	—	—	—	—	10	21	1	—	2	—	—	—	—	1	1	—	—
25	Congenital debility, &c.	M	248	243	—	4	—	1	—	—	—	33	33	—	—	—	—	—	—	—
		F	177	174	2	—	—	1	—	—	—	29	29	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	168	15	4	13	19	19	37	36	25	19	4	1	3	2	—	1	5	3
		F	100	11	5	10	21	5	18	16	14	12	2	1	2	2	1	1	1	2
27	Suicide	M	19	—	—	—	—	—	7	10	2	2	—	—	—	—	—	1	1	—
		F	8	—	—	—	—	2	3	3	—	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	845	112	29	15	27	18	92	204	348	93	9	2	—	1	3	13	25	40
		F	888	106	22	14	17	18	72	217	422	108	9	2	2	3	2	14	27	49
29	Causes ill-defined or unknown.	M	3	—	2	—	—	—	—	1	—	2	—	1	1	—	—	—	—	—
		F	8	—	4	1	—	—	—	1	2	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Southampton.									Southend on Sea.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	833	127	27	32	25	18	108	217	279	427	58	3	10	13	14	56	116	157
		F	852	112	16	25	23	36	104	193	343	428	24	5	10	14	15	67	105	188
1	Enteric fever	M	3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	6	—	4	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	3	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	3	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	1	1	—	—	—	1	—	—	—	1	—	—	—	—
5	Whooping cough ...	M	18	10	1	7	—	—	—	—	—	5	3	—	2	—	—	—	—	—
		F	9	3	3	3	—	—	—	—	—	5	3	1	—	1	—	—	—	—
6	Diphtheria and croup ...	M	8	—	—	3	5	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	9	—	1	2	6	—	—	—	—	2	—	1	—	1	—	—	—	—
7	Influenza	M	14	1	—	—	—	1	1	4	7	6	—	—	—	—	—	2	1	3
		F	22	1	—	1	—	—	1	5	14	5	—	—	—	—	—	—	1	4
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
9	Pulmonary tuberculosis	M	84	—	—	—	1	4	40	32	7	59	—	—	—	1	8	37	13	—
		F	77	—	—	1	2	20	33	18	3	43	—	—	—	—	6	26	8	3
10	Tuberculous meningitis	M	4	—	—	2	1	—	—	1	—	5	—	2	2	1	—	—	—	—
		F	2	1	—	—	—	—	—	1	—	8	2	1	3	1	—	1	—	—
11	Other tuberculous diseases.	M	13	2	2	1	2	1	2	2	1	4	—	—	—	—	—	—	3	1
		F	12	2	—	3	1	3	2	1	—	7	—	—	1	—	3	2	1	—
12	Cancer, malignant disease	M	63	—	—	—	—	—	3	32	28	52	—	—	—	—	—	1	22	29
		F	80	—	—	—	—	—	15	36	29	42	—	—	—	—	—	5	17	20
13	Rheumatic fever ...	M	2	—	—	—	—	—	1	1	—	3	—	—	—	1	1	1	—	—
		F	4	—	—	—	—	—	1	2	1	2	—	—	—	1	—	—	1	—
14	Meningitis	M	9	3	3	—	1	—	1	1	—	2	—	—	—	2	—	—	—	—
		F	7	—	2	2	—	1	—	2	—	3	—	—	1	1	1	—	—	—
15	Organic heart disease ...	M	79	—	—	1	—	—	7	33	38	37	—	—	—	1	—	2	14	20
		F	110	—	1	—	4	3	10	26	66	55	—	—	—	—	2	11	17	25
16	Bronchitis	M	78	12	3	4	—	—	6	10	43	24	2	—	—	—	—	—	7	15
		F	94	10	2	1	—	—	1	13	67	41	—	—	1	—	—	—	9	31
17	Pneumonia (all forms)	M	44	10	7	2	1	2	2	12	8	21	6	—	3	—	—	4	6	2
		F	42	7	4	4	3	1	8	8	7	15	1	1	2	1	—	2	6	2
18	Other respiratory diseases	M	13	1	—	1	—	—	1	5	5	4	1	—	—	—	—	1	1	1
		F	17	—	—	—	1	—	—	5	11	7	1	—	—	—	—	2	1	3
19	Diarrhœa, &c.	M	21	12	5	—	—	—	2	1	1	6	3	—	—	1	—	—	2	—
		F	33	18	1	1	2	—	1	5	5	3	1	—	—	—	—	1	1	—
20	Appendicitis and typhlitis	M	9	—	—	—	1	3	2	3	—	2	—	—	—	—	1	1	—	—
		F	1	—	—	—	—	—	—	1	—	2	—	—	1	1	—	—	—	—
21	Cirrhosis of liver ...	M	6	—	—	—	—	—	1	4	1	5	—	—	—	—	—	—	3	2
		F	10	—	—	—	—	—	—	6	4	2	—	—	—	—	—	—	1	1
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	35	—	—	—	—	1	3	18	13	18	—	—	1	1	—	—	8	8
		F	27	—	—	—	1	—	2	14	10	15	—	—	—	—	—	1	6	8
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	5	—	—	1	—	—	—	—	—	1	—	—
25	Congenital debility, &c.	M	53	53	—	—	—	—	—	—	—	27	27	—	—	—	—	—	—	—
		F	53	53	—	—	—	—	—	—	—	10	10	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	25	—	—	6	4	1	2	7	5	9	1	—	1	2	1	—	4	—
		F	12	—	—	2	—	2	1	1	6	6	—	1	—	2	—	—	2	1
27	Suicide	M	2	—	—	—	—	—	—	2	—	4	—	—	—	—	—	2	1	1
		F	4	—	—	—	—	—	4	—	—	3	—	—	—	—	1	1	1	—
28	Other defined diseases ...	M	237	22	2	3	7	4	31	48	120	129	14	1	1	2	3	5	28	75
		F	209	17	1	4	—	4	16	47	120	146	6	—	1	4	2	13	31	89
29	Causes ill-defined or unknown.	M	4	1	—	—	—	1	—	—	2	1	—	—	—	—	—	—	1	—
		F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	1

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Southport.									South Shields.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	465	51	18	15	14	11	39	122	195	997	226	56	49	49	49	125	239	204
		F	523	36	9	8	16	8	57	122	267	853	144	57	57	43	59	111	164	218
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
3	Measles	M	13	1	6	5	1	—	—	—	—	4	1	1	2	—	—	—	—	—
		F	10	2	4	2	2	—	—	—	—	5	1	3	1	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	6	—	1	2	3	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	3	—	1	1	1	—	—	—	—
5	Whooping cough ...	M	—	—	—	—	—	—	—	—	—	9	6	2	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	11	5	3	3	—	—	—	—	—
6	Diphtheria and croup ...	M	7	—	—	3	4	—	—	—	—	1	—	1	—	—	—	—	—	—
		F	7	—	—	1	6	—	—	—	—	10	2	—	6	2	—	—	—	—
7	Influenza	M	12	—	—	—	—	—	1	2	9	8	—	—	—	—	1	1	4	2
		F	13	—	—	—	—	—	—	4	9	11	—	—	—	—	1	4	4	2
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	23	—	—	—	—	5	10	7	1	98	1	—	5	7	18	38	28	1
		F	32	—	—	—	3	4	12	11	2	96	1	1	2	10	30	39	11	2
10	Tuberculous meningitis	M	2	1	—	1	—	—	—	—	—	9	1	1	3	4	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	11	2	1	1	5	2	—	—	—
11	Other tuberculous diseases.	M	3	—	—	—	2	—	—	1	—	27	2	5	6	5	6	2	—	1
		F	6	1	—	—	1	—	3	1	—	24	1	4	6	5	4	3	1	—
12	Cancer, malignant disease	M	46	—	—	—	—	—	—	24	22	37	—	—	—	—	—	5	22	10
		F	60	—	—	—	—	—	5	23	32	64	—	—	—	—	1	6	36	21
13	Rheumatic fever ...	M	3	—	—	—	—	—	—	3	—	7	—	—	—	1	1	2	3	—
		F	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
14	Meningitis	M	4	1	2	1	—	—	—	—	—	8	—	1	3	2	2	—	—	—
		F	5	1	1	3	—	—	—	—	—	3	—	—	3	—	—	—	—	—
15	Organic heart disease ...	M	42	—	—	—	—	—	3	18	21	103	—	—	—	3	2	10	54	34
		F	70	—	—	—	—	1	3	19	47	68	—	—	—	2	5	9	25	27
16	Bronchitis	M	25	1	—	—	—	—	—	7	17	116	39	16	7	1	1	4	22	26
		F	27	2	1	1	—	—	—	3	20	103	29	15	5	2	2	4	8	38
17	Pneumonia (all forms)	M	42	5	5	3	3	2	5	9	10	82	26	13	8	1	3	8	13	10
		F	41	4	2	1	—	—	6	11	17	76	21	13	19	7	1	2	3	10
18	Other respiratory diseases	M	8	—	—	—	—	—	—	2	6	7	—	—	1	—	—	—	2	4
		F	10	2	1	—	—	—	—	3	4	9	1	—	2	—	—	1	5	—
19	Diarrhœa, &c	M	13	6	2	1	—	—	2	1	1	38	26	5	3	1	—	1	1	1
		F	6	2	—	—	—	—	—	2	2	14	7	3	1	—	—	1	—	2
20	Appendicitis and typhlitis	M	3	—	—	—	2	—	—	—	1	3	—	—	—	1	—	2	—	—
		F	3	—	—	—	—	—	—	2	1	2	—	—	—	—	—	—	2	—
21	Cirrhosis of liver ...	M	5	—	—	—	—	—	—	3	2	7	—	—	—	—	—	—	5	2
		F	2	—	—	—	—	—	—	1	1	2	—	—	—	—	—	1	1	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	21	—	—	—	—	—	1	6	14	30	1	—	2	3	1	7	12	4
		F	13	—	—	—	—	1	—	3	9	26	—	3	2	2	1	6	8	4
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	5	—	—	—	—	1	4	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	1	7	—	—	10	—	—	—	—	2	8	—	—
25	Congenital debility, &c.	M	21	20	—	—	—	—	1	—	—	84	83	1	—	—	—	—	—	—
		F	15	15	—	—	—	—	—	—	—	50	49	—	1	—	—	—	—	—
26	Violence, apart from suicide.	M	12	1	—	1	1	—	3	4	2	64	2	1	3	5	10	20	16	7
		F	3	—	—	—	—	—	—	2	1	18	1	—	3	1	—	3	3	7
27	Suicide	M	7	—	—	—	—	—	2	3	2	5	—	—	—	—	—	2	3	—
		F	3	—	—	—	—	—	1	2	—	3	—	—	—	—	1	1	1	—
28	Other defined diseases ...	M	149	15	3	—	—	3	11	30	87	234	38	8	3	11	4	23	48	99
		F	179	7	—	—	1	1	18	33	119	220	23	9	1	5	7	18	54	103
29	Causes ill-defined or unknown.	M	4	—	—	—	1	1	—	2	—	8	—	—	—	—	—	—	6	2
		F	5	—	—	—	—	—	1	2	2	6	—	1	—	1	—	—	2	2

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Stockport.									Stoke upon Trent.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	881	161	60	47	29	16	87	252	229	1,945	395	127	153	110	57	196	488	419
		F	908	107	46	40	32	35	131	207	310	1,751	331	125	106	96	77	216	374	426
1	Enteric fever	M	2	—	—	—	—	—	2	—	—	6	—	—	—	1	1	1	3	—
		F	5	—	—	1	1	—	1	2	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	47	7	19	19	2	—	—	—	—	64	9	27	21	6	1	—	—	—
		F	31	4	10	15	2	—	—	—	—	47	13	18	13	3	—	—	—	—
4	Scarlet fever	M	4	—	—	4	—	—	—	—	—	10	1	1	4	4	—	—	—	—
		F	6	—	1	2	2	1	—	—	—	13	—	1	9	3	—	—	—	—
5	Whooping cough ...	M	11	6	3	2	—	—	—	—	—	13	7	3	3	—	—	—	—	—
		F	13	4	5	3	1	—	—	—	—	23	10	9	4	—	—	—	—	—
6	Diphtheria and croup ...	M	5	1	—	3	1	—	—	—	—	52	—	7	30	13	1	1	—	—
		F	6	—	1	3	2	—	—	—	—	55	2	8	20	22	1	1	1	—
7	Influenza	M	11	1	—	—	1	—	5	1	3	19	—	—	—	1	1	—	9	8
		F	11	—	—	—	—	1	1	4	5	26	—	1	—	—	2	3	8	12
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—	1	—	2
		F	1	—	—	—	1	—	—	—	—	3	—	—	—	—	—	—	2	1
9	Pulmonary tuberculosis	M	72	—	1	—	1	6	24	38	2	183	1	1	7	17	15	67	69	6
		F	65	—	—	2	1	12	37	13	—	152	1	1	3	12	34	62	35	4
10	Tuberculous meningitis	M	4	—	1	3	—	—	—	—	—	24	3	7	10	4	—	—	—	—
		F	8	—	—	4	3	1	—	—	—	22	6	6	2	5	2	1	—	—
11	Other tuberculous diseases.	M	10	2	2	—	2	1	2	1	—	45	4	5	14	4	7	5	5	1
		F	13	—	5	—	2	2	2	2	—	36	9	4	7	6	2	6	—	2
12	Cancer, malignant disease	M	63	—	—	—	—	—	5	31	27	74	—	—	—	1	—	7	44	22
		F	75	—	—	—	—	—	14	36	25	125	—	—	—	—	1	15	66	43
13	Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	6	—	—	—	5	—	1	—	—
		F	6	—	—	—	1	3	2	—	—	6	—	—	—	2	3	1	—	—
14	Meningitis	M	3	1	1	1	—	—	—	—	—	16	5	5	5	1	—	—	—	—
		F	3	—	1	1	1	—	—	—	—	13	4	—	3	4	1	1	—	—
15	Organic heart disease ...	M	82	—	1	—	2	2	7	33	37	143	—	—	2	3	5	20	58	55
		F	121	—	—	—	1	5	17	34	64	183	—	—	—	2	7	26	79	69
16	Bronchitis	M	87	16	7	1	1	—	3	20	39	265	45	11	4	4	1	10	78	112
		F	90	7	5	—	—	—	1	24	53	173	31	10	8	1	—	6	41	76
17	Pneumonia (all forms)	M	66	17	6	7	2	—	6	18	10	160	50	19	22	11	5	12	28	13
		F	58	8	9	3	3	1	9	10	15	115	30	38	12	9	1	3	14	8
18	Other respiratory diseases	M	7	—	—	—	1	—	—	5	1	35	3	1	2	—	—	1	20	8
		F	7	2	—	—	2	—	1	—	2	13	1	3	1	2	—	1	2	3
19	Diarrhœa, &c.	M	23	12	4	2	1	—	2	2	—	67	37	13	8	2	—	1	2	4
		F	30	17	4	3	1	—	2	1	2	73	42	12	9	—	1	1	2	6
20	Appendicitis and typhlitis	M	6	1	—	—	—	2	3	—	—	12	—	—	3	2	3	1	3	—
		F	2	—	—	—	—	—	—	1	1	4	—	—	—	3	—	1	—	—
21	Cirrhosis of liver ...	M	7	—	—	—	—	—	—	7	—	9	—	—	—	—	—	1	8	—
		F	3	—	—	—	—	—	—	2	1	12	—	—	—	—	—	4	3	5
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	37	—	2	—	—	—	4	25	6	58	3	2	2	3	3	9	27	9
		F	39	1	—	—	1	1	4	18	14	44	—	—	1	1	2	15	18	7
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	8	—	—	8	—	—	—	—	—	8	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	5	1	—	17	—	—	—	—	2	14	1	—
25	Congenital debility, &c.	M	57	57	—	—	—	—	—	—	—	150	148	1	—	—	1	—	—	—
		F	41	38	1	—	2	—	—	—	—	131	128	—	1	2	—	—	—	—
26	Violence, apart from suicide.	M	32	1	—	3	6	2	5	8	7	76	4	2	8	17	7	14	16	8
		F	22	2	2	3	2	1	3	1	8	42	2	3	7	10	1	5	8	6
27	Suicide	M	3	—	—	—	—	—	—	1	2	9	—	—	—	—	—	2	5	2
		F	7	—	—	—	—	2	4	1	—	2	—	—	—	—	—	1	1	—
28	Other defined diseases ...	M	237	38	11	2	9	3	18	61	95	435	74	16	8	11	6	42	110	168
		F	229	24	1	—	3	5	20	57	119	407	52	10	5	9	16	41	90	184
29	Causes ill-defined or unknown.	M	3	1	2	—	—	—	—	—	—	10	—	6	—	—	—	—	3	1
		F	2	—	1	—	—	—	—	—	1	6	—	1	1	—	1	—	3	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Sunderland. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Tynemouth. All Ages.	0—	1—	2—	5—	15—	25—	45—	65-
	All Causes	M	1,364	272	82	85	70	55	148	310	342	513	110	25	29	26	9	59	131	124
		F	1,308	218	98	76	77	67	138	260	574	460	81	29	23	14	22	60	109	122
1	Enteric fever	M	2	—	—	—	—	1	1	—	—	3	—	—	—	1	—	2	—	—
		F	—	—	—	—	—	—	—	—	—	6	—	—	—	3	1	—	2	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	1	—	1	—	—	—	—	—	—	12	2	4	5	1	—	—	—	—
		F	2	1	—	1	—	—	—	—	—	4	—	2	2	—	—	—	—	—
4	Scarlet fever	M	2	—	—	—	2	—	—	—	—	2	—	—	1	1	—	—	—	—
		F	2	—	—	2	—	—	—	—	—	2	—	—	1	1	—	—	—	—
5	Whooping cough ...	M	28	7	10	9	2	—	—	—	—	7	5	2	—	—	—	—	—	—
		F	51	26	15	10	—	—	—	—	—	5	2	3	—	—	—	—	—	—
6	Diphtheria and croup ...	M	4	—	—	2	2	—	—	—	—	5	—	1	3	1	—	—	—	—
		F	7	—	3	1	3	—	—	—	—	4	—	1	2	1	—	—	—	—
7	Influenza	M	9	—	—	—	1	—	1	4	3	7	1	—	—	—	—	—	2	4
		F	8	—	—	—	—	1	1	1	5	5	—	—	—	—	—	1	—	4
8	Erysipelas	M	3	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
9	Pulmonary tuberculosis	M	108	—	1	—	13	24	37	31	2	36	—	—	—	4	3	15	13	1
		F	106	—	5	3	16	28	43	11	—	31	—	—	—	2	9	13	7	—
10	Tuberculous meningitis	M	21	5	3	6	5	1	1	—	—	7	1	1	2	2	—	1	—	—
		F	15	1	4	2	6	2	—	—	—	9	1	3	4	1	—	—	—	—
11	Other tuberculous diseases.	M	32	2	4	14	5	5	1	—	1	8	—	2	2	2	—	1	1	—
		F	29	1	2	8	10	3	1	3	1	11	3	1	1	2	1	2	1	—
12	Cancer, malignant disease	M	66	—	—	—	—	1	5	30	30	27	—	—	—	—	—	1	16	10
		F	94	—	1	1	1	—	11	48	32	34	—	—	—	—	1	4	19	10
13	Rheumatic fever ...	M	4	—	—	—	1	—	1	2	—	1	—	—	—	—	—	1	—	—
		F	3	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—
14	Meningitis	M	20	7	4	6	1	—	2	—	—	9	2	1	1	5	—	—	—	—
		F	21	5	3	4	5	—	1	3	—	2	1	1	—	—	—	—	—	—
15	Organic heart disease ...	M	105	—	—	—	—	1	13	39	52	40	—	—	—	—	1	4	17	18
		F	94	—	—	—	2	9	13	35	35	49	—	—	—	—	—	7	21	21
16	Bronchitis	M	176	45	14	6	4	1	5	40	61	46	14	1	3	1	—	3	6	18
		F	162	27	16	11	3	—	6	29	70	41	18	3	1	—	—	—	8	11
17	Pneumonia (all forms)...	M	175	29	24	26	13	5	22	39	17	39	10	4	3	3	—	3	12	4
		F	116	17	31	12	8	2	8	22	16	24	4	2	3	—	1	4	6	4
18	Other respiratory diseases	M	14	1	1	—	—	—	2	6	4	12	1	1	3	—	—	2	1	4
		F	13	1	—	—	—	1	3	6	2	5	—	—	1	1	1	1	—	1
19	Diarrhœa, &c.	M	47	26	9	5	1	—	1	3	2	18	11	2	—	—	—	—	4	1
		F	40	15	10	4	4	2	—	2	3	17	6	5	1	1	—	—	—	4
20	Appendicitis and typhlitis	M	2	—	—	—	1	—	—	1	—	2	—	—	—	—	2	—	—	—
		F	3	—	—	—	—	2	—	1	—	2	—	—	—	1	—	1	—	—
21	Cirrhosis of liver ...	M	8	—	—	—	—	—	1	5	2	1	—	—	—	—	—	—	1	—
		F	2	—	—	—	—	—	1	—	1	3	—	—	—	—	—	1	2	—
21A	Alcoholism	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	29	—	—	—	4	1	6	12	6	14	—	1	2	—	—	—	7	4
		F	38	—	1	—	1	—	5	21	10	6	—	—	—	—	—	1	3	2
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	2	3	—	—	2	—	—	—	—	—	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	10	—	—	—	—	4	6	—	—	8	—	—	—	—	2	6	—	—
25	Congenital debility, &c.	M	108	106	1	1	—	—	—	—	—	39	39	—	—	—	—	—	—	—
		F	91	90	—	—	1	—	—	—	—	26	26	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	79	10	3	1	9	7	14	22	13	31	—	1	2	1	1	9	13	4
		F	54	4	3	7	6	5	5	7	17	12	—	1	2	1	2	—	2	4
27	Suicide	M	6	—	—	—	—	—	3	3	—	1	—	—	—	—	—	—	1	—
		F	4	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	311	34	6	8	6	8	31	71	147	139	24	4	2	2	2	16	35	54
		F	334	29	3	9	9	5	29	68	182	137	20	6	5	—	4	15	28	59
29	Causes ill-defined or unknown.	M	2	—	1	1	—	—	—	—	—	7	—	—	—	2	—	1	2	2
		F	3	—	1	1	1	—	—	—	—	14	—	1	—	—	—	2	10	1

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Wakefield. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Wallasey. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	369	56	15	10	9	15	47	104	113	532	82	12	13	19	10	96	132	168
		F	320	34	5	9	23	19	47	69	114	495	49	15	15	23	19	70	117	187
1	Enteric fever	M	2	—	—	—	—	—	1	—	1	2	—	—	—	—	1	1	—	—
		F	2	—	—	—	—	—	1	1	—	1	—	—	—	—	1	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	4	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	1	3	—	—	—	—	—	3	—	2	1	—	—	—	—	—
4	Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	1	1	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	5	4	1	—	—	—	—	—	—
6	Diphtheria and croup ...	M	3	—	—	3	—	—	—	—	—	2	—	—	1	1	—	—	—	—
		F	5	—	—	1	4	—	—	—	—	9	—	—	4	5	—	—	—	—
7	Influenza	M	3	—	—	—	1	—	—	1	1	7	—	—	—	—	—	2	—	5
		F	—	—	—	—	—	—	—	—	—	17	3	1	—	1	1	5	2	4
8	Erysipelas	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	41	—	1	1	2	8	14	13	2	59	—	1	1	—	6	33	16	2
		F	30	—	2	—	3	7	13	5	—	28	—	—	—	2	6	13	5	2
10	Tuberculous meningitis	M	1	—	—	1	—	—	—	—	—	6	—	2	2	2	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	3	—	—	2	—	1	—	—	—
11	Other tuberculous diseases.	M	4	1	1	1	1	—	—	—	—	4	1	—	1	1	—	1	—	—
		F	2	1	—	—	1	—	—	—	—	9	—	2	1	—	—	4	2	—
12	Cancer, malignant disease	M	26	—	—	—	—	—	1	16	9	47	—	—	—	—	—	9	18	20
		F	36	—	—	—	—	1	8	16	11	62	—	—	—	—	1	10	21	30
13	Rheumatic fever ...	M	4	—	—	—	1	—	2	1	—	3	—	—	—	1	—	1	1	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—
14	Meningitis	M	2	1	1	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—
		F	3	1	—	—	1	—	1	—	—	4	2	1	1	—	—	—	—	—
15	Organic heart disease ...	M	50	—	—	—	1	1	2	18	28	70	—	—	—	1	—	4	24	41
		F	57	—	—	—	2	—	7	19	29	73	—	—	—	1	1	15	22	34
16	Bronchitis	M	37	11	3	—	—	—	—	5	18	26	3	1	—	—	—	2	5	15
		F	25	5	1	—	—	1	—	2	16	46	4	—	—	—	—	1	6	35
17	Pneumonia (all forms)	M	39	6	6	1	2	—	6	14	4	66	11	4	3	4	—	15	16	13
		F	19	5	1	3	3	—	1	1	5	48	7	5	1	2	1	5	16	11
18	Other respiratory diseases	M	4	—	—	—	—	—	1	3	—	8	1	—	1	2	—	1	2	1
		F	2	—	—	—	—	—	—	1	1	11	—	—	—	1	—	1	4	5
19	Diarrhœa, &c.	M	3	1	1	—	—	—	—	—	1	8	7	—	—	—	—	—	—	1
		F	4	1	—	1	1	—	—	1	—	12	4	3	1	2	—	—	—	2
20	Appendicitis and typhlitis	M	2	—	—	—	1	1	—	—	—	4	—	—	—	2	—	2	—	—
		F	3	—	—	—	1	2	—	—	—	3	—	—	—	1	—	—	2	—
21	Cirrhosis of liver ...	M	2	—	—	—	—	—	—	2	—	5	—	—	—	—	—	—	5	—
		F	3	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—	1	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	4	—	—	—	—	—	—	4	—	18	1	—	—	—	1	1	6	9
		F	7	—	—	—	—	—	1	4	2	9	—	—	—	—	1	—	3	5
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	2	3	—	—	5	—	—	—	—	—	5	—	—
25	Congenital debility, &c.	M	27	26	—	—	—	1	—	—	—	41	41	—	—	—	—	—	—	—
		F	13	13	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	18	—	—	1	—	2	6	4	5	18	—	—	2	3	2	6	4	1
		F	7	—	—	—	4	—	1	1	1	13	—	—	1	4	3	1	—	4
27	Suicide	M	3	—	—	—	—	1	—	2	—	3	—	—	—	—	—	—	2	1
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	87	7	—	—	—	1	14	21	44	128	13	3	1	2	—	18	33	58
		F	86	8	—	1	2	4	6	16	49	113	8	—	3	3	3	10	31	55
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Walsall.									Warrington.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	757	155	34	40	39	20	96	168	205	562	100	36	27	26	16	78	151	128
		F	713	130	26	30	43	44	84	146	210	491	71	33	30	36	35	64	87	135
1	Enteric fever	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	1	—	—	—	—	1	—	—	—	2	—	—	—	—	1	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	5	1	2	2	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	6	1	1	3	1	—	—	—	—
4	Scarlet fever	M	7	—	3	3	1	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	7	1	1	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	17	10	3	4	—	—	—	—	—	14	6	6	2	—	—	—	—	—
		F	19	9	6	3	1	—	—	—	—	14	2	5	4	3	—	—	—	—
6	Diphtheria and croup	M	10	—	—	3	7	—	—	—	—	6	—	1	3	2	—	—	—	—
		F	9	—	—	3	5	1	—	—	—	5	—	—	3	2	—	—	—	—
7	Influenza	M	3	—	—	—	—	—	—	2	1	12	—	—	—	1	—	1	5	5
		F	3	—	—	—	—	—	2	1	—	14	1	—	2	—	1	3	4	3
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1
		F	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—
9	Pulmonary tuberculosis	M	81	1	—	—	5	5	40	27	3	61	1	2	—	2	9	22	23	2
		F	71	1	—	2	9	19	25	13	2	55	1	1	—	4	18	24	7	—
10	Tuberculous meningitis	M	8	2	1	2	3	—	—	—	—	4	1	1	1	1	—	—	—	—
		F	8	2	—	2	3	—	1	—	—	11	1	—	7	3	—	—	—	—
11	Other tuberculous diseases.	M	13	1	3	2	4	2	1	—	—	10	2	2	1	1	1	—	2	1
		F	14	2	1	1	3	2	3	1	1	9	1	—	1	3	1	2	1	—
12	Cancer, malignant disease	M	35	—	—	—	—	—	3	21	11	31	—	—	—	—	—	4	12	15
		F	49	—	—	—	—	1	4	25	19	31	—	—	—	—	—	6	15	10
13	Rheumatic fever ...	M	2	—	1	—	—	—	1	—	—	3	—	—	—	2	1	—	—	—
		F	4	—	—	—	1	—	—	2	1	2	—	—	—	—	—	2	—	—
14	Meningitis	M	8	3	—	3	2	—	—	—	—	8	2	2	2	1	—	—	1	—
		F	4	2	1	1	—	—	—	—	—	6	2	—	—	3	—	—	1	—
15	Organic heart disease ...	M	44	—	—	—	—	1	9	16	18	36	—	—	—	1	1	6	14	14
		F	64	—	—	—	4	9	12	20	19	41	—	—	—	3	2	3	13	20
16	Bronchitis	M	72	12	5	2	—	—	3	17	33	56	14	3	1	1	—	1	14	22
		F	69	10	2	1	1	—	1	17	37	53	12	1	—	1	1	—	11	27
17	Pneumonia (all forms)	M	69	14	3	8	2	4	10	20	8	65	10	12	6	6	—	11	12	8
		F	58	12	10	4	5	1	7	5	14	54	9	13	5	3	3	4	8	9
18	Other respiratory diseases	M	10	1	—	1	—	1	2	2	3	5	—	—	—	1	1	2	1	—
		F	6	—	—	—	—	1	—	2	3	3	—	—	—	1	—	1	—	1
19	Diarrhœa, &c.	M	34	23	7	3	—	—	—	1	—	25	15	3	3	—	—	2	2	—
		F	31	23	2	1	—	—	2	1	2	21	9	8	1	—	1	—	2	—
20	Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	2	2	—	1	—	1	—	—	—	1	—	—	—	—
21	Cirrhosis of liver ...	M	4	—	—	—	—	—	—	3	1	1	—	—	—	—	—	—	1	—
		F	2	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	2	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	20	—	1	1	—	2	2	11	3	16	—	1	—	2	—	2	9	2
		F	18	—	—	—	1	2	6	9	—	6	—	—	—	—	—	2	4	—
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	1	4	—	—	1	—	—	—	—	—	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	5	1	—	4	—	—	—	—	2	2	—	—
25	Congenital debility, &c.	M	63	62	1	—	—	—	—	—	—	33	32	—	1	—	—	—	—	—
		F	52	52	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	36	2	1	5	3	2	9	8	6	31	—	—	2	4	1	4	16	4
		F	18	1	—	4	5	—	4	3	1	18	1	2	3	7	1	—	2	2
27	Suicide	M	5	—	—	—	—	1	1	2	1	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—
28	Other defined diseases	M	212	24	3	3	10	2	15	38	117	128	16	1	2	1	2	20	33	53
		F	184	15	3	5	1	2	8	44	106	109	12	2	1	1	4	12	16	61
29	Causes ill-defined or unknown.	M	2	—	2	—	—	—	—	—	—	7	—	—	—	—	—	3	3	1
		F	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	1	—	2

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex	West Bromwich.									West Ham.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	491	95	22	20	14	18	68	113	141	2,299	493	152	139	109	79	271	533	523
		F	455	76	22	40	20	14	53	78	152	1,939	341	151	147	73	89	215	387	536
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	3	—	—	—	3	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	77	14	36	22	5	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	59	13	18	24	4	—	—	—	—
4	Scarlet fever	M	1	—	—	—	1	—	—	—	—	3	1	1	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	6	—	—	6	—	—	—	—	—
5	Whooping cough ...	M	3	3	—	—	—	—	—	—	—	67	36	15	16	—	—	—	—	—
		F	7	3	2	2	—	—	—	—	—	75	20	34	20	1	—	—	—	—
6	Diphtheria and croup ...	M	1	—	—	1	—	—	—	—	—	37	3	7	17	9	1	—	—	—
		F	2	—	—	1	—	1	—	—	—	36	6	8	17	5	—	—	—	—
7	Influenza	M	5	—	—	—	—	—	2	2	1	27	—	1	1	1	1	4	12	7
		F	5	—	1	1	—	—	—	1	2	14	1	—	1	1	1	2	3	5
8	Erysipelas	M	2	—	—	—	—	—	1	—	1	8	1	—	—	—	1	1	2	3
		F	—	—	—	—	—	—	—	—	—	5	1	—	—	—	1	1	1	1
9	Pulmonary tuberculosis	M	32	—	1	1	—	3	18	9	—	213	4	6	2	7	29	90	70	5
		F	29	1	—	—	3	9	11	5	—	166	2	5	7	14	45	57	30	6
10	Tuberculous meningitis	M	1	—	—	1	—	—	—	—	—	31	7	4	10	8	—	2	—	—
		F	2	—	—	1	—	—	1	—	—	21	2	3	12	3	1	—	—	—
11	Other tuberculous diseases	M	8	2	2	1	—	1	1	—	1	42	6	10	2	12	5	4	3	—
		F	9	2	2	1	3	—	—	1	—	21	4	5	4	2	1	1	2	2
12	Cancer, malignant disease	M	34	—	—	—	—	—	4	19	11	130	—	1	—	1	—	10	73	45
		F	35	—	—	—	—	—	9	19	7	143	—	—	—	—	—	20	74	49
13	Rheumatic fever ...	M	4	—	—	—	1	1	—	2	—	10	—	—	—	2	1	4	3	—
		F	2	—	—	—	2	—	—	—	—	11	—	—	—	2	4	3	1	1
14	Meningitis	M	3	—	—	2	—	1	—	—	—	20	7	3	3	5	—	2	—	—
		F	10	1	1	6	1	—	1	—	—	11	6	—	1	2	1	—	—	1
15	Organic heart disease ...	M	43	—	—	—	1	—	7	14	21	158	—	—	—	3	6	23	62	64
		F	51	—	—	—	2	1	4	14	30	186	—	—	—	4	7	26	63	86
16	Bronchitis	M	56	7	6	2	—	1	3	16	21	245	42	5	5	2	1	10	50	130
		F	44	9	1	3	—	1	—	6	24	231	38	13	6	1	3	8	38	124
17	Pneumonia (all forms)...	M	60	18	6	5	3	1	11	10	6	297	80	42	34	13	6	27	64	31
		F	37	7	6	9	1	—	9	1	4	185	51	33	31	5	4	12	31	18
18	Other respiratory diseases	M	5	—	—	—	—	1	3	1	—	21	3	—	—	2	2	2	6	6
		F	7	2	—	1	—	—	1	2	1	18	2	1	1	2	—	3	6	3
19	Diarrhœa, &c.	M	19	10	4	3	—	—	—	2	—	93	63	9	4	3	1	4	5	4
		F	12	5	3	—	1	—	2	—	1	80	44	11	7	2	1	3	5	7
20	Appendicitis and typhlitis	M	2	—	—	—	—	1	1	—	—	10	—	—	2	2	3	1	2	—
		F	3	—	—	—	—	—	—	3	—	6	—	—	—	3	1	1	—	1
21	Cirrhosis of liver ...	M	2	—	—	—	—	—	1	1	—	11	—	—	—	—	—	1	7	3
		F	3	—	—	—	—	—	—	2	1	8	—	—	—	—	—	1	4	3
21A	Alcoholism	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	9	—	—	—	—	1	2	3	3	59	1	—	—	1	1	8	34	14
		F	7	—	—	1	—	—	2	3	1	31	—	—	1	1	1	5	16	7
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	11	—	—	—	—	—	11	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	11	—	—	—	—	1	10	—	—
25	Congenital debility, &c.	M	36	35	1	—	—	—	—	—	—	155	153	—	1	—	—	—	1	—
		F	32	31	—	—	1	—	—	—	—	99	98	—	1	—	—	—	—	—
26	Violence, apart from suicide.	M	15	2	—	1	4	1	3	—	4	136	15	5	10	17	8	29	35	17
		F	16	1	—	9	2	1	1	1	1	60	13	5	4	8	5	4	9	12
27	Suicide	M	7	—	—	—	—	1	1	3	2	10	—	—	—	—	—	4	4	2
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	2	1	—
28	Other defined diseases ...	M	138	18	2	3	4	5	8	29	69	432	57	5	10	12	13	45	98	192
		F	130	13	3	4	4	1	7	19	79	436	40	14	4	13	10	44	101	210
29	Causes ill-defined or unknown.	M	4	—	—	—	—	—	1	2	1	3	—	2	—	—	—	—	1	—
		F	8	—	3	1	—	—	2	1	1	3	—	1	—	—	1	—	1	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

Causes of Death.	Sex.	West Hartlepool.									Wigan.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	502	106	31	29	20	19	65	128	104	669	132	39	35	43	35	80	182	123
	F	418	77	19	20	20	22	66	79	115	620	107	40	26	40	33	73	147	154
1 Enteric fever	M	5	—	—	—	—	1	3	1	—	14	—	—	—	5	2	3	2	2
	F	1	—	—	—	—	—	—	1	—	6	—	—	1	2	—	3	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	8	—	—	4	4	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	7	—	—	4	3	—	—	—	—
5 Whooping cough ...	M	4	3	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—
	F	4	2	1	1	—	—	—	—	—	3	3	—	—	—	—	—	—	—
6 Diphtheria and croup ...	M	7	1	1	2	3	—	—	—	—	4	1	1	1	1	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	4	—	1	3	—	—	—	—	—
7 Influenza	M	5	1	—	—	—	—	—	2	2	6	—	—	—	1	—	2	2	1
	F	1	—	—	—	—	—	—	—	1	5	—	—	—	—	1	—	1	3
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	27	—	—	—	2	3	16	6	—	52	—	—	—	4	12	20	16	—
	F	32	—	—	—	1	8	21	2	—	36	—	—	—	7	9	18	1	1
10 Tuberculous meningitis	M	11	1	5	4	—	1	—	—	—	5	1	—	3	1	—	—	—	—
	F	7	1	2	1	1	2	—	—	—	7	3	—	—	4	—	—	—	—
11 Other tuberculous diseases.	M	15	2	4	1	5	1	1	1	—	7	—	—	—	2	2	3	—	—
	F	16	1	1	3	4	3	1	3	—	14	—	—	2	3	2	4	2	1
12 Cancer, malignant disease	M	40	—	—	—	—	—	3	28	9	30	—	—	—	—	—	1	23	6
	F	34	—	—	—	—	—	9	14	11	30	—	—	—	—	1	4	22	3
13 Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	2	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	5	—	—	1	1	2	1	—	—
14 Meningitis	M	4	—	—	—	3	—	—	1	—	9	2	1	—	2	—	3	1	—
	F	3	—	1	—	—	1	1	—	—	10	2	2	1	5	—	—	—	—
15 Organic heart disease ...	M	43	—	—	—	—	3	9	16	15	36	—	—	—	—	1	2	18	15
	F	27	—	—	—	1	1	3	10	12	46	—	1	—	2	5	3	22	13
16 Bronchitis	M	48	10	4	3	1	—	1	11	18	58	8	—	2	—	—	2	23	23
	F	36	10	1	—	1	—	1	5	18	62	7	4	—	—	—	2	22	27
17 Pneumonia (all forms)	M	72	18	8	8	3	1	5	22	7	103	22	18	8	9	3	14	23	6
	F	48	5	5	8	6	—	9	8	7	72	13	13	10	3	1	8	12	12
18 Other respiratory diseases	M	6	—	—	—	—	1	—	2	3	8	1	—	1	—	2	1	1	2
	F	7	1	—	—	—	—	—	4	2	3	—	—	—	1	1	1	—	—
19 Diarrhœa, &c.	M	20	7	4	2	1	1	2	1	2	38	21	8	5	—	—	—	1	3
	F	13	5	4	1	1	—	1	1	—	24	11	9	1	1	—	1	1	—
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—
	F	1	—	—	—	—	1	—	—	—	4	—	—	—	3	—	1	—	—
21 Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	2	1	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	14	1	1	1	—	1	4	4	2	18	—	1	—	—	—	8	8	1
	F	17	1	—	—	1	1	1	4	9	16	—	—	—	2	—	2	8	4
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	7	—	—	—	—	3	4	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	—	5	—	—	4	—	—	—	—	2	2	—	—
25 Congenital debility, &c.	M	37	37	—	—	—	—	—	—	—	59	59	—	—	—	—	—	—	—
	F	35	33	1	1	—	—	—	—	—	54	54	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	20	2	—	1	—	3	7	4	3	44	—	—	3	6	6	11	14	4
	F	6	1	1	—	—	—	1	1	2	14	—	2	1	—	1	2	4	4
27 Suicide	M	3	—	—	—	—	1	2	—	—	5	—	—	—	—	2	1	1	1
	F	1	—	—	—	—	1	—	—	—	4	—	—	—	—	2	—	1	1
28 Other defined diseases ...	M	114	23	2	5	2	2	12	25	43	134	15	4	4	5	4	9	36	57
	F	115	17	2	3	4	4	10	23	52	171	14	4	1	3	3	15	48	83
29 Causes ill-defined or unknown.	M	5	—	2	1	—	—	—	2	—	23	1	5	3	—	1	—	11	2
	F	1	—	—	—	—	—	—	1	—	10	—	3	1	—	—	2	2	2

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Wolverhampton.									Worcester.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	757	140	51	35	30	19	72	218	192	306	43	16	8	13	10	36	67	113
		F	635	101	38	33	36	22	70	122	213	341	24	13	9	7	18	35	81	154
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	26	5	13	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	26	5	11	7	3	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	2	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—
5	Whooping cough ...	M	6	1	2	3	—	—	—	—	—	4	2	1	—	1	—	—	—	—
		F	9	5	2	2	—	—	—	—	—	4	1	2	1	—	—	—	—	—
6	Diphtheria and croup	M	11	—	2	4	5	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	1	2	3	—	—	—	—	2	1	—	—	—	—	—	1	—
7	Influenza	M	17	—	—	—	1	—	2	10	4	6	—	—	1	—	—	—	1	4
		F	15	1	—	—	—	—	—	5	9	10	—	—	—	—	—	1	1	8
8	Erysipelas	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	1	1
9	Pulmonary tuberculosis	M	65	—	1	1	4	8	22	26	3	29	—	—	—	2	4	14	8	1
		F	45	—	—	1	4	8	23	8	1	26	—	1	—	1	8	10	5	1
10	Tuberculous meningitis	M	5	—	1	3	1	—	—	—	—	3	—	—	1	1	—	—	1	—
		F	5	—	3	1	1	—	—	—	—	2	—	—	1	—	1	—	—	—
11	Other tuberculous diseases.	M	10	2	1	1	1	1	2	1	1	4	—	2	—	—	2	—	—	—
		F	6	2	1	—	1	—	2	—	—	5	—	—	1	1	—	2	1	—
12	Cancer, malignant disease	M	41	—	—	—	—	1	2	22	16	24	—	—	—	—	—	—	16	8
		F	54	—	—	—	1	—	5	29	19	40	—	—	—	—	1	2	20	17
13	Rheumatic fever ...	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	Meningitis	M	10	5	—	1	2	—	—	1	1	1	—	—	—	—	—	1	—	—
		F	4	—	2	—	—	1	1	—	—	3	1	—	—	1	1	—	—	—
15	Organic heart disease ...	M	65	—	—	—	1	3	6	21	34	41	—	—	—	2	1	1	11	26
		F	73	—	—	—	5	3	8	27	30	53	—	—	—	—	1	6	13	33
16	Bronchitis	M	79	18	6	3	2	—	3	21	26	21	2	1	—	1	—	1	4	12
		F	75	13	4	—	—	—	2	14	42	32	—	—	1	—	—	2	5	24
17	Pneumonia (all forms)	M	70	6	12	3	5	1	9	25	9	25	5	7	3	—	—	3	1	6
		F	50	5	6	8	3	3	6	5	14	18	2	3	—	2	2	1	2	6
18	Other respiratory diseases	M	6	1	1	1	—	—	1	—	2	2	—	—	1	—	—	—	—	1
		F	6	—	—	1	2	1	—	1	1	2	—	—	1	—	—	—	1	—
19	Diarrhœa, &c.	M	43	31	4	2	—	—	1	3	2	7	4	2	—	—	—	—	1	—
		F	28	19	4	2	1	1	—	—	1	9	4	3	—	—	—	—	1	1
20	Appendicitis and typhlitis	M	7	—	—	1	3	—	2	—	1	2	—	—	—	1	—	1	—	—
		F	4	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—
21	Cirrhosis of liver ...	M	5	—	—	—	—	—	—	5	—	2	—	—	—	—	—	—	—	2
		F	3	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	14	—	—	—	—	—	3	6	5	8	—	—	1	1	—	1	2	3
		F	6	—	1	—	1	—	1	3	—	6	—	—	—	—	2	—	2	2
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	1	—	—	—	—	—	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—
25	Congenital debility, &c.	M	42	42	—	—	—	—	—	—	—	24	24	—	—	—	—	—	—	—
		F	32	31	—	—	—	—	1	—	—	13	13	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	28	2	3	2	1	1	5	7	7	16	1	—	1	4	1	4	3	2
		F	17	1	1	4	3	—	—	2	6	11	—	2	1	1	1	2	3	1
27	Suicide	M	4	—	—	—	—	—	—	4	—	3	—	—	—	—	—	1	—	2
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
28	Other defined diseases ...	M	190	27	3	2	3	4	11	60	80	82	5	2	—	—	2	9	19	45
		F	159	19	2	4	5	3	13	26	87	98	2	1	2	1	1	7	25	59
29	Causes ill-defined or unknown.	M	7	—	1	—	—	—	1	4	1	2	—	1	—	—	—	—	—	1
		F	3	—	—	—	—	—	1	1	1	2	—	1	—	—	—	1	—	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	York.									Cardiff.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	557	89	28	23	18	19	52	133	195	1,384	219	58	42	56	74	204	368	363
		F	597	73	20	24	24	30	75	121	230	1,173	173	46	44	58	84	173	231	364
1	Enteric fever	M	2	—	—	—	1	1	—	—	—	2	—	—	—	—	—	2	—	—
		F	3	—	—	—	1	—	1	1	—	3	—	—	—	1	—	2	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
3	Measles	M	2	1	—	—	1	—	—	—	—	14	3	7	3	1	—	—	—	—
		F	2	—	—	2	—	—	—	—	—	6	2	2	2	—	—	—	—	—
4	Scarlet fever	M	1	—	—	—	—	—	1	—	—	3	1	1	1	—	—	—	—	—
		F	3	—	1	—	—	1	—	1	—	3	—	1	1	1	—	—	—	—
5	Whooping cough ...	M	6	1	4	1	—	—	—	—	—	15	8	6	1	—	—	—	—	—
		F	8	4	2	2	—	—	—	—	—	14	8	1	5	—	—	—	—	—
6	Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	18	2	1	7	8	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	17	—	—	7	10	—	—	—	—
7	Influenza	M	18	1	—	—	—	—	—	6	11	15	1	—	1	—	—	3	5	5
		F	17	—	—	—	2	1	3	3	8	8	1	—	—	—	—	—	4	3
8	Erysipelas	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	37	—	1	1	—	6	17	11	1	131	1	—	3	3	27	52	41	4
		F	43	—	—	—	4	11	20	6	2	135	1	—	1	11	46	53	21	2
10	Tuberculous meningitis	M	8	—	3	4	—	—	1	—	—	26	3	4	5	9	4	1	—	—
		F	8	1	—	3	2	—	—	2	—	25	9	3	3	7	2	1	—	—
11	Other tuberculous diseases.	M	10	—	—	2	3	2	2	1	—	21	4	2	3	2	3	5	2	—
		F	10	—	1	3	1	2	1	2	—	18	4	3	1	2	5	3	—	—
12	Cancer, malignant disease	M	42	—	—	—	—	—	4	18	20	92	—	1	—	—	—	7	52	32
		F	40	—	—	—	—	—	2	21	17	94	—	—	—	—	—	14	53	27
13	Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	5	—	—	—	1	—	2	2	—
		F	2	—	—	1	1	—	—	—	—	7	—	—	—	2	2	1	2	—
14	Meningitis	M	4	—	—	1	2	—	1	—	—	11	2	2	2	3	1	1	—	—
		F	7	—	1	1	2	2	—	1	—	11	1	2	2	2	3	1	—	—
15	Organic heart disease ...	M	73	—	—	—	—	2	4	29	38	158	—	—	—	3	7	18	53	77
		F	61	—	—	—	1	—	6	26	28	142	—	—	—	4	6	14	45	73
16	Bronchitis	M	45	5	1	3	—	—	2	7	27	97	8	2	1	1	—	5	25	55
		F	57	5	4	—	—	—	2	6	40	89	14	7	—	1	1	4	14	48
17	Pneumonia (all forms)	M	46	15	8	5	1	2	5	9	1	133	27	19	2	2	7	23	31	22
		F	40	11	6	6	1	1	4	4	7	87	16	12	7	4	5	7	14	22
18	Other respiratory diseases	M	5	1	1	—	—	—	—	2	1	14	1	—	1	1	—	4	4	3
		F	7	—	1	—	—	3	—	—	3	17	—	1	5	1	—	3	5	2
19	Diarrhœa, &c.	M	20	8	4	—	1	—	1	2	4	54	41	6	—	—	—	—	2	5
		F	15	10	1	—	—	—	1	1	2	47	27	2	5	4	—	1	2	6
20	Appendicitis and typhlitis	M	5	—	—	1	1	1	1	—	1	7	—	—	—	1	1	1	4	—
		F	6	—	—	—	2	—	3	1	—	5	—	—	—	2	—	1	1	1
21	Cirrhosis of liver ...	M	4	—	—	—	—	—	—	4	—	13	—	—	—	—	1	3	8	1
		F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	—	3	1
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	2	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—
22	Nephritis and Bright's disease.	M	21	—	1	—	1	1	—	10	8	49	—	—	1	1	1	8	24	14
		F	19	—	—	1	1	—	4	4	9	24	—	—	—	1	—	5	10	8
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	9	—	—	—	—	1	8	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	1	3	—	—	9	—	—	—	—	4	5	—	—
25	Congenital debility, &c.	M	38	38	—	—	—	—	—	—	—	62	61	—	1	—	—	—	—	—
		F	24	24	—	—	—	—	—	—	—	56	54	2	—	—	—	—	—	—
26	Violence, apart from suicide.	M	15	1	1	2	3	1	—	5	2	86	3	1	5	10	14	25	21	7
		F	30	3	1	1	3	3	5	5	9	21	4	—	1	2	1	4	4	5
27	Suicide	M	1	—	—	—	—	—	—	1	—	9	—	—	—	—	—	7	2	—
		F	3	—	—	—	—	—	2	1	—	4	—	—	—	—	1	1	1	1
28	Other defined diseases	M	151	18	4	3	3	3	13	27	80	343	53	5	5	9	8	36	89	138
		F	181	15	—	2	2	5	17	35	105	315	32	10	4	3	6	43	52	165
29	Causes ill-defined or unknown.	M	4	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	4	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in County Boroughs—1916—*cont.*

	Causes of Death.	Sex.	Merthyr Tydfil.									Swansea.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	658	126	20	22	35	36	77	175	167	895	148	68	44	45	34	147	235	174
		F	494	94	21	16	24	29	76	119	115	803	143	58	45	27	44	81	157	248
1	Enteric fever	M	4	—	—	—	2	—	2	—	—	1	—	—	1	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	1	1	—	—	—	—	—	—	—	49	8	22	15	4	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	38	8	17	13	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	2	2	—	—	—	—	—	—	—	10	5	2	3	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	18	4	11	2	1	—	—	—	—
6	Diphtheria and croup ...	M	3	—	—	2	1	—	—	—	—	5	—	1	2	2	—	—	—	—
		F	2	—	—	1	1	—	—	—	—	7	—	1	4	1	—	1	—	—
7	Influenza	M	13	1	—	—	—	—	4	3	5	5	—	—	—	1	—	1	2	1
		F	2	—	—	—	—	—	—	1	1	8	—	—	—	—	—	—	5	3
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—	—	—	3
		F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—
9	Pulmonary tuberculosis	M	63	2	1	2	4	15	21	14	4	101	1	6	1	4	17	48	20	4
		F	52	—	—	1	3	15	22	8	3	73	—	—	3	9	24	27	10	—
10	Tuberculous meningitis	M	7	1	1	—	4	1	—	—	—	8	—	1	4	2	—	1	—	—
		F	4	1	1	—	2	—	—	—	—	16	3	1	6	4	1	1	—	—
11	Other tuberculous diseases.	M	8	2	—	—	1	2	1	2	—	9	2	3	—	1	3	—	—	—
		F	2	—	—	—	2	—	—	—	—	3	1	—	—	1	—	—	1	—
12	Cancer, malignant disease	M	23	—	—	—	—	—	—	13	10	39	—	—	—	1	1	4	20	13
		F	33	—	—	—	—	—	4	18	11	54	1	—	—	—	1	8	25	19
13	Rheumatic fever ...	M	4	—	—	—	2	1	1	—	—	5	—	—	—	2	1	1	—	1
		F	5	—	—	—	1	—	2	2	—	—	—	—	—	—	—	—	—	—
14	Meningitis	M	8	2	1	—	3	—	2	—	—	9	1	2	2	1	2	1	—	—
		F	6	2	—	1	1	1	—	1	—	9	5	—	1	—	1	1	1	—
15	Organic heart disease ...	M	51	—	—	—	4	3	5	19	20	88	—	—	—	3	2	14	44	25
		F	55	—	—	—	3	1	12	19	20	78	—	1	—	2	4	3	27	41
16	Bronchitis	M	64	8	3	3	—	—	3	17	30	62	14	4	1	—	—	4	16	23
		F	39	7	3	—	1	—	1	10	17	83	18	4	2	—	—	—	12	47
17	Pneumonia (all forms)	M	77	15	3	2	2	5	10	31	9	76	10	14	6	4	—	12	18	12
		F	43	9	8	5	1	1	2	14	3	48	13	11	5	1	2	1	6	9
18	Other respiratory diseases	M	6	—	—	1	—	—	2	2	1	14	—	—	2	2	—	2	5	3
		F	5	—	—	1	1	—	1	—	2	11	—	2	1	1	—	—	4	3
19	Diarrhœa, &c.	M	34	23	4	3	—	—	—	2	2	27	17	4	—	—	—	2	3	1
		F	24	16	4	1	1	—	—	1	1	23	17	2	—	—	—	1	2	1
20	Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	6	—	—	—	4	—	1	1	—
		F	1	—	—	—	1	—	—	—	—	3	—	—	—	—	2	1	—	—
21	Cirrhosis of liver ...	M	4	—	—	—	—	—	—	4	—	7	—	—	—	—	1	1	3	2
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	14	—	1	1	—	—	2	8	2	26	—	—	—	1	—	6	11	8
		F	14	—	—	—	1	2	1	8	2	20	—	—	1	1	—	3	7	8
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	2	3	—	—	9	—	—	—	—	5	3	1	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	9	—	—	—	—	4	5	—	—	5	—	—	—	—	2	3	—	—
25	Congenital debility, &c.	M	40	38	—	1	1	—	—	—	—	48	48	—	—	—	—	—	—	—
		F	31	30	—	1	—	—	—	—	—	32	31	—	1	—	—	—	—	—
26	Violence, apart from suicide.	M	43	—	—	4	9	4	10	13	3	57	—	3	5	7	6	21	10	5
		F	9	—	1	2	1	—	2	2	1	15	—	—	3	—	—	1	5	6
27	Suicide	M	2	—	—	—	—	—	1	1	—	8	—	—	—	—	—	4	3	1
		F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—
28	Other defined diseases ...	M	182	31	5	3	1	5	13	44	80	227	41	6	1	5	1	23	79	71
		F	145	27	3	3	3	3	19	33	54	242	42	8	3	6	1	24	48	110
29	Causes ill-defined or unknown.	M	3	—	1	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1
		F	3	1	1	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—

Causes of Death at Different Periods of Life in the Administrative County of Bedford—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	737	113	20	32	32	26	80	184	250	516	68	8	12	26	17	45	92	248
		F	796	85	27	31	31	48	83	155	336	526	40	8	16	26	26	48	96	266
1	Enteric fever	M	1	—	—	—	—	1	—	—	—	2	—	—	—	—	2	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	3	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—
4	Scarlet fever	M	3	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	4	—	3	—	1	—	—	—	—	7	4	1	1	—	—	—	—	1
		F	6	3	1	2	—	—	—	—	—	6	3	2	1	—	—	—	—	—
6	Diphtheria and croup ...	M	24	—	1	9	13	—	—	1	—	12	—	—	1	11	—	—	—	—
		F	26	—	1	13	11	1	—	—	—	16	—	1	7	8	—	—	—	—
7	Influenza	M	16	3	1	1	1	—	2	2	6	7	—	—	—	—	3	—	—	4
		F	13	1	—	—	—	2	3	2	5	10	—	—	1	—	—	1	4	4
8	Erysipelas	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
9	Pulmonary tuberculosis	M	52	—	—	1	1	8	24	14	4	35	—	—	—	1	5	17	8	4
		F	53	—	—	—	—	18	29	4	2	35	—	1	—	3	14	14	2	1
10	Tuberculous meningitis	M	3	1	1	1	—	—	—	—	—	2	—	1	—	—	1	—	—	—
		F	12	2	3	2	3	—	1	1	—	3	—	—	—	1	2	—	—	—
11	Other tuberculous diseases.	M	9	2	—	1	—	—	5	—	1	6	1	—	—	2	1	2	—	—
		F	9	—	—	1	2	2	1	3	—	13	—	—	1	1	4	3	4	—
12	Cancer, malignant disease	M	49	—	—	—	1	—	4	22	22	50	—	—	—	—	—	—	10	40
		F	77	—	—	—	1	1	6	45	24	61	—	—	—	—	—	5	20	36
13	Rheumatic fever ...	M	2	—	—	1	—	—	—	1	—	6	—	—	1	1	1	2	—	1
		F	3	—	—	—	—	1	2	—	—	2	—	—	—	1	—	—	1	—
14	Meningitis	M	5	1	—	2	1	1	—	—	—	4	1	—	1	1	—	—	1	—
		F	6	1	3	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
15	Organic heart disease ...	M	91	—	1	1	2	3	9	35	40	50	—	—	—	—	—	6	20	24
		F	104	—	—	—	2	4	10	33	55	65	—	—	—	—	—	2	20	43
16	Bronchitis	M	63	9	3	5	1	1	2	10	32	39	4	—	—	2	—	1	2	30
		F	56	4	3	1	—	—	—	5	43	37	5	—	1	—	—	—	2	29
17	Pneumonia (all forms)	M	46	8	2	5	3	2	9	11	6	19	5	2	1	—	—	2	3	6
		F	46	6	7	6	3	3	2	10	9	18	2	2	1	2	—	1	5	5
18	Other respiratory diseases	M	13	—	—	1	—	—	—	6	6	7	1	—	—	—	—	—	1	5
		F	7	—	—	—	—	—	—	1	6	8	4	—	—	—	—	—	—	4
19	Diarrhœa, &c.	M	19	12	2	—	—	—	3	1	1	6	2	1	—	—	—	—	2	1
		F	17	9	2	—	1	—	1	2	2	5	1	1	—	—	—	—	—	3
20	Appendicitis and typhlitis	M	4	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	1	—	2	1	1	2	—	—	—	2	—	—	—	—
21	Cirrhosis of liver ...	M	5	—	—	—	—	—	1	4	—	8	—	—	—	—	—	1	4	3
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	23	—	—	—	1	2	2	12	6	9	—	—	—	—	—	1	4	4
		F	18	—	—	—	1	2	2	5	8	9	—	—	—	1	—	1	5	2
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	2	3	—	—	4	—	—	—	—	1	3	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	2	4	—	—	6	—	—	—	—	1	5	—	—
25	Congenital debility, &c.	M	49	49	—	—	—	—	—	—	—	32	31	1	—	—	—	—	—	—
		F	36	36	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	28	1	1	3	2	3	5	7	6	28	2	—	3	5	4	5	5	4
		F	10	—	—	1	—	2	1	4	2	11	1	—	—	3	—	1	1	5
27	Suicide	M	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	3	—	1
		F	6	—	—	—	—	2	2	1	1	1	—	—	—	—	—	—	—	1
28	Other defined diseases ...	M	218	26	2	1	2	5	12	52	118	176	16	1	3	3	—	5	29	119
		F	265	20	6	5	5	5	12	34	178	192	7	1	3	3	4	12	30	132
29	Causes ill-defined or unknown.	M	5	—	—	—	—	—	—	4	1	7	1	1	1	—	—	—	3	1
		F	5	2	—	—	—	—	1	2	—	1	—	—	—	—	—	—	1	—

Causes of Death at Different Periods of Life in the Administrative County of Berks—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	323	37	8	8	10	12	33	75	140	805	79	16	11	33	19	59	201	387
		F	415	29	8	6	12	17	24	87	232	788	51	10	15	30	22	73	160	427
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	2	—	—	—	—	—	1	1	—	2	—	—	—	1	—	—	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—
		F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—
5	Whooping cough ...	M	3	—	3	—	—	—	—	—	—	6	4	1	1	—	—	—	—	—
		F	6	3	3	—	—	—	—	—	—	10	6	1	3	—	—	—	—	—
6	Diphtheria and croup ...	M	3	—	—	2	1	—	—	—	—	7	1	1	1	4	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	11	—	—	3	6	—	—	1	1
7	Influenza	M	7	—	—	—	1	—	1	2	3	14	—	—	—	—	2	1	2	9
		F	3	—	—	—	—	—	—	1	2	11	—	—	—	—	—	1	2	8
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	24	—	—	—	2	5	9	6	2	59	1	—	—	3	6	18	31	—
		F	24	—	—	—	1	7	6	8	2	46	—	—	—	3	7	22	13	1
10	Tuberculous meningitis	M	6	—	3	1	1	1	—	—	—	6	1	2	1	2	—	—	—	—
		F	3	—	2	—	—	—	1	—	—	4	—	2	—	1	1	—	—	—
11	Other tuberculous diseases.	M	8	—	1	2	1	1	2	1	—	7	—	—	—	2	1	—	4	—
		F	5	—	1	1	1	—	1	—	1	6	—	—	—	2	—	3	1	—
12	Cancer, malignant disease	M	34	—	—	—	—	—	3	11	20	94	—	—	—	1	—	1	42	50
		F	48	—	—	—	—	—	2	18	28	102	—	—	—	—	—	10	39	53
13	Rheumatic fever ...	M	1	—	—	—	—	—	—	—	1	2	—	—	—	1	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	4	—	—	—	1	2	1	—	—
14	Meningitis	M	1	—	—	—	1	—	—	—	—	7	3	—	1	1	1	1	—	—
		F	3	—	—	—	3	—	—	—	—	6	1	1	—	—	1	1	1	1
15	Organic heart disease ...	M	43	—	—	—	—	1	6	9	27	97	—	—	—	—	1	7	25	64
		F	65	—	—	—	1	2	2	16	44	116	—	—	—	2	—	4	22	88
16	Bronchitis	M	24	6	—	—	—	—	—	1	17	65	2	3	—	1	—	1	7	51
		F	37	2	—	1	—	—	—	2	32	68	3	1	—	—	—	1	2	61
17	Pneumonia (all forms)	M	18	4	1	1	—	2	1	4	5	43	11	4	2	3	1	4	8	10
		F	14	2	1	—	1	1	—	3	6	25	2	1	3	1	—	6	6	6
18	Other respiratory diseases	M	3	—	—	—	—	—	—	—	3	8	1	—	—	—	—	1	1	5
		F	2	—	—	1	—	—	—	1	—	12	1	—	1	2	—	1	1	6
19	Diarrhœa, &c.	M	1	—	—	—	—	—	—	1	—	14	4	—	—	—	—	2	5	3
		F	8	4	1	—	—	—	—	—	3	6	3	—	—	—	—	—	1	2
20	Appendicitis and typhlitis	M	2	—	—	—	—	—	1	1	—	6	—	—	—	1	1	1	3	—
		F	2	—	—	—	1	—	—	1	—	3	—	—	—	2	—	—	1	—
21	Cirrhosis of liver ...	M	4	—	—	—	—	—	1	2	1	10	—	—	—	—	—	—	5	5
		F	2	—	—	—	—	—	—	1	1	7	—	—	—	—	1	1	4	1
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	10	—	—	—	—	—	1	6	3	32	—	—	—	—	1	4	15	12
		F	12	—	—	—	—	—	—	6	6	20	—	—	—	1	1	1	8	9
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	1	1	—	—
25	Congenital debility, &c.	M	20	20	—	—	—	—	—	—	—	32	31	—	—	—	—	—	1	—
		F	15	15	—	—	—	—	—	—	—	29	27	1	—	—	1	—	—	—
26	Violence, apart from suicide.	M	10	—	—	2	1	2	1	4	—	25	2	—	3	3	1	4	6	6
		F	7	—	—	—	1	—	—	2	4	13	—	1	2	1	—	1	2	6
27	Suicide	M	2	—	—	—	—	—	—	1	1	3	—	—	—	—	—	—	1	2
		F	3	—	—	—	—	1	—	2	—	3	—	—	—	—	—	1	—	2
28	Other defined diseases ...	M	98	7	—	—	2	—	7	25	57	248	16	4	1	8	2	12	37	168
		F	146	3	—	2	1	5	9	24	102	273	8	2	3	6	6	16	52	180
29	Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	1	—	14	—	1	—	1	2	2	7	1
		F	2	—	—	—	1	—	—	1	—	7	—	—	—	—	—	2	3	2

Causes of Death at Different Periods of Life in the Administrative County of Buckingham—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	494	75	15	21	23	12	40	113	195	874	96	10	20	35	29	70	184	430
		F	477	51	9	14	20	15	38	103	227	934	70	13	24	31	31	90	191	484
1	Enteric fever	M	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	3	—	—	1	2	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	4	—	—	1	3	—	—	—	—	2	—	—	1	—	—	1	—	—
5	Whooping cough ...	M	3	2	1	—	—	—	—	—	—	7	5	1	1	—	—	—	—	—
		F	3	1	—	2	—	—	—	—	—	12	4	3	5	—	—	—	—	—
6	Diphtheria and croup ...	M	5	—	—	2	3	—	—	—	—	13	—	—	4	9	—	—	—	—
		F	5	—	—	2	3	—	—	—	—	17	—	2	4	10	1	—	—	—
7	Influenza	M	14	1	—	1	—	—	2	3	7	26	1	—	—	3	—	3	8	11
		F	18	—	—	1	1	1	2	5	8	32	—	1	—	1	—	—	6	24
8	Erysipelas	M	1	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	40	—	—	1	3	4	19	11	2	48	—	1	—	—	7	17	19	4
		F	17	—	—	—	—	5	8	3	1	57	—	—	—	5	12	26	11	3
10	Tuberculous meningitis	M	7	—	1	2	3	1	—	—	—	4	—	—	2	1	—	1	—	—
		F	3	—	2	1	—	—	—	—	—	8	1	—	1	4	1	—	1	—
11	Other tuberculous diseases.	M	4	—	1	1	—	1	—	1	—	11	1	—	1	2	3	3	1	—
		F	15	1	—	1	5	3	—	1	4	14	2	—	2	1	3	3	3	—
12	Cancer, malignant disease	M	32	—	—	1	—	—	1	14	16	72	—	—	—	1	2	2	24	43
		F	56	—	—	—	—	—	9	24	23	107	—	—	—	—	—	7	47	53
13	Rheumatic fever ...	M	4	1	—	—	1	1	—	—	1	1	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	2	—	—	1	1	—	—	—	—
14	Meningitis	M	6	3	—	—	1	1	—	1	—	2	—	—	—	—	—	2	—	—
		F	3	1	—	—	2	—	—	—	—	5	1	1	1	1	—	—	1	—
15	Organic heart disease ...	M	45	—	—	—	—	1	1	20	23	107	—	—	—	1	1	7	29	69
		F	65	—	—	—	—	—	6	22	37	119	—	—	—	—	5	11	28	75
16	Bronchitis	M	54	11	3	2	—	—	1	7	30	77	9	—	1	—	—	1	10	56
		F	42	4	—	1	—	—	—	4	33	84	5	—	—	—	—	1	10	68
17	Pneumonia (all forms)	M	32	6	4	2	1	1	4	8	6	35	7	3	3	—	2	5	3	12
		F	23	6	3	1	1	1	—	6	5	44	3	—	4	1	3	—	12	21
18	Other respiratory diseases	M	11	—	—	1	3	—	—	2	5	18	—	—	—	—	—	3	8	7
		F	6	1	—	—	—	—	—	1	4	9	—	—	—	—	—	3	3	3
19	Diarrhœa, &c.	M	9	8	—	1	—	—	—	—	—	10	3	1	1	—	2	—	—	3
		F	13	5	—	1	—	—	2	—	5	15	4	2	—	1	—	2	3	3
20	Appendicitis and typhlitis	M	3	—	—	—	3	—	—	—	—	3	—	—	—	2	—	1	—	—
		F	2	—	—	1	—	—	—	1	—	7	—	—	—	1	1	5	—	—
21	Cirrhosis of liver ...	M	6	—	—	—	—	—	—	4	2	13	—	—	—	—	—	1	7	5
		F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	1	2	1
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
22	Nephritis and Bright's disease.	M	14	—	—	—	—	—	4	1	9	29	—	—	—	2	—	1	9	17
		F	10	—	—	1	—	—	1	3	5	23	—	—	—	—	—	5	7	11
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	3	—	—
25	Congenital debility, &c.	M	27	27	—	—	—	—	—	—	—	55	51	2	2	—	—	—	—	—
		F	20	20	—	—	—	—	—	—	—	35	33	—	—	—	—	1	1	—
26	Violence, apart from suicide.	M	16	—	—	2	1	—	2	6	5	39	1	1	1	6	4	7	10	9
		F	7	1	1	—	1	—	—	1	3	17	3	—	2	1	—	1	4	6
27	Suicide	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	1	—	2	1
		F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	2	1	—
28	Other defined diseases ...	M	152	16	4	3	4	1	6	31	87	289	15	—	4	6	7	14	52	191
		F	151	11	2	1	4	4	6	25	98	305	14	3	2	2	4	18	48	214
29	Causes ill-defined or unknown.	M	7	—	1	2	—	—	—	3	1	5	1	—	—	—	—	2	—	2
		F	5	—	—	—	—	—	—	4	1	5	—	1	—	—	—	—	2	2

Causes of Death at Different Periods of Life in the Administrative County of Cambridge—1916.

	Causes of Death.	Sex.	Urban District.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	327	40	7	8	21	7	43	82	119	503	47	4	4	14	16	30	101	287
		F	356	33	5	6	12	8	32	76	184	522	35	5	6	14	19	39	88	316
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
5	Whooping cough ...	M	9	5	3	—	1	—	—	—	—	5	4	—	1	—	—	—	—	—
		F	6	3	1	2	—	—	—	—	—	5	3	1	—	1	—	—	—	—
6	Diphtheria and croup	M	9	—	—	5	4	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	3	—	1	—	—	3	—	—	1	2	—	—	—	—
7	Influenza	M	1	—	—	—	—	—	—	1	—	18	—	—	—	—	—	—	4	14
		F	6	—	—	—	—	1	—	1	4	16	—	—	—	—	—	1	2	13
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	36	—	—	—	1	4	20	9	2	40	—	1	—	1	8	16	11	3
		F	26	—	—	1	2	3	12	4	4	38	1	—	—	1	13	11	9	3
10	Tuberculous meningitis	M	4	1	—	1	2	—	—	—	—	2	—	—	—	1	1	—	—	—
		F	1	—	—	1	—	—	—	—	—	2	—	—	1	1	—	—	—	—
11	Other tuberculous diseases.	M	3	—	—	—	3	—	—	—	—	8	—	—	1	1	2	1	2	1
		F	—	—	—	—	—	—	—	—	—	7	—	1	1	1	1	1	1	1
12	Cancer, malignant disease	M	38	—	—	—	—	—	3	13	22	57	—	—	—	—	—	—	26	31
		F	41	—	—	—	—	—	2	21	18	63	—	—	—	1	—	4	17	41
13	Rheumatic fever ...	M	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—
14	Meningitis	M	5	2	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	1	—	—	2	—	—	—	—	3	—	—	—	1	—	2	—	—
15	Organic heart disease	M	28	—	—	—	—	1	3	12	12	48	—	—	—	—	1	—	11	36
		F	40	—	—	—	1	—	1	9	29	67	—	—	—	—	—	3	24	40
16	Bronchitis	M	22	1	2	—	—	—	—	7	12	33	4	—	—	—	—	—	2	27
		F	41	4	—	—	—	—	1	5	31	53	6	1	—	1	—	—	1	44
17	Pneumonia (all forms)	M	16	4	—	1	2	1	1	3	4	27	8	1	—	1	1	4	4	8
		F	17	2	2	—	—	—	3	6	4	19	2	—	—	1	1	1	3	11
18	Other respiratory diseases	M	6	2	—	—	—	—	1	1	2	7	1	—	—	1	—	1	—	4
		F	9	1	—	1	2	—	—	3	2	9	1	—	—	—	—	2	1	5
19	Diarrhœa, &c.	M	5	2	—	—	—	—	—	1	2	5	2	—	—	—	—	—	2	1
		F	4	2	—	—	—	—	—	—	2	3	1	—	—	—	—	—	—	2
20	Appendicitis and typhlitis	M	2	—	—	—	1	—	1	—	—	3	—	—	—	1	1	1	—	—
		F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—
21	Cirrhosis of liver ...	M	4	—	—	—	—	—	1	2	1	6	—	—	—	1	—	—	3	2
		F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	1	3
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	12	—	—	—	—	—	3	4	5	15	—	—	1	1	—	—	2	11
		F	11	—	—	—	—	—	1	4	6	7	—	—	—	1	—	—	3	3
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	1	—	—	5	—	—	—	—	1	4	—	—
25	Congenital debility, &c.	M	13	13	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—
		F	13	13	—	—	—	—	—	—	—	16	16	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	13	3	—	1	3	1	1	1	3	13	—	—	—	2	1	1	3	6
		F	4	—	—	—	1	—	—	2	1	4	—	—	—	—	—	1	1	2
27	Suicide	M	5	—	—	—	—	—	2	2	1	4	—	—	—	—	—	2	2	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	93	7	—	—	2	—	6	25	53	188	10	2	—	3	1	4	28	140
		F	123	7	2	1	1	3	7	19	83	191	4	2	2	3	2	7	23	148
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	2
		F	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—

Causes of Death at Different Periods of Life in the Administrative County of Chester—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	2,768	387	94	114	90	107	298	749	929	1,150	139	37	23	39	45	135	268	464
		F	2,826	271	96	78	107	123	350	672	1129	986	78	26	22	38	37	123	220	442
1	Enteric fever	M	4	—	—	1	—	1	—	2	—	2	—	—	—	—	—	1	1	—
		F	6	—	—	—	1	1	4	—	—	1	—	—	—	—	—	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	27	5	8	11	2	—	1	—	—	7	2	4	1	—	—	—	—	—
		F	25	8	12	3	2	—	—	—	—	1	—	1	—	—	—	—	—	—
4	Scarlet fever	M	7	—	—	5	2	—	—	—	—	2	—	—	—	2	—	—	—	—
		F	4	—	1	1	1	1	—	—	—	3	—	1	—	2	—	—	—	—
5	Whooping cough ...	M	20	8	9	3	—	—	—	—	—	18	7	4	4	3	—	—	—	—
		F	29	10	12	7	—	—	—	—	—	13	5	7	1	—	—	—	—	—
6	Diphtheria and croup ...	M	38	3	2	23	8	1	—	1	—	10	—	1	4	5	—	—	—	—
		F	28	2	2	7	16	—	1	—	—	12	—	—	3	8	1	—	—	—
7	Influenza	M	42	1	—	2	1	2	5	17	14	23	—	—	—	1	—	4	5	13
		F	36	—	2	—	1	1	3	11	18	34	3	—	—	—	2	6	6	17
8	Erysipelas	M	5	1	—	—	1	—	—	1	2	—	—	—	—	—	—	—	—	—
		F	3	1	—	—	1	—	—	—	1	3	—	—	—	—	—	1	—	2
9	Pulmonary tuberculosis	M	227	3	2	1	4	40	79	85	13	68	2	1	1	—	11	33	17	3
		F	174	—	—	—	10	43	75	40	6	41	—	1	1	1	6	21	9	2
10	Tuberculous meningitis	M	19	4	2	5	8	—	—	—	—	11	2	2	2	—	3	2	—	—
		F	18	3	2	2	7	4	—	—	—	3	1	1	—	—	—	—	1	—
11	Other tuberculous diseases.	M	43	6	5	7	5	7	7	5	1	15	—	1	2	1	3	6	1	1
		F	43	5	2	8	9	6	6	5	2	15	1	3	1	3	—	3	3	1
12	Cancer, malignant disease	M	214	—	—	—	—	3	15	105	91	93	—	—	—	—	1	8	38	46
		F	298	—	—	—	2	4	26	157	109	111	1	—	—	—	1	12	41	56
13	Rheumatic fever ...	M	19	—	1	—	6	6	2	2	2	5	—	—	—	3	—	2	—	—
		F	11	—	—	—	4	4	3	—	—	6	—	—	1	—	2	1	1	1
14	Meningitis	M	25	8	6	5	3	1	1	1	—	10	5	—	1	2	—	1	1	—
		F	25	10	2	4	4	3	—	2	—	2	—	—	—	—	—	1	—	1
15	Organic heart disease ...	M	297	1	—	1	3	14	20	108	150	159	—	—	—	1	4	9	54	91
		F	387	—	—	—	7	10	49	122	199	128	—	—	—	3	2	7	38	78
16	Bronchitis	M	247	39	9	5	2	—	9	58	125	80	8	3	1	1	—	3	12	52
		F	270	22	10	5	1	4	13	49	166	75	3	2	2	—	—	1	7	60
17	Pneumonia (all forms)	M	217	49	24	11	5	9	28	50	41	97	23	8	3	1	4	16	19	23
		F	165	26	19	15	9	4	19	28	45	58	12	3	5	3	—	9	13	13
18	Other respiratory diseases	M	47	2	1	3	4	—	9	15	13	20	1	—	—	1	3	2	8	5
		F	43	1	3	1	3	2	8	9	16	18	—	1	2	1	1	3	6	4
19	Diarrhœa &c.	M	77	42	8	3	2	—	4	7	11	19	11	—	—	—	—	—	6	2
		F	61	31	4	7	2	2	—	8	7	11	4	—	2	1	—	—	2	2
20	Appendicitis and typhlitis	M	15	—	—	—	4	3	4	3	1	11	—	—	—	2	1	4	2	2
		F	20	—	—	1	3	1	9	5	1	9	—	—	—	4	2	—	3	—
21	Cirrhosis of liver ...	M	25	—	—	—	—	—	3	15	7	2	—	—	—	—	—	—	1	1
		F	11	—	—	—	—	—	2	7	2	4	—	—	—	—	—	—	4	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	4	—	—	—	—	—	1	3	—	1	—	—	—	—	—	—	—	1
22	Nephritis and Bright's disease.	M	91	—	—	2	1	—	11	53	24	20	—	1	—	—	2	—	11	6
		F	87	1	—	2	—	2	13	34	35	23	—	—	—	1	2	5	9	6
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	16	—	—	—	—	2	14	—	—	10	—	—	—	—	2	8	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	36	—	—	—	—	4	32	—	—	8	—	—	—	—	1	7	—	—
25	Congenital debility, &c.	M	131	129	—	2	—	—	—	—	—	45	45	—	—	—	—	—	—	—
		F	103	102	1	—	—	—	—	—	—	33	31	—	—	1	1	—	—	—
26	Violence, apart from suicide.	M	103	5	3	10	16	9	24	22	14	51	1	3	2	8	3	16	9	9
		F	54	4	4	2	5	3	6	13	17	23	4	1	1	5	1	1	3	7
27	Suicide	M	25	—	—	—	—	—	6	16	3	20	—	—	—	—	2	6	5	7
		F	4	—	—	—	—	—	—	3	1	9	—	—	—	—	5	2	1	1
28	Other defined diseases ...	M	798	81	13	14	13	11	69	182	415	359	31	8	2	8	8	22	77	203
		F	859	45	17	12	18	22	66	176	503	330	13	5	3	5	8	34	72	190
29	Causes ill-defined or unknown.	M	5	—	1	—	—	—	1	1	2	2	1	1	—	—	—	—	—	—
		F	6	—	3	1	1	—	—	—	1	1	—	—	—	—	—	—	1	—

Causes of Death at Different Periods of Life in the Administrative County of Cornwall—1916.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	1,007	128	26	27	40	37	114	255	380	1,235	131	19	27	33	55	152	300	518
	F	1,119	108	20	22	27	52	96	234	560	1,349	90	29	36	48	45	133	277	691
1 Enteric fever	M	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	7	2	2	1	2	—	—	—	—	1	1	—	—	—	—	—	—	—
	F	4	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	—	—	—	—	1	—	4	—	—	—	2	2	—	—	—
	F	1	1	—	—	—	—	—	—	—	5	—	—	1	3	—	—	—	1
5 Whooping cough ...	M	21	13	4	4	—	—	—	—	—	9	5	3	1	—	—	—	—	—
	F	19	12	4	3	—	—	—	—	—	20	8	7	4	1	—	—	—	—
6 Diphtheria and croup ...	M	20	1	1	6	12	—	—	—	—	7	1	—	2	3	1	—	—	—
	F	14	—	—	6	7	—	1	—	—	20	—	1	6	12	—	1	—	—
7 Influenza	M	10	—	—	1	1	1	—	5	2	32	1	—	—	1	2	8	8	12
	F	23	—	—	—	1	—	—	7	15	31	—	—	—	—	1	3	7	20
8 Erysipelas	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1
9 Pulmonary tuberculosis	M	123	—	1	—	—	17	52	42	11	128	—	—	—	—	23	51	48	6
	F	77	—	—	1	6	27	27	11	5	106	—	1	4	11	23	40	22	5
10 Tuberculous meningitis	M	6	1	—	2	2	1	—	—	—	6	—	1	1	3	—	—	1	—
	F	7	2	1	1	—	2	1	—	—	16	3	4	4	4	—	—	1	—
11 Other tuberculous diseases.	M	8	1	2	—	1	1	2	1	—	20	5	1	2	—	4	6	2	—
	F	15	2	1	—	1	2	6	3	—	22	3	2	1	2	3	8	3	—
12 Cancer, malignant disease	M	73	—	—	—	—	1	2	29	41	79	—	—	—	1	—	3	33	42
	F	109	—	—	—	—	—	9	42	58	138	—	—	—	—	—	19	61	58
13 Rheumatic fever ...	M	2	—	—	1	—	1	—	—	—	7	—	—	—	2	—	3	1	1
	F	1	—	—	—	—	—	1	—	—	5	—	—	—	—	2	2	1	—
14 Meningitis	M	7	3	—	1	2	—	1	—	—	6	2	1	2	1	—	—	—	—
	F	12	2	1	2	2	2	1	2	—	3	—	1	—	1	—	1	—	—
15 Organic heart disease ...	M	117	—	—	—	—	4	8	37	68	146	—	—	—	2	2	5	39	98
	F	144	—	—	—	—	2	6	42	94	196	—	—	—	—	1	15	56	124
16 Bronchitis	M	80	7	2	1	1	1	2	20	46	100	5	1	3	2	1	1	21	66
	F	87	7	1	1	—	1	1	15	61	112	9	1	2	—	1	1	12	86
17 Pneumonia (all forms)	M	50	11	5	5	3	1	3	10	12	66	7	6	8	1	1	11	15	17
	F	48	7	5	2	—	—	4	10	20	61	11	8	5	5	—	4	6	22
18 Other respiratory diseases	M	19	—	1	—	—	—	3	5	10	52	—	—	3	—	1	5	29	14
	F	9	—	—	1	—	1	2	1	4	16	—	—	—	1	—	2	5	8
19 Diarrhœa, &c.	M	14	9	1	—	—	—	2	—	2	16	6	—	1	1	—	2	2	4
	F	30	10	1	—	1	—	1	6	11	16	3	2	1	—	—	—	3	7
20 Appendicitis and typhlitis	M	7	—	—	1	2	—	3	1	—	7	—	—	1	2	1	1	1	1
	F	5	—	—	—	3	—	—	2	—	7	—	—	2	2	1	—	2	—
21 Cirrhosis of liver ...	M	7	—	—	—	—	—	—	4	3	5	—	—	—	1	—	—	3	1
	F	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	—	2	1
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	38	—	—	—	1	2	1	22	12	30	—	—	—	—	—	4	11	15
	F	37	—	—	—	1	—	3	13	20	24	—	—	—	—	2	1	6	15
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	3	1	—	6	—	—	—	—	2	4	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	10	—	—	—	—	—	9	1	—	11	—	—	—	—	—	11	—	—
25 Congenital debility, &c.	M	56	55	—	—	1	—	—	—	—	68	67	1	—	—	—	—	—	—
	F	51	50	1	—	—	—	—	—	—	35	35	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	38	3	—	3	4	3	13	9	3	63	2	1	1	4	9	31	8	7
	F	17	—	—	1	—	3	1	2	10	21	4	1	1	2	2	1	—	10
27 Suicide	M	9	—	—	—	—	—	2	3	4	10	—	—	—	—	1	4	3	2
	F	4	—	—	—	—	1	2	1	—	4	—	—	—	—	—	—	3	1
28 Other defined diseases ...	M	286	22	6	1	8	4	19	62	164	364	29	4	2	6	7	17	72	227
	F	383	13	4	2	5	9	18	73	259	460	14	1	5	4	7	20	81	328
29 Causes ill-defined or unknown.	M	5	—	1	—	—	—	1	2	1	8	—	—	—	1	—	—	2	5
	F	4	1	—	—	—	1	—	1	1	10	—	—	—	—	—	—	6	4

Causes of Death at Different Periods of Life in the Administrative County of Cumberland—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	896	133	37	28	36	39	125	196	302	672	85	16	17	27	14	81	157	275
		F	816	121	26	33	45	42	97	173	279	584	71	11	13	23	22	81	104	259
1	Enteric fever	M	1	—	—	—	—	1	—	—	—	2	—	—	—	—	1	1	—	—
		F	8	—	—	—	2	—	4	2	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	1	—	1	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—
		F	3	1	1	1	—	—	—	—	—	3	—	2	1	—	—	—	—	—
4	Scarlet fever	M	3	—	1	1	1	—	—	—	—	4	—	—	2	2	—	—	—	—
		F	2	—	—	2	—	—	—	—	—	4	—	—	2	1	1	—	—	—
5	Whooping cough ...	M	9	2	4	2	1	—	—	—	—	4	2	—	1	1	—	—	—	—
		F	11	6	2	3	—	—	—	—	—	3	2	—	1	—	—	—	—	—
6	Diphtheria and croup ...	M	7	—	—	1	6	—	—	—	—	11	—	—	3	8	—	—	—	—
		F	15	1	—	8	5	—	—	1	—	6	1	—	1	3	—	1	—	—
7	Influenza	M	9	—	—	—	—	—	6	—	3	18	2	—	—	—	—	1	3	12
		F	15	1	—	—	1	1	1	6	5	15	—	—	1	—	—	2	3	9
8	Erysipelas	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
		F	2	1	—	—	—	—	—	1	—	2	1	—	—	—	1	—	—	—
9	Pulmonary tuberculosis	M	56	2	1	1	3	14	23	11	1	41	1	—	—	1	4	21	12	2
		F	57	1	—	2	4	16	26	7	1	33	—	—	—	2	7	17	6	1
10	Tuberculous meningitis	M	4	1	—	1	2	—	—	—	—	6	1	4	—	1	—	—	—	—
		F	8	1	2	2	3	—	—	—	—	5	1	—	—	1	2	1	—	—
11	Other tuberculous diseases.	M	11	4	2	1	1	—	2	—	1	5	—	—	—	1	—	2	2	—
		F	15	2	—	2	7	3	1	—	—	4	—	1	—	1	1	1	—	—
12	Cancer, malignant disease	M	67	—	—	—	—	—	5	28	34	57	—	—	—	1	—	4	22	30
		F	71	—	—	—	—	—	13	37	21	57	—	—	—	—	—	4	29	24
13	Rheumatic fever ...	M	6	—	—	—	—	1	3	1	1	1	—	—	—	—	—	—	—	1
		F	5	—	—	—	2	1	1	1	—	2	—	—	—	1	1	—	—	—
14	Meningitis	M	4	—	2	1	1	—	—	—	—	2	1	1	—	—	—	—	—	—
		F	12	4	2	—	4	1	1	—	—	8	—	3	—	1	1	3	—	—
15	Organic heart disease ...	M	85	—	—	—	2	2	7	23	51	93	—	—	1	1	2	4	23	62
		F	88	—	—	—	2	2	8	31	45	82	—	—	—	1	1	6	19	55
16	Bronchitis	M	82	12	8	2	—	—	5	19	36	32	2	2	1	—	—	1	7	19
		F	62	13	3	2	1	—	1	11	31	38	4	1	—	—	—	4	5	24
17	Pneumonia (all forms)...	M	78	14	6	5	6	4	14	18	11	44	6	3	4	1	2	10	11	7
		F	60	10	5	3	7	5	6	12	12	25	3	1	2	—	—	9	2	8
18	Other respiratory diseases	M	26	—	—	2	—	—	8	11	5	20	2	1	—	—	1	3	8	5
		F	10	3	—	1	—	1	—	2	3	6	1	—	—	—	—	—	2	3
19	Diarrhœa, &c.	M	19	11	1	1	—	—	3	1	2	17	8	1	—	—	—	3	2	3
		F	19	11	3	1	—	—	—	2	2	13	5	1	—	2	—	—	2	3
20	Appendicitis and typhlitis	M	3	—	—	—	1	—	1	1	—	5	—	—	—	1	—	2	1	1
		F	1	—	—	—	—	—	1	—	—	3	—	—	—	1	—	1	1	—
21	Cirrhosis of liver ...	M	5	—	—	—	—	—	—	2	3	6	—	—	—	—	—	1	4	1
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	28	—	—	1	3	1	3	7	13	17	—	—	—	1	1	1	8	6
		F	27	—	—	—	1	2	5	8	11	14	—	—	—	1	—	4	5	4
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	3	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	3	7	1	—	8	—	—	—	—	—	8	—	—
25	Congenital debility, &c.	M	51	49	1	1	—	—	—	—	—	39	37	2	—	—	—	—	—	—
		F	48	47	—	—	—	1	—	—	—	40	38	—	1	—	—	1	—	—
26	Violence, apart from suicide.	M	60	—	1	4	5	8	22	15	5	36	2	—	1	5	3	11	11	3
		F	14	—	2	—	2	—	2	2	6	8	2	—	1	2	—	—	1	2
27	Suicide	M	7	—	—	—	—	—	3	3	1	9	—	—	—	—	—	3	5	1
		F	4	—	—	—	—	—	1	2	1	2	—	—	—	—	—	1	—	1
28	Other defined diseases ...	M	262	38	7	4	4	8	20	49	132	196	21	—	4	3	—	13	34	121
		F	237	17	5	6	4	6	17	43	139	196	13	2	3	6	7	15	27	123
29	Causes ill-defined or unknown.	M	10	—	2	—	—	—	—	6	2	5	—	—	—	—	—	—	4	1
		F	8	2	1	—	—	—	1	2	2	3	—	—	—	—	—	—	2	1

Causes of Death at Different Periods of Life in the Administrative County of Derby—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,861	360	58	57	80	65	206	462	573	1,738	308	61	65	78	62	176	394	594
		F	1,672	256	70	65	82	67	207	349	576	1,588	234	70	65	74	56	217	282	590
1	Enteric fever	M	4	—	—	—	1	—	2	1	—	4	—	—	—	—	2	—	2	—
		F	5	—	—	—	—	—	3	2	—	4	—	—	—	—	2	2	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	2	1	—	1	—	—	—	—	—	17	5	6	4	2	—	—	—	—
		F	8	2	3	1	1	—	—	—	1	19	6	4	8	1	—	—	—	—
4	Scarlet fever	M	6	—	—	5	1	—	—	—	—	6	—	2	1	3	—	—	—	—
		F	4	—	—	1	3	—	—	—	—	5	—	1	1	3	—	—	—	—
5	Whooping cough ...	M	10	5	2	3	—	—	—	—	—	9	7	1	1	—	—	—	—	—
		F	17	7	8	2	—	—	—	—	—	17	9	6	1	1	—	—	—	—
6	Diphtheria and croup ...	M	30	1	4	14	11	—	—	—	—	35	2	2	12	17	1	1	—	—
		F	28	1	1	4	21	—	1	—	—	25	1	5	6	13	—	—	—	—
7	Influenza	M	29	1	—	—	—	—	6	14	7	45	1	2	—	—	5	7	10	20
		F	16	—	—	1	—	1	—	5	9	26	1	—	1	1	1	4	7	11
8	Erysipelas	M	4	—	—	—	—	—	1	1	2	5	3	—	—	—	—	1	1	—
		F	1	—	—	—	—	1	—	—	—	2	1	—	—	1	—	—	—	—
9	Pulmonary tuberculosis	M	125	2	2	2	3	16	47	49	4	89	1	—	2	3	12	41	27	3
		F	109	—	1	3	5	28	51	18	3	87	—	1	1	11	12	47	11	4
10	Tuberculous meningitis	M	13	3	3	1	5	1	—	—	—	14	4	3	5	1	—	—	1	—
		F	10	4	2	—	1	1	2	—	—	21	2	6	7	4	—	2	—	—
11	Other tuberculous diseases.	M	27	2	2	3	7	6	5	2	—	35	4	5	6	7	3	5	3	2
		F	24	3	3	4	2	5	6	1	—	30	2	3	4	6	3	9	2	1
12	Cancer, malignant disease	M	103	—	—	1	1	3	13	46	39	121	—	—	—	—	1	8	55	57
		F	153	—	1	1	—	1	21	77	52	136	—	—	—	1	1	17	66	51
13	Rheumatic fever ...	M	6	—	1	—	—	1	1	2	1	4	—	—	—	3	—	—	1	—
		F	10	—	—	—	2	1	5	1	1	7	—	—	—	1	3	1	2	—
14	Meningitis	M	14	2	3	1	5	1	1	1	—	15	5	4	2	2	1	—	—	1
		F	13	1	4	3	4	—	1	—	—	8	—	2	4	1	1	—	—	—
15	Organic heart disease ...	M	166	—	—	1	5	6	15	66	73	167	—	—	—	3	2	19	64	79
		F	162	—	—	1	11	2	11	65	72	167	—	—	1	4	7	24	48	83
16	Bronchitis	M	218	34	8	2	3	2	6	56	107	156	22	9	4	2	—	3	36	80
		F	155	20	4	6	2	2	6	31	84	123	20	7	2	—	1	6	13	74
17	Pneumonia (all forms)	M	104	30	10	6	4	3	16	24	11	109	31	13	6	3	3	9	24	20
		F	113	23	22	11	4	9	10	14	20	91	24	15	5	3	5	9	9	21
18	Other respiratory diseases	M	33	3	—	2	4	—	1	12	11	30	—	3	4	1	—	4	7	11
		F	20	1	1	1	3	1	3	4	6	26	3	1	8	—	—	—	5	9
19	Diarrhœa, &c.	M	45	22	4	2	—	—	3	4	10	37	27	3	2	2	1	—	1	1
		F	45	22	7	3	4	—	1	2	6	45	24	7	1	2	—	—	2	9
20	Appendicitis and typhlitis	M	9	—	—	—	2	1	3	2	1	14	—	—	1	3	4	5	1	—
		F	11	1	—	—	5	1	—	3	1	10	—	—	—	2	2	5	—	1
21	Cirrhosis of liver ...	M	14	—	—	—	—	—	—	13	1	13	—	—	—	—	—	2	5	6
		F	5	—	—	—	—	—	2	2	1	12	—	—	—	—	—	—	9	3
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	50	—	1	—	2	2	9	23	13	53	—	—	3	1	6	5	20	18
		F	45	—	1	2	4	1	16	15	6	62	—	2	3	1	2	11	16	27
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	10	—	—	—	—	2	8	—	—	9	—	—	—	—	1	7	1	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	20	—	—	—	—	4	15	1	—	25	—	—	—	—	1	24	—	—
25	Congenital debility, &c.	M	170	170	—	—	—	—	—	—	—	124	122	—	—	2	—	—	—	—
		F	113	110	1	1	1	—	—	—	—	95	93	1	1	—	—	—	—	—
26	Violence, apart from suicide.	M	94	1	1	8	12	8	33	24	7	85	1	2	5	12	11	27	18	9
		F	27	—	1	7	2	1	4	5	7	27	4	—	6	4	2	4	2	5
27	Suicide	M	18	—	—	—	—	2	8	6	2	15	—	—	—	—	1	4	8	2
		F	10	—	—	—	—	1	6	2	1	6	—	—	—	—	2	—	3	1
28	Other defined diseases ...	M	542	82	13	5	13	13	35	102	279	509	72	5	7	9	8	34	95	279
		F	524	61	6	13	7	5	33	95	304	489	44	8	5	14	10	43	80	285
29	Causes ill-defined or unknown.	M	24	1	4	—	1	—	1	12	5	27	1	1	—	2	1	1	15	6
		F	13	—	4	—	—	—	2	6	1	14	—	1	—	—	—	2	6	5

Causes of Death at Different Periods of Life in the Administrative County of Devon—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,396	133	25	30	42	60	135	368	603	1,497	142	28	29	47	47	148	330	726
		F	1,589	92	28	30	45	63	151	324	856	1,459	103	31	24	42	55	142	274	788
1	Enteric fever	M	2	—	—	—	1	1	—	—	—	2	—	—	—	2	—	—	—	—
		F	2	—	—	—	—	1	—	1	—	4	—	—	—	1	—	3	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	11	3	2	5	1	—	—	—	—	9	1	—	1	5	1	1	—	—
		F	11	7	2	2	—	—	—	—	—	6	1	2	1	1	—	1	—	—
4	Scarlet fever	M	3	—	1	1	1	—	—	—	—	4	—	—	3	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—
5	Whooping cough ...	M	7	5	1	1	—	—	—	—	—	16	9	5	2	—	—	—	—	—
		F	14	5	6	3	—	—	—	—	—	14	3	4	4	2	—	1	—	—
6	Diphtheria and croup ...	M	14	—	—	6	8	—	—	—	—	18	—	1	6	11	—	—	—	—
		F	14	—	1	5	6	—	1	1	—	12	—	1	5	5	—	1	—	—
7	Influenza	M	40	1	3	—	—	3	3	11	19	34	—	—	1	1	1	1	11	19
		F	53	—	—	—	—	1	4	9	39	34	2	—	—	2	4	2	6	18
8	Erysipelas	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	1	—
9	Pulmonary tuberculosis	M	117	1	—	—	2	24	61	23	6	95	—	1	1	2	13	44	21	13
		F	109	—	—	—	6	30	56	13	4	97	—	—	2	8	22	40	19	6
10	Tuberculous meningitis	M	10	1	2	2	2	2	1	—	—	4	1	—	3	—	—	—	—	—
		F	15	1	1	2	6	5	—	—	—	4	1	—	—	2	1	—	—	—
11	Other tuberculous diseases.	M	24	1	2	—	2	3	6	8	2	15	1	—	—	3	3	5	1	2
		F	16	—	—	—	3	5	4	4	—	20	2	1	—	—	6	4	2	5
12	Cancer, malignant disease	M	113	—	—	—	—	1	6	54	52	117	—	—	—	—	—	5	50	62
		F	170	—	—	—	1	—	16	79	74	151	—	—	—	—	—	16	64	71
13	Rheumatic fever ...	M	8	—	—	—	2	1	3	—	2	3	—	—	—	—	—	—	3	—
		F	8	—	—	—	—	6	1	1	—	7	—	—	—	1	1	2	1	2
14	Meningitis	M	11	1	2	1	4	1	—	—	2	8	2	—	1	1	1	3	—	—
		F	8	2	—	2	2	1	—	1	—	20	6	3	1	3	2	—	4	1
15	Organic heart disease ...	M	158	—	—	—	2	2	4	52	98	194	—	—	1	2	5	10	59	117
		F	233	—	—	—	3	5	8	57	160	213	—	—	—	1	3	13	52	144
16	Bronchitis	M	85	7	1	1	1	2	—	14	59	111	4	1	2	—	—	6	8	90
		F	148	5	2	1	1	—	1	16	122	131	6	3	1	—	—	1	11	109
17	Pneumonia (all forms)	M	63	12	6	3	2	2	4	14	20	96	13	10	—	2	1	12	21	37
		F	65	9	7	8	4	2	3	14	18	55	9	4	4	2	1	4	9	22
18	Other respiratory diseases	M	28	1	1	1	1	1	2	0	11	30	1	2	2	2	—	2	11	10
		F	15	—	—	1	1	1	1	3	8	21	—	2	1	—	1	1	5	11
19	Diarrhœa, &c.	M	16	7	—	—	1	—	2	1	5	21	8	1	1	—	—	1	3	7
		F	13	2	1	1	2	—	2	2	3	15	6	2	—	—	1	—	—	6
20	Appendicitis and typhlitis	M	6	—	—	—	3	—	1	2	—	12	—	—	—	2	3	1	4	2
		F	2	—	—	—	1	—	—	1	—	9	—	—	—	5	1	1	—	2
21	Cirrhosis of liver ...	M	14	—	—	—	—	—	—	9	5	10	—	—	—	—	—	—	7	3
		F	11	—	—	—	—	—	—	5	6	11	—	—	—	—	—	—	6	5
21A	Alcoholism	M	4	—	—	—	—	—	—	1	3	3	—	—	—	—	—	—	3	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	53	1	—	—	1	2	6	21	22	64	—	—	—	2	2	6	19	35
		F	53	—	—	—	1	—	10	22	20	40	—	—	—	—	1	3	16	20
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	12	—	—	—	—	—	11	1	—	13	—	—	—	—	1	12	—	—
25	Congenital debility, &c.	M	63	63	—	—	—	—	—	—	—	68	66	1	1	—	—	—	—	—
		F	38	35	2	—	—	1	—	—	—	37	37	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	57	1	1	1	5	5	18	18	8	63	3	1	1	6	9	18	18	7
		F	34	5	—	1	1	1	3	8	15	24	1	1	3	1	—	2	4	12
27	Suicide	M	2	—	—	—	—	—	—	2	—	17	—	—	—	—	1	1	11	4
		F	4	—	—	—	—	—	1	3	—	2	—	—	—	—	—	1	1	—
28	Other defined diseases ...	M	484	28	3	8	3	10	18	126	288	473	31	5	3	6	6	32	77	313
		F	532	21	6	4	7	4	27	81	382	509	29	7	2	8	10	33	67	353
29	Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	1	1	10	2	—	—	—	—	—	3	5
		F	5	—	—	—	—	—	1	2	2	7	—	—	—	—	—	—	6	1

Causes of Death at Different Periods of Life in the Administrative County of Dorset—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	733	92	26	21	18	22	75	197	282	637	54	18	11	18	19	50	145	322
		F	769	75	16	21	19	27	89	136	386	666	59	11	9	17	22	63	128	357
1	Enteric fever	M	2	—	—	—	—	—	1	1	—	3	—	—	—	—	1	2	—	—
		F	6	—	—	—	1	—	4	1	—	1	—	—	—	—	1	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	5	—	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	2	—	—	—	1	1	—	—	—	1	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
5	Whooping cough ...	M	7	3	2	2	—	—	—	—	—	7	4	1	2	—	—	—	—	—
		F	6	5	1	—	—	—	—	—	—	7	4	3	—	—	—	—	—	—
6	Diphtheria and croup ...	M	6	—	1	4	—	1	—	—	—	1	—	—	1	—	—	—	—	—
		F	2	—	—	1	1	—	—	—	—	3	—	—	1	2	—	—	—	—
7	Influenza	M	25	1	1	—	—	—	3	8	12	20	—	—	—	—	—	2	4	14
		F	23	1	—	—	—	1	2	6	13	27	2	—	—	1	1	2	5	16
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	47	1	—	—	1	8	25	9	3	29	—	—	—	2	8	9	10	—
		F	53	—	—	—	5	15	24	7	2	38	2	—	—	2	9	17	8	—
10	Tuberculous meningitis	M	9	1	3	1	2	—	—	2	—	4	—	—	1	2	—	1	—	—
		F	6	—	2	2	1	—	1	—	—	3	—	2	1	—	—	—	—	—
11	Other tuberculous diseases.	M	9	—	1	2	2	3	—	1	—	3	—	—	—	—	1	—	1	1
		F	8	1	1	1	1	—	2	1	1	11	1	—	—	1	—	4	4	1
12	Cancer, malignant disease	M	54	—	—	—	—	2	3	27	22	66	—	—	—	—	—	1	34	31
		F	89	—	—	—	1	—	7	38	43	61	—	—	—	—	—	2	22	37
13	Rheumatic fever ...	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	—	1	1	4	—	—	—	—	3	1	—	—
14	Meningitis	M	3	2	—	—	1	—	—	—	—	4	1	—	—	1	1	1	—	—
		F	4	—	—	—	—	2	1	1	—	4	—	1	1	—	2	—	—	—
15	Organic heart disease ...	M	90	—	—	—	—	1	4	41	44	93	—	1	—	1	1	5	19	66
		F	109	—	—	—	1	2	8	27	71	100	—	—	—	2	—	3	26	69
16	Bronchitis	M	60	11	1	1	—	—	—	9	38	48	2	4	—	—	—	2	4	36
		F	57	5	4	3	1	—	—	3	41	53	5	—	—	—	—	1	4	43
17	Pneumonia (all forms)	M	50	10	6	3	2	1	5	10	13	33	3	5	2	4	1	5	5	8
		F	34	11	1	3	—	—	5	4	10	21	2	3	2	1	1	—	5	7
18	Other respiratory diseases	M	17	—	—	1	—	—	3	7	6	7	—	1	—	1	—	1	3	1
		F	10	—	—	1	—	—	2	—	7	10	—	—	—	1	—	—	3	6
19	Diarrhœa, &c.	M	11	5	3	1	—	—	1	—	1	8	2	—	—	—	—	—	3	3
		F	13	6	3	—	—	—	1	—	3	5	1	—	—	2	—	—	—	2
20	Appendicitis and typhlitis	M	5	—	—	—	1	2	1	—	1	2	—	—	—	1	1	—	—	—
		F	5	—	—	—	3	—	—	2	—	4	—	—	—	1	1	1	—	1
21	Cirrhosis of liver ...	M	8	—	—	—	—	—	2	5	1	9	—	—	—	—	—	—	4	5
		F	10	—	—	—	—	—	2	4	4	1	—	—	—	1	—	—	—	—
21A	Alcoholism	M	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	24	—	—	—	2	—	3	10	9	26	1	—	—	1	1	3	10	10
		F	17	—	—	—	—	1	3	7	6	12	—	—	—	—	1	2	3	6
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	4	—	—	—	—	—	4	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	2	3	—	—	6	—	—	—	—	—	6	—	—
25	Congenital debility, &c.	M	37	35	1	—	—	1	—	—	—	29	28	—	—	1	—	—	—	—
		F	33	33	—	—	—	—	—	—	—	30	30	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	22	2	1	1	1	—	6	8	3	25	3	1	2	4	1	5	3	6
		F	13	2	1	—	1	2	2	1	4	12	2	1	1	1	2	—	3	2
27	Suicide	M	5	—	—	—	—	—	—	5	—	7	—	—	—	—	—	1	4	2
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	227	21	5	2	4	1	16	49	129	206	10	4	3	—	3	10	38	138
		F	253	10	3	7	3	1	19	31	179	241	8	1	2	2	1	20	41	166
29	Causes ill-defined or unknown.	M	6	—	—	—	—	—	1	5	—	5	—	—	—	—	—	1	3	1
		F	2	—	—	—	—	—	—	1	1	5	—	—	—	—	—	—	4	1

Causes of Death at Different Periods of Life in the Administrative County of Durham—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	3,766	854	215	204	263	161	445	751	933	2,994	707	182	129	161	150	326	599	740
		F	3,295	603	222	183	210	166	429	651	831	2,529	552	158	135	149	113	320	487	615
1	Enteric fever	M	14	—	—	—	3	1	5	4	1	30	—	—	1	5	12	11	1	—
		F	15	—	—	1	4	2	5	3	—	16	—	1	1	2	3	5	3	1
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	22	6	5	9	2	—	—	—	—	10	3	4	—	3	—	—	—	—
		F	23	7	6	8	2	—	—	—	—	4	1	1	1	1	—	—	—	—
4	Scarlet fever	M	10	—	3	4	3	—	—	—	—	18	1	1	9	6	1	—	—	—
		F	18	1	2	9	5	1	—	—	—	20	1	1	6	12	—	—	—	—
5	Whooping cough ...	M	53	29	13	7	3	—	—	—	1	30	14	8	6	1	—	—	—	1
		F	92	33	31	23	5	—	—	—	—	49	23	17	8	1	—	—	—	—
6	Diphtheria and croup ...	M	55	3	5	22	23	1	1	—	—	32	—	4	18	10	—	—	—	—
		F	60	1	8	20	29	—	2	—	—	39	—	4	12	22	—	1	—	—
7	Influenza	M	32	2	—	—	1	2	9	10	8	29	1	1	—	2	3	6	10	6
		F	27	—	—	—	—	2	3	13	9	33	1	2	—	1	2	6	12	9
8	Erysipelas	M	6	1	—	—	—	—	1	3	1	6	—	—	—	1	1	1	2	1
		F	5	1	—	—	1	—	—	2	1	3	1	—	—	—	—	—	—	2
9	Pulmonary tuberculosis	M	281	1	1	5	23	37	138	68	8	175	1	2	3	16	38	67	44	4
		F	253	3	2	5	37	66	105	33	2	189	1	2	4	24	47	81	25	5
10	Tuberculous meningitis	M	53	6	9	17	18	2	1	—	—	29	5	6	8	8	1	1	—	—
		F	38	4	9	4	16	2	3	—	—	33	6	7	11	8	1	—	—	—
11	Other tuberculous diseases.	M	102	8	19	17	25	19	8	4	2	55	5	7	8	13	9	8	3	2
		F	87	5	13	20	17	15	13	3	1	52	3	7	8	11	10	11	2	—
12	Cancer, malignant disease	M	158	—	—	—	1	1	16	73	67	122	—	—	—	1	3	11	57	50
		F	244	—	—	—	1	1	28	134	80	159	—	—	1	1	—	14	83	60
13	Rheumatic fever ...	M	18	1	—	—	1	4	8	4	—	18	—	—	—	4	5	4	5	—
		F	14	—	—	—	3	2	3	4	2	14	—	—	—	2	1	9	2	—
14	Meningitis	M	51	18	9	7	9	—	2	6	—	27	7	2	8	8	1	1	—	—
		F	36	10	3	7	8	2	4	2	—	29	8	11	4	3	1	—	2	—
15	Organic heart disease ...	M	299	—	—	1	5	14	28	104	147	257	—	2	—	6	8	31	92	118
		F	308	—	—	1	6	12	45	131	113	226	—	1	—	7	9	30	90	89
16	Bronchitis	M	304	86	24	13	1	—	5	62	113	233	67	13	7	2	3	10	46	85
		F	263	63	19	8	6	2	7	38	120	203	53	13	13	4	1	6	33	80
17	Pneumonia (all forms)	M	414	94	48	45	20	18	72	75	42	276	81	44	20	17	8	29	43	34
		F	273	59	62	25	9	13	33	35	37	170	51	27	19	11	6	21	14	21
18	Other respiratory diseases	M	60	5	3	8	4	1	4	16	19	51	6	3	3	6	1	4	15	13
		F	34	1	2	4	2	1	7	7	10	45	5	3	7	1	5	5	12	7
19	Diarrhœa, &c.	M	150	72	29	9	3	2	6	9	20	119	63	32	7	1	—	2	7	7
		F	110	42	26	11	6	1	4	9	11	115	55	27	11	2	1	5	5	9
20	Appendicitis and typhlitis	M	12	—	—	—	3	6	—	2	1	17	—	—	—	5	5	3	4	—
		F	13	—	—	—	6	1	3	2	1	9	—	—	—	4	—	3	2	—
21	Cirrhosis of liver ...	M	22	—	—	—	—	—	6	12	4	20	—	1	—	—	—	4	11	4
		F	21	—	—	—	—	—	6	14	1	13	—	—	—	—	—	2	6	5
21A	Alcoholism	M	2	—	—	—	—	—	—	1	1	4	—	—	—	—	—	1	3	—
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—
22	Nephritis and Bright's disease.	M	79	1	2	7	6	3	7	27	26	79	1	2	3	3	5	10	32	23
		F	101	1	3	6	3	3	38	25	22	76	1	2	5	4	1	17	36	10
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	4	7	—	—	9	—	—	—	—	—	9	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	36	—	—	—	—	5	30	1	—	31	—	—	—	—	6	24	1	—
25	Congenital debility, &c.	M	341	336	1	1	1	2	—	—	—	299	293	2	2	1	1	—	—	—
		F	237	236	—	—	1	—	—	—	—	219	215	2	1	1	—	—	—	—
26	Violence, apart from suicide.	M	197	4	3	16	27	33	42	50	22	206	6	6	10	20	31	50	61	22
		F	63	5	4	8	15	4	4	13	10	45	3	5	9	5	4	3	4	12
27	Suicide	M	21	—	—	—	—	1	7	11	2	13	—	—	—	—	1	3	5	4
		F	9	—	—	—	—	2	4	1	2	12	—	—	—	—	4	4	4	—
28	Other defined diseases ...	M	969	180	35	14	19	14	77	191	439	820	152	39	14	22	13	66	151	363
		F	871	130	27	19	26	25	68	171	405	695	123	23	14	21	11	62	140	301
29	Causes ill-defined or unknown.	M	41	1	6	2	2	—	2	19	9	19	1	3	2	—	—	3	7	3
		F	33	1	5	4	2	—	7	10	4	18	1	2	—	1	—	2	8	4

Causes of Death at Different Periods of Life in the Administrative County of Ely, Isle of—1916.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	282	43	4	7	12	11	22	64	119	239	40	8	5	5	12	29	33	107
	F	260	21	5	1	9	13	32	47	132	193	21	2	4	5	12	20	31	98
1 Enteric fever	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
5 Whooping cough ...	M	5	4	—	1	—	—	—	—	—	4	2	1	1	—	—	—	—	—
	F	5	2	3	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Influenza	M	6	—	—	—	—	1	1	1	3	4	—	—	—	—	—	1	—	3
	F	6	—	—	—	—	1	—	1	4	6	—	—	—	—	—	—	—	6
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	18	—	—	—	—	2	6	8	2	20	—	—	—	—	5	10	4	1
	F	26	—	—	—	1	9	10	3	3	16	—	—	—	1	4	8	3	—
10 Tuberculous meningitis	M	3	—	—	—	2	—	—	1	—	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	2	—	—	—
11 Other tuberculous diseases.	M	2	—	—	—	1	—	—	1	—	3	—	—	1	—	1	1	—	—
	F	1	—	—	—	—	1	—	—	—	4	1	—	—	2	—	—	1	—
12 Cancer, malignant disease	M	32	—	—	—	—	—	3	11	18	31	—	1	—	—	—	2	7	21
	F	35	—	—	—	—	—	9	13	13	28	—	—	—	—	—	1	10	17
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Meningitis	M	4	—	1	—	1	1	—	1	—	2	—	—	—	1	1	—	—	—
	F	3	—	—	—	2	—	1	—	—	2	—	—	—	—	1	1	—	—
15 Organic heart disease ...	M	21	—	—	—	—	1	1	5	14	16	—	—	—	—	1	2	5	8
	F	19	—	—	—	—	—	1	9	9	17	—	—	—	1	1	3	3	9
16 Bronchitis	M	24	6	1	1	—	—	—	3	13	15	5	—	—	—	—	—	1	9
	F	18	1	—	—	—	—	—	—	17	16	2	—	—	—	—	—	1	13
17 Pneumonia (all forms)	M	26	7	—	1	1	2	3	3	9	5	1	1	—	—	—	1	1	1
	F	11	3	—	—	—	—	—	2	6	3	1	—	—	—	—	1	1	—
18 Other respiratory diseases	M	3	—	—	—	—	—	—	2	1	8	—	1	1	1	—	—	—	5
	F	1	—	—	—	—	—	—	1	—	3	—	—	—	1	—	—	1	1
19 Diarrhœa, &c.	M	7	5	—	1	—	—	—	1	—	1	1	—	—	—	—	—	—	—
	F	6	3	1	—	—	—	—	—	2	4	1	—	1	—	—	—	1	1
20 Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	2	—	—	—	1	—	1	—	—
	F	3	—	—	—	2	—	1	—	—	2	—	—	—	—	1	1	—	—
21 Cirrhosis of liver ...	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	8	—	—	—	1	—	—	2	5	6	—	—	—	—	—	1	1	4
	F	8	—	—	—	1	—	—	1	6	8	—	—	—	—	—	—	3	5
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	1	2	—	—	3	—	—	—	—	1	2	—	—
25 Congenital debility, &c.	M	14	14	—	—	—	—	—	—	—	22	22	—	—	—	—	—	—	—
	F	7	6	—	—	1	—	—	—	—	12	12	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	15	—	1	2	2	2	2	5	1	12	—	2	1	1	2	1	3	2
	F	4	—	—	—	1	—	2	—	1	3	—	—	1	—	—	—	1	1
27 Suicide	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
28 Other defined diseases ...	M	87	7	1	—	3	1	5	19	51	77	9	2	—	1	1	4	9	51
	F	98	6	1	—	—	1	6	14	70	59	3	1	—	—	2	3	5	45
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	—	2	4	—	—	—	—	—	1	1	2
	F	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—

Causes of Death at Different Periods of Life in the Administrative County of Essex—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	3,540	531	122	117	153	133	491	816	1177	1,669	178	27	32	64	49	140	379	800
		F	3,387	364	118	132	131	141	444	730	1327	1,518	131	25	27	56	58	139	287	795
1	Enteric fever	M	7	—	—	—	—	—	6	1	—	3	—	—	—	—	3	—	—	—
		F	6	—	—	—	1	2	3	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	24	2	13	6	2	—	1	—	—	9	3	3	1	2	—	—	—	—
		F	29	4	9	12	3	1	—	—	—	5	1	2	1	1	—	—	—	—
4	Scarlet fever	M	2	—	—	2	—	—	—	—	—	4	—	1	1	1	1	—	—	—
		F	6	—	1	1	4	—	—	—	—	8	—	—	5	2	—	—	1	—
5	Whooping cough ...	M	51	27	10	13	1	—	—	—	—	9	4	3	2	—	—	—	—	—
		F	57	22	18	15	2	—	—	—	—	18	10	5	3	—	—	—	—	—
6	Diphtheria and croup ...	M	38	—	2	21	15	—	—	—	—	17	1	—	2	13	1	—	—	—
		F	57	—	4	25	26	1	1	—	—	22	2	2	2	13	2	1	—	—
7	Influenza	M	55	1	—	4	1	1	7	19	22	38	2	—	1	—	—	7	14	14
		F	64	—	1	3	—	1	8	18	33	48	—	1	—	1	2	5	4	35
8	Erysipelas	M	5	1	—	—	—	—	—	2	2	2	—	—	—	—	—	—	—	2
		F	2	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	1
9	Pulmonary tuberculosis	M	321	2	4	3	12	46	152	88	14	102	—	—	2	4	18	45	24	9
		F	266	2	2	2	16	52	115	62	15	73	—	—	1	9	18	30	14	1
10	Tuberculous meningitis	M	46	6	9	15	8	5	3	—	—	6	—	1	3	2	—	—	—	—
		F	43	8	9	16	6	1	2	1	—	6	1	—	—	3	2	—	—	—
11	Other tuberculous diseases.	M	57	7	9	5	13	8	11	2	2	16	2	—	3	2	2	4	3	—
		F	50	1	7	5	9	8	11	3	6	13	—	1	—	4	1	5	2	—
12	Cancer, malignant disease	M	277	1	—	—	—	—	30	119	127	169	—	—	1	1	1	6	67	93
		F	357	1	—	—	—	1	37	174	144	202	—	—	—	2	1	16	85	98
13	Rheumatic fever ...	M	8	—	—	1	4	2	1	—	—	4	—	—	—	—	—	2	1	1
		F	15	—	—	—	4	2	4	2	3	3	—	—	—	2	—	1	—	—
14	Meningitis	M	32	7	5	7	5	3	3	1	1	12	3	3	3	2	—	1	—	—
		F	32	4	4	6	3	5	3	7	—	13	3	1	2	2	3	1	1	—
15	Organic heart disease ...	M	365	—	—	1	4	10	40	129	181	172	—	—	—	—	2	12	48	110
		F	416	—	—	—	8	10	45	111	242	166	—	—	—	1	1	13	42	109
16	Bronchitis	M	269	41	10	2	2	3	5	49	157	131	13	2	—	—	1	3	19	93
		F	291	26	11	3	1	1	5	50	194	114	11	2	1	1	—	1	9	89
17	Pneumonia (all forms)	M	225	36	27	15	14	9	37	59	28	79	20	3	1	2	1	8	24	20
		F	186	32	21	17	9	6	20	29	52	60	7	6	5	3	3	7	9	20
18	Other respiratory dseases	M	73	10	5	3	4	1	6	22	22	16	4	—	—	—	1	1	5	5
		F	50	3	2	3	2	1	4	14	21	24	1	—	—	1	—	3	4	15
19	Diarrhœa, &c.	M	90	54	8	3	1	2	4	8	10	29	15	1	2	1	2	4	2	2
		F	67	38	6	3	4	—	4	6	6	21	11	1	1	1	2	1	1	3
20	Appendicitis and typhlitis	M	20	—	—	1	7	5	3	2	2	15	—	—	—	6	3	1	4	1
		F	26	—	—	2	7	4	6	7	—	4	—	—	—	1	—	1	2	—
21	Cirrhosis of liver ...	M	25	2	—	—	—	—	5	11	7	10	—	—	—	—	—	—	4	6
		F	12	—	—	—	1	1	1	8	1	4	—	—	—	—	—	—	3	1
21A	Alcoholism	M	3	—	—	—	—	—	—	3	—	2	—	—	—	—	—	1	1	—
		F	4	—	—	—	—	—	1	3	—	3	—	—	—	—	—	—	3	—
22	Nephritis and Bright's disease.	M	93	—	1	—	4	2	13	29	44	53	1	—	—	4	—	6	20	22
		F	88	—	—	—	1	6	15	38	28	41	1	—	1	—	3	9	12	15
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	20	—	—	—	—	3	16	1	—	3	—	—	—	—	1	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	29	—	—	—	—	3	26	—	—	10	—	—	—	—	2	8	—	—
25	Congenital debility, &c	M	234	232	1	—	—	—	1	—	—	81	81	—	—	—	—	—	—	—
		F	156	152	1	1	2	—	—	—	—	59	57	—	1	1	—	—	—	—
26	Violence, apart from suicide.	M	146	7	2	7	21	7	42	33	27	76	—	2	3	13	7	12	25	14
		F	82	8	8	4	6	7	10	16	23	25	2	1	2	4	3	1	5	7
27	Suicide	M	18	—	—	—	—	2	5	6	5	12	—	—	—	—	—	3	7	2
		F	10	—	—	—	—	2	5	2	1	8	—	—	—	—	2	2	3	1
28	Other defined diseases ...	M	1,036	94	15	7	35	27	111	226	521	588	29	7	6	11	6	22	104	403
		F	961	63	13	14	16	22	101	174	558	558	24	3	2	4	12	32	82	399
29	Causes ill-defined or unknown.	M	20	1	1	1	—	—	5	7	5	14	—	1	1	—	—	2	7	3
		F	5	—	1	—	—	—	1	3	—	6	—	—	—	—	—	—	5	1

Causes of Death at Different Periods of Life in the Administrative County of Gloucester—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	632	72	10	21	13	29	58	146	283	1,563	152	36	39	63	54	153	369	697
		F	743	43	15	15	16	32	71	131	420	1,525	121	28	28	61	81	169	295	742
1	Enteric fever	M	1	—	—	—	1	—	—	—	—	4	—	—	—	—	—	3	—	1
		F	2	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	10	2	4	4	—	—	—	—	—	19	4	2	7	4	1	—	1	—
		F	8	1	3	2	—	—	2	—	—	17	1	6	5	4	1	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	1	—	—
5	Whooping cough ...	M	2	1	—	1	—	—	—	—	—	6	4	2	—	—	—	—	—	—
		F	4	—	3	1	—	—	—	—	—	5	3	2	—	—	—	—	—	—
6	Diphtheria and croup ...	M	3	—	1	2	—	—	—	—	—	17	1	3	6	7	—	—	—	—
		F	7	—	2	4	1	—	—	—	—	19	—	—	9	9	—	1	—	—
7	Influenza	M	12	1	—	—	—	2	2	3	4	36	—	—	—	—	1	2	10	23
		F	25	1	—	—	—	1	1	3	19	40	1	1	—	—	1	4	9	24
8	Erysipelas	M	2	—	—	—	—	—	1	—	1	2	—	—	—	—	—	1	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	46	—	—	—	—	12	20	13	1	100	—	1	2	2	16	41	31	7
		F	45	—	—	—	2	16	16	7	4	91	—	1	—	8	30	40	9	3
10	Tuberculous meningitis	M	2	—	1	—	1	—	—	—	—	11	1	4	2	2	2	—	—	—
		F	2	—	—	1	—	1	—	—	—	13	2	1	1	7	2	—	—	—
11	Other tuberculous diseases.	M	9	—	1	1	1	4	—	2	—	17	2	3	—	7	1	2	2	—
		F	10	—	—	1	3	1	1	1	3	20	2	1	2	2	5	2	6	—
12	Cancer, malignant disease	M	60	—	—	—	—	—	3	29	28	117	—	—	—	—	—	7	46	64
		F	74	—	—	—	—	—	4	30	40	161	—	—	—	—	1	13	66	81
13	Rheumatic fever ...	M	2	—	—	—	1	—	1	—	—	7	—	—	—	2	4	1	—	—
		F	4	—	—	—	1	—	2	—	1	6	—	—	—	3	2	—	1	—
14	Meningitis	M	5	—	1	1	1	—	—	2	—	8	1	—	3	3	1	—	—	—
		F	4	1	—	—	—	2	1	—	—	9	—	—	—	4	3	1	1	—
15	Organic heart disease ...	M	72	—	—	—	1	2	7	22	40	221	—	—	—	3	8	11	66	133
		F	106	—	—	—	1	3	6	22	74	251	—	—	—	2	3	17	55	174
16	Bronchitis	M	37	4	—	1	—	—	2	10	20	112	6	4	—	1	—	4	14	83
		F	37	2	—	1	—	—	—	6	28	107	10	—	1	—	—	5	15	76
17	Pneumonia (all forms)...	M	38	7	—	3	2	2	4	4	16	85	13	5	4	3	3	18	21	18
		F	35	3	3	2	2	—	1	8	16	53	12	8	1	1	5	3	10	13
18	Other respiratory diseases	M	7	2	1	1	—	—	—	2	1	19	1	—	2	1	—	—	6	9
		F	15	—	1	—	1	—	1	5	7	25	3	1	—	—	4	4	4	9
19	Diarrhœa, &c.	M	16	8	—	2	—	—	1	3	2	28	12	5	2	—	—	1	3	5
		F	10	4	—	—	—	1	1	1	3	25	7	3	—	1	—	1	3	10
20	Appendicitis and typhlitis	M	4	—	—	—	—	—	1	2	1	4	—	—	—	2	—	—	1	1
		F	—	—	—	—	—	—	—	—	—	8	—	—	—	2	3	1	2	—
21	Cirrhosis of liver ...	M	5	—	—	—	—	—	1	3	1	20	—	—	—	—	—	3	12	5
		F	4	—	—	—	—	—	2	1	1	10	—	—	—	—	—	2	5	3
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
22	Nephritis and Bright's disease.	M	19	—	—	—	—	—	—	7	12	44	—	—	—	—	—	7	18	19
		F	16	—	—	—	—	—	2	4	10	34	—	—	—	1	2	9	7	15
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	1	—	—	7	—	—	—	—	—	7	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	—	6	1	—	14	—	—	—	—	2	12	—	—
25	Congenital debility, &c.	M	30	29	1	—	—	—	—	—	—	82	79	3	—	—	—	—	—	—
		F	23	22	—	—	1	—	—	—	—	53	52	—	—	1	—	—	—	—
26	Violence, apart from suicide.	M	17	1	—	—	1	2	2	5	6	86	3	1	7	11	4	18	23	19
		F	12	2	—	—	1	1	1	—	7	27	4	—	1	4	2	2	4	10
27	Suicide	M	6	—	—	—	—	—	1	3	2	13	—	—	—	—	—	5	6	2
		F	5	—	—	—	—	1	2	2	—	7	—	—	—	—	1	3	2	1
28	Other defined diseases ...	M	224	16	—	5	4	5	12	35	147	491	24	3	3	15	13	25	102	306
		F	283	6	3	3	3	4	20	38	206	510	24	4	8	10	12	40	92	320
26	Causes ill-defined or unknown	M	3	1	—	—	—	—	—	1	1	11	1	—	—	—	—	2	6	2
		F	3	1	—	—	—	—	1	—	1	8	—	—	—	—	1	1	3	3

Causes of Death at Different Periods of Life in the Administrative County of Hereford—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	266	44	3	9	10	8	20	71	101	545	45	3	3	19	20	40	131	284
		F	331	26	2	8	17	9	26	71	172	513	49	11	5	14	19	47	98	270
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—
		F	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	1	1	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	4	2	2	—	—	—	—	—	—
6	Diphtheria and croup ...	M	1	—	—	1	—	—	—	—	—	3	—	—	—	3	—	—	—	—
		F	2	—	—	—	2	—	—	—	—	1	—	1	—	—	—	—	—	—
7	Influenza	M	6	—	—	—	—	—	1	—	5	22	1	—	—	—	1	1	3	16
		F	5	—	—	—	—	—	—	1	4	12	2	—	—	—	—	3	1	6
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
9	Pulmonary tuberculosis	M	14	—	—	—	—	2	6	5	1	31	1	—	—	1	7	15	7	—
		F	23	—	—	—	—	5	9	8	1	33	1	—	1	3	9	11	6	2
10	Tuberculous meningitis	M	4	1	—	—	3	—	—	—	—	3	—	1	—	1	1	—	—	—
		F	6	—	1	1	3	—	—	1	—	1	—	—	—	1	—	—	—	—
11	Other tuberculous diseases.	M	4	1	—	—	—	3	—	—	—	5	1	—	—	—	—	2	1	1
		F	3	—	—	1	1	—	1	—	—	4	—	—	—	1	1	1	1	—
12	Cancer, malignant disease	M	24	—	—	—	—	—	1	8	15	31	—	—	—	—	—	—	15	16
		F	33	—	—	—	—	—	3	16	14	54	—	—	—	—	1	3	18	32
13	Rheumatic fever ...	M	1	—	—	1	—	—	—	—	—	3	—	—	—	1	1	—	1	—
		F	—	—	—	—	—	—	—	—	—	5	—	—	—	1	—	—	1	3
14	Meningitis	M	3	2	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	2	—	—	1	—	—	1	—	—	3	—	1	—	1	1	—	—	—
15	Organic heart disease ...	M	35	—	—	—	1	1	4	8	21	97	—	—	—	—	2	5	25	65
		F	61	—	—	—	—	1	1	21	38	104	—	—	—	1	—	3	17	83
16	Bronchitis	M	12	2	—	1	—	—	—	5	4	45	4	1	—	—	—	—	6	34
		F	18	3	—	—	—	—	—	1	14	39	2	—	—	1	2	—	4	30
17	Pneumonia (all forms)...	M	22	3	2	—	1	1	1	8	6	29	4	—	1	2	1	1	9	11
		F	16	2	—	2	1	—	1	3	7	24	9	2	1	—	1	1	3	7
18	Other respiratory diseases	M	6	1	—	3	1	—	—	—	1	6	1	—	—	—	—	—	2	3
		F	5	—	—	—	—	—	—	—	5	5	1	—	—	—	—	—	1	3
19	Diarrhœa, &c.	M	1	—	—	—	1	—	—	—	—	3	—	—	—	—	—	—	1	2
		F	7	2	—	—	—	—	1	2	2	2	1	—	—	—	—	—	—	1
20	Appendicitis and typhlitis	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	1	1	—	—	—	2	—	—	—	—	—	1	—	1
21	Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	3	1
		F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	8	—	—	—	—	—	1	5	2	23	—	—	—	1	—	—	7	15
		F	8	—	—	—	1	—	2	3	2	9	—	—	—	2	—	1	2	4
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	—	3	—	—
25	Congenital debility, &c.	M	20	20	—	—	—	—	—	—	—	19	19	—	—	—	—	—	—	—
		F	12	12	—	—	—	—	—	—	—	24	23	—	—	—	1	—	—	—
26	Violence, apart from suicide.	M	8	1	—	2	1	—	1	3	—	27	2	—	2	4	2	3	8	6
		F	9	—	—	1	8	—	—	—	—	15	—	2	1	1	1	1	3	6
27	Suicide	M	2	—	—	—	—	1	—	1	—	4	—	—	—	—	—	—	2	2
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	90	11	1	—	2	—	5	26	45	175	9	—	—	4	4	11	37	110
		F	110	5	—	—	—	2	5	14	84	162	8	3	2	2	2	16	37	92
29	Causes ill-defined or unknown.	M	2	1	—	—	—	—	—	1	—	9	1	—	—	—	1	1	4	2
		F	1	—	—	1	—	—	—	—	—	3	—	—	—	—	—	—	3	—

Causes of Death at Different Periods of Life in the Administrative County of Hertford—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,177	146	33	34	29	39	114	299	483	622	66	13	16	16	8	65	163	275
		F	1,267	129	18	31	45	56	136	249	603	565	37	9	8	16	22	61	115	297
1	Enteric fever	M	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—
4	Scarlet fever	M	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	26	12	9	4	1	—	—	—	—	5	3	2	—	—	—	—	—	—
		F	19	9	5	5	—	—	—	—	—	6	4	2	—	—	—	—	—	—
6	Diphtheria and croup ...	M	12	—	1	5	4	1	—	1	—	10	—	1	6	3	—	—	—	—
		F	20	—	1	7	11	1	—	—	—	3	1	—	1	1	—	—	—	—
7	Influenza	M	18	—	—	—	1	—	1	7	9	8	—	—	—	—	1	1	—	6
		F	31	—	—	—	—	—	2	6	23	20	1	—	—	1	2	1	5	10
8	Erysipelas	M	4	1	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	106	—	1	1	—	15	51	25	13	47	—	—	1	3	2	25	15	1
		F	75	1	—	—	2	19	34	14	5	38	—	—	—	5	9	14	9	1
10	Tuberculous meningitis	M	8	3	2	1	2	—	—	—	—	3	2	—	—	1	—	—	—	—
		F	6	1	—	—	3	1	—	1	—	2	—	—	1	1	—	—	—	—
11	Other tuberculous diseases.	M	11	2	—	3	3	2	1	—	—	10	—	2	—	3	—	4	1	—
		F	19	2	—	4	1	2	5	4	1	4	—	—	1	—	1	1	1	—
12	Cancer, malignant disease	M	92	—	—	—	1	2	2	42	45	69	—	—	—	—	—	7	28	34
		F	151	—	—	1	—	—	19	65	66	62	—	—	—	—	1	5	21	35
13	Rheumatic fever ...	M	3	—	—	—	1	—	—	2	—	1	—	—	—	1	—	—	—	—
		F	4	1	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—
14	Meningitis	M	7	3	—	2	1	—	1	—	—	2	—	—	1	—	1	—	—	—
		F	15	4	1	—	3	4	2	1	—	4	—	2	—	—	1	1	—	—
15	Organic heart disease ...	M	142	—	—	1	3	2	3	47	86	85	—	—	—	—	—	5	35	45
		F	180	—	—	—	2	7	18	27	126	96	—	—	—	2	1	5	19	69
16	Bronchitis	M	95	9	3	2	—	1	2	15	63	48	4	1	—	—	—	2	6	35
		F	119	6	4	1	1	—	3	15	89	48	4	2	—	—	—	1	4	37
17	Pneumonia (all forms)	M	63	10	4	4	1	5	8	15	16	29	4	3	1	1	2	1	9	8
		F	52	7	4	4	2	2	4	11	18	29	4	2	1	1	—	4	7	10
18	Other respiratory diseases	M	14	—	—	1	—	—	2	5	6	12	—	—	—	—	—	1	2	9
		F	17	—	—	—	3	1	1	4	8	6	—	—	—	—	1	2	2	1
19	Diarrhœa, &c.	M	27	15	5	1	—	—	1	3	2	7	4	—	—	—	—	—	—	3
		F	19	12	2	—	2	—	—	1	2	9	2	1	—	—	1	—	2	3
20	Appendicitis and typhlitis	M	4	—	—	1	1	1	—	—	1	4	—	—	—	2	—	1	1	—
		F	11	—	—	2	1	5	2	1	—	3	—	—	—	1	—	1	1	—
21	Cirrhosis of liver ...	M	11	—	—	—	—	—	1	9	1	6	—	—	—	—	—	—	4	2
		F	11	—	—	—	—	—	—	9	2	4	—	—	—	—	—	1	2	1
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	2	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	38	—	1	—	2	—	4	18	13	16	—	—	1	—	—	1	7	7
		F	27	—	—	—	1	—	8	9	9	18	—	—	—	1	—	2	7	8
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	1	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	10	—	—	—	—	—	8	2	—	5	—	—	—	—	1	4	—	—
25	Congenital debility, &c.	M	71	68	1	1	1	—	—	—	—	35	34	1	—	—	—	—	—	—
		F	59	59	—	—	—	—	—	—	—	15	14	—	1	—	—	—	—	—
26	Violence, apart from suicide.	M	40	1	—	1	2	2	10	12	12	29	2	1	3	2	1	4	10	6
		F	21	2	—	5	2	—	1	3	8	4	1	—	—	1	—	1	—	1
27	Suicide	M	7	—	—	—	—	—	2	3	2	5	—	—	—	—	—	2	2	1
		F	5	—	—	—	—	1	1	2	1	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	365	22	4	5	5	8	23	88	210	184	12	1	3	—	1	10	39	118
		F	379	24	1	2	8	13	21	67	243	184	6	—	2	2	3	17	33	121
29	Causes ill-defined or unknown.	M	8	—	1	—	—	—	—	5	2	4	1	—	—	—	—	1	2	—
		F	10	1	—	—	—	—	—	7	2	2	—	—	—	—	—	—	2	—

Causes of Death at Different Periods of Life in the Administrative County of Huntingdon—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	170	18	5	2	3	9	18	30	85	206	15	—	3	3	7	18	42	118
		F	167	16	2	2	2	6	21	32	86	201	23	3	1	4	5	29	30	106
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	4	2	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—
6	Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	2	—	—	1	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Influenza	M	1	—	—	—	—	—	1	—	—	7	—	—	—	—	—	—	2	5
		F	3	—	—	1	—	—	—	1	1	5	—	1	—	—	—	—	—	4
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	12	—	—	—	—	4	6	1	1	14	—	—	—	—	2	7	4	1
		F	6	—	—	—	—	2	3	—	1	13	—	—	—	—	3	8	1	1
10	Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—
		F	3	—	—	—	2	1	—	—	—	1	—	—	—	—	1	—	—	—
11	Other tuberculous diseases.	M	4	—	—	—	—	3	1	—	—	2	—	—	—	1	—	—	1	—
		F	3	—	—	—	—	1	1	1	—	4	—	—	—	—	1	2	1	—
12	Cancer, malignant disease	M	14	—	—	—	—	—	—	4	10	24	—	—	—	—	—	—	13	11
		F	19	—	—	—	—	—	4	8	7	23	—	—	—	—	—	2	11	10
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
14	Meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15	Organic heart disease ...	M	19	—	—	—	—	—	—	7	12	21	—	—	—	—	1	—	5	15
		F	23	—	—	—	—	—	—	9	14	24	—	—	—	—	—	1	9	14
16	Bronchitis	M	19	4	1	—	—	—	1	2	11	17	3	—	—	—	—	2	—	12
		F	12	—	1	—	—	—	1	—	10	19	4	—	—	—	—	—	1	14
17	Pneumonia (all forms)...	M	11	1	—	2	—	1	1	3	3	7	2	—	—	—	—	3	1	1
		F	5	1	—	—	—	—	2	—	2	6	2	1	—	1	—	1	—	1
18	Other respiratory diseases	M	2	—	—	—	—	—	1	—	1	3	—	—	—	—	—	—	—	3
		F	5	—	—	—	—	—	—	1	4	5	—	—	—	1	—	—	1	3
19	Diarrhœa, &c.	M	1	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	5	2	1	—	—	—	1	—	1
20	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21	Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	3	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	7	—	—	—	—	—	1	3	3	3	—	—	—	—	—	—	1	2
		F	4	—	—	—	—	1	1	1	1	2	—	—	—	—	—	—	—	2
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	1	3	—	—	1	—	—	—	—	—	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	3	—	—	—	—	—	3	—	—
25	Congenital debility, &c.	M	8	8	—	—	—	—	—	—	—	6	5	—	1	—	—	—	—	—
		F	11	11	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	8	—	—	—	2	—	3	2	1	6	—	—	—	1	1	—	1	3
		F	2	1	—	—	—	—	—	1	—	4	—	—	—	1	—	—	—	3
27	Suicide	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	1	2	—
		F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	2	—	—
28	Other defined diseases ...	M	58	3	2	—	—	1	3	7	42	80	3	—	—	1	1	4	9	62
		F	61	1	1	1	—	—	4	10	44	67	3	—	—	—	—	7	5	52
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	—	1
		F	—	—	—	—	—	—	—	—	—	5	2	—	—	—	—	1	1	1

Causes of Death at Different Periods of Life in the Administrative County of Kent—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	4,589	629	120	134	203	167	556	1080	1700	2,072	248	45	37	86	79	218	422	937
		F	4,719	498	113	129	151	205	601	932	2090	1,816	171	42	53	72	73	226	330	849
1	Enteric fever	M	16	—	—	—	2	—	9	4	1	1	—	—	—	—	—	1	—	—
		F	15	—	—	1	2	4	6	2	—	3	—	—	—	—	—	2	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	29	8	12	8	1	—	—	—	—	15	2	8	2	3	—	—	—	—
		F	22	6	6	8	2	—	—	—	—	10	1	4	2	3	—	—	—	—
4	Scarlet fever	M	9	—	—	4	5	—	—	—	—	1	—	1	—	—	—	—	—	—
		F	13	2	2	3	5	—	—	1	—	2	—	—	—	—	1	1	—	—
5	Whooping cough ...	M	37	14	14	5	3	—	—	—	1	15	10	4	1	—	—	—	—	—
		F	70	31	23	12	3	1	—	—	—	28	16	6	6	—	—	—	—	—
6	Diphtheria and croup ...	M	64	2	5	23	33	—	—	1	—	14	—	1	8	5	—	—	—	—
		F	41	1	2	15	22	—	1	—	—	15	—	—	6	6	1	—	2	—
7	Influenza	M	91	1	1	1	1	1	6	39	41	51	1	—	2	1	2	6	11	28
		F	124	3	1	1	1	2	13	23	80	42	—	1	—	—	1	4	11	25
8	Erysipelas	M	6	1	—	—	—	—	2	—	3	4	—	—	—	—	—	—	2	2
		F	7	1	—	1	—	—	1	—	4	2	—	—	—	—	—	—	—	2
9	Pulmonary tuberculosis	M	364	2	1	3	7	51	173	112	15	156	1	—	—	10	30	61	46	8
		F	377	3	4	3	16	78	175	73	25	137	—	3	2	14	27	67	20	4
10	Tuberculous meningitis	M	49	12	3	14	16	3	1	—	—	21	3	3	6	6	2	1	—	—
		F	52	10	9	10	18	5	—	—	—	12	2	2	3	5	—	—	—	—
11	Other tuberculous diseases.	M	60	7	—	2	17	11	15	4	4	18	—	1	2	5	—	4	2	4
		F	55	—	2	11	6	15	12	7	2	30	3	—	3	7	1	7	5	4
12	Cancer, malignant disease	M	367	—	—	1	2	1	19	160	184	168	—	—	1	—	1	7	63	96
		F	484	—	—	—	1	2	47	198	236	189	—	—	—	—	1	17	80	91
13	Rheumatic fever ...	M	12	—	—	1	3	2	—	5	1	3	—	—	—	1	—	1	1	—
		F	18	—	—	1	2	5	6	3	1	8	—	—	—	—	3	5	—	—
14	Meningitis	M	52	13	4	6	17	6	2	4	—	8	2	1	—	2	—	3	—	—
		F	42	7	3	5	17	5	2	3	—	13	2	—	5	3	1	1	1	—
15	Organic heart disease ...	M	511	—	—	—	6	13	45	151	296	252	—	—	—	5	6	11	63	167
		F	606	—	—	3	9	15	60	167	352	263	1	—	—	3	3	16	70	170
16	Bronchitis	M	314	50	11	5	4	3	9	56	176	136	19	2	3	—	1	1	11	99
		F	368	32	7	7	2	1	9	42	268	136	17	4	1	1	—	2	6	105
17	Pneumonia (all forms)	M	263	47	25	24	10	10	32	62	53	112	18	12	7	9	3	14	33	16
		F	221	42	27	18	11	6	25	37	55	76	10	6	7	1	3	7	11	31
18	Other respiratory diseases	M	72	2	—	1	3	3	13	18	32	33	1	—	—	2	—	3	8	19
		F	51	4	—	2	1	1	5	10	28	23	1	—	1	2	—	6	5	8
19	Diarrhœa, &c.	M	124	82	13	6	1	—	2	6	14	54	40	3	2	—	—	1	3	5
		F	93	47	10	5	1	1	12	5	12	43	16	4	2	5	2	4	2	8
20	Appendicitis and typhlitis	M	24	—	—	—	9	4	7	2	2	15	—	—	—	8	2	3	1	1
		F	28	—	—	2	6	5	6	9	—	11	—	—	1	3	3	3	—	1
21	Cirrhosis of liver ...	M	49	—	—	—	—	—	9	31	9	14	—	—	—	1	—	1	4	8
		F	43	—	—	—	—	—	7	24	12	5	—	—	—	—	—	1	1	3
21A	Alcoholism	M	2	—	—	—	—	—	2	—	—	2	—	—	—	—	—	1	—	1
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	129	—	—	—	5	2	11	47	64	54	2	—	—	—	1	5	11	35
		F	111	1	1	1	1	3	23	38	43	38	—	—	1	1	1	5	10	20
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	28	—	—	—	—	10	18	—	—	6	—	—	—	—	1	5	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	43	—	—	—	—	8	35	—	—	21	—	—	—	—	3	17	1	—
25	Congenital debility, &c.	M	259	255	1	2	—	—	1	—	—	101	98	—	—	3	—	—	—	—
		F	223	215	2	2	3	1	—	—	—	78	74	—	3	1	—	—	—	—
26	Violence, apart from suicide.	M	276	14	6	8	26	29	95	72	26	149	5	3	2	14	22	48	33	22
		F	104	6	1	6	6	12	18	18	37	41	2	3	8	2	7	5	5	9
27	Suicide	M	43	—	—	—	—	2	16	12	13	23	—	—	—	—	—	4	9	10
		F	17	—	—	—	—	3	7	7	—	10	—	—	—	—	—	5	4	1
28	Other defined diseases ...	M	1,344	116	24	20	31	26	86	282	759	628	45	6	1	10	9	38	108	411
		F	1,420	82	9	10	16	22	108	249	924	561	26	9	2	15	11	46	90	362
29	Causes ill-defined or unknown.	M	23	3	—	—	1	—	1	12	6	24	1	—	—	1	—	4	13	5
		F	42	5	4	2	—	—	5	15	11	13	—	—	—	—	3	—	5	5

Causes of Death at Different Periods of Life in the Administrative County of Lancaster—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	10,190	1677	416	399	444	402	1214	2856	2782	1,533	221	49	35	62	67	159	387	553
		F	10,036	1192	406	393	437	442	1366	2454	3346	1,438	152	41	43	52	55	207	324	564
1	Enteric fever	M	43	—	—	1	6	11	13	11	1	6	—	—	—	1	3	—	2	—
		F	43	—	—	—	9	8	20	5	1	2	—	—	—	—	—	1	1	—
2	Small-pox	M	4	1	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
3	Measles	M	133	36	62	28	7	—	—	—	—	16	4	5	3	4	—	—	—	—
		F	117	24	41	40	12	—	—	—	—	20	3	5	7	5	—	—	—	—
4	Scarlet fever	M	49	—	2	26	19	2	—	—	—	6	—	1	3	2	—	—	—	—
		F	53	2	4	18	26	2	1	—	—	5	—	1	2	2	—	—	—	—
5	Whooping cough ...	M	100	48	28	21	3	—	—	—	—	12	9	2	—	1	—	—	—	—
		F	114	46	35	28	4	—	—	—	1	9	5	4	—	—	—	—	—	—
6	Diphtheria and croup ...	M	107	2	15	48	41	—	1	—	—	16	1	2	8	5	—	—	—	—
		F	114	2	13	49	49	1	—	—	—	14	—	—	8	6	—	—	—	—
7	Influenza	M	143	3	1	1	2	7	28	47	54	35	1	—	—	1	4	5	9	15
		F	153	3	—	2	3	8	23	44	70	38	1	1	—	3	—	8	8	17
8	Erysipelas	M	14	1	1	—	—	1	2	7	2	3	1	—	—	—	—	1	1	—
		F	11	3	—	—	—	1	3	—	4	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	818	1	6	11	23	122	356	272	27	82	1	—	—	5	11	36	28	1
		F	686	3	8	9	64	161	317	112	12	99	—	1	2	4	19	53	17	3
10	Tuberculous meningitis	M	78	7	10	25	27	8	1	—	—	8	3	1	2	2	—	—	—	—
		F	69	6	14	14	21	9	3	—	2	9	2	3	1	2	1	—	—	—
11	Other tuberculous diseases.	M	143	8	17	18	42	16	19	19	4	18	2	2	2	3	4	4	—	1
		F	130	14	12	16	15	22	31	19	1	16	—	2	3	1	3	4	2	1
12	Cancer, malignant disease	M	608	—	—	—	4	3	45	342	214	109	—	—	—	—	—	6	51	52
		F	886	—	—	2	1	6	110	462	305	125	—	—	—	—	1	10	61	53
13	Rheumatic fever ...	M	42	—	—	—	15	8	13	5	1	5	—	—	—	1	—	3	—	1
		F	50	—	1	1	11	15	14	7	1	8	—	—	—	1	3	4	—	—
14	Meningitis	M	108	23	19	24	21	6	7	7	1	20	3	6	2	5	1	2	1	—
		F	85	19	14	22	13	4	5	5	3	7	2	1	—	3	—	—	1	—
15	Organic heart disease ...	M	936	1	—	3	10	35	87	412	388	184	—	—	—	2	1	12	61	108
		F	1,209	1	—	2	20	30	189	441	526	187	1	—	—	3	3	20	56	104
16	Bronchitis	M	1,008	161	36	16	3	7	30	280	475	124	24	7	—	2	1	2	18	70
		F	1,077	137	43	20	5	7	30	231	604	113	12	5	—	1	—	2	19	74
17	Pneumonia (all forms)...	M	886	198	101	70	44	24	119	218	112	110	24	8	4	3	6	13	31	21
		F	693	129	98	60	44	19	81	133	129	107	25	10	6	3	4	15	15	29
18	Other respiratory diseases	M	150	15	2	18	13	1	18	41	42	24	1	1	—	4	—	5	8	5
		F	114	11	4	15	3	3	16	31	31	11	2	—	1	2	—	—	—	6
19	Diarrhœa, &c.	M	366	200	33	12	8	4	23	54	32	35	19	—	1	2	1	3	4	5
		F	315	145	38	12	12	4	16	28	60	25	7	1	4	—	—	3	3	7
20	Appendicitis and typhlitis	M	53	—	—	6	15	9	12	10	1	6	—	—	—	2	3	—	1	—
		F	53	—	—	3	18	14	7	6	5	9	—	—	—	6	2	1	—	—
21	Cirrhosis of liver ...	M	62	2	—	—	1	—	5	40	14	15	—	—	—	—	—	—	10	5
		F	40	—	—	—	1	1	4	23	11	5	—	—	—	—	—	—	4	1
21A	Alcoholism	M	11	—	—	—	—	—	4	6	1	2	—	—	—	—	—	1	—	1
		F	2	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	2	—
22	Nephritis and Bright's disease.	M	349	4	1	2	16	12	50	153	111	43	—	—	1	1	1	6	15	19
		F	351	5	4	6	12	9	58	169	88	45	—	—	—	1	1	9	18	16
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	37	—	—	—	—	3	34	—	—	7	—	—	—	—	3	4	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	121	—	—	—	—	19	98	4	—	24	—	—	—	—	2	21	1	—
25	Congenital debility, &c.	M	645	636	2	1	4	2	—	—	—	79	78	—	—	—	—	1	—	—
		F	435	424	6	1	2	1	1	—	—	63	62	—	—	1	—	—	—	—
26	Violence, apart from suicide.	M	467	18	12	34	65	54	121	119	44	85	1	4	5	7	14	24	22	8
		F	171	6	6	28	23	14	25	34	35	24	1	1	4	3	1	2	4	8
27	Suicide	M	77	—	—	—	—	5	22	38	12	17	—	—	—	—	2	4	9	2
		F	30	—	—	—	—	7	8	10	5	7	—	—	—	—	2	3	2	—
28	Other defined diseases ...	M	2,694	305	59	33	52	63	226	732	1224	456	48	8	4	9	14	30	105	238
		F	2,812	208	60	42	67	71	266	661	1437	438	29	4	3	5	10	42	104	241
29	Causes ill-defined or unknown.	M	96	7	9	1	3	2	9	43	22	17	1	2	—	—	1	1	11	1
		F	63	4	5	3	2	2	6	27	14	19	—	2	2	—	—	5	6	4

Causes of Death at Different Periods of Life in the Administrative County of Leicester—1916.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	602	100	20	19	25	31	66	136	205	931	119	32	27	40	27	81	203	402
	F	582	65	23	17	14	29	81	123	230	927	90	22	25	41	42	106	193	408
1 Enteric fever	M	1	—	—	—	—	—	—	1	—	7	—	—	—	1	2	3	1	—
	F	4	—	—	—	2	—	2	—	—	1	—	—	—	—	—	—	1	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	13	3	3	6	—	1	—	—	—	12	1	2	5	4	—	—	—	—
	F	7	3	2	2	—	—	—	—	—	8	1	3	3	1	—	—	—	—
4 Scarlet fever	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	2	2	—	—	—	—	—	—	—	7	5	—	1	1	—	—	—	—
	F	5	4	1	—	—	—	—	—	—	8	2	4	2	—	—	—	—	—
6 Diphtheria and croup ...	M	1	—	—	1	—	—	—	—	—	8	1	—	2	5	—	—	—	—
	F	4	—	—	1	3	—	—	—	—	16	—	2	4	8	1	1	—	—
7 Influenza	M	12	1	—	—	—	—	2	4	5	26	2	—	—	—	—	2	8	14
	F	15	1	—	—	—	—	1	3	10	27	—	1	2	1	—	4	4	15
8 Erysipelas	M	1	1	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—
	F	3	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	60	—	—	1	2	11	34	12	—	58	—	—	—	3	10	20	19	6
	F	36	—	—	—	1	9	18	8	—	70	—	—	—	5	19	31	14	1
10 Tuberculous meningitis	M	12	1	1	1	7	1	—	1	—	8	1	1	1	4	1	—	—	—
	F	4	—	1	1	1	1	—	—	—	5	1	1	1	1	—	—	1	—
11 Other tuberculous diseases.	M	9	2	—	—	3	2	2	—	—	12	—	—	—	2	3	2	3	2
	F	8	1	3	1	2	—	1	—	—	11	—	—	1	5	1	3	—	1
12 Cancer, malignant disease	M	39	—	—	1	—	—	—	20	18	79	—	—	—	—	—	7	30	42
	F	39	—	—	—	—	—	4	22	13	89	—	—	—	—	1	6	43	39
13 Rheumatic fever ...	M	2	—	—	—	—	—	1	—	1	4	—	—	—	3	—	—	1	—
	F	3	—	—	—	—	—	3	—	—	5	—	—	—	2	1	—	2	—
14 Meningitis	M	1	—	1	—	—	—	—	—	—	6	1	1	1	1	1	—	1	—
	F	2	1	—	—	—	1	—	—	—	7	1	—	4	1	—	—	—	1
15 Organic heart disease ...	M	63	—	—	—	1	2	7	24	29	94	—	—	2	1	—	4	33	54
	F	74	—	—	—	—	3	6	20	45	120	—	—	—	5	5	9	34	67
16 Bronchitis	M	44	11	1	1	—	—	—	9	22	63	3	5	2	—	—	2	11	40
	F	54	8	5	2	—	—	1	7	31	68	10	3	2	—	—	1	7	45
17 Pneumonia (all forms)	M	35	10	9	2	1	3	1	8	1	64	20	9	5	1	3	9	12	5
	F	27	2	1	4	—	4	5	3	8	60	11	2	4	5	1	6	10	21
18 Other respiratory diseases	M	6	1	—	1	1	—	—	1	2	19	2	4	1	1	—	1	6	4
	F	7	—	—	1	—	—	2	1	3	8	—	—	—	—	—	1	2	5
19 Diarrhœa, &c.	M	13	9	1	1	—	—	1	—	1	16	6	2	1	—	—	1	2	4
	F	11	1	2	1	—	—	1	2	4	14	5	1	1	—	—	3	1	3
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	4	—	—	—	2	1	1	—	—
	F	2	—	—	—	—	1	—	1	—	2	—	—	—	2	—	—	—	—
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	1	2	1	11	—	—	—	—	—	—	6	5
	F	5	—	—	—	—	—	—	3	2	6	—	—	—	—	—	1	3	2
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	25	—	—	—	3	1	1	8	12	28	1	1	—	2	1	2	9	12
	F	13	—	—	—	—	—	4	5	4	20	—	—	—	—	—	2	11	7
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	7	—	—	—	—	2	5	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	1	5	—	—	8	—	—	—	—	—	8	—	—
25 Congenital debility, &c.	M	40	39	1	—	—	—	—	—	—	50	49	1	—	—	—	—	—	—
	F	24	23	1	—	—	—	—	—	—	41	41	—	—	—	—	—	—	—
26 Violence apart from suicide	M	22	1	—	1	3	4	3	6	4	34	1	1	3	5	1	8	11	4
	F	16	1	—	1	1	2	4	3	4	16	2	—	—	3	—	3	—	8
27 Suicide	M	2	—	—	—	—	—	—	2	—	7	—	—	—	—	—	3	1	3
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1
28 Other defined diseases ...	M	190	18	3	3	4	6	13	34	109	301	26	5	3	4	4	13	40	206
	F	208	19	7	3	4	7	22	40	106	301	16	4	1	2	10	21	59	183
29 Causes ill-defined or unknown.	M	4	—	—	—	—	—	—	4	—	11	—	—	—	—	—	1	9	1
	F	2	—	—	—	—	—	—	2	—	7	—	1	—	—	1	—	1	4

Causes of Death at Different Periods of Life in the Administrative County of Lincoln (Parts of Holland)—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	273	35	8	5	11	14	28	56	116	318	43	5	9	19	14	27	62	139
		F	262	19	6	9	13	11	32	40	132	263	19	3	9	12	13	32	44	131
1	Enteric fever	M	1	—	—	—	1	—	—	—	—	2	—	—	—	—	—	1	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	3	—	2	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	4	—	1	2	1	—	—	—	—	2	—	1	1	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	1	—	—
5	Whooping cough ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	5	—	—	1	3	—	—	1	—
		F	2	—	—	—	2	—	—	—	—	3	1	—	1	1	—	—	—	—
7	Influenza	M	1	—	—	—	—	—	—	1	—	6	—	—	—	1	—	1	1	3
		F	2	—	—	—	—	—	—	1	1	4	—	—	—	1	—	1	1	1
8	Erysipelas	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	27	1	—	—	2	9	10	3	2	14	—	—	—	—	6	7	1	—
		F	21	—	—	—	3	5	11	2	—	16	—	—	1	—	5	9	1	—
10	Tuberculous meningitis	M	5	—	1	3	1	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	5	—	1	1	1	2	—	—	—	2	—	—	—	2	—	—	—	—
11	Other tuberculous diseases.	M	1	—	—	—	—	—	1	—	—	4	—	2	—	1	—	1	—	—
		F	4	—	—	—	1	2	1	—	—	3	—	—	—	1	—	1	1	—
12	Cancer, malignant disease	M	17	—	—	—	—	—	1	9	7	28	—	—	—	—	—	2	11	15
		F	34	—	—	—	—	—	4	11	19	30	—	—	1	—	—	4	12	13
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	Meningitis	M	5	—	2	—	2	1	—	—	—	1	—	—	—	1	—	—	—	—
		F	2	—	1	—	—	—	—	1	—	3	—	—	2	—	1	—	—	—
15	Organic heart disease ...	M	34	—	—	—	—	—	3	9	22	35	—	—	—	—	—	1	10	24
		F	35	—	—	—	—	—	4	9	22	26	—	—	—	1	—	3	4	18
16	Bronchitis	M	21	3	—	—	—	—	1	3	14	20	5	—	—	1	—	—	2	12
		F	19	1	1	—	—	—	1	2	14	19	5	1	—	—	—	—	2	11
17	Pneumonia (all forms)...	M	9	2	—	1	1	—	—	3	2	16	3	1	—	—	1	1	5	5
		F	8	2	1	1	—	1	2	1	—	12	1	1	—	2	2	2	—	4
18	Other respiratory diseases	M	7	—	1	—	—	—	—	2	4	5	1	—	—	—	—	1	1	2
		F	3	—	—	—	—	—	—	1	2	4	—	—	1	—	—	—	—	3
19	Diarrhœa, &c.	M	10	6	1	—	—	—	—	1	2	5	2	1	—	—	—	1	—	1
		F	7	4	—	2	—	—	—	—	1	5	—	—	—	1	—	—	2	2
20	Appendicitis and typhlitis	M	1	—	—	—	—	—	—	—	1	2	—	—	—	1	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	1	—
21	Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	5	—	—	—	1	—	1	3	—
		F	2	—	—	—	—	—	—	1	1	3	—	—	—	—	—	—	2	1
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	5	—	—	—	—	—	—	1	4	8	—	—	—	—	—	1	2	5
		F	9	—	—	—	1	1	1	1	5	7	—	—	—	—	—	—	1	6
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	4	—	—
25	Congenital debility, &c.	M	16	16	—	—	—	—	—	—	—	22	22	—	—	—	—	—	—	—
		F	11	11	—	—	—	—	—	—	—	8	8	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	10	—	—	—	2	4	2	1	1	20	—	1	6	4	4	—	4	1
		F	5	—	—	1	—	—	—	1	3	5	—	—	—	—	1	—	1	3
27	Suicide	M	3	—	—	—	—	—	—	2	1	3	—	—	—	—	—	2	—	1
		F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	2	—
28	Other defined diseases ...	M	94	7	1	—	1	—	9	20	56	110	9	—	—	5	3	5	19	69
		F	85	1	1	2	3	—	6	9	63	100	4	—	1	3	3	6	14	69
29	Causes ill-defined or unknown.	M	2	—	—	—	1	—	—	1	—	1	—	—	1	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in the Administrative County of Lincoln (Parts of Kesteven)—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	298	36	12	12	10	14	28	57	129	485	79	12	14	17	15	30	102	216
		F	287	40	8	10	8	19	20	49	133	478	53	9	10	12	17	47	81	249
1	Enteric fever	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	4	2	1	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	4	1	1	—	1	1	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	3	—	2	1	—	—	—	—	—	15	8	5	2	—	—	—	—	—
		F	4	3	—	1	—	—	—	—	—	10	7	3	—	—	—	—	—	—
6	Diphtheria and croup ...	M	3	—	—	2	1	—	—	—	—	5	—	—	2	2	—	1	—	—
		F	2	—	—	1	1	—	—	—	—	1	—	—	1	—	—	—	—	—
7	Influenza	M	6	—	—	—	—	—	1	3	2	11	1	—	—	—	1	1	8	—
		F	11	—	1	1	—	—	1	2	6	13	—	—	—	—	1	—	2	10
8	Erysipelas	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
9	Pulmonary tuberculosis	M	13	—	—	2	—	4	6	1	—	24	1	—	1	—	4	11	4	3
		F	15	—	1	—	1	6	4	2	1	33	2	—	1	1	7	17	3	2
10	Tuberculous meningitis	M	4	—	—	2	1	1	—	—	—	2	—	—	—	1	1	—	—	—
		F	3	—	1	1	1	—	—	—	—	3	—	—	—	2	1	—	—	—
11	Other tuberculous diseases.	M	2	—	1	—	—	—	1	—	—	5	—	—	—	1	1	2	1	—
		F	5	—	—	—	—	2	1	1	1	4	—	1	—	1	1	1	—	—
12	Cancer, malignant disease	M	21	—	—	—	1	—	—	7	13	38	—	—	—	—	—	3	14	21
		F	28	—	—	—	—	1	4	9	14	41	—	—	—	—	—	4	17	20
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	1	1
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—
14	Meningitis	M	5	2	—	—	1	2	—	—	—	1	—	—	1	—	—	—	—	—
		F	2	—	—	2	—	—	—	—	—	4	—	—	3	1	—	—	—	—
15	Organic heart disease ...	M	27	—	—	—	—	1	2	8	16	54	—	—	—	1	—	—	15	38
		F	35	—	—	—	2	—	1	12	20	68	—	—	—	—	1	6	19	42
16	Bronchitis	M	18	—	2	1	—	—	2	3	10	54	10	3	3	3	—	—	2	33
		F	18	1	1	—	—	—	—	2	14	49	5	—	2	—	—	—	4	38
17	Pneumonia (all forms)...	M	18	6	3	1	—	—	2	4	2	24	5	1	2	1	1	2	7	5
		F	11	1	4	2	—	—	4	—	—	20	3	1	1	1	1	3	5	5
18	Other respiratory diseases	M	3	—	—	—	2	1	—	—	—	7	1	—	—	—	—	—	4	2
		F	1	1	—	—	—	—	—	—	—	8	1	—	—	—	—	2	1	4
19	Diarrhœa, &c.	M	4	2	—	—	—	—	—	2	—	11	4	1	—	1	—	—	2	3
		F	3	—	—	—	2	—	—	1	—	4	2	—	1	1	—	—	—	—
20	Appendicitis and typhlitis	M	1	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	1	—
		F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
21	Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	1
		F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1
21A	Alcoholism	M	1	—	—	—	—	—	—	—	1		—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	10	—	—	1	1	—	2	2	4	9	—	—	—	—	1	2	3	3
		F	6	—	—	—	1	—	1	1	3	12	—	—	1	—	—	1	6	4
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	4	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	—	2	—	—
25	Congenital debility, &c.	M	16	16	—	—	—	—	—	—	—	28	28	—	—	—	—	—	—	—
		F	26	26	—	—	—	—	—	—	—	20	20	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	15	—	—	1	—	2	2	7	3	20	1	—	2	1	1	3	8	4
		F	2	—	—	—	—	—	—	—	2	10	1	2	—	—	1	1	1	4
27	Suicide	M	1	—	—	—	—	—	—	—	1	4	—	—	—	—	—	—	2	2
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1
28	Other defined diseases ...	M	121	10	4	1	2	2	10	17	75	157	18	1	1	3	5	4	27	98
		F	108	8	—	1	—	9	2	17	71	161	11	1	—	4	3	5	21	116
29	Causes ill-defined or unknown.	M	3	—	—	—	1	—	—	1	1	3	—	—	—	—	—	—	2	1
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1

Causes of Death at Different Periods of Life in the Administrative County of Lincoln (Parts of Lindsey)—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	655	108	17	34	27	23	66	157	223	932	134	29	20	24	36	87	164	438
		F	651	75	12	24	31	30	83	127	269	935	117	22	20	37	42	102	161	434
1	Enteric fever	M	4	—	—	—	2	2	—	—	—	2	—	—	—	—	—	1	1	—
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	4	—	—	4	—	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	4	2	1	1	—	—	—	—	—	7	1	2	2	2	—	—	—	—
4	Scarlet fever	M	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—
5	Whooping cough ...	M	7	2	4	1	—	—	—	—	—	12	8	2	1	—	1	—	—	—
		F	5	1	2	2	—	—	—	—	—	13	9	1	2	—	—	—	1	—
6	Diphtheria and croup ...	M	15	1	2	6	6	—	—	—	—	11	—	—	2	7	1	—	1	—
		F	13	—	1	7	5	—	—	—	—	13	—	—	3	10	—	—	—	—
7	Influenza	M	16	—	2	1	—	—	—	3	10	33	4	—	—	—	2	1	8	18
		F	21	—	—	1	1	1	2	3	13	35	2	—	1	2	—	4	4	22
8	Erysipelas	M	3	1	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	1
		F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	—	2	1
9	Pulmonary tuberculosis	M	60	2	1	3	3	13	23	14	1	47	—	—	—	—	14	24	7	2
		F	57	—	—	1	6	15	24	11	—	74	1	1	—	5	22	33	11	1
10	Tuberculous meningitis	M	4	—	—	3	1	—	—	—	—	5	—	—	1	2	1	—	1	—
		F	5	—	—	1	2	—	2	—	—	3	—	—	2	1	—	—	—	—
11	Other tuberculous diseases.	M	9	1	2	—	1	1	3	1	—	10	1	—	1	—	2	5	1	—
		F	9	—	—	—	3	2	4	—	—	14	1	—	—	2	4	4	3	—
12	Cancer, malignant disease	M	36	—	—	—	—	—	1	18	17	71	—	—	—	—	1	2	30	38
		F	70	—	—	—	—	1	10	30	29	102	—	—	—	—	—	7	38	57
13	Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
14	Meningitis	M	7	1	—	2	2	1	—	1	—	2	—	—	—	1	—	1	—	—
		F	4	1	—	1	1	1	—	—	—	7	1	—	1	2	1	—	1	1
15	Organic heart disease ...	M	69	—	—	—	1	1	5	30	32	98	—	—	—	—	—	5	27	66
		F	84	—	—	—	2	—	7	24	51	90	—	—	—	—	1	3	20	66
16	Bronchitis	M	30	7	—	—	—	—	2	5	16	44	4	4	1	1	—	2	4	28
		F	52	14	3	1	—	1	1	2	30	55	7	1	2	—	—	—	8	37
17	Pneumonia (all forms)	M	49	10	2	4	4	—	7	12	10	51	8	7	2	—	3	7	12	12
		F	37	8	5	3	3	1	3	5	9	44	13	4	—	—	2	9	6	10
18	Other respiratory diseases	M	11	2	—	1	—	—	—	3	5	19	—	—	3	2	1	1	5	7
		F	12	—	—	2	—	—	2	4	4	12	—	1	—	1	1	—	5	4
19	Diarrhœa, &c.	M	11	9	—	1	—	—	—	—	1	23	15	2	—	1	—	—	1	4
		F	7	6	—	—	—	—	—	—	1	18	8	2	3	1	—	1	—	3
20	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—
		F	4	—	—	—	2	—	—	2	—	—	—	—	—	—	—	—	—	—
21	Cirrhosis of liver ...	M	5	—	—	—	—	—	—	3	2	3	—	—	—	—	—	1	1	1
		F	5	—	—	—	—	—	1	1	3	6	—	—	—	—	—	2	3	1
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	23	—	—	—	—	1	2	7	13	30	—	1	—	4	—	1	6	18
		F	19	—	—	1	—	1	2	8	7	16	—	1	—	1	1	2	4	7
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	5	—	—	—	—	2	3	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	6	—	—	6	—	—	—	—	1	5	—	—
25	Congenital debility, &c.	M	47	45	1	1	—	—	—	—	—	51	51	—	—	—	—	—	—	—
		F	29	29	—	—	—	—	—	—	—	49	46	—	1	2	—	—	—	—
26	Violence, apart from suicide.	M	32	—	1	2	3	1	9	12	4	40	3	3	2	2	6	12	8	4
		F	8	—	—	2	1	1	—	1	3	8	—	—	1	2	—	—	2	3
27	Suicide	M	3	—	—	—	—	—	2	1	—	7	—	—	—	—	—	2	4	1
		F	1	—	—	—	—	—	—	—	1	4	—	—	—	—	3	—	—	1
28	Other defined diseases ...	M	205	26	2	4	2	3	11	47	110	355	39	9	6	2	4	20	43	232
		F	192	14	—	1	5	6	13	35	118	343	27	8	2	6	3	27	53	217
29	Causes ill-defined or unknown.	M	3	1	—	1	—	—	1	—	—	12	1	1	—	—	—	—	4	6
		F	—	—	—	—	—	—	—	—	—	5	—	1	—	—	1	1	—	2

Causes of Death at Different Periods of Life in the Administrative County of Middlesex—1916.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	5,997	968	218	211	265	231	785	1473	1846	290	39	10	8	18	4	31	75	105
	F	6,328	706	213	201	249	307	840	1354	2458	245	23	9	9	13	8	30	54	99
1 Enteric fever	M	6	—	—	—	—	—	5	1	—	—	—	—	—	—	—	—	—	—
	F	7	—	—	—	2	2	3	—	—	1	—	—	—	—	—	1	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	59	6	22	21	10	—	—	—	—	1	—	1	—	—	—	—	—	—
	F	57	12	21	21	2	—	—	1	—	1	—	—	1	—	—	—	—	—
4 Scarlet fever	M	10	1	1	—	8	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	16	—	—	6	8	2	—	—	—	1	—	—	—	1	—	—	—	—
5 Whooping cough ...	M	57	27	17	11	2	—	—	—	—	4	2	1	1	—	—	—	—	—
	F	69	36	15	15	3	—	—	—	—	2	2	—	—	—	—	—	—	—
6 Diphtheria and croup ...	M	69	3	4	22	35	3	1	1	—	7	—	—	2	5	—	—	—	—
	F	80	2	12	27	34	3	—	2	—	3	—	—	1	2	—	—	—	—
7 Influenza	M	102	2	—	2	3	3	13	36	43	—	—	—	—	—	—	—	—	—
	F	128	—	—	3	3	4	12	34	72	4	—	—	—	—	—	1	2	1
8 Erysipelas	M	6	1	—	—	—	1	2	—	2	—	—	—	—	—	—	—	—	—
	F	16	2	—	—	—	1	4	4	5	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	649	4	5	6	28	105	311	167	23	24	—	—	—	1	3	13	7	—
	F	508	4	1	2	28	145	223	83	22	22	—	—	—	3	3	10	4	2
10 Tuberculous meningitis	M	76	23	8	24	18	2	1	—	—	1	—	1	—	—	—	—	—	—
	F	69	9	18	24	15	1	1	1	—	3	1	1	1	—	—	—	—	—
11 Other tuberculous diseases.	M	82	12	8	11	21	12	14	2	2	4	—	—	4	—	—	—	—	—
	F	78	8	8	8	13	10	17	11	3	4	—	2	—	1	—	1	—	—
12 Cancer, malignant disease	M	502	—	—	2	3	3	48	233	213	25	1	—	—	1	—	1	11	11
	F	759	—	1	3	1	3	88	354	309	25	—	—	—	—	—	3	12	10
13 Rheumatic fever ...	M	27	—	1	1	8	4	5	8	—	—	—	—	—	—	—	—	—	—
	F	31	—	—	—	12	6	3	7	3	1	—	—	1	—	—	—	—	—
14 Meningitis	M	52	15	9	10	11	2	3	2	—	1	—	—	—	1	—	—	—	—
	F	48	8	6	10	13	3	4	4	—	4	1	—	1	—	—	1	1	—
15 Organic heart disease ...	M	628	—	—	2	15	13	46	221	331	32	—	—	—	1	—	3	12	16
	F	786	—	1	1	12	28	99	221	424	30	—	—	—	1	—	2	15	12
16 Bronchitis	M	405	50	15	8	2	1	13	70	246	17	4	2	—	—	—	1	2	8
	F	504	55	21	4	3	1	12	60	348	18	3	—	—	—	1	—	2	12
17 Pneumonia (all forms)	M	481	115	59	37	19	9	51	108	83	21	5	2	—	2	—	3	3	6
	F	426	74	52	37	14	17	49	61	122	13	2	1	1	1	—	3	1	4
18 Other respiratory diseases	M	98	10	6	7	1	—	6	29	39	6	—	1	—	—	—	2	1	2
	F	111	10	4	2	3	2	9	32	49	1	—	—	1	—	—	—	—	—
19 Diarrhœa, &c.	M	194	129	21	9	3	1	9	15	7	9	7	1	—	—	—	—	—	1
	F	155	87	21	3	2	2	11	9	20	5	2	2	—	—	—	—	—	1
20 Appendicitis and typhlitis	M	41	1	—	4	11	7	9	7	2	—	—	—	—	—	—	—	—	—
	F	39	—	—	2	13	6	8	8	2	—	—	—	—	—	—	—	—	—
21 Cirrhosis of liver ...	M	48	—	—	—	—	—	4	30	14	2	—	—	—	—	—	—	1	1
	F	42	—	—	—	—	—	7	26	9	2	—	—	—	—	—	—	2	—
21A Alcoholism	M	3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	—	2	3	1	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	159	—	3	2	2	9	17	62	64	9	—	—	—	—	—	—	6	3
	F	149	2	1	3	4	5	23	47	64	5	—	1	—	—	—	—	1	3
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	34	—	—	—	—	7	27	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	53	—	—	—	—	7	46	—	—	3	—	—	—	—	—	3	—	—
25 Congenital debility, &c.	M	377	372	2	1	2	—	—	—	—	15	14	—	—	1	—	—	—	—
	F	261	254	2	—	3	1	—	1	—	9	8	1	—	—	—	—	—	—
26 Violence, apart from suicide.	M	219	16	6	17	25	18	35	71	31	12	—	—	1	3	—	1	6	1
	F	131	15	4	12	12	7	15	27	39	3	1	—	—	—	—	—	2	—
27 Suicide	M	32	—	—	—	—	1	15	12	4	2	—	—	—	—	—	—	1	1
	F	26	—	—	—	1	2	8	13	2	1	—	—	—	—	—	—	1	—
28 Other defined diseases ...	M	1,611	181	30	14	38	37	175	394	742	97	6	1	—	3	1	7	24	55
	F	1,729	126	23	17	48	42	168	344	961	84	3	1	2	4	4	5	11	54
29 Causes ill-defined or unknown.	M	4	—	1	—	—	—	—	3	—	1	—	—	—	—	—	—	1	—
	F	10	2	2	1	—	—	1	1	3	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in the Administrative County of Monmouth—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,998	421	97	93	85	115	223	484	480	300	28	9	8	10	13	37	78	117
		F	1,561	314	86	74	71	86	228	301	401	240	20	3	11	11	18	29	43	105
1	Enteric fever	M	3	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	5	6	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	10	4	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	8	1	1	5	1	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	9	1	1	4	3	—	—	—	—	1	—	—	1	—	—	—	—	—
5	Whooping cough ...	M	35	20	11	3	1	—	—	—	—	2	2	—	—	—	—	—	—	—
		F	31	11	9	10	1	—	—	—	—	1	—	—	1	—	—	—	—	—
6	Diphtheria and croup ...	M	19	—	2	13	4	—	—	—	—	3	—	1	1	1	—	—	—	—
		F	15	2	3	5	4	1	—	—	—	4	—	—	—	3	—	1	—	—
7	Influenza	M	31	—	—	1	2	—	5	13	10	6	—	—	—	—	—	—	2	4
		F	21	2	1	—	—	—	4	8	6	1	—	—	—	—	—	—	—	1
8	Erysipelas	M	3	1	—	—	—	—	1	1	—	1	—	—	—	—	—	—	—	1
		F	3	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—	1	—
9	Pulmonary tuberculosis	M	132	2	2	2	6	25	56	35	4	33	—	—	1	—	5	17	9	1
		F	108	1	2	1	7	27	56	13	1	25	1	—	—	1	10	10	2	1
10	Tuberculous meningitis	M	14	5	4	1	3	1	—	—	—	1	—	—	1	—	—	—	—	—
		F	20	3	2	4	8	2	1	—	—	3	—	—	—	2	—	1	—	—
11	Other tuberculous diseases.	M	25	4	4	2	4	7	3	1	—	1	—	—	—	—	—	1	—	—
		F	19	2	2	1	2	5	4	3	—	2	—	—	—	—	1	1	—	—
12	Cancer, malignant disease	M	85	—	—	—	—	—	6	50	29	21	—	—	—	—	—	1	14	6
		F	92	—	—	—	—	2	12	54	24	19	—	—	—	—	—	4	7	8
13	Rheumatic fever ...	M	12	—	—	1	3	1	2	5	—	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	3	3	3	2	—	2	—	—	—	1	1	—	—	—
14	Meningitis	M	16	3	2	5	3	2	1	—	—	2	—	—	—	1	1	—	—	—
		F	22	3	2	5	6	3	1	2	—	2	—	—	1	—	1	—	—	—
15	Organic heart disease ...	M	152	—	—	1	3	9	14	55	70	41	—	—	—	—	—	4	13	24
		F	134	1	—	1	4	6	25	46	51	42	—	—	—	1	—	—	12	29
16	Bronchitis	M	210	39	9	5	1	3	5	47	101	30	5	2	—	—	—	—	5	18
		F	129	20	7	3	—	—	4	27	68	20	—	—	1	—	1	1	—	17
17	Pneumonia (all forms)...	M	220	44	29	23	8	6	28	50	32	21	3	2	—	1	2	1	3	9
		F	125	32	18	21	7	6	14	7	20	14	1	2	4	—	1	1	1	4
18	Other respiratory diseases	M	49	7	2	4	4	2	3	15	12	2	—	—	—	—	—	1	1	—
		F	23	3	1	4	2	—	1	5	7	1	—	—	—	—	—	—	1	—
19	Diarrhœa, &c.	M	57	28	4	4	1	1	3	7	9	6	—	1	—	1	—	1	2	1
		F	48	26	10	1	—	1	2	5	3	7	2	—	—	—	—	1	—	4
20	Appendicitis and typhlitis	M	9	—	—	—	5	2	2	—	—	1	—	—	—	—	—	1	—	—
		F	3	—	—	—	1	1	1	—	—	1	—	—	—	—	—	—	1	—
21	Cirrhosis of liver ...	M	12	—	—	—	—	—	—	9	3	3	—	—	—	—	—	2	1	—
		F	5	—	—	—	—	—	2	1	2	—	—	—	—	—	—	—	—	—
21A	Alcoholism	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	51	1	—	1	3	3	11	19	13	8	—	—	—	—	—	—	3	5
		F	35	—	—	1	3	3	9	17	2	7	—	—	—	—	1	1	3	2
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	1	7	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
		F	32	—	—	—	—	6	26	—	—	1	—	—	—	—	—	1	—	—
25	Congenital debility, &c.	M	172	170	1	1	—	—	—	—	—	5	5	—	—	—	—	—	—	—
		F	147	145	—	—	—	—	2	—	—	10	10	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	169	3	5	10	17	40	38	47	9	15	—	2	1	2	1	3	4	2
		F	34	1	4	6	5	2	4	4	8	5	—	—	—	1	1	2	1	—
27	Suicide	M	7	—	—	—	—	1	4	1	1	1	—	—	—	—	—	1	—	—
		F	7	—	—	—	—	—	3	4	—	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	480	89	16	8	14	8	39	122	184	93	12	1	4	3	4	4	20	45
		F	451	59	21	4	9	11	44	98	205	70	6	1	3	2	—	5	14	39
29	Causes ill-defined or unknown.	M	16	—	2	—	1	2	2	7	2	3	1	—	—	—	—	—	1	1
		F	11	2	—	1	1	—	1	3	3	1	—	—	—	—	1	—	—	—

Causes of Death at Different Periods of Life in the Administrative County of Norfolk—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	402	41	9	10	15	12	38	93	184	1,785	211	41	31	67	49	133	319	934
		F	403	42	6	7	14	14	28	84	208	1,695	139	29	21	63	71	161	314	897
1	Enteric fever	M	2	—	—	—	—	—	—	2	—	4	—	—	—	2	—	—	2	—
		F	4	—	—	—	1	—	—	2	1	4	—	—	—	2	1	—	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	2	—	—	2	—	—	—	—	—	10	3	4	2	1	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	4	2	—	1	1	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—
5	Whooping cough ...	M	6	3	3	—	—	—	—	—	—	13	8	2	2	1	—	—	—	—
		F	8	4	2	—	2	—	—	—	—	16	4	8	3	1	—	—	—	—
6	Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	9	—	2	1	6	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	14	—	—	2	11	1	—	—	—
7	Influenza	M	13	—	—	—	—	—	2	2	9	35	1	—	—	3	1	—	10	20
		F	9	—	—	—	—	1	1	2	5	34	2	2	1	3	1	3	3	19
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	2	1
		F	2	1	—	—	—	—	—	1	—	4	3	—	—	—	—	—	—	1
9	Pulmonary tuberculosis	M	41	2	—	2	4	6	15	11	1	105	2	1	2	4	19	41	34	2
		F	26	1	1	—	1	7	9	6	1	130	2	1	—	9	32	56	21	9
10	Tuberculous meningitis	M	2	—	1	—	1	—	—	—	—	11	3	1	3	3	1	—	—	—
		F	3	—	—	1	2	—	—	—	—	10	—	—	4	4	1	1	—	—
11	Other tuberculous diseases.	M	6	—	1	1	2	—	1	1	—	16	3	3	1	3	1	1	3	1
		F	3	1	—	—	—	1	1	—	—	20	1	2	1	6	3	2	3	2
12	Cancer, malignant disease	M	31	—	—	—	—	—	1	12	18	154	—	—	—	1	1	7	50	95
		F	56	—	—	—	—	—	3	27	26	219	—	—	—	—	1	11	100	107
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	4	—	—	—	2	—	1	1	—
		F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	3	1	1	—
14	Meningitis	M	—	—	—	—	—	—	—	—	—	11	4	3	—	4	—	—	—	—
		F	3	1	—	—	1	—	1	—	—	5	1	1	—	1	1	1	—	—
15	Organic heart disease ...	M	34	—	—	—	2	—	—	13	19	234	—	—	—	1	3	8	47	175
		F	61	—	—	—	—	1	5	9	46	231	—	—	—	1	3	11	49	167
16	Bronchitis	M	34	4	—	1	—	1	—	4	24	130	20	7	3	—	—	3	10	87
		F	29	4	—	1	—	—	—	3	21	125	14	4	1	—	—	1	9	96
17	Pneumonia (all forms)	M	10	1	2	—	—	—	1	3	3	61	17	6	2	4	2	2	11	17
		F	10	3	1	2	1	—	—	1	2	58	6	5	2	2	—	9	13	21
18	Other respiratory diseases	M	3	—	—	—	—	—	—	2	1	23	—	2	—	1	—	1	7	12
		F	5	—	—	—	1	—	1	1	2	11	1	—	—	—	1	—	2	7
19	Diarrhœa, &c.	M	5	2	—	—	—	—	—	2	1	29	6	2	1	2	—	1	6	11
		F	6	3	—	1	—	—	—	—	2	17	4	1	—	2	—	3	1	6
20	Appendicitis and typhlitis	M	2	—	—	—	—	1	1	—	—	9	—	—	2	2	1	3	—	1
		F	1	—	—	—	1	—	—	—	—	6	—	—	—	2	—	1	1	2
21	Cirrhosis of liver ...	M	10	—	—	—	—	—	1	8	1	18	—	—	—	—	1	2	8	7
		F	5	—	—	—	—	—	1	4	—	9	—	—	—	—	—	—	4	5
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	1
22	Nephritis and Bright's disease.	M	13	—	—	—	—	—	—	6	7	56	—	—	—	—	—	4	19	33
		F	7	—	—	—	—	—	1	2	4	42	1	—	—	1	—	2	17	21
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	10	—	—	—	—	3	7	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	13	—	—	—	—	6	7	—	—
25	Congenital debility, &c.	M	18	18	—	—	—	—	—	—	—	104	103	1	—	—	—	—	—	—
		F	15	15	—	—	—	—	—	—	—	63	62	1	—	—	—	—	—	—
26	Violence, apart from suicide.	M	23	1	—	1	3	2	4	5	7	88	1	1	2	16	8	20	25	15
		F	4	1	—	—	1	1	—	—	1	25	2	—	2	4	2	3	3	9
27	Suicide	M	3	—	—	—	—	—	—	3	—	22	—	—	—	—	1	11	5	5
		F	5	—	—	—	—	—	1	2	2	5	—	—	—	—	1	2	1	1
28	Other defined diseases ...	M	138	9	2	3	3	2	12	15	92	614	38	5	10	11	9	28	73	440
		F	136	8	1	2	2	2	3	24	94	593	34	4	3	12	10	38	76	416
29	Causes ill-defined or unknown.	M	6	1	—	—	—	—	—	4	1	22	2	1	—	—	1	—	6	12
		F	1	—	—	—	—	—	—	—	1	19	—	—	1	—	1	1	9	7

Causes of Death at Different Periods of Life in the Administrative County of Northampton—1916.

	Causes of Death.	Sex	Aggregate of Urban Districts.									Aggregate of Rural Districts.							
			All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	573	69	9	13	29	33	72	138	210	795	69	12	21	33	27	55	173	405
		F	538	59	9	16	42	34	71	99	208	796	57	11	18	29	35	87	151	408
1	Enteric fever	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—
		F	3	—	—	—	1	1	1	—	—	2	—	—	—	1	—	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	2	—	1	1	—	—	—	—	—	4	1	1	—	1	1	—	—	—
4	Scarlet fever	M	1	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	3	1	—	—	1	1	—	—	—
5	Whooping cough ...	M	7	2	2	2	1	—	—	—	—	4	3	—	1	—	—	—	—	—
		F	4	4	—	—	—	—	—	—	—	7	4	1	2	—	—	—	—	—
6	Diphtheria and croup ...	M	8	—	—	3	5	—	—	—	—	18	—	1	6	11	—	—	—	—
		F	9	—	1	3	5	—	—	—	—	14	—	—	3	10	1	—	—	—
7	Influenza	M	11	—	—	—	—	1	—	1	9	17	—	—	1	—	—	3	3	10
		F	8	—	—	—	—	1	2	—	5	13	—	—	—	—	1	1	1	10
8	Erysipelas	M	1	—	—	—	—	—	1	—	—	3	2	—	—	—	—	1	—	—
		F	2	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	1	1
9	Pulmonary tuberculosis	M	82	1	—	—	5	14	43	17	2	51	1	1	—	—	9	16	18	6
		F	60	2	—	1	4	20	20	10	3	49	—	—	—	2	17	25	5	—
10	Tuberculous meningitis	M	4	1	—	2	1	—	—	—	—	6	2	—	—	3	—	1	—	—
		F	10	1	—	2	5	—	1	1	—	6	—	—	3	2	1	—	—	—
11	Other tuberculous diseases.	M	12	1	—	1	3	2	4	1	—	10	—	—	1	1	3	2	2	1
		F	6	—	—	—	5	1	—	—	—	6	—	—	—	1	1	2	2	—
12	Cancer, malignant disease	M	53	—	—	—	1	—	2	27	23	66	—	—	—	—	—	2	30	34
		F	58	—	—	—	—	—	6	20	32	81	—	—	—	—	—	7	32	42
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	4	—	—	—	2	1	1	—	—	3	—	—	—	1	—	1	1	—
14	Meningitis	M	3	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	4	1	—	—	2	1	—	—	—	5	—	1	1	3	—	—	—	—
15	Organic heart disease ...	M	50	—	—	—	—	4	1	19	26	98	—	—	—	—	—	6	28	64
		F	50	—	—	—	4	—	11	14	21	116	—	—	1	1	3	10	33	68
16	Bronchitis	M	46	10	1	2	—	—	1	9	23	62	4	1	2	1	—	—	5	49
		F	46	4	—	1	—	—	2	7	32	59	2	1	1	—	—	—	7	48
17	Pneumonia (all forms)	M	35	3	1	1	—	6	3	12	9	39	4	4	2	2	4	3	10	10
		F	26	3	3	5	2	2	1	5	5	28	4	2	2	2	—	4	6	8
18	Other respiratory diseases	M	4	—	—	1	—	—	1	1	1	15	1	1	—	2	1	1	3	6
		F	14	—	—	—	2	1	2	3	6	9	1	2	3	—	—	2	—	1
19	Diarrhœa, &c.	M	10	2	2	—	—	1	—	1	4	18	6	1	2	—	—	1	4	4
		F	7	2	—	—	—	1	2	—	2	14	5	1	—	—	—	—	1	7
20	Appendicitis and typhlitis	M	4	—	—	—	2	—	1	1	—	3	—	—	—	—	2	—	1	—
		F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	1	1	2	1
21	Cirrhosis of liver ...	M	4	—	—	—	—	—	—	3	1	3	—	—	—	—	—	—	1	2
		F	5	—	—	—	—	—	1	4	—	3	—	—	—	—	—	—	2	1
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	18	—	—	—	1	1	2	6	8	21	—	—	—	1	3	—	7	10
		F	12	—	—	1	1	—	3	4	3	23	—	—	—	—	—	3	6	14
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	4	—	—	2	—	—	—	—	1	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	+	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	8	—	—	—	—	1	6	1	—
25	Congenital debility, &c.	M	34	33	—	—	1	—	—	—	—	29	28	—	1	—	—	—	—	—
		F	29	28	—	1	—	—	—	—	—	28	28	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	10	—	1	—	—	1	—	3	5	19	—	2	1	4	1	3	5	3
		F	14	1	—	—	1	1	1	1	9	8	—	—	—	—	—	—	1	7
27	Suicide	M	6	—	—	—	—	—	1	3	2	10	—	—	—	—	—	2	5	3
		F	2	—	—	—	—	—	1	1	—	5	—	—	—	—	2	2	1	—
28	Other defined diseases ...	M	161	16	1	—	7	3	10	28	96	294	17	1	4	8	2	14	46	202
		F	148	13	3	1	8	2	9	26	86	285	11	2	2	4	4	20	44	198
29	Causes ill-defined or unknown.	M	8	—	—	—	—	—	1	6	1	5	—	—	—	—	—	—	4	1
		F	9	—	1	—	—	2	1	3	2	8	—	—	—	—	—	1	5	2

Causes of Death at Different Periods of Life in the Administrative County of Northumberland—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,933	418	112	85	93	77	242	407	499	621	83	7	12	25	28	50	140	276
		F	1,796	297	118	71	94	97	245	363	511	565	64	11	8	26	26	79	116	235
1	Enteric fever	M	8	—	—	—	2	1	3	1	1	1	—	—	—	—	1	—	—	—
		F	5	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	41	10	20	9	2	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	31	4	16	7	4	—	—	—	—	1	—	—	1	—	—	—	—	—
4	Scarlet fever	M	9	—	—	5	4	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	6	—	3	1	2	—	—	—	—	2	—	1	—	1	—	—	—	—
5	Whooping cough ...	M	18	7	5	5	1	—	—	—	—	2	1	—	1	—	—	—	—	—
		F	32	16	15	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—
6	Diphtheria and croup ...	M	15	—	2	7	5	—	1	—	—	4	1	—	1	2	—	—	—	—
		F	22	—	2	8	12	—	—	—	—	3	—	1	—	2	—	—	—	—
7	Influenza	M	21	1	—	1	1	1	3	6	8	8	—	—	—	—	—	1	1	6
		F	15	—	—	—	—	1	5	3	6	13	1	—	—	1	1	1	1	8
8	Erysipelas	M	2	1	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	1
		F	2	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—
9	Pulmonary tuberculosis	M	153	—	1	3	5	32	62	47	3	39	1	—	—	—	11	18	9	—
		F	157	1	—	2	8	46	78	20	2	45	—	—	1	4	10	19	6	5
10	Tuberculous meningitis	M	29	6	6	6	9	1	1	—	—	5	1	—	—	4	—	—	—	—
		F	27	5	5	2	10	5	—	—	—	6	—	1	—	2	2	1	—	—
11	Other tuberculous diseases.	M	53	11	14	9	10	6	2	—	1	11	—	1	1	1	—	6	2	—
		F	45	9	7	9	9	5	5	—	1	11	—	2	2	3	1	1	1	1
12	Cancer, malignant disease	M	104	—	—	—	—	1	7	49	47	41	—	—	—	—	—	—	19	22
		F	146	—	1	—	—	1	26	68	50	52	—	—	—	—	1	8	18	25
13	Rheumatic fever ...	M	6	—	—	—	—	—	4	1	1	2	—	—	—	2	—	—	—	—
		F	7	—	—	—	1	2	4	—	—	2	—	—	—	1	—	1	—	—
14	Meningitis	M	27	9	1	7	5	—	3	2	—	4	1	—	1	2	—	—	—	—
		F	19	4	1	4	5	1	3	1	—	1	—	1	—	—	—	—	—	—
15	Organic heart disease ...	M	142	—	—	—	—	7	19	50	66	88	—	—	1	2	2	3	27	53
		F	189	—	—	—	3	4	17	80	85	76	—	—	—	1	1	8	21	45
16	Bronchitis	M	120	30	10	1	1	—	4	24	50	26	8	—	—	—	1	—	2	15
		F	130	26	9	1	4	1	1	25	63	22	6	2	—	—	—	—	3	11
17	Pneumonia (all forms)...	M	142	38	26	9	8	3	16	26	16	33	5	3	—	3	—	2	10	10
		F	119	27	24	14	10	4	12	10	18	19	2	1	—	—	2	1	5	8
18	Other respiratory diseases	M	29	1	—	1	2	—	7	9	9	7	3	—	—	—	—	—	3	1
		F	23	2	2	4	2	1	2	4	6	7	1	—	—	2	—	1	1	2
19	Diarrhœa, &c.	M	67	32	11	2	2	—	4	6	10	14	9	1	1	—	—	—	2	1
		F	60	27	10	5	1	1	4	2	10	12	6	—	1	—	—	—	3	2
20	Appendicitis and typhlitis	M	16	—	—	—	3	2	7	3	1	3	—	—	—	—	2	—	1	—
		F	5	—	—	—	1	1	2	1	—	8	—	—	1	2	—	3	2	—
21	Cirrhosis of liver ...	M	13	—	—	—	—	—	1	6	6	8	—	—	—	—	—	2	3	3
		F	14	—	—	—	—	—	3	8	3	1	—	—	—	—	—	—	1	—
21A	Alcoholism	M	3	—	—	—	—	1	—	1	1	1	—	—	—	—	—	—	1	—
		F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	56	1	2	3	5	2	9	19	15	22	—	—	—	—	—	2	7	13
		F	56	2	1	3	2	2	14	21	11	15	—	—	—	1	—	3	8	3
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	2	6	—	—	3	—	—	—	—	—	3	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	15	—	—	—	—	3	11	1	—	7	—	—	—	—	1	6	—	—
25	Congenital debility, &c.	M	168	167	1	—	—	—	—	—	—	38	38	—	—	—	—	—	—	—
		F	134	131	2	—	—	—	1	—	—	40	39	—	1	—	—	—	—	—
26	Violence, apart from suicide.	M	107	1	—	8	15	12	36	26	9	41	1	1	3	2	5	9	9	11
		F	20	2	1	2	3	2	1	4	5	17	—	—	—	—	—	5	4	8
27	Suicide	M	15	—	—	—	—	1	3	6	5	8	—	—	—	—	—	1	3	4
		F	4	—	—	—	—	—	2	1	1	1	—	—	—	—	—	—	1	—
28	Other defined diseases ...	M	547	102	10	7	13	6	49	112	248	203	12	1	2	5	6	6	37	134
		F	478	40	14	8	15	11	45	99	246	190	8	1	1	4	6	16	37	117
29	Causes ill-defined or unknown.	M	22	1	3	2	—	1	1	13	1	8	1	—	—	1	—	—	4	2
		F	25	—	5	—	2	1	—	14	3	8	—	—	—	2	1	2	3	—

Causes of Death at Different Periods of Life in the Administrative County of Nottingham—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts, All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	Aggregate of Rural Districts. All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,406	342	75	65	64	62	129	294	375	855	125	33	24	35	32	86	168	352
		F	1,394	257	76	55	56	79	179	286	406	788	90	32	23	35	33	98	150	327
1	Enteric fever	M	4	—	—	—	2	—	1	1	—	1	—	—	—	—	—	1	—	—
		F	4	—	—	1	—	—	2	1	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	21	7	6	7	1	—	—	—	—	4	2	1	—	1	—	—	—	—
		F	22	3	9	8	2	—	—	—	—	7	—	5	2	—	—	—	—	—
4	Scarlet fever	M	2	—	—	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	2	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	8	2	2	3	1	—	—	—	—	6	4	2	—	—	—	—	—	—
		F	13	2	7	4	—	—	—	—	—	2	—	1	1	—	—	—	—	—
6	Diphtheria and croup ...	M	19	—	1	9	9	—	—	—	—	8	—	1	1	6	—	—	—	—
		F	19	1	2	3	13	—	—	—	—	18	—	—	6	10	1	1	—	—
7	Influenza	M	17	2	1	1	1	—	2	6	4	30	1	—	—	2	—	2	7	18
		F	27	—	—	—	—	3	3	7	14	24	—	—	—	—	1	3	8	12
8	Erysipelas	M	4	—	—	—	—	1	—	1	2	2	—	—	—	—	—	—	1	1
		F	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—
9	Pulmonary tuberculosis	M	88	1	1	—	6	18	30	30	2	38	—	—	—	2	7	22	6	1
		F	105	1	—	2	2	35	45	16	4	51	—	—	—	6	13	21	8	3
10	Tuberculous meningitis	M	23	1	5	5	7	4	—	1	—	3	—	—	1	1	—	1	—	—
		F	15	1	—	7	4	3	—	—	—	4	—	1	—	2	1	—	—	—
11	Other tuberculous diseases.	M	25	5	5	2	3	4	5	1	—	6	—	—	2	1	1	1	1	—
		F	18	2	6	1	3	1	3	2	—	6	1	—	1	2	—	1	1	—
12	Cancer, malignant disease	M	73	—	—	—	—	2	8	33	30	70	—	—	—	—	1	4	24	41
		F	122	—	—	—	—	2	18	71	31	67	—	—	—	—	—	10	29	28
13	Rheumatic fever ...	M	7	—	—	—	3	1	3	—	—	4	—	—	—	—	1	1	2	—
		F	12	—	—	—	3	2	4	2	1	6	—	—	—	2	3	—	1	—
14	Meningitis	M	10	3	—	3	2	1	1	—	—	6	1	1	1	1	—	1	1	—
		F	7	1	1	2	1	—	1	1	—	8	1	1	2	2	1	1	—	—
15	Organic heart disease ...	M	137	—	—	—	1	3	8	67	58	91	—	—	—	2	6	4	26	53
		F	143	—	1	—	3	4	17	54	64	95	—	—	—	—	3	9	27	56
16	Bronchitis	M	100	26	4	5	1	1	1	15	47	75	12	9	4	3	—	3	7	37
		F	121	26	6	3	1	1	3	14	67	81	10	7	3	1	1	3	6	50
17	Pneumonia (all forms)...	M	145	55	19	12	3	5	16	20	15	43	11	5	5	3	2	5	5	7
		F	94	29	22	8	5	3	7	8	12	37	9	7	1	1	1	5	4	9
18	Other respiratory diseases	M	17	—	1	3	—	—	1	7	5	16	2	—	2	2	1	3	2	4
		F	17	1	1	1	1	1	2	5	5	13	1	1	—	2	1	—	4	4
19	Diarrhœa, &c.	M	50	29	7	3	1	1	3	3	3	21	11	1	2	—	—	3	1	3
		F	44	23	9	2	1	1	2	1	5	20	6	3	2	2	—	—	1	6
20	Appendicitis and typhlitis	M	9	2	—	—	5	1	—	1	—	5	—	—	—	—	—	2	2	1
		F	7	—	—	—	3	2	1	1	—	2	—	—	—	1	—	1	—	—
21	Cirrhosis of liver ...	M	18	—	—	—	—	—	—	9	9	7	—	—	—	—	—	—	3	4
		F	8	—	—	—	1	—	2	2	3	5	—	—	—	—	—	2	3	—
21A	Alcoholism	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	33	—	2	3	1	—	5	12	10	36	1	—	1	—	4	3	16	11
		F	25	—	1	2	3	2	5	10	2	13	—	—	—	—	—	1	4	8
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	—	7	—	—	5	—	—	—	—	1	4	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	22	—	—	—	—	4	17	1	—	12	—	—	—	—	1	11	—	—
25	Congenital debility, &c.	M	126	125	1	—	—	—	—	—	—	59	53	3	—	2	1	—	—	—
		F	101	100	—	—	—	—	—	1	—	40	39	1	—	—	—	—	—	—
26	Violence, apart from suicide.	M	55	—	2	2	8	10	11	12	10	40	—	5	2	4	4	11	9	5
		F	32	6	2	3	4	4	4	5	4	12	—	—	3	—	1	3	1	4
27	Suicide	M	13	—	—	—	1	—	6	2	4	7	—	—	—	—	—	—	6	1
		F	5	—	—	—	—	—	2	3	—	2	—	—	—	—	1	—	1	—
28	Other defined diseases ...	M	378	81	12	4	5	10	27	65	174	262	26	5	2	4	4	17	45	159
		F	388	61	6	8	4	10	33	75	191	247	22	4	1	4	3	18	49	146
29	Causes ill-defined or unknown.	M	22	3	6	2	2	—	1	6	2	14	1	—	1	—	—	2	4	6
		F	12	—	2	—	2	—	1	5	2	10	1	1	1	—	—	4	2	1

Causes of Death at Different Periods of Life in the Administrative County of Oxford—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	248	22	4	7	8	10	20	47	130	624	40	17	5	23	18	47	136	338
		F	272	12	6	12	6	14	24	50	148	611	56	10	9	26	24	56	108	322
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	1	—	—	—	—	—	—	1	—	5	—	3	1	1	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	2	—	1	1	—	—	—	—	—	4	2	2	—	—	—	—	—	—
		F	6	1	2	3	—	—	—	—	—	8	4	2	1	1	—	—	—	—
6	Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	3	—	—	1	—	2	—	—	—
		F	1	—	—	—	1	—	—	—	—	3	—	—	—	3	—	—	—	—
7	Influenza	M	7	—	—	—	—	—	—	1	6	18	—	—	—	—	1	2	7	8
		F	13	—	—	—	—	—	—	—	13	20	1	—	1	—	—	—	1	17
8	Erysipelas	M	3	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	12	—	—	—	—	2	7	2	1	44	—	—	—	1	6	13	22	2
		F	17	—	—	—	—	5	10	2	—	39	—	—	1	6	5	17	8	2
10	Tuberculous meningitis	M	6	2	—	1	2	1	—	—	—	1	—	—	—	1	—	—	—	—
		F	3	—	1	—	—	2	—	—	—	4	1	—	—	3	—	—	—	—
11	Other tuberculous diseases.	M	6	—	1	1	—	1	3	—	—	7	—	—	—	4	2	1	—	—
		F	6	—	—	—	2	2	1	—	1	5	—	—	—	—	2	1	2	—
12	Cancer, malignant disease	M	21	—	—	—	—	—	—	9	12	54	—	—	—	—	—	2	20	32
		F	24	—	—	—	—	—	1	12	11	53	—	—	—	—	—	8	21	24
13	Rheumatic fever ...	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	—	—	1	1	—	—	—	1	—	—	—	—
14	Meningitis	M	3	—	—	1	1	—	1	—	—	6	—	1	1	2	—	—	2	—
		F	2	—	1	—	—	—	1	—	—	2	2	—	—	—	—	—	—	—
15	Organic heart disease ...	M	32	—	—	—	—	—	2	8	22	93	—	—	—	1	2	9	16	65
		F	25	—	—	—	—	—	1	7	17	98	—	—	—	—	6	4	22	66
16	Bronchitis	M	37	3	1	2	—	—	—	3	28	40	3	1	—	—	—	—	1	35
		F	38	2	2	2	—	—	—	4	28	53	2	2	—	—	—	—	7	42
17	Pneumonia (all forms)...	M	6	2	—	—	1	—	1	1	1	24	4	2	2	2	1	2	6	5
		F	10	—	—	1	1	—	3	3	2	25	3	3	2	4	4	1	3	5
18	Other respiratory diseases	M	2	—	—	—	—	—	—	1	1	15	—	1	—	1	1	1	4	7
		F	4	—	—	—	1	—	—	2	1	13	—	1	—	1	—	1	4	6
19	Diarrhœa, &c.	M	7	4	1	—	—	—	—	—	2	9	3	1	—	—	—	—	2	3
		F	3	1	—	1	—	—	—	—	1	6	2	1	—	—	1	—	—	2
20	Appendicitis and typhlitis	M	5	—	—	—	3	1	—	1	—	2	—	—	—	1	—	—	1	—
		F	3	—	—	1	—	—	2	—	—	2	—	—	—	1	1	—	—	—
21	Cirrhosis of liver ...	M	5	—	—	—	—	1	—	2	2	4	—	—	—	—	—	1	3	—
		F	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	1	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	10	—	—	—	—	—	1	3	6	22	—	1	—	1	—	1	11	8
		F	9	—	—	—	—	—	3	2	4	18	—	—	—	—	—	2	4	12
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	7	—	—	—	—	2	5	—	—
25	Congenital debility, &c.	M	9	9	—	—	—	—	—	—	—	23	22	1	—	—	—	—	—	—
		F	5	5	—	—	—	—	—	—	—	28	27	—	1	—	—	—	—	—
26	Violence, apart from suicide.	M	4	2	—	—	—	1	—	1	—	33	—	—	—	3	2	4	14	10
		F	7	—	—	1	1	—	1	1	3	14	1	—	—	1	1	1	2	8
27	Suicide	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	—	1
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
28	Other defined diseases ...	M	67	—	—	1	—	2	3	14	47	210	6	4	—	5	1	10	26	158
		F	89	3	—	2	—	4	1	14	65	202	12	1	3	4	2	14	30	136
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	1	4
		F	1	—	—	—	—	—	—	1	—	5	—	—	—	—	—	1	2	2

Causes of Death at Different Periods of Life in the Administrative County of Peterborough, Soke of—1916.

	Causes of Death.	Sex.	Urban District.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	230	28	3	5	5	8	19	63	99	76	13	—	—	3	6	7	18	29
		F	232	25	4	6	10	13	21	44	109	76	9	—	1	6	4	3	9	44
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	4	—	1	2	1	—	—	—	—	2	2	—	—	—	—	—	—	—
		F	2	—	—	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—
6	Diphtheria and croup ...	M	1	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	4	—	—	1	2	1	—	—	—	1	—	—	—	1	—	—	—	—
7	Influenza	M	4	—	—	—	—	—	1	1	2	1	—	—	—	—	—	—	1	—
		F	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	11	—	—	—	—	3	5	3	—	1	—	—	—	—	—	—	—	1
		F	19	—	—	—	2	5	9	3	—	5	—	—	—	1	2	—	—	2
10	Tuberculous meningitis	M	1	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—
		F	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
11	Other tuberculous diseases.	M	4	—	—	—	—	1	—	2	1	1	—	—	—	—	—	—	1	—
		F	3	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
12	Cancer, malignant disease	M	20	—	—	—	—	—	—	7	13	3	—	—	—	—	—	—	2	1
		F	28	—	—	—	—	—	5	6	17	9	—	—	—	—	—	—	4	5
13	Rheumatic fever ...	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	Meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15	Organic heart disease ...	M	28	—	—	—	—	1	5	10	12	7	—	—	—	—	—	—	2	5
		F	26	—	—	—	—	—	—	8	18	16	—	—	—	—	—	1	2	13
16	Bronchitis	M	23	5	—	—	—	—	—	3	15	5	—	—	—	—	1	—	1	3
		F	23	1	2	—	—	—	—	2	18	7	2	—	—	1	—	—	—	4
17	Pneumonia (all forms)...	M	12	3	—	—	1	—	—	4	4	5	1	—	—	—	—	2	1	1
		F	8	1	—	1	—	1	1	1	3	2	—	—	—	—	—	—	—	2
18	Other respiratory diseases	M	2	—	—	—	—	—	—	1	1	3	—	—	—	1	—	—	2	—
		F	4	—	—	—	—	—	—	1	3	1	—	—	—	—	—	—	—	1
19	Diarrhœa, &c.	M	4	1	—	1	—	—	1	—	1	2	1	—	—	—	—	—	—	1
		F	4	3	—	—	—	—	—	1	—	4	1	—	—	2	—	—	—	1
20	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21	Cirrhosis of liver ...	M	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
21A	Alcoholism	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	9	—	—	—	—	—	—	4	5	2	—	—	—	—	—	—	—	2
		F	5	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	—	1
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
25	Congenital debility, &c.	M	9	9	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—
		F	14	14	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	10	—	—	1	3	—	1	3	2	5	1	—	—	—	1	—	2	1
		F	5	—	—	—	1	—	1	—	3	1	—	—	—	—	—	—	—	1
27	Suicide	M	2	—	—	—	—	—	1	—	1	2	—	—	—	—	—	2	—	—
		F	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	76	9	2	—	—	2	4	17	42	27	3	—	—	—	3	2	5	14
		F	76	6	1	1	3	3	2	16	44	22	—	—	1	1	2	2	2	14
29	Causes ill-defined or unknown.	M	5	—	—	—	—	—	—	5	—	3	—	—	—	1	—	1	1	—
		F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in the Administrative County of Rutland—1916.

Causes of Death.	Sex.	Urban District.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	18	6	1	—	1	—	—	3	7	104	9	1	2	—	2	9	24	57
	F	16	1	—	—	2	1	2	4	6	98	8	—	2	3	2	8	12	63
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
7 Influenza	M	2	—	—	—	—	—	—	1	1	4	—	—	—	—	—	—	2	2
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
9 Pulmonary tuberculosis	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	1	1	—
	F	3	—	—	—	—	1	2	—	—	3	—	—	—	—	—	1	1	1
10 Tuberculous meningitis	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Other tuberculous diseases.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Cancer, malignant disease	M	2	—	—	—	—	—	—	1	1	14	—	—	—	—	—	2	6	6
	F	1	—	—	—	—	—	—	1	—	5	—	—	—	—	—	1	1	3
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
14 Meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15 Organic heart disease ...	M	2	—	—	—	—	—	—	—	2	18	—	—	—	—	—	1	3	14
	F	3	—	—	—	—	—	—	1	2	21	—	—	—	—	—	1	5	15
16 Bronchitis	M	1	1	—	—	—	—	—	—	—	10	1	—	—	—	—	—	1	8
	F	1	—	—	—	—	—	—	—	1	8	—	—	—	—	—	—	—	8
17 Pneumonia (all forms)...	M	3	—	1	—	—	—	—	1	1	6	1	—	—	—	—	—	2	3
	F	—	—	—	—	—	—	—	—	—	6	—	—	—	1	1	1	2	1
18 Other respiratory diseases	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
19 Diarrhœa, &c	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—
20 Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
21 Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	2	2
	F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	1	1	3
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Congenital debility, &c.	M	2	2	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
26 Violence, apart from suicide	M	—	—	—	—	—	—	—	—	—	4	—	—	1	—	1	2	—	—
	F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
27 Suicide	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Other defined diseases ...	M	4	3	—	—	—	—	—	—	1	31	2	1	—	—	—	3	5	20
	F	5	—	—	—	1	—	—	1	3	41	3	—	1	2	1	1	2	31
29 Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in the Administrative County of Salop—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	770	94	19	33	24	20	77	175	328	821	66	18	15	11	26	92	180	413
		F	799	75	14	28	38	34	89	161	360	841	64	12	21	34	26	81	157	446
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—
4	Scarlet fever	M	3	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	2	3	—	1	1	1	—	—	—	—
5	Whooping cough ...	M	8	5	2	1	—	—	—	—	—	10	5	4	1	—	—	—	—	—
		F	7	5	1	1	—	—	—	—	—	6	3	2	1	—	—	—	—	—
6	Diphtheria and croup ...	M	6	—	—	5	1	—	—	—	—	7	—	2	3	2	—	—	—	—
		F	15	—	—	10	5	—	—	—	—	9	—	—	4	5	—	—	—	—
7	Influenza	M	15	1	—	—	—	—	1	4	9	35	—	—	1	—	2	6	7	19
		F	25	—	—	—	1	—	—	8	16	28	3	—	2	—	3	2	1	17
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	48	—	—	—	2	8	28	8	2	52	—	—	—	—	3	24	21	4
		F	58	—	—	—	3	8	32	14	1	48	—	—	—	4	11	21	9	3
10	Tuberculous meningitis	M	6	—	1	4	—	—	—	1	—	7	—	2	2	2	—	—	1	—
		F	6	—	—	2	1	3	—	—	—	6	1	1	2	1	1	—	—	—
11	Other tuberculous diseases.	M	11	—	1	2	3	—	2	3	—	8	2	—	—	—	2	1	2	1
		F	12	1	1	1	2	2	4	—	1	3	—	—	1	1	—	—	—	1
12	Cancer, malignant disease	M	61	—	—	—	—	—	1	31	29	69	—	—	—	—	—	4	26	39
		F	89	—	—	1	—	—	8	43	37	87	—	—	—	1	1	4	41	40
13	Rheumatic fever ...	M	2	—	—	—	—	1	—	—	1	3	—	—	—	—	1	2	—	—
		F	2	—	—	—	1	1	—	—	—	5	—	—	—	4	—	—	1	—
14	Meningitis	M	8	2	1	—	3	1	—	1	—	2	1	—	—	—	—	—	1	—
		F	4	1	—	—	2	—	—	1	—	5	1	1	—	1	—	—	2	—
15	Organic heart disease ...	M	88	—	—	—	2	4	4	19	59	110	—	—	—	—	1	5	25	79
		F	109	—	—	—	2	5	9	26	67	131	—	—	—	—	2	9	35	85
16	Bronchitis	M	63	7	2	3	1	—	2	16	32	67	8	2	—	—	—	3	8	46
		F	59	6	1	1	—	—	1	6	44	69	4	1	1	2	—	1	6	54
17	Pneumonia (all forms)...	M	44	10	4	3	1	—	3	12	11	49	2	2	1	1	4	9	13	17
		F	61	12	5	3	9	2	5	9	16	35	4	2	1	1	—	8	4	15
18	Other respiratory diseases	M	13	—	—	1	3	—	1	—	8	10	—	—	2	—	—	2	5	1
		F	8	—	1	—	—	—	—	2	5	18	—	—	1	2	—	1	7	7
19	Diarrhœa, &c.	M	20	10	2	3	—	—	1	2	2	8	2	—	—	—	—	2	3	1
		F	11	5	—	—	2	1	1	1	1	6	1	—	1	1	1	1	—	1
20	Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	5	—	—	—	2	—	1	2	—
		F	3	—	—	—	—	2	—	—	1	6	—	—	1	2	—	1	1	1
21	Cirrhosis of liver ...	M	7	—	—	—	—	—	1	4	2	5	—	—	—	—	—	2	2	1
		F	7	—	—	—	—	—	—	2	5	6	—	—	—	—	—	2	2	2
21A	Alcoholism	M	3	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	44	1	1	—	1	—	3	14	24	23	—	—	—	—	1	2	6	14
		F	25	—	—	—	1	—	2	11	11	23	1	—	1	2	—	3	6	10
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	1	—	—	1	—	—	—	—	1	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	1	4	—	—	7	—	—	—	—	1	6	—	—
25	Congenital debility, &c.	M	42	42	—	—	—	—	—	—	—	32	28	2	1	—	1	—	—	—
		F	35	32	1	1	1	—	—	—	—	27	26	1	—	—	—	—	—	10
26	Violence, apart from suicide.	M	30	1	1	5	3	1	11	7	1	42	1	—	3	—	6	10	12	8
		F	14	—	1	4	2	—	2	1	4	13	—	—	2	—	1	—	2	2
27	Suicide	M	6	—	—	—	—	1	2	2	1	10	—	—	—	—	—	4	4	—
		F	3	—	—	—	—	1	2	—	—	5	—	—	—	—	—	1	4	—
28	Other defined diseases ...	M	236	15	4	4	4	4	15	44	146	258	16	4	1	4	5	14	38	176
		F	231	12	3	3	6	7	18	36	146	282	18	2	1	4	3	20	32	202
29	Causes ill-defined or unknown.	M	5	—	—	—	—	—	—	4	1	7	1	—	—	—	—	1	3	2
		F	5	1	—	—	—	—	—	1	3	10	2	1	1	1	—	1	4	—

Causes of Death at Different Periods of Life in the Administrative County of Somerset—1916.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	1,008	103	20	33	37	29	84	289	413	1,528	128	24	28	35	53	114	402	744
	F	1,061	65	16	15	42	32	115	204	572	1,412	104	25	20	26	48	146	285	758
1 Enteric fever	M	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	1	1
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	9	2	3	3	1	—	—	—	—	18	2	7	5	4	—	—	—	—
	F	7	1	2	3	1	—	—	—	—	13	5	4	3	1	—	—	—	—
4 Scarlet fever	M	2	—	—	—	2	—	—	—	—	1	—	—	1	—	—	—	—	—
	F	5	—	—	—	5	—	—	—	—	1	—	—	—	1	—	—	—	—
5 Whooping cough ...	M	10	—	4	4	2	—	—	—	—	8	5	1	1	1	—	—	—	—
	F	7	4	1	2	—	—	—	—	—	8	4	2	2	—	—	—	—	—
6 Diphtheria and croup ...	M	2	—	—	1	1	—	—	—	—	5	1	—	3	—	1	—	—	—
	F	4	—	—	1	3	—	—	—	—	8	—	—	4	2	2	—	—	—
7 Influenza	M	27	1	—	—	—	1	4	10	11	40	1	—	—	3	1	2	10	23
	F	38	—	—	—	—	2	6	8	22	41	—	1	1	1	1	3	10	24
8 Erysipelas	M	2	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1
	F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	70	1	—	1	3	18	26	19	2	79	1	1	—	2	17	34	22	2
	F	72	2	—	2	5	11	33	14	5	77	—	—	—	4	17	38	13	5
10 Tuberculous meningitis	M	4	—	—	3	1	—	—	—	—	2	—	—	2	—	—	—	—	—
	F	10	—	2	1	2	3	1	1	—	6	—	2	1	1	—	2	—	—
11 Other tuberculous diseases.	M	11	1	1	3	1	2	2	1	—	15	—	—	2	1	7	4	1	—
	F	11	—	—	—	4	3	3	1	—	10	1	—	1	—	3	1	2	2
12 Cancer, malignant disease	M	86	—	—	—	—	—	4	43	39	112	—	—	1	1	—	5	44	61
	F	94	—	—	—	—	—	6	31	57	158	—	1	1	2	—	14	57	83
13 Rheumatic fever ...	M	5	—	—	1	1	—	3	—	—	4	—	—	—	4	—	—	—	—
	F	3	—	—	—	—	1	—	1	1	6	—	—	—	2	2	1	1	—
14 Meningitis	M	5	—	—	1	—	—	1	3	—	4	—	1	1	—	1	—	1	—
	F	2	—	—	—	—	—	1	1	—	7	—	2	—	1	—	3	—	1
15 Organic heart disease ...	M	122	—	—	—	1	2	7	46	66	242	—	—	—	—	3	12	85	142
	F	143	—	—	—	2	2	9	37	93	227	—	—	—	1	5	13	62	146
16 Bronchitis	M	66	5	—	1	—	—	—	14	46	103	10	1	—	—	—	3	14	75
	F	97	2	3	1	1	1	—	8	81	114	6	4	1	—	2	1	10	90
17 Pneumonia (all forms)...	M	57	4	5	2	4	—	10	15	17	83	9	4	2	—	3	6	26	33
	F	49	7	3	3	2	1	4	13	16	57	10	5	1	1	—	4	13	23
18 Other respiratory diseases	M	23	1	—	2	—	—	—	7	13	31	2	—	3	2	1	2	12	9
	F	12	—	—	—	—	—	1	—	11	15	1	—	—	1	2	—	3	8
19 Diarrhœa, &c.	M	24	13	3	3	1	—	1	1	2	24	11	—	—	—	—	1	6	6
	F	16	4	2	—	1	—	3	—	6	21	6	1	2	—	—	1	2	9
20 Appendicitis and typhlitis	M	5	—	—	—	1	—	—	3	1	11	—	—	1	1	4	—	5	—
	F	6	—	—	—	1	—	2	2	1	3	—	—	—	1	1	1	—	—
21 Cirrhosis of liver ...	M	11	—	—	—	—	—	2	7	2	12	—	—	—	—	—	1	8	3
	F	6	—	—	—	—	1	1	2	2	5	—	—	—	—	—	—	5	—
21A Alcoholism	M	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	3	—
	F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	40	—	—	1	1	2	1	15	20	69	—	—	—	1	3	2	27	36
	F	30	—	—	—	—	1	5	12	12	47	—	—	—	—	2	5	17	23
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	3	—	—	4	—	—	—	—	1	3	—	—
24 Parturition, apart from puerperal fever. ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	8	—	—	—	—	—	8	—	—	16	—	—	—	—	3	13	—	—
25 Congenital debility, &c.	M	58	55	—	1	1	—	—	1	—	62	56	1	2	2	—	1	—	—
	F	32	31	—	1	—	—	—	—	—	45	44	—	—	1	—	—	—	—
26 Violence, apart from suicide.	M	33	1	1	2	6	—	4	12	7	73	3	4	4	9	2	11	26	14
	F	16	2	1	—	4	1	1	1	6	17	2	—	1	—	—	1	3	10
27 Suicide	M	5	—	—	—	—	—	—	4	1	11	—	—	—	—	1	2	4	4
	F	3	—	—	—	—	—	2	1	—	7	—	—	—	—	1	2	4	—
28 Other defined diseases ...	M	324	17	2	4	10	4	18	85	184	511	27	4	—	4	9	28	105	334
	F	378	12	2	1	11	5	25	67	255	486	25	2	2	6	6	35	78	332
29 Causes ill-defined or unknown.	M	5	2	—	—	—	—	—	2	1	2	—	—	—	—	—	—	2	—
	F	6	—	—	—	—	—	1	3	2	11	—	1	—	—	—	3	5	2

Causes of Death at Different Periods of Life in the Administrative County of Southampton—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,205	167	42	38	36	45	139	296	442	1,355	148	29	26	38	30	127	318	639
		F	1,131	126	27	37	33	44	120	234	510	1,229	87	15	26	33	39	136	273	620
1	Enteric fever	M	4	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	2	—	1	—	8	—	—	—	1	1	4	2	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	6	—	3	2	—	—	1	—	—	1	—	—	1	—	—	—	—	—
		F	9	1	2	6	—	—	—	—	—	4	—	2	2	—	—	—	—	—
4	Scarlet fever	M	2	—	—	2	—	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	2	—	—	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—
5	Whooping cough ...	M	21	9	7	4	1	—	—	—	—	10	8	1	1	—	—	—	—	—
		F	13	10	—	3	—	—	—	—	—	3	2	1	—	—	—	—	—	—
6	Diphtheria and croup ...	M	11	1	—	5	5	—	—	—	—	4	—	1	—	3	—	—	—	—
		F	9	—	1	1	6	—	—	1	—	9	1	1	1	5	1	—	—	—
7	Influenza	M	22	—	—	—	—	2	3	3	14	40	—	—	1	1	—	3	9	26
		F	34	1	—	—	—	—	3	9	21	47	—	—	3	—	2	5	5	32
8	Erysipelas	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1
9	Pulmonary tuberculosis	M	90	1	—	—	4	16	40	27	2	84	—	—	1	4	7	49	22	1
		F	60	—	1	1	6	14	25	12	1	73	—	—	—	1	12	37	19	4
10	Tuberculous meningitis	M	11	1	4	5	1	—	—	—	—	15	2	4	4	4	—	—	1	—
		F	12	3	2	4	2	1	—	—	—	9	1	2	3	2	—	—	1	—
11	Other tuberculous diseases.	M	19	1	—	5	2	2	7	2	—	18	1	—	1	4	3	5	4	—
		F	14	2	1	4	—	1	4	2	—	17	—	—	2	3	2	4	2	4
12	Cancer, malignant disease	M	109	—	—	—	—	—	7	51	51	139	—	—	—	—	1	6	61	71
		F	127	—	—	1	—	1	12	46	67	149	—	—	—	—	3	11	71	64
13	Rheumatic fever ...	M	1	—	—	—	—	1	—	—	—	4	—	—	—	1	1	1	1	—
		F	7	—	—	—	1	1	3	2	—	4	—	—	—	2	1	1	—	—
14	Meningitis	M	11	2	—	4	3	2	—	—	—	8	2	—	2	2	—	2	—	—
		F	10	2	1	—	3	2	1	—	1	6	—	1	—	1	2	1	1	—
15	Organic heart disease ...	M	141	—	—	—	1	3	15	51	71	221	—	—	—	1	2	12	57	149
		F	135	—	—	1	3	4	14	31	82	198	—	—	—	2	2	5	49	140
16	Bronchitis	M	60	10	2	1	2	—	—	9	36	102	17	1	1	2	—	2	5	74
		F	93	5	2	—	—	—	1	13	72	99	8	—	1	—	—	1	11	78
17	Pneumonia (all forms)...	M	88	20	16	2	3	3	10	18	16	70	15	8	5	2	—	8	11	21
		F	48	8	10	7	1	1	7	6	8	54	6	4	4	4	—	6	15	15
18	Other respiratory diseases	M	15	1	—	—	1	—	1	7	5	21	2	2	—	1	1	—	8	7
		F	11	—	—	—	2	1	—	6	2	14	—	—	1	—	2	2	3	6
19	Diarrhœa, &c.	M	23	16	1	1	—	—	1	3	1	20	9	1	2	—	1	1	1	5
		F	18	6	1	—	1	—	1	2	7	27	6	2	3	2	—	2	4	8
20	Appendicitis and typhlitis	M	8	—	—	—	1	3	2	1	1	6	—	—	—	2	1	1	2	—
		F	6	—	—	1	2	—	3	—	—	3	—	—	—	1	—	1	1	—
21	Cirrhosis of liver ...	M	7	—	—	—	—	—	1	4	2	6	—	—	—	—	—	—	5	1
		F	4	—	—	—	—	—	1	2	1	3	—	—	—	—	—	1	1	1
21A	Alcoholism	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	55	—	—	—	1	—	7	22	25	49	—	—	1	—	2	2	19	25
		F	41	—	—	—	—	3	4	13	21	37	—	—	—	2	1	4	7	23
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	1	3	—	—	2	—	—	—	—	—	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	13	—	—	—	—	3	10	—	—	10	—	—	—	—	1	9	—	—
25	Congenital debility, &c.	M	69	67	—	—	1	1	—	—	—	72	69	1	2	—	—	—	—	—
		F	63	63	—	—	—	—	—	—	—	46	45	—	1	—	—	—	—	—
26	Violence, apart from suicide.	M	46	3	2	3	5	7	9	13	4	49	2	1	1	5	2	14	16	8
		F	22	3	1	1	3	1	2	6	5	19	2	—	3	1	—	2	5	6
27	Suicide	M	12	—	—	—	—	—	3	2	7	14	—	—	—	—	—	4	8	2
		F	6	—	—	—	—	1	2	2	1	9	—	—	—	—	1	4	2	2
28	Other defined diseases ...	M	363	35	4	3	4	4	28	80	205	393	21	9	2	6	9	17	83	246
		F	354	21	4	6	2	7	21	75	218	368	16	2	2	6	8	32	70	232
29	Causes ill-defined or unknown.	M	9	—	3	1	—	—	2	2	1	8	—	—	—	—	—	—	5	3
		F	11	1	1	—	—	—	2	5	2	7	—	—	—	—	—	—	3	4

Causes of Death at Different Periods of Life in the Administrative County of Stafford—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	3,422	669	189	174	169	110	365	728	1018	1,388	220	51	50	52	49	141	289	536
		F	3,150	497	164	156	191	131	399	597	1015	1,324	157	41	44	47	51	163	251	570
1	Enteric fever	M	7	—	—	—	—	2	4	1	—	1	—	—	—	1	—	—	—	—
		F	7	—	—	—	3	2	1	1	—	3	—	—	—	1	—	—	2	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	28	6	15	6	1	—	—	—	—	5	1	3	1	—	—	—	—	—
		F	42	7	13	19	3	—	—	—	—	9	—	3	4	1	—	1	—	—
4	Scarlet fever	M	19	—	2	8	8	1	—	—	—	9	—	—	3	4	1	1	—	—
		F	19	—	3	8	8	—	—	—	—	7	—	—	1	6	—	—	—	—
5	Whooping cough ...	M	34	21	9	4	—	—	—	—	—	18	13	4	1	—	—	—	—	—
		F	59	27	17	14	1	—	—	—	—	11	8	2	1	—	—	—	—	—
6	Diphtheria and croup ...	M	65	2	4	23	34	1	—	1	—	14	—	2	5	5	—	2	—	—
		F	56	2	4	17	33	—	—	—	—	21	—	2	6	9	1	3	—	—
7	Influenza	M	67	3	2	1	—	1	12	24	24	46	1	—	—	1	2	8	15	19
		F	42	—	1	1	1	1	4	13	21	28	—	1	1	—	1	3	6	16
8	Erysipelas	M	6	1	—	—	—	1	—	1	3	1	—	—	—	—	—	—	—	1
		F	3	—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	1
9	Pulmonary tuberculosis	M	247	1	4	6	9	32	109	73	13	91	—	—	1	6	11	39	30	4
		F	213	4	2	3	19	52	97	30	6	68	—	—	—	4	16	35	11	2
10	Tuberculous meningitis	M	28	6	4	7	9	2	—	—	—	9	3	2	2	2	—	—	—	—
		F	41	4	10	9	10	5	3	—	—	13	4	2	3	2	2	—	—	—
11	Other tuberculous diseases	M	73	9	15	5	18	10	11	2	3	20	2	6	2	3	2	3	2	—
		F	43	4	6	7	11	5	2	6	2	16	3	1	4	1	3	2	2	—
12	Cancer, malignant disease	M	190	2	—	1	—	2	14	105	66	82	—	—	—	—	2	6	34	40
		F	255	—	—	—	1	1	36	125	92	123	—	—	—	—	—	12	57	54
13	Rheumatic fever ...	M	5	—	—	—	1	—	2	1	1	4	—	—	—	2	—	—	1	1
		F	9	—	—	—	5	1	1	2	—	8	—	—	—	—	2	4	1	1
14	Meningitis	M	37	7	6	10	10	1	1	2	—	10	4	4	2	—	—	—	—	—
		F	26	5	9	3	3	1	4	1	—	8	2	—	1	4	1	—	—	—
15	Organic heart disease ...	M	260	—	—	—	6	9	29	97	119	159	—	1	—	4	5	13	44	92
		F	306	—	—	—	12	12	43	91	148	180	—	—	1	2	3	13	56	105
16	Bronchitis	M	327	57	7	13	1	1	7	75	166	96	13	1	1	—	—	3	12	66
		F	306	55	14	8	7	1	11	53	157	99	8	5	2	—	1	1	13	69
17	Pneumonia (all forms)...	M	324	80	53	31	11	9	36	62	42	85	21	10	9	5	4	6	18	12
		F	225	51	31	31	19	11	31	24	27	78	11	11	4	4	2	8	16	22
18	Other respiratory diseases	M	44	3	1	5	4	1	3	13	14	29	5	1	3	1	—	3	5	11
		F	32	—	3	5	3	—	3	10	8	16	1	1	1	1	2	2	4	4
19	Diarrhœa, &c.	M	111	69	22	6	2	—	5	2	5	34	18	5	3	1	—	2	2	3
		F	107	55	23	5	2	2	8	5	7	31	15	5	4	—	—	—	4	3
20	Appendicitis and typhlitis	M	23	—	—	1	8	3	6	3	2	11	—	—	1	2	1	4	2	1
		F	13	1	—	1	4	2	4	1	—	7	—	—	—	5	—	2	—	—
21	Cirrhosis of liver ...	M	20	—	—	—	—	—	5	11	4	18	—	—	—	—	—	—	15	3
		F	14	—	—	—	—	—	4	7	3	7	—	—	—	—	—	2	1	4
21A	Alcoholism	M	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	76	—	3	3	6	2	10	27	25	28	1	—	1	1	1	1	11	12
		F	81	—	2	2	5	3	16	34	19	28	—	—	—	2	3	4	8	11
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	12	—	—	—	—	4	8	—	—	4	—	—	—	—	1	3	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	33	—	—	—	—	7	24	2	—	22	—	—	—	—	2	20	—	—
25	Congenital debility, &c.	M	291	286	1	—	2	1	—	1	—	98	96	1	—	—	—	1	—	—
		F	199	194	2	1	1	1	—	—	—	66	65	1	—	—	—	—	—	—
26	Violence, apart from suicide.	M	174	5	8	21	25	20	44	36	17	79	2	—	4	10	13	18	16	16
		F	65	5	2	6	16	4	10	10	12	21	3	2	4	1	1	4	3	3
27	Suicide	M	24	—	—	—	—	—	10	12	2	12	—	—	—	—	—	5	4	3
		F	13	—	—	—	—	2	1	9	1	3	—	—	—	—	1	2	—	—
28	Other defined diseases ...	M	910	109	24	20	16	10	53	170	508	420	40	8	10	4	7	26	76	249
		F	911	82	17	12	23	14	86	168	509	438	35	3	7	4	9	40	66	274
29	Causes ill-defined or unknown.	M	29	2	9	3	—	1	3	7	4	9	—	3	1	—	—	—	2	3
		F	15	1	5	4	1	—	1	3	—	8	2	2	—	—	—	2	1	1

Causes of Death at Different Periods of Life in the Administrative County of Suffolk, East—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	536	83	13	23	23	15	55	112	212	785	100	18	13	23	21	53	165	392
		F	504	65	16	25	18	20	51	86	223	779	64	19	12	29	43	75	127	410
1	Enteric fever	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—
		F	1	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	3	1	—	2	—	—	—	—	—	4	1	1	1	1	—	—	—	—
		F	8	—	3	4	1	—	—	—	—	3	—	2	—	1	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
5	Whooping cough ...	M	9	8	1	—	—	—	—	—	—	7	5	2	—	—	—	—	—	—
		F	15	6	5	3	1	—	—	—	—	11	10	—	1	—	—	—	—	—
6	Diphtheria and croup ...	M	9	—	—	4	5	—	—	—	—	4	—	—	1	3	—	—	—	—
		F	7	1	—	2	4	—	—	—	—	5	—	—	1	4	—	—	—	—
7	Influenza	M	12	—	—	1	—	—	1	3	7	19	—	—	—	1	—	—	6	12
		F	5	—	—	—	—	—	—	1	4	23	1	—	—	2	—	4	5	11
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1
9	Pulmonary tuberculosis	M	40	—	—	1	2	6	23	7	1	54	1	1	—	1	9	20	17	5
		F	32	—	—	—	4	7	11	9	1	57	—	1	1	5	10	24	13	3
10	Tuberculous meningitis	M	9	2	—	2	4	1	—	—	—	5	2	—	—	2	—	—	1	—
		F	1	1	—	—	—	—	—	—	—	12	2	2	4	2	2	—	—	—
11	Other tuberculous diseases.	M	7	—	—	2	1	1	2	1	—	5	1	1	—	—	—	2	1	—
		F	3	—	—	—	—	1	2	—	—	13	3	1	—	3	1	3	1	1
12	Cancer, malignant disease	M	42	—	—	—	—	—	2	18	22	58	—	—	—	—	1	2	20	35
		F	50	1	—	—	—	—	6	19	24	86	—	—	—	1	—	5	32	48
13	Rheumatic fever ...	M	2	—	—	—	1	1	—	—	—	1	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
14	Meningitis	M	4	—	—	4	—	—	—	—	—	5	—	—	2	1	—	1	—	1
		F	4	—	—	2	2	—	—	—	—	3	1	—	—	—	1	1	—	—
15	Organic heart disease ...	M	60	—	—	—	2	—	4	20	34	104	—	—	—	—	—	6	19	79
		F	63	—	—	—	1	1	3	20	38	97	—	—	—	—	3	1	16	77
16	Bronchitis	M	29	5	1	1	—	—	1	3	18	44	1	2	—	—	—	—	6	35
		F	24	—	1	2	—	—	—	3	18	58	4	3	1	—	1	1	3	45
17	Pneumonia (all forms)...	M	29	6	6	1	2	—	2	6	6	39	9	1	5	—	1	—	12	11
		F	34	9	3	7	2	1	4	4	4	28	4	5	—	3	1	1	2	12
18	Other respiratory diseases	M	9	1	—	—	1	—	2	2	3	17	1	—	—	2	—	—	6	8
		F	7	1	—	—	—	1	2	—	3	9	1	—	—	2	—	—	1	5
19	Diarrhœa, &c.	M	7	5	—	—	—	—	—	—	2	16	6	4	—	1	—	—	2	3
		F	12	4	—	1	—	1	2	1	3	7	1	2	—	—	1	1	—	2
20	Appendicitis and typhlitis	M	2	—	—	—	1	1	—	—	—	4	—	—	—	3	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
21	Cirrhosis of liver ...	M	2	—	—	—	—	—	1	—	1	11	—	—	—	—	—	1	2	8
		F	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	1	2	1
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	17	—	—	1	—	—	1	7	8	18	—	1	—	2	—	1	6	8
		F	12	—	—	1	—	—	—	5	6	14	—	—	—	—	—	1	6	7
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	1	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	1	4	—	—	9	—	—	—	—	2	7	—	—
25	Congenital debility, &c.	M	39	38	1	—	—	—	—	—	—	54	52	—	1	1	—	—	—	—
		F	35	33	—	2	—	—	—	—	—	33	31	—	—	—	2	—	—	—
26	Violence, apart from suicide.	M	29	2	1	3	2	4	7	7	3	33	1	—	2	3	4	9	13	1
		F	9	2	1	1	1	3	—	—	1	10	—	2	2	1	1	2	1	1
27	Suicide	M	5	—	—	—	—	—	1	2	2	7	—	—	—	—	—	1	4	2
		F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	2	—
28	Other defined diseases ...	M	165	15	3	1	2	1	7	32	104	265	17	5	1	2	5	8	45	182
		F	170	7	2	—	1	4	15	22	119	284	6	1	2	3	15	22	41	194
29	Causes ill-defined or unknown.	M	5	—	—	—	—	—	—	4	1	8	2	—	—	—	—	1	3	2
		F	3	—	1	—	—	—	—	—	2	4	—	—	—	—	—	—	2	2

Causes of Death at Different Periods of Life in the Administrative County of Suffolk, West—1916.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	288	39	7	4	7	12	28	75	116	504	44	8	9	13	17	41	108	264
	F	328	37	3	7	9	11	39	54	168	491	25	6	7	13	19	40	82	299
1 Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Whooping cough ...	M	2	1	1	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—
	F	4	2	1	1	—	—	—	—	—	6	2	1	2	—	—	—	—	1
6 Diphtheria and croup ...	M	3	—	—	2	1	—	—	—	—	3	—	1	—	2	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	4	—	—	1	2	—	1	—	—
7 Influenza	M	3	—	—	—	—	—	1	1	1	7	1	—	—	—	—	1	—	5
	F	5	—	—	—	—	—	—	2	3	6	—	—	—	—	—	—	1	5
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2
	F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	20	—	—	—	—	4	10	6	—	32	—	—	1	1	5	14	11	—
	F	26	—	—	—	1	4	14	7	—	32	—	—	1	2	13	12	4	—
10 Tuberculous meningitis	M	2	1	1	—	—	—	—	—	—	4	—	—	2	2	—	—	—	—
	F	1	—	1	—	—	—	—	—	—	2	—	—	—	1	1	—	—	—
11 Other tuberculous diseases.	M	2	1	—	—	—	—	1	—	—	4	1	—	—	1	1	1	—	—
	F	5	—	—	1	—	1	2	1	—	12	—	—	—	3	1	6	2	—
12 Cancer, malignant disease	M	33	—	—	—	—	—	2	16	15	52	—	—	—	—	—	1	27	24
	F	30	—	—	—	—	—	1	11	18	54	—	—	—	—	—	5	15	34
13 Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	2	—	—	—	—	1	—	—	1
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
14 Meningitis	M	2	—	—	—	1	1	—	—	—	3	—	1	1	—	—	1	—	—
	F	2	1	—	—	—	1	—	—	—	3	1	—	—	1	—	—	1	—
15 Organic heart disease ...	M	35	—	—	—	—	—	4	17	14	59	—	—	—	—	1	4	14	40
	F	50	—	—	—	—	—	4	8	38	61	—	—	—	—	—	2	12	47
16 Bronchitis	M	20	4	—	—	—	—	—	1	15	31	4	—	1	—	—	—	2	24
	F	22	5	—	—	—	—	1	2	14	50	1	1	1	—	—	1	7	39
17 Pneumonia (all forms)...	M	15	3	3	1	1	2	—	4	1	17	4	1	—	2	1	—	4	5
	F	11	3	—	—	2	—	2	1	3	16	3	1	—	1	—	1	4	6
18 Other respiratory diseases	M	5	—	1	—	—	—	—	1	3	9	—	—	—	—	—	2	2	5
	F	2	—	—	—	1	—	—	—	1	5	—	—	—	—	—	—	1	4
19 Diarrhœa, &c.	M	4	2	1	—	—	—	—	—	1	4	—	—	—	—	—	—	1	3
	F	2	—	—	—	—	—	1	—	1	6	—	—	—	—	—	1	1	4
20 Appendicitis and typhlitis	M	1	—	—	—	1	—	—	—	—	3	—	—	—	1	1	—	1	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	—
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	1	2	1	8	—	—	—	—	—	1	5	2
	F	2	—	—	—	—	—	—	1	1	3	—	—	—	—	—	—	—	3
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	7	—	—	—	—	2	1	4	—	10	—	—	—	—	1	1	2	6
	F	7	—	—	—	—	—	2	3	2	14	—	—	—	—	—	—	3	11
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	—	1	4	—	—	3	—	—	—	—	1	2	—	—
25 Congenital debility, &c.	M	18	18	—	—	—	—	—	—	—	26	26	—	—	—	—	—	—	—
	F	22	21	—	—	1	—	—	—	—	8	8	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	12	—	—	—	1	2	2	5	2	19	—	—	3	1	2	4	4	5
	F	10	—	—	2	2	—	2	2	2	8	2	—	—	—	—	—	—	6
27 Suicide	M	1	—	—	—	—	—	—	—	1	10	—	—	—	—	1	—	7	2
	F	3	—	—	—	—	1	1	1	—	2	—	—	—	—	—	1	1	—
28 Other defined diseases ...	M	97	9	—	1	1	1	6	17	62	182	5	3	1	2	3	10	24	134
	F	112	4	1	2	1	2	5	14	83	180	7	1	2	3	3	7	24	133
29 Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	1	—	14	2	1	—	—	—	1	4	6
	F	2	—	—	—	—	—	—	—	2	13	1	2	—	—	—	—	5	5

Causes of Death at Different Periods of Life in the Administrative County of Surrey—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	2,912	375	79	86	115	89	327	709	1132	693	66	12	16	33	19	68	155	324
		F	2,920	262	74	72	91	100	365	622	1334	766	66	15	12	23	28	94	180	348
1	Enteric fever	M	4	—	—	—	—	2	2	—	—	1	—	—	—	—	—	—	1	—
		F	5	—	—	—	—	1	1	3	—	2	—	—	—	—	—	2	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	15	3	6	5	1	—	—	—	—	2	—	—	1	1	—	—	—	—
		F	12	1	6	4	1	—	—	—	—	2	—	1	—	1	—	—	—	—
4	Scarlet fever	M	8	—	2	1	4	1	—	—	—	1	—	—	—	1	—	—	—	—
		F	7	—	—	2	5	—	—	—	—	1	—	—	—	—	1	—	—	—
5	Whooping cough ...	M	22	11	5	3	3	—	—	—	—	4	2	2	—	—	—	—	—	—
		F	34	17	9	5	2	—	1	—	—	9	5	3	1	—	—	—	—	—
6	Diphtheria and croup ...	M	28	—	2	11	15	—	—	—	—	5	—	—	—	5	—	—	—	—
		F	22	—	—	9	12	—	1	—	—	6	—	2	1	3	—	—	—	—
7	Influenza	M	56	1	1	—	—	—	5	17	32	29	3	—	—	—	—	3	6	17
		F	79	1	1	2	2	5	8	8	52	23	—	—	—	—	1	1	6	15
8	Erysipelas	M	4	—	—	—	—	—	2	—	2	1	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	240	—	2	7	8	28	97	85	13	50	—	—	1	3	7	22	13	4
		F	188	2	2	3	9	35	97	35	5	59	1	1	—	2	10	31	8	6
10	Tuberculous meningitis	M	32	4	6	9	9	2	1	1	—	6	—	1	—	5	—	—	—	—
		F	24	3	5	9	2	4	1	—	—	9	1	1	2	4	1	—	—	—
11	Other tuberculous diseases.	M	28	1	5	3	7	2	9	1	—	6	—	—	—	2	3	1	—	—
		F	38	1	4	3	7	3	8	10	2	9	1	—	—	1	1	4	2	—
12	Cancer, malignant disease	M	256	—	—	1	1	—	17	115	122	61	—	—	—	1	1	2	17	40
		F	368	—	—	1	—	—	41	155	171	94	—	—	—	2	1	9	40	42
13	Rheumatic fever ...	M	6	—	—	—	2	2	2	—	—	1	—	—	—	1	—	—	—	—
		F	9	—	—	—	4	—	3	1	1	3	—	—	—	1	1	1	—	—
14	Meningitis	M	31	7	4	5	8	2	2	2	1	5	—	—	1	3	—	—	1	—
		F	21	4	4	—	4	1	5	3	—	6	1	—	—	2	2	—	—	1
15	Organic heart disease ...	M	297	—	—	1	1	10	24	91	170	86	—	—	—	—	1	4	28	53
		F	363	—	—	—	5	12	27	104	215	102	—	—	—	1	1	5	27	68
16	Bronchitis	M	202	25	5	2	1	1	6	27	135	44	4	—	1	—	—	1	4	34
		F	218	12	4	4	1	—	4	20	173	61	5	—	1	—	1	1	8	45
17	Pneumonia (all forms)...	M	203	46	20	16	4	3	25	42	47	43	6	6	2	1	—	5	8	15
		F	179	27	16	13	6	5	16	35	61	44	6	6	3	1	—	4	10	14
18	Other respiratory diseases	M	51	2	—	2	3	1	5	14	24	13	—	—	1	1	—	1	5	5
		F	52	—	1	4	—	3	1	15	28	11	1	—	—	—	—	—	1	9
19	Diarrhœa, &c.	M	66	38	8	1	—	1	4	7	7	11	4	1	1	—	1	—	2	2
		F	46	25	6	—	2	—	2	4	7	8	5	—	—	—	1	1	1	—
20	Appendicitis and typhlitis	M	22	—	—	—	10	4	4	3	1	3	—	—	—	1	—	1	1	—
		F	27	—	—	1	4	8	10	2	2	4	—	—	—	1	—	2	1	—
21	Cirrhosis of liver ...	M	27	—	—	—	—	—	1	20	6	7	—	—	—	—	—	1	4	2
		F	18	—	—	—	—	—	5	8	5	3	—	—	—	—	—	—	—	3
21A	Alcoholism	M	5	—	—	—	—	—	1	4	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	98	1	1	1	2	1	9	41	42	21	—	—	—	—	—	3	3	15
		F	61	1	1	—	—	—	10	21	28	20	—	—	—	—	—	3	11	6
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	—	11	—	—	1	—	—	—	—	—	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	18	—	—	—	—	2	16	—	—	5	—	—	—	—	—	3	2	—
25	Congenital debility, &c.	M	144	139	—	3	1	—	1	—	—	38	37	—	1	—	—	—	—	—
		F	116	114	—	—	—	—	1	—	1	23	23	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	109	13	4	5	20	7	12	30	18	27	1	—	3	3	1	6	8	5
		F	76	8	5	4	1	5	15	9	29	18	3	1	1	1	2	4	3	3
27	Suicide	M	24	—	—	—	—	1	10	8	5	6	—	—	—	—	—	2	3	1
		F	8	—	—	—	—	—	3	4	1	1	—	—	—	—	—	—	1	—
28	Other defined diseases ...	M	931	84	8	10	15	21	88	200	505	221	9	2	3	5	5	16	50	131
		F	914	45	8	8	23	16	78	184	552	240	12	—	3	3	5	22	59	136
29	Causes ill-defined or unknown.	M	3	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	1	—
		F	5	1	2	—	1	—	—	1	—	1	1	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in the Administrative County of Sussex, East—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	730	93	12	20	16	12	83	177	317	725	62	7	9	25	22	72	147	381
		F	835	61	6	10	23	23	79	195	438	719	53	19	10	26	32	72	147	360
1	Enteric fever	M	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	3	3	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	4	1	1	—	2	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
5	Whooping cough ...	M	3	—	2	1	—	—	—	—	—	8	8	—	—	—	—	—	—	—
		F	5	4	—	1	—	—	—	—	—	14	7	7	—	—	—	—	—	—
6	Diphtheria and croup ...	M	4	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	1	—	5	—	—	—	—	3	—	—	1	2	—	—	—	—
7	Influenza	M	14	1	—	—	1	—	3	2	7	20	—	—	—	1	1	1	9	8
		F	31	—	—	—	—	—	2	4	25	26	—	—	—	1	3	1	6	15
8	Erysipelas	M	1	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	66	—	—	1	2	6	31	22	4	67	—	—	—	4	7	36	19	1
		F	48	—	—	—	1	9	25	12	1	47	—	—	—	4	11	22	6	4
10	Tuberculous meningitis	M	11	2	3	3	1	1	—	1	—	9	3	1	2	3	—	—	—	—
		F	5	2	—	1	1	1	—	—	—	8	—	4	—	3	—	1	—	—
11	Other tuberculous diseases.	M	11	3	2	2	1	—	2	1	—	7	1	—	—	—	—	6	—	—
		F	12	1	1	1	4	—	2	1	2	7	—	—	—	2	2	2	1	—
12	Cancer, malignant disease	M	65	—	—	—	2	—	1	18	44	63	—	—	1	—	—	1	20	41
		F	120	—	—	—	—	—	9	50	61	99	—	—	—	—	1	5	44	49
13	Rheumatic fever ...	M	4	—	—	—	—	1	2	1	—	1	—	—	—	—	1	—	—	—
		F	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—
14	Meningitis	M	—	—	—	—	—	—	—	—	—	4	2	—	1	—	1	—	—	—
		F	6	1	—	—	2	1	1	1	—	5	1	—	1	1	—	2	—	—
15	Organic heart disease ...	M	93	—	—	—	2	—	6	25	60	117	—	—	1	3	2	3	24	84
		F	106	—	—	—	2	2	11	33	58	132	—	—	—	2	2	8	30	90
16	Bronchitis	M	37	3	—	2	—	—	1	5	26	36	3	—	1	—	—	—	7	25
		F	55	2	1	—	1	1	—	3	47	43	3	1	1	—	—	—	2	36
17	Pneumonia (all forms)...	M	47	5	1	5	—	—	5	12	19	34	1	2	3	—	1	4	5	18
		F	49	7	1	3	—	2	4	11	21	28	3	2	1	4	4	2	6	6
18	Other respiratory diseases	M	7	—	—	—	—	—	1	4	2	10	—	—	—	—	1	1	—	8
		F	12	—	—	—	—	—	—	4	8	11	1	1	—	—	—	1	2	6
19	Diarrhœa, &c.	M	23	13	2	2	—	—	—	1	5	8	2	1	—	—	—	—	2	3
		F	16	7	—	1	—	1	—	2	5	9	4	—	1	—	—	—	—	4
20	Appendicitis and typhlitis	M	5	—	—	—	1	—	2	2	—	9	—	—	—	4	1	1	1	2
		F	4	—	—	—	1	1	—	1	1	2	—	—	—	—	—	2	—	—
21	Cirrhosis of liver ...	M	10	—	—	—	—	—	—	7	3	8	—	—	—	—	—	1	4	3
		F	8	—	—	—	—	—	—	6	2	3	—	—	—	—	—	1	1	1
21A	Alcoholism	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	1	2	1	1	—	—	—	—	—	1	—	—
22	Nephritis and Bright's disease.	M	25	—	—	—	—	—	5	9	11	20	—	—	—	—	1	1	6	12
		F	27	—	—	—	—	—	4	11	12	14	—	—	—	—	—	2	1	11
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	4	—	—	—	—	1	3	—	—
25	Congenital debility, &c.	M	39	39	—	—	—	—	—	—	—	29	28	—	—	—	—	1	—	—
		F	30	29	—	—	—	—	1	—	—	24	22	1	—	1	—	—	—	—
26	Violence, apart from suicide.	M	26	3	—	—	2	2	9	4	6	19	—	1	—	3	5	2	3	5
		F	12	1	—	—	—	—	—	2	9	9	3	—	—	—	—	2	1	3
27	Suicide	M	9	—	—	—	—	—	1	5	3	13	—	—	—	—	—	2	10	1
		F	3	—	—	—	—	—	1	2	—	5	—	—	—	—	1	2	2	—
28	Other defined diseases ...	M	219	18	1	2	1	2	13	56	126	234	14	2	—	4	1	12	33	168
		F	271	7	1	2	6	3	17	50	185	215	7	2	5	4	6	13	43	135
29	Causes ill-defined or unknown.	M	5	3	—	1	—	—	—	—	1	6	—	—	—	—	—	—	4	2
		F	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	2	—

Causes of Death at Different Periods of Life in the Administrative County of Sussex, West—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	536	54	12	10	8	14	57	137	244	538	50	9	10	15	16	52	104	282
		F	609	44	7	8	13	27	50	135	325	528	38	6	8	18	22	45	121	270
1	Enteric fever	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	5	2	1	1	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
5	Whooping cough ...	M	4	2	1	1	—	—	—	—	—	5	3	2	—	—	—	—	—	—
		F	5	3	2	—	—	—	—	—	—	5	1	3	—	1	—	—	—	—
6	Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	4	—	2	1	1	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	2	—	—	1	1	—	—	—	—
7	Influenza	M	7	—	—	—	—	—	—	3	4	12	—	—	1	—	—	—	2	9
		F	12	—	—	—	—	—	1	1	10	18	1	—	—	1	—	—	3	13
8	Erysipelas	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	49	—	1	—	1	4	22	16	5	37	—	—	—	1	7	18	10	1
		F	53	1	—	1	1	14	17	12	7	57	—	—	1	9	13	18	12	4
10	Tuberculous meningitis	M	9	1	1	4	1	—	2	—	—	1	—	—	1	—	—	—	—	—
		F	4	1	—	—	3	—	—	—	—	4	2	—	—	2	—	—	—	—
11	Other tuberculous diseases.	M	7	—	—	1	1	—	3	2	—	8	1	—	—	2	—	3	1	1
		F	6	1	—	1	1	1	2	—	—	3	—	—	—	—	1	—	1	1
12	Cancer, malignant disease	M	56	—	—	—	—	—	1	28	27	54	—	—	—	—	—	2	24	28
		F	77	—	—	—	—	—	8	35	34	59	—	—	—	—	—	3	24	32
13	Rheumatic fever ...	M	4	—	—	—	1	2	1	—	—	2	—	—	—	—	—	1	1	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—
14	Meningitis	M	2	1	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	6	3	—	2	—	1	—	—	—	4	—	—	1	—	—	3	—	—
15	Organic heart disease ...	M	65	—	—	—	—	2	4	20	39	67	—	—	—	1	—	4	19	43
		F	87	—	—	—	—	3	4	23	57	71	1	—	—	1	2	2	23	42
16	Bronchitis	M	34	6	—	—	—	1	—	6	21	31	2	1	—	—	—	—	1	27
		F	36	1	—	—	—	—	—	1	34	32	1	—	1	—	—	—	2	28
17	Pneumonia (all forms)...	M	27	5	1	—	—	1	4	5	11	23	3	—	—	—	1	5	7	7
		F	25	1	—	1	1	—	1	7	14	16	3	—	1	—	—	1	2	9
18	Other respiratory diseases	M	9	—	—	1	—	—	—	3	5	11	1	1	1	—	—	1	3	4
		F	7	—	—	—	—	—	—	1	6	7	—	—	—	1	—	—	2	4
19	Diarrhœa, &c.	M	9	7	—	—	—	—	—	—	2	8	4	—	—	—	1	—	—	3
		F	16	7	—	1	—	—	—	1	7	6	—	1	—	—	—	—	2	3
20	Appendicitis and typhlitis	M	3	—	—	—	2	—	—	1	—	4	—	—	—	1	2	—	1	—
		F	3	—	—	—	1	1	1	—	—	2	1	—	—	—	—	—	—	1
21	Cirrhosis of liver ...	M	8	—	—	—	—	—	1	3	4	3	—	—	—	—	—	2	—	1
		F	5	—	—	—	—	—	—	2	3	—	—	—	—	—	—	—	—	—
21A	Alcoholism	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	27	—	—	—	—	—	5	12	10	19	—	—	—	—	1	1	4	13
		F	12	—	—	—	—	1	1	5	5	17	—	1	—	—	—	1	9	6
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	1	1	—	1	—	—	—	—	—	1	—	—
25	Congenital debility, &c.	M	20	19	1	—	—	—	—	—	—	25	24	—	1	—	—	—	—	—
		F	18	17	1	—	—	—	—	—	—	21	20	1	—	—	—	—	—	—
26	Violence, apart from suicide.	M	17	—	1	1	1	1	5	2	6	24	—	1	3	2	3	1	4	10
		F	7	1	—	—	2	—	—	2	2	4	1	—	2	—	1	—	—	—
27	Suicide	M	4	—	—	—	—	—	1	2	1	6	—	—	—	—	—	3	1	2
		F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	—	1
28	Other defined diseases ...	M	170	13	4	2	1	2	8	34	106	186	9	1	1	5	1	11	26	132
		F	220	8	4	2	3	4	12	43	144	193	7	—	1	2	3	15	40	125
29	Causes ill defined or unknown.	M	2	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1

Causes of Death at Different Periods of Life in the Administrative County of Warwick—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	824	110	39	26	30	31	92	189	307	1,159	190	43	47	52	46	111	226	444
		F	926	98	22	26	32	37	100	178	433	1,074	151	30	37	33	53	111	189	470
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	2	—	—	—	—	—	1	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	12	—	6	4	2	—	—	—	—	13	3	5	5	—	—	—	—	—
		F	5	1	2	1	1	—	—	—	—	12	3	4	5	—	—	—	—	—
4	Scarlet fever	M	2	—	—	—	2	—	—	—	—	4	—	1	—	3	—	—	—	—
		F	2	—	—	1	1	—	—	—	—	1	—	—	1	—	—	—	—	—
5	Whooping cough ...	M	6	—	3	2	1	—	—	—	—	17	10	2	5	—	—	—	—	—
		F	7	3	2	2	—	—	—	—	—	30	13	8	8	1	—	—	—	—
6	Diphtheria and croup ...	M	7	—	—	5	2	—	—	—	—	10	—	1	—	9	—	—	—	—
		F	11	—	1	6	4	—	—	—	—	14	—	—	6	8	—	—	—	—
7	Influenza	M	22	5	2	1	1	—	—	4	9	16	1	2	—	—	—	1	3	9
		F	24	—	—	1	3	1	2	3	14	26	1	1	—	—	3	2	1	18
8	Erysipelas	M	3	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	1	—
		F	3	—	—	—	—	—	1	2	—	3	—	—	—	—	—	—	3	—
9	Pulmonary tuberculosis	M	71	1	1	1	2	14	35	15	2	74	1	1	—	2	17	36	14	3
		F	52	—	—	—	2	17	22	9	2	66	—	1	1	6	14	31	11	2
10	Tuberculous meningitis	M	7	1	2	—	2	1	1	—	—	13	2	3	—	6	1	1	—	—
		F	7	—	—	3	2	2	—	—	—	2	1	—	—	—	1	—	—	—
11	Other tuberculous diseases.	M	8	—	4	—	3	—	—	—	1	21	4	2	3	3	2	4	2	1
		F	8	—	2	1	1	3	1	—	—	14	4	1	—	—	7	1	1	—
12	Cancer, malignant disease	M	42	—	—	—	1	—	4	25	12	94	1	—	1	—	1	9	43	39
		F	98	—	—	—	—	—	9	43	46	103	—	—	—	—	4	11	42	46
13	Rheumatic fever ...	M	4	—	—	—	2	—	1	1	—	10	—	—	—	6	2	—	1	1
		F	5	—	—	—	3	—	1	1	—	4	—	—	—	2	—	1	1	—
14	Meningitis	M	11	1	1	2	3	2	1	1	—	11	2	3	4	—	2	—	—	—
		F	6	1	—	1	1	2	—	1	—	9	2	1	2	—	3	1	—	—
15	Organic heart disease ...	M	98	—	—	—	1	2	3	27	65	101	—	—	1	—	1	3	24	72
		F	109	—	—	1	—	3	8	30	67	148	—	—	—	1	3	12	35	97
16	Bronchitis	M	53	9	2	—	—	—	—	12	30	95	14	6	1	—	1	1	13	59
		F	71	9	3	—	—	—	—	11	48	64	7	2	—	—	—	1	5	49
17	Pneumonia (all forms)...	M	49	13	9	5	2	3	7	6	4	70	20	7	10	5	2	4	13	9
		F	53	4	5	3	4	1	7	9	20	60	15	9	5	4	2	5	8	12
18	Other respiratory diseases	M	12	—	—	1	—	1	1	2	7	14	—	1	1	—	1	2	5	4
		F	14	—	—	1	—	—	2	3	8	12	2	—	1	—	—	1	5	3
19	Diarrhœa, &c.	M	12	6	2	—	—	—	—	—	4	26	12	4	4	—	—	2	2	2
		F	28	15	2	1	2	1	2	1	4	19	8	—	2	—	1	2	2	4
20	Appendicitis and typhlitis	M	4	—	—	—	2	1	1	—	—	8	—	—	1	1	1	1	4	—
		F	7	—	—	—	2	1	4	—	—	4	—	—	—	2	1	1	—	—
21	Cirrhosis of liver ...	M	11	—	—	—	—	—	3	6	2	9	—	—	—	—	—	—	8	1
		F	10	—	—	—	1	—	2	6	1	7	—	—	—	—	—	—	7	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	25	1	—	—	1	—	5	8	10	40	—	—	—	2	—	3	17	18
		F	32	—	1	—	—	—	3	7	21	26	—	—	1	—	—	1	10	14
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	6	—	—	—	—	2	4	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	3	7	1	—	10	—	—	—	—	1	9	—	—
25	Congenital debility, &c.	M	52	51	—	—	—	—	1	—	—	92	89	—	1	2	—	—	—	—
		F	48	48	—	—	—	—	—	—	—	73	72	—	—	—	1	—	—	—
26	Violence, apart from suicide.	M	36	1	2	2	2	1	12	12	4	55	2	1	3	6	6	17	12	8
		F	12	1	—	3	—	—	3	2	3	26	2	1	2	6	5	2	1	7
27	Suicide	M	5	—	—	—	—	—	1	4	—	15	—	—	—	—	2	6	4	3
		F	4	—	—	—	—	—	2	1	1	4	—	—	—	1	—	1	2	—
28	Other defined diseases ...	M	269	21	5	3	1	6	16	61	156	348	29	3	7	6	7	21	60	215
		F	291	15	3	1	4	2	22	47	197	328	21	1	3	2	5	24	54	218
29	Causes ill-defined or unknown.	M	3	—	—	—	—	—	—	3	—	1	—	1	—	—	—	—	—	—
		F	3	1	1	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—

Causes of Death at Different Periods of Life in the Administrative County of Westmorland—1916.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes	M	160	15	—	4	5	5	11	41	79	245	27	2	3	5	6	22	63	117
	F	209	12	—	4	4	8	24	44	113	221	11	1	4	6	13	13	42	131
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	1	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	1	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—	—
5 Whooping cough ...	M	1	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
	F	3	—	—	1	1	—	1	—	—	2	—	—	1	1	—	—	—	—
7 Influenza	M	3	—	—	—	—	—	—	2	1	12	—	—	1	—	—	1	5	5
	F	10	1	—	—	—	—	—	3	6	7	—	—	—	—	—	1	1	5
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	10	—	—	—	—	2	4	3	1	9	—	—	—	—	2	4	2	1
	F	9	—	—	—	1	1	4	2	1	6	—	—	—	—	3	3	—	—
10 Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—
	F	1	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
11 Other tuberculous diseases.	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—
	F	2	—	—	—	—	—	2	—	—	2	—	—	1	—	—	—	—	1
12 Cancer, malignant disease	M	14	—	—	—	—	—	—	6	8	24	—	—	—	—	—	2	7	15
	F	20	—	—	—	—	—	2	8	10	24	—	—	—	—	—	2	11	11
13 Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
	F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	2	—	—	—
14 Meningitis	M	1	—	—	—	—	—	—	1	—	4	2	—	—	1	1	—	—	—
	F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
15 Organic heart disease ...	M	26	—	—	—	—	—	1	6	19	28	—	—	—	—	—	1	11	16
	F	30	—	—	—	1	—	2	5	22	31	—	—	—	—	1	—	7	23
16 Bronchitis	M	9	—	—	1	—	—	—	1	7	10	2	1	—	—	—	—	2	5
	F	13	2	—	—	—	—	—	3	8	17	1	1	—	1	—	—	1	13
17 Pneumonia (all forms)...	M	7	1	—	1	—	—	—	2	3	9	2	—	—	—	—	—	4	3
	F	3	—	—	—	—	—	—	1	2	6	—	—	—	1	1	—	2	2
18 Other respiratory diseases	M	—	—	—	—	—	—	—	—	—	6	—	—	2	—	—	—	2	2
	F	3	—	—	—	—	—	—	1	2	7	1	—	—	—	—	—	1	5
19 Diarrhœa, &c.	M	1	—	—	—	—	—	1	—	—	3	1	—	—	—	—	—	1	1
	F	3	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—
20 Appendicitis and typhlitis	M	3	—	—	—	1	1	—	—	1	2	—	—	—	—	—	—	1	1
	F	3	—	—	—	—	2	1	—	—	3	—	—	—	1	—	—	—	2
21 Cirrhosis of liver ...	M	4	—	—	—	—	—	—	1	3	4	—	—	—	—	—	1	3	—
	F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	1
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	5	—	—	—	—	1	—	2	2	2	—	—	—	—	—	—	2	—
	F	9	—	—	—	—	1	1	5	2	5	—	—	—	—	1	1	1	2
23 Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	1	—	—
25 Congenital debility, &c.	M	9	9	—	—	—	—	—	—	—	14	13	—	—	—	—	1	—	—
	F	5	5	—	—	—	—	—	—	—	5	5	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	7	1	—	—	2	1	1	1	1	11	—	—	—	1	1	2	6	1
	F	5	—	—	—	—	—	1	—	4	4	—	—	—	—	1	—	1	2
27 Suicide	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—
	F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—
28 Other defined diseases ...	M	57	4	—	1	2	—	3	14	33	93	5	1	—	—	1	9	13	64
	F	78	3	—	1	—	3	5	13	53	92	4	—	1	2	3	4	14	64
29 Causes ill-defined or unknown.	M	2	—	—	—	—	—	—	2	—	2	—	—	—	—	—	1	1	—
	F	2	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in the Administrative County of Wight, Isle of—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Rural District.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	349	34	5	7	17	10	34	73	169	196	17	4	2	9	11	21	39	93
		F	403	26	6	8	11	12	40	84	216	183	14	4	4	8	13	20	22	98
1	Enteric fever	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	3	—	1	1	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	3	3	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
		F	2	1	—	1	—	—	—	—	—	3	1	1	1	—	—	—	—	—
6	Diphtheria and croup ...	M	8	—	—	5	2	1	—	—	—	4	—	—	1	3	—	—	—	—
		F	6	—	—	3	3	—	—	—	—	5	—	—	2	3	—	—	—	—
7	Influenza	M	7	—	—	—	—	—	2	1	4	5	—	—	—	—	—	—	2	3
		F	12	—	—	—	2	1	—	3	6	9	—	—	—	1	—	—	—	8
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	20	—	—	—	1	4	9	5	1	12	—	—	—	—	3	7	1	1
		F	14	—	—	—	—	1	7	5	1	8	—	—	—	—	2	4	2	—
10	Tuberculous meningitis	M	5	1	1	—	2	—	1	—	—	1	—	—	—	1	—	—	—	—
		F	2	—	—	—	1	—	1	—	—	1	—	—	—	1	—	—	—	—
11	Other tuberculous diseases.	M	3	—	—	—	—	—	2	—	1	1	—	—	—	—	—	1	—	—
		F	7	—	—	—	1	1	2	3	—	3	1	—	—	—	1	1	—	—
12	Cancer, malignant disease	M	39	—	—	—	1	—	2	14	22	21	—	—	—	1	—	1	6	13
		F	45	—	—	—	—	—	4	22	19	18	—	—	—	—	—	1	7	10
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—
14	Meningitis	M	3	1	—	—	1	1	—	—	—	2	—	—	—	—	2	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15	Organic heart disease ...	M	62	—	—	—	—	—	1	18	43	41	—	—	—	—	2	—	17	22
		F	82	—	—	1	—	2	5	18	56	30	—	—	—	—	1	2	2	23
16	Bronchitis	M	22	1	1	—	—	—	—	2	18	9	1	—	—	—	—	—	—	8
		F	36	1	1	—	—	—	—	4	30	17	—	—	—	—	—	1	1	13
17	Pneumonia (all forms)	M	23	5	3	1	1	—	1	7	5	5	1	1	—	—	1	—	2	—
		F	14	3	2	1	1	—	3	2	2	7	—	1	—	—	—	2	3	1
18	Other respiratory diseases	M	7	—	—	—	2	—	1	2	2	4	—	—	—	1	1	1	—	1
		F	6	—	—	1	—	—	1	—	4	2	—	—	1	1	—	—	—	—
19	Diarrhœa, &c.	M	8	5	—	1	1	—	—	—	1	3	2	—	—	—	—	—	—	1
		F	3	1	—	—	—	—	1	—	1	2	—	1	—	—	—	—	—	1
20	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
21	Cirrhosis of liver ...	M	3	—	—	—	—	—	—	2	1	2	—	—	—	—	—	1	1	—
		F	2	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	1	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	17	—	—	—	—	—	4	5	8	5	—	—	—	—	—	1	1	3
		F	7	—	1	—	—	—	—	3	3	4	—	—	—	1	—	1	—	2
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	1	—	—	1	—	—	—	—	1	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	3	—	—
25	Congenital debility, &c.	M	13	13	—	—	—	—	—	—	—	11	11	—	—	—	—	—	—	—
		F	18	16	1	—	—	—	1	—	—	9	9	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	5	—	—	—	—	1	1	2	1	8	—	—	—	1	—	3	2	2
		F	7	1	—	—	1	1	1	—	3	5	—	—	—	—	3	1	—	1
27	Suicide	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—
28	Other defined diseases ...	M	97	4	—	—	6	3	9	14	61	57	2	1	—	—	2	6	7	39
		F	133	3	1	1	2	5	7	23	91	51	3	—	—	1	3	3	6	35
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Causes of Death at Different Periods of Life in the Administrative County of Wilts—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	755	101	14	24	36	29	70	177	304	1,026	91	20	22	39	29	98	195	532
		F	830	76	23	28	32	31	79	167	394	927	81	21	17	33	35	82	195	463
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	6	—	1	4	1	—	—	—	—	4	—	2	—	2	—	—	—	—
		F	12	2	2	4	4	—	—	—	—	4	1	1	1	1	—	—	—	—
4	Scarlet fever	M	4	—	—	2	2	—	—	—	—	5	—	—	1	3	1	—	—	—
		F	7	—	—	3	4	—	—	—	—	3	—	—	2	1	—	—	—	—
5	Whooping cough ...	M	3	2	—	1	—	—	—	—	—	3	—	—	3	—	—	—	—	—
		F	3	1	2	—	—	—	—	—	—	8	3	2	1	2	—	—	—	—
6	Diphtheria and croup ...	M	8	—	—	1	7	—	—	—	—	7	—	1	2	4	—	—	—	—
		F	8	—	2	2	4	—	—	—	—	11	—	—	1	10	—	—	—	—
7	Influenza	M	13	1	—	—	—	—	—	3	9	28	2	1	—	—	2	3	5	15
		F	25	1	—	1	1	1	4	4	13	33	—	—	—	—	3	4	5	21
8	Erysipelas	M	3	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	1
		F	3	1	—	—	—	—	—	1	1	2	—	—	—	—	—	—	1	1
9	Pulmonary tuberculosis	M	52	1	2	—	1	11	24	13	—	61	—	1	—	3	11	29	16	1
		F	40	—	—	—	5	10	17	7	1	41	—	—	—	2	12	19	8	—
10	Tuberculous meningitis	M	7	—	—	1	2	4	—	—	—	10	2	1	1	5	—	1	—	—
		F	9	1	—	3	5	—	—	—	—	8	2	1	3	—	2	—	—	—
11	Other tuberculous diseases.	M	7	1	2	—	—	—	2	2	—	8	—	—	2	—	—	5	—	1
		F	15	—	—	1	2	4	2	3	3	15	1	—	1	5	1	3	4	—
12	Cancer, malignant disease	M	64	—	—	—	2	—	2	32	28	80	—	—	—	—	—	5	31	44
		F	79	—	—	—	—	—	14	30	35	73	—	—	—	—	—	3	41	29
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	4	—	—	—	1	2	—	—	1
		F	3	—	—	—	2	—	—	1	—	6	—	—	—	1	1	1	2	1
14	Meningitis	M	6	1	—	1	3	—	1	—	—	6	1	—	2	2	—	1	—	—
		F	3	—	—	—	1	—	—	—	2	8	—	—	1	4	2	1	—	—
15	Organic heart disease ...	M	91	—	—	—	1	3	4	26	57	151	—	1	—	—	4	9	34	103
		F	109	—	—	—	—	1	6	34	68	157	—	—	—	—	3	14	48	92
16	Bronchitis	M	53	7	1	1	—	—	1	6	37	90	6	2	—	—	—	2	11	69
		F	63	2	2	1	—	1	—	11	46	72	5	2	—	—	—	—	7	58
17	Pneumonia (all forms)	M	47	11	7	7	2	2	3	5	10	44	7	4	3	—	—	5	16	9
		F	56	12	10	5	—	1	3	11	14	40	7	7	3	1	—	4	7	11
18	Other respiratory diseases	M	15	—	1	—	2	1	1	4	6	12	—	—	—	1	1	—	2	8
		F	10	—	—	1	—	—	2	2	5	17	—	1	—	—	1	3	4	8
19	Diarrhœa, &c.	M	15	7	—	—	—	—	2	2	4	13	5	1	1	—	—	—	2	4
		F	8	5	—	—	—	—	1	2	—	15	7	2	—	—	—	1	1	4
20	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	—	2
		F	9	—	—	1	2	3	1	2	—	2	—	—	—	1	—	1	—	—
21	Cirrhosis of liver ...	M	8	—	—	—	—	—	1	5	2	12	—	—	—	—	—	—	6	6
		F	3	—	—	—	—	—	—	2	1	9	—	—	—	—	—	1	7	1
21A	Alcoholism	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—
		F	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	1
22	Nephritis and Bright's disease.	M	30	1	—	—	—	—	6	12	11	43	—	—	—	2	1	5	10	25
		F	26	—	—	—	1	1	3	10	11	16	1	—	—	—	2	2	4	7
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	4	—	—	5	—	—	—	—	3	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	7	—	—	—	—	2	5	—	—	7	—	—	—	—	—	7	—	—
25	Congenital debility, &c.	M	47	47	—	—	—	—	—	—	—	44	44	—	—	—	—	—	—	—
		F	39	38	—	—	1	—	—	—	—	43	42	1	—	—	—	—	—	—
26	Violence, apart from suicide.	M	23	1	—	1	5	2	6	6	2	38	2	—	4	7	4	7	6	8
		F	13	2	—	2	—	—	2	2	5	12	2	—	1	1	1	1	1	5
27	Suicide	M	2	—	—	—	—	—	—	2	—	12	—	—	—	—	—	6	5	1
		F	4	—	—	—	—	—	3	1	—	3	—	—	—	—	—	1	1	1
28	Other defined diseases ...	M	245	20	—	5	8	6	16	55	135	334	22	6	3	7	3	15	46	232
		F	267	10	5	4	—	7	12	42	187	305	9	2	3	3	4	14	49	221
29	Causes ill-defined or unknown.	M	5	1	—	—	—	—	—	3	1	9	—	—	—	—	—	2	5	2
		F	3	1	—	—	—	—	—	—	2	10	1	2	—	—	—	—	5	2

Causes of Death at Different Periods of Life in the Administrative County of Worcester—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,069	177	48	34	51	34	99	264	362	867	104	13	26	24	32	78	187	403
		F	1,029	120	31	34	46	52	104	190	452	782	62	28	14	29	39	81	135	393
1	Enteric fever	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	18	2	7	6	3	—	—	—	—	5	1	—	4	—	—	—	—	—
		F	9	1	3	5	—	—	—	—	—	6	—	3	3	—	—	—	—	—
4	Scarlet fever	M	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—
5	Whooping cough ...	M	14	9	1	4	—	—	—	—	—	5	2	1	2	—	—	—	—	—
		F	7	4	3	—	—	—	—	—	—	11	5	4	1	1	—	—	—	—
6	Diphtheria and croup ...	M	17	—	—	5	10	1	—	1	—	7	1	1	3	2	—	—	—	—
		F	20	—	1	9	10	—	—	—	—	9	—	—	3	6	—	—	—	—
7	Influenza	M	21	1	—	—	—	—	4	4	12	13	—	—	—	—	—	3	3	7
		F	21	—	—	—	1	—	3	7	10	16	—	—	—	—	—	3	3	10
8	Erysipelas	M	2	1	—	—	—	—	—	—	1	3	—	—	—	—	—	—	1	2
		F	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—
9	Pulmonary tuberculosis	M	80	—	—	1	2	12	33	27	5	53	—	—	—	—	12	26	14	1
		F	61	—	—	1	5	23	24	6	2	45	—	—	—	2	17	22	4	—
10	Tuberculous meningitis	M	8	1	—	2	2	3	—	—	—	5	1	—	2	—	2	—	—	—
		F	9	—	1	1	5	2	—	—	—	3	1	1	—	1	—	—	—	—
11	Other tuberculous diseases.	M	11	3	2	—	4	—	1	1	—	13	2	—	2	3	3	2	1	—
		F	12	3	—	2	3	—	1	3	—	7	2	—	—	—	2	2	1	—
12	Cancer, malignant disease	M	72	—	—	—	—	—	2	34	36	72	—	—	—	—	1	6	37	28
		F	82	—	—	—	—	1	3	38	40	86	—	—	—	—	—	5	40	41
13	Rheumatic fever ...	M	4	—	—	—	4	—	—	—	—	1	—	—	—	—	1	—	—	—
		F	4	—	—	—	—	3	1	—	—	3	—	—	—	2	1	—	—	—
14	Meningitis	M	6	1	2	2	—	—	1	—	—	3	3	—	—	—	—	—	—	—
		F	6	1	—	3	2	—	—	—	—	9	2	2	—	2	1	2	—	—
15	Organic heart disease ...	M	98	—	1	—	1	4	8	32	52	115	—	—	—	1	1	7	30	76
		F	145	—	—	—	1	3	15	41	85	108	—	—	—	1	3	7	26	71
16	Bronchitis	M	95	16	5	1	—	1	1	22	49	64	9	2	—	—	—	—	16	37
		F	122	13	4	3	—	—	5	11	86	74	3	3	2	—	1	—	6	59
17	Pneumonia (all forms)...	M	77	12	15	2	3	—	12	19	14	55	6	5	6	3	1	4	10	20
		F	49	4	6	3	3	5	10	10	8	37	3	8	1	2	2	4	5	12
18	Other respiratory diseases	M	17	—	1	2	1	—	1	8	4	17	1	—	1	2	1	1	5	6
		F	12	1	—	—	—	1	—	3	7	2	—	—	—	1	—	—	—	1
19	Diarrhœa, &c.	M	41	25	9	—	—	—	3	2	2	20	12	2	—	—	—	3	1	2
		F	33	19	3	1	1	—	1	3	5	18	6	3	2	1	—	2	—	4
20	Appendicitis and typhlitis	M	7	—	—	1	4	1	—	1	—	3	—	—	1	1	—	1	—	—
		F	8	—	—	—	2	2	1	3	—	6	—	—	—	3	2	1	—	—
21	Cirrhosis of liver ...	M	5	—	—	—	—	—	1	3	1	5	—	—	—	—	—	—	4	1
		F	3	—	—	—	—	—	2	1	—	4	—	—	—	—	—	1	2	1
21A	Alcoholism	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	30	—	—	1	1	—	3	11	14	30	1	—	—	3	—	1	9	16
		F	26	1	—	—	2	1	4	7	11	22	—	—	—	—	2	1	11	8
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	5	—	—	4	—	—	—	—	1	3	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	11	—	—	—	—	3	7	1	—	6	—	—	—	—	—	6	—	—
25	Congenital debility, &c.	M	79	78	—	—	—	—	—	1	—	49	48	—	—	1	—	—	—	—
		F	51	49	1	—	—	1	—	—	—	32	29	—	1	1	—	1	—	—
26	Violence, apart from suicide.	M	37	2	2	2	8	2	9	10	2	34	1	1	2	2	3	8	6	11
		F	31	4	1	3	5	2	4	3	9	13	1	—	1	1	1	2	—	7
27	Suicide	M	5	—	—	—	—	1	2	2	—	8	—	—	—	—	1	1	2	4
		F	1	—	—	—	—	—	1	—	—	3	—	—	—	—	—	1	2	—
28	Other defined diseases ...	M	316	26	3	3	6	8	17	83	170	284	16	1	3	6	6	14	47	191
		F	288	20	8	2	5	5	14	46	188	252	9	3	—	4	6	16	35	179
29	Causes ill-defined or unknown	M	5	—	—	—	2	—	—	3	—	3	—	—	—	—	—	1	1	1
		F	9	—	—	—	—	—	3	5	1	3	1	1	—	—	—	1	—	—

Causes of Death at Different Periods of Life in the Administrative County of York, East Riding—1916.

Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
		All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
All Causes.	M	424	51	15	11	14	6	42	85	200	617	92	11	17	24	23	34	115	301
	F	384	34	7	5	13	16	40	80	189	584	66	12	10	12	27	52	100	305
1 Enteric fever	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
2 Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Measles	M	1	1	—	—	—	—	—	—	—	4	1	2	—	—	1	—	—	—
	F	—	—	—	—	—	—	—	—	—	7	1	4	—	1	—	1	—	—
4 Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
5 Whooping cough	M	1	—	—	1	—	—	—	—	—	4	3	—	1	—	—	—	—	—
	F	2	2	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—
6 Diphtheria and croup	M	2	—	—	1	1	—	—	—	—	8	—	1	3	2	—	2	—	—
	F	1	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
7 Influenza	M	14	—	1	1	—	1	1	—	10	18	2	—	—	—	1	—	6	9
	F	9	—	—	—	1	—	1	—	7	11	—	—	—	—	—	1	1	9
8 Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Pulmonary tuberculosis	M	26	—	—	—	1	2	13	8	2	24	—	—	—	2	5	7	7	3
	F	23	—	—	—	2	6	13	2	—	38	1	—	—	4	15	13	3	2
10 Tuberculous meningitis	M	2	1	—	—	1	—	—	—	—	3	—	1	1	—	—	1	—	—
	F	2	—	—	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—
11 Other tuberculous diseases.	M	6	2	1	—	2	—	1	—	—	12	3	—	1	3	2	1	2	—
	F	3	1	—	—	1	1	—	—	—	7	—	2	—	1	2	1	1	—
12 Cancer, malignant disease	M	40	—	—	—	—	—	5	12	23	51	—	—	1	—	—	1	20	29
	F	48	—	—	—	—	—	4	24	20	50	—	—	—	—	—	3	21	20
13 Rheumatic fever	M	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1
14 Meningitis	M	3	—	1	2	—	—	—	—	—	1	—	—	—	—	1	—	—	—
	F	3	—	1	1	1	—	—	—	—	3	—	—	1	—	1	—	—	1
15 Organic heart disease	M	64	—	—	—	1	—	5	18	40	83	—	—	—	—	3	4	27	49
	F	62	—	—	—	—	2	4	17	39	86	—	—	—	—	1	5	22	58
16 Bronchitis	M	31	4	1	—	—	—	1	4	21	39	3	1	—	—	—	—	3	32
	F	32	4	3	—	—	—	—	4	21	47	5	—	—	—	—	1	7	34
17 Pneumonia (all forms)	M	29	5	6	1	2	—	4	6	5	37	3	3	4	5	—	5	5	12
	F	14	3	—	1	3	1	2	1	3	17	5	—	3	1	—	1	—	7
18 Other respiratory diseases	M	5	—	—	1	—	1	—	2	1	1	—	—	—	—	—	—	1	—
	F	7	—	1	—	—	1	2	1	2	10	—	—	2	—	—	2	1	5
19 Diarrhœa, &c.	M	7	2	1	1	—	—	—	—	3	15	6	—	1	—	1	—	4	3
	F	3	1	—	—	—	—	—	1	1	12	6	—	—	—	—	1	2	3
20 Appendicitis and typhlitis	M	2	—	—	—	1	—	—	—	1	3	—	—	—	2	—	1	—	—
	F	1	—	—	—	1	—	—	—	—	3	—	—	—	—	2	1	—	—
21 Cirrhosis of liver	M	4	—	—	—	—	—	1	3	—	3	—	—	—	—	—	—	1	2
	F	2	—	—	—	—	—	—	2	—	7	—	—	—	—	—	—	3	4
21A Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Nephritis and Bright's disease.	M	18	1	—	—	—	—	1	7	9	10	1	—	—	—	—	—	3	6
	F	13	2	1	—	—	—	1	4	5	12	—	—	—	—	—	1	4	7
23 Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	2	—	—	2	—	—	—	—	—	2	—	—
24 Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F	6	—	—	—	—	2	4	—	—	4	—	—	—	—	1	3	—	—
25 Congenital debility, &c.	M	20	20	—	—	—	—	—	—	—	47	47	—	—	—	—	—	—	—
	F	9	9	—	—	—	—	—	—	—	28	28	—	—	—	—	—	—	—
26 Violence, apart from suicide.	M	9	—	—	—	1	1	1	2	4	28	5	1	2	3	4	2	3	8
	F	7	1	—	2	—	1	1	1	1	16	1	—	1	1	1	2	—	10
27 Suicide	M	2	—	—	—	—	—	2	—	—	5	—	—	—	—	—	—	2	3
	F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Other defined diseases	M	131	14	4	2	4	1	6	19	81	214	17	2	3	5	5	9	30	143
	F	133	10	—	—	3	2	6	22	90	214	18	4	3	3	3	12	35	136
29 Causes ill-defined or unknown.	M	6	1	—	1	—	—	—	4	—	4	1	—	—	—	—	1	1	1
	F	2	—	1	—	—	—	—	1	—	2	—	—	—	—	—	—	—	2

Causes of Death at Different Periods of Life in the Administrative County of York, North Riding—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	1,241	232	69	69	53	37	124	267	390	897	97	25	10	26	25	76	189	449
		F	1,150	154	58	70	48	45	149	224	402	874	84	19	12	22	42	97	171	427
1	Enteric fever	M	2	—	—	—	—	—	—	2	—	4	—	—	—	—	—	4	—	—
		F	3	—	—	—	—	2	—	1	—	2	—	—	—	—	1	—	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	42	7	22	10	3	—	—	—	—	8	3	3	—	1	1	—	—	—
		F	28	6	7	13	2	—	—	—	—	5	1	2	2	—	—	—	—	—
4	Scarlet fever	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	6	3	3	—	—	—	—	—	—	5	2	3	—	—	—	—	—	—
		F	11	3	5	2	—	—	—	—	1	1	1	—	—	—	—	—	—	—
6	Diphtheria and croup ...	M	12	1	1	5	5	—	—	—	—	4	—	—	—	4	—	—	—	—
		F	12	—	1	7	4	—	—	—	—	9	—	—	3	4	1	—	1	—
7	Influenza	M	18	—	—	1	—	1	3	5	8	35	1	1	—	2	1	3	10	17
		F	17	—	—	—	—	—	2	5	10	29	—	—	1	—	—	2	7	19
8	Erysipelas	M	2	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1
		F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	1
9	Pulmonary tuberculosis	M	80	1	2	5	4	12	32	20	4	40	—	—	—	—	10	16	9	5
		F	91	1	2	2	7	19	42	16	2	45	—	—	1	—	10	22	10	2
10	Tuberculous meningitis	M	12	2	2	3	5	—	—	—	—	5	—	1	1	2	—	—	1	—
		F	14	3	4	1	4	1	1	—	—	5	1	1	1	—	—	2	—	—
11	Other tuberculous diseases.	M	22	—	1	7	5	2	4	1	2	13	—	1	1	—	3	2	3	3
		F	18	1	2	2	4	4	5	—	—	9	1	—	1	—	1	3	2	1
12	Cancer, malignant disease	M	91	—	—	—	—	1	8	35	47	78	—	—	—	—	—	4	30	44
		F	125	—	—	1	—	—	20	55	49	93	—	—	—	—	—	8	45	40
13	Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	2	—	—	—	—	—	2	—	—	3	—	—	—	1	2	—	—	—
14	Meningitis	M	22	4	6	8	—	1	1	2	—	6	2	2	1	—	—	—	—	1
		F	15	5	2	3	2	1	—	2	—	12	3	4	—	2	1	—	—	2
15	Organic heart disease ...	M	133	—	—	—	1	5	8	45	74	125	—	—	—	—	2	9	32	82
		F	124	1	—	1	3	2	13	32	72	144	—	—	—	1	4	14	24	101
16	Bronchitis	M	88	28	3	2	—	—	1	23	31	72	17	4	—	—	—	1	11	39
		F	73	11	4	7	—	—	1	8	42	64	9	4	—	—	—	1	8	42
17	Pneumonia (all forms)...	M	92	18	14	6	2	1	16	18	17	62	10	4	5	1	—	6	17	19
		F	70	10	13	12	3	1	8	11	12	27	1	3	1	1	3	4	4	10
18	Other respiratory diseases	M	14	—	1	—	1	—	—	5	7	8	—	—	—	—	—	1	3	4
		F	20	1	1	3	1	—	1	4	9	14	2	—	—	1	1	1	2	7
19	Diarrhœa, &c.	M	34	17	6	6	—	—	1	1	3	7	3	—	—	—	—	—	3	1
		F	20	7	3	2	1	—	1	4	2	10	4	1	1	—	—	1	1	2
20	Appendicitis and typhlitis	M	10	—	—	—	5	3	2	—	—	5	—	—	1	3	—	—	—	1
		F	4	—	—	—	2	1	—	1	—	2	—	—	—	2	—	—	—	—
21	Cirrhosis of liver ...	M	11	—	—	—	—	—	3	8	—	8	—	—	—	—	—	—	3	5
		F	7	—	—	—	—	—	2	3	2	1	—	—	—	—	—	—	1	—
21A	Alcoholism	M	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	2	—	—
		F	2	—	—	—	—	—	1	—	1	1	—	—	—	—	—	1	—	—
22	Nephritis and Bright's disease.	M	47	1	—	—	—	—	2	23	21	26	—	—	—	—	1	1	11	13
		F	48	—	—	2	5	—	7	14	20	23	—	—	—	—	1	1	9	12
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	1	3	—	—	4	—	—	—	—	2	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	3	11	—	—	15	—	—	—	—	6	9	—	—
25	Congenital debility, &c.	M	100	97	2	—	1	—	—	—	—	40	40	—	—	—	—	—	—	—
		F	79	76	—	1	1	—	1	—	—	38	37	1	—	—	—	—	—	—
26	Violence, apart from suicide.	M	60	2	1	7	6	7	14	17	6	38	1	—	—	5	5	9	8	10
		F	23	2	—	5	5	2	1	2	6	18	—	—	1	4	4	2	1	6
27	Suicide	M	7	—	—	—	—	—	4	3	—	7	—	—	—	—	—	4	2	1
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1
28	Other defined diseases ...	M	332	50	5	8	14	4	24	58	169	294	18	5	1	8	2	14	44	202
		F	318	27	12	4	4	8	27	65	171	292	24	3	—	6	5	24	49	181
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	—	1	1
		F	7	—	2	2	—	—	—	—	3	4	—	—	—	—	—	—	4	—

Causes of Death at Different Periods of Life in the Administrative County of York, West Riding—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	7,589	296	291	267	344	290	857	2041	2203	2,523	476	138	108	122	100	230	550	799
		F	7,305	975	272	303	327	324	860	1651	2593	2,277	366	98	80	97	119	306	449	762
1	Enteric fever	M	27	—	—	—	3	6	10	6	2	13	—	—	—	5	—	6	1	1
		F	19	—	—	1	2	4	7	4	1	11	—	—	3	1	2	4	1	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	85	21	35	26	3	—	—	—	—	23	6	10	4	1	1	—	1	—
		F	75	14	26	27	6	1	1	—	—	17	3	5	8	1	—	—	—	—
4	Scarlet fever	M	15	—	1	2	12	—	—	—	—	7	—	1	5	1	—	—	—	—
		F	18	3	—	7	8	—	—	—	—	6	—	—	1	5	—	—	—	—
5	Whooping cough ...	M	49	32	11	6	—	—	—	—	—	16	8	5	2	1	—	—	—	—
		F	73	38	20	14	1	—	—	—	—	24	9	9	4	2	—	—	—	—
6	Diphtheria and croup ...	M	88	1	8	32	46	1	—	—	—	28	—	2	12	14	—	—	—	—
		F	114	2	8	41	59	3	1	—	—	18	—	1	8	8	1	—	—	—
7	Influenza	M	111	4	3	2	1	7	18	33	43	48	1	—	1	—	4	6	21	15
		F	92	2	1	3	2	7	11	16	50	41	1	—	—	1	2	8	9	20
8	Erysipelas	M	14	3	—	—	—	1	1	7	2	5	—	—	2	1	—	1	—	1
		F	8	—	—	—	—	—	1	4	3	1	—	—	—	—	1	—	—	—
9	Pulmonary tuberculosis	M	532	3	6	11	17	74	226	175	20	147	2	1	6	11	25	51	46	5
		F	421	5	7	7	46	104	175	60	17	153	—	—	3	13	39	70	24	4
10	Tuberculous meningitis	M	62	16	13	13	17	2	1	—	—	32	7	2	9	14	—	—	—	—
		F	74	12	8	21	25	4	2	2	—	21	2	2	5	8	2	1	1	—
11	Other tuberculous diseases.	M	138	15	21	14	21	20	24	15	8	49	7	8	6	5	4	10	6	3
		F	128	12	10	13	22	30	20	15	6	33	5	3	2	3	8	6	4	2
12	Cancer, malignant disease	M	505	—	—	3	1	2	43	254	202	166	—	2	—	—	3	8	75	78
		F	668	—	—	1	1	3	72	320	271	224	—	—	—	1	—	25	114	84
13	Rheumatic fever ...	M	36	—	—	2	10	4	10	9	1	10	—	—	1	—	3	2	3	1
		F	32	—	1	—	9	6	8	8	—	16	—	—	—	4	4	6	2	—
14	Meningitis	M	60	15	7	14	15	3	4	2	—	15	2	3	3	4	2	1	—	—
		F	54	16	8	14	9	2	1	2	2	23	4	4	4	7	1	2	1	—
15	Organic heart disease ...	M	772	2	—	3	10	19	65	316	357	241	—	—	1	4	7	21	74	134
		F	923	—	—	—	20	17	101	311	474	242	—	—	1	1	12	21	82	125
16	Bronchitis	M	654	128	34	10	3	2	16	157	304	200	50	11	5	—	1	1	29	103
		F	642	95	27	18	3	—	19	111	369	188	40	10	2	2	2	4	20	108
17	Pneumonia (all forms)...	M	618	151	60	46	39	16	87	138	81	213	63	30	12	12	10	18	39	29
		F	488	106	75	48	29	17	49	73	91	152	39	27	16	4	6	26	17	17
18	Other respiratory diseases	M	118	12	3	13	7	4	17	42	20	45	3	3	5	3	1	3	17	10
		F	92	4	4	10	3	4	11	29	27	36	6	2	5	4	2	2	6	9
19	Diarrhœa, &c.	M	247	142	26	10	8	3	15	23	20	114	56	25	11	4	2	1	5	10
		F	218	114	29	17	9	2	7	12	28	91	44	21	8	1	—	3	5	9
20	Appendicitis and typhlitis	M	42	—	—	2	13	9	8	7	3	20	—	—	2	4	5	2	5	2
		F	44	—	—	—	13	10	9	8	4	11	—	—	1	2	1	5	—	2
21	Cirrhosis of liver ...	M	47	—	—	—	—	1	5	36	5	17	—	—	—	—	—	2	8	7
		F	26	—	—	—	—	—	4	17	5	6	—	—	—	—	1	1	3	1
21A	Alcoholism	M	5	—	—	—	—	—	3	1	1	2	—	—	—	—	—	1	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	267	1	3	1	5	13	36	125	83	80	1	—	3	5	1	9	40	21
		F	257	3	4	4	2	3	48	101	92	57	—	2	—	2	1	18	18	16
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	32	—	—	—	—	9	23	—	—	7	—	—	—	—	2	5	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	87	—	—	—	—	15	70	2	—	27	—	—	—	—	4	22	1	—
25	Congenital debility, &c.	M	467	458	2	2	4	1	—	—	—	154	153	—	1	—	—	—	—	—
		F	363	357	2	2	2	—	—	—	—	154	151	1	—	2	—	—	—	—
26	Violence, apart from suicide.	M	383	11	7	25	45	50	89	106	50	164	9	9	6	21	20	42	34	23
		F	150	10	8	20	18	11	20	26	37	49	3	1	6	7	8	9	5	10
27	Suicide	M	60	—	—	—	1	3	21	24	11	12	—	—	—	—	—	5	5	2
		F	25	—	—	—	1	5	5	11	3	7	—	—	—	—	—	5	1	1
28	Other defined diseases ...	M	2,154	281	46	29	61	49	156	554	978	687	107	22	10	12	11	39	136	350
		F	2,153	182	24	34	36	66	191	511	1109	650	59	8	3	17	20	62	128	353
29	Causes ill-defined or unknown.	M	33	—	5	1	2	—	2	11	12	15	1	4	1	—	—	1	5	3
		F	29	—	10	1	1	1	4	8	4	12	—	2	—	1	—	1	7	1

Causes of Death at Different Periods of Life in the Administrative County of Anglesey—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	163	27	2	9	4	4	17	36	64	251	42	2	2	11	13	33	47	101
		F	137	14	7	4	3	7	15	29	58	228	18	8	4	5	10	24	48	111
1	Enteric fever	M	1	—	—	—	—	—	1	—	—	2	—	1	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	3	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	3	1	1	1	—	—	—	—	—
6	Diphtheria and croup ...	M	4	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Influenza	M	3	—	—	—	—	—	—	2	1	15	—	—	—	—	—	1	5	9
		F	3	—	—	—	—	—	—	2	1	15	—	—	—	—	—	—	2	13
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
9	Pulmonary tuberculosis	M	13	—	—	—	1	3	7	2	—	23	—	—	—	1	6	11	3	2
		F	8	—	—	—	—	2	4	2	—	24	—	—	—	2	4	10	7	1
10	Tuberculous meningitis	M	3	1	—	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	2	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	1	—
11	Other tuberculous diseases.	M	2	—	—	—	—	—	—	1	1	8	1	—	—	1	2	4	—	—
		F	2	—	1	1	—	—	—	—	—	6	—	1	1	—	2	1	1	—
12	Cancer, malignant disease	M	12	—	—	—	—	—	—	5	7	20	—	—	—	—	—	1	9	10
		F	9	—	—	—	—	—	—	4	5	30	—	—	—	—	—	1	9	20
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—
14	Meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	2	—	—	—	1	1	—	—	—
15	Organic heart disease ...	M	18	—	—	—	—	—	2	3	13	27	—	—	—	—	—	2	8	17
		F	17	—	—	—	1	—	—	6	10	27	—	—	—	1	—	—	8	18
16	Bronchitis	M	11	1	—	—	—	—	—	3	7	14	2	1	1	—	—	—	—	10
		F	17	2	1	—	—	—	1	3	10	14	2	—	—	—	—	1	2	9
17	Pneumonia (all forms)...	M	8	1	—	2	—	—	—	1	4	13	7	—	—	2	—	1	1	2
		F	9	1	3	1	—	—	—	1	3	7	—	4	—	—	1	—	—	2
18	Other respiratory diseases	M	4	1	—	—	—	—	—	1	2	2	1	—	—	—	—	1	—	—
		F	2	—	1	1	—	—	—	—	—	3	—	1	—	—	—	—	—	2
19	Diarrhœa, &c.	M	1	1	—	—	—	—	—	—	—	5	3	—	—	—	—	—	1	1
		F	1	1	—	—	—	—	—	—	—	3	2	—	—	—	—	—	1	—
20	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21	Cirrhosis of liver ...	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	2
		F	1	—	—	—	—	—	—	—	1	3	—	—	—	—	—	1	1	1
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	5	—	—	—	—	—	1	—	4	9	—	—	—	—	—	1	4	4
		F	4	—	—	—	—	—	2	—	2	6	1	—	—	—	—	1	1	3
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3	—	—
25	Congenital debility, &c.	M	14	13	—	1	—	—	—	—	—	13	12	—	—	1	—	—	—	—
		F	7	7	—	—	—	—	—	—	—	7	7	—	—	—	—	—	—	—
26.	Violence, apart from suicide.	M	8	—	—	—	—	—	4	3	1	12	—	—	1	—	3	4	4	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	1
27.	Suicide	M	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	1	1	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28.	Other defined diseases...	M	51	9	1	1	—	1	—	15	24	76	13	—	—	4	2	4	10	43
		F	49	3	—	—	1	3	8	9	25	65	5	—	1	—	—	4	15	41
29	Causes ill-defined or unknown.	M	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	1	1	—
		F	3	—	1	—	—	—	—	1	1	1	—	1	—	—	—	—	—	—

Causes of Death at Different Periods of Life in the Administrative County of Brecknock—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	131	16	4	5	6	4	16	43	37	287	47	10	8	11	27	34	58	92
		F	134	12	6	3	6	12	14	27	54	253	37	12	3	12	14	27	43	105
1	Enteric fever	M	2	—	—	—	1	—	—	1	—	1	—	—	—	—	1	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	5	—	4	1	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
5	Whooping cough ...	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	1	1	—	—	—	—	—	—	4	2	1	—	1	—	—	—	—
6	Diphtheria and croup ...	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
7	Influenza	M	3	—	—	—	—	—	2	1	—	4	—	—	—	—	—	1	3	—
		F	3	—	—	—	1	—	—	—	2	9	—	—	—	—	—	1	3	5
8	Erysipelas	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	6	—	1	—	—	2	2	1	—	19	—	—	—	—	7	7	5	—
		F	6	—	—	—	—	4	2	—	—	25	—	—	—	1	7	11	5	1
10	Tuberculous meningitis	M	—	—	—	—	—	—	—	—	—	4	—	—	1	3	—	—	—	—
		F	2	—	—	—	1	—	—	1	—	1	1	—	—	—	—	—	—	—
11	Other tuberculous diseases.	M	—	—	—	—	—	—	—	—	—	2	—	1	—	—	1	—	—	—
		F	2	—	—	—	1	—	1	—	—	3	—	—	—	2	—	1	—	—
12	Cancer, malignant disease	M	10	—	—	—	1	—	—	5	4	14	—	—	—	1	—	1	6	6
		F	6	—	—	—	—	—	1	2	3	19	—	—	—	—	—	—	6	13
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
		F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—	—
14	Meningitis	M	2	—	—	—	1	—	1	—	—	5	3	1	1	—	—	—	—	—
		F	3	—	—	—	1	1	—	1	—	2	1	—	—	1	—	—	—	—
15	Organic heart disease ...	M	13	—	—	—	1	—	1	3	8	37	—	—	—	1	1	4	12	19
		F	11	—	—	—	1	2	1	3	4	32	—	—	—	2	2	4	8	16
16	Bronchitis	M	15	1	1	—	—	—	1	10	2	22	8	—	1	—	—	—	4	9
		F	14	1	—	—	—	—	—	4	9	20	1	2	—	—	—	1	2	14
17	Pneumonia (all forms)...	M	15	3	—	3	1	—	1	5	2	26	5	3	1	1	4	1	5	6
		F	10	—	2	2	—	—	1	2	3	13	3	1	1	—	—	—	2	6
18	Other respiratory diseases	M	3	—	—	—	—	—	1	1	1	13	1	—	1	—	4	—	3	4
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—
19	Diarrhœa, &c.	M	1	—	—	—	—	—	—	1	—	13	7	2	1	—	—	—	2	1
		F	—	—	—	—	—	—	—	—	—	4	1	—	—	—	—	—	1	2
20	Appendicitis and typhlitis	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—
21	Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	2
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	2	—	—	—	—	—	—	1	1	7	—	—	—	—	—	3	2	2
		F	4	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—	—	—
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	4	—	—	—	—	1	3	—	—
25	Congenital debility, &c.	M	8	8	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—
		F	5	5	—	—	—	—	—	—	—	18	16	—	—	2	—	—	—	—
26	Violence, apart from suicide.	M	5	—	—	—	1	2	2	—	—	20	—	1	1	2	6	7	2	1
		F	2	—	—	—	—	—	—	1	1	5	1	1	—	1	—	—	1	1
27	Suicide	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—
		F	1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—
28	Other defined diseases ...	M	39	4	1	1	—	—	3	12	18	79	10	1	1	2	2	10	11	42
		F	54	5	1	1	1	2	3	10	31	79	11	2	1	—	2	5	13	45
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	2	2
		F	2	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	1	—

Causes of Death at Different Periods of Life in the Administrative County of Cardigan—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	120	6	4	1	3	6	17	31	52	350	40	3	4	10	15	31	83	164
		F	140	8	2	2	2	6	12	30	78	400	20	3	3	15	28	40	69	222
1	Enteric fever	M	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	1	—	—	—	—	—	—	3	—	—	—	1	1	1	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
5	Whooping cough ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—	—
6	Diphtheria and croup ...	M	1	—	1	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—
		F	2	—	1	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—
7	Influenza	M	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	1	2	2
		F	2	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	2
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	10	—	—	—	—	1	6	2	1	42	—	1	—	2	5	14	17	3
		F	10	—	—	—	1	2	5	2	—	40	—	—	—	1	15	11	7	6
10	Tuberculous meningitis	M	2	—	—	—	—	1	1	—	—	2	—	—	1	1	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	4	—	—	—	3	1	—	—	—
11	Other tuberculous diseases.	M	2	—	—	—	—	1	1	—	—	4	1	1	—	—	2	—	—	—
		F	—	—	—	—	—	—	—	—	—	5	—	—	—	—	1	3	—	1
12	Cancer, malignant disease	M	9	—	—	—	—	—	—	4	5	20	—	—	—	—	—	—	6	14
		F	10	—	—	—	—	—	1	5	4	42	—	—	—	—	—	3	10	29
13	Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	1	—	—	—	—	1	—	—	—	3	—	—	—	1	2	—	—	—
14	Meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15	Organic heart disease ...	M	21	—	—	—	—	—	1	9	11	58	—	—	—	1	1	3	16	37
		F	23	—	—	—	—	—	1	6	16	67	—	—	—	1	1	4	13	48
16	Bronchitis	M	5	—	—	—	—	—	—	1	4	27	1	—	—	—	—	—	3	23
		F	8	—	—	—	—	—	—	2	6	37	—	—	—	—	1	—	7	29
17	Pneumonia (all forms)	M	11	1	1	—	1	—	2	3	3	12	4	—	1	1	—	1	2	3
		F	7	1	—	—	1	—	—	4	1	13	—	—	1	—	—	—	4	8
18	Other respiratory diseases	M	2	—	1	—	—	—	1	—	—	10	—	—	—	1	—	1	5	3
		F	1	—	—	—	—	—	1	—	—	8	—	—	—	1	1	1	—	5
19	Diarrhœa, &c.	M	2	1	—	—	—	—	—	1	—	6	1	—	—	1	—	—	1	3
		F	3	1	—	—	—	—	—	—	2	6	1	2	—	1	—	1	—	1
20	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	—	1	—
21	Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	5	—	—	—	—	—	—	2	3	17	—	—	—	1	—	2	1	13
		F	9	—	—	—	—	—	2	2	5	18	—	—	—	—	—	2	7	9
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	7	—	—	—	—	1	6	—	—
25	Congenital debility, &c.	M	2	2	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	13	12	—	—	—	1	—	—	—
26	Violence, apart from suicide.	M	7	—	—	1	—	1	1	3	1	16	1	—	—	1	2	4	4	4
		F	1	—	—	—	—	—	—	—	1	5	—	—	—	2	—	1	—	2
27	Suicide	M	—	—	—	—	—	—	—	—	—	8	—	—	—	—	1	2	3	2
		F	1	—	—	—	—	—	—	1	—	3	—	—	—	—	—	1	1	1
28	Other defined diseases ...	M	38	2	1	—	—	1	4	6	24	96	12	—	2	1	4	2	20	55
		F	56	4	—	1	—	2	1	7	41	113	6	—	—	2	1	5	18	81
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	5	3	—	—	—	—	—	1	1
		F	1	—	—	—	—	—	—	1	—	3	1	—	—	1	—	—	1	—

Causes of Death at Different Periods of Life in the Administrative County of Carmarthen—1916.

	Causes of Death.	Sex	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	486	77	16	28	12	19	72	115	147	717	146	16	18	26	40	77	149	245
		F	483	63	12	23	23	29	71	104	158	705	96	22	23	21	46	85	161	251
1	Enteric fever	M	2	—	—	—	—	1	—	1	—	1	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	3	1	2	—	—	—	—	—	—	5	2	1	1	1	—	—	—	—
		F	4	—	2	2	—	—	—	—	—	7	2	4	1	—	—	—	—	—
4	Scarlet fever	M	3	—	—	1	2	—	—	—	—	1	—	1	—	—	—	—	—	—
		F	5	—	—	4	1	—	—	—	—	1	—	—	1	—	—	—	—	—
5	Whooping cough ...	M	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	2	1	2	—	—	—	—	—	4	2	1	—	1	—	—	—	—
6	Diphtheria and croup ...	M	7	—	1	4	2	—	—	—	—	9	—	1	5	2	1	—	—	—
		F	8	2	—	5	1	—	—	—	—	8	—	2	4	2	—	—	—	—
7	Influenza	M	2	—	—	—	—	—	1	1	—	7	—	—	—	—	1	1	2	3
		F	3	—	—	—	—	—	—	3	—	11	1	—	1	2	—	—	3	4
8	Erysipelas	M	4	1	—	—	—	—	—	1	2	2	—	—	—	—	—	—	1	1
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
9	Pulmonary tuberculosis	M	41	—	—	—	—	5	26	9	1	54	1	—	—	1	18	17	11	6
		F	41	—	—	—	4	10	20	5	2	67	—	—	—	4	20	29	12	2
10	Tuberculous meningitis	M	4	—	2	1	1	—	—	—	—	8	2	—	1	4	—	1	—	—
		F	4	—	—	—	1	3	—	—	—	8	1	1	2	2	2	—	—	—
11	Other tuberculous diseases.	M	8	—	1	2	1	1	3	—	—	5	—	—	—	1	1	1	2	—
		F	5	—	—	1	2	—	2	—	—	10	—	1	—	—	1	4	3	1
12	Cancer, malignant disease	M	25	—	—	—	1	—	1	14	9	45	—	—	—	—	1	—	26	18
		F	31	—	—	—	—	—	2	13	16	66	—	—	1	—	—	8	36	21
13	Rheumatic fever ...	M	2	—	—	—	1	—	—	1	—	4	—	—	—	2	1	—	1	—
		F	1	—	—	—	—	—	1	—	—	6	—	—	—	2	—	2	1	1
14	Meningitis	M	4	—	1	1	—	—	2	—	—	9	5	—	1	1	2	—	—	—
		F	2	—	—	—	1	1	—	—	—	5	—	—	2	2	1	—	—	—
15	Organic heart disease ...	M	73	—	—	—	—	2	6	25	40	64	—	—	—	1	1	6	20	36
		F	68	—	—	—	5	2	12	21	28	93	—	—	1	1	5	5	37	44
16	Bronchitis	M	25	7	2	2	—	—	1	2	11	62	8	1	—	—	—	2	16	35
		F	26	3	2	3	—	—	2	2	14	44	3	2	2	—	—	2	8	27
17	Pneumonia (all forms)...	M	35	5	2	5	1	3	8	6	5	44	8	5	4	—	1	8	6	12
		F	28	4	3	4	2	1	1	6	7	48	7	6	1	—	3	4	11	16
18	Other respiratory diseases	M	6	—	—	2	—	—	—	1	3	10	—	3	—	—	—	—	3	4
		F	6	—	1	1	2	—	—	—	2	5	1	—	1	—	—	—	—	3
19	Diarrhœa, &c.	M	21	13	1	2	—	—	1	—	4	11	7	1	—	1	—	—	1	1
		F	15	9	2	—	—	—	—	2	2	18	13	1	—	2	—	—	1	1
20	Appendicitis and typhlitis	M	1	—	—	—	—	—	—	1	—	4	—	—	—	1	2	1	—	—
		F	3	—	—	—	1	1	1	—	—	3	—	—	—	1	—	—	1	1
21	Cirrhosis of liver ...	M	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	—	2
		F	2	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	2	—
21A	Alcoholism	M	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	16	—	—	1	—	—	4	9	2	33	—	—	1	2	—	5	12	13
		F	14	—	—	—	—	3	2	8	1	16	—	—	—	—	—	1	3	12
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	10	—	—	—	—	4	6	—	—	4	—	—	—	—	1	3	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	4	—	—	7	—	—	—	—	2	5	—	—
25	Congenital debility, &c.	M	21	21	—	—	—	—	—	—	—	57	56	—	—	—	1	—	—	—
		F	27	26	—	—	—	—	1	—	—	25	25	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	26	—	1	4	3	4	3	8	3	43	1	—	3	4	6	16	8	5
		F	8	1	—	—	1	1	1	1	3	8	1	—	1	—	2	1	1	2
27	Suicide	M	6	—	—	—	—	—	3	1	2	6	—	—	—	—	—	3	2	1
		F	2	—	—	—	—	—	—	1	1	6	—	—	—	—	—	3	2	1
28	Other defined diseases ...	M	138	26	3	3	—	3	11	28	64	221	51	3	2	4	4	16	35	106
		F	160	16	1	1	2	3	15	41	81	224	40	2	5	2	9	17	36	113
29	Causes ill-defined or unknown.	M	5	—	—	—	—	—	—	4	1	10	5	—	—	—	—	—	3	2
		F	1	—	—	—	—	—	—	—	1	7	—	2	—	—	—	—	3	2

Causes of Death at Different Periods of Life in the Administrative County of Carnarvon—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	392	56	7	11	12	13	33	95	165	478	46	7	8	16	29	48	108	216
		F	462	32	10	15	11	17	68	114	195	517	39	6	11	14	30	63	102	252
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
5	Whooping cough ...	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	3	—	—	—	—	—	2	1	—	1	—	—	—	—	—
6	Diphtheria and croup ...	M	10	—	2	5	3	—	—	—	—	7	—	—	—	6	1	—	—	—
		F	6	—	2	3	1	—	—	—	—	7	—	1	1	4	—	1	—	—
7	Influenza	M	5	—	—	—	—	—	—	3	2	13	1	—	—	—	—	—	2	10
		F	11	—	—	—	—	—	—	2	9	18	—	1	—	—	—	2	3	12
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
9	Pulmonary tuberculosis	M	31	—	—	—	1	6	16	8	—	58	—	—	—	1	14	15	22	6
		F	41	—	—	—	—	3	29	9	—	54	—	—	1	—	17	26	10	—
10	Tuberculous meningitis	M	5	4	—	—	1	—	—	—	—	2	—	1	—	—	1	—	—	—
		F	3	—	—	—	3	—	—	—	—	6	—	1	2	3	—	—	—	—
11	Other tuberculous diseases.	M	4	1	1	—	—	1	—	1	—	11	—	—	—	3	2	1	4	1
		F	7	—	1	—	2	2	1	1	—	6	—	—	1	—	1	2	1	1
12	Cancer, malignant disease	M	35	1	—	—	1	—	4	16	13	36	—	—	—	—	—	2	18	16
		F	47	—	—	—	—	—	5	25	17	55	—	—	—	—	—	6	21	28
13	Rheumatic fever ...	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	1	—	—	—	—	1	—	—	—	2	—	—	—	—	1	—	1	—
14	Meningitis	M	2	2	—	—	—	—	—	—	—	6	1	—	1	2	1	1	—	—
		F	6	—	—	1	1	4	—	—	—	2	—	1	—	—	—	1	—	—
15	Organic heart disease ...	M	47	—	—	—	1	2	4	12	28	59	—	—	—	—	3	2	12	42
		F	56	—	—	—	1	2	6	16	31	75	—	—	—	1	3	5	23	43
16	Bronchitis	M	25	2	—	1	—	—	—	3	19	27	2	1	1	—	1	—	1	21
		F	20	2	—	—	—	—	—	6	12	39	3	—	1	—	—	1	2	32
17	Pneumonia (all forms)...	M	24	10	1	2	—	—	—	4	7	21	3	2	1	—	1	4	3	7
		F	19	1	3	2	1	1	3	3	5	11	3	1	1	—	1	2	1	2
18	Other respiratory diseases	M	13	3	1	1	—	1	—	3	4	15	1	—	—	—	—	1	8	5
		F	11	2	2	3	—	—	—	2	2	8	1	—	—	—	—	1	2	4
19	Diarrhœa, &c.	M	4	4	—	—	—	—	—	—	—	7	1	—	1	2	—	1	—	2
		F	10	3	1	—	—	—	4	1	1	7	3	—	—	—	—	—	—	4
20	Appendicitis and typhlitis	M	3	—	—	—	2	—	—	1	—	2	—	—	1	—	—	1	—	—
		F	2	—	—	—	—	—	—	2	—	2	—	—	—	—	1	—	1	—
21	Cirrhosis of liver ...	M	6	—	—	—	—	—	2	2	2	1	—	—	—	—	—	—	—	1
		F	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	19	—	—	—	1	—	—	7	11	25	—	—	—	1	—	2	7	15
		F	25	—	—	1	—	—	1	10	13	19	—	—	—	—	1	2	5	11
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	4	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	5	—	—	4	—	—	—	—	1	3	—	—
25	Congenital debility, &c.	M	18	18	—	—	—	—	—	—	—	23	23	—	—	—	—	—	—	—
		F	10	10	—	—	—	—	—	—	—	12	12	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	12	—	—	—	—	1	1	9	1	16	1	—	2	—	1	7	4	1
		F	9	—	—	—	—	1	2	2	4	13	1	—	2	2	2	—	1	5
27	Suicide	M	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	125	11	1	2	1	1	5	26	78	146	13	3	1	1	4	9	26	89
		F	157	14	1	2	2	2	7	31	98	167	15	1	1	1	2	10	28	109
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
		F	3	—	—	—	—	—	—	1	2	5	—	—	—	1	—	1	2	1

Causes of Death at Different Periods of Life in the Administrative County of Denbigh—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	321	33	9	4	12	16	50	75	122	750	116	26	18	23	29	99	167	272
		F	324	31	8	5	18	16	45	76	125	680	80	23	17	22	29	103	137	269
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	2	1	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	5	—	1	2	1	—	1	—	—
4	Scarlet fever	M	1	—	—	—	1	—	—	—	—	3	—	—	1	1	—	1	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—
5	Whooping cough ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	4	1	2	1	—	—	—	—	—
6	Diphtheria and croup ...	M	1	—	—	—	1	—	—	—	—	4	—	1	1	2	—	—	—	—
		F	4	—	—	2	2	—	—	—	—	4	—	—	3	1	—	—	—	—
7	Influenza	M	17	1	—	—	—	—	2	4	10	16	1	—	—	—	1	—	4	10
		F	18	1	1	—	—	—	3	3	10	25	—	1	—	1	2	5	4	12
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1
9	Pulmonary tuberculosis	M	32	—	—	—	1	8	16	4	3	51	—	—	—	2	5	28	14	2
		F	26	—	—	—	2	7	15	2	—	53	—	—	—	5	10	30	6	2
10	Tuberculous meningitis	M	4	—	1	—	3	—	—	—	—	4	—	2	1	1	—	—	—	—
		F	4	—	—	—	1	2	1	—	—	3	1	1	—	1	—	—	—	—
11	Other tuberculous diseases.	M	4	—	—	—	—	—	2	1	1	6	1	1	—	1	—	1	1	1
		F	6	—	2	1	—	—	1	2	—	7	1	—	1	1	2	2	—	—
12	Cancer, malignant disease	M	27	—	—	—	—	—	—	11	16	57	—	—	1	—	—	8	29	19
		F	31	—	—	—	—	—	1	23	7	47	—	—	—	—	—	5	26	16
13	Rheumatic fever ...	M	3	—	—	—	2	1	—	—	—	1	—	—	—	—	1	—	—	—
		F	1	—	—	—	—	—	1	—	—	3	—	—	—	3	—	—	—	—
14	Meningitis	M	3	2	—	1	—	—	—	—	—	2	—	2	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	6	—	1	—	2	2	1	—	—
15	Organic heart disease ...	M	47	—	—	—	—	2	1	17	27	83	—	—	—	4	5	2	24	48
		F	41	—	—	—	2	3	3	8	25	91	—	—	—	—	—	11	24	56
16	Bronchitis	M	18	1	2	—	—	—	1	4	10	76	12	3	—	—	—	4	18	39
		F	31	5	—	—	1	—	2	4	19	60	6	4	—	—	—	2	12	36
17	Pneumonia (all forms)...	M	17	4	—	—	2	1	3	3	4	62	12	10	7	2	3	11	9	8
		F	14	3	2	1	—	—	—	4	4	42	9	6	2	—	3	7	6	9
18	Other respiratory diseases	M	10	—	—	1	—	—	1	5	3	13	1	1	1	1	—	3	4	2
		F	3	—	—	—	—	—	1	2	—	13	2	1	2	—	—	1	4	3
19	Diarrhœa, &c.	M	6	1	1	—	—	—	3	—	1	13	7	1	1	1	—	1	—	2
		F	2	1	1	—	—	—	—	—	—	11	4	2	1	—	—	1	—	3
20	Appendicitis and typhlitis	M	1	—	—	—	—	—	1	—	—	7	—	—	—	1	3	—	—	3
		F	4	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	—	—
21	Cirrhosis of liver ...	M	2	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	1	1
		F	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	1	1
21A	Alcoholism	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—
22	Nephritis and Bright's disease.	M	3	—	—	—	—	—	—	2	1	17	1	—	—	1	1	1	2	11
		F	7	—	—	—	—	—	1	4	2	19	—	—	—	—	2	4	5	8
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	2	—	—	4	—	—	—	—	2	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	1	2	—	—	9	—	—	—	—	—	9	—	—
25	Congenital debility, &c.	M	12	12	—	—	—	—	—	—	—	45	45	—	—	—	—	—	—	—
		F	12	12	—	—	—	—	—	—	—	37	36	1	—	—	—	—	—	—
26	Violence, apart from suicide.	M	12	—	1	—	2	1	2	5	1	56	—	2	3	2	6	22	13	8
		F	9	—	—	—	3	—	2	—	4	16	—	2	4	3	1	—	5	1
27	Suicide	M	2	—	—	—	—	—	—	2	—	4	—	—	—	—	—	2	1	1
		F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	2	1	1
28	Other defined diseases ...	M	95	11	4	1	—	3	16	16	44	220	35	3	2	3	4	14	44	115
		F	99	9	2	1	4	2	7	22	52	206	20	1	1	2	5	19	40	118
29	Causes ill-defined or unknown.	M	1	—	—	—	—	—	—	1	—	4	—	—	—	—	—	1	2	1
		F	3	—	—	—	—	—	—	1	2	4	—	—	—	—	—	—	2	2

Causes of Death at Different Periods of Life in the Administrative County of Flint—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	281	44	7	10	11	7	34	62	106	456	61	10	9	15	10	49	121	181
		F	259	36	14	10	7	11	19	61	101	414	34	10	7	20	19	41	88	195
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—
4	Scarlet fever	M	1	—	—	1	—	—	—	—	—	2	—	—	—	1	—	1	—	—
		F	3	—	—	1	2	—	—	—	—	4	—	1	—	1	1	1	—	—
5	Whooping cough ...	M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	6	4	1	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—
6	Diphtheria and croup ...	M	2	—	—	1	1	—	—	—	—	7	1	—	3	2	1	—	—	—
		F	1	—	—	—	1	—	—	—	—	6	—	—	2	3	1	—	—	—
7	Influenza	M	5	—	—	—	—	1	—	1	3	17	—	—	—	—	1	1	4	11
		F	10	—	—	—	—	—	1	6	3	12	—	—	—	—	—	—	5	7
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
9	Pulmonary tuberculosis	M	17	—	—	—	—	1	10	3	3	41	—	1	1	1	3	12	20	3
		F	19	—	—	1	—	6	5	7	—	24	—	—	—	1	5	10	7	1
10	Tuberculous meningitis	M	7	1	—	1	5	—	—	—	—	3	1	—	1	1	—	—	—	—
		F	2	—	2	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—
11	Other tuberculous diseases.	M	3	—	—	—	1	—	1	1	—	4	—	—	—	1	—	3	—	—
		F	1	—	—	—	—	1	—	—	—	5	—	1	—	—	3	1	—	—
12	Cancer, malignant disease	M	26	—	—	1	—	1	—	10	14	37	—	—	—	—	—	3	10	24
		F	25	—	—	—	—	—	—	12	13	38	—	—	—	—	—	2	21	15
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	2	—	—	—	1	—	1	—	—
14	Meningitis	M	2	1	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	—
		F	2	1	—	—	1	—	—	—	—	2	—	—	—	2	—	—	—	—
15	Organic heart disease ...	M	26	—	—	—	—	1	3	10	12	55	—	—	—	—	—	1	16	38
		F	23	—	—	1	—	—	3	9	10	51	—	—	—	—	2	1	11	37
16	Bronchitis	M	23	4	3	2	—	—	—	1	13	29	10	2	—	—	—	1	3	13
		F	23	2	4	1	—	—	1	2	13	23	4	—	—	1	—	—	1	17
17	Pneumonia (all forms)	M	24	3	2	1	—	1	7	5	5	31	5	2	—	—	—	2	13	9
		F	17	2	2	2	1	—	2	5	3	28	6	2	1	2	1	—	4	12
18	Other respiratory diseases	M	7	—	—	—	—	1	1	2	3	8	1	—	—	—	1	—	3	3
		F	1	—	—	—	—	—	1	—	—	6	—	—	—	—	1	—	2	3
19	Diarrhœa, &c.	M	7	4	1	—	—	—	—	1	1	13	8	2	2	—	—	—	—	1
		F	5	4	1	—	—	—	—	—	—	11	4	1	1	1	—	—	2	2
20	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1	1	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
21	Cirrhosis of liver ...	M	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	1	1
		F	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	7	—	—	—	1	—	1	1	4	19	1	—	—	2	—	1	5	10
		F	5	—	—	—	—	—	1	—	4	13	—	—	—	1	1	3	1	7
23	Puerperal fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	5	—	—	—	—	1	4	—	—
25	Congenital debility, &c.	M	20	20	—	—	—	—	—	—	—	18	18	—	—	—	—	—	—	—
		F	13	12	—	1	—	—	—	—	—	12	11	—	1	—	—	—	—	—
26	Violence, apart from suicide.	M	15	—	—	2	2	1	4	6	—	22	1	—	1	2	1	10	7	—
		F	5	—	—	1	—	1	—	1	2	7	—	—	—	2	1	—	1	3
27	Suicide	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
28	Other defined diseases ...	M	82	11	—	1	1	—	7	17	45	130	14	2	—	5	2	10	35	62
		F	87	10	3	1	1	3	4	16	49	147	8	3	1	3	2	12	29	89
29	Causes ill-defined or unknown.	M	4	—	—	—	—	—	—	3	1	12	1	—	—	—	—	2	3	6
		F	8	1	1	—	—	—	—	2	4	5	—	—	—	—	—	2	3	—

Causes of Death at Different Periods of Life in the Administrative County of Glamorgan—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	3,719	828	200	162	187	175	502	911	754	1,395	314	63	47	64	76	176	301	354
		F	3,261	650	183	162	162	193	506	656	749	1,259	207	49	46	65	62	199	256	375
1	Enteric fever	M	11	—	—	—	2	2	6	1	—	3	—	—	—	1	—	—	1	1
		F	7	—	—	1	2	1	3	—	—	4	—	—	—	1	—	2	1	—
2	Small-pox	M	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	47	16	20	7	4	—	—	—	—	9	1	5	3	—	—	—	—	—
		F	40	7	19	12	2	—	—	—	—	6	—	4	1	—	—	1	—	—
4	Scarlet fever	M	6	—	2	1	2	—	1	—	—	7	1	1	—	5	—	—	—	—
		F	18	—	4	6	3	1	4	—	—	3	—	1	2	—	—	—	—	—
5	Whooping cough ...	M	21	8	6	6	1	—	—	—	—	5	1	4	—	—	—	—	—	—
		F	40	15	16	7	2	—	—	—	—	7	4	2	1	—	—	—	—	—
6	Diphtheria and croup ...	M	55	6	7	24	16	1	1	—	—	19	1	1	7	10	—	—	—	—
		F	58	1	10	29	18	—	—	—	—	23	1	1	7	13	1	—	—	—
7	Influenza	M	52	—	—	1	3	6	8	21	13	15	—	—	—	—	1	1	10	3
		F	38	—	1	—	2	3	7	16	9	16	—	—	2	1	—	1	3	9
8	Erysipelas	M	6	1	—	—	1	—	2	—	2	4	—	—	—	—	1	1	—	2
		F	2	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1
9	Pulmonary tuberculosis	M	256	1	3	4	12	42	117	73	4	89	2	2	1	2	19	47	13	3
		F	282	5	—	2	15	87	130	36	7	106	2	3	1	5	26	57	11	1
10	Tuberculous meningitis	M	31	3	6	5	13	3	1	—	—	17	1	3	2	7	3	1	—	—
		F	33	5	2	11	9	3	3	—	—	20	4	5	5	5	1	—	—	—
11	Other tuberculous diseases.	M	60	14	5	5	12	12	7	3	2	17	1	2	3	5	2	2	2	—
		F	57	8	7	5	9	8	15	4	1	19	3	3	2	4	3	3	1	—
12	Cancer, malignant disease	M	174	—	—	—	1	1	17	105	50	73	—	—	—	1	—	4	36	32
		F	212	—	—	2	—	3	40	106	61	96	—	—	—	—	4	16	39	37
13	Rheumatic fever ...	M	14	—	—	—	4	3	6	1	—	9	—	—	—	4	3	1	1	—
		F	30	—	—	—	13	7	4	6	—	12	—	—	—	6	3	2	1	—
14	Meningitis	M	33	10	5	5	7	2	3	1	—	11	2	1	4	2	1	1	—	—
		F	29	4	3	4	6	4	6	2	—	10	3	—	2	—	2	1	2	—
15	Organic heart disease ...	M	318	—	—	2	12	15	40	128	121	114	1	—	—	3	5	12	34	59
		F	320	—	—	2	18	12	56	117	115	149	—	1	—	7	3	22	50	66
16	Bronchitis	M	330	49	14	8	3	1	11	91	153	104	18	7	2	—	—	1	22	54
		F	234	39	15	7	2	5	6	47	113	78	14	2	—	—	1	3	15	43
17	Pneumonia (all forms)...	M	328	92	55	24	11	7	49	61	29	117	28	18	7	3	7	16	23	15
		F	245	72	48	30	7	7	20	27	34	79	9	17	9	1	1	11	20	11
18	Other respiratory diseases	M	71	2	6	10	4	—	7	25	17	22	2	—	2	2	1	4	5	6
		F	37	3	1	4	5	2	5	9	8	17	1	—	5	1	—	3	3	4
19	Diarrhœa, &c.	M	165	96	29	11	4	1	6	9	9	43	30	4	—	1	—	—	3	5
		F	140	83	21	9	4	—	6	13	4	38	26	1	—	1	—	2	3	5
20	Appendicitis and typhlitis	M	20	—	—	1	6	1	7	5	—	11	—	—	1	2	3	4	1	—
		F	12	—	—	2	4	4	1	1	—	6	—	—	—	2	1	2	1	—
21	Cirrhosis of liver ...	M	16	—	—	—	—	—	1	11	4	3	—	—	—	—	—	1	1	1
		F	7	—	—	—	—	—	2	4	1	3	—	—	—	—	—	1	1	1
21A	Alcoholism	M	5	—	—	—	—	—	3	1	1	1	—	—	—	—	—	1	—	—
		F	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	104	1	1	2	8	4	14	56	18	31	—	1	1	—	1	3	16	9
		F	73	1	1	—	—	3	21	38	9	31	1	—	1	1	1	7	13	7
23	Puerperal fever... ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	18	—	—	—	—	5	13	—	—	12	—	—	—	—	4	8	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	56	—	—	—	—	10	45	1	—	24	—	—	—	—	2	22	—	—
25	Congenital debility, &c.	M	305	303	1	—	1	—	—	—	—	128	127	—	1	—	—	—	—	—
		F	213	207	3	2	1	—	—	—	—	86	85	1	—	—	—	—	—	—
26	Violence, apart from suicide.	M	317	5	2	24	39	58	96	79	14	130	3	3	9	10	23	35	41	6
		F	53	3	5	17	6	8	4	7	3	24	—	2	4	4	2	2	5	5
27	Suicide	M	12	—	—	—	—	—	4	6	2	10	—	—	—	1	—	5	3	1
		F	11	—	—	—	—	2	2	5	2	4	—	—	—	—	1	2	1	—
28	Other defined diseases ...	M	948	220	35	21	21	15	94	230	312	399	95	11	4	5	6	36	87	155
		F	977	195	22	10	34	16	107	213	380	380	54	6	4	13	6	28	84	185
29	Causes ill-defined or unknown	M	12	1	3	1	—	—	1	3	3	4	—	—	—	—	—	—	2	2
		F	16	1	5	—	—	1	4	3	2	5	—	—	—	—	—	3	2	—

Causes of Death at Different Periods of Life in the Administrative County of Merioneth—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	155	14	1	4	9	2	19	37	69	172	22	2	2	5	4	13	37	87
		F	168	8	3	1	6	6	23	38	83	186	16	4	5	4	12	22	33	90
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	1	—	—	1	—	—	—	—	—	2	1	1	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	3	—	3	—	—	—	—	—	—
6	Diphtheria and croup ...	M	2	—	—	1	1	—	—	—	—	3	—	—	1	2	—	—	—	—
		F	1	—	—	1	—	—	—	—	—	2	—	—	1	—	1	—	—	—
7	Influenza	M	4	1	—	—	—	—	—	2	1	2	—	—	—	—	—	—	—	2
		F	6	—	—	—	—	—	—	3	3	7	—	—	—	1	—	1	—	5
8	Erysipelas	M	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	1
9	Pulmonary tuberculosis	M	17	1	—	—	1	1	8	3	3	12	—	—	—	—	2	4	4	2
		F	14	—	—	—	—	4	9	1	—	18	—	—	—	1	7	8	1	1
10	Tuberculous meningitis	M	1	—	1	—	—	—	—	—	—	2	—	—	—	1	—	—	1	—
		F	2	—	—	—	1	—	—	1	—	1	—	—	—	—	—	—	1	—
11	Other tuberculous diseases.	M	2	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	2	—	—	—	—	1	1	—	—
12	Cancer, malignant disease	M	18	—	—	—	—	—	1	6	11	16	—	—	—	—	—	1	1	14
		F	25	—	—	—	1	—	3	10	11	21	—	—	—	—	—	2	11	8
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14	Meningitis	M	3	1	—	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
15	Organic heart disease ...	M	13	—	—	—	1	—	2	2	8	23	—	—	—	—	—	3	9	11
		F	27	—	—	—	1	—	3	7	16	26	—	—	—	1	—	1	6	18
16	Bronchitis	M	7	—	—	—	1	—	—	2	4	11	—	—	—	—	—	—	1	10
		F	12	—	1	—	—	—	1	1	9	7	1	—	—	—	—	—	—	6
17	Pneumonia (all forms)...	M	17	2	—	—	1	—	3	6	5	16	3	1	—	—	1	1	2	8
		F	8	1	1	—	—	1	1	2	2	11	1	—	1	—	1	4	2	2
18	Other respiratory diseases	M	5	—	—	—	—	—	1	1	3	3	—	—	—	—	—	—	2	1
		F	5	—	—	—	—	—	—	—	5	3	—	—	—	—	—	—	—	3
19	Diarrhœa, &c.	M	4	3	—	—	—	—	—	—	1	3	2	—	—	—	—	—	1	—
		F	1	—	—	—	—	—	1	—	—	2	1	1	—	—	—	—	—	—
20	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
21	Cirrhosis of liver ...	M	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	8	—	—	—	—	—	—	5	3	16	1	—	—	—	1	1	4	9
		F	11	—	—	—	—	—	2	1	8	8	—	—	—	—	—	1	2	5
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	—	2	—	—
25	Congenital debility, &c.	M	4	4	—	—	—	—	—	—	—	8	8	—	—	—	—	—	—	—
		F	2	2	—	—	—	—	—	—	—	9	9	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	2	—	—	—	1	—	—	1	—	6	—	—	1	—	—	2	3	—
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
27	Suicide	M	2	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	41	2	—	1	1	1	3	5	28	42	5	—	—	1	—	1	6	29
		F	45	4	1	—	1	—	2	10	27	60	4	—	3	—	1	1	10	41
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	1	—	—	—	1	—	—	—	—	2	—	—	—	—	1	1	—	—

Causes of Death at Different Periods of Life in the Administrative County of Montgomery—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	116	8	1	4	2	4	5	31	61	252	26	3	4	5	5	24	53	132
		F	142	8	2	1	2	6	14	27	82	235	29	2	2	5	11	24	44	118
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
7	Influenza	M	3	—	—	—	—	—	—	1	2	10	—	—	1	—	—	1	3	5
		F	5	—	—	—	—	—	—	—	5	11	—	—	—	—	—	—	1	10
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	5	—	—	—	—	1	1	2	1	15	—	—	—	—	1	6	6	2
		F	4	—	—	—	—	—	1	3	—	19	—	—	—	1	4	10	3	1
10	Tuberculous meningitis	M	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—
11	Other tuberculous diseases.	M	3	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	1	1	1	—	—
12	Cancer, malignant disease	M	19	—	—	—	—	—	—	7	12	21	—	—	—	—	—	2	6	13
		F	19	—	—	—	—	—	2	6	11	20	—	—	—	—	—	1	10	9
13	Rheumatic fever ...	M	1	—	—	—	—	—	—	1	—	3	—	—	—	—	1	2	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
14	Meningitis	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
15	Organic heart disease ...	M	17	—	—	—	—	—	—	5	12	31	—	—	—	1	1	—	8	21
		F	15	—	—	—	—	1	2	2	10	33	—	—	—	1	2	1	11	18
16	Bronchitis	M	7	1	—	—	—	—	—	3	3	21	2	—	—	—	—	—	2	17
		F	9	—	—	—	—	—	—	1	8	19	1	—	1	—	—	1	1	15
17	Pneumonia (all forms)...	M	5	—	—	1	—	—	1	2	1	12	1	—	—	1	—	1	6	3
		F	6	1	1	—	—	—	1	—	3	6	—	—	—	—	—	1	3	2
18	Other respiratory diseases	M	3	—	—	2	—	—	—	—	1	4	—	—	—	—	—	—	1	3
		F	3	—	—	—	—	—	1	1	1	3	—	—	—	—	—	—	1	2
19	Diarrhœa, &c.	M	4	2	1	1	—	—	—	—	—	9	3	—	1	—	—	2	2	1
		F	3	1	—	1	—	—	—	1	—	4	2	—	—	—	—	1	1	—
20	Appendicitis and typhlitis	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—
21	Cirrhosis of liver ...	M	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	2
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
21A	Alcoholism	M	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	2	—	—	—	—	—	1	—	1	11	—	—	—	1	—	—	3	7
		F	3	—	—	—	—	1	1	1	—	5	—	—	—	—	—	—	—	5
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	3	—	—	—	—	1	2	—	—
25	Congenital debility, &c.	M	2	2	—	—	—	—	—	—	—	15	14	—	1	—	—	—	—	—
		F	4	4	—	—	—	—	—	—	—	20	19	1	—	—	—	—	—	—
26	Violence, apart from suicide.	M	1	—	—	—	—	—	—	—	1	10	—	1	1	—	2	1	3	2
		F	1	—	1	—	—	—	—	—	—	2	—	—	—	1	—	—	—	1
27	Suicide	M	2	—	—	—	—	—	1	1	—	5	—	—	—	—	—	4	1	—
		F	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	35	3	—	—	1	1	1	5	24	79	6	1	—	1	—	4	11	56
		F	59	2	—	—	1	2	3	10	41	81	7	1	—	—	1	6	12	54
29	Causes ill-defined or unknown.	M	3	—	—	—	—	—	—	2	1	3	—	1	—	—	—	1	1	—
		F	2	—	—	—	—	—	—	2	—	3	—	—	1	—	—	—	1	1

Causes of Death at Different Periods of Life in the Administrative County of Pembroke—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	257	44	5	7	12	12	28	65	84	353	53	5	6	10	19	39	65	156
		F	294	28	7	6	10	22	41	59	121	415	57	7	9	12	24	42	79	185
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	1	1	—	—
		F	1	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	1	1	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—
5	Whooping cough ...	M	1	1	—	—	—	—	—	—	—	6	4	1	1	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	5	3	1	1	—	—	—	—	—
6	Diphtheria and croup ...	M	5	—	2	1	2	—	—	—	—	3	—	—	—	3	—	—	—	—
		F	2	—	—	—	1	—	1	—	—	5	—	—	2	2	—	1	—	—
7	Influenza	M	2	—	—	—	—	1	1	—	—	3	—	—	—	—	—	—	1	2
		F	5	—	—	—	—	—	—	3	2	6	—	—	—	—	—	1	2	3
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	23	—	—	1	1	3	10	6	2	31	—	—	—	—	12	11	7	1
		F	28	—	—	—	—	13	13	1	1	38	—	—	—	1	10	14	10	3
10	Tuberculous meningitis	M	1	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—
		F	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
11	Other tuberculous diseases.	M	8	—	—	—	2	2	2	2	—	2	1	—	—	1	—	—	—	—
		F	5	—	—	1	—	—	4	—	—	8	—	—	1	—	2	3	—	2
12	Cancer, malignant disease	M	17	—	—	—	—	1	—	7	9	33	—	—	—	—	1	3	13	16
		F	24	—	—	—	—	—	2	9	13	31	—	—	—	—	—	4	10	17
13	Rheumatic fever ...	M	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
14	Meningitis	M	3	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	3	2	—	—	—	1	—	—	—
15	Organic heart disease ...	M	33	—	—	—	1	—	4	13	15	46	—	—	—	—	—	2	10	34
		F	38	—	—	—	—	2	4	16	16	71	—	—	—	1	—	4	11	55
16	Bronchitis	M	18	3	—	—	—	—	—	7	8	22	1	1	1	—	—	—	4	15
		F	23	1	—	1	2	—	—	3	16	23	2	1	—	—	—	—	2	18
17	Pneumonia (all forms)...	M	12	3	1	1	2	—	1	2	2	22	2	1	1	2	1	3	4	8
		F	17	2	3	1	1	—	2	5	3	19	1	1	—	1	4	2	5	5
18	Other respiratory diseases	M	4	—	—	1	—	—	—	3	—	5	1	—	—	—	—	—	1	3
		F	3	—	—	—	—	—	—	—	3	6	—	—	3	—	—	—	1	2
19	Diarrhœa, &c.	M	14	11	—	1	—	—	—	2	—	14	11	—	—	—	—	2	1	—
		F	11	9	—	—	—	—	—	1	1	7	4	1	—	1	—	—	—	1
20	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—
		F	3	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
21	Cirrhosis of liver ...	M	3	—	—	—	—	—	—	3	—	2	—	—	—	—	—	—	1	1
		F	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease	M	8	—	—	—	—	1	2	1	4	10	—	—	—	—	—	—	1	9
		F	7	—	—	—	—	—	3	—	4	5	—	—	—	—	1	—	4	—
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	3	—	—	—	—	—	3	—	—	1	—	—	—	—	—	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	1	1	—	—	2	—	—	—	—	—	2	—	—
25	Congenital debility, &c.	M	18	18	—	—	—	—	—	—	—	17	17	—	—	—	—	—	—	—
		F	8	8	—	—	—	—	—	—	—	30	29	1	—	—	—	—	—	—
26	Violence, apart from suicide.	M	9	—	1	1	1	—	3	3	—	24	—	—	2	1	2	13	5	1
		F	6	—	1	1	—	1	1	1	1	8	1	—	—	1	1	—	2	3
27	Suicide	M	3	—	—	—	—	—	—	—	3	4	—	—	—	—	—	1	3	—
		F	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	1
28	Other defined diseases ...	M	68	7	1	—	1	1	3	14	41	103	15	2	1	2	2	2	13	66
		F	93	6	2	1	1	2	5	16	60	134	14	1	2	3	5	10	26	73
29	Causes ill-defined or unknown.	M	5	1	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—
		F	4	1	—	—	—	—	2	1	—	7	—	1	—	—	—	—	4	2

Causes of Death at Different Periods of Life in the Administrative County of Radnor—1916.

	Causes of Death.	Sex.	Aggregate of Urban Districts.									Aggregate of Rural Districts.								
			All Ages.	0—	1—	2—	5—	15—	25—	45—	65—	All Ages.	0—	1—	2—	5—	15—	25—	45—	65—
	All Causes	M	37	1	—	1	3	—	4	7	21	127	13	2	—	5	3	7	16	81
		F	55	4	2	2	3	7	6	9	22	121	6	1	4	3	7	13	24	63
1	Enteric fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	Small-pox	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3	Measles	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4	Scarlet fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	Whooping cough ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6	Diphtheria and croup ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—
7	Influenza...	M	4	—	—	—	—	—	1	1	2	6	—	—	—	—	—	—	2	4
		F	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	2
8	Erysipelas	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9	Pulmonary tuberculosis	M	4	—	—	—	—	—	2	2	—	6	—	—	—	1	1	3	—	1
		F	6	—	—	—	—	3	2	1	—	10	—	—	—	—	5	2	3	—
10	Tuberculous meningitis	M	1	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
11	Other tuberculous diseases.	M	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	—	1	—	—	2	—	—	—	—	1	1	—	—
12	Cancer, malignant disease	M	3	—	—	—	—	—	—	1	2	11	—	—	—	—	—	—	3	8
		F	11	—	—	—	—	—	1	6	4	15	—	—	—	—	—	—	6	9
13	Rheumatic fever ...	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
14	Meningitis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
		F	2	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—
15	Organic heart disease ...	M	6	—	—	—	1	—	—	1	4	23	—	—	—	—	—	—	4	19
		F	6	—	—	—	—	—	2	2	2	30	—	—	—	—	—	—	7	23
16	Bronchitis	M	4	—	—	—	—	—	—	—	4	6	—	1	—	—	—	—	—	5
		F	3	—	1	—	—	—	—	—	2	6	—	—	1	—	—	—	—	5
17	Pneumonia (all forms)	M	—	—	—	—	—	—	—	—	—	6	—	—	—	1	1	1	—	3
		F	1	—	—	—	—	1	—	—	—	5	—	—	—	2	1	1	1	—
18	Other respiratory diseases	M	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	1	3
19	Diarrhœa, &c.	M	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1
		F	—	—	—	—	—	—	—	—	—	3	—	1	1	—	—	—	1	—
20	Appendicitis and typhlitis	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—
		F	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
21	Cirrhosis of liver ...	M	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21A	Alcoholism	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22	Nephritis and Bright's disease.	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2
		F	—	—	—	—	—	—	—	—	—	6	—	—	1	—	—	1	2	2
23	Puerperal fever	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
24	Parturition, apart from puerperal fever.	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	1	—	—	—	—	1	—	—	—	3	—	—	—	—	—	3	—	—
25	Congenital debility, &c.	M	1	1	—	—	—	—	—	—	—	10	10	—	—	—	—	—	—	—
		F	1	1	—	—	—	—	—	—	—	4	4	—	—	—	—	—	—	—
26	Violence, apart from suicide.	M	1	—	—	—	—	—	—	—	1	4	—	1	—	—	—	—	2	1
		F	1	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	1	1
27	Suicide	M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28	Other defined diseases ...	M	10	—	—	1	—	—	—	1	8	45	3	—	—	2	—	3	4	33
		F	16	2	—	1	—	1	—	—	12	24	1	—	—	—	—	4	1	18
29	Causes ill-defined or unknown.	M	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2
		F	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—

CAUSES OF DEATH IN ADMINISTRATIVE AREAS,

(CIVIL POPULATION ONLY).

1916.

BEDFORDSHIRE.

(*See Note at*

	Causes of Death.	Ampthill U.D.		Bedford M.B.		Biggleswade U.D.		Dunstable M.B.		Kempston U.D.		Leighton Buzzard U.D.		Luton M.B.			
		M	F	M	F	M	F	M	F	M	F	M	F	M	F		
	ALL CAUSES	16	23	238	258	47	48	52	74	37	30	56	48	291	315		
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—		1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3	Measles	—	—	—	—	—	—	—	—	1	—	—	—	2	—		3
4	Scarlet fever	—	—	—	1	—	—	—	—	1	—	1	—	1	—		4
5	Whooping cough ...	1	2	3	4	—	—	—	—	—	—	—	—	—	—		5
6	Diphtheria and croup ...	1	—	6	5	1	1	2	2	—	—	4	1	10	17		6
7	Influenza...	1	—	6	4	4	1	—	1	1	2	—	2	4	3		7
8	Erysipelas	—	—	—	—	—	—	—	—	1	—	—	—	—	1		8
9	Pulmonary tuberculosis	—	—	15	15	2	6	4	5	3	2	3	4	25	21		9
10	Tuberculous meningitis	—	—	—	3	—	—	—	2	—	—	—	1	3	6		10
11	Other tuberculous diseases	1	1	1	1	1	—	—	1	—	—	3	—	3	6		11
12	Cancer, malignant disease	2	—	18	25	2	4	3	10	3	3	2	8	19	27		12
13	Rheumatic fever ...	—	—	1	2	—	—	—	—	—	—	—	—	1	1		13
14	Meningitis	—	—	1	—	—	1	2	1	—	1	—	—	2	3		14
15	Organic heart disease ...	—	1	24	29	6	7	8	6	2	2	9	10	42	49		15
16	Bronchitis	1	3	13	22	7	4	8	—	5	1	4	3	25	23		16
17	Pneumonia (all forms)...	1	—	17	19	4	4	—	4	—	1	3	2	21	16		17
18	Other respiratory diseases	—	2	8	3	—	—	2	1	2	—	—	—	1	1		18
19	Diarrhœa,&c.(under 2 yrs.)	—	1	5	2	2	—	—	—	1	—	—	—	6	8		19
20	Appendicitis and typhlitis	—	—	1	1	—	—	—	1	—	—	1	—	2	3		20
21	Cirrhosis of liver ...	—	—	4	—	—	—	—	—	—	—	—	—	1	1		21
21A	Alcoholism	—	—	—	—	—	—	—	1	—	—	—	—	—	1		21A
22	Nephritis and Bright's dis.	—	—	6	8	1	1	2	2	1	—	3	1	10	6		22
23	Puerperal fever	—	—	—	2	—	1	—	1	—	—	—	—	—	1		23
24	Parturition, apart from 23	—	—	—	3	—	—	—	—	—	—	—	1	—	2		24
25	Congenital debility, &c.	1	2	16	8	2	2	5	1	2	1	1	1	22	21		25
26	Violence, apart from 27	1	—	15	3	1	—	2	1	2	1	2	—	5	5		26
27	Suicide	—	—	—	1	—	1	—	—	—	—	—	1	1	3		27
28	Other defined diseases ...	6	11	77	94	13	15	14	33	11	16	19	13	83	89		28
29	Causes ill-defined or unknown.	—	—	1	3	1	—	—	1	1	—	1	—	1	1		29

BEDFORDSHIRE—*cont.*

	Causes of Death.	Ampthill R.D.		Bedford R.D.		Biggleswade R.D.		Eaton Bray R.D.		Eaton Socon R.D.		Luton R.D.			
		M	F	M	F	M	F	M	F	M	F	M	F		
	ALL CAUSES	126	139	128	123	137	155	29	32	20	16	76	61		
1	Enteric fever	—	—	—	—	1	—	1	—	—	1	—	—		1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—		2
3	Measles	—	1	—	1	—	—	—	—	—	—	—	—		3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—		4
5	Whooping cough ..	4	5	1	—	1	—	—	—	1	1	—	—		5
6	Diphtheria and croup ...	2	3	3	1	2	2	3	4	—	—	2	6		6
7	Influenza	—	6	3	1	4	3	—	—	—	—	—	—		7
8	Erysipelas	—	1	—	—	—	—	—	—	—	—	—	—		8
9	Pulmonary tuberculosis	8	3	8	12	7	10	1	2	1	2	10	6		9
10	Tuberculous meningitis	2	—	—	2	—	1	—	—	—	—	—	—		10
11	Other tuberculous diseases	2	1	2	5	1	6	—	1	—	—	1	—		11
12	Cancer, malignant disease	12	16	21	12	12	17	2	5	2	2	1	9		12
13	Rheumatic fever ...	2	1	1	—	1	—	—	—	—	—	2	1		13
14	Meningitis	—	—	1	—	2	—	—	—	—	—	1	—		14
15	Organic heart disease ...	17	19	10	11	10	20	4	6	—	2	9	7		15
16	Bronchitis	8	16	8	3	16	11	2	2	2	2	3	3		16
17	Pneumonia (all forms)...	4	5	4	6	5	3	2	1	2	2	2	1		17
18	Other respiratory diseases	1	1	4	5	—	1	1	1	—	—	1	—		18
19	Diarrhœa,&c.(under 2 yrs.)	1	—	—	1	2	—	—	—	—	—	—	1		19
20	Appendicitis and typhlitis	—	—	—	1	—	—	—	—	—	—	—	1		20
21	Cirrhosis of liver ...	—	—	1	—	5	—	—	—	—	—	2	—		21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—		21A
22	Nephritis and Bright's dis.	2	3	2	3	1	2	—	—	1	—	3	1		22
23	Puerperal fever	—	—	—	2	—	2	—	—	—	—	—	—		23
24	Parturition, apart from 23	—	—	—	1	—	3	—	1	—	—	—	1		24
25	Congenital debility, &c.	7	5	6	3	11	5	2	—	1	—	5	4		25
26	Violence, apart from 27	4	1	11	4	8	3	1	1	1	—	3	2		26
27	Suicide	—	—	2	1	2	—	—	—	—	—	—	—		27
28	Other defined diseases ...	45	52	40	47	45	66	10	8	9	4	30	18		28
29	Causes ill-defined or unknown.	5	—	—	1	1	—	—	—	—	—	1	—		29

ADMINISTRATIVE AREAS, 1916.

(*head of page* 80.)

BERKSHIRE.

	Abingdon M.B.		Maidenhead M.B.		Newbury M.B.		New Windsor M.B.		Wallingford M.B.		Wantage U.D.		Wokingham M.B.						Abingdon R.D.		Bradfield R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F					M	F	M	F	
	40	50	94	105	84	76	53	106	15	24	13	24	24	30					61	65	82	64	
1	—	—	—	1	—	—	—	—	—	—	—	—	—	1					—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	2
3	—	—	—	2	—	—	—	—	—	—	—	—	—	—					—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	4
5	—	1	3	1	—	—	—	2	—	—	—	2	—	—					3	2	—	—	5
6	—	—	—	1	2	—	—	—	—	—	—	—	1	—					3	—	—	2	6
7	—	—	1	1	1	—	4	1	1	1	—	—	—	—					1	1	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	1					—	—	—	—	8
9	3	2	8	7	4	6	4	5	1	—	1	1	3	3					3	6	8	4	9
10	3	1	2	—	—	—	1	1	—	—	—	—	—	1					—	1	3	—	10
11	2	1	1	2	1	—	2	2	1	—	—	—	1	—					—	1	1	—	11
12	3	6	10	9	11	9	5	14	3	4	1	3	1	3					6	6	3	8	12
13	—	—	—	—	—	—	—	—	—	—	1	—	—	—					—	—	—	—	13
14	—	—	—	—	—	—	—	1	—	1	1	—	—	1					—	—	1	—	14
15	3	5	13	19	14	15	5	12	2	8	3	1	3	5					7	5	11	12	15
16	5	8	9	8	7	8	1	5	—	2	1	3	1	3					7	6	2	2	16
17	2	—	4	2	2	1	3	6	1	2	2	—	4	3					4	2	2	3	17
18	—	—	1	1	2	—	—	—	—	—	—	1	—	—					—	1	4	2	18
19	—	—	—	2	—	—	—	3	—	—	—	—	—	—					—	1	1	—	19
20	1	1	1	1	—	—	—	—	—	—	—	—	—	—					1	1	1	—	20
21	1	—	1	1	1	—	1	—	—	—	—	1	—	—					—	1	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	21A
22	2	3	4	2	2	2	—	5	2	—	—	—	—	—					—	2	5	2	22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	23
24	—	1	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	1	24
25	2	3	7	4	4	3	6	2	1	—	—	3	—	—					2	3	3	1	25
26	3	—	1	2	5	1	1	3	—	—	—	1	—	—					1	—	1	2	26
27	—	1	—	—	1	1	1	—	—	—	—	—	—	1					1	1	—	—	27
28	9	16	28	39	27	30	19	42	3	6	3	8	10	8					20	24	34	24	28
29	1	—	—	—	—	—	—	2	—	—	—	—	—	—					2	1	1	1	29

BERKSHIRE—*cont.*

	Cookham R.D.		Easthampstead R.D.		Faringdon (pt.) R.D.*		Hungerford R.D.		Newbury R.D.		Wallingford R.D.		Wantage R.D.		Windsor R.D.		Wokingham R.D.						
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F					
	68	84	86	80	86	70	63	54	74	62	44	41	55	73	77	86	109	109					
1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2					1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					2
3	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—					3
4	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—					4
5	—	2	—	—	—	1	—	1	—	—	—	2	—	—	2	1	1	1					5
6	—	1	1	1	1	1	—	2	—	—	—	—	—	1	—	1	2	2					6
7	4	1	4	2	—	1	1	—	—	1	1	2	1	—	1	2	1	1					7
8	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					8
9	7	2	4	3	3	1	1	—	4	7	2	2	2	7	13	5	12	9					9
10	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1	1	1	1					10
11	—	—	1	—	2	—	1	—	—	—	—	—	1	2	—	2	1	1					11
12	12	10	13	12	7	7	7	9	12	8	5	4	10	9	4	13	15	16					12
13	—	1	—	1	1	—	1	—	—	—	—	—	—	2	—	—	—	—					13
14	—	—	2	1	—	—	—	—	2	2	—	1	1	—	1	1	—	1					14
15	6	16	7	10	10	8	7	4	8	9	12	11	6	10	5	11	18	20					15
16	8	9	5	8	10	14	6	4	6	4	2	1	8	7	3	6	8	7					16
17	1	2	5	—	6	4	5	3	5	3	4	1	2	1	6	3	3	3					17
18	—	2	—	2	1	—	—	1	—	—	1	1	1	2	—	1	1	—					18
19	—	—	—	1	1	—	—	—	1	—	—	—	—	1	1	—	—	—					19
20	—	—	1	1	—	—	—	—	1	—	—	—	—	—	1	—	1	1					20
21	—	1	2	1	—	1	1	1	1	1	—	—	—	1	—	1	1	3	—				21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—					21
22	1	2	8	2	1	1	4	—	2	2	1	—	3	1	3	4	4	4					22A
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					23
24	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—					24
25	5	—	5	3	5	2	2	1	5	2	2	2	—	4	—	2	3	9					25
26	1	—	2	1	6	1	5	1	3	2	1	3	1	1	1	—	3	2					26
27	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—					27
28	22	34	22	29	28	26	19	27	22	21	13	10	14	23	32	30	32	28					28
29	1	—	2	1	3	1	2	—	—	—	—	—	1	1	2	1	—	1					29

* The remainder of Faringdon R.D. is in Gloucestershire ; *see* page 402.

BUCKINGHAMSHIRE.

	Causes of Death.	Aylesbury U.D.		Beaconsfield U.D.		Bletchley U.D.		Buckingham M.B.		Chepping Wycombe M.B.		Chesham U.D.		Eton U.D.		Linslade U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	90	76	13	15	29	32	19	15	121	112	54	46	19	11	18	12	
1	Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	3	—	—	—	1	—	—	4
5	Whooping cough ...	—	1	1	—	—	—	—	—	1	1	—	—	1	—	—	—	5
6	Diphtheria and croup ...	—	1	—	—	—	1	—	—	5	2	—	—	—	—	—	—	6
7	Influenza	3	4	1	—	1	1	—	—	2	1	2	3	—	—	2	1	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	8
9	Pulmonary tuberculosis	7	4	1	—	1	—	—	—	12	5	2	3	4	1	—	—	9
10	Tuberculous meningitis	—	—	—	—	1	—	—	—	—	2	2	1	—	—	—	—	10
11	Other tuberculous diseases	—	—	—	1	—	—	—	1	—	6	1	3	—	1	—	—	11
12	Cancer, malignant disease	3	10	2	6	3	2	2	4	6	6	4	8	3	4	—	1	12
13	Rheumatic fever ...	1	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	13
14	Meningitis	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	14
15	Organic heart disease ...	8	11	—	1	3	7	2	1	9	11	9	5	2	3	3	2	15
16	Bronchitis	7	8	2	—	4	4	4	—	20	14	3	3	—	—	2	—	16
17	Pneumonia (all forms) ...	4	2	1	—	1	2	2	1	13	10	—	—	3	—	—	1	17
18	Other respiratory diseases	2	1	—	2	—	—	—	—	4	1	3	1	—	—	1	—	18
19	Diarrhœa,&c.(under 2 yrs.)	2	4	—	—	—	—	—	—	—	—	2	—	—	—	—	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	2	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	21
21A	Alcoholism	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	3	2	—	—	1	—	1	—	4	3	—	—	1	—	—	—	22
23	Puerperal fever	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	10	5	1	2	—	2	—	—	5	4	5	3	—	—	2	—	25
26	Violence, apart from 27	2	1	1	—	3	2	—	—	2	1	—	—	1	—	1	1	26
27	Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
28	Other defined diseases ...	34	21	3	3	9	10	6	7	31	40	20	15	2	1	7	5	28
29	Causes ill-defined or unknown.	—	—	—	—	—	1	—	—	2	1	1	1	1	—	—	—	29

BUCKINGHAMSHIRE—*cont.*

	Causes of Death.	Marlow U.D.		Newport Pagnell U.D.		Slough U.D.			Amersham R.D.		Aylesbury R.D.		Buckingham R.D.		Eton R.D.		
		M	F	M	F	M	F		M	F	M	F	M	F	M	F	
	ALL CAUSES	38	35	19	27	74	96		114	120	98	105	61	58	155	156	
1	Enteric fever	—	—	—	—	—	—		—	—	—	—	—	—	—	1	1
2	Small-pox	—	—	—	—	—	—		—	—	—	—	—	—	—	—	2
3	Measles	—	1	—	—	—	—		—	—	1	2	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—		—	—	—	1	—	—	—	—	4
5	Whooping cough ...	—	—	—	—	—	1		1	2	—	1	—	—	—	2	5
6	Diphtheria and croup ...	—	—	—	—	—	1		—	1	2	2	—	—	2	5	6
7	Influenza	—	—	1	1	2	7		6	4	5	7	1	1	6	3	7
8	Erysipelas	—	—	—	1	—	—		—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	3	—	1	—	9	4		11	10	4	5	7	3	14	7	9
10	Tuberculous meningitis	—	—	1	—	3	—		2	1	—	1	1	—	—	2	10
11	Other tuberculous diseases	—	1	1	—	2	2		1	—	—	3	—	1	2	3	11
12	Cancer, malignant disease	1	3	2	3	6	9		13	15	5	11	8	11	11	16	12
13	Rheumatic fever ...	1	—	—	—	—	—		—	1	—	—	—	—	—	1	13
14	Meningitis	—	1	—	1	3	1		1	3	—	1	—	—	1	—	14
15	Organic heart disease ...	1	4	1	5	7	15		11	16	17	14	4	8	16	17	15
16	Bronchitis	6	1	3	6	3	6		6	14	6	5	11	6	17	20	16
17	Pneumonia (all forms) ...	2	1	1	—	5	6		7	5	4	4	2	5	7	9	17
18	Other respiratory diseases	—	—	—	—	1	1		1	1	3	—	1	—	4	2	18
19	Diarrhœa,&c.(under 2 yrs.)	1	—	—	—	3	1		—	1	2	1	—	—	—	1	19
20	Appendicitis and typhlitis	—	1	—	—	1	1		—	2	—	1	1	—	1	—	20
21	Cirrhosis of liver ...	1	1	1	—	—	—		1	1	1	—	3	—	3	2	21
21A	Alcoholism	—	—	—	—	—	—		—	—	1	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	2	—	2	3	1		4	3	2	1	2	2	4	3	22
23	Puerperal fever	—	—	—	—	—	—		—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	—		—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	2	1	1	—	1	3		10	6	7	4	2	2	8	1	25
26	Violence, apart from 27	2	—	1	1	3	1		9	2	6	2	3	1	10	4	26
27	Suicide	—	—	—	—	—	1		—	—	1	—	—	—	—	—	27
28	Other defined diseases ...	17	15	4	7	20	35		29	31	31	39	15	18	47	56	28
29	Causes ill-defined or unknown.	—	2	1	—	2	—		1	1	—	—	—	—	2	1	29

ADMINISTRATIVE AREAS, 1916—*continued.*

BUCKINGHAMSHIRE—*cont.*

	Hambleden R.D.		Long Crendon R.D.		Newport Pagnell R.D.		Stratford and Wolverton R.D.		Wing R.D.		Winslow R.D.		Wycombe R.D.						Cambridge M.B.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F					M	F		
	7	12	29	30	129	125	38	68	50	51	35	39	158	170					327	356		
1	—	—	—	—	1	—	—	—	—	—	—	—	—	—					—	—		1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	—		2
3	—	—	—	—	—	1	—	—	—	—	—	—	1	—					1	—		3
4	—	—	—	—	—	—	—	—	—	—	—	—	1	1					—	—		4
5	—	—	1	1	3	5	—	—	—	—	—	1	2	—					9	6		5
6	—	—	—	—	2	4	—	1	2	—	3	1	2	3					9	4		6
7	—	1	—	1	3	8	1	—	—	—	1	—	3	7					1	6		7
8	—	—	—	—	1	—	—	—	—	—	—	—	—	—					—	—		8
9	—	1	1	4	5	14	1	2	—	2	1	—	4	9					36	26		9
10	—	—	—	—	—	1	—	2	—	—	—	—	1	1					4	1		10
11	—	—	—	—	—	1	—	1	3	2	2	—	3	3					3	—		11
12	1	1	—	5	9	18	3	6	5	5	4	5	13	14					38	41		12
13	—	—	—	—	—	—	1	—	—	—	—	—	—	—					1	1		13
14	—	—	—	1	—	—	—	—	—	—	—	—	—	—					5	3		14
15	1	1	1	4	22	12	4	6	7	8	2	6	22	27					28	40		15
16	—	1	4	—	12	10	3	7	2	5	2	1	14	15					22	41		16
17	1	—	3	—	3	6	1	3	2	1	—	1	5	10					16	17		17
18	—	—	2	—	1	1	—	1	2	1	3	—	1	3					6	9		18
19	—	—	—	—	—	2	1	—	—	—	1	—	—	1					2	2		19
20	—	1	—	—	—	—	1	1	—	1	—	—	—	1					2	2		20
21	1	—	1	—	1	1	1	—	—	—	—	—	1	—					4	—		21
21A	—	—	—	—	—	—	—	1	—	—	—	—	—	—					1	—		21A
22	—	1	1	1	7	2	4	1	—	—	—	4	5	5					12	11		22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—					—	1		23
24	—	—	—	2	—	—	—	1	—	—	—	—	—	—					—	2		24
25	—	—	1	3	10	5	1	2	3	1	2	—	11	11					13	13		25
26	—	—	1	1	2	—	1	—	—	1	1	1	6	5					13	4		26
27	—	—	—	—	—	—	—	3	—	—	1	—	2	—					5	1		27
28	3	5	13	7	46	34	15	30	23	23	12	19	61	52					96	125		28
29	—	—	—	—	1	—	—	—	1	1	—	—	—	2					—	—		29

CAMBRIDGESHIRE—*cont.*

CHESHIRE.

	Caxton and Arrington R.D.		Chesterton R.D.		Linton R.D.		Melbourn R.D.		Newmarket R.D.		Swavesey R.D.						Alderley Edge U.D.		Alsager U.D.		Altrincham U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F					M	F	M	F	M	F	
	49	49	145	171	86	71	59	68	142	144	22	19					14	19	20	16	132	149	
1	—	—	—	1	—	—	—	—	—	—	—	—					—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	1	—	3
4	—	—	—	—	—	—	—	—	1	1	—	—					1	—	—	—	—	—	4
5	—	—	3	1	—	1	—	2	2	1	—	—					1	1	—	—	1	2	5
6	—	—	—	1	—	—	—	—	—	2	—	—					—	—	1	—	1	1	6
7	2	4	5	4	6	—	1	2	3	6	1	—					—	—	1	2	—	3	7
8	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	8
9	5	2	9	12	11	5	6	4	8	15	1	—					—	—	—	1	15	5	9
10	—	1	1	1	—	—	—	—	1	—	—	—					—	1	—	—	1	1	10
11	—	1	3	3	2	1	—	1	3	1	—	—					—	—	—	—	3	2	11
12	3	6	22	19	6	12	4	13	20	12	2	1					1	2	2	1	11	11	12
13	—	—	—	2	1	—	—	—	—	—	—	—					—	—	—	—	—	1	13
14	—	—	—	—	—	1	—	—	—	2	—	—					—	—	—	—	2	5	14
15	4	11	18	18	5	11	8	12	12	11	1	4					1	1	3	5	18	15	15
16	1	4	9	24	4	4	7	5	11	14	1	2					1	2	—	—	12	16	16
17	1	2	8	4	4	2	6	3	8	6	—	2					—	1	1	1	5	8	17
18	—	2	2	4	—	—	1	—	3	3	1	—					—	—	—	—	1	5	18
19	—	—	—	—	1	—	—	—	1	1	—	—					—	—	1	—	—	2	19
20	—	—	1	1	—	—	2	—	—	—	—	—					—	1	—	—	1	1	20
21	—	—	1	—	—	—	—	—	3	3	2	1					2	—	—	—	1	1	21
21A	—	—	—	—	—	—	—	—	1	—	—	—					—	—	—	—	—	2	21A
22	3	—	4	3	3	—	—	1	5	2	—	1					1	2	1	1	5	4	22
23	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	2	23
24	—	1	—	2	—	2	—	—	—	—	—	—					—	—	—	—	—	2	24
25	2	3	4	4	7	—	1	3	4	6	—	—					—	—	1	1	8	1	25
26	2	—	1	2	4	—	2	2	3	—	1	—					—	—	—	—	6	3	26
27	—	—	—	—	2	—	—	—	2	—	—	—					—	—	—	—	2	1	27
28	26	11	53	65	29	32	21	20	50	58	12	7					6	8	9	4	38	55	28
29	—	1	1	—	1	—	—	—	1	—	—	1					—	—	—	—	—	—	29

CHESHIRE—*cont.*

	Causes of Death.	Ashton upon Mersey U.D.		Bollington U.D.		Bowdon U.D.		Bredbury and Romiley U.D.		Bromborough U.D.		Bugslawton U.D.		Cheadle and Gatley U.D.		Compstall U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	51	36	35	36	14	16	50	63	8	8	11	5	51	82	9	5	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	1	1	—	—	—	—	1	1	—	—	—	—	—	1	—	—	5
6	Diphtheria and croup ...	—	1	1	2	1	—	1	1	—	—	—	—	—	—	1	—	6
7	Influenza	2	1	—	1	—	—	—	2	—	—	—	—	1	—	—	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	3	2	1	3	1	—	3	3	—	—	2	—	6	4	1	1	9
10	Tuberculous meningitis	—	—	1	1	—	—	1	1	—	—	1	—	—	—	—	—	10
11	Other tuberculous diseases	1	1	2	—	—	—	1	1	—	—	—	—	—	1	—	—	11
12	Cancer, malignant disease	7	4	2	3	2	1	3	9	—	—	—	2	5	9	—	—	12
13	Rheumatic fever ...	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	13
14	Meningitis	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	14
15	Organic heart disease ...	7	4	5	7	4	5	9	13	3	2	—	1	6	14	3	1	15
16	Bronchitis	5	6	3	2	1	2	2	7	—	1	4	—	12	8	1	—	16
17	Pneumonia (all forms) ...	4	2	1	1	1	2	6	2	—	2	—	—	2	—	1	1	17
18	Other respiratory diseases	1	—	1	1	—	—	—	1	—	—	1	—	1	1	—	—	18
19	Diarrhœa,&c.(under 2 yrs.)	2	1	—	—	—	—	1	—	—	—	1	—	1	—	—	—	19
20	Appendicitis and typhlitis	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	20
21	Cirrhosis of liver ...	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21
21A	Alcoholism	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	—	2	—	—	—	1	4	—	1	—	—	1	5	—	—	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	24
25	Congenital debility, &c.	1	—	1	2	—	—	2	1	—	—	—	1	1	1	—	—	25
26	Violence, apart from 27	—	—	1	1	1	—	—	—	1	—	—	—	1	3	—	—	26
27	Suicide	—	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	27
28	Other defined diseases ...	16	12	9	10	3	5	15	15	4	2	2	1	12	31	2	2	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

CHESHIRE—*cont.*

	Causes of Death.	Congleton M.B.		Crewe M.B.		Dukinfield M.B.		Ellesmere Port and Whitby U.D.		Hale U.D.		Handforth U.D.		Hazel Grove and Bramhall U.D.		Higher Bebington U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	93	83	311	254	140	151	74	62	43	50	9	4	62	67	15	8	
1	Enteric fever	—	1	1	—	—	2	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	1	3	4	5	—	—	—	1	—	—	—	—	—	—	3
4	Scarlet fever	—	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	2	1	2	3	4	—	1	—	1	—	—	—	—	—	—	5
6	Diphtheria and croup ...	4	—	14	7	3	—	1	1	—	—	—	—	—	1	—	1	6
7	Influenza	2	3	—	3	2	1	—	—	3	1	—	—	1	—	—	—	7
8	Erysipelas	—	—	1	—	1	1	1	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	7	9	25	20	11	10	6	4	2	3	1	—	4	2	3	1	9
10	Tuberculous meningitis	1	—	1	1	1	—	1	2	—	—	—	—	—	—	—	—	10
11	Other tuberculous diseases	1	1	6	5	3	3	—	2	—	—	—	—	1	1	—	1	11
12	Cancer, malignant disease	7	11	31	27	9	11	1	5	7	10	1	—	8	12	1	1	12
13	Rheumatic fever ...	2	1	2	1	—	—	2	—	1	1	—	—	—	—	—	—	13
14	Meningitis	—	—	2	2	—	2	—	—	—	—	—	—	2	1	—	—	14
15	Organic heart disease ...	13	13	20	29	11	27	3	3	5	11	2	2	5	7	2	2	15
16	Bronchitis	10	8	20	18	11	14	7	6	2	4	1	1	6	7	1	—	16
17	Pneumonia (all forms) ...	9	7	18	11	20	8	8	7	3	3	1	—	3	5	1	—	17
18	Other respiratory diseases	1	—	9	5	—	1	1	—	2	1	—	—	—	1	—	1	18
19	Diarrhœa,&c.(under 2 yrs.)	—	—	4	1	6	4	7	3	1	—	—	—	—	—	—	—	19
20	Appendicitis and typhlitis	1	—	2	1	2	—	—	—	—	—	—	—	—	1	—	1	20
21	Cirrhosis of liver ...	—	—	4	1	2	1	2	—	—	1	—	—	1	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	2	2	9	3	1	6	2	1	3	1	—	—	4	—	—	—	22
23	Puerperal fever	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	2	—	5	—	—	—	2	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	4	3	30	16	5	4	8	9	—	—	—	—	3	4	—	—	25
26	Violence, apart from 27	4	2	8	2	9	1	7	1	—	2	1	—	—	3	—	—	26
27	Suicide	—	—	3	—	1	1	1	—	—	—	—	—	1	—	—	—	27
28	Other defined diseases ...	25	17	97	88	35	45	15	15	14	9	2	1	23	22	7	—	28
29	Causes ill-defined or unknown.	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

CHESHIRE—*cont.*

	Hollingworth U.D.		Hoole U.D.		Hoylake and West Kirby U.D.		Hyde M.B.		Knutsford U.D.		Lower Bebington U.D.		Lymm U.D.		Macclesfield M.B.		Marple U.D.		Middlewich U.D.		Mottram in Longdendale U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	15	24	30	29	62	73	238	231	33	28	67	68	35	21	234	257	26	38	34	32	17	18	
1	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	1	—	—	—	—	4	1	—	—	1	—	—	—	—	—	2	—	—	—	—	—	3
4	—	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	4
5	—	1	—	1	2	2	3	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	5
6	—	—	—	1	2	—	1	3	—	1	2	1	—	—	3	1	—	—	—	1	—	—	6
7	—	—	1	1	2	4	4	—	1	1	1	—	1	—	7	3	—	1	1	1	—	—	7
8	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	8
9	2	1	1	3	9	5	23	19	1	2	8	8	—	1	21	16	3	1	1	2	1	1	9
10	—	—	—	—	—	1	1	1	—	—	—	1	—	—	5	2	—	—	—	—	1	—	10
11	—	1	—	—	—	1	2	2	1	—	—	4	—	—	5	1	—	1	1	—	—	1	11
12	1	4	—	4	2	5	16	21	4	7	7	10	4	3	9	22	6	—	2	5	2	3	12
13	—	—	1	—	—	—	2	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	13
14	—	—	—	1	—	1	6	2	—	—	—	—	1	—	2	2	—	—	1	1	—	—	14
15	3	4	5	5	7	9	23	25	4	4	10	4	1	4	31	42	3	13	4	1	4	2	15
16	1	1	3	3	4	1	28	43	3	1	4	3	4	4	12	21	1	2	6	3	—	1	16
17	—	—	5	2	7	7	17	11	1	—	5	3	7	—	24	15	1	1	—	5	1	—	17
18	1	1	1	—	—	2	2	5	1	—	—	1	1	—	3	4	1	1	—	—	—	—	18
19	—	—	—	—	—	—	4	—	—	1	1	6	—	—	4	2	—	1	—	—	—	—	19
20	—	—	—	—	—	—	1	2	—	—	—	1	1	—	—	1	—	—	—	—	—	—	20
21	—	1	1	—	—	1	2	—	—	1	—	1	—	—	1	1	—	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	1	1	1	3	3	15	7	3	2	—	2	1	1	11	11	—	2	2	—	—	—	22
23	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	1	—	—	—	6	—	2	—	1	—	—	—	1	—	—	—	—	—	1	24
25	—	2	—	—	2	3	8	9	2	—	5	1	1	—	9	11	—	1	4	—	—	—	25
26	—	—	3	—	2	1	7	4	1	—	1	1	4	—	5	6	—	2	3	—	1	1	26
27	—	—	—	—	—	—	2	—	1	—	—	1	—	—	—	—	1	—	—	—	1	—	27
28	6	5	8	6	20	26	63	65	10	6	21	18	8	7	82	93	8	12	8	13	5	8	28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	29

CHESHIRE—*cont.*

	Nantwich U.D.		Neston and Parkgate U.D.		Northwich U.D.		Runcorn U.D.		Sale U.D.		Sandbach U.D.		Stalybridge M.B.		Tarporley U.D.		Wilmslow U.D.		Winsford U.D.		Yeardsley cum Whaley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	56	64	33	33	116	151	139	125	102	96	46	27	188	213	16	9	46	60	82	101	11	14	
1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	1	10	10	—	—	2	1	—	—	—	—	—	—	—	1	—	—	3
4	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	2	—	—	1	1	—	1	2	—	—	—	3	3	—	—	—	—	—	—	—	—	5
6	—	—	—	—	—	1	—	—	—	1	1	—	1	3	—	—	—	—	—	—	—	—	6
7	2	1	1	—	2	—	3	1	—	2	—	—	1	2	1	—	1	2	—	—	1	—	7
8	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	6	3	2	3	6	10	11	7	9	5	2	—	24	12	1	—	2	—	3	5	—	2	9
10	—	—	—	—	1	2	2	—	—	—	—	—	1	3	—	—	—	1	—	—	—	—	10
11	—	—	2	—	1	2	2	3	1	—	—	2	5	5	—	—	—	—	5	1	—	1	11
12	4	6	2	2	7	13	12	11	10	10	3	4	9	20	2	2	7	16	7	10	—	1	12
13	—	—	1	—	1	3	2	1	—	1	—	—	2	—	—	—	—	—	1	—	—	—	13
14	—	2	—	—	1	1	—	—	1	1	2	—	1	4	—	—	—	—	—	—	1	—	14
15	9	6	5	6	11	17	11	9	—	7	2	2	18	26	4	1	3	7	19	28	—	3	15
16	—	5	3	3	11	11	6	11	12	8	4	2	29	36	2	1	8	5	7	3	—	—	16
17	4	5	4	4	10	8	11	9	7	11	2	4	16	8	—	—	8	3	3	8	—	—	17
18	1	—	—	1	3	1	6	2	4	2	1	—	3	5	—	—	—	1	1	—	—	—	18
19	1	2	—	—	4	4	—	3	5	2	1	1	3	1	—	—	—	1	3	—	—	—	19
20	1	1	—	—	—	1	—	1	4	2	—	—	2	—	—	—	—	—	—	3	—	—	20
21	1	—	1	—	2	—	1	—	1	—	—	1	—	—	1	—	—	1	—	—	—	—	21
21A	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	2	1	1	2	3	2	3	4	3	—	—	5	9	—	—	1	1	2	5	3	—	22
23	—	—	—	—	—	3	—	1	—	1	—	—	—	1	—	—	—	—	—	1	—	—	23
24	—	—	—	1	—	2	—	2	—	2	—	—	—	—	—	—	—	—	—	2	—	1	24
25	2	2	1	—	5	10	9	5	4	2	3	—	7	9	—	2	—	—	5	3	—	—	25
26	1	1	3	1	5	4	8	2	4	2	2	—	8	4	—	—	—	—	5	5	1	2	26
27	2	—	—	—	1	—	—	—	3	—	—	—	4	—	—	—	—	—	—	—	—	—	27
28	21	26	6	11	42	49	40	39	30	34	21	10	46	60	4	3	16	22	21	26	5	4	28
29	—	—	1	—	—	2	1	2	—	—	—	—	—	2	1	—	—	—	—	—	—	—	29

CHESHIRE—*cont.*

	Causes of Death.	Bucklow R.D.		Chester R.D.		Congleton R.D.		Disley R.D.		Macclesfield R.D.		Malpas R.D.		Nantwich R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	132	120	74	61	85	73	21	14	98	93	37	33	153	133	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	2	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	1	—	—	—	—	—	—	—	—	—	—	—	1	4
5	Whooping cough ...	—	—	1	—	2	—	1	—	—	—	—	—	4	1	5
6	Diphtheria and croup ...	3	1	1	—	2	—	—	1	1	3	—	—	—	2	6
7	Influenza	3	4	5	3	1	5	1	1	1	2	1	2	2	5	7
8	Erysipelas	—	1	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	5	7	6	6	4	1	—	2	4	2	4	—	9	4	9
10	Tuberculous meningitis	1	1	—	—	3	—	—	—	—	—	—	—	1	—	10
11	Other tuberculous diseases	2	2	3	—	—	2	1	—	1	—	1	—	1	5	11
12	Cancer, malignant disease	9	7	10	9	3	13	4	3	7	10	7	3	11	12	12
13	Rheumatic fever ...	2	—	—	—	1	—	—	—	—	—	—	—	—	1	13
14	Meningitis	—	—	—	—	—	—	—	—	1	—	—	—	2	1	14
15	Organic heart disease ...	24	21	11	8	10	5	4	2	15	16	3	7	22	22	15
16	Bronchitis	9	12	3	1	5	3	3	1	6	5	2	3	9	12	16
17	Pneumonia (all forms) ...	8	6	4	7	10	3	2	1	9	3	2	3	14	3	17
18	Other respiratory diseases	1	2	—	—	1	1	—	1	3	1	1	—	4	4	18
19	Diarrhœa,&c.(under 2 yrs.)	3	1	—	1	1	—	—	—	—	—	—	—	1	—	19
20	Appendicitis and typhlitis	4	2	1	1	—	—	—	—	2	—	—	—	—	1	20
21	Cirrhosis of liver ...	—	2	—	—	—	—	—	—	—	—	—	—	—	1	21
21A	Alcoholism	—	1	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	1	—	1	3	2	—	1	6	7	1	1	4	2	22
23	Puerperal fever	—	—	—	1	—	2	—	—	—	—	—	—	—	1	23
24	Parturition, apart from 23	—	3	—	2	—	—	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	4	6	4	—	6	2	—	—	3	3	4	3	6	2	25
26	Violence, apart from 27	2	1	6	2	5	3	—	—	5	3	1	—	4	2	26
27	Suicide	1	1	2	—	1	—	—	—	1	3	1	1	8	1	27
28	Other defined diseases ...	49	37	17	19	25	31	5	1	33	35	8	10	51	50	28
29	Causes ill-defined or unknown.	1	—	—	—	—	—	—	—	—	—	1	—	—	—	29

CHESHIRE—*cont.* CORNWALL.

	Causes of Death.	Northwich R.D.		Runcorn R.D.		Tarvin R.D.		Tintwistle R.D.		Wirral R.D.			Bodmin M.B.		Callington U.D.		
		M	F	M	F	M	F	M	F	M	F		M	F	M	F	
	ALL CAUSES	177	119	158	157	101	68	9	12	105	103		34	44	10	14	
1	Enteric fever	1	—	—	—	—	—	—	—	1	1		1	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—		—	—	—	—	2
3	Measles	3	—	1	—	—	—	—	—	1	1		—	—	—	—	3
4	Scarlet fever	1	1	1	—	—	—	—	—	—	—		—	—	—	—	4
5	Whooping cough ...	6	7	1	5	—	—	—	—	3	—		—	—	—	—	5
6	Diphtheria and croup ...	2	2	—	2	—	1	—	—	1	—		1	—	—	—	6
7	Influenza	1	—	3	3	1	2	1	—	3	7		—	1	—	1	7
8	Erysipelas	—	—	—	1	—	—	—	—	—	1		—	—	—	—	8
9	Pulmonary tuberculosis	7	1	10	4	8	7	—	2	11	5		5	5	1	2	9
10	Tuberculous meningitis	—	—	1	1	2	1	—	—	3	—		1	—	—	—	10
11	Other tuberculous diseases	2	1	—	2	2	—	—	—	2	3		—	1	—	—	11
12	Cancer, malignant disease	12	15	16	16	3	7	—	—	11	16		1	4	—	3	12
13	Rheumatic fever ...	—	—	1	1	—	—	—	—	1	4		1	—	—	—	13
14	Meningitis	1	1	2	—	3	—	—	—	1	—		—	1	—	—	14
15	Organic heart disease ...	22	14	19	16	18	8	2	1	9	8		6	6	—	1	15
16	Bronchitis	10	5	11	12	11	12	3	1	8	8		2	2	2	2	16
17	Pneumonia (all forms) ...	14	9	19	15	6	3	—	—	9	5		2	8	1	1	17
18	Other respiratory diseases	4	1	1	3	2	—	—	—	3	5		1	1	—	—	18
19	Diarrhœa,&c.(under 2 yrs.)	3	—	—	1	1	1	—	—	2	—		—	—	—	—	19
20	Appendicitis and typhlitis	2	1	—	3	—	—	—	—	2	1		—	1	—	—	20
21	Cirrhosis of liver ...	2	—	—	—	—	—	—	—	—	1		1	—	—	—	21
21A	Alcoholism	—	—	—	—	1	—	—	—	—	—		—	—	—	—	21A
22	Nephritis and Bright's dis.	1	5	2	—	1	—	1	1	—	2		1	2	—	—	22
23	Puerperal fever	—	3	—	2	—	—	—	—	—	1		—	—	—	—	23
24	Parturition, apart from 23	—	2	—	1	—	—	—	—	—	—		—	—	—	—	24
25	Congenital debility, &c.	4	6	7	6	5	2	—	1	2	2		3	3	1	—	25
26	Violence, apart from 27	7	5	11	2	5	2	—	—	5	3		—	—	—	—	26
27	Suicide	2	—	2	3	2	—	—	—	—	—		—	—	—	—	27
28	Other defined diseases ...	70	40	50	57	30	22	2	6	27	29		8	9	5	3	28
29	Causes ill-defined or unknown.	—	—	—	1	—	—	—	—	—	—		—	—	—	1	29

ADMINISTRATIVE AREAS, 1916—*continued.*

CORNWALL—*cont.*

	Camborne U.D.		Falmouth M.B.		Fowey M.B.		Hayle U.D.		Helston M.B.		Launceston M.B.		Liskeard M.B.		Looe U.D.		Lostwithiel M.B.		Ludgvan U.D.		Madron U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	131	141	91	116	15	16	11	9	14	35	24	24	21	25	22	14	13	12	12	15	27	26	
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	7	5	2	3	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	2	—	5
6	—	1	4	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	6
7	—	2	1	1	—	2	—	—	—	—	—	2	1	2	—	—	—	1	1	—	—	—	7
8	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	34	11	3	7	2	1	1	—	2	3	2	2	—	3	1	1	1	1	3	1	5	3	9
10	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
11	1	1	1	1	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	1	11
12	9	16	4	9	—	4	2	1	1	3	3	1	2	3	3	4	1	2	—	3	5	2	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	1	2	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	1	14
15	10	24	5	9	3	2	—	2	—	2	2	7	7	6	—	1	2	1	4	1	5	5	15
16	7	5	10	16	—	—	—	—	4	3	1	2	2	3	—	2	2	—	—	1	1	1	16
17	6	5	7	1	—	—	1	—	—	2	1	1	—	1	4	—	1	1	—	—	—	1	17
18	3	2	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	18
19	3	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	19
20	1	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	20
21	2	—	—	1	1	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	5	10	3	2	1	—	—	—	—	—	1	—	2	—	1	—	1	—	—	—	1	—	22
23	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24	—	2	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	24
25	8	4	7	6	—	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	2	1	25
26	5	2	6	2	2	—	1	—	—	1	—	—	—	—	2	—	—	1	—	—	1	1	26
27	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	27
28	28	46	28	46	5	6	4	4	6	20	14	4	6	6	8	5	4	5	3	8	3	8	28
29	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

CORNWALL—*cont.*

	Newquay U.D.		Padstow U.D.		Paul U.D.		Penryn M.B.		Penzance M.B.		Phillack U.D.		Redruth U.D.		St. Austell U.D.		St. Ives M.B.		St. Just U.D.		Saltash M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	18	15	14	22	41	36	31	33	88	101	28	28	92	97	20	25	41	39	39	53	37	28	
1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	4
5	—	—	1	—	1	1	—	1	—	—	1	—	5	3	—	—	—	—	2	1	—	—	5
6	—	1	—	—	7	1	1	—	—	—	—	—	2	1	—	—	—	1	—	1	1	—	6
7	—	—	—	—	—	—	1	—	—	5	1	—	1	2	—	—	—	1	1	1	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	1	—	—	2	1	—	4	8	4	6	1	22	9	1	1	3	1	5	3	4	2	9
10	—	—	1	—	1	1	—	—	—	—	—	1	1	2	—	1	1	—	—	—	1	—	10
11	—	1	—	1	—	1	1	—	2	—	—	2	1	—	—	—	—	—	—	1	—	1	11
12	—	2	2	2	4	3	3	2	7	12	1	—	7	5	3	—	1	3	—	8	7	2	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	13
14	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	1	1	1	1	14
15	1	1	3	—	6	5	2	4	18	7	4	6	8	13	5	1	6	5	4	7	—	6	15
16	—	—	—	2	2	1	4	4	7	6	1	—	8	9	—	3	1	2	3	3	6	4	16
17	1	—	—	4	1	1	1	3	3	4	3	—	3	3	1	3	3	1	—	2	3	3	17
18	—	—	—	—	—	—	—	1	2	1	—	1	2	—	2	—	—	—	4	—	3	—	18
19	—	—	—	—	1	—	—	—	—	3	—	—	—	1	—	—	—	—	—	1	—	2	19
20	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	1	—	—	—	20
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	—	—	1	—	1	—	6	4	1	2	1	1	—	2	1	2	1	—	2	—	22
23	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	23
24	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	24
25	2	—	2	2	—	2	2	1	4	7	1	2	9	7	1	1	5	2	3	3	—	—	25
26	2	—	1	1	—	1	2	—	2	4	2	2	3	—	1	—	2	—	2	—	1	—	26
27	—	—	—	—	2	1	—	—	3	1	—	—	—	—	—	—	—	—	1	—	—	—	27
28	10	8	4	10	13	17	11	12	24	36	6	10	17	39	6	11	17	19	11	21	8	6	28
29	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	1	—	—	—	—	—	29

CORNWALL—*cont.*

	Causes of Death.	Stratton and Bude U.D.		Torpoint U.D.		Truro M.B.		Wadebridge U.D.				Bodmin R.D.		Calstock R.D.		Camelford R.D.		
		M	F	M	F	M	F	M	F			M	F	M	F	M	F	
	ALL CAUSES	20	25	20	22	77	77	16	27			68	83	42	44	46	53	
1	Enteric fever	—	—	—	—	—	—	—	—			—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	2
3	Measles	—	—	—	—	2	1	—	—			—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—			1	—	—	1	—	—	4
5	Whooping cough ...	—	—	—	—	—	2	—	—			—	3	2	2	2	—	5
6	Diphtheria and croup ...	—	—	1	—	1	—	1	—			—	—	—	—	—	—	6
7	Influenza	—	1	—	1	2	—	1	—			5	3	—	—	1	3	7
8	Erysipelas	—	—	—	1	—	—	—	—			—	—	—	—	—	—	8
9	Pulmonary tuberculosis	—	1	1	—	9	6	—	3			7	5	6	5	4	1	9
10	Tuberculous meningitis	—	—	—	—	—	—	—	1			—	—	—	2	—	2	10
11	Other tuberculous diseases	—	1	—	—	—	2	—	—			1	1	—	—	—	1	11
12	Cancer, malignant disease	1	2	1	4	5	4	—	5			4	8	1	6	—	5	12
13	Rheumatic fever ...	—	—	—	—	1	—	—	—			1	1	—	—	—	—	13
14	Meningitis	—	1	—	—	1	1	—	1			—	—	1	—	1	—	14
15	Organic heart disease ...	6	3	4	2	3	13	3	4			9	13	5	8	7	10	15
16	Bronchitis	1	2	5	5	8	7	3	2			7	7	2	2	2	3	16
17	Pneumonia (all forms) ...	—	—	1	—	6	2	1	1			2	5	1	1	3	3	17
18	Other respiratory diseases	—	—	—	—	—	—	1	—			2	—	6	1	1	1	18
19	Diarrhœa,&c.(under 2 yrs.)	—	—	1	1	1	—	1	—			—	1	—	—	—	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	1	2	1			—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	—	—	—	—	—	—			—	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—			—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	2	1	1	6	9	1	—			3	2	—	—	—	—	22
23	Puerperal fever	—	1	—	—	—	—	—	—			—	2	—	1	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	1	—	—			—	1	—	—	—	—	24
25	Congenital debility, &c.	1	5	1	—	1	4	1	—			6	2	—	—	4	—	25
26	Violence, apart from 27	1	—	—	1	2	1	—	—			4	1	1	—	3	3	26
27	Suicide	—	—	1	—	1	—	—	—			—	—	—	—	1	—	27
28	Other defined diseases ...	10	6	2	6	28	22	1	9			16	28	16	15	14	20	28
29	Causes ill-defined or unknown.	—	—	1	—	—	1	—	—			—	—	1	—	3	1	29

CORNWALL—*cont.*

	Causes of Death.	East Kerrier R.D.		Helston R.D.		Holsworthy (pt.) R.D.*		Launceston R.D.		Liskeard R.D.		Redruth R.D.		St. Austell R.D.		St. Columb Major R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	50	45	107	129	2	2	64	65	104	85	162	160	195	220	66	73	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	1	—	—	—	1	—	—	1	—	1	1	—	—	4
5	Whooping cough ...	—	—	—	3	—	—	—	—	—	1	1	3	—	—	—	3	5
6	Diphtheria and croup ...	1	4	—	1	—	—	1	2	—	1	3	2	—	5	—	—	6
7	Influenza	2	2	1	6	—	—	2	1	5	3	3	2	4	1	—	2	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	8
9	Pulmonary tuberculosis	7	3	15	11	—	2	3	6	7	3	31	15	23	22	3	6	9
10	Tuberculous meningitis	—	—	—	—	—	—	—	—	—	—	2	3	1	4	—	1	10
11	Other tuberculous diseases	—	2	1	—	—	—	1	2	1	1	7	5	2	1	2	—	11
12	Cancer, malignant disease	6	7	5	12	—	—	4	12	4	4	3	14	20	24	9	11	12
13	Rheumatic fever ...	—	1	—	1	—	—	—	—	1	—	—	—	—	—	1	—	13
14	Meningitis	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	14
15	Organic heart disease ...	4	7	8	16	—	—	12	11	19	13	16	27	18	24	7	9	15
16	Bronchitis	3	—	6	13	—	—	9	6	12	12	15	23	18	17	4	5	16
17	Pneumonia (all forms) ...	1	3	6	6	—	—	3	1	3	5	11	6	12	13	7	4	17
18	Other respiratory diseases	2	2	3	1	—	—	2	1	5	2	8	—	4	4	2	—	18
19	Diarrhœa,&c.(under 2 yrs.)	—	—	—	1	—	—	—	—	—	—	2	1	—	—	—	—	19
20	Appendicitis and typhlitis	1	—	—	—	—	—	—	—	—	1	—	1	2	3	1	—	20
21	Cirrhosis of liver ...	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	1	5	2	—	—	1	1	5	6	4	4	4	1	1	1	22
23	Puerperal fever	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	1	—	—	—	1	—	1	—	1	—	2	—	1	24
25	Congenital debility, &c.	1	—	2	4	—	—	2	2	4	1	12	5	18	9	6	1	25
26	Violence, apart from 27	—	—	12	1	1	—	3	—	4	2	7	2	10	2	4	1	26
27	Suicide	—	—	1	—	—	—	1	—	3	—	—	1	1	1	1	1	27
28	Other defined diseases ...	19	12	42	48	1	—	19	15	30	28	35	45	55	85	16	26	28
29	Causes ill-defined or unknown.	—	1	—	1	—	—	1	—	—	1	1	—	—	—	1	—	29

* The remainder of Holsworthy R.D. is in Devonshire ; *see* page 393.

ADMINISTRATIVE AREAS, 1916—*continued.*

CORNWALL—*cont.* CUMBERLAND.

	St. Germans R.D.		Scilly, Isles of R.D.		Stratton R.D.		Truro R.D.		West Penwith R.D.						Arlecdon and Frizington U.D.		Aspatria U.D.		Cleator Moor U.D.		Cockermouth U.D.		
	M	F	M	F	M	F	M	F	M	F					M	F	M	F	M	F	M	F	
	73	96	6	12	34	38	146	153	70	91					48	28	18	11	78	67	38	35	
1	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—					—	1	—	—	—	—	—	—	3
4	1	—	—	—	—	—	—	1	—	—					—	—	—	—	—	1	—	—	4
5	—	—	—	—	—	1	3	1	1	3					2	1	—	—	2	1	—	—	5
6	1	2	—	1	—	—	—	—	1	2					—	—	—	—	—	2	1	—	6
7	1	3	—	—	1	—	4	4	3	1					—	—	—	1	—	—	1	1	7
8	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	1	—	—	8
9	5	7	—	1	1	2	10	11	6	6					—	—	1	1	6	4	1	2	9
10	—	2	—	—	1	—	1	1	1	1					—	—	—	—	—	—	—	—	10
11	2	2	—	1	—	3	3	2	—	1					2	2	—	—	—	—	—	—	11
12	3	8	1	2	4	4	12	11	3	10					2	1	2	3	7	8	5	6	12
13	3	—	—	—	—	—	1	2	—	—					—	1	—	—	1	2	—	—	13
14	1	—	—	—	1	—	—	—	—	1					—	—	—	—	—	2	1	—	14
15	7	11	3	3	4	6	18	24	9	14					5	3	5	3	5	8	4	4	15
16	6	7	—	—	3	2	9	8	4	7					—	—	2	—	10	4	4	5	16
17	3	4	—	—	1	4	10	2	3	4					5	3	—	1	4	8	—	1	17
18	2	2	—	—	—	—	11	2	4	—					4	—	—	—	8	2	1	—	18
19	2	2	—	—	—	—	1	—	1	—					3	1	—	—	1	—	1	—	19
20	3	—	—	—	—	—	—	1	—	1					—	—	—	—	—	—	—	—	20
21	—	1	—	—	—	—	1	1	1	1					—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	21A
22	3	1	—	—	—	2	3	1	1	2					1	1	1	—	2	1	1	1	22
23	—	1	—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	23
24	—	1	—	1	—	1	—	—	—	—					—	1	—	—	—	—	—	1	24
25	4	4	—	—	2	—	2	3	5	4					2	3	2	1	5	4	1	—	25
26	1	—	1	—	2	—	6	7	4	2					6	—	1	—	5	—	2	3	26
27	—	—	—	—	—	—	2	1	—	—					—	—	—	—	—	—	—	—	27
28	25	36	1	3	14	13	48	67	23	30					15	10	4	1	22	19	15	11	28
29	—	2	—	—	—	—	1	3	—	1					1	—	—	—	—	—	—	—	29

CUMBERLAND—*cont.*

	Egremont U.D.		Harrington U.D.		Holme Cultram U.D.		Keswick U.D.		Maryport U.D.		Millom U.D.		Penrith U.D.		Whitehaven M.B.		Wigton U.D.		Workington M.B.				
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
	43	37	27	21	33	29	23	26	98	83	75	54	61	71	137	158	27	35	190	161			
1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	5	—	—	—	2			1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2			3
4	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	2	—			4
5	3	1	—	—	—	—	—	—	—	—	—	1	—	—	1	5	—	1	1	1			5
6	—	—	—	1	—	1	—	—	1	1	—	—	1	—	—	1	—	—	4	9			6
7	—	1	—	—	—	1	1	4	—	—	2	—	1	1	—	1	—	1	4	4			7
8	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—			8
9	1	1	3	2	1	2	2	2	—	4	7	7	6	6	8	12	5	4	15	10			9
10	1	—	1	3	—	—	—	1	—	—	—	—	—	—	1	1	—	—	1	3			10
11	—	—	—	—	—	—	—	—	—	—	3	1	1	2	2	4	—	1	3	5			11
12	1	—	1	1	3	—	3	2	6	8	4	4	4	15	12	14	2	2	15	7			12
13	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	1	—	—	2	1			13
14	—	3	—	—	—	1	—	—	—	3	1	1	1	—	—	—	—	—	1	2			14
15	2	2	3	3	5	4	1	3	5	7	13	8	9	8	13	16	1	5	14	14			15
16	3	6	3	—	3	—	1	1	10	2	6	2	4	5	19	23	1	3	16	11			16
17	4	2	—	2	1	2	3	2	19	6	7	6	6	4	8	11	2	—	19	12			17
18	2	2	—	—	—	1	—	1	2	1	3	—	1	1	2	—	—	1	3	1			18
19	—	—	—	—	—	1	—	—	—	—	1	—	—	—	3	6	1	—	2	6			19
20	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—			20
21	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—	—	—	—	1	—			21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1			21A
22	—	—	1	—	2	2	1	—	1	6	4	2	3	2	4	7	—	—	7	5			22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1			23
24	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	2	—	1	—	2			24
25	4	1	2	3	6	2	—	1	2	11	5	1	2	3	8	10	—	—	12	8			25
26	4	1	4	—	2	—	—	1	8	1	4	—	1	2	13	3	1	1	9	2			26
27	—	—	—	—	1	1	—	1	4	1	—	—	1	—	—	—	—	—	1	1			27
28	14	16	9	6	8	11	8	7	37	25	11	18	18	21	39	33	14	15	55	49			28
29	2	1	—	—	—	—	—	—	2	4	2	—	—	—	1	1	—	—	2	2			29

CUMBERLAND—*cont.*

	Causes of Death.		Alston with Garrigill R.D.		Bootle R.D.		Brampton R.D.		Carlisle R.D.		Cockermouth R.D.		Longtown R.D.		Penrith R.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES		32	22	47	28	56	52	93	78	148	147	64	50	78	75	
1	Enteric fever		—	—	—	—	—	—	1	—	—	—	—	—	1	—	1
2	Small-pox		—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles		—	—	—	—	—	—	—	—	1	—	—	—	—	—	3
4	Scarlet fever		—	—	—	—	—	—	—	—	3	3	—	—	—	—	4
5	Whooping cough ...		—	1	—	—	—	—	2	—	—	—	—	1	—	—	5
6	Diphtheria and croup ...		2	1	1	1	—	—	3	1	1	1	1	—	3	2	6
7	Influenza		1	1	4	—	—	1	1	2	5	4	1	—	5	4	7
8	Erysipelas		—	—	—	—	—	—	—	—	—	—	—	—	—	1	8
9	Pulmonary tuberculosis		1	3	6	—	5	8	9	6	5	3	2	4	7	5	9
10	Tuberculous meningitis		—	—	1	—	1	—	—	—	2	1	—	3	—	—	10
11	Other tuberculous diseases		1	—	—	—	1	—	1	1	—	1	—	—	1	—	11
12	Cancer, malignant disease		2	—	1	3	8	8	9	11	13	11	5	5	6	7	12
13	Rheumatic fever... ...		—	—	1	1	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis		—	—	—	—	—	1	—	2	—	1	2	1	—	1	14
15	Organic heart disease ...		7	3	5	5	12	3	8	12	21	20	13	10	7	10	15
16	Bronchitis		1	—	2	2	3	4	—	3	8	13	2	4	5	8	16
17	Pneumonia (all forms) ...		2	1	2	3	—	2	9	3	11	8	6	1	2	5	17
18	Other respiratory diseases		3	—	—	1	1	1	2	—	3	1	2	1	4	1	18
19	Diarrhœa, &c. (under 2 yrs.)		1	—	—	—	—	—	—	—	2	3	1	1	1	—	19
20	Appendicitis and typhlitis		—	—	1	—	1	—	1	1	—	—	—	—	—	—	20
21	Cirrhosis of liver ...		—	—	1	—	1	—	1	—	—	—	—	—	1	1	21
21A	Alcoholism		—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.		3	1	2	—	1	—	4	—	3	5	—	1	3	5	22
23	Puerperal fever		—	—	—	1	—	—	—	—	—	1	—	—	—	—	23
24	Parturition, apart from 23		—	—	—	1	—	—	—	2	—	2	—	1	—	—	24
25	Congenital debility, &c.		2	3	1	—	4	4	7	5	10	9	4	1	2	3	25
26	Violence, apart from 27		2	—	5	—	—	—	3	1	7	5	9	2	1	—	26
27	Suicide		—	—	1	—	—	1	2	—	2	1	1	—	3	—	27
28	Other defined diseases ...		4	8	12	10	17	18	29	28	50	54	15	13	26	22	28
29	Causes ill-defined or unknown.		—	—	1	—	1	1	1	—	1	—	—	1	—	—	29

CUMBERLAND—*cont.* DERBYSHIRE.

	Causes of Death		White-haven R.D.		Wigton R.D.						Alfreton U.D.		Alvaston and Boulton U.D.		Ashbourne U.D.		Bakewell U.D.		
			M	F	M	F					M	F	M	F	M	F	M	F	
	ALL CAUSES		79	75	75	57					100	86	10	11	18	27	16	15	
1	Enteric fever		—	—	—	—					—	—	—	—	—	—	—	—	1
2	Small-pox		—	—	—	—					—	—	—	—	—	—	—	—	2
3	Measles		1	3	—	—					—	—	—	—	—	1	—	—	3
4	Scarlet fever		—	—	1	1					3	1	—	—	—	—	—	—	4
5	Whooping cough ...		2	1	—	—					2	4	—	—	—	1	—	—	5
6	Diphtheria and croup ...		—	—	—	—					3	—	—	1	—	—	—	—	6
7	Influenza		—	2	1	1					1	—	—	—	2	2	—	—	7
8	Erysipelas		—	1	—	—					1	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis		2	2	4	2					7	2	—	—	1	—	2	2	9
10	Tuberculous meningitis		2	—	—	1					2	1	—	—	—	—	—	—	10
11	Other tuberculous diseases		1	2	—	—					1	1	—	—	—	—	—	—	11
12	Cancer, malignant disease		8	4	5	8					9	9	—	2	—	2	1	1	12
13	Rheumatic fever... ...		—	1	—	—					—	—	—	—	—	—	—	—	13
14	Meningitis		—	2	—	—					1	1	—	—	—	—	—	—	14
15	Organic heart disease ...		6	9	14	10					11	5	1	—	1	3	2	1	15
16	Bronchitis		5	3	6	1					10	4	1	—	1	—	1	1	16
17	Pneumonia (all forms) ...		10	1	2	1					7	5	1	3	—	2	2	1	17
18	Other respiratory diseases		5	1	—	—					1	—	1	—	2	1	1	—	18
19	Diarrhœa, &c. (under 2 yrs.)		2	2	2	—					3	2	—	—	—	—	—	—	19
20	Appendicitis and typhlitis		1	2	1	—					1	—	—	—	—	1	—	—	20
21	Cirrhosis of liver ...		1	—	1	—					—	—	—	—	—	—	—	—	21
21A	Alcoholism		—	—	—	—					—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.		1	1	—	1					2	2	—	—	2	—	—	1	22
23	Puerperal fever		—	—	—	1					—	2	—	—	—	—	—	—	23
24	Parturition, apart from 23		—	1	—	1					—	3	—	—	—	—	—	—	24
25	Congenital debility, &c.		4	11	5	4					5	8	2	—	—	—	2	—	25
26	Violence, apart from 27		6	—	3	—					5	3	—	—	1	—	2	1	26
27	Suicide		—	—	—	—					1	—	—	—	—	—	—	—	27
28	Other defined diseases ...		21	26	30	24					23	32	3	5	7	14	3	7	28
29	Causes ill-defined or unknown.		1	—	—	1					1	1	1	—	1	—	—	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

DERBYSHIRE—*cont.*

	Baslow and Bubnell U.D.		Belper U.D.		Bolsover U.D.		Bonsall U.D.		Brampton and Walton U.D.		Buxton U.D.		Chesterfield M.B.		Clay Cross U.D.		Dronfield U.D.		Fairfield U.D.		Glossop M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	5	7	80	52	57	59	11	6	11	13	71	55	289	233	61	54	22	19	28	22	125	161	
1	—	—	—	—	1	2	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	1	1	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	4
5	—	—	—	—	—	—	1	—	—	—	—	—	2	2	—	—	—	—	—	—	—	3	5
6	—	—	—	1	—	1	—	—	—	—	—	—	2	2	—	1	—	—	—	—	2	—	6
7	—	—	—	—	2	—	—	—	—	1	2	2	4	1	1	—	—	—	—	—	—	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	—	1	5	6	4	4	1	1	—	—	5	1	20	20	3	6	1	2	3	3	9	14	9
10	—	—	2	—	2	1	—	—	—	—	—	—	—	3	1	1	—	—	—	—	—	—	10
11	—	—	2	—	—	1	—	—	—	—	—	—	4	6	1	1	—	1	1	1	4	1	11
12	—	—	1	—	2	8	1	—	—	1	6	8	12	20	2	1	3	2	—	3	7	20	12
13	—	—	1	2	1	1	—	—	—	1	—	—	—	1	—	1	—	—	—	—	1	1	13
14	—	—	2	—	—	1	—	—	—	—	—	—	1	4	—	—	—	—	—	—	2	—	14
15	—	1	2	4	3	6	4	1	2	3	9	8	32	25	3	8	3	2	4	1	19	17	15
16	—	—	7	4	3	4	—	1	2	—	6	6	32	14	12	3	1	3	5	2	11	17	16
17	—	—	2	2	4	4	3	—	—	—	5	7	21	16	4	4	1	—	—	2	4	12	17
18	1	—	2	1	—	—	—	—	—	—	2	2	7	2	1	—	1	—	—	—	1	—	18
19	—	—	1	—	1	1	—	—	—	—	—	—	5	9	1	1	—	—	2	—	2	—	19
20	—	—	—	—	1	—	—	—	—	—	1	1	—	3	—	—	—	—	—	—	—	1	20
21	—	—	—	—	2	—	—	—	—	—	2	1	2	1	1	—	—	—	—	1	1	—	21
21A	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21A
22	—	1	5	2	1	—	—	—	—	—	2	—	6	7	—	—	—	1	—	—	7	6	22
23	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	1	—	—	24
25	—	—	8	2	6	4	—	—	2	—	6	1	28	25	4	7	2	1	3	2	8	4	25
26	—	—	5	1	3	1	—	—	1	—	1	1	14	3	4	1	—	—	1	—	4	3	26
27	—	—	—	1	—	1	—	—	—	—	1	—	6	—	—	—	—	1	—	—	1	1	27
28	3	4	35	25	21	18	1	2	4	7	22	17	84	62	20	16	10	5	9	6	39	57	28
29	1	—	—	—	—	—	—	—	—	—	1	—	4	2	2	—	—	—	—	—	1	1	29

DERBYSHIRE—*cont.*

	Heage U.D.		Heanor U.D.		Ilkeston M.B.		Long Eaton U.D.		Matlock U.D.		Matlock Bath and Scarthin Nick U.D.		New Mills U.D.		North Darley U.D.		Ripley U.D.		South Darley U.D.		Swadlincote District U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	16	25	135	94	223	176	92	116	45	53	8	7	52	41	25	20	65	70	5	5	139	120	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	2	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4
5	—	—	—	—	—	—	2	4	—	1	—	—	1	1	—	—	1	—	—	—	—	1	5
6	—	2	3	1	4	4	—	1	2	5	—	—	1	—	3	—	—	3	—	—	3	4	6
7	—	—	7	2	5	4	—	1	—	—	—	—	1	—	—	—	—	1	—	—	2	—	7
8	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	8
9	1	2	8	5	11	7	6	8	1	2	—	—	2	1	5	—	6	3	—	—	15	9	9
10	—	—	1	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	3	10
11	—	—	1	—	2	1	3	6	1	—	—	—	2	—	—	—	—	—	—	—	3	4	11
12	—	3	11	12	11	5	6	13	3	6	1	1	1	5	1	2	4	6	3	—	6	10	12
13	—	—	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	2	—	2	3	1	—	—	—	—	—	—	—	—	1	—	1	—	—	3	1	14
15	—	3	13	7	14	12	6	14	3	6	—	—	5	5	5	2	6	3	1	1	10	12	15
16	2	1	13	11	52	32	10	10	7	5	—	3	4	7	—	1	7	7	—	1	9	10	16
17	1	2	3	4	10	18	8	7	2	1	—	1	5	5	1	1	4	5	—	—	8	6	17
18	—	—	—	—	2	3	—	2	1	1	1	—	—	1	1	—	—	2	—	1	4	2	18
19	—	—	1	3	3	4	—	2	1	—	—	—	—	1	—	—	1	1	—	—	1	2	19
20	—	1	2	—	—	1	—	—	—	—	1	—	1	1	—	—	—	1	—	—	1	—	20
21	—	—	1	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	1	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	1	1	4	6	5	5	1	—	1	—	1	2	—	—	1	1	—	—	7	4	22
23	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	23
24	—	—	—	5	—	3	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	1	24
25	6	—	13	4	21	18	13	9	1	2	1	—	2	1	1	—	6	6	—	—	17	10	25
26	3	—	8	—	19	9	4	—	3	1	2	1	—	—	1	—	2	—	—	—	9	1	26
27	—	—	—	1	5	1	—	2	2	1	—	—	—	—	1	—	1	—	—	—	—	—	27
28	3	10	45	34	51	41	24	28	17	20	1	1	25	11	5	11	25	27	1	2	35	33	28
29	—	—	1	—	1	1	2	2	—	1	—	—	1	—	—	—	1	1	—	—	2	1	29

DERBYSHIRE—*cont.*

	Causes of Death.	Whittington and Newbold U.D.		Wirksworth U.D.				Ashbourne R.D.		Bakewell R.D.		Belper R.D.		Blackwell R.D.		Chapel en le Frith R.D.		
		M	F	M	F			M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	129	103	23	22			76	63	111	140	145	138	264	240	81	90	
1	Enteric fever	—	—	—	—			—	—	—	—	—	—	—	1	—	—	1
2	Small-pox	—	—	—	—			—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—			1	1	—	1	—	1	12	13	—	1	3
4	Scarlet fever	2	—	—	—			—	—	—	—	—	—	2	—	—	—	4
5	Whooping cough ...	1	—	—	—			—	—	—	—	—	2	—	1	—	—	5
6	Diphtheria and croup ...	7	2	—	—			1	2	2	1	3	—	2	3	—	3	6
7	Influenza	1	—	1	1			6	2	8	6	3	3	6	—	1	—	7
8	Erysipelas	1	—	—	—			—	—	—	—	—	—	3	—	—	—	8
9	Pulmonary tuberculosis	5	9	4	1			5	1	2	5	8	13	6	13	4	5	9
10	Tuberculous meningitis	—	—	—	—			—	1	1	2	—	1	7	6	—	—	10
11	Other tuberculous diseases	2	1	—	—			—	—	4	2	4	3	9	10	1	—	11
12	Cancer, malignant disease	12	10	—	3			8	8	14	14	13	22	15	15	7	10	12
13	Rheumatic fever... ...	—	—	—	1			—	1	—	1	—	—	—	—	—	—	13
14	Meningitis	—	1	—	—			2	1	—	—	—	—	3	—	—	2	14
15	Organic heart disease ...	6	7	1	5			9	4	11	24	11	10	15	12	10	8	15
16	Bronchitis	20	8	2	—			2	4	12	9	14	10	21	17	7	5	16
17	Pneumonia (all forms) ...	7	4	1	1			5	—	5	4	6	4	26	20	4	7	17
18	Other respiratory diseases	3	—	1	2			—	—	3	2	5	6	3	1	3	1	18
19	Diarrhœa, &c. (under 2 yrs.)	4	3	—	—			—	—	—	1	1	1	12	8	—	1	19
20	Appendicitis and typhlitis	1	1	—	—			1	—	1	2	1	2	2	—	1	1	20
21	Cirrhosis of liver ...	2	—	—	—			—	—	1	1	1	2	1	2	1	—	21
21A	Alcoholism	—	—	—	—			—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	3	6	1	—			1	3	6	4	3	3	7	9	3	1	22
23	Puerperal fever	—	—	—	—			—	—	—	1	—	—	—	2	—	1	23
24	Parturition, apart from 23	—	—	—	—			—	—	—	—	—	—	—	6	—	2	24
25	Congenital debility, &c.	12	8	1	1			4	7	4	3	12	9	24	27	4	4	25
26	Violence, apart from 27	2	1	—	—			3	—	4	2	8	6	14	3	7	3	26
27	Suicide	—	1	—	—			—	—	2	—	1	1	2	—	1	—	27
28	Other defined diseases ...	34	39	11	6			27	25	29	53	51	38	68	70	25	34	28
29	Causes ill-defined or unknown.	4	2	—	1			1	3	2	2	—	1	4	1	2	1	29

DERBYSHIRE—*cont.*

	Causes of Death.	Chesterfield R.D.		Clowne R.D.		Glossop Dale R.D.		Hartshorn and Seals R.D.		Hayfield R.D.		Norton R.D.		Repton R.D.		Shardlow R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	512	436	97	85	29	28	60	46	26	31	28	13	108	96	176	162	
1	Enteric fever	3	1	—	1	1	1	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	—	1	2	—	—	—	—	—	—	—	—	—	—	2	—	3
4	Scarlet fever	4	4	—	—	—	—	—	—	—	—	—	—	—	1	—	—	4
5	Whooping cough ...	7	10	—	—	1	—	—	1	—	—	—	—	—	1	1	2	5
6	Diphtheria and croup ...	12	6	6	6	—	—	—	—	—	—	1	—	3	—	5	3	6
7	Influenza	9	6	2	1	—	—	3	1	—	—	—	—	4	6	3	1	7
8	Erysipelas	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	1	8
9	Pulmonary tuberculosis	25	24	5	4	1	3	5	—	3	2	3	2	12	6	9	8	9
10	Tuberculous meningitis	5	6	—	1	—	—	—	2	—	—	—	—	—	1	1	1	10
11	Other tuberculous diseases	8	7	1	1	—	1	1	—	—	—	1	—	3	5	3	1	11
12	Cancer, malignant disease	26	28	7	2	1	4	1	3	1	3	2	—	3	11	20	15	12
13	Rheumatic fever... ...	2	2	—	1	—	—	1	—	—	—	—	—	—	—	1	2	13
14	Meningitis	5	1	1	1	—	—	—	1	—	—	2	—	—	1	1	1	14
15	Organic heart disease ...	53	54	11	8	4	3	6	8	1	4	4	2	10	9	19	18	15
16	Bronchitis	57	37	11	7	2	4	4	2	2	4	2	1	7	7	15	16	16
17	Pneumonia (all forms) ...	32	33	6	—	—	3	4	2	1	4	4	2	3	7	10	5	17
18	Other respiratory diseases	9	3	—	2	1	—	—	1	1	1	—	—	1	1	3	6	18
19	Diarrhœa, &c. (under 2 yrs.)	7	13	7	4	1	—	—	—	—	—	—	—	1	1	1	2	19
20	Appendicitis and typhlitis	3	1	1	—	—	—	2	1	—	—	—	—	1	1	1	2	20
21	Cirrhosis of liver ...	2	2	1	1	—	—	—	—	—	—	1	—	3	1	2	3	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	16	18	3	2	—	2	2	1	—	4	1	—	5	6	5	8	22
23	Puerperal fever	—	2	—	1	—	—	—	1	—	—	—	—	—	—	—	1	23
24	Parturition, apart from 23	—	11	—	—	—	—	—	—	—	1	—	—	—	1	—	3	24
25	Congenital debility, &c.	50	20	3	7	3	—	5	8	2	—	—	—	6	3	7	6	25
26	Violence, apart from 27	24	4	4	1	—	—	2	1	3	—	—	—	7	2	9	4	26
27	Suicide	4	3	1	—	1	—	1	—	—	1	—	—	1	1	—	—	27
28	Other defined diseases ...	140	136	23	30	12	7	22	13	12	7	5	5	36	24	56	53	28
29	Causes ill-defined or unknown.	7	4	2	1	1	—	1	—	—	—	2	1	2	—	2	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

DERBYSHIRE—*cont.*

	Sudbury R.D.		Codnor Park and Shipley C. P.'s*																			
	M	F	M	F																		
	19	14	6	6																		
1	—	—	—	—																		1
2	—	—	—	—																		2
3	—	—	—	—																		3
4	—	—	—	—																		4
5	—	—	—	—																		5
6	—	—	—	1																		6
7	—	—	—	—																		7
8	—	—	—	—																		8
9	1	1	—	—																		9
10	—	—	—	—																		10
11	—	—	—	—																		11
12	2	—	1	1																		12
13	—	—	—	—																		13
14	—	—	1	—																		14
15	2	3	1	—																		15
16	—	—	—	—																		16
17	1	—	2	—																		17
18	1	2	—	—																		18
19	—	—	—	—																		19
20	—	—	—	—																		20
21	—	—	—	—																		21
21A	—	—	—	—																		21A
22	1	1	—	—																		22
23	—	—	—	—																		23
24	—	1	—	—																		24
25	—	—	—	1																		25
26	—	1	—	—																		26
27	1	—	—	—																		27
28	9	5	1	3																		28
29	1	—	—	—																		29

DEVONSHIRE.

	Ashburton U.D.		Axminster U.D.		Bampton U.D.		Barnstaple M.B.		Bideford M.B.		Brixham U.D.		Buckfastleigh U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	16	21	10	17	4	8	116	107	49	59	71	52	16	13	
1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	2	1	—	—	—	1	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	2	1	—	—	—	—	—	5
6	—	—	—	—	—	—	2	1	—	2	—	—	—	—	6
7	—	—	—	—	—	—	1	4	2	2	—	—	—	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	—	1	—	1	—	—	10	7	3	3	5	3	2	—	9
10	—	1	—	1	—	—	—	1	—	1	1	1	—	—	10
11	1	—	—	—	—	—	—	1	1	1	2	—	—	—	11
12	1	2	1	1	—	—	12	12	2	5	4	3	2	1	12
13	—	—	—	—	—	—	2	1	—	—	—	—	—	—	13
14	—	—	—	—	—	—	2	1	—	—	4	—	—	—	14
15	2	2	2	3	1	5	9	5	4	7	6	7	2	3	15
16	2	4	—	1	—	1	10	8	5	13	4	6	2	1	16
17	—	1	1	—	—	—	11	3	—	5	2	5	1	1	17
18	—	—	—	—	—	—	2	—	—	—	2	2	—	—	18
19	—	—	—	—	—	—	—	—	—	—	1	—	—	—	19
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	—	1	—	—	—	—	—	—	—	—	—	—	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	—	—	—	—	1	7	5	—	3	3	3	—	—	22
23	—	—	—	—	—	—	—	1	—	—	—	—	—	—	23
24	—	1	—	—	—	—	—	1	—	—	—	—	—	—	24
25	1	—	1	—	—	—	4	6	5	—	1	3	1	2	25
26	—	—	1	—	—	—	1	3	5	3	8	1	—	—	26
27	—	—	—	—	—	—	1	1	—	—	—	1	—	—	27
28	8	8	4	10	3	1	40	41	20	14	28	15	6	3	28
29	—	—	—	—	—	—	—	2	—	—	—	1	—	—	29

DEVONSHIRE—*cont.*

	Budleigh Salterton U.D.		Crediton U.D.		Dartmouth M.B.		Dawlish U.D.		Exmouth U.D.		Great Torrington M.B.		Holsworthy U.D.		Honiton M.B.		Ilfracombe U.D.		Ivybridge U.D.		Kingsbridge U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	19	18	23	31	38	53	31	28	80	94	26	37	8	14	20	20	58	64	14	5	21	30	
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	1	1	—	—	—	—	1	3	—	2	—	—	—	—	—	—	—	—	5
6	—	—	—	—	3	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	2	3	6
7	1	—	—	1	1	1	4	1	4	8	1	—	—	—	—	—	1	1	—	—	—	—	7
8	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	—	3	1	3	4	2	4	7	4	1	3	2	1	3	—	5	12	2	—	2	4	9
10	—	—	—	—	1	1	—	—	1	2	—	—	—	1	—	—	3	—	1	—	—	1	10
11	—	—	2	—	—	1	—	1	2	—	1	—	—	—	—	—	—	1	—	—	1	1	11
12	2	4	2	5	4	3	4	1	7	11	1	2	—	1	—	—	7	10	2	1	—	1	12
13	1	—	1	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	13
14	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	14
15	2	2	3	7	3	3	2	10	8	9	3	6	—	2	1	3	10	12	—	—	3	5	15
16	1	—	—	4	1	12	1	3	3	12	4	2	—	—	1	5	1	2	2	—	—	1	16
17	1	1	1	—	2	4	1	—	5	11	1	—	—	—	—	1	4	2	—	—	—	2	17
18	—	1	—	2	2	—	1	—	—	—	—	—	1	—	1	—	—	1	—	—	—	1	18
19	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	19
20	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	20
21	1	—	—	—	—	—	—	—	3	—	2	—	—	—	—	1	2	—	1	—	1	—	21
21A	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	1	—	4	2	4	2	—	4	3	—	2	—	—	2	—	1	—	2	1	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	24
25	2	1	2	—	1	—	1	—	3	2	1	2	—	1	—	—	1	2	—	—	4	—	25
26	—	—	—	—	1	1	2	1	1	2	1	1	—	—	3	—	1	1	—	—	1	—	26
27	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	27
28	5	8	9	6	12	15	8	6	28	26	7	15	4	6	9	10	18	19	3	3	7	11	28
29	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	29

* Administered by Basford R.D.C. (Nottinghamshire).

DEVONSHIRE—*cont.*

	Causes of Death.	Lynton U.D.		Newton Abbot U.D.		Northam U.D.		Okehampton M.B.		Ottery St. Mary U.D.		Paignton U.D.		Salcombe U.D.		Seaton U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	9	7	94	100	38	43	24	22	22	33	78	99	17	13	11	14	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	5	5	—	—	—	—	—	—	—	3	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	5
6	Diphtheria and croup ...	—	—	3	1	—	—	—	—	—	—	—	1	—	—	—	—	6
7	Influenza	—	—	4	5	2	4	—	—	—	—	1	1	—	—	1	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	8
9	Pulmonary tuberculosis	1	—	8	4	4	3	3	2	—	5	8	7	1	2	2	—	9
10	Tuberculous meningitis	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	10
11	Other tuberculous diseases	—	—	3	2	—	—	1	1	—	—	1	—	—	—	—	1	11
12	Cancer, malignant disease	—	2	8	12	2	4	4	2	2	2	7	15	1	1	1	2	12
13	Rheumatic fever... ...	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis	—	—	1	1	1	—	—	—	—	1	—	—	—	—	—	—	14
15	Organic heart disease ...	1	3	8	15	2	5	2	4	5	6	12	13	—	3	—	1	15
16	Bronchitis	3	—	9	7	3	3	1	1	3	8	—	10	—	—	—	1	16
17	Pneumonia (all forms) ...	—	—	6	5	2	3	2	—	1	2	5	2	1	—	1	—	17
18	Other respiratory diseases	—	—	1	—	—	—	2	—	3	—	4	1	—	—	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	19
20	Appendicitis and typhlitis	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	2	1	3	1	—	—	—	—	4	2	—	—	1	—	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	—	—	5	3	2	—	1	2	—	1	3	5	—	—	—	—	25
26	Violence, apart from 27	1	—	2	3	3	1	—	—	1	1	2	2	11	—	—	2	26
27	Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
28	Other defined diseases ...	2	2	27	34	12	18	6	9	5	6	26	35	3	7	5	6	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	29

DEVONSHIRE—*cont.*

	Causes of Death.	Sidmouth U.D.		South Molton M.B.		Tavistock U.D.		Teignmouth U D.		Tiverton M.B.		Torquay M.B.		Totnes M.B.				
		M	F	M	F	M	F	M	F	M	F	M	F	M	F			
	ALL CAUSES	33	52	20	28	31	31	76	63	58	80	239	303	26	30			
1	Enteric fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—			1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—			2
3	Measles	2	—	—	—	—	—	—	—	—	—	2	1	—	—			3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—			4
5	Whooping cough ...	1	—	—	1	—	—	1	1	—	1	1	2	—	—			5
6	Diphtheria and croup ...	—	—	—	—	2	1	—	1	—	—	1	2	—	—			6
7	Influenza	1	2	—	—	1	—	1	5	5	6	9	10	—	1			7
8	Erysipelas	—	—	—	—	1	—	—	—	—	1	—	—	—	—			8
9	Pulmonary tuberculosis	3	3	2	4	3	4	4	2	4	5	18	16	4	4			9
10	Tuberculous meningitis	—	—	—	—	—	1	—	—	—	1	1	—	—	2			10
11	Other tuberculous diseases	—	1	—	—	1	—	1	1	1	—	6	4	—	—			11
12	Cancer, malignant disease	5	6	4	4	—	3	10	6	2	7	13	39	3	2			12
13	Rheumatic fever... ...	—	1	—	—	—	—	—	1	—	1	—	2	—	1			13
14	Meningitis	—	—	—	—	—	—	—	—	—	2	1	2	—	—			14
15	Organic heart disease ...	4	4	4	5	3	7	14	11	9	11	29	49	4	5			15
16	Bronchitis	2	5	—	1	3	—	4	4	3	4	15	28	2	1			16
17	Pneumonia (all forms) ...	—	1	3	3	1	—	3	2	3	1	5	10	—	—			17
18	Other respiratory diseases	—	1	1	—	—	2	1	1	2	—	5	2	—	1			18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	—	—	—	—	—	—	—	2	1	—	—			19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	1	2	—	—			20
21	Cirrhosis of liver ...	—	—	—	1	—	—	—	—	—	1	2	5	—	—			21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—			21A
22	Nephritis and Bright's dis.	3	3	1	—	—	—	—	—	1	4	9	14	4	1			22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—			23
24	Parturition, apart from 23	—	1	—	—	—	2	—	2	—	—	—	1	—	—			24
25	Congenital debility, &c.	2	1	1	—	2	—	2	1	1	1	13	5	3	—			25
26	Violence, apart from 27	2	1	—	1	—	1	5	1	2	1	3	6	—	1			26
27	Suicide	—	—	—	—	—	—	—	—	—	—	—	1	—	—			27
28	Other defined diseases ...	7	22	4	8	14	10	29	24	25	33	103	100	6	11			28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	1	—	—	—	—	1	—	—			29

ADMINISTRATIVE AREAS, 1916—*continued.*

DEVONSHIRE—*cont.*

	Axminster R.D.		Barnstaple R.D.		Bideford R.D.		Broadwood Widger R.D.		Crediton R.D.		Culmstock R.D.		Holsworthy (pt.) R.D.*		Honiton R.D.		Kingsbridge. R.D.		Newton Abbot R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	63	53	105	126	34	34	13	17	77	77	22	23	54	36	55	61	89	73	117	142	
1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	1	—	—	—	—	2	—	—	2	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	1	4
5	1	—	—	1	2	—	1	2	—	—	—	1	4	3	2	—	2	2	—	3	5
6	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	3	2	6
7	—	1	2	1	—	—	2	—	—	4	1	1	3	1	3	1	5	2	1	6	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	1	2	8	12	—	1	—	—	3	3	2	—	3	3	1	3	3	7	10	3	9
10	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	10
11	1	—	—	—	—	—	—	—	1	1	—	—	—	2	1	—	—	—	1	2	11
12	6	6	10	14	2	4	1	3	6	9	2	3	4	5	5	7	5	5	12	16	12
13	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	13
14	—	—	1	3	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	3	14
15	12	5	12	16	7	4	—	2	13	18	2	—	6	6	8	12	17	7	13	20	15
16	5	1	8	6	4	4	—	2	5	3	—	2	3	2	7	6	6	3	9	16	16
17	5	1	7	6	2	3	2	2	6	4	—	1	4	3	2	2	7	3	8	5	17
18	1	2	2	2	—	—	—	—	—	—	—	1	3	1	1	2	1	—	3	1	18
19	1	—	1	—	—	2	—	—	1	—	—	—	—	—	—	1	—	1	—	1	19
20	—	1	—	2	—	1	1	—	—	—	—	—	3	—	—	—	1	—	1	—	20
21	1	2	—	—	1	—	—	—	1	1	—	—	—	—	—	—	1	—	1	4	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21A
22	1	1	3	8	1	1	—	—	2	1	1	—	—	—	3	2	3	2	5	4	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	1	—	3	24
25	4	2	5	4	1	—	—	—	3	4	3	—	4	1	2	1	3	—	6	3	25
26	3	1	11	2	—	1	—	—	4	1	2	1	2	—	1	1	4	1	2	2	26
27	1	—	3	—	—	—	1	1	1	—	—	1	—	—	—	—	1	—	1	—	27
28	18	28	31	48	14	11	5	5	27	25	8	9	15	9	17	20	29	36	37	43	28
29	—	—	—	—	—	—	—	—	2	2	—	—	—	—	1	—	—	—	—	3	29

DEVONSHIRE—*cont.* DORSETSHIRE.

	Okehampton R.D.		Plympton St. Mary R.D.		St. Thomas R.D.		South Molton R.D.		Tavistock R.D.		Tiverton R.D.		Torrington R.D.		Totnes R.D.				Blandford Forum M.B.		Bridport M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F	
	95	93	145	138	170	173	82	84	133	100	111	84	52	72	80	73			35	28	35	56	
1	—	—	1	2	—	2	—	—	—	—	—	—	—	—	—	—			—	—	—	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	2
3	—	—	—	—	2	—	1	—	—	—	4	3	—	—	—	—			—	—	—	—	3
4	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—			—	—	—	—	4
5	—	—	—	1	2	1	—	—	—	—	1	—	1	—	—	—			—	1	—	—	5
6	—	1	7	6	2	1	2	—	1	1	1	—	—	—	—	—			—	—	—	—	6
7	—	2	2	4	6	2	4	1	2	2	3	4	—	2	—	—			1	—	3	2	7
8	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—			—	—	—	—	8
9	5	14	7	12	9	13	6	6	9	5	9	5	7	4	12	4			1	—	3	12	9
10	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	1			—	1	1	—	10
11	1	1	3	1	5	5	—	1	1	1	1	3	—	1	—	2			—	—	1	1	11
12	7	14	10	9	10	16	6	5	9	8	9	9	7	8	6	10			1	1	2	5	12
13	—	—	—	1	—	1	—	—	1	2	—	—	1	—	—	1			—	—	—	—	13
14	1	1	1	—	2	3	—	2	—	1	1	2	1	1	1	2			—	—	—	—	14
15	5	9	16	19	18	24	11	13	13	15	19	18	10	9	12	16			6	4	1	11	15
16	9	8	8	19	11	22	9	7	13	3	6	12	3	8	5	7			2	1	6	3	16
17	8	1	11	5	8	4	5	5	7	3	8	4	—	2	6	1			3	—	1	1	17
18	4	1	5	2	1	3	—	1	6	3	2	—	1	—	—	2			1	1	—	—	18
19	1	—	—	1	2	1	—	—	—	—	2	—	—	1	1	—			1	2	—	1	19
20	1	—	1	1	1	1	—	1	1	2	—	—	—	—	2	—			—	—	—	—	20
21	1	—	1	—	—	2	—	1	1	—	—	—	—	—	2	1			1	—	—	—	21
21A	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	21A
22	6	1	7	—	8	3	7	4	6	5	7	1	2	6	2	1			1	—	1	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	23
24	—	2	—	1	—	2	—	1	—	—	—	—	—	—	—	—			—	—	—	—	24
25	6	5	6	3	9	3	2	5	5	4	6	—	1	2	2	—			4	1	1	1	25
26	3	—	10	2	10	2	1	2	4	—	3	2	—	3	3	3			2	1	2	—	26
27	—	—	1	—	1	—	3	—	1	—	—	—	1	—	2	—			—	—	—	—	27
28	32	32	48	48	62	61	24	29	50	45	27	20	17	25	24	22			11	15	12	17	28
29	2	1	—	—	—	—	1	—	3	—	1	1	—	—	—	—			—	—	1	1	29

* The remainder of Holsworthy R.D. is in Cornwall ; *see* page 386.

DORSETSHIRE—*cont.*

	Causes of Death.	Dorchester M.B.		Lyme Regis M.B.		Poole M.B.		Portland U.D.		Shaftesbury M.B.		Sherborne U.D.		Swanage U.D.		Wareham M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	56	57	20	18	253	282	66	53	12	11	40	42	32	34	22	17	
1	Enteric fever	1	—	—	—	1	3	—	1	—	—	—	—	—	—	—	1	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	5	3	—	—	—	—	—	—	—	—	—	1	3
4	Scarlet fever	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	—	2	3	1	—	—	—	—	—	1	—	—	—	5
6	Diphtheria and croup ...	—	—	2	—	3	2	1	—	—	—	—	—	—	—	—	—	6
7	Influenza	1	—	—	—	12	5	3	1	—	—	2	6	—	1	1	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	3	2	—	—	21	21	6	3	—	—	2	4	2	1	3	—	9
10	Tuberculous meningitis	—	—	—	—	3	3	—	—	—	—	1	—	—	—	1	—	10
11	Other tuberculous diseases	—	1	—	—	5	4	—	—	—	—	1	—	—	—	—	—	11
12	Cancer, malignant disease	5	13	3	2	16	33	7	9	4	2	5	1	1	5	—	—	12
13	Rheumatic fever... ...	—	—	—	—	1	1	—	2	—	—	—	—	—	—	—	—	13
14	Meningitis	—	—	—	—	1	1	—	—	—	1	—	—	—	1	—	—	14
15	Organic heart disease ...	10	13	1	—	24	36	6	5	1	3	5	7	2	5	5	1	15
16	Bronchitis	4	4	2	2	26	27	6	2	1	—	—	2	1	2	4	4	16
17	Pneumonia (all forms) ...	4	2	2	1	15	15	8	3	—	—	1	1	2	1	2	1	17
18	Other respiratory diseases	3	—	—	—	7	5	1	—	—	—	1	—	1	—	—	1	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	—	2	3	—	—	—	1	—	—	1	—	—	—	19
20	Appendicitis and typhlitis	—	—	1	—	—	3	1	—	—	—	—	1	1	—	—	—	20
21	Cirrhosis of liver ...	1	1	—	—	1	1	—	2	—	—	—	—	—	3	—	—	21
21A	Alcoholism	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	1	—	1	7	7	5	2	—	—	1	—	3	—	—	1	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	5	2	—	1	13	15	3	4	—	—	—	1	3	2	—	1	25
26	Violence, apart from 27	2	1	1	—	6	2	5	—	—	1	—	1	—	—	—	1	26
27	Suicide	—	1	—	—	3	—	—	—	—	—	1	—	1	—	—	—	27
28	Other defined diseases ...	16	16	8	10	75	87	12	18	6	3	20	18	13	13	6	5	28
29	Causes ill-defined or unknown.	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	29

DORSETSHIRE—*cont.*

	Causes of Death.	Weymouth and Melcombe Regis M.B.		Wimborne Minster U.D.				Beaminster R.D.		Blandford R.D.		Bridport R.D.		Cerne R.D.		Dorchester R.D.		
		M	F	M	F			M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	140	147	22	24			63	54	64	58	22	43	26	38	59	60	
1	Enteric fever	—	—	—	—			—	—	1	—	—	—	—	—	1	—	1
2	Small-pox	—	—	—	—			—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—			—	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—			—	—	1	—	—	—	—	—	—	—	4
5	Whooping cough ...	3	2	—	—			1	—	—	—	—	—	—	1	1	1	5
6	Diphtheria and croup ...	—	—	—	—			—	—	—	2	—	—	—	1	—	—	6
7	Influenza	2	5	—	3			2	—	1	1	—	2	—	2	1	1	7
8	Erysipelas	—	—	—	—			—	—	—	—	—	1	—	—	—	—	8
9	Pulmonary tuberculosis	5	9	1	1			2	2	3	1	2	3	—	—	3	5	9
10	Tuberculous meningitis	3	2	—	—			1	—	—	—	—	1	—	—	—	—	10
11	Other tuberculous diseases	1	2	1	—			—	1	—	1	—	1	—	—	—	1	11
12	Cancer, malignant disease	7	13	3	5			5	7	5	4	1	6	—	3	6	6	12
13	Rheumatic fever... ...	—	—	—	—			—	1	—	—	—	—	—	—	—	1	13
14	Meningitis	2	1	—	—			—	—	1	2	—	—	1	—	—	—	14
15	Organic heart disease ...	25	21	4	3			5	9	8	13	5	5	2	4	14	13	15
16	Bronchitis	7	8	1	2			4	4	4	4	1	1	3	3	6	6	16
17	Pneumonia (all forms) ...	11	7	1	2			5	1	3	1	—	2	2	2	3	2	17
18	Other respiratory diseases	2	3	1	—			2	1	—	1	—	1	—	1	1	—	18
19	Diarrhœa, &c. (under 2 yrs.)	2	2	2	—			—	—	—	—	—	—	—	—	—	—	19
20	Appendicitis and typhlitis	2	1	—	—			—	1	1	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	5	3	—	—			2	—	—	—	2	—	1	—	—	—	21
21A	Alcoholism	—	—	—	—			—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	5	5	—	—			5	—	1	2	—	1	1	1	2	1	22
23	Puerperal fever	—	2	—	—			—	—	—	—	—	1	—	—	—	—	23
24	Parturition, apart from 23	—	2	—	—			—	1	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	8	5	—	—			2	1	2	4	—	2	1	1	1	2	25
26	Violence, apart from 27	4	6	—	—			2	1	3	2	2	1	1	2	2	1	26
27	Suicide	1	—	—	—			1	—	—	—	—	—	—	—	1	—	27
28	Other defined diseases ...	45	47	6	8			24	24	30	19	8	14	13	17	16	20	28
29	Causes ill-defined or unknown.	1	1	2	—			—	—	—	1	1	1	1	—	1	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

DORSETSHIRE—*cont.*

	Poole R.D.		Shaftesbury R.D.		Sherborne R.D.		Sturminster R.D.		Wareham and Purbeck R.D.		Weymouth R.D.		Wimborne and Cranborne R.D.								
	M	F	M	F	M	F	M	F	M	F	M	F	M	F							
	45	55	57	57	43	30	52	60	62	66	48	47	96	98							
1	—	—	—	—	—	1	—	—	—	—	—	—	1	—							1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—							2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—							3
4	—	—	—	—	—	—	—	1	—	—	—	—	—	—							4
5	—	—	2	2	—	—	2	—	—	—	—	3	1	—							5
6	—	—	—	—	—	—	1	—	—	—	—	—	—	—							6
7	1	1	1	1	2	2	4	4	1	4	1	3	6	6							7
8	—	—	—	—	—	—	—	1	—	—	—	—	—	—							8
9	1	5	1	2	4	3	2	6	5	2	—	1	6	8							9
10	—	1	—	—	1	—	—	—	2	—	—	—	—	1							10
11	—	2	—	1	—	—	1	1	—	1	1	1	1	1							11
12	9	6	2	4	4	3	8	4	4	3	9	6	13	9							12
13	—	—	—	1	—	—	—	1	—	—	—	—	—	—							13
14	—	—	1	1	—	1	—	—	—	—	—	—	1	—							14
15	5	5	6	7	4	3	3	1	13	14	12	10	16	16							15
16	5	8	6	7	2	1	4	6	8	5	—	3	5	5							16
17	3	2	—	3	3	—	—	4	3	1	5	—	6	3							17
18	—	2	1	1	2	1	—	—	—	—	1	2	—	—							18
19	—	—	—	—	1	—	—	—	—	—	—	—	1	1							19
20	—	1	—	—	—	—	1	1	—	1	—	—	—	—							20
21	—	—	—	1	—	—	1	—	1	—	—	—	2	—							21
21A	1	—	—	—	—	—	—	—	—	—	—	—	—	—							21A
22	1	—	3	—	1	1	2	1	3	1	2	1	5	3							22
23	—	—	—	—	—	—	—	—	—	2	—	1	—	—							23
24	—	1	—	—	—	1	—	1	—	2	—	—	—	—							24
25	2	1	5	5	—	—	3	1	1	1	3	3	9	9							25
26	3	—	1	1	1	—	3	—	4	2	1	1	2	1							26
27	1	—	2	—	—	—	1	—	—	—	1	—	—	—							27
28	12	20	25	18	18	13	16	27	17	27	12	12	21	34							28
29	1	—	1	2	—	—	—	—	—	—	—	—	—	1							29

DURHAM.

	Annfield Plain U.D.		Barnard Castle U.D.		
	M	F	M	F	
	117	106	37	39	
1	1	1	—	—	1
2	—	—	—	—	2
3	—	1	—	—	3
4	—	—	—	—	4
5	—	3	1	—	5
6	—	1	1	1	6
7	1	—	—	—	7
8	—	2	—	—	8
9	4	6	1	1	9
10	1	—	1	—	10
11	2	7	—	1	11
12	5	10	5	6	12
13	1	1	—	—	13
14	—	1	1	—	14
15	8	13	2	13	15
16	14	6	4	3	16
17	7	10	2	3	17
18	5	—	1	—	18
19	6	4	1	—	19
20	1	—	—	—	20
21	2	1	1	1	21
21A	—	—	—	—	21A
22	3	1	1	1	22
23	—	—	—	—	23
24	—	1	—	—	24
25	13	5	2	1	25
26	4	1	—	2	26
27	—	—	1	—	27
28	36	27	12	6	28
29	3	4	—	—	29

DURHAM—*cont.*

	Benfieldside U.D.		Bishop Auckland U.D.		Blaydon U.D.		Brandon and Byshottles U.D.		Chester le Street U.D.		Consett U.D.		Crook U.D.		Durham M.B.		Felling U.D.		Hartlepool M.B.		Hebburn U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	59	57	109	75	194	214	132	114	99	96	96	91	93	80	131	108	200	195	209	135	202	148	
1	—	1	—	1	—	1	1	2	—	2	1	—	—	—	—	—	2	2	—	—	2	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	3
4	—	2	—	—	2	2	—	1	—	—	—	1	—	1	—	—	—	1	—	1	—	—	4
5	—	2	2	1	1	1	—	—	5	4	3	6	1	2	1	1	4	10	1	1	4	6	5
6	6	2	—	2	8	6	2	4	4	2	2	4	2	1	2	—	2	1	1	1	1	1	6
7	—	—	—	3	1	1	1	—	1	—	—	2	1	—	1	—	1	2	2	1	3	4	7
8	—	—	—	—	—	1	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	8
9	5	5	10	2	14	17	3	6	5	7	9	7	4	4	13	7	23	25	19	12	16	9	9
10	1	—	3	—	3	2	—	2	1	4	2	3	2	—	2	2	4	5	1	1	3	1	10
11	—	—	1	2	6	9	2	1	6	4	2	—	2	1	5	1	5	3	1	2	6	4	11
12	1	6	3	6	12	17	3	5	4	7	6	8	3	9	7	8	7	13	10	11	5	17	12
13	—	—	—	—	3	—	—	—	1	1	2	2	—	—	1	—	1	1	—	3	2	1	13
14	2	1	2	1	—	2	3	2	—	—	—	2	—	2	1	1	4	1	1	3	2	1	14
15	6	6	12	12	13	18	7	13	5	5	5	5	7	7	14	10	18	21	22	16	12	10	15
16	1	1	9	6	14	14	15	8	11	8	3	5	9	4	18	21	8	9	22	15	9	11	16
17	5	6	11	6	14	19	16	6	6	3	9	12	6	2	3	5	18	14	22	4	30	14	17
18	2	1	5	1	1	4	4	2	1	1	2	1	2	1	3	1	2	—	2	1	3	2	18
19	2	—	3	1	8	7	4	3	3	1	2	3	4	1	4	3	10	5	—	2	10	2	19
20	—	—	—	1	—	1	1	1	—	—	—	—	—	1	—	—	—	—	1	1	1	—	20
21	—	—	1	—	1	2	—	—	1	—	1	3	1	—	1	1	2	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	21A
22	2	2	1	2	4	9	1	3	3	3	1	1	8	5	3	3	9	8	3	2	9	8	22
23	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	23
24	—	—	—	—	—	3	—	—	—	1	—	1	—	1	—	1	—	2	—	2	—	2	24
25	7	3	9	2	21	19	28	15	8	5	6	7	10	9	4	6	12	8	12	9	21	18	25
26	—	1	3	1	9	2	5	1	10	3	4	—	3	2	4	4	13	6	16	6	23	4	26
27	—	—	1	—	1	—	1	—	2	1	1	—	1	1	1	—	1	1	2	—	—	—	27
28	17	18	31	24	54	56	34	39	21	31	34	17	26	26	40	32	51	53	69	39	34	30	28
29	2	—	1	—	4	—	—	—	1	—	1	1	1	—	2	1	3	4	1	1	3	1	29

DURHAM—*cont.*

	Causes of Death.	Hetton U.D.		Houghton le Spring U.D.		Jarrow M.B.		Leadgate U.D.		Ryton U.D.		Seaham Harbour U.D.		Shildon U.D.		South-wick on Wear U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	117	112	71	68	343	264	35	37	108	76	127	101	93	70	127	118	
1	Enteric fever	2	1	1	1	1	1	—	—	1	1	2	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	1	1	—	—	—	—	—	1	—	1	—	3
4	Scarlet fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4
5	Whooping cough ...	2	4	1	3	5	12	2	5	—	1	2	—	2	3	5	5	5
6	Diphtheria and croup ...	1	1	—	2	2	—	3	2	5	6	1	—	—	—	—	2	6
7	Influenza	1	1	1	—	2	4	2	—	—	—	4	1	1	1	—	—	7
8	Erysipelas	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	3	12	4	1	31	29	2	2	2	2	6	11	8	3	12	10	9
10	Tuberculous meningitis	1	1	1	1	5	2	—	—	2	—	4	—	1	—	2	4	10
11	Other tuberculous diseases	10	6	5	2	9	10	2	—	—	1	7	2	2	—	1	2	11
12	Cancer, malignant disease	5	6	6	4	11	16	—	1	2	4	4	5	4	6	6	6	12
13	Rheumatic fever... ...	1	1	1	—	—	1	—	—	1	—	1	—	—	—	—	—	13
14	Meningitis	3	1	4	1	4	5	—	—	4	1	—	1	—	—	2	—	14
15	Organic heart disease ...	6	9	5	2	33	19	2	3	4	8	11	13	4	6	15	5	15
16	Bronchitis	8	9	4	4	29	23	1	1	10	2	9	8	14	13	10	10	16
17	Pneumonia (all forms) ...	12	9	6	7	71	34	2	5	17	10	12	12	7	2	18	11	17
18	Other respiratory diseases	2	2	4	—	5	4	—	—	4	1	2	—	—	—	—	1	18
19	Diarrhœa, &c. (under 2 yrs.)	1	2	—	3	2	5	—	1	1	1	10	5	3	3	4	4	19
20	Appendicitis and typhlitis	—	1	1	2	1	1	—	—	—	2	—	1	—	—	1	—	20
21	Cirrhosis of liver ...	—	—	—	—	2	4	1	—	—	—	—	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	6	3	3	2	4	2	1	5	1	—	4	2	1	1	2	22
23	Puerperal fever	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	3	—	2	—	1	—	1	—	1	—	—	—	2	—	1	24
25	Congenital debility, &c.	18	10	2	5	25	11	3	4	10	5	12	9	7	4	9	14	25
26	Violence, apart from 27	5	—	2	4	18	—	—	2	6	1	6	—	5	1	6	1	26
27	Suicide	—	2	—	—	—	1	—	—	—	—	—	—	1	—	1	—	27
28	Other defined diseases ...	35	24	20	20	83	69	12	9	34	26	34	28	31	25	29	35	28
29	Causes ill-defined or unknown.	—	—	—	1	2	5	—	—	—	1	—	1	—	—	4	4	29

DURHAM—*cont.*

	Causes of Death.	Spenny-moor U.D.		Stanhope U.D.		Stanley U.D.		Stockton on Tees M.B.		Tanfield U.D.		Tow Law U.D.		Whickham U.D.		Willington U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	126	123	13	16	156	135	495	452	71	62	27	25	125	132	54	46	
1	Enteric fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	1	—	11	15	—	—	—	—	4	4	—	—	3
4	Scarlet fever	—	—	—	—	4	3	1	1	2	—	—	—	1	3	—	—	4
5	Whooping cough ...	—	—	1	—	2	2	1	6	2	5	—	1	5	8	—	—	5
6	Diphtheria and croup ...	3	4	1	—	1	3	5	—	1	3	—	1	1	8	—	2	6
7	Influenza	1	—	1	—	—	—	3	1	1	—	—	—	1	2	2	4	7
8	Erysipelas	—	—	—	—	—	—	3	—	—	—	—	—	1	—	—	—	8
9	Pulmonary tuberculosis	12	17	1	1	13	6	44	36	6	2	—	2	7	6	4	5	9
10	Tuberculous meningitis	1	—	—	—	2	1	5	7	3	1	—	—	2	1	—	—	10
11	Other tuberculous diseases	3	1	—	3	5	8	10	9	—	4	—	1	8	2	2	1	11
12	Cancer, malignant disease	9	6	—	1	9	9	18	42	3	7	1	2	6	5	3	1	12
13	Rheumatic fever... ...	—	—	—	—	1	—	2	2	—	—	—	—	—	1	—	—	13
14	Meningitis	3	2	1	—	—	—	9	6	1	—	1	—	1	2	2	—	14
15	Organic heart disease ...	9	9	1	1	7	14	56	50	8	2	—	2	5	14	2	2	15
16	Bronchitis	12	12	—	1	13	11	45	37	6	6	3	2	—	8	3	5	16
17	Pneumonia (all forms) ...	8	8	—	1	23	13	63	34	10	11	3	3	13	8	—	1	17
18	Other respiratory diseases	—	2	—	—	2	3	4	6	2	—	—	—	1	—	1	—	18
19	Diarrhœa, &c. (under 2 yrs.)	6	6	—	—	3	—	9	3	1	—	—	—	1	2	3	1	19
20	Appendicitis and typhlitis	—	—	—	—	1	1	1	—	1	—	1	—	—	—	1	—	20
21	Cirrhosis of liver ...	—	2	—	—	—	1	6	6	—	—	—	—	1	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	5	—	—	2	4	7	14	1	2	—	1	4	4	2	1	22
23	Puerperal fever	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	1	23
24	Parturition, apart from 23	—	3	—	—	—	4	—	2	—	—	—	1	—	1	—	—	24
25	Congenital debility, &c.	13	4	—	2	26	11	35	32	4	5	3	2	17	12	4	—	25
26	Violence, apart from 27	5	2	3	—	6	3	24	13	1	1	1	—	11	1	4	1	26
27	Suicide	2	—	—	1	—	—	2	2	1	—	1	—	1	—	—	—	27
28	Other defined diseases ...	38	36	4	5	33	36	126	124	16	12	12	7	32	38	20	21	28
29	Causes ill-defined or unknown.	1	2	—	—	2	2	5	3	1	—	1	—	2	2	1	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

DURHAM—*cont.*

	Auckland R.D.		Barnard Castle R.D.		Chester le Street R.D.		Darlington R.D.		Durham R.D.		Easington R.D.		Hartlepool R.D.		Houghton le Spring R.D.		Lanchester R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	443	387	74	81	484	425	63	52	219	186	517	436	20	16	175	159	213	188	
1	—	1	—	—	4	—	1	—	4	2	5	7	—	—	1	1	2	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	8	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	—	3
4	1	4	—	1	9	5	—	—	—	—	4	3	—	—	2	1	1	3	4
5	6	12	—	—	5	15	—	1	1	3	7	1	—	—	—	—	2	3	5
6	7	3	—	—	9	13	2	—	—	—	6	3	—	—	1	3	1	9	6
7	8	3	—	1	9	5	—	1	—	4	3	6	—	—	—	5	—	—	7
8	—	1	—	—	—	—	1	—	1	—	2	2	—	—	—	—	1	—	8
9	27	29	9	4	27	36	2	5	14	5	33	37	—	1	7	12	11	17	9
10	5	5	1	—	4	10	—	—	1	3	2	6	—	—	—	1	3	2	10
11	3	4	1	1	10	13	1	—	3	2	14	15	—	1	4	—	8	4	11
12	14	18	3	11	22	24	2	4	9	11	22	24	—	—	6	12	9	7	12
13	2	3	1	—	5	2	1	—	1	2	3	4	—	—	2	—	—	1	13
14	3	2	1	1	7	4	—	1	—	—	3	5	—	1	5	6	1	1	14
15	30	39	8	7	39	26	9	5	29	18	29	30	4	3	14	17	22	20	15
16	41	37	2	4	39	27	6	2	26	18	38	33	1	2	14	15	12	15	16
17	33	13	3	4	45	28	7	6	21	14	43	33	3	1	11	15	27	19	17
18	11	7	1	3	3	9	—	1	3	1	10	9	—	—	5	1	2	1	18
19	14	13	—	2	28	22	—	2	2	6	23	17	—	—	3	4	5	5	19
20	3	—	—	—	2	2	—	1	1	—	5	2	—	—	1	—	1	—	20
21	1	5	1	—	1	2	1	—	1	—	4	1	1	—	2	1	1	1	21
21A	1	—	—	—	1	—	1	—	—	1	1	1	—	—	—	—	—	—	21A
22	6	10	—	1	12	11	—	5	6	6	19	15	—	—	4	6	10	3	22
23	—	1	—	1	—	2	—	1	—	1	—	1	—	—	—	—	—	—	23
24	—	7	—	1	—	6	—	—	—	2	—	1	—	—	—	3	—	3	24
25	48	34	9	6	51	41	6	1	26	16	51	37	2	1	23	16	25	20	25
26	33	6	4	1	24	13	3	1	11	3	46	8	2	—	14	1	13	2	26
27	1	—	—	—	—	2	—	1	2	1	4	3	—	—	1	2	—	1	27
28	127	124	28	30	125	104	19	13	56	67	139	129	7	6	55	36	55	50	28
29	10	5	2	2	3	3	—	1	1	—	1	2	—	—	—	1	—	1	29

DURHAM—*cont.*

	Sedgefield R.D.		South Shields R.D.		Stockton R.D.		Sunderland R.D.		Weardale R.D.										
	M	F	M	F	M	F	M	F	M	F									
	218	194	162	109	102	55	224	181	80	60									
1	5	3	7	—	—	—	1	1	—	1									1
2	—	—	—	—	—	—	—	—	—	—									2
3	—	—	—	—	—	—	—	2	—	—									3
4	—	1	1	1	—	—	—	1	—	—									4
5	1	7	2	1	2	2	2	4	2	—									5
6	4	1	1	1	1	1	—	4	—	1									6
7	3	4	3	1	—	1	3	2	—	—									7
8	—	—	—	—	—	—	1	—	—	—									8
9	12	11	14	11	2	2	14	15	3	4									9
10	4	3	5	—	—	—	4	3	—	—									10
11	4	3	—	2	3	—	4	6	—	1									11
12	7	11	7	11	6	6	12	15	3	5									12
13	1	—	1	—	—	1	1	—	—	1									13
14	2	1	2	3	—	—	1	1	2	3									14
15	17	21	19	12	11	8	18	15	8	5									15
16	14	17	12	8	3	4	20	15	5	6									16
17	22	21	19	9	20	1	15	5	7	1									17
18	3	2	7	4	2	1	3	4	1	2									18
19	4	4	6	2	3	—	7	5	—	—									19
20	—	2	1	—	—	—	3	2	—	—									20
21	3	3	2	—	2	—	—	—	—	—									21
21A	—	—	—	1	—	—	—	—	—	—									21A
22	4	4	2	2	5	2	10	9	1	2									22
23	—	1	—	1	—	—	—	—	—	—									23
24	—	2	—	2	—	2	—	1	—	1									24
25	23	21	5	5	8	4	15	14	7	3									25
26	15	6	7	1	10	—	15	3	9	—									26
27	2	—	—	1	—	—	3	1	—	—									27
28	67	45	39	30	24	19	72	51	31	24									28
29	1	—	—	—	—	1	—	2	1	—									29

ELY, ISLE OF.

	Chatteris U.D.		Ely U.D.		March U.D.		Whittlesey U.D.		
	M	F	M	F	M	F	M	F	
	39	27	60	63	61	54	32	39	
1	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	3
4	—	—	1	—	—	—	—	—	4
5	—	1	2	1	—	1	3	2	5
6	—	—	—	1	—	—	—	1	6
7	—	—	—	1	—	—	—	—	7
8	—	—	—	—	—	—	—	—	8
9	1	—	3	6	—	1	4	5	9
10	—	—	—	—	—	—	1	—	10
11	1	—	—	—	—	—	—	1	11
12	6	3	11	8	6	8	5	4	12
13	—	—	—	—	—	—	—	—	13
14	2	—	1	—	—	1	—	1	14
15	2	2	3	5	6	4	2	3	15
16	1	—	7	5	7	4	1	5	16
17	8	4	6	5	6	2	2	—	17
18	—	—	1	—	—	—	—	—	18
19	—	—	—	—	1	—	—	1	19
20	—	—	—	1	1	—	—	1	20
21	—	—	—	—	—	1	—	—	21
21A	—	—	—	—	—	—	—	—	21A
22	2	2	—	2	3	1	2	1	22
23	—	—	—	—	—	—	—	—	23
24	—	—	—	1	—	1	—	—	24
25	2	3	1	—	1	3	4	—	25
26	2	1	2	—	4	1	2	—	26
27	—	—	—	—	—	—	—	—	27
28	11	10	22	27	26	25	6	14	28
29	1	1	—	—	—	1	—	—	29

ELY, ISLE OF—*cont.*

	Causes of Death.	Wisbech M.B.				Ely R.D.		North Witchford R.D.		Thorney R.D.		Whittlesey R.D.		Wisbech R.D.		
		M	F			M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	90	77			103	93	36	24	15	13	21	15	64	48	
1	Enteric fever	1	—			—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—			—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—			—	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—			—	—	—	1	—	—	—	—	—	—	4
5	Whooping cough ...	—	—			2	3	—	—	1	—	1	—	—	—	5
6	Diphtheria and croup ...	—	—			—	—	—	—	1	—	—	—	—	—	6
7	Influenza	6	5			2	4	—	—	1	—	—	1	1	1	7
8	Erysipelas	—	—			—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	10	14			9	10	3	1	2	1	3	—	3	4	9
10	Tuberculous meningitis	2	—			—	1	—	—	1	—	—	—	—	1	10
11	Other tuberculous diseases	1	—			2	3	—	—	—	—	—	—	1	1	11
12	Cancer, malignant disease	4	12			17	12	4	6	1	3	3	1	6	6	12
13	Rheumatic fever... ...	—	—			—	—	1	—	—	—	—	—	2	—	13
14	Meningitis	1	1			—	—	—	—	2	1	—	—	—	1	14
15	Organic heart disease ...	8	5			5	10	3	1	1	1	—	1	7	4	15
16	Bronchitis	8	4			6	7	4	3	—	1	1	2	4	3	16
17	Pneumonia (all forms) ...	4	—			2	2	—	—	—	—	—	—	3	1	17
18	Other respiratory diseases	2	1			5	3	2	—	—	—	—	—	1	—	18
19	Diarrhœa, &c. (under 2 yrs.)	4	3			1	—	—	—	—	—	—	—	—	1	19
20	Appendicitis and typhlitis	—	1			1	—	—	—	1	1	—	1	—	—	20
21	Cirrhosis of liver ...	2	—			—	—	—	—	—	—	—	—	—	—	21
21A	Alcoholism	—	—			1	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	2			2	5	1	2	1	—	1	1	1	—	22
23	Puerperal fever	—	—			—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1			—	1	—	—	—	—	—	—	—	2	24
25	Congenital debility, &c.	6	1			7	7	4	1	—	1	3	1	8	2	25
26	Violence, apart from 27	5	2			2	1	1	—	—	—	1	1	8	1	26
27	Suicide	—	1			1	—	—	—	—	—	—	—	—	—	27
28	Other defined diseases ...	24	24			34	23	13	9	3	4	8	6	19	20	28
29	Causes ill-defined or unknown.	1	—			4	1	—	—	—	—	—	—	—	—	29

ESSEX.

	Causes of Death.					Barking Town U.D.		Braintree U.D.		Brentwood U.D.		Brightlingsea U.D.		Buckhurst Hill U.D.		Burnham on Crouch U.D.		
						M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES					227	208	39	47	38	36	30	30	30	31	21	15	
1	Enteric fever					1	2	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox					—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles					1	2	—	—	—	—	1	—	—	—	—	—	3
4	Scarlet fever					—	1	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...					1	2	—	—	—	—	—	—	2	2	—	—	5
6	Diphtheria and croup ...					4	5	—	—	—	—	—	—	—	—	—	—	6
7	Influenza					9	13	1	1	—	2	—	—	—	—	—	—	7
8	Erysipelas					1	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis					21	23	4	2	3	1	2	3	1	4	1	1	9
10	Tuberculous meningitis					5	6	—	—	1	1	1	—	—	—	—	—	10
11	Other tuberculous diseases					5	3	—	—	1	—	—	—	—	—	—	—	11
12	Cancer, malignant disease					20	20	—	2	2	5	—	4	1	1	—	2	12
13	Rheumatic fever... ...					—	—	—	—	—	—	—	1	—	—	—	—	13
14	Meningitis					3	—	—	2	1	2	—	—	1	—	—	—	14
15	Organic heart disease ...					15	27	8	6	4	4	4	6	5	3	1	5	15
16	Bronchitis					11	13	3	3	—	3	3	2	5	5	—	1	16
17	Pneumonia (all forms) ...					12	11	3	1	3	—	—	1	—	1	3	—	17
18	Other respiratory diseases					3	2	2	—	1	1	—	—	1	1	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)					1	4	—	—	—	—	—	—	—	—	—	—	19
20	Appendicitis and typhlitis					—	1	—	—	—	1	1	—	—	1	—	—	20
21	Cirrhosis of liver ...					1	1	—	—	—	—	—	—	—	—	—	—	21
21A	Alcoholism					—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.					7	2	1	2	2	—	1	1	2	2	1	1	22
23	Puerperal fever					—	—	—	—	—	1	—	—	—	—	—	—	23
24	Parturition, apart from 23					—	3	—	1	—	—	—	—	—	1	—	—	24
25	Congenital debility, &c.					20	12	1	4	2	1	2	1	5	1	4	—	25
26	Violence, apart from 27					18	4	1	3	1	1	1	—	—	1	1	—	26
27	Suicide					—	1	—	—	—	—	—	—	—	—	—	—	27
28	Other defined diseases ...					68	49	14	19	17	13	14	11	7	8	9	5	28
29	Causes ill-defined or unknown.					—	1	1	1	—	—	—	—	—	—	1	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

ESSEX—*cont.*

	Chelmsford M.B.		Chingford U.D.		Clacton U.D.		Colchester M.B.		Epping U.D.		Frinton on Sea U.D.		Grays Thurrock U.D.		Halstead U.D.		Harwich M.B.		Ilford U.D.		Leyton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	118	108	44	43	54	65	254	241	23	27	10	7	103	80	45	46	87	70	331	380	791	706	
1	—	1	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	1	1	2	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	1	—	—	—	—	3	3	1	—	—	—	—	—	—	—	—	—	1	1	7	3	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	4
5	4	1	—	—	1	—	3	3	—	1	—	—	1	—	—	—	—	—	5	9	19	19	5
6	2	—	1	—	—	—	6	3	—	—	—	—	1	1	—	—	—	1	3	6	5	8	6
7	—	1	1	2	2	—	4	10	1	1	1	—	1	—	—	1	2	—	5	6	5	6	7
8	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	8
9	9	6	—	2	4	6	28	26	—	1	1	—	11	9	3	4	5	5	31	33	87	50	9
10	—	—	—	—	—	2	2	3	—	—	—	—	2	—	—	—	1	1	1	8	15	7	10
11	2	3	—	1	4	2	2	2	1	—	—	—	1	2	—	1	—	3	4	6	15	5	11
12	4	13	3	4	6	10	17	23	4	3	1	1	8	5	4	6	9	14	31	35	64	79	12
13	—	—	1	1	—	—	1	—	—	—	—	1	—	1	—	—	—	—	1	1	2	2	13
14	3	1	2	1	—	—	5	4	—	—	—	—	1	1	—	—	2	—	2	2	5	3	14
15	7	17	6	2	6	6	39	30	3	5	1	—	7	10	3	6	14	8	36	50	70	88	15
16	15	13	5	4	1	1	16	19	1	—	—	1	6	12	6	9	6	3	19	26	72	68	16
17	5	2	2	1	3	1	4	3	3	3	—	—	9	7	1	1	6	2	24	23	47	49	17
18	4	1	2	1	1	2	3	4	—	1	—	—	1	1	2	—	2	2	11	10	23	14	18
19	3	1	—	—	—	1	4	2	—	—	—	—	4	2	—	—	3	—	5	4	16	17	19
20	1	1	2	—	1	3	2	2	—	—	—	—	1	—	—	—	1	—	—	6	3	3	20
21	—	—	—	1	1	1	1	1	—	—	—	—	—	—	—	—	—	1	4	1	4	2	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	3	21A
22	4	5	3	2	—	1	9	6	1	—	—	—	3	—	—	1	2	3	5	10	27	23	22
23	—	1	—	1	—	1	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	2	23
24	—	1	—	—	—	1	—	3	—	—	—	1	—	2	—	—	—	1	—	1	—	5	24
25	5	6	3	—	3	4	19	10	—	—	2	—	3	—	1	—	5	3	22	17	44	30	25
26	7	—	1	—	3	4	6	4	—	2	—	—	9	3	2	—	1	2	13	4	26	17	26
27	—	—	—	—	—	1	2	1	—	—	—	—	1	—	1	—	—	—	2	—	3	4	27
28	43	32	12	20	16	18	71	73	8	10	4	3	33	23	21	17	26	20	101	119	226	198	28
29	—	—	—	—	1	—	5	1	—	—	—	—	—	1	1	—	2	—	2	—	3	—	29

ESSEX—*cont.*

	Loughton U.D.		Maldon M.B.		Romford U.D.		Saffron Walden M.B.		Shoeburyness U.D.		Tilbury U.D.		Waltham Holy Cross U.D.		Walthamstow U.D.		Walton on the Naze U.D.		Wanstead U.D.		Witham U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	24	33	34	32	130	136	38	56	27	18	59	26	61	41	707	684	10	19	63	81	26	20	
1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	—	—	—	1	—	—	1	—	1	—	—	—	—	8	16	—	—	—	—	—	—	3
4	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	4
5	—	1	—	—	—	2	—	—	—	—	—	—	2	1	10	12	1	—	1	—	—	—	5
6	—	—	—	1	9	11	—	—	—	—	—	—	1	—	4	15	1	4	—	1	1	1	6
7	1	—	—	1	3	1	3	4	—	—	—	—	2	—	9	9	—	—	1	3	2	1	7
8	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	8
9	2	2	1	2	10	8	3	3	2	1	6	4	4	4	68	56	1	2	5	1	2	—	9
10	—	—	1	—	—	1	—	—	1	1	—	—	—	—	13	11	—	—	—	1	1	—	10
11	—	—	—	—	4	2	1	—	—	2	1	—	—	—	13	14	—	—	—	2	—	—	11
12	2	5	4	3	10	11	2	7	2	1	1	4	10	4	50	72	1	1	11	9	—	2	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	6	—	—	—	1	—	—	13
14	—	1	—	1	2	—	—	—	—	—	—	—	2	—	2	10	—	—	—	—	—	1	14
15	1	1	5	10	12	20	7	3	3	1	4	3	4	5	68	74	—	4	15	14	3	2	15
16	—	—	4	2	8	7	4	7	4	1	4	2	3	1	59	73	1	—	2	4	2	3	16
17	2	3	1	—	12	10	—	—	—	—	10	2	7	1	51	47	1	2	8	4	—	—	17
18	—	—	—	—	1	2	—	—	1	—	—	1	1	—	11	5	—	—	1	1	—	1	18
19	1	—	—	—	3	3	—	—	—	1	3	1	—	—	17	6	—	—	1	—	—	1	19
20	—	2	—	—	1	1	—	—	—	—	1	1	—	1	3	3	—	—	1	—	—	—	20
21	—	—	—	—	—	—	1	1	—	1	3	—	—	—	8	1	—	—	—	1	—	—	21
21A	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21A
22	—	2	—	2	3	2	1	1	—	2	1	—	2	4	14	11	1	—	1	2	2	—	22
23	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	4	—	—	—	1	—	—	23
24	—	—	—	1	—	2	—	—	—	—	—	1	—	—	—	5	—	—	—	—	—	—	24
25	3	—	1	—	12	8	—	2	4	1	2	1	8	4	53	44	—	—	1	3	1	1	25
26	2	2	1	1	5	6	2	1	2	—	7	—	4	3	26	16	—	1	—	2	4	—	26
27	—	—	—	—	1	1	1	—	—	—	—	—	1	—	5	—	—	1	1	—	—	—	27
28	9	14	16	7	31	35	13	25	6	4	15	6	10	13	208	173	3	4	14	31	8	7	28
29	—	—	—	—	1	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	29

ESSEX—*cont.*

	Causes of Death.	Wivenhoe U.D.		Woodford U.D.						Belchamp R.D.		Billericay R.D.		Braintree R.D.		Bumpstead R.D.		
		M	F	M	F					M	F	M	F	M	F	M	F	
	ALL CAUSES	17	14	99	87					22	28	114	108	129	131	14	11	
1	Enteric fever	—	—	—	—					—	—	—	—	—	—	—	—	1
2	Small-pox...	—	—	—	—					—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	1					—	—	—	1	2	—	—	—	3
4	Scarlet fever	—	1	—	—					—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	1	4					—	—	—	—	1	—	—	—	5
6	Diphtheria and croup ...	—	—	—	—					—	—	1	1	2	3	1	—	6
7	Influenza	2	—	—	2					—	1	1	10	8	3	2	—	7
8	Erysipelas	—	—	—	—					—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	1	—	5	7					2	1	9	7	7	3	—	1	9
10	Tuberculous meningitis	—	—	2	1					—	—	—	—	—	1	—	—	10
11	Other tuberculous diseases	—	—	3	2					—	—	1	2	1	—	—	1	11
12	Cancer, malignant disease	—	2	10	9					1	4	12	14	16	25	2	2	12
13	Rheumatic fever... ...	—	—	—	1					—	—	—	1	—	—	—	—	13
14	Meningitis	—	—	1	3					—	—	3	—	—	1	—	—	14
15	Organic heart disease ...	4	1	10	5					1	4	9	9	9	14	1	1	15
16	Bronchitis	—	2	9	6					—	3	7	4	8	4	—	1	16
17	Pneumonia (all forms) ...	1	—	7	11					1	3	6	3	6	4	1	—	17
18	Other respiratory diseases	—	—	2	—					1	—	1	2	—	—	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	1	1					—	—	2	3	1	1	—	—	19
20	Appendicitis and typhlitis	—	—	2	—					1	—	3	—	1	—	—	—	20
21	Cirrhosis of liver ...	2	—	—	—					—	—	—	—	1	—	—	—	21
21A	Alcoholism	—	—	—	—					—	—	—	—	—	1	—	—	21A
22	Nephritis and Bright's dis.	—	2	—	1					2	—	7	5	4	4	—	2	22
23	Puerperal fever	—	—	—	3					—	—	—	—	—	1	—	—	23
24	Parturition, apart from 23	—	—	—	—					—	—	—	1	—	1	—	—	24
25	Congenital debility, &c.	1	1	7	2					—	1	1	3	4	6	—	1	25
26	Violence, apart from 27	—	—	3	5					1	—	5	2	4	3	—	—	26
27	Suicide	—	—	—	1					—	—	2	1	2	—	—	—	27
28	Other defined diseases ...	6	5	35	22					12	11	44	38	52	56	7	2	28
29	Causes ill-defined or unknown.	—	—	1	—					—	—	—	1	—	—	—	—	29

ESSEX—*cont.*

	Causes of Death.	Chelmsford R.D.		Dunmow R.D.		Epping R.D.		Halstead R.D.		Lexden and Winstree R.D.		Maldon R.D.		Ongar R.D.		Orsett R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	170	148	109	96	74	77	68	60	134	121	110	78	68	60	131	95	
1	Enteric fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
2	Small-pox...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	—	—	—	—	—	3	—	2	1	—	—	—	—	—	1	3
4	Scarlet fever	2	3	—	—	—	—	—	1	—	1	—	—	—	—	—	—	4
5	Whooping cough ...	—	1	1	2	—	2	—	—	—	1	1	—	—	1	1	1	5
6	Diphtheria and croup ...	2	2	—	1	—	2	—	1	—	2	1	—	—	1	1	2	6
7	Influenza	4	5	1	2	—	4	1	5	4	2	1	1	2	2	1	—	7
8	Erysipelas	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	8
9	Pulmonary tuberculosis	10	8	7	4	6	2	6	2	9	5	7	3	2	8	1	8	9
10	Tuberculous meningitis	—	—	—	1	—	—	—	—	2	—	—	—	1	—	2	1	10
11	Other tuberculous diseases	1	4	—	—	—	—	1	1	2	—	—	1	1	—	2	—	11
12	Cancer, malignant disease	14	17	11	17	9	10	13	8	14	17	8	5	9	4	13	8	12
13	Rheumatic fever... ...	—	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	13
14	Meningitis	3	—	—	1	—	2	—	2	—	1	2	—	1	—	—	1	14
15	Organic heart disease ...	19	14	11	9	6	9	6	6	26	18	17	22	5	2	12	7	15
16	Bronchitis	29	13	13	7	2	3	5	5	6	13	8	9	7	3	9	7	16
17	Pneumonia (all forms) ...	11	5	5	6	5	2	1	1	7	4	3	4	3	2	8	5	17
18	Other respiratory diseases	—	2	2	—	1	5	2	1	3	1	—	—	—	1	2	2	18
19	Diarrhœa, &c. (under 2 yrs.)	1	—	—	1	1	—	1	—	—	—	—	—	—	—	3	1	19
20	Appendicitis and typhlitis	1	—	1	—	3	—	—	—	—	1	—	—	—	—	1	—	20
21	Cirrhosis of liver ...	1	—	—	1	—	—	—	—	1	—	—	1	—	—	2	—	21
21A	Alcoholism	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21A
22	Nephritis and Bright's dis.	3	5	2	4	4	3	2	—	3	2	5	—	4	—	3	4	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	1	—	1	—	—	—	1	—	—	—	1	—	1	24
25	Congenital debility, &c.	10	5	5	1	2	3	5	5	5	2	4	2	5	4	8	8	25
26	Violence, apart from 27	5	4	2	3	2	1	2	—	4	1	11	2	2	—	11	1	26
27	Suicide	1	—	—	—	—	1	—	1	1	2	—	2	—	—	—	—	27
28	Other defined diseases ...	50	55	47	35	32	27	19	21	42	46	42	24	24	31	46	36	28
29	Causes ill-defined or unknown.	2	—	1	—	—	—	1	—	1	—	—	2	2	—	3	1	29

ADMINISTRATIVE AREAS, 1916—*continued.*

ESSEX—*cont.*

GLOUCESTERSHIRE.

	Rochford R.D.		Romford R.D.		Saffron Walden R.D.		Stansted R.D.		Tendring R.D.						Awre U.D.		Charlton Kings U.D.		Cheltenham M.B.		Cirencester U.D.		
	M	F	M	F		F	M	F	M	F					M	F	M	F	M	F	M	F	
	133	93	149	146	58	67	47	43	139	156					9	15	24	34	318	402	50	52	
1	—	—	—	—	—	—	—	—	2	—					—	—	—	—	1	1	—	—	1
2	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	2
3	—	—	—	1	—	—	—	—	1	1					—	—	3	1	4	4	1	—	3
4	1	—	—	2	—	—	—	—	1	1					—	—	—	—	—	—	—	—	4
5	1	1	2	3	1	—	1	1	—	5					—	—	—	—	—	2	2	—	5
6	—	—	6	4	2	3	1	—	—	—					—	—	—	—	2	6	1	—	6
7	2	2	6	2	—	1	2	1	3	7					—	—	—	1	3	17	2	3	7
8	—	—	—	—	1	—	—	—	—	—					—	—	—	—	—	—	1	—	8
9	10	5	14	6	1	1	2	4	9	5					—	—	1	1	19	28	1	2	9
10	1	—	—	3	—	—	—	—	—	—					—	—	—	—	1	—	1	1	10
11	2	—	2	2	1	—	—	1	2	1					—	—	—	—	4	6	1	1	11
12	7	7	16	22	7	12	6	12	11	18					1	2	3	5	35	46	5	4	12
13	1	—	1	—	—	—	—	—	—	—					—	—	—	1	1	1	—	—	13
14	2	—	—	4	—	—	—	—	1	1					—	—	—	—	2	3	—	—	14
15	20	9	13	16	4	8	3	5	10	13					1	1	3	11	34	57	5	9	15
16	7	4	6	16	4	3	3	2	17	17					—	1	—	1	14	11	3	2	16
17	5	6	5	7	3	3	5	2	4	3					—	—	1	1	26	25	3	1	17
18	1	2	2	4	—	3	—	—	1	1					—	—	—	1	4	7	2	2	18
19	3	2	3	4	—	—	—	—	1	—					—	—	—	1	6	2	1	—	19
20	—	2	2	—	—	—	1	—	1	1					1	—	1	—	—	—	—	—	20
21	2	1	—	—	—	—	—	—	3	1					—	—	—	—	3	3	—	—	21
21A	1	—	—	—	—	—	—	—	—	1					—	—	—	—	—	—	—	—	21A
22	4	6	4	2	1	—	1	—	4	4					—	—	4	—	9	13	1	1	22
23	—	—	—	1	—	—	—	—	—	1					—	—	—	—	—	1	—	—	23
24	—	—	—	2	—	—	—	—	—	—					—	—	—	—	—	4	—	—	24
25	3	4	12	4	6	—	—	1	11	9					—	2	—	1	16	7	1	1	25
26	8	2	6	3	3	2	1	—	9	1					1	1	—	2	9	4	1	3	26
27	3	—	1	—	1	—	—	—	1	1					—	—	—	—	1	1	—	1	27
28	48	38	46	38	22	31	21	14	47	64					5	8	8	7	124	152	17	20	28
29	1	2	2	—	1	—	—	—	—	—					—	—	—	—	—	1	1	1	29

GLOUCESTERSHIRE—*cont.*

	Coleford U.D.		Kingswood U.D.		Nailsworth U.D.		Newnham U.D.		Stow on the Wold U.D.		Stroud U.D.		Tetbury U.D.		Tewkesbury M.B.		Westbury on Severn U.D.				Campden R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	
	12	18	73	73	19	21	8	5	8	10	55	60	16	17	28	32	12	4			38	25	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—			—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	2
3	—	—	1	2	—	—	—	—	—	—	—	—	—	—	1	1	—	—			1	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	4
5	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—			—	—	5
6	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	2	6
7	—	—	2	—	—	—	—	—	1	1	2	3	1	—	1	—	—	—			—	1	7
8	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	8
9	1	1	11	6	2	3	—	—	—	—	8	2	2	1	—	1	1	—			3	1	9
10	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—			—	1	10
11	—	—	2	—	—	—	—	—	—	—	2	3	—	—	—	—	—	—			—	—	11
12	1	1	4	5	2	1	1	—	1	—	6	7	—	1	—	2	1	—			4	4	12
13	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—			—	—	13
14	—	—	3	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—			—	—	14
15	2	3	7	8	4	4	1	1	1	—	4	8	3	1	5	3	2	—			5	3	15
16	1	2	5	7	—	4	1	—	1	—	6	3	2	4	4	2	—	—			1	2	16
17	—	—	2	3	—	—	—	—	—	1	3	2	—	—	2	1	1	1			5	—	17
18	—	—	1	2	—	—	—	—	—	1	—	2	—	—	—	—	—	—			—	—	18
19	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—			1	—	19
20	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—			1	—	20
21	—	—	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—			—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	21A
22	—	—	2	—	—	—	2	1	—	—	—	1	—	—	—	—	1	—			2	2	22
23	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—			—	—	23
24	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—			—	—	24
25	—	—	7	5	1	1	—	—	1	1	—	3	1	1	3	1	—	—			3	—	25
26	3	—	—	1	1	—	—	—	—	—	—	1	1	—	1	—	—	—			2	—	26
27	—	—	2	1	—	—	1	—	1	—	1	1	—	1	—	—	—	—			—	—	27
28	3	11	21	27	9	6	2	3	2	6	21	20	6	8	9	18	5	3			10	9	28
29	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	1	—			—	—	29

GLOUCESTERSHIRE—*cont.*

	Causes of Death.	Cheltenham R.D.		Chipping Sodbury R.D.		Cirencester R.D.		Dursley R.D.		East Dean and United Parishes R.D.		Faringdon (pt.) R.D.*		Gloucester R.D.		Lydney R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	31	33	159	179	77	83	86	92	148	145	7	10	82	81	64	54	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	7	6	1	1	—	—	4	3	—	—	—	4	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	4
5	Whooping cough ...	1	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	5
6	Diphtheria and croup ...	—	1	—	1	—	2	—	—	7	5	—	—	2	—	1	—	6
7	Influenza	1	—	—	4	1	2	1	1	1	2	—	1	2	2	1	—	7
8	Erysipelas	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	2	—	7	18	5	6	5	2	8	5	—	—	5	4	5	1	9
10	Tuberculous meningitis	—	—	2	2	1	1	1	—	3	2	—	—	1	—	1	—	10
11	Other tuberculous diseases	—	—	3	4	1	—	2	2	1	3	—	—	—	1	—	—	11
12	Cancer, malignant disease	2	7	8	12	10	9	8	15	13	11	1	2	6	13	3	4	12
13	Rheumatic fever... ...	—	—	1	1	—	—	1	2	—	2	—	—	—	—	1	1	13
14	Meningitis	—	1	—	—	—	1	—	—	1	1	—	—	—	1	—	—	14
15	Organic heart disease ...	4	8	22	29	13	17	15	13	11	22	—	1	12	13	10	9	15
16	Bronchitis	2	1	13	13	4	1	5	9	13	7	2	—	13	6	5	8	16
17	Pneumonia (all forms) ...	2	1	7	8	4	5	3	4	6	5	—	—	4	1	3	1	17
18	Other respiratory diseases	—	1	3	4	—	1	—	1	5	3	—	—	—	1	1	2	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	1	—	—	1	2	1	4	1	—	—	2	—	1	—	19
20	Appendicitis and typhlitis	1	—	—	—	—	1	—	—	—	1	1	—	1	—	—	2	20
21	Cirrhosis of liver ...	—	—	2	1	—	2	3	—	1	1	—	—	1	—	1	1	21
21A	Alcoholism	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	—	7	2	1	—	1	2	2	4	—	—	3	2	2	3	22
23	Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	1	—	—	—	1	—	—	—	—	—	—	24
25	Congenital debility, &c.	1	1	6	2	3	4	3	1	15	9	—	—	2	4	6	1	25
26	Violence, apart from 27	1	—	12	2	2	—	4	2	9	3	—	—	4	1	5	1	26
27	Suicide	1	—	—	—	1	—	2	3	1	—	—	—	—	—	1	—	27
28	Other defined diseases ...	11	11	58	68	26	27	30	33	42	52	3	6	23	25	17	20	28
29	Causes ill-defined or unknown.	—	—	—	1	4	—	—	—	1	—	—	—	—	—	—	—	29

GLOUCESTERSHIRE—*cont.*

	Causes of Death.	Marston Sicca R.D.		Newent R.D.		Northleach R.D.		Pebworth R.D.		Stow on the Wold (pt.) R.D.†		Stroud R.D.		Tetbury (pt.) R.D.‡		Tewkesbury (pt.) R.D.†		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	11	15	51	45	53	52	19	17	41	42	197	198	16	26	30	31	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	3
4	Scarlet fever	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	4
5	Whooping cough ...	1	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—	5
6	Diphtheria and croup ...	—	—	—	3	—	—	—	—	4	1	—	1	—	1	—	—	6
7	Influenza	—	—	—	—	1	—	—	—	7	5	8	12	—	—	1	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	8
9	Pulmonary tuberculosis	—	—	2	1	1	6	1	2	—	1	15	11	—	—	1	—	9
10	Tuberculous meningitis	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	10
11	Other tuberculous diseases	—	—	1	—	—	1	—	—	1	1	1	3	1	—	1	1	11
12	Cancer, malignant disease	2	—	5	3	4	7	1	—	2	2	18	24	1	5	4	5	12
13	Rheumatic fever... ...	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	13
14	Meningitis	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	14
15	Organic heart disease ...	1	2	10	10	6	10	3	2	6	2	35	26	1	3	6	6	15
16	Bronchitis	1	2	—	1	—	2	—	2	2	1	7	16	4	1	1	—	16
17	Pneumonia (all forms)...	—	—	4	3	4	—	2	—	4	4	6	2	—	1	—	3	17
18	Other respiratory diseases	—	1	1	—	2	—	—	—	—	—	1	6	—	—	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	19
20	Appendicitis and typhlitis	—	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	—	—	1	—	1	—	—	1	1	—	—	—	2	1	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	1	3	2	—	—	—	2	2	10	3	—	—	1	1	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	2	—	1	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	1	—	1	—	1	—	4	—	—	—	—	24
25	Congenital debility, &c.	—	1	5	4	1	2	—	—	3	—	9	6	—	3	1	—	25
26	Violence, apart from 27	1	1	3	2	3	2	1	—	2	3	9	3	—	—	2	—	26
27	Suicide	1	—	—	1	1	—	—	—	—	—	—	3	—	—	1	—	27
28	Other defined diseases ...	4	4	19	14	23	20	10	9	8	17	63	70	8	11	9	12	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	—	—	5	4	—	—	—	1	29

* The remainder of Faringdon R.D. is in Berkshire ; *see* page 379.
† The remaining parts of Stow on the Wold and Tewkesbury Rural Districts are in Worcestershire ; *see* page 455.
‡ The remainder of Tetbury R.D. is in Wiltshire ; *see* page 453.

ADMINISTRATIVE AREAS, 1916—*continued.*

GLOUCESTERSHIRE—*cont.*

	Thornbury R.D.		Warmley R.D.		West Dean R.D.		Wheaten-hurst R.D.		Winch-comb (pt.) R.D.*												
	M	F	M	F	M	F	M	F	M	F											
	131	125	120	98	86	69	55	44	61	61											
1	—	—	1	—	—	—	—	—	—	—											1
2	—	—	—	—	—	—	—	—	—	—											2
3	3	1	2	2	—	—	—	—	—	—											3
4	—	—	—	—	1	—	—	—	1	—											4
5	1	1	—	—	—	1	—	—	—	—											5
6	—	—	2	—	1	1	—	1	—	—											6
7	3	8	3	1	1	—	2	1	3	—											7
8	—	—	—	—	—	—	—	—	—	—											8
9	11	8	11	9	7	11	4	2	7	3											9
10	1	—	—	2	—	2	—	1	—	1											10
11	2	1	2	—	1	1	—	—	—	2											11
12	8	15	7	8	7	4	—	3	3	8											12
13	—	—	1	—	1	—	—	—	1	—											13
14	1	2	2	1	2	—	—	—	—	2											14
15	17	27	13	22	8	4	8	11	15	11											15
16	12	8	16	8	6	9	4	3	1	7											16
17	12	6	7	2	7	2	3	3	2	2											17
18	2	—	—	1	4	—	—	2	—	2											18
19	2	1	2	1	—	3	—	—	—	1											19
20	—	—	—	1	—	—	—	—	—	—											20
21	4	2	1	—	1	1	—	—	1	—											21
21A	—	—	—	—	—	—	—	—	—	—											21A
22	4	5	1	2	3	—	—	3	1	—											22
23	—	—	—	—	—	—	—	—	—	—											23
24	—	—	—	—	—	1	—	1	—	1											24
25	4	2	6	3	6	5	6	3	2	2											25
26	12	2	3	1	1	2	8	1	2	1											26
27	—	—	1	—	1	—	1	—	1	—											27
28	32	34	39	34	28	22	19	9	20	18											28
29	—	2	—	—	—	—	—	—	1	—											29

HEREFORDSHIRE.

	Bromyard U.D.		Hereford M.B.		Kington U.D.		Ledbury U.D.		
	M	F	M	F	M	F	M	F	
	18	15	128	189	9	14	21	26	
1	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	2
3	—	—	—	2	—	—	—	—	3
4	—	—	—	—	—	1	—	—	4
5	—	—	1	—	—	—	—	1	5
6	—	1	1	1	—	—	—	—	6
7	1	—	1	1	—	2	—	—	7
8	—	—	—	1	—	—	—	—	8
9	—	2	3	11	1	—	1	1	9
10	1	—	1	6	—	—	1	—	10
11	1	—	2	—	—	—	—	—	11
12	1	1	13	23	—	—	1	2	12
13	—	—	1	—	—	—	—	—	13
14	—	—	2	2	—	—	—	—	14
15	4	2	11	33	—	5	6	3	15
16	—	1	10	8	—	—	1	1	16
17	2	2	10	8	—	—	—	—	17
18	1	1	5	2	—	—	—	1	18
19	—	—	—	1	—	—	—	1	19
20	—	—	1	1	—	—	—	—	20
21	—	—	—	1	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	21A
22	—	2	3	—	—	—	—	—	22
23	—	—	—	—	—	—	—	—	23
24	—	—	—	2	—	—	—	—	24
25	2	—	8	7	—	1	2	1	25
26	—	—	4	9	—	—	—	—	26
27	—	—	1	—	—	—	—	—	27
28	4	3	49	70	8	5	9	15	28
29	1	—	1	—	—	—	—	—	29

HEREFORDSHIRE—*cont.*

	Leo-minster M.B.		Ross U.D.				Bred-wardine R.D.		Bromyard R.D.		Dore R.D.		Hereford R.D.		Kington R.D.		Ledbury R.D.		Leo-minster R.D.		Ross R.D.		
	M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	45	55	45	32			21	14	56	50	34	34	100	112	43	30	50	64	72	55	89	71	
1	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—			1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—			—	—	—	—	—	—	1	—	—	—	1	1	—	2	—	1	5
6	—	—	—	—			—	—	—	—	—	—	—	—	—	1	1	—	2	—	—	—	6
7	3	2	1	—			—	—	—	1	4	1	3	1	3	—	—	1	2	3	4	—	7
8	—	—	—	—			—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	8
9	3	7	6	2			—	—	4	4	1	2	8	12	3	3	2	1	4	2	4	3	9
10	1	—	—	—			—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	—	10
11	—	3	1	—			—	—	1	1	—	—	—	1	1	—	—	2	3	—	—	—	11
12	4	5	5	2			2	—	3	5	2	2	4	15	5	3	1	8	4	5	5	7	12
13	—	—	—	—			—	—	—	—	—	—	1	3	—	—	—	2	—	—	1	—	13
14	1	—	—	—			—	—	—	—	—	—	—	1	—	1	1	—	—	1	—	—	14
15	9	11	5	7			3	3	6	4	5	3	13	19	7	5	13	16	14	15	17	19	15
16	—	5	1	3			5	—	5	3	4	4	12	12	—	3	1	6	7	2	3	5	16
17	6	4	4	2			—	1	1	2	2	1	8	7	3	1	2	2	3	4	8	3	17
18	—	—	—	1			—	—	—	1	1	—	1	1	2	—	—	—	1	2	1	—	18
19	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	19
20	1	1	—	—			—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	20
21	—	—	—	—			1	—	—	1	—	—	1	—	1	—	—	—	1	—	—	—	21
21A	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	4	3	2			—	—	4	2	2	1	5	—	1	2	3	—	1	1	3	1	22
23	—	—	—	—			—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	23
24	—	—	—	—			—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	24
25	2	1	6	2			—	—	2	3	1	5	4	3	2	2	2	4	3	1	2	1	25
26	2	—	2	—			1	1	3	2	1	1	6	6	1	—	2	1	4	—	4	1	26
27	1	—	—	—			—	—	1	—	—	—	2	—	—	—	—	—	—	—	1	—	27
28	10	12	11	10			7	7	26	20	11	13	27	29	11	7	20	19	21	16	34	29	28
29	—	—	—	1			1	1	—	—	—	—	1	—	2	—	1	—	2	—	1	1	29

* The remainder of Winchcomb R.D. is in Worcestershire, *see* page 455.

HEREFORDSHIRE—*cont.*

Causes of Death.	Weobley R.D.		Whitchurch R.D.		Wigmore R.D.						Baldock U.D.		Barnet U.D.		Bishop's Stortford U.D.		
	M	F	M	F	M	F					M	F	M	F	M	F	
ALL CAUSES	51	46	8	13	21	24					16	14	73	62	48	49	
1 Enteric fever	—	—	—	—	—	—					—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—					—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—					—	—	—	—	—	—	3
4 Scarlet fever	—	—	—	—	—	—					—	—	—	—	—	—	4
5 Whooping cough ...	—	—	—	—	—	—					—	—	2	—	1	4	5
6 Diphtheria and croup ...	—	—	—	—	—	—					—	—	—	1	1	3	6
7 Influenza	4	2	—	1	2	2					1	—	—	—	—	—	7
8 Erysipelas	—	—	—	—	—	—					—	—	—	—	1	—	8
9 Pulmonary tuberculosis	3	3	—	1	2	2					1	2	5	1	2	2	9
10 Tuberculous meningitis	—	—	—	—	—	—					—	—	1	—	—	1	10
11 Other tuberculous diseases	—	—	—	—	—	—					2	—	1	1	1	—	11
12 Cancer, malignant disease	2	5	—	—	3	4					—	1	9	13	3	3	12
13 Rheumatic fever... ...	—	—	1	—	—	—					—	—	1	—	—	1	13
14 Meningitis	—	—	—	—	—	—					—	—	—	—	1	—	14
15 Organic heart disease ...	15	13	1	3	3	4					2	1	7	7	7	11	15
16 Bronchitis	4	1	2	2	2	1					1	2	6	7	7	5	16
17 Pneumonia (all forms) ...	1	2	—	—	1	1					1	—	4	1	3	1	17
18 Other respiratory diseases	—	—	—	—	—	1					—	—	—	—	1	1	18
19 Diarrhœa, &c. (under 2 yrs.)	—	—	—	—	—	—					—	—	3	2	2	—	19
20 Appendicitis and typhlitis	—	—	—	1	—	—					—	—	1	—	—	—	20
21 Cirrhosis of liver ...	—	—	—	—	—	—					—	—	2	—	—	1	21
21A Alcoholism	—	—	—	—	—	—					—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	3	1	1	1	—	—					1	—	1	1	5	—	22
23 Puerperal fever	—	—	—	—	—	—					—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	—					—	1	—	—	—	1	24
25 Congenital debility, &c.	—	4	1	—	2	1					1	3	4	9	2	—	25
26 Violence, apart from 27	4	3	—	—	1	—					—	—	2	2	—	—	26
27 Suicide	—	—	—	—	—	—					—	—	1	1	—	—	27
28 Other defined diseases ...	15	11	1	4	5	8					5	4	23	16	11	15	28
29 Causes ill-defined or unknown.	—	1	1	—	—	—					1	—	—	—	—	—	29

HERTFORDSHIRE—*cont.*

Causes of Death.	Bushey U.D.		Cheshunt U.D.		Chorleywood U.D.		East Barnet Valley U.D.		Great Berkhampstead U.D.		Harpenden U.D.		Hemel Hempstead M.B.		Hertford M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
ALL CAUSES	38	34	61	66	10	11	57	66	42	55	33	42	88	82	74	76	
1 Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4 Scarlet fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5 Whooping cough ...	1	—	2	1	—	—	1	—	—	—	1	1	1	—	5	3	5
6 Diphtheria and croup ...	—	—	1	1	—	—	1	—	1	1	1	—	—	—	—	—	6
7 Influenza	2	2	2	2	1	1	—	—	—	1	1	2	—	—	1	3	7
8 Erysipelas	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	8
9 Pulmonary tuberculosis	4	1	5	6	—	2	6	2	2	1	1	2	9	4	8	4	9
10 Tuberculous meningitis	—	—	—	—	—	—	—	1	—	—	1	1	3	—	—	—	10
11 Other tuberculous diseases	1	—	2	1	—	—	1	1	—	—	—	1	—	2	—	—	11
12 Cancer, malignant disease	3	8	4	9	1	1	5	8	2	6	2	6	9	8	10	10	12
13 Rheumatic fever... ...	—	1	—	1	—	—	—	—	—	—	—	—	—	—	1	—	13
14 Meningitis	1	—	—	—	—	—	—	2	1	—	—	—	1	2	—	1	14
15 Organic heart disease ...	3	4	3	6	—	—	7	9	5	6	5	5	12	14	13	14	15
16 Bronchitis	2	3	2	7	2	—	3	6	6	9	—	2	4	12	7	7	16
17 Pneumonia (all forms) ...	3	1	10	3	—	1	3	6	2	2	4	2	5	6	3	2	17
18 Other respiratory diseases	—	—	1	—	—	—	2	3	—	—	—	—	—	1	2	—	18
19 Diarrhœa, &c. (under 2 yrs.)	—	—	—	1	—	—	2	—	1	—	1	—	2	—	—	—	19
20 Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	4	—	2	1	1	—	—	20
21 Cirrhosis of liver ...	—	—	—	—	—	—	3	2	1	—	1	1	—	1	—	2	21
21A Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22 Nephritis and Bright's dis.	4	1	—	3	1	—	2	1	—	1	—	1	3	1	2	1	22
23 Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24 Parturition, apart from 23	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	24
25 Congenital debility, &c.	2	1	5	3	1	3	3	2	1	1	1	2	3	4	5	3	25
26 Violence, apart from 27	1	2	1	—	—	—	2	1	3	1	—	—	5	—	1	1	26
27 Suicide	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	27
28 Other defined diseases ...	11	9	22	22	4	2	15	19	17	21	13	13	29	25	14	21	28
29 Causes ill-defined or unknown.	—	—	1	—	—	1	1	—	—	—	—	—	1	1	—	4	29

ADMINISTRATIVE AREAS, 1916—*continued.*

HERTFORDSHIRE—*cont.*

	Hitchin U.D.		Hoddesdon U.D.		Rickmansworth U.D.		Royston U.D.		St. Albans M.B.		Sawbridgeworth U.D.		Stevenage U.D.		Tring U.D.		Ware U.D.		Watford U.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
	82	78	35	41	32	48	26	25	120	158	11	17	22	28	27	29	36	41	246	245		
1	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1		1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—		3
4	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—		4
5	3	1	—	—	1	3	—	—	7	4	—	—	—	—	—	—	—	—	1	2		5
6	2	3	—	—	—	—	—	—	4	3	—	1	—	—	—	2	—	—	1	5		6
7	2	2	—	2	—	1	—	—	2	6	—	1	—	—	—	—	—	—	6	8		7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—		8
9	9	7	1	4	2	3	2	3	8	12	2	1	1	—	5	—	4	3	29	15		9
10	1	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	2		10
11	—	2	—	1	—	—	—	—	1	1	—	—	—	—	—	—	—	1	2	8		11
12	5	5	4	5	2	5	2	4	10	24	—	1	2	3	1	3	6	4	12	24		12
13	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1		13
14	1	1	—	—	—	1	—	—	1	1	—	—	—	1	—	—	—	2	1	4		14
15	10	11	4	7	1	6	2	5	22	28	3	5	5	7	2	4	1	6	28	24		15
16	7	10	4	—	6	4	3	—	11	12	1	—	4	3	6	5	3	6	10	19		16
17	4	2	2	1	—	1	—	1	6	3	—	—	—	2	3	2	3	2	7	13		17
18	—	—	1	—	1	1	—	—	—	1	—	2	—	1	1	1	—	1	5	5		18
19	—	1	—	—	1	1	—	—	2	2	—	—	—	—	—	—	—	1	6	6		19
20	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	3		20
21	1	—	—	—	—	1	—	—	—	3	—	—	—	—	—	—	—	—	3	—		21
21A	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		21A
22	2	—	1	1	—	1	—	2	1	3	—	—	—	—	—	—	3	1	12	9		22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2		23
24	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	2	—	2		24
25	6	1	3	2	4	3	4	3	7	7	1	—	—	1	3	—	—	2	15	9		25
26	1	1	2	1	4	2	1	—	1	2	—	—	—	—	1	2	1	—	14	6		26
27	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	1	2	1		27
28	25	30	11	17	8	12	12	7	35	44	3	6	9	9	3	9	13	9	89	74		28
29	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	1	—	2	2		29

HERTFORDSHIRE—*cont.*

	Ashwell R.D.		Barnet R.D.		Berkhampstead R.D.		Buntingford R.D.		Hadham R.D.		Hatfield R.D.		Hemel Hempstead R.D.		Hertford R.D.		Hitchin R.D.		St. Albans R.D.		Ware R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	28	23	18	15	17	44	28	25	48	31	53	39	40	31	44	37	107	120	97	60	72	55	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	2	—	—	—	—	—	—	—	1	—	—	2	—	—	1	—	1	1	—	1	—	2	5
6	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	3	—	2	1	5	—	6
7	—	1	—	—	—	2	—	—	—	—	1	1	2	5	2	2	—	1	1	3	—	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	3	2	2	—	1	1	1	—	3	—	5	5	—	1	4	—	10	15	8	3	1	7	9
10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	10
11	1	—	—	1	—	—	—	—	—	1	2	—	2	—	—	—	—	1	3	—	2	1	11
12	4	3	1	3	2	6	1	4	7	1	5	3	3	4	10	3	10	11	8	4	8	7	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	13
14	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	1	—	1	—	—	14
15	2	4	—	4	3	10	5	7	3	5	13	6	8	6	5	5	8	13	26	14	6	4	15
16	3	4	1	1	3	2	3	—	3	6	2	1	2	2	4	2	8	12	6	5	9	6	16
17	3	1	—	1	—	3	2	1	—	—	1	2	4	—	1	3	3	4	4	7	8	4	17
18	—	—	1	1	—	—	1	—	1	—	—	1	2	—	1	—	—	2	4	1	1	—	18
19	—	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	19
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—	1	—	20
21	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	2	—	—	—	2	—	21
21A	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	—	—	1	5	1	—	4	—	1	2	1	1	—	1	4	4	2	—	—	2	22
23	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	24
25	1	—	3	—	3	—	1	2	1	1	2	1	2	—	4	3	6	4	5	1	3	—	25
26	—	—	2	—	—	1	—	—	1	—	2	2	1	—	1	—	8	1	6	—	4	—	26
27	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—	27
28	8	8	7	4	4	12	11	10	23	15	18	10	13	12	9	16	35	46	19	16	19	21	28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	—	1	—	—	—	29

HERTFORDSHIRE—*cont.* HUNTINGDONSHIRE.

	Causes of Death.	Watford R.D.		Welwyn R.D.				God-manchester M.B.		Hunting-don M.B.		Old Fletton U.D.		Ramsey U.D.		
		M	F	M	F			M	F	M	F	M	F	M	F	
	ALL CAUSES	63	71	7	14			19	21	38	35	35	31	30	29	
1	Enteric fever	—	—	—	—			—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—			—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—			—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—			—	—	—	—	1	—	—	—	4
5	Whooping cough ..	—	—	—	—			—	—	1	—	—	—	—	1	5
6	Diphtheria and croup ...	—	—	—	—			—	—	—	—	—	—	—	—	6
7	Influenza	2	4	—	—			—	—	—	—	—	1	—	—	7
8	Erysipelas	—	—	—	—			—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	9	4	—	—			—	—	5	—	1	2	3	1	9
10	Tuberculous meningitis	1	—	—	—			—	—	—	2	—	—	—	1	10
11	Other tuberculous diseases	—	—	—	—			1	1	—	1	2	—	—	—	11
12	Cancer, malignant disease	8	10	2	3			1	2	4	4	1	—	5	4	12
13	Rheumatic fever... ...	—	—	—	—			—	—	—	—	—	—	—	—	13
14	Meningitis	1	—	—	—			—	—	—	—	—	—	—	—	14
15	Organic heart disease ...	6	16	—	2			3	1	4	3	3	5	2	2	15
16	Bronchitis	3	5	1	2			3	1	3	4	5	1	5	2	16
17	Pneumonia (all forms) ...	3	3	—	—			2	—	2	—	3	3	1	2	17
18	Other respiratory diseases	1	1	—	—			—	1	—	—	1	2	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	1	1	—	—			—	—	—	—	—	—	—	—	19
20	Appendicitis and typhlitis	—	1	—	1			—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	1	2	—	1			—	—	—	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—			—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	2	3	—	—			—	—	—	—	4	1	—	—	22
23	Puerperal fever	—	—	—	—			—	—	—	1	—	3	—	—	23
24	Parturition, apart from 23	—	2	—	—			—	—	—	1	—	—	—	1	24
25	Congenital debility, &c.	4	3	—	—			1	1	1	—	2	5	1	3	25
26	Violence, apart from 27	4	—	—	—			1	1	1	—	2	1	3	—	26
27	Suicide	—	—	—	—			—	—	1	—	—	—	—	1	27
28	Other defined diseases ...	17	16	4	4			7	13	16	19	10	7	10	11	28
29	Causes ill-defined or unknown.	—	—	—	1			—	—	—	—	—	—	—	—	29

HUNTINGDONSHIRE—*cont.*

	Causes of Death.	St. Ives M.B.		St. Neots U.D.			Hunting-don R.D.		Norman Cross R.D.		Oundle (pt.) R.D.*		St. Ives R.D.		St. Neots R.D.		
		M	F	M	F		M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	18	27	30	24		46	33	30	35	5	8	63	67	57	46	
1	Enteric fever	—	—	—	—		—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—		—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—		—	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—		—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	3	1		—	—	—	1	—	—	—	1	1	—	5
6	Diphtheria and croup ...	—	—	—	—		—	—	—	—	—	—	1	—	1	—	6
7	Influenza	1	1	—	1		1	3	2	1	—	—	2	—	1	1	7
8	Erysipelas	—	—	—	—		—	—	—	—	—	—	1	—	—	—	8
9	Pulmonary tuberculosis	2	—	1	3		3	2	4	3	—	—	2	7	4	1	9
10	Tuberculous meningitis	—	—	—	—		—	—	—	1	—	—	2	—	—	—	10
11	Other tuberculous diseases	1	1	—	—		1	1	1	1	—	—	—	1	—	—	11
12	Cancer, malignant disease	2	5	1	4		6	4	4	5	1	1	6	6	7	5	12
13	Rheumatic fever... ...	—	—	—	—		—	—	—	1	—	—	—	—	—	—	13
14	Meningitis	—	—	—	—		—	—	—	—	—	—	—	—	—	—	14
15	Organic heart disease ...	3	5	4	7		6	4	3	4	—	1	5	8	7	6	15
16	Bronchitis	1	1	2	3		2	2	3	5	—	1	3	4	6	7	16
17	Pneumonia (all forms) ...	1	—	2	—		—	1	—	1	1	1	2	2	4	1	17
18	Other respiratory diseases	—	1	1	1		1	—	—	—	—	—	—	2	2	2	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	—		—	1	—	—	—	—	1	1	—	1	19
20	Appendicitis and typhlitis	—	—	—	—		—	—	—	—	—	—	1	—	—	—	20
21	Cirrhosis of liver ...	—	—	—	—		—	—	—	—	—	—	2	—	1	—	21
21A	Alcoholism	—	—	—	—		—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	2	2	1	1		2	—	—	—	—	—	1	1	—	—	22
23	Puerperal fever	—	—	—	—		—	—	—	1	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—		—	2	—	—	—	—	—	—	—	1	24
25	Congenital debility, &c.	1	2	2	—		1	2	—	2	—	—	3	2	2	2	25
26	Violence, apart from 27	—	—	1	—		—	1	3	2	—	—	—	—	3	1	26
27	Suicide	—	—	—	—		1	—	—	—	—	—	1	—	1	2	27
28	Other defined diseases ...	4	9	12	3		21	10	10	7	3	4	29	28	17	15	28
29	Causes ill-defined or unknown.	—	—	—	—		1	—	—	—	—	—	1	4	—	1	29

* The remainder of Oundle R.D. is in Northamptonshire ; *see* page 428.

ADMINISTRATIVE AREAS, 1916—*continued.*

HUNTINGDONSHIRE—*cont.* KENT.

	Thrapston (pt.) R.D.*		Sibson cum Stibbington C.P.†				Ashford U.D.		Beckenham U.D.		Bexley U.D.		Broadstairs and St. Peter's U.D.		Bromley M.B.		Chatham M.B.		Cheriton U.D.		
	M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	4	9	1	3			95	106	155	172	123	147	43	48	171	201	306	266	36	31	
1	—	—	—	—			—	—	—	—	—	—	—	—	—	—	2	1	—	—	1
2	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—			—	1	—	—	2	2	—	—	—	—	10	6	—	—	3
4	—	—	—	—			—	—	—	—	1	1	—	—	—	—	1	1	—	—	4
5	—	—	—	—			1	2	1	2	—	1	—	—	4	4	1	1	1	—	5
6	—	—	—	—			—	1	—	—	1	1	2	—	—	1	2	2	—	—	6
7	1	—	—	—			1	4	1	10	1	—	—	—	3	7	2	4	—	—	7
8	—	—	—	—			1	—	—	—	—	—	—	—	—	1	—	—	—	1	8
9	—	—	1	—			8	10	15	13	7	10	4	5	16	25	23	17	3	3	9
10	—	—	—	—			—	2	2	1	1	1	—	—	2	1	2	2	1	—	10
11	—	1	—	—			2	1	2	3	—	1	2	1	—	—	5	3	2	1	11
12	—	2	—	—			7	14	12	14	8	12	5	8	12	25	24	29	2	4	12
13	—	—	—	—			—	—	—	—	1	1	—	—	—	1	2	3	—	—	13
14	—	—	—	—			1	—	3	1	3	—	—	—	2	2	10	3	—	—	14
15	—	—	—	1			8	13	19	23	16	19	3	8	28	25	36	39	3	5	15
16	3	—	—	—			5	11	13	17	11	14	2	3	7	13	26	28	4	3	16
17	—	—	—	—			4	1	5	11	8	10	2	1	10	7	16	14	—	2	17
18	—	—	—	1			1	1	2	—	1	2	—	1	1	2	2	2	1	1	18
19	—	—	—	—			2	1	1	2	9	2	1	—	5	2	8	6	1	1	19
20	—	—	—	—			—	—	2	—	1	3	—	—	2	1	1	2	—	—	20
21	—	—	—	—			1	1	2	1	1	3	—	—	1	2	4	—	—	—	21
21A	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	1	—	—			3	4	8	10	4	4	3	1	6	6	5	4	—	—	22
23	—	—	—	—			—	—	—	1	—	—	—	—	—	2	—	—	—	1	23
24	—	—	—	—			—	—	—	1	—	2	—	1	—	—	—	2	—	—	24
25	—	—	—	1			9	2	10	4	9	6	1	1	14	11	26	14	2	2	25
26	—	—	—	—			3	2	7	2	3	2	2	2	2	4	10	5	3	2	26
27	—	—	—	—			1	—	1	1	2	—	—	1	1	1	5	1	—	—	27
28	—	5	—	—			37	34	49	55	33	49	16	15	55	58	76	74	13	5	28
29	—	—	—	—			—	1	—	—	—	1	—	—	—	—	7	3	—	—	29

KENT—*cont.*

	Chislehurst U.D.		Dartford U.D.		Deal M.B.		Dover M.B.		Erith U.D.		Faversham M.B.		Folkestone M.B.‡		Foots Cray U.D.		Gillingham M.B.		Gravesend M.B.		Herne Bay U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	52	42	125	117	73	75	303	312	193	188	134	65	210	260	53	46	282	309	250	197	45	55	
1	—	—	1	—	—	—	—	1	—	—	1	1	—	—	—	—	1	1	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	1	3	2	1	—	—	1	1	—	—	—	1	—	1	—	2	1	4	2	—	—	3
4	—	—	—	—	—	—	—	1	5	6	—	—	2	2	—	—	—	—	—	—	—	—	4
5	2	1	3	5	—	—	8	5	2	4	—	—	2	3	1	—	2	5	—	3	—	2	5
6	—	—	3	—	—	—	3	3	13	3	—	1	2	1	—	—	2	1	4	7	1	—	6
7	1	1	1	1	1	—	7	11	3	5	5	2	3	—	1	1	—	1	9	5	—	1	7
8	—	—	—	—	—	—	—	1	1	—	—	1	1	—	—	—	—	—	1	—	—	—	8
9	3	5	13	10	7	2	13	25	16	10	8	7	20	10	3	7	25	35	20	15	3	—	9
10	—	1	1	—	—	2	4	5	5	3	—	1	2	4	2	1	4	1	—	2	—	1	10
11	—	1	—	—	2	—	5	4	—	3	1	1	2	2	—	1	5	2	4	3	—	—	11
12	3	6	13	12	11	8	28	28	12	14	13	3	18	35	6	3	24	29	17	15	2	6	12
13	—	1	—	—	—	1	—	4	1	—	1	—	1	1	1	—	—	—	—	1	—	—	13
14	1	—	—	—	—	1	1	1	1	5	—	1	3	3	—	—	10	6	1	1	1	—	14
15	4	5	14	16	4	3	17	31	23	21	10	7	15	43	7	4	30	43	28	21	11	11	15
16	3	2	11	10	3	4	23	25	12	21	6	6	19	29	5	3	24	30	18	13	4	3	16
17	3	1	8	5	8	10	15	13	14	15	5	2	11	6	4	3	9	12	21	16	—	—	17
18	3	—	2	3	—	—	4	1	2	3	2	5	6	3	1	2	7	3	2	1	—	1	18
19	—	—	3	4	2	2	6	3	2	2	—	1	11	5	—	—	2	1	10	4	1	—	19
20	—	—	—	1	—	—	1	—	2	—	3	—	—	1	—	—	2	2	1	1	1	2	20
21	—	—	—	2	—	1	5	1	5	1	2	—	3	4	1	—	1	3	4	4	1	1	21
21A	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	1	21A
22	4	1	—	2	2	1	6	6	4	8	5	1	7	8	1	1	4	7	7	4	—	1	22
23	—	1	—	1	—	—	—	3	—	—	—	—	—	5	—	1	—	2	—	—	—	—	23
24	—	1	—	1	—	—	—	1	—	3	—	1	—	5	—	1	—	2	—	2	—	1	24
25	2	2	6	10	4	4	13	17	9	14	10	8	11	12	2	1	28	17	11	9	3	7	25
26	2	1	7	1	4	2	59	22	11	4	30	—	8	6	—	—	7	7	18	3	1	1	26
27	1	—	—	—	—	—	1	—	1	—	—	—	2	—	1	1	6	—	1	3	1	—	27
28	20	11	36	31	22	33	83	96	48	42	31	15	60	70	16	16	85	94	66	62	15	16	28
29	—	—	—	—	2	1	1	3	—	1	—	1	—	2	—	—	2	4	2	—	—	—	29

* The remainder of Thrapston R.D. is in Northamptonshire; *see* page 428.
† Administered by Barnack R.D.C. (Soke of Peterborough).
‡ Excluding the civil parish of Folkestone next Sandgate.

KENT—*cont.*

	Causes of Death.	Hythe M.B.		Lydd M.B.		Maidstone M.B.		Margate M.B.		Milton Regis U.D.		New Romney M.B.		Northfleet U.D.		Penge U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	38	53	11	12	268	257	157	157	64	47	10	8	108	90	133	173	
1	Enteric fever	—	—	1	—	6	2	—	1	—	—	—	—	1	2	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	1	—	—	—	—	2	3	—	—	—	—	1	1	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	4
5	Whooping cough ...	—	—	—	—	2	3	—	2	—	1	—	—	—	3	—	—	5
6	Diphtheria and croup ...	1	—	—	—	—	—	1	—	3	—	—	2	1	2	2	—	6
7	Influenza	2	2	—	—	4	2	3	2	4	7	—	—	3	1	7	10	7
8	Erysipelas	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	3	5	—	2	22	24	18	15	6	2	1	—	10	8	11	13	9
10	Tuberculous meningitis	—	—	—	—	3	4	2	1	2	1	—	—	—	1	1	1	10
11	Other tuberculous diseases	—	—	—	—	3	1	2	4	—	1	—	—	2	3	2	1	11
12	Cancer, malignant disease	2	4	1	2	20	28	13	23	4	1	—	1	7	7	10	16	12
13	Rheumatic fever... ...	—	—	—	—	2	1	1	—	—	—	—	—	2	—	—	1	13
14	Meningitis	2	—	1	—	2	1	1	1	—	—	—	1	—	—	—	5	14
15	Organic heart disease ...	3	7	—	1	33	31	16	22	7	5	1	—	11	12	21	31	15
16	Bronchitis	4	6	1	1	23	18	13	11	1	3	1	1	8	2	9	13	16
17	Pneumonia (all forms) ...	1	—	1	—	20	7	7	8	3	—	1	—	13	8	14	8	17
18	Other respiratory diseases	1	—	—	—	4	3	2	—	3	1	—	—	1	—	—	3	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	1	5	6	2	1	1	—	1	—	5	5	—	1	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	3	—	—	—	—	3	—	—	20
21	Cirrhosis of liver ...	—	1	—	1	4	5	1	2	2	—	—	—	1	—	1	1	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	1	—	—	12	5	4	5	—	1	—	—	6	—	6	6	22
23	Puerperal fever	—	1	—	—	—	2	—	1	—	—	—	1	—	—	—	1	23
24	Parturition, apart from 23	—	1	—	—	—	3	—	1	—	1	—	—	—	4	—	—	24
25	Congenital debility, &c.	2	—	1	—	6	13	6	5	2	1	2	—	3	4	6	2	25
26	Violence, apart from 27	2	1	1	—	15	4	10	2	4	2	—	—	9	3	1	2	26
27	Suicide	—	1	—	—	5	—	—	2	1	1	1	—	—	1	1	—	27
28	Other defined diseases ...	15	22	4	4	74	84	51	44	17	19	2	1	24	17	41	57	28
29	Causes ill-defined or unknown.	—	—	—	—	3	9	2	1	—	—	—	1	—	2	—	1	29

KENT—*cont.*

	Causes of Death.	Queenborough M.B.		Ramsgate M.B.		Rochester M.B.		Sandgate U.D.*		Sandwich M.B.		Sevenoaks U.D.		Sheerness U.D.		Sittingbourne U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	13	18	195	223	214	197	7	8	27	25	51	58	123	108	60	52	
1	Enteric fever	—	—	1	2	—	2	—	—	—	—	—	—	1	2	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	4
5	Whooping cough ...	—	2	—	—	4	2	—	—	—	—	—	1	—	5	1	1	5
6	Diphtheria and croup ...	2	2	1	1	1	5	—	—	—	—	—	—	7	3	2	2	6
7	Influenza	—	—	4	4	5	6	—	—	—	2	—	5	3	1	1	4	7
8	Erysipelas	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—	8
9	Pulmonary tuberculosis	—	2	17	17	15	16	—	1	2	2	6	7	6	5	8	4	9
10	Tuberculous meningitis	—	—	1	3	5	—	—	—	1	1	1	2	1	1	—	—	10
11	Other tuberculous diseases	—	1	4	5	3	1	—	—	1	—	1	2	2	—	—	—	11
12	Cancer, malignant disease	—	1	15	21	20	20	—	1	1	1	4	10	5	10	5	2	12
13	Rheumatic fever... ...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	13
14	Meningitis	—	—	—	—	3	2	—	—	—	—	—	—	2	1	—	1	14
15	Organic heart disease ...	—	2	23	26	21	27	1	2	4	1	8	4	13	12	12	2	15
16	Bronchitis	—	1	11	16	17	10	—	2	1	3	1	4	2	5	2	4	16
17	Pneumonia (all forms) ...	1	1	4	9	15	9	—	—	2	1	—	2	12	3	4	3	17
18	Other respiratory diseases	—	—	4	1	5	2	—	—	1	—	—	—	3	2	1	1	18
19	Diarrhœa, &c. (under 2 yrs.)	—	1	2	—	8	4	—	—	1	—	1	1	1	—	1	—	19
20	Appendicitis and typhlitis	—	1	—	4	1	3	—	—	—	—	—	—	—	1	—	—	20
21	Cirrhosis of liver ...	—	—	2	2	2	—	1	—	—	—	1	—	1	3	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	3	6	6	4	1	—	1	3	2	2	2	1	—	4	22
23	Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	23
24	Parturition, apart from 23	—	—	—	1	—	3	—	—	—	—	—	1	—	1	—	—	24
25	Congenital debility, &c.	3	1	16	11	11	11	—	—	—	1	2	—	12	8	1	6	25
26	Violence, apart from 27	3	—	25	7	3	4	1	—	2	—	—	2	5	—	2	1	26
27	Suicide	—	—	1	1	2	—	—	—	—	—	—	—	2	—	1	—	27
28	Other defined diseases ...	4	3	61	82	66	64	3	2	9	8	23	15	41	37	19	17	28
29	Causes ill-defined or unknown.	—	—	—	4	1	—	—	—	1	2	1	—	—	2	—	—	29

* Including the civil parish of Folkestone next Sandgate.

ADMINISTRATIVE AREAS, 1916—*continued.*

KENT—*cont.*

	Southborough U.D.		Tenterden M.B.		Tonbridge U.D.		Tunbridge Wells M.B.		Walmer U.D.		Whitstable U.D.		Wrotham U.D.			Blean R.D.		Bridge R.D.		Bromley R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	
	47	55	18	24	92	93	203	289	28	28	53	78	20	29		52	58	67	60	162	130	
1	—	—	—	—	1	—	—	—	—	—	—	—	—	—		—	1	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	1	—	—	—	—	—	—		—	—	—	—	—	2	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	4
5	—	1	—	—	—	1	1	4	—	1	1	5	—	—		—	1	—	1	1	1	5
6	1	—	—	—	2	—	5	2	—	—	2	1	—	—		2	—	—	2	—	—	6
7	—	2	1	1	2	—	11	17	—	2	1	1	1	2		3	3	—	7	5	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	1	—	1	—	8
9	5	3	1	4	5	13	14	13	1	2	5	7	1	3		6	6	4	4	11	15	9
10	2	1	—	2	2	1	1	4	1	—	—	1	—	—		—	—	2	—	1	1	10
11	—	—	1	1	4	—	3	4	—	—	—	4	—	—		—	1	—	—	2	3	11
12	4	4	1	1	7	7	23	41	2	5	5	12	1	1		4	7	7	6	12	16	12
13	—	—	—	—	—	1	—	—	—	1	—	—	—	—		—	—	—	—	—	—	13
14	—	—	—	1	1	3	1	2	—	—	1	—	1	—		—	—	1	2	2	1	14
15	6	7	1	4	12	13	23	47	4	1	11	8	4	4		10	6	9	14	24	18	15
16	3	2	—	—	6	10	12	12	1	3	1	3	1	3		1	2	—	6	13	14	16
17	2	2	1	1	5	7	8	19	2	1	2	2	2	1		1	3	2	1	10	9	17
18	—	1	—	—	4	1	4	5	1	—	—	—	1	—		1	1	—	2	3	1	18
19	—	—	—	—	—	—	2	1	1	—	—	—	—	—		—	—	4	1	3	1	19
20	—	1	—	—	1	—	2	2	—	—	—	—	1	—		1	—	—	—	1	2	20
21	—	1	1	—	—	—	1	2	—	1	—	—	—	—		1	—	—	—	1	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	1	—	21A
22	2	—	—	—	2	2	8	1	2	1	3	—	—	—		2	2	5	—	5	2	22
23	—	—	—	—	—	—	—	2	—	—	—	—	—	—		—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	3	—	—	—	—	—	—		—	—	—	—	—	1	24
25	1	3	1	1	3	5	9	7	—	1	2	1	—	1		3	—	3	1	14	5	25
26	3	1	—	—	4	4	8	4	1	1	—	—	—	—		2	—	3	—	6	4	26
27	—	—	—	—	1	1	3	1	—	—	—	1	1	—		—	3	1	—	1	—	27
28	18	25	10	8	29	24	64	95	12	8	19	32	6	12		15	22	24	13	45	31	28
29	—	1	—	—	1	—	—	—	—	—	—	—	—	2		—	—	1	—	—	1	29

KENT—*cont.*

	Cranbrook R.D.		Dartford R.D.		Dover R.D.		East Ashford R.D.		Eastry R.D.		Elham R.D.		Faversham R.D.		Hollingbourne R.D.		Hoo R.D.		Isle of Thanet R.D.		Maidstone R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	72	76	252	250	49	29	92	99	80	74	50	53	165	87	98	64	32	24	72	69	102	109	
1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	3	2	—	—	—	1	—	—	—	—	—	—	1	—	—	—	3	2	—	—	3
4	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	2	3	8	—	—	1	3	—	—	—	—	2	—	—	—	—	—	—	1	1	2	5
6	1	1	2	3	1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	2	1	6
7	4	—	4	7	1	2	2	3	2	1	2	1	—	—	3	1	1	1	2	—	3	4	7
8	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	8
9	5	5	32	22	2	2	3	8	—	6	3	2	8	4	5	4	1	1	6	2	8	12	9
10	—	—	3	2	1	1	—	1	1	2	—	—	—	—	3	—	—	—	1	—	2	—	10
11	—	3	4	4	—	1	—	2	1	1	2	—	—	1	—	1	1	—	1	3	1	2	11
12	4	10	19	31	2	3	5	13	13	6	3	7	8	5	5	7	4	1	8	9	7	8	12
13	—	—	—	2	—	—	—	1	1	—	—	—	1	—	—	1	—	—	—	1	—	1	13
14	—	—	2	2	—	1	1	1	—	—	—	—	—	1	1	1	—	—	—	—	—	—	14
15	17	16	29	24	4	2	16	16	13	20	6	9	17	14	18	9	2	5	9	10	21	13	15
16	5	4	20	18	4	4	7	3	7	2	3	5	6	3	7	7	3	1	1	3	7	13	16
17	6	1	16	11	2	1	4	3	4	1	8	2	11	6	2	1	1	3	2	—	3	2	17
18	—	—	1	2	1	1	—	—	3	—	1	—	4	—	3	1	1	—	3	4	2	1	18
19	1	—	11	7	2	1	2	1	—	3	1	1	—	—	3	—	1	—	1	—	1	1	19
20	—	—	3	—	—	1	—	—	1	—	—	1	2	—	—	1	—	—	—	1	1	2	20
21	—	1	2	1	—	—	—	—	1	—	—	—	—	—	2	—	1	—	—	1	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21A
22	1	2	5	7	3	—	3	—	—	4	—	—	1	1	1	—	—	—	3	2	—	1	22
23	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—	23
24	—	2	—	5	—	1	—	2	—	1	—	—	—	1	—	—	—	—	—	1	—	—	24
25	3	1	13	15	6	1	4	7	6	3	1	2	7	4	2	4	—	2	4	1	2	1	25
26	1	2	13	4	5	1	7	—	2	—	2	2	58	7	3	2	3	1	4	3	4	1	26
27	—	1	8	2	—	1	—	1	—	—	—	—	2	—	2	—	—	—	1	1	2	—	27
28	24	25	59	67	14	5	34	32	24	22	17	20	38	39	34	21	12	9	23	22	34	44	28
29	—	—	—	2	1	—	2	—	—	1	1	1	—	—	2	1	1	—	—	1	—	—	29

KENT—*cont.*

	Causes of Death.	Malling R.D.		Milton R.D.		Romney Marsh R.D.		Sevenoaks R.D.		Sheppey R.D.		Strood R.D.		Tenterden R.D.		Tonbridge R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	176	137	82	72	17	13	144	122	26	17	98	93	35	44	97	90	
1	Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	5	3	—	—	—	—	—	—	—	—	3	—	—	—	—	—	3
4	Scarlet fever	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	2	2	3	1	—	—	2	2	—	1	—	2	—	—	—	—	5
6	Diphtheria and croup ...	1	2	—	1	—	—	—	1	1	—	1	2	—	—	1	—	6
7	Influenza	3	4	2	2	—	—	4	3	—	—	3	2	3	—	3	—	7
8	Erysipelas	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	8
9	Pulmonary tuberculosis	16	7	3	1	4	1	19	9	1	1	7	8	3	5	4	7	9
10	Tuberculous meningitis	1	1	1	—	1	—	1	3	—	—	1	—	—	—	1	—	10
11	Other tuberculous diseases	1	3	2	—	—	—	—	2	—	1	3	—	—	—	—	1	11
12	Cancer, malignant disease	21	15	3	5	1	—	11	16	1	1	10	7	4	1	14	8	12
13	Rheumatic fever... ...	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	13
14	Meningitis	—	—	—	1	—	—	—	—	—	—	—	1	—	—	1	1	14
15	Organic heart disease ...	13	20	5	8	—	1	18	18	1	2	3	8	3	9	12	14	15
16	Bronchitis	17	10	6	4	—	2	8	7	3	—	4	14	4	3	6	9	16
17	Pneumonia (all forms) ...	8	5	8	7	—	—	8	6	2	—	5	6	2	2	6	4	17
18	Other respiratory diseases	2	2	—	3	—	—	4	1	—	—	—	1	1	—	2	1	18
19	Diarrhœa, &c. (under 2 yrs.)	8	1	1	1	1	—	2	—	—	—	—	2	—	—	1	—	19
20	Appendicitis and typhlitis	2	2	1	—	—	—	—	—	—	—	1	—	—	1	2	—	20
21	Cirrhosis of liver ...	3	—	1	—	1	—	—	—	—	—	1	—	—	1	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	6	5	10	4	—	—	4	1	—	1	3	1	—	1	1	3	22
23	Puerperal fever	—	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	—	—	—	—	—	—	2	—	2	—	2	24
25	Congenital debility, &c.	6	7	5	4	—	2	6	4	1	3	7	9	1	1	6	—	25
26	Violence, apart from 27	3	2	6	1	1	3	9	4	2	1	6	2	2	—	3	1	26
27	Suicide	1	—	—	—	—	—	1	1	—	—	1	—	1	—	1	—	27
28	Other defined diseases ...	49	40	24	26	8	4	42	44	14	6	36	24	11	17	31	37	28
29	Causes ill-defined or unknown.	5	2	—	2	—	—	5	—	—	—	3	—	—	—	2	2	29

KENT—*cont.* LANCASHIRE.

	Causes of Death.	West Ashford R.D.						Abram U.D.		Accrington M.B.		Adlington U.D.		Ashton in Makerfield U.D.		Ashton under Lyne M.B.		
		M	F					M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	52	46					49	37	279	264	28	29	160	142	319	328	
1	Enteric fever	—	—					—	1	1	2	—	—	—	—	7	1	1
2	Small-pox	—	—					—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—					—	—	1	1	1	—	1	1	1	1	3
4	Scarlet fever	—	—					1	—	1	1	—	—	3	3	—	1	4
5	Whooping cough ...	—	1					1	—	1	1	—	—	5	2	7	9	5
6	Diphtheria and croup ...	—	1					—	—	2	4	—	—	2	3	1	3	6
7	Influenza	1	—					—	1	—	5	1	2	5	4	2	3	7
8	Erysipelas	—	—					—	—	1	1	—	—	—	—	1	—	8
9	Pulmonary tuberculosis	5	5					2	—	15	22	1	2	12	14	35	30	9
10	Tuberculous meningitis	1	1					—	1	3	2	—	—	4	4	4	4	10
11	Other tuberculous diseases	—	1					—	—	9	4	1	—	4	3	4	6	11
12	Cancer, malignant disease	2	7					3	1	24	27	2	4	7	4	18	27	12
13	Rheumatic fever... ...	—	—					—	—	1	1	—	1	1	1	1	1	13
14	Meningitis	—	1					2	—	4	—	—	—	1	—	1	3	14
15	Organic heart disease ...	2	7					2	4	34	27	3	7	12	8	35	45	15
16	Bronchitis	4	2					6	2	27	24	—	2	12	13	35	48	16
17	Pneumonia (all forms) ...	1	2					8	2	22	18	2	1	31	19	26	29	17
18	Other respiratory diseases	1	2					2	1	5	4	—	—	1	2	5	6	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—					3	3	2	2	—	1	6	1	4	6	19
20	Appendicitis and typhlitis	—	—					—	—	—	1	—	—	1	1	2	—	20
21	Cirrhosis of liver ...	—	—					—	—	4	—	1	—	2	—	—	—	21
21A	Alcoholism	—	—					—	—	—	—	—	—	1	—	—	—	21A
22	Nephritis and Bright's dis.	1	1					—	—	11	11	1	2	4	5	5	14	22
23	Puerperal fever	—	—					—	—	—	1	—	—	—	—	—	1	23
24	Parturition, apart from 23	—	—					—	1	—	4	—	—	—	9	—	1	24
25	Congenital debility, &c.	1	1					1	5	14	14	2	2	11	5	19	15	25
26	Violence, apart from 27	4	—					1	—	8	5	3	—	5	3	14	5	26
27	Suicide	1	—					1	—	5	1	—	1	1	1	2	—	27
28	Other defined diseases ...	27	14					16	15	79	79	8	4	26	34	90	69	28
29	Causes ill-defined or unknown.	1	—					—	—	5	2	2	—	2	2	—	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

LANCASHIRE—*cont.*

	Aspull U.D.		Atherton U.D.		Audenshaw U.D.		Bacup M.B.		Barrow-ford U.D.		Billinge U.D.		Bispham with Nor-breck U.D.		Blackrod U.D.		Brierfield U.D.		Carnforth U.D.		Chadder-ton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	58	45	139	129	51	52	165	179	33	34	33	25	19	19	23	19	44	63	20	13	199	185	
1	3	2	1	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	1	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	1	—	—	—	5	10	—	—	—	—	—	—	—	1	1	1	—	—	7	4	3
4	—	1	1	5	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	4
5	1	1	4	5	2	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	4	6	5
6	—	—	4	7	—	—	—	—	2	1	2	2	1	—	—	—	—	—	—	—	2	3	6
7	1	1	1	—	—	1	5	1	—	—	—	1	—	—	1	—	—	—	1	1	1	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	4	4	12	3	1	3	13	7	2	2	1	1	1	2	—	2	4	4	—	2	14	14	9
10	—	—	2	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	1	1	3	1	10
11	—	—	1	1	—	1	1	1	2	—	1	1	—	—	—	—	—	1	1	—	2	5	11
12	1	4	5	11	3	6	7	8	2	3	1	2	3	3	—	2	3	3	1	1	12	13	12
13	—	—	1	1	—	1	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	13
14	—	—	5	2	2	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	3	1	14
15	—	1	5	16	4	9	15	24	1	5	2	6	2	3	5	2	8	5	—	3	17	26	15
16	8	6	20	14	3	4	24	26	3	4	7	2	—	—	2	—	5	15	—	3	27	25	16
17	12	6	15	10	8	6	10	3	1	2	3	2	1	—	—	1	2	4	2	—	11	11	17
18	—	—	3	—	1	—	1	2	2	—	—	—	—	—	—	—	—	1	1	—	3	—	18
19	4	—	1	8	1	1	—	1	—	1	1	—	—	—	2	—	1	1	—	—	2	2	19
20	—	—	1	—	—	1	1	1	—	—	1	—	1	—	—	—	1	—	—	—	—	1	20
21	—	—	—	—	1	—	—	—	1	—	—	1	—	1	—	—	—	2	1	—	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	3	2	3	1	1	6	6	2	1	3	1	—	2	1	—	2	2	—	—	13	10	22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	2	23
24	—	1	—	2	—	—	—	2	—	—	—	—	—	—	—	3	—	—	—	—	—	1	24
25	6	2	18	9	5	4	6	7	1	1	2	1	—	—	2	2	3	3	1	—	10	5	25
26	5	—	7	—	2	1	4	3	3	—	—	—	2	1	—	—	1	1	1	—	7	3	26
27	—	—	—	1	—	1	1	—	—	1	—	—	2	—	—	—	—	—	—	—	3	1	27
28	12	12	29	30	15	10	62	75	9	13	7	3	6	5	9	1	13	20	9	2	54	49	28
29	—	—	—	—	1	—	2	—	2	—	1	—	—	1	—	—	—	—	1	—	2	1	29

LANCASHIRE—*cont.*

	Chorley M.B.		Church U.D.		Clayton le Moors U.D.		Clitheroe M.B.		Colne M.B.		Crompton U.D.		Croston U.D.		Dalton in Furness U.D.		Darwen M.B.		Denton U.D.		Droylsden U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	217	227	46	47	57	61	71	88	180	160	95	104	11	8	128	89	250	295	108	136	96	96	
1	1	2	—	—	—	1	—	—	1	1	—	1	—	—	1	—	—	2	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	8	9	2	—	—	—	1	1	1	1	1	1	—	—	2	3	2	1	—	2	1	2	3
4	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	4
5	2	7	—	1	—	—	—	1	1	—	4	—	—	—	1	—	1	4	—	3	7	4	5
6	1	2	1	2	1	—	1	2	2	2	—	—	—	1	2	—	3	—	2	2	—	2	6
7	1	—	1	—	—	1	1	4	1	1	—	2	—	—	6	4	9	12	1	—	2	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	1	8
9	19	14	5	1	2	3	10	8	14	7	7	4	—	—	16	5	21	13	13	9	9	12	9
10	2	1	—	—	1	—	—	1	—	1	—	—	—	—	1	2	2	1	—	—	—	—	10
11	5	2	—	3	1	1	—	—	3	1	2	—	—	—	5	1	—	6	1	1	1	—	11
12	12	20	3	2	4	5	5	6	11	16	5	6	2	—	6	8	22	29	10	15	1	8	12
13	2	1	—	—	1	—	—	—	—	1	—	—	—	—	1	1	1	2	1	1	1	—	13
14	5	6	1	1	—	—	—	1	3	1	1	—	—	—	3	—	—	—	1	—	—	2	14
15	16	24	7	5	6	8	9	12	29	31	13	11	—	2	8	9	25	29	10	26	8	16	15
16	26	19	2	3	4	5	6	8	19	18	11	5	2	2	9	13	17	38	4	9	12	11	16
17	26	20	3	3	4	5	4	5	12	17	5	8	1	—	14	3	22	18	10	14	2	2	17
18	3	4	1	—	2	—	1	—	—	—	2	2	—	—	2	—	3	5	—	—	—	1	18
19	4	2	—	1	1	—	—	—	10	1	2	1	—	—	3	4	2	4	4	1	6	—	19
20	—	—	—	—	—	—	—	—	4	2	1	2	—	—	—	—	3	1	2	—	1	—	20
21	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	21
21A	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	21A
22	4	5	2	3	2	1	3	6	5	6	3	5	1	—	—	2	13	9	3	2	6	5	22
23	—	1	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	1	—	1	—	1	23
24	—	2	—	—	—	2	—	1	—	3	—	2	—	—	—	—	—	6	—	—	—	—	24
25	13	10	1	2	5	4	4	4	5	5	10	4	1	—	6	2	14	9	3	3	9	2	25
26	3	4	1	—	5	2	1	2	6	2	—	4	2	—	6	2	16	4	8	3	5	2	26
27	3	1	—	—	1	1	3	—	1	1	—	1	—	—	2	—	3	1	1	—	—	—	27
28	53	59	16	20	16	21	21	24	48	39	28	43	2	2	33	27	67	96	33	44	22	24	28
29	4	8	—	—	—	—	1	—	4	2	—	1	—	—	1	1	2	3	1	—	3	—	29

LANCASHIRE—*cont.*

	Causes of Death.	Eccles M.B.		Failsworth U.D.		Farnworth U.D.		Fleetwood U.D.		Formby U.D.		Fulwood U.D.		Golborne U.D.		Grange U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	289	338	104	118	177	209	115	98	29	47	41	37	55	40	11	10	
1	Enteric fever	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	6	11	1	2	—	—	7	7	—	—	—	—	—	—	—	—	3
4	Scarlet fever	1	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	2	3	2	3	6	3	—	—	—	—	—	—	1	1	—	—	5
6	Diphtheria and croup ...	2	2	2	—	1	2	2	1	1	2	—	—	1	1	—	—	6
7	Influenza	4	3	1	—	3	2	1	—	1	2	—	—	—	1	1	2	7
8	Erysipelas	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—	8
9	Pulmonary tuberculosis	28	29	10	16	14	16	10	5	2	4	6	5	2	3	—	2	9
10	Tuberculous meningitis	3	—	—	2	2	2	—	1	—	—	—	—	1	—	—	—	10
11	Other tuberculous diseases	5	3	2	2	1	2	4	3	1	1	—	1	1	—	—	—	11
12	Cancer, malignant disease	13	31	7	6	12	17	4	8	2	7	—	4	5	5	1	3	12
13	Rheumatic fever... ...	—	2	1	1	1	1	—	1	—	—	—	—	—	—	—	—	13
14	Meningitis	5	4	1	—	1	1	2	2	—	—	—	—	2	—	—	—	14
15	Organic heart disease ...	29	40	8	6	20	19	16	9	4	4	6	9	4	4	3	1	15
16	Bronchitis	35	45	10	17	17	28	9	14	—	—	2	6	6	1	2	—	16
17	Pneumonia (all forms) ...	29	21	5	7	7	13	12	10	2	5	3	1	5	4	1	—	17
18	Other respiratory diseases	5	3	—	1	4	3	—	3	—	—	—	—	1	2	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	7	8	1	1	5	5	2	1	—	1	—	—	1	—	—	—	19
20	Appendicitis and typhlitis	1	4	1	—	1	—	—	1	—	—	—	—	—	1	—	—	20
21	Cirrhosis of liver ...	3	—	—	1	2	—	1	—	—	—	2	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	14	19	2	3	9	6	2	1	1	1	1	2	1	1	1	—	22
23	Puerperal fever	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	4	—	1	—	4	—	2	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	13	10	9	3	12	6	6	11	2	—	1	—	4	1	—	—	25
26	Violence, apart from 27	13	9	4	1	10	6	3	2	2	1	1	—	4	1	—	—	26
27	Suicide	—	—	3	—	—	1	—	—	—	—	—	—	—	—	—	—	27
28	Other defined diseases ...	70	85	34	42	47	68	29	15	11	18	17	9	16	13	2	2	28
29	Causes ill-defined or unknown.	1	—	—	—	1	2	4	—	—	1	2	—	—	—	—	—	29

LANCASHIRE—*cont.*

	Causes of Death.	Great Crosby U.D.		Great Harwood U.D.		Haslingden M.B.		Haydock U.D.		Heysham U.D.		Heywood M.B.		Hindley U.D.		Horwich U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	76	89	76	75	115	123	71	65	17	20	202	224	182	157	98	87	
1	Enteric fever	1	2	—	—	—	2	1	—	—	—	1	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	2
3	Measles	3	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	3
4	Scarlet fever	—	1	1	—	—	—	3	1	—	—	1	—	5	3	7	1	4
5	Whooping cough ...	1	—	—	—	—	—	1	1	—	—	—	3	4	2	1	—	5
6	Diphtheria and croup ...	—	—	1	—	—	—	3	—	—	—	—	1	8	3	—	—	6
7	Influenza	2	2	—	1	3	1	1	2	—	2	7	5	1	1	2	1	7
8	Erysipelas	—	—	1	—	—	—	1	—	—	—	1	—	1	—	—	—	8
9	Pulmonary tuberculosis	2	4	6	3	10	7	6	5	4	—	13	16	15	7	5	8	9
10	Tuberculous meningitis	—	1	—	—	—	3	—	1	—	—	1	—	—	1	—	—	10
11	Other tuberculous diseases	1	1	1	1	2	2	—	1	—	—	—	2	1	2	—	2	11
12	Cancer, malignant disease	5	14	7	5	8	13	4	5	3	4	10	19	12	9	6	7	12
13	Rheumatic fever... ...	—	—	1	2	—	—	—	1	—	—	2	2	1	1	—	—	13
14	Meningitis	—	—	1	2	1	—	1	2	—	—	2	—	3	3	1	1	14
15	Organic heart disease ...	5	4	3	7	9	23	1	9	1	2	21	22	5	18	10	16	15
16	Bronchitis	8	5	7	5	4	11	6	6	3	3	21	38	15	16	4	7	16
17	Pneumonia (all forms) ...	8	10	9	5	9	5	7	6	—	—	12	8	28	20	7	7	17
18	Other respiratory diseases	3	1	1	1	4	3	2	—	—	—	5	1	2	2	3	2	18
19	Diarrhœa, &c. (under 2 yrs.)	2	3	1	2	—	—	5	3	—	—	4	8	3	3	3	1	19
20	Appendicitis and typhlitis	—	1	1	—	2	—	—	1	—	—	—	1	—	1	1	—	20
21	Cirrhosis of liver ...	—	2	—	1	1	—	—	—	—	1	6	3	1	—	3	1	21
21A	Alcoholism	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	3	3	4	5	6	2	—	1	—	1	10	9	4	6	8	3	22
23	Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	23
24	Parturition, apart from 23	—	2	—	—	—	—	—	1	—	—	—	2	—	1	—	—	24
25	Congenital debility, &c.	7	2	5	2	5	7	5	5	—	1	11	5	12	11	7	3	25
26	Violence, apart from 27	2	2	4	—	7	2	7	1	1	—	12	4	12	—	5	—	26
27	Suicide	—	—	—	—	2	1	1	—	—	—	3	1	—	—	—	—	27
28	Other defined diseases ...	23	27	21	33	42	39	15	12	4	6	56	73	45	45	24	26	28
29	Causes ill-defined or unknown.	—	—	1	—	—	1	1	1	—	—	1	—	2	1	1	1	29

ADMINISTRATIVE AREAS, 1916—*continued.*

LANCASHIRE—*cont.*

	Hurst U.D.		Huyton with Roby U.D.		Ince in Makerfield U.D.		Irlam U.D.		Kearsley U.D.		Kirkham U.D.		Lancaster M.B.		Lathom and Burscough U.D.		Lees U.D.		Leigh M.B.		Leyland U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	53	63	37	25	185	161	60	30	67	66	41	34	309	244	44	36	32	51	344	303	55	64	
1	1	—	—	—	1	1	—	—	2	1	2	2	—	—	—	—	—	—	2	3	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	1	1	—	1	1	—	—	—	—	3	3	—	1	—	—	3	1	—	—	3	3	3
4	—	—	—	—	1	1	—	—	—	—	1	—	—	1	1	—	—	—	3	4	—	—	4
5	—	2	—	—	—	1	3	1	—	1	—	—	3	2	—	—	—	—	4	5	—	—	5
6	—	—	—	—	—	4	—	—	—	—	—	1	1	—	—	1	3	3	1	2	2	—	6
7	—	—	3	—	1	1	—	—	—	2	2	—	4	1	—	—	—	1	5	4	1	1	7
8	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	8
9	7	5	2	1	10	10	3	3	3	1	2	2	45	24	3	2	2	—	29	17	1	5	9
10	—	1	1	—	—	3	1	—	—	—	—	1	—	—	—	—	—	—	—	2	—	—	10
11	—	—	1	—	1	1	1	3	1	—	—	—	5	5	—	—	—	2	2	3	—	—	11
12	4	5	—	5	7	12	5	2	2	5	3	4	21	16	—	3	3	5	6	17	3	6	12
13	—	—	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	13
14	3	—	—	—	4	2	—	—	1	1	—	—	3	2	1	—	—	1	4	4	—	—	14
15	1	11	1	2	7	6	4	5	4	4	3	2	30	32	8	3	2	17	44	44	7	9	15
16	6	6	1	2	27	21	3	1	6	2	3	3	27	26	5	5	2	—	42	65	5	7	16
17	3	8	2	1	29	14	3	2	5	5	5	5	23	23	4	3	1	4	29	15	8	5	17
18	3	1	—	—	2	—	—	1	—	—	1	—	5	2	—	1	—	—	4	2	3	3	18
19	—	—	—	—	11	10	—	—	3	4	—	—	1	1	—	—	—	2	16	13	1	1	19
20	—	2	1	—	1	—	—	—	—	—	1	—	5	3	1	—	—	—	1	—	—	—	20
21	—	1	—	—	—	—	1	—	—	—	—	—	3	1	—	—	—	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21A
22	2	1	4	2	3	7	1	1	5	3	—	1	3	5	2	—	2	1	10	12	—	1	22
23	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	23
24	—	1	—	—	—	1	—	—	—	1	—	—	—	3	—	—	—	—	—	4	—	1	24
25	1	4	3	1	18	11	6	1	9	5	1	—	17	10	6	3	2	3	25	16	5	3	25
26	1	—	2	2	12	6	7	—	2	1	2	—	17	5	3	1	2	—	18	3	1	—	26
27	2	—	—	—	1	1	1	—	1	—	—	—	3	—	—	—	1	—	2	—	—	—	27
28	19	13	15	8	43	44	21	9	23	29	12	10	92	78	9	14	9	11	94	67	11	18	28
29	—	—	—	1	4	3	—	—	—	—	—	—	—	1	1	—	—	—	2	—	2	1	29

LANCASHIRE—*cont.*

	Litherland U.D.		Little-borough U.D.		Little Crosby U.D.		Little Hulton U.D.		Little Lever U.D.		Longridge U.D.		Lytham U.D.		Middleton M.B.		Milnrow U.D.		More-cambe M.B.		Mossley M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	136	108	107	89	3	7	66	41	39	40	30	38	56	66	175	210	73	64	83	102	92	111	
1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	—	1	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	4	2	—	2	—	—	1	—	—	—	—	—	1	—	1	1	1	4	—	—	—	1	3
4	1	3	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	4
5	2	2	—	—	—	—	—	—	—	—	1	—	1	—	2	1	—	—	—	—	—	1	5
6	4	2	—	—	—	—	2	—	—	—	—	—	1	—	1	5	—	1	—	—	—	—	6
7	—	2	2	1	—	—	3	2	—	—	—	—	2	—	—	5	2	1	2	2	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	8
9	10	13	9	4	—	1	3	2	2	2	3	3	4	2	16	16	4	7	7	5	4	5	9
10	1	—	—	—	—	—	1	—	—	—	1	—	—	—	4	2	—	1	1	—	1	3	10
11	4	1	1	1	—	—	3	2	—	—	1	1	—	2	2	3	1	1	1	—	—	1	11
12	6	11	9	7	—	1	4	4	3	3	1	3	7	14	12	18	6	5	5	8	5	13	12
13	1	—	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—	1	—	1	—	—	13
14	1	1	—	1	—	—	1	1	—	—	—	—	—	1	2	—	—	—	—	—	1	2	14
15	7	6	7	9	—	—	4	4	3	6	6	6	9	12	27	30	4	8	18	22	9	11	15
16	9	7	16	12	1	1	12	6	9	5	3	1	5	2	23	18	7	4	3	6	10	18	16
17	14	9	13	2	—	1	2	2	1	—	1	4	2	3	14	13	1	3	7	1	6	4	17
18	1	1	3	2	—	—	1	1	2	2	—	2	1	—	2	1	2	—	2	1	—	3	18
19	10	4	1	1	—	1	3	1	—	1	—	1	—	—	3	5	4	—	—	—	1	—	19
20	—	—	1	2	—	—	—	—	—	1	—	—	—	—	1	1	—	1	1	1	—	—	20
21	1	—	1	1	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	2	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	3	3	7	4	—	—	3	4	1	2	—	—	—	2	13	10	1	6	1	4	8	8	22
23	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	—	23
24	—	1	—	1	—	—	—	1	—	1	—	—	—	—	—	8	—	—	—	1	—	—	24
25	18	6	9	3	2	—	3	—	1	2	—	2	2	2	7	7	3	—	2	2	6	2	25
26	5	2	3	1	—	—	4	1	3	1	—	—	1	—	6	4	5	2	2	—	4	1	26
27	1	—	—	1	—	—	1	—	—	—	—	—	—	—	1	1	1	—	—	—	1	1	27
28	33	30	21	31	—	2	13	10	11	13	13	15	19	26	33	55	29	19	31	45	35	37	28
29	—	2	3	1	—	—	—	—	—	—	—	—	1	—	2	2	—	—	—	—	—	—	29

LANCASHIRE—*cont.*

	Causes of Death.	Nelson M.B.		Newton in Makerfield U.D.		Norden U.D.		Ormskirk U.D.		Orrell U.D.		Oswaldtwistle U.D.		Padiham U.D.		Poulton le Fylde U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	214	249	133	107	23	37	65	55	34	35	104	93	89	93	9	17	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	6	3	5	5	—	1	—	—	—	—	1	—	1	—	—	—	3
4	Scarlet fever	—	1	2	1	—	—	—	—	—	—	—	—	—	—	1	—	4
5	Whooping cough ...	2	3	2	6	—	—	1	1	—	—	1	1	—	1	—	—	5
6	Diphtheria and croup ...	6	6	2	1	—	—	1	2	—	—	—	2	4	2	—	—	6
7	Influenza	—	2	2	1	—	—	1	1	—	—	2	—	2	5	—	1	7
8	Erysipelas	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	18	15	11	6	3	2	5	7	2	4	5	5	5	10	—	1	9
10	Tuberculous meningitis	1	—	1	—	—	—	1	—	—	1	—	1	1	—	—	—	10
11	Other tuberculous diseases	1	2	3	1	—	—	—	1	—	—	1	2	4	1	—	—	11
12	Cancer, malignant disease	8	33	9	14	—	3	2	4	2	2	5	16	3	8	—	4	12
13	Rheumatic fever... ...	2	3	1	1	—	1	—	—	—	—	—	2	—	—	—	—	13
14	Meningitis	4	4	3	—	—	—	—	1	—	—	—	—	1	—	—	—	14
15	Organic heart disease ...	18	26	7	10	2	3	6	7	4	6	12	12	8	14	1	3	15
16	Bronchitis	25	35	10	7	1	5	6	6	2	4	14	16	8	12	—	2	16
17	Pneumonia (all forms) ...	20	13	15	11	2	2	10	2	4	3	6	2	6	5	1	1	17
18	Other respiratory diseases	5	4	3	3	—	1	2	—	—	—	—	1	3	2	—	1	18
19	Diarrhœa, &c. (under 2 yrs.)	3	2	4	2	—	1	2	1	—	2	3	1	3	2	—	—	19
20	Appendicitis and typhlitis	—	—	2	1	—	—	—	1	—	—	—	—	—	2	—	—	20
21	Cirrhosis of liver ...	1	1	1	1	—	—	1	2	—	—	—	—	1	—	—	—	21
21A	Alcoholism	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	21A
22	Nephritis and Bright's dis.	6	7	2	8	1	—	1	1	—	—	7	1	1	2	—	—	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	24
25	Congenital debility, &c.	12	16	10	7	1	—	7	2	5	4	3	4	2	4	—	—	25
26	Violence, apart from 27	2	5	8	1	2	—	1	2	4	1	2	1	4	1	—	—	26
27	Suicide	1	1	—	—	—	1	—	—	—	—	3	—	—	—	—	—	27
28	Other defined diseases ...	70	66	29	18	11	17	17	14	10	8	36	24	30	19	6	4	28
29	Causes ill-defined or unknown.	2	—	—	—	—	—	1	—	1	—	2	1	1	2	—	—	29

LANCASHIRE—*cont.*

	Causes of Death.	Preesall U.D.		Prescot U.D.		Prestwich U.D.		Radcliffe U.D.		Rainford U.D.		Ramsbottom U.D.		Rawtenstall U.D.		Rishton U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	8	4	76	57	92	97	193	190	21	18	114	100	188	189	45	42	
1	Enteric fever	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	1	1
2	Small-pox	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	3	—	—	—	3	2	4	—	1	2	3
4	Scarlet fever	—	—	—	—	—	2	—	—	—	—	—	—	1	—	—	—	4
5	Whooping cough ...	—	—	—	—	—	1	2	2	1	—	—	—	3	—	—	—	5
6	Diphtheria and croup ...	—	—	—	1	6	3	3	4	1	—	—	—	—	1	—	—	6
7	Influenza	—	—	1	—	—	1	1	6	—	—	2	4	1	—	—	—	7
8	Erysipelas	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	—	—	6	1	4	10	11	10	—	1	5	4	12	15	4	5	9
10	Tuberculous meningitis	—	—	—	—	1	1	1	1	—	1	2	1	1	3	1	—	10
11	Other tuberculous diseases	—	—	2	1	1	—	4	3	—	—	3	3	4	1	—	1	11
12	Cancer, malignant disease	—	1	2	2	9	11	13	12	2	2	5	13	16	26	1	7	12
13	Rheumatic fever... ...	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	13
14	Meningitis	—	—	1	1	—	—	1	2	1	—	4	3	—	3	—	—	14
15	Organic heart disease ...	1	1	5	6	8	15	11	18	5	2	15	11	16	18	6	5	15
16	Bronchitis	—	—	7	6	9	4	25	24	3	1	9	10	20	14	4	3	16
17	Pneumonia (all forms) ...	2	1	7	5	7	8	12	9	1	—	11	9	8	13	3	2	17
18	Other respiratory diseases	—	—	—	1	—	1	7	1	1	1	—	—	3	2	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	4	—	—	—	4	4	—	1	1	4	8	3	—	1	19
20	Appendicitis and typhlitis	—	—	—	—	—	1	1	1	—	—	—	1	—	1	—	—	20
21	Cirrhosis of liver ...	1	—	—	1	—	—	1	2	—	2	1	—	—	1	2	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	6	—	3	4	5	9	—	—	6	5	8	5	1	1	22
23	Puerperal fever	—	—	—	—	—	2	—	1	—	1	—	—	—	1	—	—	23
24	Parturition, apart from 23	—	—	—	3	—	1	—	5	—	—	—	2	—	1	—	1	24
25	Congenital debility, &c.	—	—	4	5	4	2	10	8	—	—	3	4	13	5	4	2	25
26	Violence, apart from 27	1	—	4	1	5	1	11	3	1	1	—	—	3	4	3	—	26
27	Suicide	—	—	—	—	—	1	1	—	1	—	—	—	3	—	1	1	27
28	Other defined diseases ...	3	1	27	21	34	27	63	61	4	5	42	24	61	67	13	10	28
29	Causes ill-defined or unknown.	—	—	—	1	—	—	—	3	—	—	2	—	2	5	—	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

LANCASHIRE—*cont.*

	Royton U.D.		St. Anne's on the Sea U.D.		Skelmersdale U.D.		Standish with Langtree U.D.		Stretford U.D.		Swinton and Pendlebury U.D.		Thornton U.D.		Tottington U.D.		Trawden U.D.		Turton U.D.		Tyldesley with Shakerley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	137	123	55	84	56	51	48	47	239	266	226	192	39	24	41	38	13	20	85	69	121	84	
1	—	1	1	—	1	—	1	2	3	2	—	—	—	—	1	1	—	—	1	1	1	—	1
2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	2
3	2	1	—	—	—	—	5	3	—	—	2	2	—	—	—	—	—	—	—	—	1	—	3
4	—	—	—	—	1	1	—	3	2	1	4	—	—	—	—	—	—	—	—	—	1	1	4
5	1	1	—	2	—	—	—	1	2	2	—	—	—	—	—	—	—	—	—	—	1	1	5
6	1	2	—	—	—	—	—	—	4	5	6	2	—	—	—	—	—	1	—	1	1	3	6
7	1	3	3	3	—	1	—	2	—	2	2	1	—	—	1	—	—	—	1	1	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	17	3	3	5	2	3	2	2	22	22	23	8	1	1	3	5	1	—	8	7	7	11	9
10	1	—	2	—	1	—	1	2	4	2	3	—	—	—	—	—	—	—	—	—	—	—	10
11	2	1	3	1	1	2	1	—	3	3	4	5	—	—	—	—	—	—	—	2	2	—	11
12	8	7	4	13	5	2	—	1	29	26	15	25	5	2	4	1	1	3	8	7	7	6	12
13	2	1	1	1	—	1	—	—	1	—	3	—	—	—	—	—	—	—	—	1	1	—	13
14	2	2	—	2	—	—	—	—	1	5	2	4	—	—	—	—	—	—	2	—	1	—	14
15	14	22	5	14	1	4	3	10	29	34	17	22	3	2	4	11	—	4	6	2	4	10	15
16	14	17	—	2	9	11	1	1	13	18	23	16	3	2	8	4	2	2	10	12	10	3	16
17	7	4	3	5	9	4	5	3	16	25	26	22	6	1	1	1	1	—	6	—	28	10	17
18	2	1	—	1	—	—	—	1	3	4	4	2	1	1	1	1	—	1	2	—	—	1	18
19	4	—	—	—	1	—	1	2	6	2	7	2	—	—	1	3	—	—	1	—	6	2	19
20	—	—	1	2	1	—	—	—	1	1	1	2	—	—	—	2	—	—	—	—	1	2	20
21	1	1	—	—	—	1	—	—	3	3	—	—	—	—	—	—	—	—	2	—	—	—	21
21A	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	21A
22	6	8	5	5	3	—	1	1	7	5	4	2	—	1	1	1	—	1	1	2	1	1	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	2	—	1	—	1	—	—	—	2	—	3	—	—	—	—	—	—	—	—	—	1	24
25	11	4	3	1	4	7	8	2	13	12	15	9	5	2	2	—	1	2	2	2	7	6	25
26	3	2	1	2	4	2	5	—	11	6	13	7	2	—	1	—	—	—	9	—	7	—	26
27	1	1	1	—	—	—	1	1	1	—	—	1	1	—	—	—	—	—	1	—	—	—	27
28	37	39	18	24	12	10	12	10	64	83	51	54	11	12	13	8	6	6	24	30	32	26	28
29	—	—	1	—	1	1	1	—	—	1	1	2	1	—	—	—	1	—	1	1	1	—	29

LANCASHIRE—*cont.*

	Ulverston U.D.		Upholland U.D.		Urmston U.D.		Walton le Dale U.D.		Wardle U.D.		Waterloo with Seaforth U.D.		Westhoughton U.D.		Whitefield U.D.		Whitworth U.D.		Widnes M.B.		Withnell U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	91	65	34	32	46	47	59	81	38	47	204	204	96	104	4	50	72	101	311	247	21	17	
1	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2
3	—	—	—	—	2	—	1	—	1	—	3	3	—	—	—	—	5	6	13	8	—	—	3
4	—	1	—	—	—	—	—	—	—	—	—	1	1	5	—	—	—	—	2	—	—	1	4
5	2	2	1	—	1	—	—	1	—	1	—	3	1	—	1	1	—	—	2	6	—	—	5
6	—	—	—	—	—	4	—	—	—	—	1	2	3	2	—	—	—	—	3	3	—	—	6
7	5	3	—	—	1	1	1	—	2	—	4	10	3	3	—	—	—	2	9	6	—	—	7
8	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	8
9	6	5	5	5	7	4	7	4	5	4	25	16	5	4	2	3	5	7	26	20	4	—	9
10	1	1	—	2	—	1	2	—	—	—	4	1	2	1	1	—	2	—	1	1	—	2	10
11	1	4	2	—	1	1	2	—	—	—	2	1	1	1	3	1	—	1	4	2	—	—	11
12	7	5	1	4	3	2	3	5	2	2	17	18	1	5	3	2	5	10	14	15	1	2	12
13	—	1	—	—	—	—	1	2	—	—	—	—	—	—	2	1	—	1	4	2	—	—	13
14	4	1	—	—	1	—	—	1	—	—	2	—	—	1	—	—	1	1	3	5	—	—	14
15	11	7	3	2	7	5	4	12	6	2	17	20	8	9	13	6	9	17	14	14	1	5	15
16	14	7	2	—	1	5	11	6	5	5	12	16	11	16	3	2	3	4	36	27	—	—	16
17	2	1	2	1	3	2	4	7	4	1	20	19	10	7	1	8	5	5	33	17	1	—	17
18	1	—	—	—	—	1	1	1	—	—	4	1	2	1	—	—	1	2	3	3	—	1	18
19	3	2	2	1	—	—	2	2	—	—	2	7	3	3	1	2	—	1	11	8	1	—	19
20	2	1	—	—	—	—	—	—	—	1	2	1	1	—	—	—	—	—	1	1	—	—	20
21	—	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	—	1	—	—	21
21A	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	6	—	1	1	4	1	—	4	1	1	4	8	3	2	—	1	6	5	13	7	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	2	—	—	23
24	—	—	—	—	—	1	—	1	—	1	—	2	—	1	—	—	—	1	—	5	—	—	24
25	7	1	4	1	3	2	2	4	—	3	17	7	10	8	3	4	4	4	23	13	1	—	25
26	3	—	3	1	1	2	2	—	—	2	8	4	8	1	1	3	4	3	16	8	3	—	26
27	—	—	—	—	—	—	—	2	—	—	2	—	1	—	—	—	1	—	2	2	—	—	27
28	15	23	7	12	10	15	14	26	12	24	52	60	22	30	9	16	10	28	75	70	8	6	28
29	—	—	1	—	—	—	2	1	—	—	5	2	—	1	1	—	2	2	2	1	1	—	29

LANCASHIRE—*cont.*

	Causes of Death.	Worsley U.D.						Barton upon Irwell R.D.		Blackburn R.D.		Burnley R.D.		Bury R.D.		Chorley R.D.		
		M	F					M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	82	96					48	63	44	55	122	102	80	76	160	143	
1	Enteric fever	—	—					—	—	1	—	—	1	—	—	—	—	1
2	Small-pox	—	—					—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—					—	—	1	1	—	—	1	—	9	11	3
4	Scarlet fever	—	—					2	—	—	—	1	—	—	1	—	—	4
5	Whooping cough ...	—	1					—	—	—	1	1	—	—	1	2	—	5
6	Diphtheria and croup ...	—	—					—	—	2	—	1	—	3	—	1	2	6
7	Influenza	4	2					—	3	1	—	—	—	3	2	—	3	7
8	Erysipelas	—	—					—	—	—	—	—	—	1	—	—	—	8
9	Pulmonary tuberculosis	6	3					1	3	2	2	7	9	9	4	3	12	9
10	Tuberculous meningitis	—	1					—	—	—	1	—	—	1	1	—	2	10
11	Other tuberculous diseases	1	2					—	—	—	2	4	—	—	3	2	—	11
12	Cancer, malignant disease	4	7					3	6	4	5	7	9	3	1	11	14	12
13	Rheumatic fever... ...	—	—					—	—	—	1	—	1	—	1	—	1	13
14	Meningitis	—	—					—	1	—	—	2	—	2	—	—	1	14
15	Organic heart disease ...	6	12					2	7	4	10	15	8	8	13	15	10	15
16	Bronchitis	9	13					7	8	2	3	15	9	12	10	11	14	16
17	Pneumonia (all forms) ...	4	6					2	4	6	3	8	5	2	—	13	15	17
18	Other respiratory diseases	1	—					—	1	3	—	2	1	1	—	3	—	18
19	Diarrhœa, &c. (under 2 yrs.)	2	—					1	—	2	—	—	—	—	2	4	2	19
20	Appendicitis and typhlitis	—	1					—	—	—	—	—	2	2	—	1	—	20
21	Cirrhosis of liver ...	2	—					2	—	—	—	—	—	1	—	—	1	21
21A	Alcoholism	—	—					—	—	—	—	—	—	—	—	1	—	21A
22	Nephritis and Bright's dis.	6	6					1	—	—	3	6	7	3	2	4	5	22
23	Puerperal fever	—	2					—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	2					—	—	—	2	—	2	—	1	—	—	24
25	Congenital debility, &c.	5	8					2	3	1	5	5	1	2	3	11	10	25
26	Violence, apart from 27	8	1					7	3	1	1	7	1	7	1	8	2	26
27	Suicide	1	—					1	2	—	—	4	—	—	2	1	1	27
28	Other defined diseases ...	23	29					17	21	13	14	36	43	19	28	58	34	28
29	Causes ill-defined or unknown.	—	—					—	1	1	1	1	3	—	—	2	3	29

LANCASHIRE—*cont.*

	Causes of Death.	Clitheroe R.D.		Fylde R.D.		Garstang R.D.		Lancaster R.D.		Leigh R.D.		Lime-hurst R.D.		Lunesdale R.D.		Preston R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	42	37	79	96	69	46	59	64	57	60	67	76	41	34	127	118	
1	Enteric fever	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	3	3	—	—	—	—	—	—	—	3	—	—	—	1	3
4	Scarlet fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	4
5	Whooping cough ...	—	—	—	—	1	—	—	—	1	1	2	2	—	—	—	—	5
6	Diphtheria and croup ...	—	—	—	1	—	—	—	—	—	3	2	1	—	—	2	4	6
7	Influenza	3	5	2	1	2	2	4	3	2	1	1	2	2	2	1	2	7
8	Erysipelas...	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	8
9	Pulmonary tuberculosis	2	3	4	3	5	—	2	1	3	—	5	7	1	2	9	11	9
10	Tuberculous meningitis	—	—	—	1	—	—	—	1	—	—	1	—	1	—	2	1	10
11	Other tuberculous diseases	1	—	2	3	—	1	—	—	—	2	2	—	—	—	1	2	11
12	Cancer, malignant disease	3	3	6	11	4	2	5	5	2	5	5	3	4	6	11	15	12
13	Rheumatic fever... ...	—	—	—	1	—	—	1	—	—	1	—	—	1	—	—	—	13
14	Meningitis	1	—	2	—	—	1	—	—	2	2	1	—	—	—	2	—	14
15	Organic heart disease ...	4	4	14	19	18	9	14	6	5	6	9	12	3	4	15	19	15
16	Bronchitis	3	—	7	1	4	3	4	3	7	8	6	5	3	2	6	11	16
17	Pneumonia (all forms) ...	3	3	4	12	4	3	4	6	9	6	5	4	1	1	12	6	17
18	Other respiratory diseases	4	1	2	—	—	—	—	1	3	1	—	—	1	—	—	1	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	1	1	1	—	1	—	—	—	3	—	—	—	1	1	19
20	Appendicitis and typhlitis	—	—	—	1	1	1	—	—	—	—	—	—	—	—	2	—	20
21	Cirrhosis of liver ...	—	1	1	2	—	—	—	—	1	—	—	—	—	—	2	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	1	2	1	1	1	—	2	1	2	—	4	—	1	3	4	22
23	Puerperal fever	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	2	—	2	—	1	—	—	—	4	—	—	—	2	24
25	Congenital debility, &c.	—	—	4	7	3	2	4	1	1	4	2	2	2	2	7	5	25
26	Violence, apart from 27	4	—	2	1	1	—	2	1	5	2	1	1	2	1	2	2	26
27	Suicide	—	—	1	—	1	—	1	—	—	1	2	—	—	—	2	1	27
28	Other defined diseases ...	12	14	20	24	23	18	16	32	14	15	20	26	19	13	46	29	28
29	Causes ill-defined or unknown.	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

LANCASHIRE—*cont.* LEICESTERSHIRE.

	Sefton R.D.		Ulverston R.D.		Warrington R.D.		West Lancashire R.D.		Whiston R.D.		Wigan R.D.						Ashby de la Zouch U.D.		Ashby Woulds U.D.		Coalville U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F					M	F	M	F	M	F	
	32	38	139	123	67	49	118	117	139	102	43	39					26	23	12	16	123	101	
1	—	—	—	—	1	1	—	—	1	—	—	—					—	—	—	—	—	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	2	1	—	—					—	—	—	—	1	—	3
4	—	—	1	—	—	—	—	—	1	2	—	1					—	—	—	—	1	—	4
5	—	—	—	—	—	2	3	1	2	1	—	—					—	—	—	1	1	3	5
6	1	—	—	—	—	—	1	2	3	1	—	—					—	—	—	2	—	1	6
7	1	—	3	4	1	2	5	3	4	3	—	—					4	5	—	1	3	1	7
8	—	—	—	—	—	—	—	—	1	—	—	—					—	—	—	—	—	1	8
9	2	8	6	11	2	7	6	8	10	5	3	3					—	2	—	—	7	2	9
10	—	—	—	—	1	1	—	—	2	1	—	—					—	—	—	—	1	—	10
11	—	1	—	—	2	—	2	1	2	1	—	—					—	—	—	—	3	2	11
12	1	2	7	11	7	4	16	9	7	11	3	3					2	—	2	1	7	6	12
13	—	—	1	—	—	—	1	—	1	1	—	1					—	—	—	—	—	—	13
14	1	—	2	—	1	—	—	—	3	2	1	—					—	—	1	—	—	—	14
15	8	5	19	23	4	7	13	11	11	9	3	5					3	2	2	2	6	10	15
16	—	1	11	8	5	5	6	11	14	8	1	3					1	3	—	2	9	12	16
17	2	5	7	4	5	5	8	9	9	12	6	4					1	—	—	1	10	6	17
18	—	—	3	2	—	—	1	2	1	1	—	—					1	—	—	—	2	—	18
19	—	1	1	—	1	—	1	—	2	1	—	—					—	—	2	—	3	—	19
20	—	—	—	2	—	1	—	2	—	—	—	—					—	—	—	—	—	—	20
21	—	—	4	—	1	—	1	—	2	1	—	—					—	1	—	—	1	1	21
21A	—	—	1	2	—	—	—	—	—	—	—	—					—	—	—	—	—	—	21A
22	2	3	4	2	1	1	1	1	11	4	2	1					1	—	1	—	2	2	22
23	—	—	—	1	—	2	—	1	—	—	—	—					—	—	—	—	—	1	23
24	—	—	—	1	—	1	—	1	—	3	—	1					—	—	—	—	—	1	24
25	1	2	12	3	3	2	4	6	8	3	7	2					—	—	—	—	19	7	25
26	2	—	6	1	2	—	7	5	12	2	7	—					2	—	—	—	6	2	26
27	—	—	1	—	—	—	1	—	1	—	1	—					—	—	—	—	1	—	27
28	10	10	49	47	27	7	39	39	28	28	6	13					10	10	4	6	40	41	28
29	1	—	1	1	3	1	2	5	1	1	3	2					1	—	—	—	—	1	29

LEICESTERSHIRE—*cont.*

	Hinckley U.D.		Loughborough M.B.		Market Harborough U.D.		Melton Mowbray U.D.		Oadby U.D.		Quorndon U.D.		Shepshed U.D.		Thurmaston U.D.		Wigston Magna U.D.				Ashby de la Zouch R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	
	92	68	143	165	44	63	57	47	20	9	10	16	27	25	11	9	37	40			104	84	
1	—	—	—	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—			2	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	2
3	1	1	7	3	—	—	4	3	—	—	—	—	—	—	—	—	—	—			1	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	4
5	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—			—	2	5
6	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—			2	3	6
7	—	1	1	4	—	1	1	—	1	—	—	1	1	—	—	—	1	1			6	2	7
8	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—			—	—	8
9	13	5	17	9	8	3	5	—	4	2	—	2	2	5	—	1	4	5			6	7	9
10	2	2	4	—	2	—	1	1	—	—	—	—	—	—	1	—	1	1			—	—	10
11	—	—	5	4	—	—	—	1	—	—	—	—	—	1	—	—	1	—			—	1	11
12	8	3	5	10	5	5	7	6	—	—	1	1	1	3	1	1	—	3			9	5	12
13	1	—	1	2	—	—	—	—	—	—	—	1	—	—	—	—	—	—			—	1	13
14	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1			1	—	14
15	17	9	18	21	5	17	3	4	3	2	—	1	5	2	—	1	1	3			7	7	15
16	5	7	11	11	5	3	6	7	1	—	—	1	2	4	1	1	3	3			10	9	16
17	5	1	13	10	1	6	1	1	1	—	—	—	—	—	1	—	2	2			5	8	17
18	1	—	1	3	—	—	—	1	—	—	—	1	—	1	—	—	1	1			4	—	18
19	1	—	3	2	—	—	—	1	—	—	—	—	—	—	—	—	1	—			1	2	19
20	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—			—	—	20
21	—	1	2	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—			1	1	21
21A	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—			—	—	21A
22	5	3	2	5	2	2	3	—	1	—	2	—	2	1	—	—	4	—			3	—	22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	1	23
24	—	—	—	3	—	—	—	1	—	—	—	—	—	—	—	—	—	1			—	1	24
25	6	6	5	3	1	—	3	2	1	—	—	2	2	3	2	1	1	—			6	8	25
26	2	—	8	11	—	2	3	—	1	—	—	—	—	1	—	—	—	—			5	—	26
27	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			1	—	27
28	24	27	36	57	14	20	17	18	7	5	7	5	12	4	5	4	17	19			34	25	28
29	—	—	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—			—	1	29

LEICESTERSHIRE—*cont.*

	Causes of Death.	Barrow upon Soar R.D.		Belvoir R.D.		Billesdon R.D.		Blaby R.D.		Castle Donington R.D.		Hallaton R.D.		Hinckley R.D.		Loughborough R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	154	141	24	23	38	44	107	91	33	34	12	14	82	84	37	34	
1	Enteric fever	—	—	—	—	—	—	3	—	—	—	—	—	—	1	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	2	2	—	—	—	—	2	—	2	1	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	Diphtheria and croup ...	—	2	—	—	—	—	1	2	1	1	—	1	1	1	—	—	6
7	Influenza	5	7	1	—	1	—	1	1	3	4	—	—	1	1	—	2	7
8	Erysipelas	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	14	11	1	—	—	6	8	3	2	1	—	—	10	14	3	5	9
10	Tuberculous meningitis	1	1	—	—	—	—	2	1	—	—	—	—	—	1	—	—	10
11	Other tuberculous diseases	1	1	—	—	2	—	3	1	—	—	—	—	1	1	1	—	11
12	Cancer, malignant disease	11	10	4	3	2	9	12	14	2	4	2	3	5	3	4	6	12
13	Rheumatic fever... ...	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis	—	—	—	—	—	—	—	2	—	—	—	—	1	2	—	—	14
15	Organic heart disease ...	21	22	2	3	5	7	4	8	5	2	2	5	9	16	2	6	15
16	Bronchitis	8	8	1	3	6	3	6	11	—	3	—	2	2	2	6	1	16
17	Pneumonia (all forms) ...	7	5	—	—	1	1	7	3	4	2	—	—	8	10	3	—	17
18	Other respiratory diseases	4	—	1	1	1	1	1	2	1	—	—	—	1	2	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	1	—	—	2	—	—	1	—	—	—	—	—	—	—	1	19
20	Appendicitis and typhlitis	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	5	2	—	—	—	—	1	1	—	1	—	—	1	1	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	4	4	1	1	—	1	6	3	—	1	1	1	—	1	—	—	22
23	Puerperal fever	—	4	—	—	—	—	—	1	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	1	—	2	—	1	—	—	—	1	—	—	24
25	Congenital debility, &c.	9	5	1	2	2	—	7	2	2	3	2	—	4	5	3	1	25
26	Violence, apart from 27	6	2	—	1	—	1	4	1	1	2	—	—	4	1	1	2	26
27	Suicide	1	—	—	—	—	1	—	1	—	—	—	—	1	—	—	—	27
28	Other defined diseases ...	51	49	12	7	13	12	35	30	10	8	5	2	33	20	14	10	28
29	Causes ill-defined or unknown.	—	1	—	1	3	1	2	1	—	—	—	—	—	1	—	—	29

LEICESTERSHIRE—*cont.* LINCOLNSHIRE (PARTS OF HOLLAND).

	Causes of Death.	Lutterworth R.D.		Market Bosworth R.D.		Market Harborough R.D.		Melton Mowbray R.D.				Boston M.B.		Holbeach U.D.		Long Sutton U.D.		
		M	F	M	F	M	F	M	F			M	F	M	F	M	F	
	ALL CAUSES	68	74	126	141	54	59	92	104			144	109	31	26	16	19	
1	Enteric fever	—	—	1	—	—	—	1	—			1	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	2	5	3			2	2	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—			—	—	—	—	—	—	4
5	Whooping cough ...	—	—	3	4	—	—	1	1			—	—	—	—	—	—	5
6	Diphtheria and croup ...	—	1	1	2	1	—	1	3			—	2	—	—	—	—	6
7	Influenza	1	5	1	1	1	—	5	4			—	1	—	—	—	—	7
8	Erysipelas	—	—	—	—	—	—	1	—			—	1	1	—	—	—	8
9	Pulmonary tuberculosis	3	5	3	8	6	6	2	4			12	8	1	2	5	3	9
10	Tuberculous meningitis	—	—	3	1	1	—	1	1			3	4	—	—	—	1	10
11	Other tuberculous diseases	—	3	—	1	3	2	1	1			—	—	—	1	1	—	11
12	Cancer, malignant disease	6	8	7	11	5	5	10	8			8	11	4	5	—	2	12
13	Rheumatic fever... ...	2	—	2	1	—	1	—	—			—	—	—	—	—	—	13
14	Meningitis	1	1	2	2	1	—	—	—			2	—	—	—	—	—	14
15	Organic heart disease ...	6	5	10	17	7	3	14	19			18	13	2	2	2	3	15
16	Bronchitis	5	7	13	9	4	6	2	4			12	7	1	5	—	1	16
17	Pneumonia (all forms) ...	5	2	13	13	4	8	7	8			4	4	1	—	1	—	17
18	Other respiratory diseases	—	1	2	—	1	—	3	1			4	—	1	—	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	5	—	—	—	—	1			5	4	1	—	—	—	19
20	Appendicitis and typhlitis	—	—	2	1	—	—	—	—			—	—	—	—	—	—	20
21	Cirrhosis of liver ...	1	—	—	—	1	—	1	—			—	1	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—			—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	5	2	5	4	1	—	2	2			2	4	1	1	1	1	22
23	Puerperal fever	—	—	—	1	—	—	—	—			—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	—	—	—			—	—	—	—	—	—	24
25	Congenital debility, &c.	1	1	6	9	4	2	3	3			8	5	3	1	1	1	25
26	Violence, apart from 27	2	1	5	2	2	1	4	2			7	3	2	—	—	1	26
27	Suicide	3	—	—	—	—	—	1	—			1	1	1	—	—	—	27
28	Other defined diseases ...	25	31	40	53	12	23	25	39			53	37	12	9	5	6	28
29	Causes ill-defined or unknown.	2	—	2	1	—	—	2	—			2	1	—	—	—	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

LINCOLNSHIRE (PARTS OF HOLLAND)—*cont.* LINCOLNSHIRE (PARTS OF KESTEVEN).

	Spalding U.D.		Sutton Bridge U.D.			Boston R.D.		Crowland R.D.		East Elloe R.D.		Spalding R.D.			Bourne U.D.		Brace-bridge U.D.		Grantham M.B.		
	M	F	M	F		M	F	M	F	M	F	M	F		M	F	M	F	M	F	
	66	94	16	14		160	151	17	16	72	38	69	58		25	31	14	21	155	124	
1	—	—	—	—		1	—	—	—	1	—	—	—		—	—	—	—	1	—	1
2	—	—	—	—		—	—	—	—	—	—	—	—		—	—	—	—	—	—	2
3	—	1	1	1		1	2	—	—	—	—	—	—		—	—	—	—	—	—	3
4	—	—	—	—		—	2	—	—	—	—	—	—		—	—	—	—	—	—	4
5	—	1	—	—		1	—	—	—	—	—	—	—		—	—	—	—	2	3	5
6	—	—	—	—		2	3	—	—	1	—	2	—		—	—	—	1	3	1	6
7	1	1	—	—		2	2	—	—	3	—	1	2		1	—	—	1	4	2	7
8	—	—	—	—		—	—	—	—	—	—	—	—		—	—	—	—	1	—	8
9	7	8	2	—		7	10	1	1	3	2	3	3		—	—	—	1	6	8	9
10	2	—	—	—		—	—	—	—	1	2	—	—		—	—	1	1	2	2	10
11	—	2	—	1		3	—	—	—	—	1	1	2		—	—	—	—	2	3	11
12	5	16	—	—		10	22	3	2	10	2	5	4		4	7	—	2	8	15	12
13	—	—	—	—		2	—	—	—	—	—	—	—		—	—	—	—	—	—	13
14	3	2	—	—		1	1	—	—	—	—	—	2		1	—	—	—	3	—	14
15	11	16	1	1		22	20	1	—	8	1	4	5		4	1	—	3	13	14	15
16	7	6	1	—		8	10	1	3	6	2	5	4		1	4	1	2	11	9	16
17	3	4	—	—		10	11	—	—	6	—	—	1		—	—	3	1	8	5	17
18	1	3	1	—		4	3	—	1	1	—	—	—		—	—	1	—	2	—	18
19	1	—	—	—		2	—	—	—	1	—	—	—		—	—	—	—	—	—	19
20	—	—	1	—		—	—	—	—	1	2	1	1		—	—	—	—	1	2	20
21	—	1	—	—		3	1	—	—	1	—	1	2		—	—	—	—	1	1	21
21A	—	—	—	—		1	—	—	—	—	—	—	—		—	—	—	—	1	—	21A
22	—	2	1	1		6	1	—	—	—	2	2	4		—	—	2	—	5	1	22
23	—	—	—	—		—	—	—	—	—	—	—	—		—	—	—	—	—	—	23
24	—	—	—	—		—	—	—	—	—	1	—	3		—	1	—	—	—	—	24
25	3	4	1	—		13	2	1	—	3	2	5	4		1	3	—	2	11	14	25
26	1	1	—	—		10	5	—	—	4	—	6	—		—	1	1	—	7	—	26
27	—	—	1	—		2	—	—	—	—	2	1	—		1	—	—	—	—	—	27
28	21	26	6	10		49	56	10	9	21	19	32	21		11	14	5	7	62	44	28
29	—	—	—	—		—	—	—	—	1	—	—	—		1	—	—	—	1	—	29

LINCOLNSHIRE (PARTS OF KESTEVEN)—*cont.*

	Rusking-ton U.D.		Sleaford U.D.		Stamford M.B.			Bourne R.D.		Branston R.D.		Claypole R.D.		Grantham R.D.		Sleaford R.D.		Uffington R.D.			
	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F		
	12	8	36	51	56	52		94	91	122	108	45	52	84	79	127	140	13	8		
1	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—		1
2	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—		2
3	—	—	—	—	—	—		3	1	—	1	—	—	—	1	1	1	—	—		3
4	—	—	—	1	—	—		—	—	1	—	—	—	—	—	—	—	—	—		4
5	—	—	1	1	—	—		2	2	3	—	2	—	3	3	5	5	—	—		5
6	—	—	—	—	—	—		—	—	1	1	—	—	2	—	2	—	—	—		6
7	—	1	1	5	—	2		—	1	5	1	1	—	2	3	3	6	—	2		7
8	—	—	—	—	—	—		—	—	—	—	—	—	—	1	1	—	—	—		8
9	1	—	4	5	2	1		7	6	8	9	—	1	1	3	8	14	—	—		9
10	—	—	—	—	1	—		1	—	—	—	—	—	—	3	1	—	—	—		10
11	—	—	—	1	—	1		1	1	1	—	—	—	—	1	3	2	—	—		11
12	2	2	—	1	7	1		7	7	8	10	5	6	8	5	9	13	1	—		12
13	—	—	—	—	—	—		1	1	1	1	—	—	—	—	1	—	—	—		13
14	—	—	1	—	—	2		1	2	—	1	—	—	—	—	—	1	—	—		14
15	3	2	4	11	3	4		14	13	15	11	4	8	7	16	12	19	2	1		15
16	—	—	3	3	2	—		9	11	11	14	7	5	15	7	11	12	1	—		16
17	—	—	3	1	4	4		4	3	6	8	—	3	5	—	8	5	1	1		17
18	—	—	—	—	—	1		1	3	2	1	2	—	1	—	1	4	—	—		18
19	—	—	1	—	1	—		1	—	—	1	—	1	2	—	2	—	—	—		19
20	—	—	—	—	—	—		—	—	—	—	1	—	1	—	—	—	—	—		20
21	—	—	—	—	—	—		—	—	—	—	—	—	—	1	2	—	—	—		21
21A	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—		21A
22	—	—	—	2	3	3		2	3	1	1	—	2	1	2	4	4	1	—		22
23	—	—	—	—	—	—		—	1	—	1	—	1	—	1	—	—	—	—		23
24	—	—	—	—	—	1		—	—	—	2	—	—	—	—	—	—	—	—		24
25	—	—	2	3	2	4		7	3	7	4	3	3	4	4	5	5	2	1		25
26	1	—	2	1	4	—		3	1	4	2	3	3	4	3	4	1	2	—		26
27	—	—	—	—	—	1		—	—	2	—	1	—	1	—	—	1	—	—		27
28	5	3	14	16	26	27		29	32	45	38	16	19	27	25	44	46	2	3		28
29	—	—	—	—	1	—		1	—	1	1	—	—	—	—	—	1	1	—		29

LINCOLNSHIRE (PARTS OF LINDSEY).

	Causes of Death.	Alford U.D.		Barton upon Humber U.D.		Brigg U.D.		Broughton U.D.		Brumby and Frodingham U.D.		Cleethorpe with Thrunscoe U.D.		Crowle U.D.		Gainsborough U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	9	27	37	42	12	25	8	10	35	19	133	124	18	22	134	131	
1	Enteric fever	—	—	—	—	1	—	—	—	—	—	1	—	—	—	1	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	—	—	—	4	1	—	—	—	2	3
4	Scarlet fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	—	—	—	—	—	—	—	3	—	—	1	3	1	5
6	Diphtheria and croup ...	—	—	—	—	—	—	—	—	5	1	1	2	—	—	3	—	6
7	Influenza	1	—	3	5	2	1	—	—	2	—	—	—	1	1	4	5	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	8
9	Pulmonary tuberculosis	—	2	1	7	1	3	—	1	4	3	14	12	2	—	19	12	9
10	Tuberculous meningitis	—	—	—	—	—	—	—	—	—	—	2	1	—	—	2	1	10
11	Other tuberculous diseases	—	—	4	—	—	1	—	—	1	1	1	3	1	—	—	1	11
12	Cancer, malignant disease	—	3	2	2	—	—	—	1	3	1	9	15	1	3	9	12	12
13	Rheumatic fever... ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	13
14	Meningitis	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	1	14
15	Organic heart disease ...	3	5	3	4	2	8	2	1	4	2	15	13	2	4	18	27	15
16	Bronchitis	1	3	1	2	—	1	—	2	1	4	5	7	—	—	8	17	16
17	Pneumonia (all forms) ...	1	—	3	3	—	—	—	2	2	2	5	8	3	1	6	7	17
18	Other respiratory diseases	—	3	1	—	—	—	—	—	—	—	3	3	1	1	2	1	18
19	Diarrhœa,&c.(under 2 yrs.)	—	—	—	1	—	—	—	—	1	—	4	3	—	—	—	1	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	20
21	Cirrhosis of liver ...	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	2	3	2	—	—	—	—	2	—	1	5	—	2	8	6	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	24
25	Congenital debility, &c.	1	1	4	3	—	1	—	—	1	—	12	9	—	2	10	7	25
26	Violence, apart from 27	—	—	2	—	—	—	1	—	2	—	8	1	—	—	3	1	26
27	Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
28	Other defined diseases ...	2	7	9	13	6	10	5	3	5	5	42	36	6	7	37	26	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	29

LINCOLNSHIRE (PARTS OF LINDSEY)—*cont.*

	Causes of Death.	Horncastle U.D.		Louth M.B.		Mablethorpe U.D.		Market Rasen U.D.		Roxby cum Risby U.D.		Scunthorpe U.D.		Skegness U.D.		Winterton U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	27	36	85	80	10	11	25	11	3	1	79	72	14	17	17	13	
1	Enteric fever	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	1
2	Small-pox..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	1	—	—	—	—	—	—	—	—	3	—	—	—	—	5
6	Diphtheria and croup ...	—	—	1	1	—	—	—	—	—	—	5	9	—	—	—	—	6
7	Influenza	—	2	1	5	1	1	—	—	—	—	1	—	—	—	—	—	7
8	Erysipelas	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—	8
9	Pulmonary tuberculosis	1	5	8	4	—	1	—	3	—	—	4	1	4	2	—	1	9
10	Tuberculous meningitis	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	—	10
11	Other tuberculous diseases	—	—	—	2	—	—	—	1	—	—	—	—	—	—	1	—	11
12	Cancer, malignant disease	—	8	3	7	1	2	3	—	—	—	4	6	1	5	—	3	12
13	Rheumatic fever... ...	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	13
14	Meningitis	—	1	3	2	—	—	—	—	—	—	1	—	—	—	—	—	14
15	Organic heart disease ...	3	2	7	10	—	—	2	1	—	—	6	4	1	—	1	2	15
16	Bronchitis	2	1	9	7	—	—	2	—	—	—	—	6	—	1	1	1	16
17	Pneumonia (all forms) ...	5	—	4	3	—	—	—	—	1	—	10	10	—	—	9	1	17
18	Other respiratory diseases	2	1	—	—	—	1	—	—	—	—	2	1	—	—	—	—	18
19	Diarrhœa,&c.(under 2 yrs.)	—	1	—	—	—	—	—	—	—	—	3	—	—	—	—	—	19
20	Appendicitis and typhlitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	4	—	—	1	—	1	—	—	—	1	—	1	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	—	2	2	2	—	1	—	—	—	1	—	1	—	—	—	22
23	Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	2	—	—	—	—	—	—	—	2	—	—	—	—	24
25	Congenital debility, &c.	1	1	3	2	1	—	1	—	—	—	9	2	2	1	1	—	25
26	Violence, apart from 27	—	—	2	2	2	—	—	—	—	—	11	1	—	2	—	1	26
27	Suicide	1	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	27
28	Other defined diseases ...	11	12	33	28	2	5	16	5	2	1	20	22	5	4	4	4	28
29	Causes ill-defined or unknown.	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

LINCOLNSHIRE (PARTS OF LINDSEY)—*cont.*

	Woodhall Spa U.D.						Caistor R.D.		Gainsborough R.D.		Glanford Brigg R.D.		Grimsby R.D.		Horncastle R.D.		Isle of Axholme R.D.		Louth R.D.		Sibsey R.D.		
	M	F					M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	9	10					84	70	98	113	221	200	67	65	81	71	52	45	112	118	15	16	
1	—	—					—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1
2	—	—					—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—					—	—	—	1	—	—	—	3	—	—	1	—	—	1	—	—	3
4	—	—					—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	4
5	—	—					1	—	1	2	1	3	1	—	2	2	2	1	1	1	—	—	5
6	—	—					—	—	1	—	6	6	2	1	1	3	—	1	—	—	—	—	6
7	—	1					2	1	12	8	3	4	1	1	3	4	1	—	6	7	1	1	7
8	—	—					—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	—					3	5	2	7	8	17	8	3	6	8	7	5	5	11	—	2	9
10	—	—					—	1	—	—	2	1	—	—	—	—	1	—	—	1	—	—	10
11	1	—					3	3	1	1	5	4	—	2	1	—	—	—	—	2	—	—	11
12	—	2					13	12	9	11	15	20	4	4	3	9	5	6	8	5	1	3	12
13	—	—					—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	13
14	—	—					—	—	—	—	2	3	—	1	—	—	—	—	—	1	—	—	14
15	—	1					10	10	16	11	20	14	6	3	5	8	4	2	14	15	1	—	15
16	—	—					1	2	6	11	13	9	2	6	5	4	2	1	5	12	1	—	16
17	—	—					2	3	5	3	13	12	1	6	9	4	3	4	2	4	1	—	17
18	—	1					—	—	—	4	4	—	3	—	5	3	—	—	1	1	—	—	18
19	1	—					4	1	3	—	4	—	2	4	—	—	1	1	1	2	—	—	19
20	—	—					1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	20
21	—	—					—	—	1	2	1	—	—	1	—	—	—	—	—	—	—	—	21
21A	—	—					—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	—					3	1	2	5	7	2	1	1	4	—	—	1	6	2	1	1	22
23	—	—					—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	23
24	—	—					—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	24
25	1	—					3	4	2	6	16	13	7	2	4	1	2	—	9	11	1	—	25
26	1	—					1	—	9	1	7	1	2	2	3	—	2	2	5	2	—	—	26
27	—	—					—	1	1	—	1	—	—	—	—	—	—	—	—	1	1	—	27
28	2	5					36	25	25	37	89	85	25	25	28	23	19	20	47	39	7	9	28
29	—	—					1	—	2	2	3	1	1	—	—	1	2	—	2	—	—	—	29

LINCOLNSHIRE (PARTS OF LINDSEY)—*cont.* MIDDLESEX.

	Spilsby R.D.		Welton R.D.				Acton U.D.		Brentford U.D.		Chiswick U.D.		Ealing M.B.		Edmonton U.D.		Enfield U.D.		Feltham U.D.		
	M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	123	159	79	78			345	341	108	102	222	272	304	424	389	355	292	304	39	40	
1	—	—	1	—			—	—	—	—	—	1	—	—	1	2	—	—	—	—	1
2	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	1	—	1			3	8	—	7	4	3	1	3	19	7	—	—	1	1	3
4	—	1	—	—			—	1	—	—	2	—	—	1	1	1	—	2	—	—	4
5	2	3	1	1			6	2	1	—	8	5	2	6	1	8	—	5	—	—	5
6	—	2	1	—			1	3	—	2	—	—	4	6	3	1	3	4	1	2	6
7	3	8	1	1			9	5	3	—	3	3	8	14	4	3	1	7	1	1	7
8	1	2	—	—			1	—	—	—	—	2	—	1	2	1	—	2	—	—	8
9	7	8	1	8			38	29	12	13	25	24	18	30	40	31	37	34	1	3	9
10	1	—	1	—			8	3	1	1	2	4	6	2	11	4	4	4	—	—	10
11	—	2	—	—			4	2	—	—	3	2	1	—	7	9	4	6	—	—	11
12	9	24	4	8			19	48	12	10	14	27	34	53	26	30	21	21	3	5	12
13	—	—	—	—			1	1	1	—	—	3	1	1	1	1	1	1	—	—	13
14	—	2	—	—			4	4	—	2	1	1	7	1	1	3	1	4	—	—	14
15	12	15	10	12			42	25	9	10	18	27	39	45	33	54	30	34	5	2	15
16	6	6	3	4			26	27	10	8	20	35	21	31	21	30	18	18	3	5	16
17	8	5	7	3			25	31	8	6	14	13	23	31	48	38	24	19	1	1	17
18	2	4	4	—			7	5	1	1	4	6	7	4	5	3	2	4	1	2	18
19	2	1	—	1			3	8	4	1	5	7	5	2	17	12	7	6	—	—	19
20	—	—	—	—			3	3	—	2	1	2	4	3	3	—	1	1	—	—	20
21	—	3	1	—			6	2	—	—	2	1	4	4	3	2	3	4	—	1	21
21A	—	—	—	—			—	—	—	—	—	—	1	—	—	—	—	1	—	—	21A
22	3	1	3	2			12	3	1	3	9	11	13	10	8	4	10	8	2	—	22
23	—	1	—	1			—	4	—	—	—	2	—	—	—	4	—	1	—	—	23
24	—	3	—	—			—	6	—	—	—	1	—	3	—	4	—	1	—	1	24
25	6	8	1	4			27	15	8	4	16	9	13	16	21	18	25	11	5	3	25
26	9	—	2	—			13	8	7	3	7	7	6	10	21	8	11	3	—	—	26
27	3	1	1	1			1	1	—	—	4	—	1	4	—	2	4	2	—	—	27
28	48	57	37	31			86	95	30	28	60	75	85	143	92	75	85	99	14	13	28
29	1	1	—	—			—	2	—	1	—	1	—	—	—	—	—	2	1	—	29

MIDDLESEX—*cont.*

	Causes of Death.	Finchley U.D.		Friern Barnet U.D.		Greenford U.D.		Hampton U.D.		Hampton Wick U.D.		Hanwell U.D.		Harrow on the Hill U.D.		Hayes U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	188	215	62	86	10	8	56	58	15	16	99	103	74	91	22	24	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	2	—	—	1	—	—	5	3	—	—	—	—	—	—	—	—	3
4	Scarlet fever	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	4
5	Whooping cough ...	3	1	1	—	—	—	1	—	—	—	1	—	—	—	—	—	5
6	Diphtheria and croup ...	2	2	5	2	—	—	—	—	—	—	1	1	—	1	—	—	6
7	Influenza	3	5	1	3	—	—	—	—	—	—	1	2	3	5	—	—	7
8	Erysipelas	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	18	16	10	6	2	1	7	1	—	1	14	7	8	7	5	2	9
10	Tuberculous meningitis	1	4	1	—	—	—	—	3	—	—	—	—	—	1	—	—	10
11	Other tuberculous diseases	2	1	—	2	—	—	3	—	—	2	—	1	1	3	—	2	11
12	Cancer, malignant disease	11	38	3	10	—	1	5	6	—	4	6	9	11	18	3	1	12
13	Rheumatic fever... ...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis	2	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	14
15	Organic heart disease ...	25	30	7	12	—	1	8	10	1	3	8	16	9	7	1	1	15
16	Bronchitis	6	7	7	8	—	1	4	4	2	—	5	17	5	5	1	1	16
17	Pneumonia (all forms) ...	10	11	6	3	1	1	5	3	2	1	9	8	3	4	4	2	17
18	Other respiratory diseases	1	6	—	3	—	—	—	2	—	—	—	—	3	1	1	2	18
19	Diarrhœa,&c.(under 2 yrs.)	7	4	—	2	—	2	3	—	1	—	6	2	—	—	—	—	19
20	Appendicitis and typhlitis	—	1	—	—	—	—	—	1	—	—	1	—	1	1	—	—	20
21	Cirrhosis of liver ...	2	2	—	1	—	—	1	—	—	—	—	1	1	2	—	1	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	21A
22	Nephritis and Bright's dis.	6	5	3	2	1	—	—	1	—	—	1	3	3	3	1	—	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	23
24	Parturition, apart from 23	—	3	—	3	—	—	—	1	—	—	—	—	—	1	—	—	24
25	Congenital debility, &c.	9	5	2	3	1	—	2	2	—	—	9	2	2	2	—	—	25
26	Violence, apart from 27	5	4	1	—	1	—	1	2	—	—	3	3	—	3	—	—	26
27	Suicide	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	27
28	Other defined diseases ...	69	67	14	25	4	1	11	19	8	5	31	30	24	26	5	11	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

MIDDLESEX—*cont.*

	Causes of Death.	Hendon U.D.		Heston and Isleworth U.D.		Hornsey M.B.		Kingsbury U.D.		Ruislip Northwood U.D.		Southall Norwood U.D.		Southgate U.D.		Staines U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	234	258	260	267	401	528	7	1	32	32	149	114	145	174	40	40	
1	Enteric fever	—	—	—	—	1	—	—	—	—	—	—	1	—	1	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	6	3	—	—	—	—	—	—	—	1	—	—	—	—	3
4	Scarlet fever	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	2	3	1	2	1	5	—	—	1	—	—	1	1	—	—	—	5
6	Diphtheria and croup ...	4	6	4	1	6	5	—	—	—	—	3	3	2	4	1	—	6
7	Influenza	4	4	4	2	7	23	—	—	—	—	1	—	9	9	1	—	7
8	Erysipelas	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	8
9	Pulmonary tuberculosis	26	19	19	19	46	41	1	—	3	1	24	11	16	11	1	3	9
10	Tuberculous meningitis	3	—	1	2	4	5	—	—	—	—	2	—	3	3	2	—	10
11	Other tuberculous diseases	6	7	3	5	5	3	—	—	4	—	3	1	2	2	1	1	11
12	Cancer, malignant disease	29	30	23	21	35	72	—	—	1	7	13	10	21	22	3	4	12
13	Rheumatic fever... ...	3	1	1	3	2	1	—	—	—	—	5	1	—	—	—	—	13
14	Meningitis	—	4	3	3	2	4	—	—	1	—	3	1	—	2	—	1	14
15	Organic heart disease ...	25	42	28	38	53	73	1	—	2	2	12	12	13	20	2	6	15
16	Bronchitis	14	16	22	27	25	34	1	—	1	2	12	11	14	18	7	5	16
17	Pneumonia (all forms) ...	17	19	26	29	32	27	2	—	1	1	14	6	6	7	5	2	17
18	Other respiratory diseases	5	7	4	2	8	14	—	—	—	2	2	2	2	4	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	1	—	10	11	3	5	—	—	—	—	2	1	1	1	—	—	19
20	Appendicitis and typhlitis	2	—	1	3	6	1	—	—	—	—	—	1	1	2	—	—	20
21	Cirrhosis of liver ...	2	—	3	—	3	4	—	—	—	—	—	—	5	—	2	—	21
21A	Alcoholism	—	—	—	1	—	—	—	—	—	1	—	—	1	—	—	—	21A
22	Nephritis and Bright's dis.	3	3	6	3	14	13	—	—	—	—	4	2	3	6	—	1	22
23	Puerperal fever	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—	1	23
24	Parturition, apart from 23	—	1	—	3	—	3	—	—	—	—	—	1	—	2	—	—	24
25	Congenital debility, &c.	15	18	11	6	11	10	—	—	1	2	6	13	5	9	1	—	25
26	Violence, apart from 27	15	5	10	2	8	11	—	—	—	1	11	3	3	2	—	—	26
27	Suicide	1	1	—	2	5	4	—	—	—	—	—	1	1	—	—	—	27
28	Other defined diseases ...	57	70	72	75	124	168	2	1	17	13	32	30	36	49	14	16	28
29	Causes ill-defined or unknown.	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

MIDDLESEX—*cont.*

	Sunbury on Thames U.D.		Teddington U.D.		Tottenham U.D.		Twickenham U.D.		Uxbridge U.D.		Wealdstone U.D.		Wembley U.D.		Willesden U.D.		Wood Green U.D.		Yiewsley U.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
	32	17	101	97	843	788	205	218	65	79	70	70	74	51	868	844	225	287	21	24		
1	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—	—	—	—	1	—		1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3	—	—	2	1	11	12	—	1	—	—	—	1	2	—	3	4	—	1	—	—		3
4	—	—	1	—	2	4	—	—	—	—	—	1	—	1	—	1	—	2	—	—		4
5	—	—	1	—	10	10	4	3	1	1	—	—	—	—	11	15	—	2	—	—		5
6	—	1	—	1	11	18	2	1	1	3	4	—	—	—	9	10	2	3	—	—		6
7	—	1	2	4	13	6	2	5	—	—	2	7	1	2	16	15	3	2	—	—		7
8	1	—	—	—	1	2	—	1	—	—	—	—	—	1	1	2	—	—	—	—		8
9	2	—	8	5	110	74	22	13	6	4	6	6	9	3	98	64	17	29	—	—		9
10	—	—	—	2	14	11	1	—	—	2	—	2	2	2	8	12	2	1	—	1		10
11	1	—	3	—	10	9	2	3	—	—	2	—	1	2	13	13	1	2	—	—		11
12	3	1	6	15	57	79	22	33	11	11	9	15	6	5	72	103	21	48	2	2		12
13	—	1	—	1	1	4	1	1	—	2	1	1	1	—	3	8	1	—	—	—		13
14	—	—	—	—	10	9	2	—	—	—	—	—	—	—	10	5	1	3	1	—		14
15	2	2	10	11	92	112	18	18	8	10	5	4	8	3	80	108	29	43	5	5		15
16	3	3	7	9	48	57	10	17	5	6	6	2	4	2	54	76	22	21	1	1		16
17	—	1	10	6	79	52	18	23	3	3	1	1	5	2	66	59	13	14	—	2		17
18	1	—	3	4	20	12	3	7	2	1	2	—	2	—	7	15	5	2	—	—		18
19	1	—	1	2	29	18	10	4	—	2	3	3	2	—	24	9	4	6	1	—		19
20	—	—	2	—	4	4	3	3	1	—	1	1	—	—	5	7	1	3	—	—		20
21	—	—	—	—	1	3	2	2	—	1	—	—	1	—	6	9	1	2	—	—		21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	1	—	—		21A
22	1	—	2	3	22	26	2	4	2	2	4	2	—	1	23	22	3	7	—	1		22
23	—	—	—	1	—	8	—	—	—	—	—	—	—	1	—	8	—	—	—	—		23
24	—	—	—	1	—	4	—	2	—	—	—	2	—	2	—	7	—	1	—	—		24
25	4	1	6	6	57	32	18	5	7	1	4	3	7	4	65	37	17	19	2	5		25
26	5	—	6	2	32	20	8	3	2	2	1	1	3	—	33	23	4	4	2	1		26
27	—	—	1	1	3	—	2	—	—	1	1	—	—	2	3	2	4	2	—	—		27
28	8	6	30	22	205	200	52	69	16	27	18	18	18	17	256	208	74	69	6	6		28
29	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	2	—	—	—	—		29

MIDDLESEX—*cont.* MONMOUTHSHIRE.

	Hendon R.D.		South Mimms R.D.		Staines R.D.		Uxbridge R.D.						Abercarn U.D.		Abergavenny M.B.		Abersychan U.D.		Abertillery U.D.		Bedwas and Machen U.D.		
	M	F	M	F	M	F	M	F					M	F	M	F	M	F	M	F	M	F	
	57	73	17	19	165	99	51	54					135	80	71	59	152	137	205	174	53	40	
1	—	1	—	—	—	—	—	—					—	1	—	—	—	—	—	—	1	—	1
2	—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	1	1	—	—					1	—	—	1	4	2	—	—	—	—	3
4	—	1	—	—	—	—	—	—					2	2	—	—	—	—	—	1	—	1	4
5	2	1	—	—	1	—	1	1					3	—	—	—	2	2	1	2	1	—	5
6	—	1	1	—	6	2	—	—					1	2	—	—	1	1	3	1	—	—	6
7	—	3	—	1	—	—	—	—					2	—	1	2	—	—	7	5	1	—	7
8	—	—	—	—	—	—	—	—					—	—	—	—	—	2	1	—	—	—	8
9	4	6	1	1	16	10	3	5					7	5	7	7	6	9	12	6	3	5	9
10	—	2	—	—	1	1	—	—					1	2	—	—	—	—	3	2	—	—	10
11	—	—	—	—	3	3	1	1					1	1	1	—	2	1	—	3	1	3	11
12	9	11	1	4	10	6	5	4					5	1	8	3	7	7	7	10	3	—	12
13	—	—	—	—	—	—	—	1					1	1	—	—	—	—	2	1	—	—	13
14	1	2	—	—	—	1	—	1					—	1	1	—	1	5	1	2	1	—	14
15	5	11	3	3	17	10	7	6					7	6	12	10	17	19	15	12	7	1	15
16	1	4	—	—	13	9	3	5					11	4	5	4	25	10	20	16	2	1	16
17	6	5	1	—	12	4	2	4					17	11	4	2	21	15	22	13	6	3	17
18	—	—	—	—	5	—	1	1					4	2	4	2	3	2	5	3	—	—	18
19	2	1	—	—	6	2	—	1					2	3	1	—	1	2	3	10	2	1	19
20	—	—	—	—	—	—	—	—					1	1	1	—	—	1	—	1	—	—	20
21	—	—	—	—	2	2	—	—					1	—	3	—	1	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—					—	—	—	1	—	—	—	—	—	—	21A
22	5	2	—	—	2	3	2	—					2	1	1	—	1	1	6	3	3	—	22
23	—	—	—	—	—	—	—	—					—	—	—	—	—	—	—	2	—	—	23
24	—	3	—	—	—	—	—	—					—	1	—	—	—	5	—	4	—	1	24
25	6	1	1	—	7	5	1	3					11	9	—	4	15	13	23	19	2	9	25
26	1	1	1	—	6	2	4	—					12	—	—	—	11	6	15	1	10	2	26
27	—	—	—	—	1	—	1	1					—	—	—	2	—	—	3	1	—	1	27
28	14	17	8	10	56	38	20	20					41	26	22	19	31	35	54	54	10	12	28
29	1	—	—	—	—	—	—	—					2	—	—	2	2	—	2	2	—	—	29

MONMOUTHSHIRE—*cont.*

	Causes of Death.	Bedwellty U.D.		Blaenavon U.D.		Caerleon U.D.		Chepstow U.D.		Ebbw Vale U.D.		Llanfrechfa Upper U.D.		Llantarnam U.D.		Monmouth M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	205	136	114	64	9	9	26	14	278	182	32	24	52	46	47	45	
1	Enteric fever	—	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	1	1	—	—	—	—	3	2	—	—	—	—	—	—	4
5	Whooping cough ...	6	5	1	—	—	—	2	—	8	2	1	—	—	1	—	—	5
6	Diphtheria and croup ...	1	1	—	—	—	—	—	—	5	5	—	1	—	—	—	—	6
7	Influenza	3	7	—	1	—	—	—	—	8	3	1	—	2	—	—	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	10	7	10	2	1	1	2	2	19	12	—	1	1	6	1	2	9
10	Tuberculous meningitis	2	3	1	—	—	—	—	—	2	5	—	—	1	2	—	—	10
11	Other tuberculous diseases	1	—	4	1	1	—	—	—	4	2	—	1	—	1	1	2	11
12	Cancer, malignant disease	7	7	3	3	1	1	4	—	4	12	2	3	4	6	2	4	12
13	Rheumatic fever... ...	3	1	1	2	—	—	—	—	—	3	—	—	1	1	—	—	13
14	Meningitis	1	—	1	—	—	—	—	—	2	3	—	—	—	—	—	—	14
15	Organic heart disease ...	13	7	8	6	1	—	4	3	17	12	2	4	7	4	4	4	15
16	Bronchitis	12	9	14	7	—	—	2	1	24	10	12	4	9	5	10	7	16
17	Pneumonia (all forms) ...	38	21	6	1	1	3	2	1	26	5	—	1	5	2	3	3	17
18	Other respiratory diseases	2	—	3	—	1	—	—	—	10	7	—	—	—	2	1	—	18
19	Diarrhœa, &c. (under 2 yrs.)	8	4	—	2	—	—	—	—	8	1	—	—	—	2	—	—	19
20	Appendicitis and typhlitis	1	1	—	—	—	—	—	—	2	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	2	—	—	—	—	—	—	3	—	—	—	—	—	1	—	21
21A	Alcoholism	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	5	1	2	2	1	1	2	—	6	8	—	1	—	1	2	1	22
23	Puerperal fever	—	—	—	2	—	—	—	—	—	2	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	7	—	1	—	—	—	—	—	2	—	—	—	1	—	—	24
25	Congenital debility, &c.	22	23	16	7	—	1	—	—	27	11	1	1	6	2	4	4	25
26	Violence, apart from 27	23	5	11	1	—	—	1	—	24	4	1	—	4	—	5	1	26
27	Suicide	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	27
28	Other defined diseases ...	44	25	32	24	2	2	7	7	72	65	12	6	12	9	13	16	28
29	Causes ill-defined or unknown.	2	—	—	—	—	—	—	—	2	1	—	—	—	1	—	1	29

MONMOUTHSHIRE—*cont.*

	Causes of Death.	Mynyddislwyn U.D.		Nantyglo and Blaina U.D.		Panteg U.D.		Pontypool U.D.		Rhymney U.D.		Risca U.D.		Tredegar U.D.		Usk U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	76	62	94	100	51	70	49	33	86	58	85	80	171	142	7	6	
1	Enteric fever	—	—	—	2	—	—	—	1	—	—	—	—	1	4	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	—	1	—	—	—	3	—	—	—	—	1	—	1	—	—	3
4	Scarlet fever	—	—	—	—	—	1	—	—	1	—	1	—	—	1	—	—	4
5	Whooping cough ...	1	—	3	9	—	—	—	1	2	3	—	1	4	5	—	—	5
6	Diphtheria and croup ...	1	—	3	—	—	1	2	—	1	—	—	—	1	3	—	—	6
7	Influenza	—	1	1	—	—	—	—	—	4	2	1	—	—	—	—	—	7
8	Erysipelas	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	8
9	Pulmonary tuberculosis	8	3	4	12	7	4	4	3	6	2	4	7	18	12	2	—	9
10	Tuberculous meningitis	1	—	—	—	2	—	—	2	—	—	1	1	—	3	—	—	10
11	Other tuberculous diseases	—	1	1	—	1	—	2	—	2	—	1	2	2	1	—	—	11
12	Cancer, malignant disease	3	3	3	8	4	4	1	5	3	4	9	5	5	5	—	1	12
13	Rheumatic fever... ...	—	1	1	1	1	—	—	—	1	—	—	—	1	—	—	—	13
14	Meningitis	—	—	1	1	1	7	1	1	1	—	3	2	1	—	—	—	14
15	Organic heart disease ...	3	3	5	3	4	8	4	2	5	7	4	7	13	16	—	—	15
16	Bronchitis	5	5	15	13	4	5	5	—	11	6	7	9	17	13	—	—	16
17	Pneumonia (all forms) ...	11	11	13	13	4	3	3	2	6	6	6	2	25	6	1	1	17
18	Other respiratory diseases	1	—	3	—	—	—	2	—	3	2	2	2	5	1	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	1	2	—	2	—	1	—	—	3	1	2	2	1	3	—	—	19
20	Appendicitis and typhlitis	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	20
21	Cirrhosis of liver ...	—	—	—	—	—	—	1	1	—	—	—	1	2	1	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	21A
22	Nephritis and Bright's dis.	3	—	5	2	1	1	1	—	2	4	5	3	2	5	1	—	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	23
24	Parturition, apart from 23	—	—	—	1	—	—	—	2	—	—	—	1	—	6	—	—	24
25	Congenital debility, &c.	12	11	5	6	1	7	6	2	9	3	3	7	9	8	—	—	25
26	Violence, apart from 27	7	3	8	1	7	2	2	1	6	4	11	—	11	3	—	—	26
27	Suicide	1	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	27
28	Other defined diseases ...	15	18	21	26	13	25	11	10	20	13	22	24	48	43	3	4	28
29	Causes ill-defined or unknown.	—	—	1	—	—	1	1	—	—	—	2	2	2	1	—	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

MONMOUTHSHIRE—*cont.* NORFOLK.

	Abergavenny R.D.		Chepstow R.D.		Magor R.D.		Monmouth R.D.		Pontypool R.D.		St. Mellons R.D.						Cromer U.D.		Diss U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F					M	F	M	F	
	47	60	55	37	33	31	62	37	42	26	61	49					22	22	28	23	
1	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—					—	—	1	—	3
4	—	—	1	—	—	—	—	1	—	—	—	—					—	—	—	—	4
5	1	1	—	—	—	—	1	—	—	—	—	—					3	—	1	—	5
6	—	1	—	—	1	1	—	—	—	—	2	2					—	—	—	—	6
7	2	—	1	—	—	1	2	—	1	—	—	—					3	—	2	1	7
8	—	—	—	—	—	—	—	1	—	—	1	—					—	2	—	—	8
9	4	5	5	7	5	5	7	4	3	—	9	4					2	—	2	—	9
10	—	2	—	—	—	—	—	—	1	1	—	—					—	—	—	—	10
11	—	—	—	—	—	—	—	1	1	—	—	1					1	—	1	—	11
12	2	2	5	4	1	3	4	4	4	3	5	3					2	4	2	4	12
13	—	—	—	1	—	—	—	—	—	1	—	—					—	—	—	—	13
14	—	—	—	—	1	—	—	—	—	—	1	2					—	2	—	—	14
15	7	14	7	4	5	4	10	6	4	4	8	10					1	2	5	4	15
16	2	2	8	2	2	1	7	4	5	7	6	4					—	—	1	2	16
17	3	2	3	5	4	1	3	1	5	2	3	3					—	—	1	2	17
18	—	—	—	—	1	1	—	—	1	—	—	—					—	1	—	—	18
19	—	—	—	1	—	—	1	—	—	—	—	1					—	—	—	—	19
20	—	—	—	—	—	—	—	—	1	—	—	1					1	—	—	—	20
21	—	—	1	—	—	—	—	—	—	—	2	—					—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	21A
22	1	2	1	—	1	2	1	—	2	—	2	3					—	—	1	—	22
23	—	—	—	—	—	—	—	—	—	—	—	—					—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	1	—	—					—	—	—	—	24
25	—	4	2	2	—	2	1	—	—	—	2	2					1	1	1	—	25
26	3	1	3	1	1	—	5	—	1	—	2	3					—	—	—	—	26
27	—	—	1	—	—	—	—	—	—	—	—	—					—	1	—	—	27
28	20	24	17	10	10	10	20	15	13	7	18	9					7	9	8	9	28
29	2	—	—	—	1	—	—	—	—	—	—	1					1	—	2	1	29

NORFOLK—*continued.*

	Downham Market U.D.		East Dereham U.D.		King's Lynn M.B.		New Hunstanton U.D.		North Walsham U.D.		Sheringham U.D.		Swaffham U.D.		Thetford M.B.		Walsoken U.D.		Wells U.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
	12	21	44	33	136	145	12	14	22	29	27	20	26	31	25	20	33	25	15	20		
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	3	—	—		1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—		3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		4
5	—	—	—	2	1	2	—	—	—	3	—	—	—	—	—	—	—	—	1	1		5
6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—		6
7	—	—	—	—	4	5	—	—	1	—	1	2	—	—	2	—	—	1	—	—		7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		8
9	1	1	2	2	15	11	1	2	5	4	3	2	2	2	1	1	7	1	—	—		9
10	—	—	1	—	—	2	—	—	—	1	—	—	1	—	—	—	—	—	—	—		10
11	1	—	1	—	1	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—		11
12	—	6	4	3	13	25	2	1	—	—	2	3	2	6	3	2	1	1	—	1		12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		13
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1		14
15	2	4	7	11	11	13	—	1	2	7	—	2	2	6	1	1	1	2	2	8		15
16	1	2	7	2	15	15	—	2	2	1	3	1	2	—	—	—	1	4	2	—		16
17	—	—	2	1	2	4	—	—	—	—	—	—	1	1	3	1	1	1	—	—		17
18	—	—	—	—	2	2	—	1	—	—	1	—	—	—	—	—	—	—	—	1		18
19	—	—	—	1	—	1	—	—	1	—	—	—	—	—	—	1	—	—	1	—		19
20	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1		20
21	—	—	—	—	2	2	1	—	3	—	—	—	—	—	1	1	1	1	2	1		21
21A	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		21A
22	1	—	—	1	4	2	—	—	—	—	—	—	1	1	2	2	4	1	—	—		22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		23
24	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		24
25	1	1	5	—	6	8	—	—	—	1	1	1	1	—	—	1	2	1	—	1		25
26	1	—	—	1	10	1	1	—	—	—	4	1	—	—	2	1	2	—	3	—		26
27	—	—	1	—	1	2	—	—	—	—	—	—	—	1	1	—	—	1	—	—		27
28	4	7	14	8	48	46	6	7	7	11	12	8	14	14	7	7	11	8	3	5		28
29	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—		29

NORFOLK—*cont.*

	Causes of Death.	Aylsham R.D.		Blofield R.D.		Depwade R.D.		Docking R.D.		Downham R.D.		East and West Flegg R.D.		Erpingham R.D.		Forehoe R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	119	102	78	75	124	142	124	125	102	107	76	65	122	109	81	95	
1	Enteric fever	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	1	—	—	1	—	3	—	—	—	2	—	1	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	1	1	—	2	—	2	3	—	—	—	—	—	—	—	—	—	5
6	Diphtheria and croup ...	—	—	—	—	—	—	—	4	—	—	—	—	3	5	1	1	6
7	Influenza	—	4	3	—	2	4	—	2	1	—	2	1	3	—	2	3	7
8	Erysipelas	1	—	—	—	—	1	—	—	—	1	—	—	—	1	—	—	8
9	Pulmonary tuberculosis	5	11	8	6	7	5	7	8	9	8	5	8	11	10	8	8	9
10	Tuberculous meningitis	1	1	1	—	—	1	2	1	1	—	—	1	—	2	—	1	10
11	Other tuberculous diseases	1	1	—	2	—	2	1	1	2	—	1	1	3	1	—	1	11
12	Cancer, malignant disease	8	18	2	8	8	17	11	15	15	19	9	11	15	14	8	9	12
13	Rheumatic fever... ...	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	13
14	Meningitis	—	1	—	1	2	1	—	—	1	1	2	—	—	—	—	—	14
15	Organic heart disease ...	18	11	11	12	18	30	14	14	14	13	5	7	11	8	12	13	15
16	Bronchitis	18	8	5	2	7	13	9	8	9	4	5	5	5	7	10	12	16
17	Pneumonia (all forms) ...	5	3	—	1	7	5	4	4	3	8	1	3	6	7	3	3	17
18	Other respiratory diseases	—	—	—	1	2	—	—	1	2	2	3	—	—	—	1	—	18
19	Diarrhœa, &c. (under 2 yrs.)	1	—	—	1	—	—	2	—	—	1	1	—	1	—	—	—	19
20	Appendicitis and typhlitis	1	—	—	—	2	—	1	1	1	1	—	1	—	—	1	—	20
21	Cirrhosis of liver ...	2	—	—	1	2	2	1	—	1	—	—	1	—	—	1	—	21
21A	Alcoholism	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	4	1	1	2	2	3	3	2	1	5	4	—	5	2	4	4	22
23	Puerperal fever	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	23
24	Parturition, apart from 23	—	—	—	1	—	1	—	—	—	—	—	2	—	1	—	1	24
25	Congenital debility, &c.	7	6	6	3	10	8	4	3	4	2	1	2	6	4	5	1	25
26	Violence, apart from 27	4	—	6	1	6	3	10	2	7	1	4	—	3	3	2	3	26
27	Suicide	2	—	2	—	2	1	1	—	1	—	2	—	—	—	2	—	27
28	Other defined diseases ...	38	33	33	28	44	41	46	56	29	39	28	22	48	42	20	33	28
29	Causes ill-defined or unknown.	2	1	—	2	2	—	1	2	1	—	1	—	1	1	1	2	29

NORFOLK—*cont.*

	Causes of Death.	Freebridge Lynn R.D.		Henstead R.D.		King's Lynn R.D.		Loddon and Clavering R.D.		Marshland R.D.		Mitford and Launditch R.D.		St. Faith's R.D.		Smallburgh R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	94	67	70	72	2	5	89	82	71	75	130	132	64	54	111	95	
1	Enteric fever	1	—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	—	1	2	1	—	—	—	1	1	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	4
5	Whooping cough ...	—	—	1	—	—	—	1	2	—	2	4	3	—	—	—	1	5
6	Diphtheria and croup ...	—	—	3	2	—	—	—	1	—	—	—	—	—	—	—	—	6
7	Influenza	1	1	1	2	—	—	3	1	1	1	4	3	2	2	1	2	7
8	Erysipelas	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—	8
9	Pulmonary tuberculosis	3	4	—	4	—	—	9	7	2	3	6	16	—	1	7	6	9
10	Tuberculous meningitis	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	10
11	Other tuberculous diseases	—	2	3	2	—	—	1	—	1	—	1	1	—	—	1	2	11
12	Cancer, malignant disease	9	11	3	13	—	2	7	9	5	8	11	13	4	8	12	11	12
13	Rheumatic fever... ...	—	2	—	1	—	—	1	—	—	—	—	—	—	—	1	—	13
14	Meningitis	—	—	2	—	—	—	—	—	—	—	2	—	—	—	—	—	14
15	Organic heart disease ...	14	8	10	11	—	—	9	11	4	9	26	24	12	7	10	8	15
16	Bronchitis	7	1	2	5	—	—	2	3	6	8	6	13	9	5	2	10	16
17	Pneumonia (all forms) ...	2	2	—	2	1	1	5	5	4	—	6	3	3	2	1	2	17
18	Other respiratory diseases	—	3	2	—	—	1	2	—	1	—	3	1	1	—	2	2	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	19
20	Appendicitis and typhlitis	—	—	1	—	—	—	—	—	—	1	2	—	—	—	—	1	20
21	Cirrhosis of liver ...	2	—	1	1	—	—	—	—	1	—	1	1	—	—	2	1	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	4	3	—	3	—	—	2	2	1	3	4	1	4	1	8	3	22
23	Puerperal fever	—	—	—	—	—	—	—	3	—	1	—	1	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	1	—	—	—	—	—	1	—	2	—	1	—	—	24
25	Congenital debility, &c.	8	4	9	—	—	—	5	2	7	5	2	4	—	5	6	2	25
26	Violence, apart from 27	3	—	3	—	—	—	3	1	7	2	6	2	1	—	14	3	26
27	Suicide	2	1	2	—	—	—	1	—	—	2	1	—	—	—	1	—	27
28	Other defined diseases ...	38	22	26	24	1	1	33	32	30	25	42	41	25	22	41	40	28
29	Causes ill-defined or unknown.	—	3	1	1	—	—	1	1	—	1	—	—	1	—	1	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

NORFOLK—*cont.* NORTHAMPTONSHIRE.

	Swaffham R.D		Thetford R.D.		Walsingham R.D.		Wayland R.D.			Brackley M.B.		Daventry M.B.		Desborough U.D.		Finedon U.D.		Higham Ferrers M.B.		Irthlingborough U.D.		
	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	
	57	37	67	65	109	91	95	100		16	15	24	17	32	28	32	23	18	13	19	22	
1	—	—	—	—	1	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	4
5	2	—	1	2	—	—	—	1		1	—	2	1	—	—	—	1	—	—	—	—	5
6	—	—	2	—	—	1	—	—		2	—	—	—	4	—	—	—	—	1	—	1	6
7	—	1	2	—	3	2	4	5		1	—	1	—	1	2	—	—	—	—	—	—	7
8	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	3	2	5	6	8	8	9		2	1	4	4	4	2	1	3	6	—	2	1	9
10	1	—	—	—	2	2	—	1		—	—	—	—	—	1	—	—	—	1	1	1	10
11	—	—	—	1	—	—	1	3		—	—	1	—	2	—	1	1	—	—	—	1	11
12	3	4	4	4	12	15	8	10		1	3	2	2	1	4	—	4	—	—	3	3	12
13	—	—	—	—	1	—	—	1		—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	1	—	—	—	—	2	—		—	—	—	—	—	—	1	—	—	—	—	—	14
15	13	5	7	12	12	18	14	10		2	1	2	—	4	3	3	3	2	—	2	4	15
16	9	2	5	6	10	5	4	8		4	1	1	1	1	2	2	3	2	2	3	4	16
17	1	2	2	1	5	4	2	—		—	1	2	1	2	1	6	1	—	—	—	—	17
18	—	—	1	—	2	—	1	—		—	—	—	—	—	—	—	—	—	1	—	—	18
19	1	—	—	—	—	1	1	—		—	—	—	—	—	—	—	—	—	—	—	—	19
20	—	1	—	—	—	—	—	—		—	—	1	—	—	—	—	—	—	—	—	—	20
21	—	—	1	2	3	—	—	—		1	—	1	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	2	4	1	2	2	2	2		—	2	—	1	3	3	1	—	—	—	1	—	22
23	—	—	—	1	—	—	—	1		—	1	—	—	—	1	—	—	—	—	—	—	23
24	—	1	—	—	—	—	—	1		—	—	—	—	—	—	—	—	—	—	—	—	24
25	3	2	9	3	8	2	4	5		—	—	—	—	1	1	4	—	1	3	—	3	25
26	—	—	2	—	4	—	3	4		—	—	—	1	—	—	1	—	—	—	1	1	26
27	1	—	—	1	—	—	2	—		—	—	—	—	1	—	1	—	—	—	—	—	27
28	16	10	23	25	36	30	38	39		2	5	7	6	8	8	11	6	7	5	6	3	28
29	4	3	2	1	2	1	1	—		—	—	—	—	—	—	—	1	—	—	—	—	29

NORTHAMPTONSHIRE—*cont.*

	Kettering U.D.		Oundle U.D.		Raunds U.D.		Rothwell U.D.		Rushden U.D.		Wellingborough U.D.			Brackley R.D.		Brixworth R.D.		Crick R.D.		Daventry R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	
	164	171	18	9	26	21	31	22	69	69	124	128		36	50	74	77	12	21	97	103	
1	1	1	—	—	—	—	—	—	—	1	—	1		—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	2	—	—		—	—	—	—	—	—	—	1	3
4	—	—	—	—	—	—	—	—	—	—	1	—		—	1	1	—	—	—	—	2	4
5	3	2	—	—	—	—	—	—	1	—	—	—		2	—	—	1	—	1	—	—	5
6	1	1	—	—	—	—	—	1	—	2	1	3		—	—	3	1	—	1	2	3	6
7	1	—	1	—	—	—	2	1	2	2	2	3		—	—	1	3	1	—	1	2	7
8	—	1	—	—	—	—	—	—	—	—	1	1		—	—	1	—	—	—	—	—	8
9	26	21	1	1	4	3	2	1	15	9	15	14		—	1	3	1	1	1	7	8	9
10	—	2	1	—	—	—	—	—	1	3	1	2		1	—	2	—	—	—	—	2	10
11	4	3	—	1	—	—	—	—	2	—	2	—		1	—	1	—	—	—	2	1	11
12	18	18	2	1	3	2	2	2	5	6	16	13		2	4	7	7	3	1	8	11	12
13	—	2	—	1	—	—	—	—	—	1	—	—		—	—	—	1	—	—	1	—	13
14	1	3	—	—	—	—	—	—	—	1	1	—		—	—	—	1	—	—	—	—	14
15	11	15	—	—	4	4	4	3	4	8	12	9		5	14	11	11	2	5	7	8	15
16	16	8	3	1	3	2	3	—	6	6	2	16		2	3	2	7	2	3	5	4	16
17	10	12	2	—	—	—	3	1	3	5	7	4		1	—	4	1	—	1	5	8	17
18	—	4	—	2	—	1	—	—	1	—	3	6		1	1	—	1	—	—	5	2	18
19	2	2	—	—	1	—	—	—	—	—	1	—		—	—	1	1	—	—	1	1	19
20	1	—	—	—	—	—	—	—	1	—	1	—		—	1	—	1	—	—	—	1	20
21	—	1	—	—	—	—	—	1	1	2	1	1		—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	21A
22	5	1	—	—	—	1	2	1	2	1	4	2		1	2	3	2	—	—	2	7	22
23	—	1	—	—	—	—	—	—	—	—	—	1		—	—	—	1	—	—	—	—	23
24	—	1	—	—	—	—	—	—	—	—	—	1		—	—	—	1	—	—	—	1	24
25	12	17	—	—	—	—	2	1	5	—	9	4		—	1	4	4	1	—	2	5	25
26	3	6	—	2	1	1	—	—	—	1	4	2		1	—	3	1	—	—	1	2	26
27	—	—	—	—	1	—	—	—	1	—	2	2		2	—	1	—	—	1	2	1	27
28	43	43	7	—	9	7	11	10	19	19	37	41		17	22	26	31	1	7	46	32	28
29	6	6	1	—	—	—	—	—	—	—	1	2		—	—	—	—	1	—	—	1	29

NORTHAMPTONSHIRE—*cont.*

	Causes of Death.	Easton on the Hill R.D.		Gretton R.D.		Harding-stone R.D.		Kettering R.D.		Middleton Cheney R.D.		Northamp-ton R.D.		Oundle (pt.) R.D.*		Oxendon R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	8	17	13	14	56	45	66	87	22	13	37	27	48	46	25	31	
1	Enteric fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	—	—	1	—	—	—	1	—	—	—	1	1	—	5
6	Diphtheria and croup ...	—	—	—	—	—	—	3	3	—	—	1	—	—	—	1	—	6
7	Influenza	—	—	1	—	2	—	—	1	—	—	—	1	—	1	1	2	7
8	Erysipelas	—	—	—	—	1	1	—	—	—	—	—	—	—	1	1	—	8
9	Pulmonary tuberculosis	—	1	1	—	3	3	5	5	2	—	3	3	—	3	1	2	9
10	Tuberculous meningitis	—	—	—	—	—	—	1	2	2	—	—	—	—	—	—	—	10
11	Other tuberculous diseases	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	11
12	Cancer, malignant disease	1	2	1	—	1	12	3	7	1	4	3	1	7	5	1	2	12
13	Rheumatic fever... ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	14
15	Organic heart disease ...	1	2	2	3	4	1	10	12	3	1	4	2	6	5	6	9	15
16	Bronchitis	—	—	1	1	4	4	6	9	6	1	2	—	9	4	2	3	16
17	Pneumonia (all forms) ...	—	1	2	—	6	—	4	4	—	—	2	1	3	2	—	—	17
18	Other respiratory diseases	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	1	—	1	—	—	—	1	1	—	—	—	—	—	19
20	Appendicitis and typhlitis	—	—	1	—	—	1	—	—	—	—	—	—	1	—	—	—	20
21	Cirrhosis of liver ...	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	—	1	1	1	3	5	1	1	3	1	1	—	—	2	22
23	Puerperal fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	1	2	1	—	2	1	3	—	1	—	3	1	1	4	—	—	25
26	Violence, apart from 27	—	1	—	—	1	1	5	—	—	—	1	—	—	—	2	—	26
27	Suicide	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2	—	27
28	Other defined diseases ...	5	8	2	8	31	14	23	32	6	3	11	10	19	20	7	11	28
29	Causes ill-defined or unknown.	—	—	1	—	—	—	—	1	—	1	1	1	—	—	—	—	29

NORTHAMPTONSHIRE—*cont.*

	Causes of Death.	Potters-pury R.D.		Thrap-ston (pt.) R.D.†		Towcester R.D.		Welling-borough R.D.						Alnwick U.D.		Amble U.D.		
		M	F	M	F	M	F	M	F					M	F	M	F	
	ALL CAUSES	37	35	72	66	87	87	105	77					44	66	28	32	
1	Enteric fever	—	1	1	—	—	—	—	—					—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—					—	—	—	—	2
3	Measles	—	1	—	—	1	2	—	—					2	1	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—					—	—	—	—	4
5	Whooping cough ...	—	—	—	—	—	2	1	—					—	—	—	—	5
6	Diphtheria and croup ...	—	—	1	4	—	1	7	1					—	—	—	—	6
7	Influenza	1	—	3	—	5	2	1	1					—	—	2	—	7
8	Erysipelas	—	—	—	—	—	—	—	—					—	—	—	—	8
9	Pulmonary tuberculosis	1	4	3	4	5	6	16	7					5	4	—	5	9
10	Tuberculous meningitis	—	—	—	2	—	—	—	—					2	—	—	—	10
11	Other tuberculous diseases	—	—	3	1	—	2	3	—					2	1	—	2	11
12	Cancer, malignant disease	5	3	8	6	7	7	8	9					4	2	2	3	12
13	Rheumatic fever... ...	—	—	—	—	—	—	—	2					—	—	—	—	13
14	Meningitis	—	—	—	—	—	—	—	1					—	1	—	2	14
15	Organic heart disease ...	5	1	8	11	13	18	11	13					4	6	1	3	15
16	Bronchitis	1	4	5	9	11	2	4	5					—	4	1	1	16
17	Pneumonia (all forms) ...	3	2	6	—	—	3	3	5					3	6	—	—	17
18	Other respiratory diseases	2	—	—	2	2	1	3	—					—	—	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	1	1	3	—	—	—	—	—					—	1	—	1	19
20	Appendicitis and typhlitis	—	—	—	—	1	1	—	—					—	—	—	—	20
21	Cirrhosis of liver ...	1	—	1	—	—	1	—	—					—	4	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—					—	—	—	—	21A
22	Nephritis and Bright's dis.	2	1	2	—	—	—	2	—					—	1	—	—	22
23	Puerperal fever	—	—	—	—	—	—	—	—					—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	1	—	1					—	—	—	1	24
25	Congenital debility, &c.	—	1	3	3	2	4	5	2					3	5	2	2	25
26	Violence, apart from 27	3	—	1	1	—	1	1	1					2	—	4	—	26
27	Suicide	—	—	—	2	—	—	3	—					—	—	—	—	27
28	Other defined diseases ...	12	16	24	20	39	31	36	28					17	27	14	11	28
29	Causes ill-defined or unknown.	—	—	—	1	1	2	1	1					—	3	2	1	29

* The remainder of Oundle R.D. is in Huntingdonshire; *see* page 406.
† The remainder of Thrapston R.D. is in Huntingdonshire; *see* page 407.

ADMINISTRATIVE AREAS, 1916—*continued.*

NORTHUMBERLAND.

	Ashington U.D.		Bedlingtonshire U.D.		Berwick upon Tweed M.B.		Blyth U.D.		Cramlington U.D.		Earsdon U.D.		Gosforth U.D.		Hexham U.D.		Longbenton U.D.		Morpeth M.B.		Newbiggin by the Sea U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	213	179	172	156	101	95	238	210	53	34	87	61	88	100	49	54	94	91	49	51	39	26	
1	1	1	—	1	2	1	1	—	—	1	—	1	—	—	—	—	1	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	19	14	—	1	—	—	8	10	—	—	5	3	4	1	—	—	—	—	—	—	—	1	3
4	1	—	1	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	4
5	3	4	1	5	1	1	3	10	—	—	2	1	—	—	2	1	—	—	1	—	—	—	5
6	—	5	2	3	—	—	—	—	—	—	3	3	1	3	1	—	—	1	—	—	2	—	6
7	1	—	1	2	—	2	6	2	3	1	—	—	2	2	—	—	1	1	1	1	1	—	7
8	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	8
9	18	16	21	16	6	6	12	25	1	—	10	6	7	7	6	3	7	12	3	4	1	1	9
10	5	3	3	4	—	—	9	3	—	—	2	3	1	—	—	1	1	2	1	—	—	1	10
11	7	4	6	1	1	3	4	8	1	—	2	1	—	1	—	1	—	6	4	—	2	—	11
12	5	15	12	13	10	14	15	17	—	1	9	2	3	11	4	3	5	4	2	2	2	4	12
13	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	13
14	3	1	—	2	—	—	3	—	1	—	—	—	2	3	—	1	2	1	1	1	2	—	14
15	11	14	17	14	8	18	12	18	4	3	5	8	5	7	6	7	6	6	5	7	1	2	15
16	8	14	7	8	3	3	12	13	11	5	6	3	2	8	3	4	10	8	3	3	—	1	16
17	25	14	16	18	4	5	23	12	2	4	5	3	4	4	2	4	9	3	5	4	5	3	17
18	2	3	2	1	—	2	5	1	2	—	1	—	3	4	—	1	2	2	5	—	—	—	18
19	7	12	3	1	3	—	5	2	—	—	3	1	4	2	3	1	1	2	1	1	2	2	19
20	1	—	1	—	1	—	2	—	—	—	1	—	1	—	—	—	1	—	—	2	1	—	20
21	—	—	—	1	1	—	1	4	—	—	—	—	1	—	1	1	2	—	—	1	1	—	21
21A	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	4	6	4	2	4	4	7	7	—	2	3	1	2	6	2	1	2	2	1	3	2	1	22
23	—	2	—	3	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	1	—	—	24
25	21	16	15	19	7	6	31	15	4	4	6	6	6	4	3	—	8	9	2	4	2	2	25
26	17	2	6	—	6	3	16	4	8	2	1	1	4	1	2	1	3	—	3	1	4	—	26
27	4	—	4	1	2	—	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	27
28	44	31	48	34	40	27	58	52	14	10	23	14	34	35	14	23	31	32	11	16	10	7	28
29	5	1	1	5	1	—	2	4	—	—	—	1	2	1	—	—	2	—	—	—	1	—	29

NORTHUMBERLAND—*cont.*

	Newburn U.D.		Prudhoe U.D.		Rothbury U.D.		Seaton Delaval U.D.		Seghill U.D.		Wallsend M.B.		Weetslade U.D.		Whitley and Monkseaton U.D.				Alnwick R.D.		Belford R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F	
	104	114	44	40	8	11	49	47	15	8	322	280	46	42	90	99			77	63	34	29	
1	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—			—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—			—	—	—	—	3
4	—	—	1	1	—	1	—	—	—	—	3	1	1	—	1	1			—	1	—	—	4
5	1	3	—	—	1	—	—	2	—	—	1	5	—	—	2	—			—	—	—	—	5
6	1	5	—	—	—	—	—	—	—	—	4	1	—	1	1	—			—	2	—	—	6
7	2	—	—	—	—	—	—	—	—	—	—	3	—	—	1	1			1	1	—	—	7
8	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—			—	—	—	—	8
9	9	11	1	1	1	1	1	7	—	—	37	24	2	3	5	5			6	2	1	3	9
10	1	3	—	—	—	—	—	3	—	—	4	4	—	—	—	—			—	1	—	—	10
11	—	3	1	—	—	—	1	1	—	—	21	11	1	1	—	1			3	2	—	—	11
12	2	8	3	1	1	1	4	4	2	3	11	17	2	3	6	18			10	6	1	2	12
13	—	1	—	2	—	—	—	—	—	—	2	3	—	—	1	—			—	—	—	—	13
14	3	1	—	1	—	—	1	1	—	—	8	3	1	—	—	1			1	—	—	—	14
15	6	9	7	4	1	2	3	8	1	1	24	30	4	6	11	16			9	8	5	6	15
16	15	11	3	4	—	—	2	2	1	—	27	28	2	5	4	5			1	1	2	—	16
17	6	7	1	4	—	—	3	3	2	—	25	17	—	2	2	6			5	1	3	—	17
18	—	2	—	—	—	—	1	1	—	—	4	4	—	—	2	2			—	—	1	—	18
19	1	2	—	1	—	—	2	4	—	—	8	3	—	1	—	—			2	2	—	1	19
20	1	—	1	1	—	1	—	—	—	—	2	1	1	—	2	—			—	1	—	—	20
21	2	1	1	—	—	—	—	—	—	—	2	1	—	—	1	1			3	—	1	—	21
21A	—	2	—	—	—	—	1	—	—	—	1	—	—	—	—	—			—	—	—	—	21A
22	6	7	—	1	2	2	—	—	1	—	9	7	1	2	6	1			2	—	3	1	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1			—	1	—	—	23
24	—	2	—	1	—	—	—	—	—	—	—	5	—	—	—	1			—	2	—	—	24
25	5	9	8	5	—	—	6	1	1	2	27	20	9	1	2	4			1	5	2	4	25
26	8	—	2	1	—	—	4	—	2	—	8	4	4	—	3	—			6	3	1	—	26
27	1	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—			—	—	1	—	27
28	32	26	15	12	2	2	19	10	5	2	84	81	18	16	38	33			26	24	13	11	28
29	—	1	—	—	—	1	—	—	—	—	4	5	—	—	2	2			1	—	—	1	29

NORTHUMBERLAND—*cont.*

	Causes of Death.	Bellingham R.D.		Castle Ward R.D.		Glendale R.D.		Haltwhistle R.D.		Hexham R.D.		Morpeth R.D.		Norham and Islandshires R.D.		Rothbury R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	39	36	66	67	45	63	60	47	153	129	93	74	33	34	21	23	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	3
4	Scarlet fever	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	4
5	Whooping cough ...	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	5
6	Diphtheria and croup ...	1	—	1	—	—	—	—	—	1	—	1	1	—	—	—	—	6
7	Influenza	1	1	—	1	1	—	1	1	3	6	1	3	—	—	—	—	7
8	Erysipelas	—	—	1	—	—	—	—	—	—	—	1	—	—	1	—	—	8
9	Pulmonary tuberculosis	2	6	4	6	2	4	6	3	11	9	3	8	2	3	2	1	9
10	Tuberculous meningitis	—	—	1	1	—	—	—	—	—	2	4	1	—	—	—	1	10
11	Other tuberculous diseases	1	—	4	1	—	1	1	2	—	2	1	3	1	—	—	—	11
12	Cancer, malignant disease	2	4	3	8	3	5	1	7	13	9	6	8	1	2	1	1	12
13	Rheumatic fever... ...	—	—	1	1	—	—	—	—	—	1	1	—	—	—	—	—	13
14	Meningitis	—	—	1	—	—	1	—	—	1	—	1	—	—	—	—	—	14
15	Organic heart disease ...	7	5	5	5	7	8	8	6	31	26	11	3	5	3	—	6	15
16	Bronchitis	—	1	5	9	4	1	1	1	10	4	2	3	1	2	—	—	16
17	Pneumonia (all forms) ...	1	1	1	4	5	3	5	—	8	4	5	3	—	2	—	1	17
18	Other respiratory diseases	—	1	—	1	—	2	1	1	3	—	2	2	—	—	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	1	—	1	—	—	1	—	1	3	—	2	—	—	—	1	1	19
20	Appendicitis and typhlitis	—	—	—	—	—	1	—	1	2	3	—	1	1	1	—	—	20
21	Cirrhosis of liver ...	—	—	2	—	—	—	1	—	—	—	1	—	—	1	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21A
22	Nephritis and Bright's dis.	1	—	4	2	2	2	4	1	4	5	1	2	—	—	1	2	22
23	Puerperal fever	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	1	—	1	—	1	—	1	—	—	—	—	—	1	24
25	Congenital debility, &c.	2	4	3	2	4	3	2	5	6	6	11	9	7	1	—	1	25
26	Violence, apart from 27	1	1	7	2	—	2	6	1	6	5	9	2	2	1	3	—	26
27	Suicide	—	—	2	—	1	—	—	—	2	1	1	—	—	—	1	—	27
28	Other defined diseases ...	18	12	19	20	15	28	23	14	44	43	26	20	12	17	11	7	28
29	Causes ill-defined or unknown.	—	—	1	2	1	—	—	1	3	2	2	2	—	—	—	—	29

NORTHUMBERLAND—*cont.* NOTTINGHAMSHIRE.

	Causes of Death.	*Moot Hall and Precincts.**			Arnold U.D.		Beeston U.D.		Carlton U.D.		East Retford M.B.		Eastwood U.D.		Hucknall Torkard U.D.		
		M	F		M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	—	—		87	77	72	65	113	101	92	88	27	36	109	116	
1	Enteric fever	—	—		—	—	—	—	1	1	—	—	—	—	—	—	1
2	Small-pox	—	—		—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—		—	—	6	3	1	1	1	—	—	1	—	1	3
4	Scarlet fever	—	—		—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—		1	—	—	1	1	—	—	—	—	—	—	—	5
6	Diphtheria and croup ...	—	—		1	1	1	—	—	—	—	1	—	—	—	1	6
7	Influenza	—	—		—	1	—	2	2	3	2	1	1	—	1	—	7
8	Erysipelas	—	—		—	—	—	—	—	—	1	—	—	1	1	—	8
9	Pulmonary tuberculosis	—	—		5	7	7	5	12	11	2	7	1	1	7	10	9
10	Tuberculous meningitis	—	—		3	1	—	1	2	2	—	1	1	—	3	3	10
11	Other tuberculous diseases	—	—		1	2	1	1	2	3	—	1	—	—	1	—	11
12	Cancer, malignant disease	—	—		5	7	7	6	10	4	3	10	3	1	5	14	12
13	Rheumatic fever... ...	—	—		—	2	—	1	—	2	1	—	—	—	—	2	13
14	Meningitis	—	—		1	—	—	—	1	—	—	—	1	—	—	—	14
15	Organic heart disease ...	—	—		8	6	5	8	11	11	9	10	4	5	9	12	15
16	Bronchitis	—	—		17	12	5	11	4	6	5	6	2	6	6	7	16
17	Pneumonia (all forms) ...	—	—		8	2	7	4	8	6	7	5	2	1	17	9	17
18	Other respiratory diseases	—	—		2	3	—	2	1	1	2	2	—	—	2	3	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—		3	1	2	2	2	—	1	1	1	4	3	5	19
20	Appendicitis and typhlitis	—	—		—	—	1	—	1	—	1	—	—	—	—	1	20
21	Cirrhosis of liver ...	—	—		2	1	3	—	2	—	4	1	—	1	—	2	21
21A	Alcoholism	—	—		—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—		2	1	—	2	3	1	5	3	—	1	4	1	22
23	Puerperal fever	—	—		—	—	—	1	—	1	—	—	—	—	—	1	23
24	Parturition, apart from 23	—	—		—	2	—	—	—	2	—	1	—	—	—	2	24
25	Congenital debility, &c.	—	—		5	4	3	—	13	7	7	5	—	—	9	11	25
26	Violence, apart from 27	—	—		1	1	1	1	2	2	4	3	1	—	8	2	26
27	Suicide	—	—		1	—	1	—	3	—	—	—	—	—	1	—	27
28	Other defined diseases ...	—	—		21	23	19	13	29	37	36	27	8	14	32	29	28
29	Causes ill-defined or unknown.	—	—		—	—	3	1	2	—	1	3	2	—	—	—	29

* Included with the Rural Districts for convenience.

ADMINISTRATIVE AREAS, 1916—*continued.*

NOTTINGHAMSHIRE—*cont.*

	Huthwaite U.D.		Kirkby in Ashfield U.D.		Mansfield M.B.		Mansfield Wood-house U.D.		Newark M.B.		Sutton in Ashfield U.D.		Warsop U.D.		West Bridgford U.D.		Worksop U.D.			Basford R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	
	26	30	72	73	266	250	71	75	122	111	146	145	32	39	45	69	126	119		300	241	
1	—	—	—	—	1	2	—	1	—	—	2	—	—	—	—	—	—	—		—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	2
3	—	—	—	2	3	3	—	1	—	—	—	—	—	—	1	—	9	10		2	3	3
4	—	—	—	—	—	—	—	1	—	—	—	1	2	—	—	—	—	—		—	—	4
5	—	3	—	1	4	3	—	1	—	2	1	1	1	1	—	—	—	—		2	—	5
6	1	—	—	1	6	7	1	1	3	1	4	3	1	1	1	—	—	2		4	10	6
7	—	—	1	—	1	5	—	2	2	2	1	2	2	1	1	—	3	8		4	2	7
8	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—		1	—	8
9	1	2	7	2	19	21	6	1	13	16	2	8	—	5	1	3	5	6		17	6	9
10	—	—	—	—	6	2	1	2	4	—	3	1	—	1	—	1	—	—		—	3	10
11	1	—	1	—	7	3	1	1	2	2	2	2	1	—	2	1	3	2		4	—	11
12	1	2	5	8	8	20	3	5	6	9	7	12	2	3	4	12	4	9		25	21	12
13	—	—	1	—	—	2	—	—	—	1	3	2	—	—	—	—	2	—		1	1	13
14	—	—	1	—	—	4	—	1	—	—	1	1	—	—	1	—	4	1		3	2	14
15	3	2	2	4	32	27	3	12	17	11	16	13	2	3	3	7	13	12		22	27	15
16	2	2	8	7	17	18	1	6	6	12	7	9	4	1	1	4	15	14		30	26	16
17	2	—	8	4	36	19	8	5	9	5	17	24	2	—	3	4	11	6		25	15	17
18	—	—	1	2	3	2	1	—	2	1	1	—	—	—	1	—	1	1		3	9	18
19	1	1	—	2	10	2	4	4	3	1	2	5	1	4	1	—	2	—		8	6	19
20	—	—	—	—	3	2	—	—	1	—	1	3	—	—	—	1	1	—		3	1	20
21	—	—	—	—	—	1	1	—	3	—	2	1	—	—	—	—	1	1		2	1	21
21A	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1		—	—	21A
22	2	1	—	1	2	7	—	1	2	—	5	2	5	1	2	2	1	1		14	3	22
23	—	—	—	—	—	1	—	—	—	1	—	—	—	2	—	—	—	—		—	—	23
24	—	1	—	2	—	4	—	—	—	4	—	—	—	—	—	1	—	3		—	5	24
25	3	4	6	10	33	21	12	8	4	2	17	14	3	3	2	5	9	7		20	19	25
26	2	—	2	2	4	3	8	3	6	2	6	7	1	—	3	—	6	6		19	3	26
27	1	—	—	1	2	3	—	—	—	1	1	—	—	—	2	—	1	—		2	—	27
28	6	11	25	23	65	68	20	16	36	37	42	34	5	13	15	26	33	29		83	74	28
29	—	1	4	1	4	—	—	3	—	1	3	—	—	—	1	2	2	—		6	4	29

NOTTINGHAMSHIRE—*cont.*

	Bingham R.D.		Blyth and Cuckney R.D.		East Retford R.D.		Leake R.D.		Misterton R.D.		Newark R.D.		Skegby R.D.		Southwell R.D.		Stapleford R.D.		Kingston upon Soar and Ratcliffe upon Soar C. P's*			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
	85	99	29	29	89	77	24	25	23	27	52	46	50	38	137	128	62	77	4	1		
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—		1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—		3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—		4
5	1	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	1	1	—	—		5
6	—	—	—	—	1	—	—	—	—	—	2	1	—	—	1	6	—	1	—	—		6
7	5	6	1	1	1	4	2	2	—	—	1	1	1	—	10	7	4	1	1	—		7
8	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—		8
9	3	4	—	4	4	7	1	2	—	3	2	8	5	5	4	8	2	4	—	—		9
10	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—		10
11	—	2	—	2	1	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—		11
12	8	10	5	1	3	6	3	5	1	—	4	—	5	2	16	15	—	7	—	—		12
13	—	—	—	1	1	—	—	—	—	—	—	—	—	—	1	1	1	3	—	—		13
14	—	1	—	—	1	—	—	—	—	2	—	1	1	—	—	1	1	1	—	—		14
15	16	15	6	2	8	11	2	5	2	3	7	5	1	2	20	17	7	8	—	—		15
16	2	7	4	4	5	8	1	3	1	5	1	4	9	3	10	9	12	12	—	—		16
17	1	5	—	—	4	1	1	1	2	2	1	2	3	3	3	4	3	4	—	—		17
18	2	—	—	1	1	—	—	—	—	—	1	1	1	1	5	1	3	—	—	—		18
19	—	—	—	—	2	—	—	—	—	—	—	—	1	3	—	—	1	—	—	—		19
20	—	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—		20
21	—	—	—	—	4	3	—	—	—	—	—	—	—	1	—	—	1	—	—	—		21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		21A
22	5	4	1	—	4	1	—	—	1	—	—	—	1	1	7	3	3	1	—	—		22
23	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	3	—	—	—	—		23
24	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	2	—	2	—	—		24
25	6	5	1	1	5	2	—	—	2	1	5	2	3	3	11	3	6	4	—	—		25
26	2	1	—	—	8	1	—	—	1	—	1	3	2	—	3	2	3	2	1	—		26
27	1	—	1	—	—	—	—	—	—	—	—	1	1	—	2	—	—	1	—	—		27
28	32	35	9	11	33	29	12	7	11	11	25	15	15	11	38	43	12	21	1	1		28
29	—	—	—	—	1	3	2	—	2	—	—	—	1	—	1	1	1	2	—	—		29

* Administered by Shardlow R.D C. (Derbyshire).

OXFORDSHIRE.

	Causes of Death.	Banbury M.B.		Bicester U.D.		Chipping Norton M.B.		Henley on Thames M.B.		Thame U.D.		Wheatley U.D.		Witney U.D.		Woodstock M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	91	106	22	26	21	29	44	36	16	18	13	9	26	36	15	12	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	2	4	—	—	—	—	—	—	—	2	—	—	—	—	—	—	5
6	Diphtheria and croup ...	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	6
7	Influenza	3	2	—	3	2	—	—	3	—	1	—	—	2	4	—	—	7
8	Erysipelas	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	6	6	1	3	—	1	3	3	1	—	1	—	—	4	—	—	9
10	Tuberculous meningitis	2	—	—	1	1	2	3	—	—	—	—	—	—	—	—	—	10
11	Other tuberculous diseases	—	3	1	—	—	—	2	—	—	—	—	1	2	1	1	1	11
12	Cancer, malignant disease	7	9	5	1	2	2	2	6	3	—	1	—	1	5	—	1	12
13	Rheumatic fever... ...	—	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—	13
14	Meningitis	—	—	—	—	1	1	1	1	—	—	—	—	—	—	1	—	14
15	Organic heart disease ...	11	6	4	4	1	6	5	2	1	—	1	1	6	3	3	3	15
16	Bronchitis	17	21	2	2	1	4	9	7	2	2	—	2	3	—	3	—	16
17	Pneumonia (all forms) ...	2	4	—	—	—	1	2	1	—	2	1	—	1	2	—	—	17
18	Other respiratory diseases	1	1	—	1	—	1	—	—	—	—	1	—	—	—	—	1	18
19	Diarrhœa, &c. (under 2 yrs.)	3	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	19
20	Appendicitis and typhlitis	2	1	—	—	2	1	1	—	—	—	—	—	—	—	—	1	20
21	Cirrhosis of liver ...	3	2	1	—	—	—	—	—	—	—	—	—	1	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	5	—	—	2	2	3	1	2	—	—	—	1	1	1	—	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	4	2	1	—	1	—	—	—	—	—	—	—	2	1	1	2	25
26	Violence, apart from 27	2	5	—	—	—	—	1	1	1	—	—	1	—	—	—	—	26
27	Suicide	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	27
28	Other defined diseases ...	24	31	5	9	5	8	11	11	6	11	6	4	7	14	5	3	28
29	Causes ill-defined or unknown.	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

OXFORDSHIRE—*cont.*

	Causes of Death.		Banbury R.D.		Bicester R.D.		Chipping Norton R.D.		Crowmarsh R.D.		Culham R.D.		Goring R.D.		Headington R.D.		
			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES		69	79	61	48	68	60	30	29	10	17	17	18	93	78	
1	Enteric fever		—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox		—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles		—	—	1	—	—	—	—	—	—	—	—	—	2	1	3
4	Scarlet fever		—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...		—	—	1	—	—	1	—	—	—	1	—	—	1	3	5
6	Diphtheria and croup ...		—	—	—	—	—	—	—	—	1	—	1	—	—	1	6
7	Influenza		4	2	1	2	3	1	1	3	1	—	—	—	4	—	7
8	Erysipelas		—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis		7	2	4	4	2	5	3	1	—	3	—	1	11	5	9
10	Tuberculous meningitis		—	—	—	—	—	1	—	—	—	—	—	—	—	1	10
11	Other tuberculous diseases		—	—	1	—	—	2	—	—	—	—	—	—	3	—	11
12	Cancer, malignant disease		6	5	4	4	2	5	1	4	1	5	1	2	4	5	12
13	Rheumatic fever... ...		—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis		1	—	—	—	—	—	—	—	—	—	—	—	2	1	14
15	Organic heart disease ...		5	15	12	7	12	8	7	6	2	1	2	2	12	11	15
16	Bronchitis		4	5	3	7	12	4	1	2	—	—	1	1	5	5	16
17	Pneumonia (all forms) ...		3	6	1	3	2	2	1	—	—	—	1	—	5	3	17
18	Other respiratory diseases		3	4	1	1	—	2	1	1	—	1	1	1	3	2	18
19	Diarrhœa, &c. (under 2 yrs.)		—	—	1	—	—	1	—	—	—	—	1	—	1	—	19
20	Appendicitis and typhlitis		—	—	1	—	—	—	—	—	1	—	—	—	—	1	20
21	Cirrhosis of liver ...		—	—	1	—	1	—	—	—	—	—	—	1	2	—	21
21A	Alcoholism		—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.		3	2	1	—	3	5	—	3	—	—	—	—	1	—	22
23	Puerperal fever		—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23		—	—	—	—	—	1	—	—	—	—	—	1	—	2	24
25	Congenital debility, &c.		4	3	1	1	1	2	—	1	—	2	—	1	6	6	25
26	Violence, apart from 27		3	2	2	—	2	1	2	—	1	—	1	1	3	2	26
27	Suicide		—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
28	Other defined diseases ...		25	32	25	18	28	19	13	8	3	4	8	5	28	28	28
29	Causes ill-defined or unknown.		1	1	—	1	—	—	—	—	—	—	—	2	—	1	29

ADMINISTRATIVE AREAS, 1916—*continued.*

OXFORDSHIRE—*cont.* | PETERBOROUGH, SOKE OF. | RUTLANDSHIRE.

	Henley R.D.		Thame R.D.		Witney R.D.		Wood-stock R.D.		Peter-borough M.B.		Barnack R.D.		Peter-borough R.D.		Oakham U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	60	74	40	39	99	100	77	69	230	232	18	21	58	55	18	16	
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	2	1	—	2	4	2	1	1	1	—	—	—	5
6	—	—	—	—	1	2	—	—	1	4	—	—	1	1	—	—	6
7	1	1	—	2	3	4	—	5	4	2	—	—	1	—	2	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	5	6	3	2	3	8	6	2	11	19	—	2	1	3	—	3	9
10	—	1	—	—	—	1	1	—	1	2	—	—	1	—	1	1	10
11	—	1	1	2	1	—	1	—	4	3	1	—	—	—	—	—	11
12	9	6	5	3	11	7	10	7	20	28	—	2	3	7	2	1	12
13	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	13
14	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—	—	14
15	10	15	8	6	13	16	10	11	28	26	1	4	6	12	2	3	15
16	6	13	2	6	1	2	5	8	23	23	1	1	4	6	1	1	16
17	—	3	—	1	6	4	5	3	12	8	1	1	4	1	3	—	17
18	1	—	—	1	2	—	3	—	2	4	—	—	3	1	1	1	18
19	—	1	1	—	—	—	—	1	1	3	—	—	1	1	—	—	19
20	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	—	—	—	—	—	—	—	—	2	1	—	—	—	1	—	—	21
21A	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	21A
22	7	2	2	—	4	4	1	2	9	5	—	—	2	1	—	—	22
23	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	—	—	1	—	1	—	3	—	—	—	—	—	—	24
25	1	1	1	1	4	4	5	6	9	14	1	1	4	3	2	1	25
26	4	—	1	1	7	3	7	4	10	5	1	—	4	1	—	—	26
27	1	—	—	—	—	1	1	—	2	2	—	—	2	—	—	—	27
28	14	21	13	14	38	39	20	17	79	77	10	8	18	17	4	5	28
29	—	—	2	—	—	—	2	—	5	—	1	1	2	—	—	—	29

RUTLANDSHIRE—*cont.* | SHROPSHIRE.

	Ketton R.D.		Oakham R.D.		Upping-ham R.D.		Bishop's Castle M.B.		Bridg-north M.B.		Church Stretton U.D.		Dawley U.D.		Ellesmere U.D.		Ludlow M.B.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	15	11	40	38	49	49	16	17	32	49	9	11	43	53	15	18	38	42	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	1	—	4
5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	—	1	1	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	6
7	—	—	4	—	—	—	—	2	1	3	—	—	—	2	—	—	—	1	7
8	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	8
9	1	—	2	1	—	2	—	2	4	2	—	1	3	2	1	1	1	4	9
10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	10
11	—	—	—	—	—	—	—	—	1	1	—	—	1	1	—	—	—	—	11
12	6	—	1	2	7	3	1	3	5	6	2	2	3	5	1	3	3	4	12
13	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	14
15	—	—	10	10	8	11	2	1	1	5	—	1	5	8	2	6	1	4	15
16	—	1	2	—	8	7	1	2	5	7	1	—	3	6	—	—	—	4	16
17	—	1	3	2	3	3	3	—	3	1	—	2	3	3	2	1	—	5	17
18	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	1	18
19	—	—	—	1	—	1	—	—	1	1	—	—	—	1	—	1	1	1	19
20	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	20
21	—	—	2	—	—	—	—	—	1	1	—	—	—	1	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21A
22	—	—	3	4	1	1	—	—	1	2	—	—	6	2	—	1	6	2	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	24
25	—	1	1	—	4	—	2	—	—	2	—	1	1	3	—	—	4	1	25
26	3	1	—	—	1	—	1	1	—	—	1	—	2	1	—	—	2	—	26
27	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	27
28	4	6	11	15	17	20	6	6	7	15	5	3	14	15	7	4	17	11	28
29	—	—	—	1	—	—	—	—	1	1	—	—	—	1	—	—	—	—	29

SHROPSHIRE—*cont.*

	Causes of Death.	Market Drayton U.D.		Newport U.D.		Oakengates U.D.		Oswestry M.B.		Shrewsbury M.B.		Wellington U.D.		Wem U.D.		Wenlock M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	35	32	24	23	70	71	82	89	209	193	52	44	8	17	93	93	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	4
5	Whooping cough ...	2	5	—	—	—	1	3	—	3	1	—	—	—	—	—	—	5
6	Diphtheria and croup ...	—	—	—	—	—	—	—	1	2	8	1	—	—	—	1	5	6
7	Influenza	1	—	1	—	4	4	1	1	3	7	2	—	1	1	1	3	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	1	1	3	2	—	2	5	10	17	14	5	3	—	1	7	8	9
10	Tuberculous meningitis	—	—	—	—	1	1	1	—	—	3	—	—	—	—	3	1	10
11	Other tuberculous diseases	1	—	—	1	—	1	2	4	4	1	—	—	—	—	1	1	11
12	Cancer, malignant disease	—	3	2	2	5	7	7	5	14	20	7	9	—	2	10	14	12
13	Rheumatic fever... ...	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	2	13
14	Meningitis	—	—	—	—	—	2	3	—	3	—	1	—	—	—	1	1	14
15	Organic heart disease ...	3	4	1	1	9	11	14	11	23	34	3	5	1	1	14	10	15
16	Bronchitis	4	1	3	1	8	8	6	5	19	14	3	2	1	2	8	3	16
17	Pneumonia (all forms) ...	3	3	—	5	7	4	5	9	10	13	1	4	—	1	4	6	17
18	Other respiratory diseases	—	—	2	1	1	2	1	1	5	—	1	1	—	1	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	2	—	—	—	3	—	1	1	1	—	1	—	—	—	2	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	1	20
21	Cirrhosis of liver ...	2	—	—	—	—	—	—	3	2	1	—	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	21A
22	Nephritis and Bright's dis.	1	1	—	—	2	1	3	7	16	7	4	—	2	—	2	2	22
23	Puerperal fever	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	1	—	2	—	—	—	—	—	—	—	1	24
25	Congenital debility, &c.	2	3	2	—	4	5	4	6	15	7	2	1	—	—	2	2	25
26	Violence, apart from 27	—	—	3	—	4	1	1	1	10	5	3	1	—	—	2	2	26
27	Suicide	—	—	1	—	—	—	—	—	1	1	1	—	—	—	2	—	27
28	Other defined diseases ...	13	11	6	9	20	17	23	21	59	55	15	18	2	8	32	31	28
29	Causes ill-defined or unknown.	—	—	—	1	1	—	2	—	—	2	1	—	—	—	—	—	29

SHROPSHIRE—*cont.*

	Causes of Death.	Whitchurch U.D.			Atcham R.D.		Bridgnorth R.D.		Burford R.D.		Chirbury R.D.		Church Stretton R.D.		Cleobury Mortimer R.D.		
		M	F		M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	44	47		134	150	48	62	7	16	22	27	31	36	39	48	
1	Enteric fever	—	—		—	—	—	—	—	—	—	—	—	—	—	1	1
2	Small-pox	—	—		—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—		—	—	—	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—		—	—	—	—	—	—	—	—	—	1	—	1	4
5	Whooping cough ...	—	—		4	1	—	—	—	—	—	—	—	1	1	2	5
6	Diphtheria and croup ...	—	—		2	5	—	—	—	—	—	—	1	—	—	—	6
7	Influenza	—	1		3	2	—	4	—	—	3	1	1	—	1	1	7
8	Erysipelas	—	—		—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	1	5		15	10	3	2	1	—	3	2	3	2	1	3	9
10	Tuberculous meningitis	1	—		1	1	2	—	—	—	—	—	—	—	2	—	10
11	Other tuberculous diseases	1	2		—	1	1	—	—	—	1	—	—	—	—	—	11
12	Cancer, malignant disease	1	4		16	18	6	5	—	1	2	2	2	1	—	4	12
13	Rheumatic fever... ...	—	—		—	—	—	—	—	—	—	1	1	—	—	2	13
14	Meningitis	—	—		—	1	—	—	—	—	—	—	—	—	1	—	14
15	Organic heart disease ...	9	7		26	24	4	11	—	2	—	5	2	—	6	4	15
16	Bronchitis	1	4		9	8	3	5	1	2	2	3	2	5	2	6	16
17	Pneumonia (all forms) ...	3	4		6	8	2	3	1	2	2	—	2	—	3	2	17
18	Other respiratory diseases	2	—		2	3	—	3	—	—	2	1	—	1	—	2	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—		—	—	1	—	—	—	—	1	—	—	—	—	19
20	Appendicitis and typhlitis	—	—		—	2	1	—	—	1	—	—	—	—	1	1	20
21	Cirrhosis of liver ...	1	1		2	2	—	—	—	—	—	—	—	—	—	—	21
21A	Alcoholism	—	—		—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	—		2	4	5	3	—	—	—	2	1	1	—	—	22
23	Puerperal fever	—	—		—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—		—	2	—	1	—	—	—	—	—	—	—	2	24
25	Congenital debility, &c.	4	4		4	4	3	1	—	—	1	1	1	—	1	4	25
26	Violence, apart from 27	1	2		9	1	—	1	1	—	2	—	—	2	5	—	26
27	Suicide	—	—		—	1	1	—	—	—	—	—	2	—	3	1	27
28	Other defined diseases ...	18	13		33	51	16	23	3	6	4	8	11	21	12	12	28
29	Causes ill-defined or unknown.	—	—		—	1	—	—	—	2	—	—	2	1	—	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

SHROPSHIRE—*cont.*

	Clun R.D.		Drayton R.D.		Ellesmere R.D.		Ludlow R.D.		Newport R.D.		Oswestry R.D.		Shifnal R.D.		Teme R.D.		Wellington R.D.		Wem R.D.		Whitchurch R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	51	43	54	46	44	49	50	46	33	38	124	84	54	53	11	11	68	65	43	51	8	16	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
5	—	—	1	—	—	1	—	—	—	—	4	1	—	—	—	—	—	—	—	—	—	—	5
6	1	—	—	—	—	1	—	—	—	—	3	2	—	1	—	—	—	—	—	—	—	—	6
7	4	3	2	—	4	—	3	1	3	1	2	1	—	3	1	2	6	5	2	3	—	1	7
8	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	8
9	3	4	1	3	3	1	5	2	1	1	7	5	—	4	1	3	3	4	2	2	—	—	9
10	—	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	1	2	—	—	—	—	10
11	—	—	—	1	—	—	—	—	—	—	2	—	—	—	1	—	3	1	—	—	—	—	11
12	2	3	6	6	5	6	5	4	1	4	10	7	4	8	1	1	5	8	4	6	—	3	12
13	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	13
14	—	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	14
15	6	8	8	7	9	11	6	8	—	4	21	19	9	7	—	1	6	7	6	9	1	4	15
16	9	2	2	4	6	5	1	5	6	3	8	6	3	4	—	—	9	6	4	5	—	—	16
17	1	2	7	3	2	—	2	2	3	4	5	2	1	4	1	—	4	1	4	1	3	1	17
18	—	—	2	—	—	1	1	—	—	3	—	—	—	1	—	—	2	2	1	1	—	—	18
19	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	19
20	—	1	—	—	1	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	20
21	—	1	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	2	—	1	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	—	1	—	2	2	3	2	4	5	3	4	—	—	—	1	—	—	—	1	—	22
23	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	24
25	1	—	1	1	4	3	4	2	1	3	6	3	2	—	1	—	2	1	—	1	—	3	25
26	1	2	1	1	3	—	3	—	1	—	5	3	2	1	—	—	5	1	3	1	1	—	26
27	—	1	—	—	—	1	1	—	—	—	1	—	2	—	—	—	—	1	—	—	—	—	27
28	21	14	21	16	7	16	15	17	13	9	42	28	24	19	4	3	19	23	17	18	2	3	28
29	1	—	2	1	—	—	—	1	1	1	—	1	1	—	—	1	—	—	—	—	—	1	29

SOMERSETSHIRE.

		Bridgwater M.B.		Burnham U.D.		Chard M.B.		Clevedon U.D.		Crewkerne U.D.		Frome U.D.		Glastonbury M.B.		Highbridge U.D.		Ilminster U.D.		Midsomer Norton U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
		105	102	35	30	34	24	32	48	22	21	78	76	27	27	14	10	18	16	43	37	
1		—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3		1	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	1	—	1	—	3
4		—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	4
5		—	—	1	—	1	—	—	—	—	—	1	1	—	1	—	—	1	—	—	—	5
6		—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	6
7		3	2	—	—	1	—	1	1	1	—	1	—	2	5	—	—	—	1	2	—	7
8		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9		8	5	4	2	2	2	2	2	—	2	3	2	3	—	—	3	—	—	2	3	9
10		—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	10
11		2	3	1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	11
12		8	9	2	2	2	2	2	4	1	3	10	3	—	4	—	1	2	2	—	6	12
13		—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	13
14		—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	14
15		7	10	5	5	3	5	4	4	5	3	12	7	4	10	1	—	3	3	7	8	15
16		10	6	4	2	3	1	—	6	2	2	4	6	2	1	—	2	1	2	6	4	16
17		4	7	6	2	5	—	2	2	—	1	5	6	3	—	—	—	1	—	3	4	17
18		7	—	—	1	—	—	—	—	1	—	—	—	—	—	1	—	1	—	2	—	18
19		2	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	19
20		1	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	20
21		2	1	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—	1	—	21
21A		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22		2	8	3	—	2	—	1	1	—	—	3	2	—	1	2	—	—	—	2	1	22
23		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24		—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	24
25		2	6	—	1	1	1	1	3	1	—	6	1	3	1	1	—	—	1	6	1	25
26		3	2	—	—	1	—	2	1	—	—	4	1	4	—	—	1	—	1	—	—	26
27		1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	27
28		42	38	9	13	11	13	17	19	11	9	26	44	4	3	7	1	6	5	11	9	28
29		—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	29

SOMERSETSHIRE—*cont.*

	Causes of Death.	Minehead U.D.		Portishead U.D.		Radstock U.D.		Shepton Mallet U.D.		Street U.D.		Taunton M.B.		Watchet U.D.		Wellington U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	21	26	27	17	22	29	18	30	18	25	147	185	6	13	52	40	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	1	2	—	—	—	—	1	2	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	2	—	—	1	1	4
5	Whooping cough ...	—	—	—	—	—	—	1	1	—	—	1	—	—	—	1	—	5
6	Diphtheria and croup ...	—	—	—	—	—	—	—	—	—	—	1	2	—	—	1	—	6
7	Influenza	2	4	—	—	1	—	—	1	1	—	7	10	—	4	3	1	7
8	Erysipelas	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	—	3	6	—	1	1	1	1	2	—	11	20	—	1	3	6	9
10	Tuberculous meningitis	—	—	3	—	—	—	—	—	—	—	—	4	—	—	—	1	10
11	Other tuberculous diseases	—	—	—	—	—	1	—	—	1	—	1	1	—	—	—	—	11
12	Cancer, malignant disease	2	—	3	1	—	3	2	3	1	3	17	16	—	1	3	2	12
13	Rheumatic fever... ...	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	13
14	Meningitis	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
15	Organic heart disease ...	2	2	3	3	5	4	5	2	3	4	11	17	1	1	10	5	15
16	Bronchitis	1	3	1	4	1	2	—	3	—	5	8	15	1	—	3	6	16
17	Pneumonia (all forms) ...	—	1	1	—	—	6	—	—	2	—	9	8	—	—	—	—	17
18	Other respiratory diseases	1	1	1	1	—	1	—	1	1	—	5	5	—	—	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	—	2	—	—	—	2	—	3	3	—	—	1	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	20
21	Cirrhosis of liver ...	1	—	—	—	—	1	—	—	1	—	1	1	—	—	1	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	1	1	—	—	—	1	1	—	—	2	5	—	—	2	—	22
23	Puerperal fever	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	1	2	—	1	3	—	—	—	—	1	7	4	1	—	4	2	25
26	Violence, apart from 27	2	1	1	1	1	—	3	1	—	1	5	3	—	—	2	—	26
27	Suicide	—	—	—	—	—	—	1	—	1	—	—	2	—	—	—	—	27
28	Other defined diseases ...	7	8	7	5	6	7	4	15	3	10	53	62	3	6	16	16	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	29

SOMERSETSHIRE—*cont.*

	Causes of Death.	Wells M.B.		Weston super Mare U.D.		Wivelis-combe U.D.		Yeovil M.B.				Axbridge R.D.		Bath R.D.		Bridg-water R.D.		
		M	F	M	F	M	F	M	F			M	F	M	F	M	F	
	ALL CAUSES	32	33	162	193	9	1	86	78			155	136	90	76	127	123	
1	Enteric fever	—	—	—	—	—	—	—	—			—	1	—	—	1	—	1
2	Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	2
3	Measles	—	1	—	1	—	—	2	—			2	—	—	1	—	2	3
4	Scarlet fever	—	—	—	—	—	—	—	—			—	—	1	—	—	—	4
5	Whooping cough ...	1	1	—	—	—	—	2	3			—	—	1	—	—	—	5
6	Diphtheria and croup ...	—	—	—	—	—	—	—	—			—	—	1	2	—	—	6
7	Influenza	1	2	1	7	—	—	—	—			4	6	1	—	3	5	7
8	Erysipelas	—	—	1	1	—	—	—	—			—	—	—	—	—	—	8
9	Pulmonary tuberculosis	3	—	10	16	—	—	9	3			7	7	7	5	4	7	9
10	Tuberculous meningitis	—	1	—	1	—	—	1	—			—	1	—	1	1	—	10
11	Other tuberculous diseases	—	—	2	4	1	—	2	1			1	2	—	—	1	1	11
12	Cancer, malignant disease	4	5	16	16	2	1	9	7			12	14	10	7	7	16	12
13	Rheumatic fever... ...	2	—	1	2	—	—	—	—			1	—	1	—	—	1	13
14	Meningitis	—	—	3	—	—	—	1	1			1	—	—	1	—	—	14
15	Organic heart disease ...	3	6	17	29	2	—	9	15			32	19	9	12	13	20	15
16	Bronchitis	—	—	17	20	—	—	2	7			9	13	7	3	11	9	16
17	Pneumonia (all forms) ...	2	2	11	7	—	—	3	3			5	4	2	3	6	3	17
18	Other respiratory diseases	—	—	3	2	—	—	—	—			1	1	1	—	5	2	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	4	1	—	—	—	1			—	—	—	—	—	—	19
20	Appendicitis and typhlitis	—	—	2	3	—	—	—	—			1	1	—	—	1	—	20
21	Cirrhosis of liver ...	—	—	1	1	—	—	2	—			1	—	—	—	2	1	21
21A	Alcoholism	—	—	1	1	—	—	—	—			—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	3	2	12	6	—	—	3	2			8	9	7	6	8	3	22
23	Puerperal fever	—	—	—	—	—	—	—	—			—	1	—	1	—	—	23
24	Parturition, apart from 23	—	1	—	4	—	—	—	—			—	3	—	—	—	—	24
25	Congenital debility, &c.	2	1	8	5	1	—	10	1			6	4	3	2	2	1	25
26	Violence, apart from 27	1	—	2	1	—	—	2	2			8	2	5	1	9	1	26
27	Suicide	—	—	—	1	—	—	—	—			1	—	2	—	2	1	27
28	Other defined diseases ...	8	11	49	62	3	—	29	32			55	48	32	31	50	48	28
29	Causes ill-defined or unknown	2	—	1	2	—	—	—	—			—	—	—	—	1	2	29

ADMINISTRATIVE AREAS, 1916—*continued.*

SOMERSETSHIRE—*cont.*

	Chard R.D.		Clutton R.D.		Dulverton R.D.		Frome R.D.		Keynsham R.D.		Langport R.D.		Long Ashton R.D.		Shepton Mallet R.D.		Taunton R.D.		Wellington R.D.		Wells R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	83	78	108	82	30	29	81	92	44	57	85	98	102	97	62	56	108	86	39	36	81	75	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	4	1	2	—	—	—	2	1	—	3	1	—	2	3	3	1	1	1	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4
5	1	1	—	—	—	—	1	—	—	1	1	2	—	—	1	—	—	1	—	—	3	—	5
6	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	3	2	—	—	1	—	—	6
7	3	2	—	1	2	1	2	3	—	1	—	—	—	3	1	2	5	1	2	2	3	3	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	5	5	6	4	—	1	2	4	4	3	3	4	11	16	1	5	3	1	2	2	5	4	9
10	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	10
11	—	1	4	—	—	—	—	—	1	—	—	—	4	—	—	—	—	1	—	1	1	—	11
12	4	3	12	11	3	2	6	15	4	8	6	11	10	8	5	2	7	12	—	4	2	9	12
13	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	—	—	—	—	13
14	—	—	—	—	—	—	—	3	—	—	1	1	—	—	—	—	—	—	—	—	—	—	14
15	8	14	16	17	9	3	11	19	8	14	15	14	12	13	10	9	21	13	6	4	16	11	15
16	4	4	11	11	2	2	5	5	3	6	5	13	8	6	7	3	4	7	2	5	3	9	16
17	7	2	3	1	2	4	3	5	4	3	7	6	2	5	6	2	8	3	—	—	10	5	17
18	1	1	1	1	—	—	1	2	—	1	2	—	3	2	—	—	4	1	2	—	1	—	18
19	2	—	1	—	—	—	2	1	1	2	1	1	2	1	—	1	—	—	—	—	—	—	19
20	1	—	1	—	—	—	1	1	—	—	1	—	—	—	—	1	1	—	1	—	—	—	20
21	1	—	2	—	—	—	—	1	—	—	1	—	2	1	1	1	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	2	5	3	2	—	4	—	1	—	2	3	5	—	3	3	2	2	1	—	8	4	22
23	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	1	—	2	—	1	—	1	—	2	—	—	—	3	—	1	—	—	24
25	4	2	4	5	2	6	1	1	2	2	1	2	9	1	5	3	5	3	1	—	1	6	25
26	3	1	4	—	—	—	4	1	4	2	3	—	3	1	5	—	5	1	1	—	3	3	26
27	—	1	1	—	—	—	—	1	—	—	—	—	—	1	1	—	2	2	—	—	—	—	27
28	34	36	35	27	7	9	35	26	11	8	35	39	29	32	12	19	38	33	21	15	25	19	28
29	—	2	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	29

SOMERSETSHIRE—*cont.* SOUTHAMPTON.

	Williton R.D.		Wincanton R.D.		Yeovil R.D.			Aldershot U.D.		Alton U.D.		Andover M.B.		Basingstoke M.B.		Christchurch M.B		Eastleigh and Bishopstoke U.D.		Fareham U.D.		
	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	89	80	119	106	125	105		142	130	48	56	68	37	77	85	53	46	81	74	61	56	
1	—	—	—	—	1	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	—	—	—	—	—		1	3	—	—	—	—	2	3	2	—	—	—	—	1	3
4	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	2	—	—	—	4
5	—	—	—	—	—	3		2	1	1	—	1	—	2	4	—	—	1	1	—	—	5
6	—	1	1	—	—	—		2	5	—	1	1	—	—	—	—	—	—	—	—	—	6
7	6	5	6	4	2	2		1	3	—	5	1	1	4	1	1	3	1	3	1	—	7
8	—	—	—	—	1	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	4	2	8	3	7	4		14	7	4	2	5	3	8	3	6	—	4	6	2	2	9
10	—	1	—	—	—	1		1	1	1	—	—	—	1	—	1	—	—	4	1	—	10
11	1	1	1	1	1	2		1	3	1	—	1	—	2	2	2	—	1	3	1	1	11
12	7	10	9	12	8	14		13	11	3	9	4	5	6	9	6	3	6	5	6	5	12
13	—	1	1	—	—	2		—	—	—	—	—	—	—	2	—	1	—	—	—	—	13
14	1	1	1	1	—	—		2	3	—	—	1	—	—	2	—	1	2	—	1	2	14
15	15	4	19	22	22	19		11	7	4	9	5	6	8	17	—	6	9	11	7	5	15
16	8	4	7	3	7	11		11	12	4	3	2	3	3	6	3	3	6	9	2	4	16
17	2	6	8	2	8	3		19	8	1	1	8	2	5	6	2	1	4	3	3	—	17
18	1	3	2	—	6	1		—	1	—	—	—	—	1	—	—	1	3	—	3	—	18
19	—	—	—	1	2	—		4	—	—	—	—	1	1	—	2	1	1	—	—	—	19
20	1	—	1	—	1	—		1	1	—	1	—	—	1	—	1	—	—	—	—	2	20
21	1	—	—	—	1	1		—	1	1	1	—	—	—	—	—	1	2	—	—	—	21
21A	—	—	—	—	2	—		—	—	—	1	—	—	—	—	—	—	—	—	—	—	21A
22	6	4	4	7	2	1		6	6	4	1	3	1	—	2	—	1	7	1	2	4	22
23	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	1	—	—		—	1	—	—	—	—	—	1	—	1	—	1	—	2	24
25	3	2	8	2	5	3		9	8	5	2	6	1	7	6	2	5	4	6	3	4	25
26	2	3	8	—	6	1		9	2	3	1	3	1	3	—	1	1	2	—	—	—	26
27	—	—	1	—	1	1		1	—	1	—	—	—	1	—	—	1	—	—	3	—	27
28	30	27	34	47	41	36		32	44	15	18	26	13	22	21	24	15	26	21	25	24	28
29	—	4	—	—	1	—		2	2	—	1	1	—	—	—	—	1	—	—	1	—	29

SOUTHAMPTON—*cont.*

	Causes of Death.	Farnborough U.D.		Fleet U.D.		Gosport and Alverstoke U.D.		Havant U.D.		Itchen U.D.		Lymington M.B.		Petersfield U.D.		Romsey M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	49	41	20	25	192	181	28	36	125	107	26	35	31	14	32	29	
1	Enteric fever	—	—	—	—	1	1	—	—	3	1	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	3
4	Scarlet fever	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	1	—	1	—	6	5	—	1	2	—	—	—	—	1	3	—	5
6	Diphtheria and croup ...	—	—	—	—	7	—	—	—	—	2	—	—	—	—	—	—	6
7	Influenza	1	1	—	—	1	3	—	2	—	1	2	3	2	1	—	2	7
8	Erysipelas	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	4	4	—	2	18	11	1	2	10	7	1	1	1	1	2	1	9
10	Tuberculous meningitis	2	—	1	—	—	2	—	—	3	4	—	—	—	—	—	—	10
11	Other tuberculous diseases	2	1	—	—	3	—	—	1	2	3	—	—	1	—	—	—	11
12	Cancer, malignant disease	4	6	4	7	14	22	3	3	7	9	4	5	5	—	4	6	12
13	Rheumatic fever... ...	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	13
14	Meningitis	1	—	—	—	2	2	—	—	1	—	—	—	1	—	—	—	14
15	Organic heart disease ...	6	1	1	1	30	25	4	4	11	8	6	6	6	1	3	6	15
16	Bronchitis	4	6	—	1	11	15	1	5	5	4	—	2	1	—	1	2	16
17	Pneumonia (all forms) ...	4	3	1	—	18	13	—	—	10	2	1	1	1	1	1	—	17
18	Other respiratory diseases	—	3	—	—	3	1	—	—	—	—	1	2	—	—	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	1	1	—	—	3	2	2	—	3	—	—	—	—	—	—	—	19
20	Appendicitis and typhlitis	1	—	—	—	2	—	—	1	1	1	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	—	—	—	—	—	—	1	1	1	—	1	—	—	—	21
21A	Alcoholism	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	2	2	1	—	5	6	1	2	7	7	1	1	2	1	1	—	22
23	Puerperal fever	—	1	—	—	—	—	—	—	—	3	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	24
25	Congenital debility, &c.	1	2	—	1	9	6	1	2	13	8	—	—	1	1	1	1	25
26	Violence, apart from 27	3	—	2	3	3	3	1	—	8	2	—	3	—	1	2	1	26
27	Suicide	—	—	—	—	—	—	—	1	2	1	—	1	—	—	2	—	27
28	Other defined diseases ...	11	7	8	10	56	61	13	12	35	34	9	10	9	5	12	10	28
29	Causes ill-defined or unknown.	1	1	1	—	—	1	—	—	1	2	—	—	—	—	—	—	29

SOUTHAMPTON—*cont.*

	Causes of Death.	Warblington U.D.		Winchester M.B.			Alresford R.D.		Alton R.D.		Andover R.D.		Basingstoke R.D.		Catherington R.D.		
		M	F	M	F		M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	21	30	151	149		51	41	89	75	76	60	85	77	29	25	
1	Enteric fever	—	1	—	—		—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—		—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	1	—		—	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	1		—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	1	—		1	—	—	—	1	—	—	—	—	—	5
6	Diphtheria and croup ...	—	—	1	1		—	—	—	—	—	—	—	—	1	—	6
7	Influenza	5	4	2	1		1	—	2	2	4	6	1	2	3	3	7
8	Erysipelas	—	—	—	—		—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	1	1	9	7		4	2	5	4	2	4	8	6	2	5	9
10	Tuberculous meningitis	—	—	—	1		1	—	2	—	—	—	—	2	1	—	10
11	Other tuberculous diseases	—	—	2	—		1	—	2	4	—	—	—	1	—	—	11
12	Cancer, malignant disease	3	3	17	19		5	5	14	12	5	8	8	12	3	3	12
13	Rheumatic fever... ...	—	—	1	1		—	—	—	—	1	2	—	—	—	—	13
14	Meningitis	—	—	—	—		1	—	—	—	2	—	—	1	—	—	14
15	Organic heart disease ..	5	1	25	21		12	5	16	11	15	7	19	20	7	5	15
16	Bronchitis	—	5	6	13		4	11	6	3	4	5	5	5	—	2	16
17	Pneumonia (all forms) ...	1	2	9	5		4	2	1	1	1	—	4	2	—	—	17
18	Other respiratory diseases	—	—	4	3		1	—	3	1	—	—	—	1	—	1	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	2		—	—	—	—	1	—	—	3	—	—	19
20	Appendicitis and typhlitis	—	—	1	—		—	—	—	—	—	—	2	—	—	—	20
21	Cirrhosis of liver ...	—	—	1	—		—	—	1	—	—	—	—	—	1	—	21
21A	Alcoholism	1	—	—	—		—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	2	2	11	4		1	—	4	2	1	3	—	1	2	3	22
23	Puerperal fever	—	—	—	—		—	2	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	2		—	—	—	1	—	—	—	—	—	—	24
25	Congenital debility, &c.	—	—	7	10		—	2	5	3	5	1	4	2	—	—	25
26	Violence, apart from 27	—	1	6	3		1	—	1	4	6	1	1	—	—	1	26
27	Suicide	1	1	1	1		—	—	1	—	1	—	1	—	—	—	27
28	Other defined diseases ...	2	9	44	51		14	11	26	27	26	23	32	18	9	2	28
29	Causes ill-defined or unknown.	—	—	2	3		—	1	—	—	1	—	—	1	—	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

SOUTHAMPTON—*cont.*

	Christchurch R.D.		Droxford R.D.		Fareham R.D.		Fordingbridge R.D.		Hartley Wintney R.D.		Havant R.D.		Hursley R.D.		Kingsclere R.D.		Lymington R.D.		New Forest R.D.		Petersfield R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	21	28	93	72	87	95	41	34	105	99	37	38	19	25	51	55	67	53	108	113	62	39	
1	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	3	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	2	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	2	1	2	—	—	—	—	—	—	—	—	—	1	—	—	1	5
6	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	3	1	2	1	1	—	—	6
7	—	1	3	—	6	1	—	5	4	2	1	1	—	1	—	—	2	4	1	5	3	—	7
8	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	8
9	—	—	2	4	6	6	2	—	5	5	2	3	—	1	2	3	7	6	10	4	3	2	9
10	—	—	—	—	1	1	—	—	3	—	—	—	—	—	—	—	1	—	1	2	—	1	10
11	—	1	4	1	—	1	1	—	1	1	—	—	1	1	2	2	2	1	1	2	—	1	11
12	3	4	7	9	4	7	4	6	9	13	5	1	3	2	2	5	8	5	8	15	9	5	12
13	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	13
14	—	—	—	—	—	1	—	—	—	1	1	—	—	1	—	—	1	—	2	—	1	—	14
15	2	5	19	14	11	17	8	1	18	21	13	4	4	6	5	16	10	4	11	11	5	5	15
16	1	5	4	6	8	7	6	2	7	10	1	2	3	1	7	3	4	2	7	9	5	3	16
17	—	1	4	3	9	3	1	2	6	7	3	4	—	3	6	2	2	2	10	6	2	1	17
18	—	—	2	—	4	3	—	1	1	—	—	1	2	—	—	—	—	1	3	2	—	1	18
19	—	—	1	—	1	2	—	—	1	—	—	—	—	—	—	1	2	1	1	—	1	—	19
20	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	20
21	—	—	—	—	—	—	—	—	1	—	—	—	—	1	2	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	—	3	4	3	1	1	—	4	3	1	1	—	—	—	—	1	1	9	5	—	1	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	1	—	1	—	—	—	1	—	—	—	—	—	1	—	1	—	—	24
25	—	4	4	3	2	5	4	—	8	3	—	—	—	1	2	2	5	2	4	4	2	—	25
26	—	—	5	—	7	1	1	—	5	—	—	1	1	—	—	1	1	1	3	4	4	1	26
27	1	—	—	2	—	1	—	—	—	1	1	—	—	—	2	—	1	—	2	—	1	1	27
28	12	7	34	23	24	34	9	14	30	29	9	18	5	7	20	17	16	18	31	37	25	15	28
29	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	2	—	—	—	1	—	29

SOUTHAMPTON—*cont.*

	Ringwood R.D.		Romsey R.D.		South Stoneham R.D.		Stockbridge R.D.		Whitchurch R.D.		Winchester R.D.				STAFFORDSHIRE.								
															Amblecote U.D.		Audley U.D.		Biddulph U.D.		Bilston U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F			M	F	M	F	M	F	M	F	
	34	36	37	31	117	102	45	37	44	28	57	66			22	18	89	88	57	42	228	221	
1	—	1	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	1	—	—	—	3
4	—	—	—	—	—	—	—	—	—	1	—	—			—	—	1	1	1	—	—	1	4
5	—	1	—	—	2	—	—	—	—	—	1	—			—	—	—	—	—	—	6	6	5
6	—	—	—	—	—	1	—	—	—	—	—	—			—	—	3	11	3	1	4	1	6
7	1	1	2	5	2	3	2	1	1	—	1	4			—	—	2	—	2	1	12	2	7
8	—	—	—	—	—	1	—	—	—	—	—	—			—	—	—	—	—	1	—	1	8
9	4	2	—	3	7	8	5	1	2	1	6	3			1	1	7	3	3	1	22	18	9
10	—	2	—	1	3	—	—	—	2	—	—	—			—	—	—	1	—	2	2	3	10
11	—	—	—	—	3	—	—	1	—	—	—	—			—	—	4	2	4	—	1	2	11
12	7	4	2	4	13	11	5	7	5	2	10	9			2	4	2	11	3	1	11	7	12
13	—	—	1	—	—	2	—	—	—	—	—	—			—	—	—	1	—	—	—	—	13
14	—	—	—	—	—	1	—	—	—	—	—	1			—	1	2	1	—	—	—	1	14
15	6	5	6	4	10	15	9	6	11	3	4	13			8	5	8	7	5	4	10	11	15
16	7	9	4	—	8	7	3	—	4	4	4	3			1	2	5	5	3	2	39	36	16
17	1	1	2	—	6	6	1	—	4	5	3	3			1	—	5	6	2	3	31	26	17
18	—	—	1	—	2	—	—	1	1	—	1	1			—	—	1	—	—	—	2	—	18
19	—	—	—	—	2	1	—	—	—	—	—	—			—	—	3	1	1	—	4	6	19
20	—	—	—	—	1	—	—	—	1	—	1	1			—	—	1	—	—	—	1	4	20
21	—	—	—	1	—	—	1	—	—	—	—	1			—	—	—	1	—	—	1	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	21A
22	1	—	2	1	9	5	3	2	—	—	2	4			1	—	4	3	2	—	1	7	22
23	—	—	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	23
24	—	1	—	—	—	1	—	—	—	—	—	2			—	—	—	1	—	2	—	2	24
25	2	1	2	1	11	3	2	2	3	2	7	5			3	1	11	6	7	4	23	17	25
26	—	—	—	—	6	3	2	1	3	—	2	—			—	—	7	1	6	3	9	4	26
27	—	1	1	—	1	3	1	—	—	—	—	—			—	—	2	—	—	—	1	—	27
28	5	6	14	11	30	31	10	15	7	9	15	15			5	4	21	26	14	17	45	62	28
29	—	1	—	—	1	—	1	—	—	1	—	1			—	—	—	—	—	—	3	3	29

STAFFORDSHIRE—*cont.*

	Causes of Death.	Brierley Hill U.D.		Brownhills U.D.		Cannock U.D.		Coseley U.D.		Darlaston U.D.		Heathtown or Wednesfield Heath U.D.		Kidsgrove U.D.		Leek U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	89	93	88	99	214	189	182	168	160	102	91	65	60	53	129	135	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	3	6	—	4	2	3	1	—	—	—	—	3	2	1	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	2	—	—	1	—	2	2	1	3	4
5	Whooping cough ...	1	1	6	4	1	2	1	2	—	1	2	4	1	1	—	2	5
6	Diphtheria and croup ...	2	4	1	4	3	3	1	2	3	—	—	—	4	2	10	7	6
7	Influenza	1	1	2	2	4	3	4	1	—	—	2	1	1	1	1	5	7
8	Erysipelas	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	8
9	Pulmonary tuberculosis	3	4	6	9	12	11	14	9	14	7	10	4	1	3	12	14	9
10	Tuberculous meningitis	—	—	1	3	3	—	—	2	—	—	—	1	1	1	2	1	10
11	Other tuberculous diseases	1	1	3	—	3	4	3	—	4	1	3	1	1	1	3	1	11
12	Cancer, malignant disease	7	8	2	10	11	16	18	19	4	9	4	6	6	3	4	11	12
13	Rheumatic fever... ...	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1	—	13
14	Meningitis	2	—	—	—	2	4	1	1	6	1	1	2	—	—	3	—	14
15	Organic heart disease ...	9	14	7	7	10	12	14	24	24	9	6	6	4	5	15	18	15
16	Bronchitis	6	9	5	14	29	23	15	16	15	9	6	2	7	7	8	9	16
17	Pneumonia (all forms) ...	9	10	14	5	21	12	20	14	13	12	16	14	2	5	8	5	17
18	Other respiratory diseases	4	1	1	2	3	4	2	—	3	1	3	—	2	1	1	2	18
19	Diarrhœa, &c. (under 2 yrs.)	6	1	—	—	2	5	9	7	5	7	2	—	1	1	3	—	19
20	Appendicitis and typhlitis	—	—	1	3	1	—	—	—	—	—	1	—	—	—	—	—	20
21	Cirrhosis of liver ...	1	—	—	—	2	—	1	1	—	2	—	1	1	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	2	1	3	1	2	2	3	2	1	1	—	1	2	1	4	5	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	23
24	Parturition, apart from 23	—	—	—	—	—	3	—	1	—	1	—	—	—	—	—	1	24
25	Congenital debility, &c.	4	3	8	8	19	13	17	9	21	9	7	—	1	3	8	3	25
26	Violence, apart from 27	4	—	5	—	16	3	10	2	4	—	3	—	4	3	1	—	26
27	Suicide	1	—	—	—	4	2	—	—	1	—	1	—	—	1	—	—	27
28	Other defined diseases ...	22	28	20	23	60	63	47	50	39	32	20	18	14	11	44	45	28
29	Causes ill-defined or unknown.	1	1	3	—	4	1	—	2	3	—	2	—	3	—	—	—	29

STAFFORDSHIRE—*cont.*

	Causes of Death.	Lichfield M.B.		Newcastle under Lyme M.B.		Perry Barr U.D.		Quarry Bank U.D.		Rowley Regis U.D.		Rugeley U.D.		Sedgley U.D.		Short Heath U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	65	62	153	167	13	19	48	49	274	238	26	33	95	80	39	23	
1	Enteric fever	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	5	3	2	6	—	—	—	1	4	2	—	—	—	—	—	—	3
4	Scarlet fever	—	—	3	1	1	—	—	1	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	1	5	4	—	2	—	—	—	9	—	1	—	—	—	—	5
6	Diphtheria and croup ...	—	—	2	6	—	—	1	—	1	1	—	—	1	1	—	—	6
7	Influenza	3	2	2	4	—	—	—	1	2	—	—	—	2	1	—	—	7
8	Erysipelas	1	—	—	—	—	—	1	—	—	1	—	—	2	—	—	—	8
9	Pulmonary tuberculosis	7	9	10	13	1	1	2	--	19	12	3	4	3	4	1	1	9
10	Tuberculous meningitis	—	—	3	3	—	—	1	1	—	2	—	—	1	2	—	—	10
11	Other tuberculous diseases	—	1	4	3	1	2	—	—	9	5	—	1	1	2	1	1	11
12	Cancer, malignant disease	5	2	7	14	—	1	7	4	19	23	1	3	7	8	2	3	12
13	Rheumatic fever... ...	—	—	—	1	—	—	—	1	—	3	—	—	—	—	—	—	13
14	Meningitis	1	—	3	2	—	—	—	—	1	2	—	—	—	—	—	—	14
15	Organic heart disease ...	5	11	17	17	—	2	2	7	21	20	3	2	7	8	5	3	15
16	Bronchitis	4	—	8	13	—	2	6	7	28	22	5	7	5	9	4	4	16
17	Pneumonia (all forms) ...	3	—	14	11	—	1	3	3	26	16	1	1	11	5	3	2	17
18	Other respiratory diseases	1	1	4	3	—	—	—	—	2	2	—	—	—	—	1	1	18
19	Diarrhœa, &c. (under 2 yrs.)	2	4	2	2	—	—	2	2	9	10	2	—	2	1	1	—	19
20	Appendicitis and typhlitis	2	1	2	—	—	—	1	—	1	2	1	—	2	—	—	—	20
21	Cirrhosis of liver ...	—	—	1	2	—	—	1	1	4	—	—	—	1	2	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	2	5	3	—	—	2	1	8	9	2	—	2	1	—	1	22
25	Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	2	—	1	—	—	—	5	—	1	—	—	—	—	24
25	Congenital debility, &c.	4	6	19	9	—	—	3	3	22	20	—	3	12	6	5	—	25
26	Violence, apart from 27	2	1	5	1	3	—	2	—	13	2	2	—	8	—	—	1	26
27	Suicide	—	—	1	—	—	—	—	—	2	2	1	1	2	—	—	—	27
28	Other defined diseases ...	19	18	33	46	7	7	13	16	82	66	5	9	26	27	16	6	28
29	Causes ill-defined or unknown.	—	—	1	1	—	—	—	—	1	1	—	—	—	2	—	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

STAFFORDSHIRE—*cont.*

	Smallthorne U.D.		Stafford M.B.		Stone U.D.		Tamworth M.B.		Tettenhall U.D.		Tipton U.D.		Uttoxeter U.D		Wednesbury M.B.		Wednesfield U.D.		Willenhall U.D.		Wolstanton United U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	96	99	176	144	43	41	65	48	32	30	246	246	36	41	235	245	41	32	126	112	204	168	
1	1	2	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	2	2	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	2	2	1	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	5	8	3
4	—	2	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	3	4
5	1	2	—	2	—	—	1	2	—	—	1	3	4	1	3	6	—	—	—	1	1	2	5
6	6	4	4	2	3	3	—	—	—	—	2	3	—	—	4	1	3	—	—	—	4	—	6
7	3	—	3	2	3	2	1	1	1	1	4	4	—	—	3	6	1	—	4	—	4	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	10	6	9	15	4	2	5	2	1	6	8	9	1	1	25	25	4	3	14	7	15	9	9
10	1	3	—	1	1	—	2	1	1	1	3	1	—	2	2	5	—	—	3	3	1	2	10
11	—	1	9	—	1	—	2	—	1	1	3	5	—	—	3	4	2	—	2	1	4	3	11
12	6	6	14	16	3	—	2	6	1	4	3	13	5	7	18	15	2	4	8	10	6	11	12
13	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	13
14	—	1	3	2	—	1	1	—	—	—	3	2	—	1	3	2	—	—	—	—	5	2	14
15	8	14	15	16	4	5	7	7	3	3	12	15	1	2	9	18	1	4	3	9	17	21	15
16	7	11	14	16	3	2	4	3	2	2	24	22	2	2	26	18	4	1	11	11	31	20	16
17	11	6	19	8	3	1	6	1	3	1	22	24	4	1	25	13	5	1	12	8	11	10	17
18	2	2	3	4	—	1	2	—	—	—	1	1	—	—	2	2	—	1	2	1	2	2	18
19	3	1	1	—	—	—	—	1	1	—	7	5	—	—	13	15	2	—	5	4	3	5	19
20	—	—	1	—	—	—	—	—	—	—	1	—	—	—	3	3	—	—	1	—	3	—	20
21	—	—	—	1	—	—	—	—	—	—	3	1	1	—	3	—	—	—	—	1	—	—	21
21A	—	—	1	—	—	—	—	—	1	—	—	2	1	1	—	—	—	—	—	—	—	—	21A
22	1	4	5	2	3	3	1	2	1	1	4	7	2	6	5	7	2	1	4	4	3	3	22
23	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	2	—	2	23
24	—	1	—	1	—	1	—	1	—	1	—	4	—	—	—	2	—	—	—	—	—	2	24
25	3	9	9	3	2	6	5	1	2	—	36	27	1	1	12	13	3	2	9	10	15	4	25
26	6	5	4	3	1	—	7	—	2	—	18	12	1	—	13	14	1	2	4	2	13	6	26
27	—	—	1	1	1	—	1	—	—	—	2	5	—	—	1	—	—	1	2	—	—	—	27
28	27	17	55	45	10	13	17	20	12	9	84	74	13	16	59	74	11	12	41	36	49	50	28
29	—	—	—	—	—	—	1	—	—	—	5	4	—	—	1	—	—	—	—	—	1	—	29

STAFFORDSHIRE—*cont.*

		Blore Heath R.D.		Cannock R.D.		Cheadle R.D.		Dudley R.D.		Gnosall R.D.		Kingswinford R.D.		Leek R.D.		Lichfield R.D.		Mayfield R.D.		Newcastle under Lyme R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
		20	10	138	132	150	160	—	—	36	36	160	136	126	102	169	152	23	26	40	32	
1		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1
2		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3		—	—	—	1	—	2	—	—	—	—	1	3	1	1	2	1	—	1	—	—	3
4		—	—	1	1	2	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	4
5		—	—	1	—	—	1	—	—	—	1	1	1	1	1	3	3	—	—	—	—	5
6		—	—	—	4	—	2	—	—	—	—	2	1	3	7	—	—	—	—	1	—	6
7		1	1	2	1	7	5	—	—	6	—	5	2	6	2	3	4	1	—	4	2	7
8		—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9		1	2	6	4	10	11	—	—	3	3	9	4	9	7	7	4	1	3	1	3	9
10		—	—	3	1	2	3	—	—	—	—	1	—	—	3	—	—	—	—	—	1	10
11		—	1	3	3	—	2	—	—	—	—	3	—	—	1	6	1	—	—	—	—	11
12		1	—	10	12	9	11	—	—	3	1	4	13	5	12	10	22	1	4	5	2	12
13		—	—	—	2	—	2	—	—	—	—	—	—	—	—	1	3	2	—	—	—	13
14		—	—	1	—	2	2	—	—	—	—	2	—	1	—	—	—	2	—	—	—	14
15		5	1	12	17	15	22	—	—	3	6	17	20	23	6	27	21	4	5	3	8	15
16		—	—	9	12	9	13	—	—	2	4	12	16	12	7	16	6	1	1	4	2	16
17		—	2	18	8	11	11	—	—	2	3	14	7	8	7	7	3	—	—	2	2	17
18		—	—	4	1	6	—	—	—	—	1	1	2	2	1	2	3	1	—	2	—	18
19		1	—	2	—	3	2	—	—	—	—	5	10	2	—	6	1	1	1	1	—	19
20		—	—	3	—	1	—	—	—	—	—	2	—	1	—	1	1	—	—	—	—	20
21		—	—	—	1	—	2	—	—	—	—	1	—	1	—	2	—	—	—	—	—	21
21A		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22		2	—	1	1	4	4	—	—	—	—	2	2	3	4	4	3	—	1	—	2	22
23		—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	23
24		—	—	—	1	—	1	—	—	—	—	—	3	—	3	—	6	—	1	—	—	24
25		4	—	5	7	10	6	—	—	2	—	14	12	12	5	8	9	1	—	3	—	25
26		—	1	11	3	11	1	—	—	3	—	11	4	9	1	6	2	—	—	3	—	26
27		—	—	1	—	4	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	27
28		4	2	44	50	41	55	—	—	12	16	50	33	26	32	54	57	8	9	11	9	28
29		1	—	1	1	—	—	—	—	—	1	2	2	—	1	2	—	—	—	—	—	29

STAFFORDSHIRE—*cont.*

	Causes of Death.	Seisdon R.D.		Stafford R.D.		Stoke upon Trent R.D.		Stone R.D.		Tamworth (pt.) R.D.*		Tutbury R.D.		Uttoxeter R.D.		Walsall R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	99	120	89	76	27	30	77	80	31	37	62	60	55	57	82	76	
1	Enteric fever	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	2	—	1	2	—	—	—	2	—	—	2	—	—	—	—	—	4
5	Whooping cough ...	—	—	4	1	—	—	—	—	2	—	2	1	1	—	3	2	5
6	Diphtheria and croup ..	1	—	—	3	2	1	1	1	—	—	4	1	—	—	—	1	6
7	Influenza	4	2	—	1	—	1	5	1	—	1	1	—	—	4	1	1	7
8	Erysipelas	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	5	8	7	8	6	1	4	3	2	2	10	2	4	2	6	1	9
10	Tuberculous meningitis	3	1	—	—	—	—	—	2	—	—	—	1	—	—	—	1	10
11	Other tuberculous diseases	2	—	1	—	—	—	—	2	—	—	—	—	—	—	5	6	11
12	Cancer, malignant disease	9	9	4	7	2	—	6	12	1	1	4	10	2	4	6	3	12
13	Rheumatic fever... ...	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	13
14	Meningitis	—	—	—	—	1	—	—	1	—	2	—	2	—	1	1	—	14
15	Organic heart disease ...	5	13	9	9	2	6	9	11	5	3	6	11	7	11	6	9	15
16	Bronchitis	5	13	6	1	2	5	5	2	1	6	6	3	2	1	4	7	16
17	Pneumonia (all forms) ...	4	5	8	7	2	6	1	5	1	1	2	2	2	5	3	4	17
18	Other respiratory diseases	1	2	2	3	—	—	1	—	1	—	2	2	3	1	1	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	1	—	—	1	—	—	—	—	—	—	—	—	—	1	5	19
20	Appendicitis and typhlitis	—	2	2	1	—	—	—	—	—	—	—	—	—	1	1	2	20
21	Cirrhosis of liver ...	1	—	2	2	—	1	2	—	2	—	4	—	—	—	3	1	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	4	3	1	—	—	1	—	—	2	2	—	2	4	1	1	2	22
23	Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	2	—	2	—	2	—	1	—	—	—	—	24
25	Congenital debility, &c.	7	4	7	1	2	3	8	5	1	4	3	1	1	—	10	9	25
26	Violence, apart from 27	5	4	2	—	1	—	4	1	4	1	1	—	4	3	4	—	26
27	Suicide	1	—	1	—	—	—	—	1	1	—	—	1	1	—	—	1	27
28	Other defined diseases ...	38	49	31	29	5	3	29	29	8	12	14	19	24	23	26	21	28
29	Causes ill-defined or unknown.	1	3	—	—	—	—	1	—	—	—	1	—	—	—	—	—	29

STAFFORDSHIRE—*cont.* SUFFOLK, EAST.

	Causes of Death.	Blymhill and Weston under Lizard C.P.'s†						Aldeburgh M.B		Beccles M.B.		Bungay U.D.		Eye M.B.		Felixstowe U.D.		
		M	F					M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	4	2					15	18	48	55	31	31	16	13	50	39	
1	Enteric fever	—	—					—	—	—	—	—	—	1	—	—	—	1
2	Small-pox	—	—					—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—					—	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—					—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—					—	1	2	2	1	—	—	—	—	—	5
6	Diphtheria and croup ...	—	—					—	—	—	—	—	—	—	—	1	1	6
7	Influenza	—	—					—	—	—	—	2	—	—	—	2	3	7
8	Erysipelas	—	—					—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	—	—					1	2	3	5	3	1	1	2	8	3	9
10	Tuberculous meningitis	—	—					2	—	1	1	—	—	—	—	1	—	10
11	Other tuberculous diseases	—	—					—	—	—	—	—	—	—	—	3	—	11
12	Cancer, malignant disease	—	—					3	3	8	7	3	4	1	1	4	2	12
13	Rheumatic fever... ...	—	—					—	—	1	—	—	—	—	—	—	—	13
14	Meningitis	—	—					—	—	—	—	1	—	—	—	—	—	14
15	Organic heart disease ...	1	1					2	1	3	4	6	5	2	1	5	9	15
16	Bronchitis	—	—					—	—	1	2	1	2	1	—	1	1	16
17	Pneumonia (all forms) ...	—	—					2	—	3	—	1	5	—	1	—	3	17
18	Other respiratory diseases	—	—					—	—	1	—	—	1	—	—	4	3	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—					—	—	1	1	—	—	—	—	—	1	19
20	Appendicitis and typhlitis	—	—					—	—	—	—	2	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—					—	—	—	—	1	—	—	—	—	—	21
21A	Alcoholism	—	—					—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—					1	1	2	—	—	1	—	—	2	1	22
23	Puerperal fever	—	—					—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—					—	—	—	1	—	1	—	—	—	1	24
25	Congenital debility, &c.	—	—					—	—	4	7	1	2	2	—	2	4	25
26	Violence, apart from 27	—	—					2	—	1	2	—	—	—	—	3	—	26
27	Suicide	—	—					—	—	1	—	—	1	1	—	—	—	27
28	Other defined diseases ...	3	1					2	10	15	23	9	8	7	8	14	7	28
29	Causes ill-defined or unknown.	—	—					—	—	1	—	—	—	—	—	—	—	29

* The remainder of Tamworth R.D. is in Warwickshire ; *see* page 450.

† Administered by Shifnal R.D.C. (Shropshire).

ADMINISTRATIVE AREAS, 1916—*continued.*

SUFFOLK, EAST—*cont.*

	Halesworth U.D.		Leiston cum Sizewell U.D.		Lowestoft M.B.		Oulton Broad U.D.		Saxmundham U.D.		Southwold M.B.		Stowmarket U.D.		Woodbridge U.D.		Blything R.D.		Bosmere and Claydon R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M.	F.	M	F	
	17	7	23	23	210	200	38	29	11	9	22	20	23	29	32	31	131	129	79	89	
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	3	7	—	1	—	—	—	—	—	—	—	—	—	—	—	1	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4
5	—	—	—	2	3	6	2	1	1	—	—	3	—	—	—	—	3	4	—	—	5
6	—	1	—	1	1	1	6	2	—	—	—	—	1	1	—	—	1	1	—	—	6
7	—	—	2	—	2	2	—	—	1	—	—	—	3	—	—	—	2	1	1	2	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	1	—	1	1	17	11	1	1	1	1	2	2	—	3	1	—	10	7	5	2	9
10	—	—	1	—	2	—	—	—	—	—	1	—	—	—	1	—	1	3	—	2	10
11	1	—	—	—	3	2	—	1	—	—	—	—	—	—	—	—	3	5	1	1	11
12	1	—	1	2	13	19	1	3	1	1	2	2	1	3	3	3	10	11	5	10	12
13	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	1	—	1	2	—	—	—	—	1	—	—	2	2	2	1	—	14
15	1	1	—	2	22	29	7	3	—	2	2	—	2	2	8	4	17	14	19	16	15
16	2	2	2	1	7	6	3	2	2	—	2	3	5	2	2	3	16	11	—	8	16
17	—	—	2	3	15	14	2	1	—	—	1	2	2	3	1	2	6	6	3	5	17
18	—	—	—	—	3	2	—	—	—	—	—	—	—	1	1	—	2	3	5	1	18
19	—	—	2	—	2	1	—	—	—	—	—	—	—	1	—	—	1	—	1	—	19
20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	20
21	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	1	—	2	2	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	—	—	1	8	6	—	—	1	—	1	—	—	—	—	2	4	4	1	2	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	23
24	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	24
25	1	—	1	2	19	11	4	4	—	—	—	1	3	3	2	1	6	7	9	6	25
26	—	—	1	—	14	6	4	1	—	—	3	—	1	—	—	—	8	—	—	2	26
27	—	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	2	—	2	1	27
28	8	3	10	7	69	73	7	7	4	5	7	6	3	9	12	12	34	48	23	25	28
29	—	—	—	—	2	2	—	—	—	—	—	—	1	—	1	1	—	2	1	—	29

SUFFOLK, EAST—*cont.* SUFFOLK, WEST.

	East Stow R.D.		Hartismere R.D.		Hoxne R.D.		Mutford and Lothingland R.D.		Plomesgate R.D.		Samford R.D.		Wangford R.D.		Woodbridge R.D.		Bury St. Edmunds M.B.		Glemsford U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	39	37	84	70	86	60	66	67	105	122	71	85	23	29	101	91	112	140	16	11	
1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	3	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	2	1	—	2	5	—	—	1	—	—	—	2	4	—	—	5
6	—	2	—	—	1	1	—	—	—	—	1	—	—	—	1	1	—	—	—	—	6
7	2	1	3	4	1	2	—	1	7	7	2	4	—	—	1	1	1	3	—	—	7
8	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	8
9	2	2	4	5	4	6	5	4	4	8	10	10	—	2	10	11	10	7	1	1	9
10	—	2	1	1	1	1	—	1	1	—	1	—	—	—	—	2	2	1	—	—	10
11	—	—	1	1	—	2	—	1	—	1	—	1	—	1	—	—	2	3	—	1	11
12	1	2	8	6	6	7	5	5	7	19	5	6	2	5	9	15	10	14	4	1	12
13	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	13
14	—	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	14
15	8	7	8	7	17	3	4	13	12	17	5	11	5	1	9	8	11	26	2	1	15
16	1	2	3	4	7	2	2	8	6	7	5	8	1	1	3	7	3	7	2	—	16
17	3	1	2	1	4	2	8	4	4	1	1	4	1	—	7	4	7	4	1	—	17
18	2	1	1	—	—	2	2	—	1	—	1	—	—	1	3	1	4	1	—	—	18
19	—	—	2	2	—	—	1	—	4	1	1	—	—	—	—	—	2	—	—	—	19
20	1	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	1	—	—	—	20
21	—	—	—	—	1	—	—	—	2	1	2	1	—	—	3	—	—	2	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	2	2	—	1	1	1	—	4	2	1	1	2	1	2	1	3	4	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	23
24	—	1	—	1	—	—	—	2	—	1	—	1	—	1	—	1	—	1	—	—	24
25	3	3	5	2	3	1	6	3	6	5	7	3	2	1	7	2	9	7	1	—	25
26	3	2	—	—	2	1	8	—	4	4	4	—	—	—	4	1	6	6	—	—	26
27	—	1	1	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	27
28	13	8	37	33	36	25	23	25	35	40	24	33	9	15	37	36	38	44	5	7	28
29	—	—	2	—	—	—	—	—	2	2	—	—	—	—	3	—	—	2	—	—	29

SUFFOLK, WEST—*cont.*

	Causes of Death.	Hadleigh U.D.		Haverhill U.D.		Newmarket U.D.		Sudbury M.B.				Brandon R.D.		Clare R.D.		Cosford R.D.		
		M	F	M	F	M	F	M	F			M	F	M	F	M	F	
	ALL CAUSES	23	20	25	31	61	72	51	54			43	37	55	62	59	73	
1	Enteric fever	—	—	—	—	—	—	—	—			—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	—			—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	1	—	—			—	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	—	—	—	—	—			—	—	1	2	—	—	5
6	Diphtheria and croup ...	—	—	3	2	—	—	—	—			1	1	1	—	—	2	6
7	Influenza	—	—	—	2	2	—	—	—			1	—	—	1	1	2	7
8	Erysipelas	—	—	—	—	—	—	—	—			—	—	—	—	2	—	8
9	Pulmonary tuberculosis	—	—	—	3	4	8	5	7			1	2	3	5	3	7	9
10	Tuberculous meningitis	—	—	—	—	—	—	—	—			—	—	—	—	—	—	10
11	Other tuberculous diseases	—	—	—	—	—	1	—	—			—	1	—	—	1	4	11
12	Cancer, malignant disease	2	2	1	2	9	8	7	3			7	6	5	10	6	4	12
13	Rheumatic fever... ...	—	—	1	—	—	—	—	—			1	—	—	—	—	—	13
14	Meningitis	1	—	—	—	1	—	—	—			1	—	—	—	—	—	14
15	Organic heart disease ...	4	5	6	1	8	6	4	11			—	5	5	7	7	8	15
16	Bronchitis	2	1	2	3	2	5	9	6			2	3	6	4	5	14	16
17	Pneumonia (all forms) ...	3	—	1	—	3	5	—	2			2	—	1	2	2	1	17
18	Other respiratory diseases	—	—	—	1	1	—	—	—			—	1	2	1	2	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	—	—	—	1	—			—	—	—	—	—	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—			—	—	—	—	1	—	20
21	Cirrhosis of liver ...	—	—	2	—	1	—	1	—			1	—	2	2	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—			—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	—	1	2	1	1	1	—			1	2	—	3	2	1	22
23	Puerperal fever	—	—	—	—	—	—	—	—			—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	2	—	1			—	1	—	—	—	1	24
25	Congenital debility, &c.	1	2	1	2	4	8	2	3			1	—	4	—	2	1	25
26	Violence, apart from 27	—	1	—	—	1	—	5	3			3	1	1	1	2	1	26
27	Suicide	—	1	—	—	—	1	—	1			—	—	—	—	1	1	27
28	Other defined diseases ...	9	7	7	13	23	26	16	17			19	14	24	24	22	26	28
29	Causes ill-defined or unknown.	—	—	—	—	1	—	—	—			2	—	—	—	—	—	29

SUFFOLK, WEST—*cont.* SURREY.

	Causes of Death.	Melford R.D.		Mildenhall R.D.		Moulton R.D.		Thedwastre R.D.		Thingoe R.D.				Barnes U.D.		Beddington and Wallington U.D.		
		M	F	M	F	M	F	M	F	M	F			M	F	M	F	
	ALL CAUSES	106	97	63	53	16	12	54	59	108	98			166	171	93	72	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—			—	—	1	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—			—	—	—	—	2
3	Measles	1	—	—	—	—	—	—	—	—	—			1	1	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—			2	—	—	—	4
5	Whooping cough ...	—	—	—	1	—	—	—	2	1	1			1	2	—	—	5
6	Diphtheria and croup ...	—	—	—	—	—	—	1	1	—	—			1	—	—	—	6
7	Influenza	—	1	1	—	—	—	3	—	1	2			2	5	2	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—			—	—	—	—	8
9	Pulmonary tuberculosis	8	6	4	2	1	1	5	4	7	5			16	19	10	5	9
10	Tuberculous meningitis	1	1	—	—	—	—	1	—	2	1			1	4	—	3	10
11	Other tuberculous diseases	1	5	—	1	—	—	—	1	2	—			1	—	1	1	11
12	Cancer, malignant disease	13	10	6	4	2	1	6	8	7	11			12	19	12	5	12
13	Rheumatic fever... ...	—	1	—	—	—	—	—	—	1	—			—	—	—	1	13
14	Meningitis	1	1	—	—	—	—	—	2	1	—			4	—	—	1	14
15	Organic heart disease ...	14	8	11	5	2	3	7	11	13	14			12	20	8	6	15
16	Bronchitis	7	9	4	8	—	1	1	4	6	7			7	11	6	3	16
17	Pneumonia (all forms) ...	3	5	—	1	1	—	1	3	7	4			4	6	4	4	17
18	Other respiratory diseases	1	—	—	1	1	—	—	—	3	2			6	2	1	1	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	—	—	—	—	—	—	—			4	3	—	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	2	2			1	1	3	2	20
21	Cirrhosis of liver ...	1	1	1	—	—	—	3	—	—	—			2	1	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—			—	1	—	—	21A
22	Nephritis and Bright's dis.	3	2	1	—	—	—	2	3	1	3			5	3	4	3	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—			—	2	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	1			—	—	—	1	24
25	Congenital debility, &c.	5	2	2	2	1	—	3	—	8	3			9	4	7	6	25
26	Violence, apart from 27	5	—	—	1	1	—	4	1	3	3			10	5	1	2	26
27	Suicide	2	1	2	—	—	—	1	—	4	—			—	—	2	—	27
28	Other defined diseases ...	36	41	26	22	7	5	13	19	39	35			65	62	31	28	28
29	Causes ill-defined or unknown.	4	3	5	5	—	1	3	—	—	4			—	—	—	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

SURREY—*cont.*

	Carshalton U.D.		Caterham U.D.		Chertsey U.D.		Coulsdon and Purley U.D.		Dorking U.D.		East and West Molesey U.D.		Egham U.D.		Epsom U.D.		Esher and the Dittons U.D.		Farnham U.D.		Frimley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	47	71	46	57	85	63	74	75	48	58	37	32	80	73	71	69	82	65	95	69	51	50	
1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	3	1	1	1	—	—	3
4	—	—	—	—	—	—	—	—	1	—	—	—	—	1	1	1	—	—	—	2	—	—	4
5	—	1	—	—	—	—	1	—	1	2	—	—	—	—	1	1	—	3	1	—	—	—	5
6	—	1	—	1	—	1	1	2	—	1	—	1	—	—	1	—	1	—	—	—	3	1	6
7	—	2	2	4	—	—	1	3	1	1	2	2	2	2	1	1	3	2	4	3	2	3	7
8	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	8
9	4	5	5	4	5	7	7	4	1	3	3	5	7	5	8	7	6	1	5	7	6	3	9
10	1	1	—	1	—	—	2	1	1	—	—	—	—	—	1	1	4	—	1	—	—	—	10
11	—	1	—	1	—	1	2	1	—	—	—	1	4	3	—	2	—	—	—	2	—	—	11
12	1	12	3	5	7	6	9	14	7	9	5	5	7	8	3	8	9	5	8	6	4	4	12
13	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	13
14	1	—	2	—	—	1	—	—	—	—	—	—	1	1	1	—	1	2	—	2	1	2	14
15	7	6	4	5	11	13	8	7	4	6	4	6	13	12	7	4	4	11	14	6	7	7	15
16	4	4	3	2	4	5	2	3	4	3	—	2	6	4	9	5	2	5	8	7	—	3	16
17	3	6	2	3	8	3	6	9	3	5	6	2	5	7	1	2	8	12	4	3	3	1	17
18	1	1	1	1	3	2	—	—	1	1	—	—	1	1	—	1	—	—	6	2	—	—	18
19	3	1	—	1	—	—	1	1	—	—	—	—	1	—	3	1	1	1	—	1	—	—	19
20	1	2	1	—	—	1	—	—	—	—	—	—	2	1	—	—	1	—	2	2	1	—	20
21	—	1	—	1	—	—	1	—	—	—	1	—	—	—	—	1	2	—	1	—	—	1	21
21A	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	6	—	—	—	3	2	3	2	3	2	1	—	5	1	3	—	3	—	6	2	2	1	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	23
24	—	1	—	1	—	—	—	1	—	1	—	—	—	—	—	1	—	1	—	—	—	2	24
25	4	1	3	4	4	3	4	1	2	4	2	—	2	3	4	1	3	—	2	4	4	1	25
26	2	2	3	—	4	2	3	1	—	—	1	1	—	1	2	1	2	4	3	1	2	—	26
27	—	—	—	—	—	—	—	—	2	1	—	—	—	—	1	—	—	1	—	—	—	—	27
28	9	22	16	23	35	15	23	23	17	19	12	7	23	19	24	30	29	15	29	18	14	20	28
29	—	—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	—	1	—	29

SURREY—*cont.*

	Godalming M.B.		Guildford M.B.		Ham U.D.		Haslemere U.D.		Kingston on Thames M.B.		Leatherhead U.D.		Merton and Morden U.D.		Mitcham U.D.		Reigate M.B.		Richmond M.B.		Surbiton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	64	58	150	147	12	9	20	23	233	253	32	16	74	73	184	151	143	166	204	231	95	110	
1	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	5	5	—	—	—	—	1	—	—	—	1	—	—	—	3
4	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	4
5	1	1	2	1	—	—	—	—	2	4	—	1	1	—	3	3	1	4	1	1	—	—	5
6	2	—	1	—	—	—	1	1	1	1	2	1	1	2	3	2	—	—	3	—	—	—	6
7	2	1	4	6	—	—	1	1	5	2	—	—	—	3	2	4	3	4	6	6	2	3	7
8	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	3	4	10	9	1	2	1	2	21	19	4	—	8	7	21	11	13	8	10	10	9	5	9
10	—	1	3	—	—	—	1	1	4	4	—	—	1	1	4	2	2	1	3	—	1	1	10
11	1	1	3	2	—	—	—	1	2	4	—	—	2	—	1	1	3	3	1	6	1	1	11
12	2	8	9	13	3	—	1	1	26	38	2	5	9	9	10	11	12	23	18	38	12	17	12
13	1	1	1	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	1	1	—	—	13
14	—	—	1	—	—	—	—	—	1	3	—	—	2	—	5	—	—	1	1	1	—	4	14
15	8	9	18	14	—	—	1	3	23	30	2	1	7	9	13	20	18	32	17	31	4	16	15
16	5	4	10	13	—	—	—	—	18	31	2	1	3	5	20	15	7	10	17	17	7	9	16
17	5	3	9	4	1	1	—	—	16	9	2	—	4	3	22	9	9	11	14	15	8	7	17
18	—	3	2	1	—	—	—	—	1	5	2	—	1	2	3	5	1	1	8	2	5	2	18
19	—	—	1	2	—	—	—	—	7	3	—	—	1	—	6	7	1	1	5	6	1	—	19
20	—	—	—	2	—	—	—	—	2	4	—	—	1	4	—	—	1	1	—	1	1	—	20
21	2	—	2	1	—	1	1	—	1	—	1	—	—	—	1	2	1	1	2	3	2	3	21
21A	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	21A
22	7	—	7	3	—	—	1	2	6	3	1	—	1	3	3	1	6	5	3	7	3	2	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	—	23
24	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	2	—	—	24
25	4	3	5	5	2	2	1	2	8	8	2	1	2	7	10	8	10	3	10	7	3	6	25
26	3	3	9	4	—	1	1	2	6	7	2	—	6	1	8	6	1	3	14	7	6	3	26
27	—	—	4	2	—	—	1	—	1	1	—	—	1	—	1	1	3	—	3	—	2	—	27
28	17	16	49	63	5	1	8	7	76	70	10	5	22	16	45	38	51	52	65	69	28	31	28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	29

SURREY—*cont.*

	Causes of Death.	Sutton U.D.		The Maldens and Coombe U.D.		Walton upon Thames U.D.		Weybridge U.D.		Wimbledon M.B.		Windlesham U.D.		Woking U.D.				
		M	F	M	F	M	F	M	F	M	F	M	F	M	F			
	ALL CAUSES	116	110	68	67	65	60	30	26	282	337	19	22	146	136			
1	Enteric fever	—	—	—	—	—	—	—	—	2	—	—	—	—	—			1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—			2
3	Measles	—	—	—	—	—	—	—	—	2	3	—	—	—	—			3
4	Scarlet fever	1	—	—	1	—	—	—	—	2	—	—	—	—	—			4
5	Whooping cough ...	—	—	—	2	1	2	—	—	3	3	1	3	1	—			5
6	Diphtheria and croup ...	—	1	—	—	—	—	—	—	5	4	—	—	2	2			6
7	Influenza	3	3	—	2	1	4	—	2	2	9	—	—	3	1			7
8	Erysipelas	1	—	—	—	—	—	—	—	1	—	—	—	—	—			8
9	Pulmonary tuberculosis	8	2	2	6	11	2	2	—	23	19	2	2	8	5			9
10	Tuberculous meningitis	1	1	—	—	—	1	—	—	1	—	—	—	—	—			10
11	Other tuberculous diseases	—	1	—	—	2	2	—	—	2	2	—	—	2	1			11
12	Cancer, malignant disease	7	14	10	9	4	5	5	4	26	50	—	3	13	14			12
13	Rheumatic fever... ...	1	—	—	—	—	—	—	—	—	1	—	—	1	—			13
14	Meningitis	1	1	—	—	1	—	—	—	5	1	—	—	3	1			14
15	Organic heart disease ...	12	12	8	5	6	9	1	3	33	42	3	1	20	17			15
16	Bronchitis	14	8	5	6	6	4	1	3	21	24	—	—	11	11			16
17	Pneumonia (all forms) ...	9	4	5	4	4	3	2	2	22	26	1	1	13	14			17
18	Other respiratory diseases	1	4	3	—	1	—	—	—	1	11	1	—	1	4			18
19	Diarrhœa, &c. (under 2 yrs.)	1	1	—	—	—	—	1	—	4	2	—	—	5	—			19
20	Appendicitis and typhlitis	1	—	1	1	—	1	1	—	1	3	—	—	1	1			20
21	Cirrhosis of liver ...	—	—	—	—	2	—	1	—	1	2	—	—	3	—			21
21A	Alcoholism	—	—	—	—	—	—	1	—	—	—	—	—	—	—			21A
22	Nephritis and Bright's dis.	2	4	3	1	—	1	2	1	6	8	—	—	3	4			22
23	Puerperal fever	—	1	—	1	—	1	—	—	—	1	—	—	—	—			23
24	Parturition, apart from 23	—	1	—	—	—	1	—	—	—	1	—	—	—	1			24
25	Congenital debility, &c.	6	3	2	1	4	2	1	1	15	14	—	2	9	9			25
26	Violence, apart from 27	4	1	4	6	2	2	1	2	6	6	—	1	3	1			26
27	Suicide	—	—	—	—	1	—	—	1	2	—	—	—	—	1			27
28	Other defined diseases ...	43	48	25	22	19	20	11	7	96	105	11	9	43	49			28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	—	—	—	—	1	—			29

SURREY—*cont.*

	Causes of Death.			Chertsey R.D.		Dorking R.D.		Epsom R.D.		Farnham R.D.		Godstone R.D.		Guildford R.D.		Hambledon R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES			50	48	40	58	112	140	72	97	110	131	90	90	103	108	
1	Enteric fever			—	—	—	—	—	1	—	1	1	—	—	—	—	—	1
2	Small-pox			—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles			1	—	—	—	—	1	1	1	—	—	—	—	—	—	3
4	Scarlet fever			—	—	—	—	—	—	—	1	—	—	—	—	—	—	4
5	Whooping cough... ...			—	—	—	1	2	—	—	2	1	3	—	—	—	3	5
6	Diphtheria and croup ...			—	—	1	—	1	4	1	1	1	—	—	—	1	1	6
7	Influenza			5	—	1	1	1	5	4	1	4	5	5	—	1	4	7
8	Erysipelas			—	—	—	—	—	—	1	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis			4	4	1	7	11	11	5	6	11	9	6	8	6	8	9
10	Tuberculous meningitis			1	—	—	1	1	1	—	1	1	2	1	1	—	1	10
11	Other tuberculous diseases			—	3	—	2	1	1	1	—	—	1	2	—	1	1	11
12	Cancer, malignant disease			8	2	6	10	8	16	2	15	14	13	6	10	7	17	12
13	Rheumatic fever ...			—	—	—	—	—	—	1	—	—	1	—	2	—	—	13
14	Meningitis			—	—	—	—	4	—	—	1	—	1	—	1	1	2	14
15	Organic heart disease ...			1	4	8	11	13	18	7	12	15	19	8	10	13	15	15
16	Bronchitis			3	8	2	2	2	7	6	7	8	11	5	9	8	10	16
17	Pneumonia (all forms) ...			3	4	5	2	6	10	5	8	4	5	8	6	3	5	17
18	Other respiratory diseases			2	2	—	2	3	1	1	—	—	4	3	—	3	1	18
19	Diarrhœa, &c. (under 2 yrs.)			1	—	—	1	1	1	—	1	—	—	—	—	1	—	19
20	Appendicitis and typhlitis			—	—	—	—	1	1	—	1	1	1	—	—	1	—	20
21	Cirrhosis of liver ...			1	—	—	—	2	—	—	1	2	1	—	—	2	1	21
21A	Alcoholism			—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.			1	—	4	3	4	4	5	2	2	2	1	7	3	1	22
23	Puerperal fever			—	—	—	—	—	—	—	—	—	—	—	1	—	—	23
24	Parturition, apart from 23			—	—	—	1	—	—	—	1	—	1	—	—	—	2	24
25	Congenital debility, &c.			1	2	1	3	8	4	8	2	6	7	4	1	5	1	25
26	Violence, apart from 27			2	2	—	2	3	3	5	—	3	5	2	3	5	1	26
27	Suicide			—	1	—	—	2	—	—	—	—	—	2	—	1	—	27
28	Other defined diseases ...			16	16	11	9	38	51	19	32	35	39	37	31	41	34	28
29	Causes ill-defined or unknown.			—	—	—	—	—	—	—	—	1	1	—	—	—	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

SURREY—*cont.* SUSSEX, EAST.

	Reigate R.D.						Battle U.D.		Bexhill M.B.		Burgess Hill U.D.		Cuckfield U.D.		East Grinstead U.D.		Hayward's Heath U.D.		Hove M.B.		Lewes M.B.		
	M	F					M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	116	94					19	21	63	120	33	34	13	6	32	36	27.	32	280	354	83	76	
1	—	—					—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	1
2	—	—					—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—					—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	3
4	1	—					—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	1	—					—	—	—	2	—	1	—	—	1	—	—	—	1	1	—	1	5
6	—	—					—	—	—	—	—	—	—	—	—	1	—	—	1	2	—	1	6
7	8	7					—	—	1	3	—	—	—	—	1	1	—	1	10	20	1	1	7
8	—	1					—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	8
9	6	6					—	1	5	6	2	3	1	—	4	2	1	1	24	12	11	8	9
10	2	2					—	—	1	2	1	—	—	—	—	—	—	—	4	1	3	2	10
11	1	1					—	—	2	3	—	1	—	—	1	1	—	—	—	2	1	2	11
12	10	11					2	1	6	14	4	7	2	2	3	7	4	1	22	55	8	8	12
13	—	—					—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	13
14	—	1					—	—	—	1	—	—	—	—	—	1	—	—	—	3	—	—	14
15	21	13					6	6	1	13	9	7	5	—	4	5	3	7	38	44	6	5	15
16	10	7					—	—	3	2	4	1	—	1	1	3	1	2	14	27	4	6	16
17	9	4					—	3	3	9	3	5	—	—	3	—	1	3	25	14	5	8	17
18	1	1					—	—	1	1	1	1	—	—	—	—	1	1	2	5	2	2	18
19	2	2					—	—	1	—	—	—	—	—	—	—	—	—	10	5	—	—	19
20	—	1					—	—	—	—	—	—	—	—	1	—	—	—	2	4	2	—	20
21	—	—					1	—	—	2	—	—	—	—	2	—	—	—	4	1	2	1	21
21A	—	—					—	—	—	1	—	—	—	1	—	—	—	1	1	1	—	—	21A
22	1	1					2	—	3	5	1	1	—	1	1	1	—	—	11	13	3	3	22
23	—	—					—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	—					—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	24
25	5	3					1	2	7	4	—	—	—	1	1	2	2	5	11	5	3	4	25
26	7	2					2	—	3	5	1	—	—	—	1	—	1	—	4	7	2	—	26
27	1	—					1	—	—	—	—	—	—	—	1	—	2	—	3	3	—	—	27
28	30	31					4	7	24	46	7	7	5	—	7	12	7	10	91	127	28	24	28
29	—	—					—	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	29

SUSSEX, EAST—*cont.*

	Newhaven U.D.		Portslade by Sea U.D.		Rye M.B.		Seaford U.D.		Uckfield U.D.				Battle R.D.		Chailey R.D.		Cuckfield R.D.		East-bourne R.D.		East Grinstead R.D.		
	M	F	M	F	M	F	M	F	M	F			M	F	M	F	M	F	M	F	M	F	
	41	39	50	27	33	38	37	30	19	22			46	38	62	69	82	82	35	37	78	79	
1	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	1	—	1	—	—	—			—	—	—	2	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—			—	1	—	—	—	—	—	—	—	—	4
5	1	—	—	—	—	—	—	—	—	—			—	1	—	—	1	1	—	—	—	3	5
6	—	2	1	—	—	—	2	—	—	—			—	—	—	1	—	—	—	—	—	—	6
7	—	—	1	2	—	2	—	1	—	—			1	1	2	3	3	4	—	—	4	4	7
8	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	8
9	6	11	3	—	1	2	3	1	5	1			4	4	8	5	9	3	1	1	4	5	9
10	1	—	—	—	1	—	—	—	—	—			1	—	1	—	2	5	2	1	—	—	10
11	2	2	3	—	—	—	2	1	—	—			—	—	—	2	1	1	1	—	—	—	11
12	3	6	2	2	3	7	5	7	1	3			2	5	7	8	9	11	5	8	8	7	12
13	1	—	—	—	—	—	—	—	—	1			—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	—	—	1	—	—			—	—	—	—	—	—	1	—	—	2	14
15	5	4	5	1	5	4	3	5	3	5			16	8	5	13	13	11	5	5	16	20	15
16	3	1	4	—	—	4	2	5	1	3			—	—	6	7	4	6	2	3	6	4	16
17	—	4	3	—	1	—	2	1	1	2			1	1	3	4	7	2	4	2	2	3	17
18	—	—	—	—	—	1	—	1	—	—			—	—	—	—	2	2	2	—	—	1	18
19	—	—	2	2	2	—	—	—	—	—			—	—	—	—	—	—	—	1	—	—	19
20	—	—	—	—	—	—	—	—	—	—			—	—	3	—	1	—	1	—	1	—	20
21	—	—	1	1	—	2	—	1	—	—			2	—	—	1	1	—	—	—	1	—	21
21A	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	1	—	—	21A
22	1	2	1	1	2	—	—	—	—	—			1	—	—	—	3	2	—	—	—	—	22
23	—	—	—	—	—	—	—	—	—	—			—	—	—	—	—	1	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—			—	—	—	1	—	—	—	—	—	1	24
25	3	1	3	3	—	1	7	2	1	—			4	—	2	3	1	1	—	2	4	3	25
26	5	—	4	—	2	—	—	—	1	—			—	—	1	2	2	1	1	4	2	1	26
27	—	—	1	—	1	—	—	—	—	—			1	1	1	2	—	—	—	—	3	—	27
28	10	6	16	15	12	15	10	4	6	7			13	16	23	15	23	31	10	9	26	25	28
29	—	—	—	—	2	—	—	—	—	—			—	—	—	—	—	—	—	—	1	—	29

SUSSEX, EAST—*cont.*

	Causes of Death.	Hailsham R.D.		Hastings R.D.		Newhaven R.D.		Rye R.D.		Steyning East R.D.		Ticehurst R.D.		Uckfield R.D.			
		M	F	M	F	M	F	M	F	M	F	M	F	M	F		
	ALL CAUSES	117	107	15	9	28	19	37	42	11	16	83	68	131	153		
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—		1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3	Measles	—	—	—	—	—	—	1	1	—	—	—	—	—	1		3
4	Scarlet fever	1	—	—	—	—	—	—	—	—	—	—	—	—	—		4
5	Whooping cough ..	3	1	—	—	—	—	—	—	—	—	1	—	3	8		5
6	Diphtheria and croup ...	—	1	—	—	—	—	—	—	—	—	—	1	—	—		6
7	Influenza	5	3	—	—	—	2	1	1	2	—	—	1	2	7		7
8	Erysipelas	—	—	—	—	—	—	—	—	1	—	—	—	—	—		8
9	Pulmonary tuberculosis	9	10	2	1	5	1	5	1	1	1	9	3	10	12		9
10	Tuberculous meningitis	—	—	—	—	1	1	—	—	—	—	—	—	2	1		10
11	Other tuberculous diseases	1	2	—	—	—	—	—	—	—	—	1	2	3	—		11
12	Cancer, malignant disease	8	17	—	2	3	1	4	6	2	4	8	10	7	20		12
13	Rheumatic fever... ...	1	1	—	—	—	—	—	—	—	—	—	—	—	—		13
14	Meningitis	2	—	—	—	—	—	—	1	—	—	—	—	1	2		14
15	Organic heart disease ...	15	16	2	—	1	4	9	8	1	1	8	20	26	26		15
16	Bronchitis	2	4	—	1	3	1	3	3	—	1	2	4	8	9		16
17	Pneumonia (all forms) ...	7	5	—	—	1	1	1	3	1	—	5	3	2	4		17
18	Other respiratory diseases	1	1	—	—	1	—	—	2	1	—	2	1	1	4		18
19	Diarrhœa, &c. (under 2 yrs.)	2	2	—	—	—	—	—	1	—	—	—	—	1	—		19
20	Appendicitis and typhlitis	—	—	—	—	—	1	—	—	—	—	1	—	2	1		20
21	Cirrhosis of liver ...	1	—	—	—	1	—	—	—	—	—	1	1	1	1		21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—		21A
22	Nephritis and Bright's dis.	6	5	—	—	—	—	—	—	1	1	7	1	2	5		22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—		23
24	Parturition, apart from 23	—	1	—	—	—	—	—	1	—	—	—	—	—	—		24
25	Congenital debility, &c.	7	7	—	—	1	—	1	1	1	2	4	2	4	3		25
26	Violence, apart from 27	4	—	1	—	2	—	—	—	—	—	4	1	2	—		26
27	Suicide	1	—	—	—	—	—	2	1	—	—	2	—	3	1		27
28	Other defined diseases ...	40	30	10	5	9	7	9	10	—	6	25	18	51	48		28
29	Causes ill-defined or unknown.	1	1	—	—	—	—	1	2	—	—	3	—	—	—		29

SUSSEX, WEST.

	Causes of Death.	Arundel M.B.		Bognor U.D.		Chichester M.B.		Horsham U.D.		Littlehampton U.D.		Shoreham by Sea U.D.		Southwick U.D.		Worthing M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	24	12	44	48	80	92	89	94	48	53	42	33	26	42	183	235	
1	Enteric fever	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	1	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	1	3	—	1	1	—	2	—	—	—	—	—	1	5
6	Diphtheria and croup ...	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	6
7	Influenza	1	—	—	1	1	—	2	2	—	1	—	1	—	—	3	7	7
8	Erysipelas	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	5	—	3	3	5	10	7	13	6	3	1	4	5	2	17	18	9
10	Tuberculous meningitis	—	—	—	—	1	—	2	1	—	1	1	—	1	—	4	2	10
11	Other tuberculous diseases	1	—	—	1	—	1	3	1	1	—	—	1	—	—	2	2	11
12	Cancer, malignant disease	2	3	6	6	6	5	7	13	6	5	8	4	3	4	18	37	12
13	Rheumatic fever... ...	—	—	1	—	1	—	—	—	—	—	—	—	—	—	2	—	13
14	Meningitis	—	—	1	1	2	1	—	—	—	1	—	—	—	1	—	2	14
15	Organic heart disease	4	—	10	7	12	14	8	12	2	7	9	9	1	7	19	31	15
16	Bronchitis	—	1	4	4	4	4	11	5	4	1	2	3	3	3	6	15	16
17	Pneumonia (all forms) ..	2	1	2	2	3	3	7	4	3	5	4	—	1	2	5	8	17
18	Other respiratory diseases	—	1	2	1	—	—	2	—	1	—	—	—	—	2	4	3	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	—	—	2	1	—	—	—	—	—	1	1	5	4	19
20	Appendicitis and typhlitis	—	—	—	—	—	1	3	1	—	—	—	—	—	—	—	1	20
21	Cirrhosis of liver ...	1	—	—	1	—	1	2	—	2	—	1	—	—	1	2	2	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21A
22	Nephritis and Bright's dis.	—	—	2	—	10	2	6	3	2	—	1	1	1	1	5	5	22
23	Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	23
24	Parturition, apart from 23	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	24
25	Congenital debility, &c.	1	1	—	—	3	5	1	5	4	2	3	1	2	—	6	4	25
26	Violence, apart from 27	—	—	—	—	5	—	3	2	3	1	—	1	—	—	6	3	26
27	Suicide	—	—	—	—	1	—	—	—	1	—	1	—	—	—	1	1	27
28	Other defined diseases ...	7	4	14	20	20	40	23	31	12	23	11	8	8	16	77	87	28
29	Causes ill-defined or unknown.	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

SUSSEX, WEST—*cont.*

	East Preston R.D.		Horsham R.D.		Midhurst R.D.		Petworth R.D.		Steyning West R.D.		Thakeham R.D.		Westbourne R.D.		Westhampnett R.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
	43	37	106	121	95	102	48	40	48	64	47	25	54	50	97	89		
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—		3
4	3	—	1	—	—	—	—	—	—	1	—	—	—	—	1	—		4
5	—	—	—	1	3	—	1	1	1	—	—	—	—	1	—	2		5
6	—	—	2	—	—	—	1	1	—	—	—	—	1	—	—	1		6
7	1	2	3	5	—	5	2	—	—	2	1	—	3	1	2	3		7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		8
9	4	5	8	13	8	11	2	5	5	8	3	—	3	3	4	12		9
10	1	—	—	2	—	—	—	1	—	—	—	—	—	—	—	1		10
11	—	1	6	1	—	—	—	—	—	1	1	—	—	—	1	—		11
12	7	2	6	14	8	9	5	5	6	12	5	2	4	6	13	9		12
13	—	—	—	—	—	1	—	—	—	—	1	—	—	—	1	1		13
14	—	—	1	2	—	1	—	—	—	—	—	—	—	—	—	1		14
15	3	6	9	20	6	9	5	4	7	8	6	4	8	10	23	10		15
16	1	1	3	5	7	5	4	4	1	3	3	4	2	3	10	7		16
17	1	—	4	5	5	6	2	1	3	1	1	—	2	—	5	3		17
18	—	—	2	1	3	2	2	1	—	2	3	1	—	—	1	—		18
19	—	—	—	—	1	—	—	—	—	1	1	—	2	—	—	—		19
20	—	—	2	1	—	1	—	—	—	—	—	—	—	—	2	—		20
21	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—		21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		21A
22	—	—	6	2	2	3	3	4	3	2	1	2	2	2	2	2		22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		23
24	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		24
25	4	4	3	7	8	3	—	1	2	2	2	—	6	2	—	2		25
26	4	—	3	1	4	3	—	—	4	—	1	—	2	—	6	—		26
27	—	—	3	1	1	—	1	—	—	—	—	—	—	—	1	1		27
28	14	16	44	39	38	43	20	12	13	20	18	12	19	22	24	34		28
29	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—		29

WARWICKSHIRE.

	Bulkington U.D.		Kenilworth U.D.		Nuneaton M.B.		Royal Leamington Spa M.B.		Rugby U.D.		Stratford on Avon M.B.		Sutton Coldfield M.B.		Warwick M.B.			Alcester R.D.		Atherstone R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	
	19	13	28	40	213	223	184	242	129	131	60	50	96	133	95	94		83	86	111	108	
1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	1	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	2
3	—	—	—	—	8	4	1	—	—	—	2	—	1	1	—	—		—	—	—	1	3
4	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—		—	—	1	—	4
5	—	—	1	—	1	1	2	1	1	2	—	1	1	2	—	—		—	1	3	4	5
6	1	—	—	—	—	2	—	—	4	5	1	2	1	—	—	2		—	2	—	—	6
7	—	—	—	2	11	5	5	7	1	1	—	—	4	8	1	1		2	2	1	—	7
8	—	—	—	—	1	—	1	—	—	1	1	—	—	1	—	1		—	—	—	—	8
9	1	—	4	3	19	12	9	11	13	8	8	4	6	6	11	8		7	7	9	5	9
10	—	—	—	—	—	1	2	2	1	1	1	2	1	—	2	1		—	—	—	—	10
11	—	—	—	1	5	1	1	2	—	1	—	2	1	1	1	—		3	3	2	2	11
12	—	—	2	7	7	16	9	31	6	10	4	6	7	15	7	13		7	12	10	8	12
13	—	—	1	—	1	3	2	1	—	—	—	—	—	1	—	—		—	—	2	—	13
14	1	—	—	—	5	3	1	—	1	—	—	1	2	1	1	1		—	1	2	3	14
15	2	2	5	3	19	22	28	38	26	13	4	2	6	20	8	9		8	10	6	18	15
16	—	1	—	1	10	17	14	19	11	10	1	—	7	9	10	14		4	6	8	3	16
17	2	1	1	3	17	14	10	8	8	7	3	3	4	13	4	4		5	4	5	3	17
18	1	—	—	—	3	6	4	2	2	2	—	—	1	1	1	3		—	—	1	1	18
19	1	—	—	—	2	12	2	2	—	3	—	—	2	—	1	—		—	—	2	1	19
20	—	—	—	—	1	—	—	4	1	—	—	—	1	2	1	1		—	—	—	—	20
21	1	—	—	1	1	2	3	3	3	2	1	—	1	2	1	—		1	—	—	—	21
21A	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—		—	—	—	—	21A
22	—	—	1	—	4	5	7	18	5	1	2	2	3	3	3	3		3	2	3	2	22
23	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—		—	—	—	2	23
24	—	1	—	—	—	7	—	1	—	1	—	—	—	1	—	—		—	—	—	1	24
25	3	3	3	2	18	20	7	5	9	6	1	2	4	5	7	5		5	2	14	12	25
26	—	—	—	—	16	3	7	5	5	1	4	—	—	2	4	1		3	3	7	2	26
27	—	—	—	—	1	1	1	—	—	2	—	—	—	—	3	1		—	1	—	1	27
28	6	5	10	16	63	62	67	81	32	54	26	21	40	38	29	25		35	30	34	38	28
29	—	—	—	—	—	1	1	—	—	—	—	—	2	1	—	1		—	—	1	—	29

WARWICKSHIRE—*cont.*

	Causes of Death.	Brailes R.D.		Coventry R.D.		Farnborough R.D.		Foleshill R.D.		Meriden R.D.		Monks Kirby R.D.		Nuneaton R.D.		Rugby R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	40	37	8	15	6	13	190	179	112	82	8	15	16	22	129	121	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	7	3	—	—	—	—	4	7	1	1	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	4
5	Whooping cough ...	—	—	—	—	—	—	10	15	—	1	—	—	—	—	2	—	5
6	Diphtheria and croup ...	—	—	—	2	—	—	3	2	—	1	—	—	—	—	2	3	6
7	Influenza	—	2	—	—	—	—	1	2	1	2	—	—	—	1	—	1	7
8	Erysipelas	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2	8
9	Pulmonary tuberculosis	3	2	1	1	1	1	13	11	5	3	—	1	—	1	7	13	9
10	Tuberculous meningitis	—	—	—	—	—	—	4	1	4	—	—	—	—	—	4	—	10
11	Other tuberculous diseases	1	—	—	—	—	—	3	3	1	2	—	—	1	1	2	1	11
12	Cancer, malignant disease	5	2	—	1	1	2	9	11	9	13	—	1	—	3	9	8	12
13	Rheumatic fever... ...	2	—	—	—	—	—	3	—	1	1	—	—	—	—	—	1	13
14	Meningitis	2	—	—	—	—	—	—	3	—	—	—	—	—	—	2	—	14
15	Organic heart disease ...	7	7	1	—	—	2	12	18	9	9	—	1	—	1	16	20	15
16	Bronchitis	2	3	—	—	1	1	12	12	10	2	2	5	1	—	11	6	16
17	Pneumonia (all forms) ...	1	3	—	1	—	—	17	17	9	5	—	—	—	—	9	5	17
18	Other respiratory diseases	1	—	—	—	—	—	1	1	1	—	—	1	—	—	4	—	18
19	Diarrhœa, &c (under 2 yrs.)	—	—	—	—	—	—	3	3	—	—	1	—	2	—	2	4	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	4	—	—	—	—	—	2	2	20
21	Cirrhosis of liver ...	1	—	—	—	—	—	1	1	—	3	—	—	—	—	3	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	1	—	—	1	2	4	—	3	1	1	1	1	—	1	2	22
23	Puerperal fever	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	1	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	1	—	3	—	1	—	—	—	2	24
25	Congenital debility, &c.	2	1	1	3	—	—	22	20	5	4	—	—	2	2	11	8	25
26	Violence, apart from 27	—	1	2	1	—	—	14	6	5	3	1	—	3	1	5	5	26
27	Suicide	1	—	—	—	—	—	—	—	7	—	1	1	—	—	1	1	27
28	Other defined diseases ...	11	14	3	5	2	5	51	48	37	29	2	3	2	5	32	34	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	29

WARWICKSHIRE—*cont.* WESTMORLAND.

	Causes of Death.	Solihull R.D.		Southam R.D.		Stratford on Avon R.D.		Tamworth (pt.)* R.D.		Warwick R.D.				Ambleside U.D.		Appleby M.B.		
		M	F	M	F	M	F	M	F	M	F			M	F	M	F	
	ALL CAUSES	118	110	81	81	82	66	93	71	82	68			11	15	9	15	
1	Enteric fever	—	—	1	—	—	—	—	—	—	—			—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—			—	—	—	—	2
3	Measles	—	—	—	—	—	—	1	—	—	—			—	—	—	—	3
4	Scarlet fever	—	—	—	1	—	—	—	—	—	—			—	—	—	—	4
5	Whooping cough ...	—	2	—	2	1	2	—	2	1	1			—	—	—	—	5
6	Diphtheria and croup ...	—	—	3	2	—	—	2	—	—	2			—	—	—	—	6
7	Influenza	10	12	—	2	1	1	—	1	—	—			—	—	—	1	7
8	Erysipelas	—	—	—	—	—	—	—	1	—	—			—	—	—	—	8
9	Pulmonary tuberculosis	9	5	5	6	3	2	7	2	4	6			—	1	—	—	9
10	Tuberculous meningitis	—	1	1	—	—	—	—	—	—	—			—	1	—	—	10
11	Other tuberculous diseases	2	2	1	—	—	—	1	—	4	—			—	1	—	—	11
12	Cancer, malignant disease	15	11	12	11	8	3	3	10	6	7			1	2	2	1	12
13	Rheumatic fever... ...	—	1	—	1	—	—	1	—	1	—			—	—	—	—	13
14	Meningitis	3	—	—	—	—	—	2	2	—	—			—	1	—	—	14
15	Organic heart disease ...	11	16	12	14	1	11	7	9	11	12			3	2	1	3	15
16	Bronchitis	8	8	9	8	4	4	15	3	8	3			1	—	2	1	16
17	Pneumonia (all forms) ...	5	5	7	4	3	3	5	6	4	4			—	—	—	—	17
18	Other respiratory diseases	1	3	2	1	1	1	2	3	—	1			—	—	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	1	—	2	—	2	—	1	—			—	—	—	—	19
20	Appendicitis and typhlitis	—	—	1	—	—	—	—	1	1	1			—	—	—	—	20
21	Cirrhosis of liver ...	2	3	—	—	—	—	1	—	—	—			1	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—			—	—	—	—	21A
22	Nephritis and Bright's dis.	6	4	4	2	6	7	3	2	3	—			—	—	—	1	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	1			—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	1	—	1			—	—	—	1	24
25	Congenital debility, &c.	6	3	4	6	6	4	11	4	3	4			—	—	1	—	25
26	Violence, apart from 27	2	—	2	2	4	2	6	—	1	—			—	—	—	—	26
27	Suicide	—	—	2	—	—	—	—	—	3	—			—	—	—	—	27
28	Other defined diseases ...	38	34	14	19	42	26	24	24	31	25			5	6	3	7	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	—	—			—	1	—	—	29

* The remainder of Tamworth R.D. is in Staffordshire; *see page* 412.

ADMINISTRATIVE AREAS, 1916—*continued.*

WESTMORLAND—*cont.*

	Grasmere U.D.		Kendal M.B.		Kirkby Lonsdale U.D.		Shap U.D.		Windermere U.D.						East Westmorland R.D.		South Westmorland R.D.		West Ward R.D.			
	M	F	M	F	M	F	M	F	M	F					M	F	M	F	M	F		
	6	6	94	112	8	10	8	10	24	41					86	76	118	104	41	41		
1	—	—	1	—	—	—	—	—	—	—					—	—	—	—	—	—		1
2	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—		2
3	—	—	—	2	—	—	—	—	—	—					—	1	—	—	—	—		3
4	—	—	—	—	—	—	—	—	—	1					1	—	—	1	—	—		4
5	—	—	—	—	—	—	—	—	1	—					1	—	—	—	—	—		5
6	—	—	—	3	—	—	—	—	—	—					—	1	1	—	—	1		6
7	—	2	3	3	—	—	—	1	—	3					4	2	6	3	2	2		7
8	—	—	—	—	—	—	—	—	—	—					2	—	—	—	—	—		8
9	—	—	8	6	—	—	1	—	1	2					4	2	2	3	3	1		9
10	—	—	—	—	—	—	—	—	—	—					2	—	—	1	—	—		10
11	—	—	—	—	—	—	—	1	—	—					—	1	2	1	—	—		11
12	2	—	7	9	—	2	1	—	1	6					8	12	11	6	5	6		12
13	—	—	—	1	—	—	—	—	—	—					—	—	1	1	—	1		13
14	—	—	—	—	1	—	—	—	—	—					3	—	1	—	—	1		14
15	2	—	12	16	2	3	2	3	4	3					10	10	12	15	6	6		15
16	—	—	6	10	—	—	—	—	—	2					6	9	3	6	1	2		16
17	—	1	4	1	—	1	—	—	3	—					3	1	4	4	2	1		17
18	—	—	—	3	—	—	—	—	—	—					2	3	3	3	1	1		18
19	—	—	—	—	—	—	—	—	—	—					1	—	—	—	—	—		19
20	—	—	2	2	—	—	—	—	1	1					—	1	2	2	—	—		20
21	—	—	2	1	—	—	1	—	—	—					1	—	3	2	—	—		21
21A	—	—	—	—	—	—	—	—	—	—					—	—	—	—	—	—		21A
22	—	—	5	6	—	—	—	—	—	2					—	4	2	1	—	—		22
23	—	—	—	1	—	—	—	—	—	—					—	—	—	—	—	—		23
24	—	—	—	1	—	—	—	—	—	—					—	1	—	—	—	—		24
25	—	—	6	3	1	—	—	1	1	1					5	1	5	2	4	2		25
26	1	—	3	2	—	1	2	1	1	1					4	—	5	3	2	1		26
27	—	—	—	1	—	—	—	—	—	—					—	1	2	—	—	—		27
28	1	3	35	41	3	2	1	3	10	19					29	26	51	50	15	16		28
29	—	—	—	—	1	1	—	—	1	—					—	—	2	—	—	—		29

WIGHT, ISLE OF.

	Cowes U.D.		East Cowes U.D.		Newport M.B.		Ryde M.B.		St. Helens U.D.		Sandown U.D.		Shanklin U.D.		Ventnor U.D.				Isle of Wight R.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			M	F		
	66	55	34	33	66	77	73	100	28	30	20	42	29	38	33	28			196	183		
1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—			—	—		1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—		2
3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—			—	1		3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			3	—		4
5	3	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—			1	3		5
6	2	—	4	5	2	1	—	—	—	—	—	—	—	—	—	—			4	5		6
7	1	—	—	—	1	3	3	5	1	—	—	1	1	1	—	2			5	9		7
8	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1			—	—		8
9	5	4	1	2	—	—	4	5	2	2	1	—	2	1	5	—			12	8		9
10	1	—	1	—	—	—	1	1	1	—	—	1	1	—	—	—			1	1		10
11	1	2	1	—	—	—	1	2	—	1	—	1	—	1	—	—			1	3		11
12	6	7	1	5	6	4	11	10	6	4	3	7	4	4	2	4			21	18		12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			1	2		13
14	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—			2	—		14
15	12	8	3	2	15	24	8	18	10	3	6	11	2	8	6	8			41	30		15
16	6	5	2	3	3	7	6	5	1	3	—	4	3	6	1	3			9	17		16
17	3	—	4	—	6	4	5	4	2	1	—	3	—	1	3	1			5	7		17
18	1	1	—	—	3	2	2	3	—	—	1	—	—	—	—	—			4	2		18
19	—	—	1	—	2	1	1	—	—	—	1	—	—	—	—	—			2	1		19
20	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—			—	—		20
21	1	1	—	—	2	—	—	1	—	—	—	—	—	—	—	—			2	1		21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—		21A
22	3	2	2	1	6	—	1	1	—	1	—	—	2	1	3	1			5	4		22
23	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—			—	1		23
24	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—			—	3		24
25	5	4	3	2	1	5	1	2	—	1	1	1	—	2	2	1			11	9		25
26	1	1	1	2	—	—	—	1	—	1	—	—	2	1	1	1			8	5		26
27	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—			—	1		27
28	15	19	9	7	15	25	27	42	5	12	7	13	12	11	10	6			58	52		28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			—	—		29

WILTSHIRE.

	Causes of Death.	Bradford on Avon U.D.		Calne M.B.		Chippenham M.B.		Devizes M.B.		Malmesbury M.B.		Marlborough M.B.		Melksham U.D		Salisbury M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	29	35	21	14	43	44	39	47	18	25	21	22	16	16	126	159	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	3
4	Scarlet fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	4
5	Whooping cough ...	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2	1	5
6	Diphtheria and croup ...	—	—	—	—	—	—	2	1	—	1	—	—	—	—	1	2	6
7	Influenza	—	2	—	—	—	—	2	3	—	—	1	3	1	1	2	4	7
8	Erysipelas	—	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—	8
9	Pulmonary tuberculosis	—	1	—	1	4	—	1	2	—	1	—	1	3	—	7	6	9
10	Tuberculous meningitis	—	—	—	1	—	1	—	—	—	—	—	1	—	—	—	1	10
11	Other tuberculous diseases	—	1	—	—	—	2	—	1	1	—	—	—	—	—	—	1	11
12	Cancer, malignant disease	5	2	2	3	3	2	3	2	—	1	2	2	1	2	14	20	12
13	Rheumatic fever... ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	13
14	Meningitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	14
15	Organic heart disease ...	1	5	1	2	6	5	6	6	2	2	2	3	—	2	10	20	15
16	Bronchitis	3	7	2	1	2	4	4	3	—	2	2	1	1	1	9	14	16
17	Pneumonia (all forms) ...	1	3	1	—	1	3	1	3	1	1	2	1	—	—	9	13	17
18	Other respiratory diseases	—	—	1	—	—	1	—	3	—	—	—	1	—	—	2	1	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	1	—	—	—	—	—	—	1	—	—	—	—	2	—	19
20	Appendicitis and typhlitis	—	1	—	—	—	2	—	1	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	1	—	—	1	—	—	1	—	—	—	—	—	1	—	2	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	21A
22	Nephritis and Bright's dis.	5	—	—	—	1	2	1	2	—	—	—	1	—	—	12	3	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	23
24	Parturition, apart from 23	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1	24
25	Congenital debility, &c.	—	—	1	1	2	2	—	—	1	1	2	1	2	1	8	6	25
26	Violence, apart from 27	—	2	1	—	2	1	3	1	—	1	1	—	—	1	3	2	26
27	Suicide	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	27
28	Other defined diseases ...	13	10	10	4	21	17	13	16	12	14	9	7	7	7	39	53	28
29	Causes ill-defined or unknown.	—	—	1	—	—	—	—	1	1	—	—	—	—	—	1	2	29

WILTSHIRE—*cont.*

	Causes of Death.	Swindon M.B.		Trowbridge U.D.		Warminster U.D.		Westbury U.D.		Wilton M.B.				Amesbury R.D.		Bradford on Avon R.D.		
		M	F	M	F	M	F	M	F	M	F			M	F	M	F	
	ALL CAUSES	286	284	79	93	40	52	25	23	12	16			70	58	37	25	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—			—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—			—	—	—	—	2
3	Measles	2	—	1	6	2	3	—	—	—	—			1	3	—	—	3
4	Scarlet fever	3	5	—	—	—	—	—	—	—	1			—	1	—	—	4
5	Whooping cough ...	1	—	—	1	—	—	—	—	—	—			—	1	—	—	5
6	Diphtheria and croup ...	3	2	—	—	1	—	1	1	—	1			—	1	—	—	6
7	Influenza	—	4	4	6	1	—	1	1	1	1			1	—	1	3	7
8	Erysipelas	—	1	1	—	—	—	—	1	—	—			1	—	—	—	8
9	Pulmonary tuberculosis	31	21	3	5	1	1	1	1	1	—			7	2	4	—	9
10	Tuberculous meningitis	7	4	—	—	—	—	—	—	—	1			—	—	—	—	10
11	Other tuberculous diseases	5	6	1	—	—	3	—	1	—	—			—	4	—	—	11
12	Cancer, malignant disease	16	25	9	9	6	5	2	2	1	4			2	5	3	1	12
13	Rheumatic fever... ...	—	2	—	—	—	—	—	—	—	—			1	—	—	1	13
14	Meningitis	2	2	3	—	—	—	—	—	—	—			—	—	—	—	14
15	Organic heart disease ...	45	45	6	9	4	8	4	2	4	—			10	11	8	4	15
16	Bronchitis	15	13	10	11	3	5	1	1	1	—			10	3	2	4	16
17	Pneumonia (all forms) ...	25	24	4	7	1	1	1	—	—	—			3	2	2	—	17
18	Other respiratory diseases	9	3	3	1	—	—	—	—	—	—			1	—	—	1	18
19	Diarrhœa, &c. (under 2 yrs.)	4	3	—	—	—	1	—	—	—	—			2	—	1	—	19
20	Appendicitis and typhlitis	—	4	—	1	—	—	—	—	—	—			—	—	—	—	20
21	Cirrhosis of liver ...	2	1	—	1	1	—	—	—	—	—			2	—	—	—	21
21A	Alcoholism	—	—	—	—	1	—	—	—	—	—			—	—	—	—	21A
22	Nephritis and Bright's dis.	6	8	—	6	3	2	2	2	—	—			2	—	—	2	22
23	Puerperal fever	—	2	—	—	—	1	—	—	—	—			—	1	—	—	23
24	Parturition, apart from 23	—	4	—	—	—	—	—	—	—	—			—	—	—	—	24
25	Congenital debility, &c.	21	17	4	2	5	5	1	2	—	1			1	4	—	1	25
26	Violence, apart from 27	10	4	2	—	1	—	—	1	—	—			3	2	2	—	26
27	Suicide	1	1	—	1	—	—	—	—	—	—			—	—	1	—	27
28	Other defined diseases ...	77	83	27	27	10	17	11	8	4	7			21	17	13	8	28
29	Causes ill-defined or unknown.	1	—	1	—	—	—	—	—	—	—			2	1	—	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

WILTSHIRE—*cont.*

	Calne R.D.		Chippenham R.D.		Cricklade and Wootton Bassett R.D.		Devizes R.D.		Highworth R.D.		Malmesbury R.D.		Marlborough R.D.		Melksham R.D.		Mere R.D.		Pewsey R.D.		Ramsbury R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	26	21	99	85	79	62	84	86	96	90	50	46	21	23	32	41	37	27	83	82	50	34	
1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	3
4	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	—	—	4
5	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	5
6	1	—	—	—	—	—	1	—	—	4	—	1	—	—	—	—	—	—	3	1	—	—	6
7	—	1	—	1	4	2	4	8	2	1	1	2	—	1	1	2	—	—	4	3	—	1	7
8	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	—	1	6	6	3	2	5	5	5	5	1	1	3	1	1	—	2	2	4	4	4	—	9
10	—	—	1	—	2	—	—	1	2	—	—	—	1	—	2	1	—	—	—	1	—	1	10
11	1	—	1	1	1	—	3	3	1	—	—	—	—	—	—	1	—	—	—	1	—	1	11
12	4	3	2	7	7	8	5	9	10	6	4	2	2	1	3	1	2	4	5	4	5	4	12
13	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1	3	—	—	13
14	—	—	—	1	—	1	1	—	—	—	1	1	—	—	1	—	—	—	—	2	—	—	14
15	4	3	13	10	8	10	7	13	25	21	11	4	3	5	5	11	4	3	9	14	12	7	15
16	2	1	7	9	8	8	8	7	4	6	7	5	2	1	4	2	—	4	6	2	1	2	16
17	1	1	—	3	1	2	2	4	8	3	1	—	—	1	1	3	1	2	10	4	4	1	17
18	—	—	1	3	—	2	—	3	2	1	1	—	—	—	—	1	1	2	—	—	2	—	18
19	—	—	1	1	2	1	—	—	—	1	—	1	—	—	—	1	—	1	—	1	—	—	19
20	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	—	—	2	2	1	—	—	—	—	1	1	1	—	—	1	—	—	—	2	2	—	—	21
21A	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	—	3	1	5	2	7	3	—	1	1	—	4	—	1	1	7	—	2	2	2	—	22
23	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	23
24	—	—	—	1	—	—	—	—	—	2	—	—	—	—	—	1	—	—	—	2	—	—	24
25	1	2	6	5	4	3	2	3	3	2	2	1	2	1	1	2	1	—	5	5	5	2	25
26	1	—	7	2	3	—	2	—	2	—	—	1	—	—	1	—	2	—	4	—	1	2	26
27	—	—	—	—	2	—	—	—	1	2	1	—	—	—	3	1	—	—	—	—	1	—	27
28	10	9	44	29	26	20	35	22	29	32	18	26	4	12	6	12	14	9	25	27	13	13	28
29	—	—	—	1	—	—	2	2	—	—	—	—	—	—	—	1	1	—	1	1	—	—	29

WILTSHIRE—*cont.*

	Salisbury R.D.		Tetbury (pt.) R.D.*		Tisbury R.D.		Warminster R.D.		Westbury and Whorwellsdown R.D.		Wilton R.D.												
	M	F	M	F	M	F	M	F	M	F	M	F											
	69	56	1	1	48	48	54	54	31	32	59	56											
1	—	—	—	—	—	1	—	—	—	—	—	—											1
2	—	—	—	—	—	—	—	—	—	—	—	—											2
3	—	—	—	—	—	—	—	1	—	—	—	—											3
4	2	—	—	—	—	—	—	—	—	—	1	—											4
5	—	2	—	—	—	—	—	1	—	—	—	2											5
6	1	1	—	—	—	1	1	—	—	1	—	1											6
7	4	3	—	—	1	1	1	4	—	—	4	—											7
8	—	—	—	—	—	—	—	—	—	—	—	—											8
9	4	2	—	—	7	2	2	2	1	1	2	5											9
10	—	1	—	—	—	—	1	1	—	1	1	1											10
11	—	1	—	—	—	—	—	3	1	—	—	—											11
12	11	5	—	—	3	4	3	4	3	3	6	2											12
13	—	—	—	—	—	—	—	1	—	—	—	—											13
14	—	1	—	—	—	1	1	—	—	—	2	1											14
15	8	11	—	—	7	9	8	10	3	4	6	7											15
16	7	3	1	—	4	2	3	3	8	4	6	6											16
17	2	2	—	1	1	2	4	3	2	4	1	2											17
18	2	1	—	—	—	1	2	1	—	1	—	—											18
19	—	—	—	—	—	—	—	1	—	1	—	—											19
20	2	1	—	—	—	—	—	—	—	—	—	—											20
21	—	—	—	—	1	—	1	2	—	1	1	—											21
21A	—	—	—	—	—	—	1	—	—	—	—	—											21A
22	—	1	—	—	3	2	2	—	2	—	1	1											22
23	—	1	—	—	—	—	—	1	—	—	—	—											23
24	—	—	—	—	—	1	—	—	—	—	—	—											24
25	1	2	—	—	2	1	3	2	—	2	5	5											25
26	2	1	—	—	1	1	3	3	1	—	3	—											26
27	1	—	—	—	—	—	—	—	—	—	2	—											27
28	21	17	—	—	18	16	18	11	10	8	16	23											28
29	1	—	—	—	—	3	—	—	—	1	2	—											29

WORCESTERSHIRE.

	Bewdley M.B.		Bromsgrove U.D.		Droitwich M.B.		
	M	F	M	F	M	F	
	22	21	89	67	20	34	
1	—	—	—	—	—	—	1
2	—	—	—	—	—	—	2
3	—	—	—	—	—	—	3
4	—	—	—	1	—	—	4
5	—	—	7	3	—	—	5
6	—	—	1	—	—	5	6
7	—	—	1	1	1	—	7
8	1	—	—	—	—	—	8
9	3	2	3	3	1	2	9
10	1	—	—	2	—	—	10
11	—	—	—	—	—	—	11
12	1	4	5	6	3	2	12
13	—	—	—	2	—	—	13
14	—	—	—	—	—	1	14
15	—	2	9	4	2	1	15
16	2	—	8	10	2	4	16
17	5	1	8	4	2	2	17
18	—	1	3	—	2	—	18
19	—	1	2	1	—	1	19
20	—	—	—	—	—	—	20
21	—	1	1	—	—	—	21
21A	—	—	—	—	—	—	21A
22	1	1	1	1	—	1	22
23	—	—	—	—	—	—	23
24	—	—	—	—	—	2	24
25	2	1	2	4	—	—	25
26	—	1	2	—	—	1	26
27	—	—	—	—	—	—	27
28	6	6	36	25	7	11	28
29	—	—	—	—	—	1	29

* The remainder of Tetbury R.D. is in Gloucestershire; *see* page 402.

WORCESTERSHIRE—*cont.*

	Causes of Death.	Evesham M.B.		Kidderminster M.B.		Lye and Wollescote U.D.		Malvern U.D.		North Bromsgrove U.D.		Oldbury U.D.		Redditch U.D.		Stourbridge M.B.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	61	42	191	180	83	70	92	110	45	41	253	214	86	111	106	108	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	9	7	—	—	4	1	—	—	4	1	—	—	1	—	3
4	Scarlet fever	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	4
5	Whooping cough ...	—	—	—	—	—	—	—	—	2	1	3	1	—	—	2	2	5
6	Diphtheria and croup ...	1	1	2	—	1	1	2	2	—	—	1	3	9	7	—	1	6
7	Influenza	1	1	2	5	5	3	1	5	1	—	5	1	—	2	4	2	7
8	Erysipelas	—	—	—	1	1	—	—	1	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	10	3	15	9	5	2	10	8	1	2	20	9	6	10	3	8	9
10	Tuberculous meningitis	—	—	1	1	—	—	—	1	—	—	3	1	1	3	2	—	10
11	Other tuberculous diseases	—	1	—	2	1	—	—	1	—	1	6	4	1	—	2	3	11
12	Cancer, malignant disease	5	3	12	15	7	2	8	15	3	1	15	13	5	10	7	8	12
13	Rheumatic fever... ...	—	—	1	—	—	—	—	—	—	1	1	1	1	—	1	—	13
14	Meningitis	—	—	1	1	1	1	—	—	1	1	1	—	1	1	—	1	14
15	Organic heart disease ...	9	11	21	30	7	8	8	24	2	5	20	26	5	12	14	17	15
16	Bronchitis	2	4	18	32	14	8	6	9	5	6	22	24	5	14	10	9	16
17	Pneumonia (all forms) ...	2	2	10	8	4	4	2	4	3	4	21	13	10	3	9	4	17
18	Other respiratory diseases	1	—	3	1	1	1	1	2	—	1	3	1	1	2	2	3	18
19	Diarrhœa, &c. (under 2 yrs.)	3	—	7	2	2	—	1	—	1	—	14	14	2	2	1	1	19
20	Appendicitis and typhlitis	2	—	1	—	—	2	1	1	1	—	1	1	1	2	—	2	20
21	Cirrhosis of liver ...	—	—	1	—	—	1	1	1	—	—	1	—	—	—	1	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	2	1	4	10	2	4	6	1	—	—	6	2	4	3	2	2	22
23	Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	4	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	1	—	—	—	—	—	1	—	6	—	—	—	—	24
25	Congenital debility, &c.	6	2	11	7	9	5	1	4	5	2	26	18	7	1	9	7	25
26	Violence, apart from 27	2	1	6	3	3	3	3	3	2	2	10	9	5	3	3	3	26
27	Suicide	—	—	2	—	—	—	1	—	2	—	—	1	—	—	—	—	27
28	Other defined diseases ...	15	12	60	41	20	24	35	27	16	13	66	56	22	36	33	35	28
29	Causes ill-defined or unknown.	—	—	3	3	—	1	—	—	—	—	2	4	—	—	—	—	29

WORCESTERSHIRE—*cont.*

	Causes of Death.	Stourport U.D.				Bromsgrove R.D.		Droitwich R.D.		Evesham R.D.		Feckenham R.D.		Halesowen R.D.		Kidderminster R.D.		
		M	F			M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	21	31			105	91	75	78	60	45	38	36	166	161	46	45	
1	Enteric fever	—	—			—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—			—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—			—	—	—	—	—	—	—	—	3	4	1	—	3
4	Scarlet fever	—	—			—	—	—	—	—	1	—	—	—	—	—	—	4
5	Whooping cough ...	—	—			—	3	—	—	—	1	2	—	—	2	—	—	5
6	Diphtheria and croup ...	—	—			—	1	—	1	1	1	1	2	2	—	—	3	6
7	Influenza	—	1			1	6	1	1	—	—	—	—	1	2	2	1	7
8	Erysipelas	—	—			—	—	—	—	1	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	3	3			4	3	4	2	5	2	3	2	10	11	2	6	9
10	Tuberculous meningitis	—	1			1	—	—	1	1	—	—	—	1	1	—	—	10
11	Other tuberculous diseases	1	—			2	—	1	1	1	1	—	1	4	—	1	—	11
12	Cancer, malignant disease	1	3			11	8	3	9	6	4	5	6	12	10	4	6	12
13	Rheumatic fever... ...	—	—			—	—	—	—	—	—	—	—	—	3	—	—	13
14	Meningitis	1	—			—	1	—	—	—	3	—	—	2	4	—	1	14
15	Organic heart disease ...	1	5			14	6	12	15	13	5	6	8	12	12	8	6	15
16	Bronchitis	1	2			9	12	4	5	1	1	2	3	17	17	3	2	16
17	Pneumonia (all forms) ...	1	—			5	3	3	—	3	5	2	—	16	12	3	1	17
18	Other respiratory diseases	—	—			2	1	2	—	—	—	1	—	4	1	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	1	—			3	1	—	—	—	—	—	1	8	5	2	2	19
20	Appendicitis and typhlitis	—	—			—	—	—	—	—	—	—	—	2	4	—	—	20
21	Cirrhosis of liver ...	—	—			—	1	—	—	—	—	1	—	—	1	1	1	21
21A	Alcoholism	—	—			—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	2	—			7	3	1	2	1	—	—	—	5	9	1	—	22
23	Puerperal fever	—	—			—	—	—	—	—	—	—	—	—	2	—	—	23
24	Parturition, apart from 23	—	1			—	2	—	—	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	1	—			6	6	5	3	3	1	1	2	18	12	1	2	25
26	Violence, apart from 27	1	2			4	—	6	1	4	—	1	2	5	2	2	1	26
27	Suicide	—	—			—	—	1	—	1	—	1	1	1	—	—	1	27
28	Other defined diseases ...	7	13			35	32	32	37	19	20	11	8	43	47	14	12	28
29	Causes ill-defined or unknown.	—	—			1	2	—	—	—	—	1	—	—	—	1	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

WORCESTERSHIRE—*cont.*

	Martley R.D.		Pershore R.D.		Rock R.D.		Shipston on Stour R.D.		Stow on the Wold (pt.) R.D.*		Tenbury R.D.		Tewkesbury (pt.) R.D.*		Upton on Severn R.D.		Winchcomb (pt.) R.D.†		Redmarley D'Abitôt and Staunton C.P.'s‡			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
	100	81	104	78	14	11	22	30	2	1	22	22	16	12	92	81	—	2	5	8		
1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3	—	1	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—		3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		4
5	1	—	—	1	—	1	—	—	—	—	—	—	1	1	1	2	—	—	—	—		5
6	2	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—		6
7	2	3	—	—	1	1	1	1	—	—	—	—	—	—	4	1	—	—	—	—		7
8	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—		8
9	5	6	5	5	3	—	—	2	—	—	1	—	—	2	10	4	—	—	1	—		9
10	1	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—		10
11	2	1	—	2	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—		11
12	8	14	8	7	2	1	1	4	—	—	3	4	—	1	9	12	—	—	—	—		12
13	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		13
14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—		14
15	12	11	13	13	3	3	3	2	—	1	2	6	3	—	14	18	—	1	—	1		15
16	9	10	8	7	2	—	—	3	—	—	1	3	—	—	6	11	—	—	2	—		16
17	4	6	9	3	—	—	1	2	—	—	4	—	1	1	4	4	—	—	—	—		17
18	3	—	2	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—		18
19	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		19
20	—	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		20
21	—	—	1	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—		21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		21A
22	4	1	5	4	—	—	1	1	—	—	—	—	—	—	4	2	—	—	1	—		22
23	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—		23
24	—	—	—	2	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—		24
25	6	1	2	3	—	—	—	1	—	—	2	1	1	—	4	—	—	—	—	—		25
26	4	1	3	2	—	—	1	—	—	—	1	1	1	1	2	2	—	—	—	—		26
27	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		27
28	32	24	44	26	3	5	14	11	2	—	7	5	9	3	24	23	—	1	1	7		28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—		29

YORKSHIRE, EAST RIDING.

	Beverley M.B.		Bridlington M.B.		Cottingham U.D.		Filey U.D.		Great Driffield U.D.		Hedon M.B.		Hessle U.D.		Hornsea U.D.		Norton U.D.		Pocklington U.D.		Withernsea U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	109	88	89	111	32	19	20	23	49	25	7	9	32	30	22	19	27	22	16	18	21	20	
1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	5
6	1	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6
7	—	2	3	1	1	1	4	2	1	1	—	—	1	2	—	—	1	—	1	—	2	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	4	7	5	4	2	1	1	2	4	—	1	1	1	5	1	1	—	—	2	—	5	2	9
10	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	10
11	—	1	2	1	—	1	—	—	1	—	—	—	—	—	—	—	1	—	1	—	1	—	11
12	12	10	10	16	2	—	1	3	7	4	—	1	2	4	3	—	3	5	—	2	—	3	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	2	1	—	1	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	14
15	19	19	9	16	5	3	4	1	8	3	—	1	5	6	3	4	6	5	2	2	3	2	15
16	9	8	8	9	1	—	1	6	4	2	3	2	1	2	—	2	2	1	1	—	1	—	16
17	9	3	8	3	5	2	1	1	1	—	—	—	2	1	2	1	—	1	1	—	—	2	17
18	3	2	—	1	—	—	1	—	—	1	—	—	1	1	—	2	—	—	—	—	—	—	18
19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	1	—	—	19
20	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	1	20
21	—	1	1	1	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	4	4	4	3	—	1	—	—	3	2	—	—	3	—	1	—	1	—	1	2	1	1	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	23
24	—	2	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	24
25	10	2	3	2	1	—	1	1	2	1	—	—	—	—	—	2	2	—	1	—	—	1	25
26	—	3	1	2	3	1	1	—	—	1	1	—	1	—	—	—	2	—	—	—	—	—	26
27	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	27
28	31	23	33	49	9	7	4	7	17	8	2	4	11	8	10	6	8	7	3	9	7	7	28
29	3	—	2	1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	29

* The remaining parts of Stow on the Wold and Tewkesbury Rural Districts are in Gloucestershire ; *see* page 402.
† The remainder of Winchcombe R.D. is in Gloucestershire ; *see* page 403.
‡ Administered by Newent R.D.C. (Gloucestershire).

YORKSHIRE, EAST RIDING—*cont.*

	Causes of Death.			Beverley R.D.		Bridlington R.D.		Driffield R.D.		Escrick R.D.		Howden R.D.		Norton R.D.		Patrington R.D.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES			68	73	50	36	77	85	35	34	97	86	40	32	54	46	
1	Enteric fever			—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
2	Small-pox			—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles			—	—	—	—	—	—	—	1	—	—	2	2	—	—	3
4	Scarlet fever			—	—	—	—	—	—	—	1	—	—	—	—	—	—	4
5	Whooping cough ...			1	—	—	—	—	—	1	—	2	—	—	—	—	—	5
6	Diphtheria and croup ...			2	—	—	—	1	1	—	—	1	—	—	—	1	—	6
7	Influenza			3	1	3	3	3	4	—	1	1	—	—	—	1	—	7
8	Erysipelas			—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis			—	5	1	—	4	4	—	3	13	4	—	—	—	2	9
10	Tuberculous meningitis			—	—	1	—	—	—	—	—	—	1	—	—	2	—	10
11	Other tuberculous diseases			5	1	—	—	—	2	1	—	2	—	—	—	2	—	11
12	Cancer, malignant disease			4	5	8	4	9	5	2	3	3	12	7	4	5	1	12
13	Rheumatic fever... ...			—	—	1	—	—	—	—	1	—	—	—	—	—	—	13
14	Meningitis			—	1	—	1	—	—	—	—	1	—	—	—	—	—	14
15	Organic heart disease ...			12	12	5	7	7	7	5	2	13	17	6	5	12	12	15
16	Bronchitis			2	3	3	6	2	6	1	2	4	7	5	5	5	2	16
17	Pneumonia (all forms) ...			3	3	1	—	3	3	7	2	7	1	2	2	2	2	17
18	Other respiratory diseases			1	2	—	1	—	1	—	—	—	1	—	1	—	—	18
19	Diarrhœa, &c.(under 2 yrs.)			1	1	1	1	1	2	—	—	1	—	1	—	—	—	19
20	Appendicitis and typhlitis			—	—	—	—	2	2	—	—	1	1	—	—	—	—	20
21	Cirrhosis of liver ...			1	—	—	—	—	—	—	—	—	—	—	—	1	2	21
21A	Alcoholism			—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.			—	2	2	—	2	3	1	1	2	2	1	—	—	—	22
23	Puerperal fever			—	—	—	1	—	1	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23			—	1	—	—	—	1	—	—	—	—	—	—	—	1	24
25	Congenital debility, &c.			4	6	5	1	7	7	3	1	7	2	1	1	3	1	25
26	Violence, apart from 27			2	2	4	1	3	5	—	—	5	2	4	—	1	1	26
27	Suicide			2	—	—	—	—	—	—	—	2	—	—	—	—	—	27
28	Other defined diseases ...			25	27	15	10	33	30	14	16	32	36	11	11	19	22	28
29	Causes ill-defined or unknown.			—	1	—	—	—	—	—	—	—	—	—	1	—	—	29

YORKSHIRE, EAST RIDING—*cont.* YORKSHIRE, NORTH RIDING

	Causes of Death.	Pocklington R.D.		Riccall R.D.		Sculcoates R.D.		Sherburn R.D.		Skirlaugh R.D.				Eston U.D.		Guisborough U.D.		
		M	F	M	F	M	F	M	F	M	F			M	F	M	F	
	ALL CAUSES	70	71	35	29	37	49	10	15	44	28			261	214	44	53	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—			1	2	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—			—	—	—	—	2
3	Measles	—	—	—	—	1	—	—	4	1	—			31	23	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—			—	—	—	—	4
5	Whooping cough ...	—	—	—	2	—	—	—	—	—	—			—	—	—	—	5
6	Diphtheria and croup ...	2	—	—	—	—	—	—	—	1	—			2	3	—	1	6
7	Influenza	3	1	2	—	1	—	—	—	1	1			2	1	1	1	7
8	Erysipelas	—	—	—	—	—	—	—	—	1	—			1	1	—	—	8
9	Pulmonary tuberculosis	1	8	—	1	3	8	—	1	2	2			21	20	1	4	9
10	Tuberculous meningitis	—	—	—	—	—	—	—	—	—	—			6	6	—	1	10
11	Other tuberculous diseases	—	3	—	1	—	—	—	—	2	—			4	2	1	1	11
12	Cancer, malignant disease	4	5	2	2	3	5	2	1	2	3			9	15	4	7	12
13	Rheumatic fever... ...	1	—	—	—	—	—	—	—	—	1			1	2	—	—	13
14	Meningitis	—	1	—	—	—	—	—	—	—	—			13	9	—	—	14
15	Organic heart disease ...	9	8	4	6	4	5	—	1	6	4			14	8	6	8	15
16	Bronchitis	8	7	4	2	2	4	3	1	—	2			14	9	4	1	16
17	Pneumonia (all forms) ...	5	—	4	1	1	2	—	—	2	1			21	16	7	6	17
18	Other respiratory diseases	—	4	—	—	—	—	—	—	—	—			2	4	—	1	18
19	Diarrhœa, &c.(under 2 yrs.)	—	1	—	1	1	—	—	—	—	—			9	6	—	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—			1	1	—	—	20
21	Cirrhosis of liver ...	1	5	—	—	—	—	—	—	—	—			1	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—			—	—	—	—	21A
22	Nephritis and Bright's dis.	1	2	—	—	—	2	—	—	1	—			8	5	1	5	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—			—	—	—	1	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	1	—	—			—	1	—	2	24
25	Congenital debility, &c.	8	3	4	1	3	1	—	1	2	3			33	18	8	6	25
26	Violence, apart from 27	2	2	3	—	1	—	—	2	3	1			14	7	2	—	26
27	Suicide	—	—	—	—	—	—	1	—	—	—			1	—	—	—	27
28	Other defined diseases ...	25	21	11	12	17	22	2	3	19	10			52	52	9	8	28
29	Causes ill-defined or unknown.	—	—	1	—	—	—	2	—	1	—			—	3	—	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

YORKSHIRE, NORTH RIDING—*cont.*

	Hinderwell U.D.		Kirklington cum Upsland U.D.		Loftus U.D.		Malton U.D.		Masham U.D.		Northallerton U.D.		Pickering U.D.		Redcar U.D.		Richmond M.B.		Saltburn by the Sea U.D.		Scalby U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	15	13	1	3	61	45	39	35	17	10	35	38	24	32	55	55	32	29	12	23	8	7	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	1	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	3
4	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	5
6	—	—	—	—	—	1	1	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	6
7	—	—	—	—	1	1	—	—	—	—	—	—	3	—	—	1	—	1	1	2	1	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	2	1	—	—	1	1	5	—	1	1	3	—	1	4	6	6	—	4	2	1	1	1	9
10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	10
11	—	—	—	—	—	—	2	2	—	1	1	—	—	—	1	2	—	—	—	—	—	—	11
12	2	3	—	—	2	3	4	1	4	—	3	5	1	3	4	10	1	2	1	3	1	—	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	1	—	—	1	—	—	—	14
15	2	2	1	1	6	3	3	6	1	1	3	2	6	10	4	3	3	2	1	4	2	1	15
16	1	1	—	—	9	3	2	4	—	1	4	4	—	5	4	3	4	1	—	—	1	1	16
17	—	—	—	—	4	2	3	—	1	1	2	—	—	1	2	2	4	2	—	1	—	—	17
18	—	—	—	—	1	3	—	1	—	—	1	—	1	—	—	2	—	—	—	1	—	—	18
19	—	—	—	—	1	—	—	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	19
20	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	20
21	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	1	—	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	2	—	—	3	2	2	—	1	—	2	—	—	—	2	2	1	2	—	1	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	24
25	—	—	—	—	6	4	1	1	—	2	1	3	2	—	4	3	3	3	—	1	—	—	25
26	1	—	—	—	4	1	1	—	1	—	—	1	2	—	2	—	5	2	—	1	—	—	26
27	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	27
28	6	4	—	1	21	20	12	18	6	3	12	19	8	9	18	18	10	8	4	7	2	3	28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

YORKSHIRE, NORTH RIDING—*cont.*

	Scarborough M.B.		Skelton and Brotton U.D.		Thornaby on Tees M.B.		Whitby U.D.			Aysgarth R.D.		Bedale R.D.		Croft R.D.		Easingwold R.D.		Flaxton R.D.		Guisborough R.D.		
	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	
	263	288	116	93	167	140	91	72		23	28	54	50	12	16	67	63	56	58	58	52	
1	—	—	—	—	—	1	—	—		1	—	—	—	1	1	—	—	1	—	—	—	1
2	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	2
3	3	2	—	1	2	—	3	1		—	—	—	—	—	—	1	1	—	—	—	2	3
4	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	4
5	1	7	—	1	1	2	1	—		—	—	—	—	—	—	—	1	1	—	—	—	5
6	1	1	1	2	4	3	—	—		—	—	—	1	—	—	—	—	—	1	1	2	6
7	5	9	2	1	2	—	—	—		2	5	1	1	—	—	4	1	4	1	2	1	7
8	—	—	1	—	—	—	—	—		—	—	—	—	—	1	—	—	—	—	—	—	8
9	13	22	6	3	12	13	5	10		—	2	4	1	—	—	3	3	2	2	3	1	9
10	2	4	1	1	1	—	1	1		1	—	—	—	—	—	—	1	—	1	1	1	10
11	5	4	4	4	3	2	1	—		1	—	—	1	—	—	—	—	1	1	2	2	11
12	33	40	4	8	7	15	11	10		4	—	7	4	1	—	11	10	4	6	5	7	12
13	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	1	—	1	—	—	13
14	4	1	—	2	2	1	—	—		—	—	1	1	1	—	—	2	—	2	3	2	14
15	49	43	10	9	7	13	15	8		1	4	6	12	2	3	7	10	8	7	6	3	15
16	11	13	13	5	14	17	7	5		1	2	6	3	1	—	2	2	9	9	7	5	16
17	8	15	7	5	29	18	4	1		1	3	3	—	—	—	4	3	4	1	5	2	17
18	4	4	4	1	—	—	1	3		—	1	—	2	—	—	—	—	1	—	—	1	18
19	2	1	4	—	4	2	—	—		—	—	—	—	—	—	1	1	1	—	—	—	19
20	3	1	1	—	3	—	2	—		—	—	1	—	—	—	1	—	—	—	—	1	20
21	2	4	1	—	2	—	2	1		—	—	—	—	—	—	1	—	—	—	—	—	21
21A	2	2	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	21A
22	17	12	7	9	1	3	1	5		1	2	2	—	—	1	2	3	3	1	—	1	22
23	—	1	—	—	—	—	—	1		—	1	—	—	—	—	—	1	—	—	—	1	23
24	—	3	—	2	—	3	—	—		—	1	—	—	—	—	—	1	—	—	—	—	24
25	12	9	12	10	16	16	2	3		2	1	—	5	—	1	3	3	2	1	4	—	25
26	7	5	11	1	8	3	2	2		3	1	4	1	1	1	1	1	1	3	4	3	26
27	5	—	—	—	—	—	—	—		1	—	—	—	—	—	—	—	1	—	1	1	27
28	74	82	27	27	49	28	33	21		4	5	19	18	5	8	25	18	13	22	14	15	28
29	—	3	—	1	—	—	—	—		—	—	—	—	—	—	1	—	—	—	—	1	29

YORKSHIRE, NORTH RIDING—*cont.*

	Causes of Death.	Helmsley R.D.		Kirkby Moorside R.D.		Leyburn R.D.		Malton R.D.		Middlesbrough R.D.		Northallerton R.D.		Pickering R.D.		Reeth R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	27	28	22	32	30	37	29	33	19	5	53	44	43	37	21	15	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	1	1	1	—	1	—	—	—	2	1	—	—	1	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	—	5
6	Diphtheria and croup ...	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	6
7	Influenza	3	1	—	2	1	3	1	—	2	—	3	1	1	1	—	1	7
8	Erysipelas	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	2	3	—	1	2	2	1	1	—	—	1	2	—	3	1	1	9
10	Tuberculous meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	10
11	Other tuberculous diseases	—	—	1	—	—	—	—	—	—	—	2	—	—	—	2	—	11
12	Cancer, malignant disease	2	2	3	3	4	10	3	4	2	—	3	6	4	3	3	—	12
13	Rheumatic fever... ...	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	13
14	Meningitis	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	14
15	Organic heart disease ...	2	6	1	4	4	5	2	3	—	1	11	7	11	4	6	5	15
16	Bronchitis	2	2	3	4	—	2	—	5	—	—	5	4	1	4	3	1	16
17	Pneumonia (all forms) ...	2	—	1	1	—	2	1	1	5	1	5	2	3	1	—	—	17
18	Other respiratory diseases	—	—	2	—	—	1	1	—	1	—	—	—	—	—	—	—	18
19	Diarrhœa, &c.(under 2 yrs.)	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	2	1	1	—	3	1	2	2	—	—	—	2	—	—	—	—	22
23	Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	—	2	2	—	1	—	—	2	—	—	3	—	6	2	—	1	25
26	Violence, apart from 27	—	2	—	—	—	—	—	—	1	—	2	—	3	—	—	—	26
27	Suicide	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	27
28	Other defined diseases ...	11	8	5	14	14	10	14	13	8	3	12	17	13	14	3	6	28
29	Causes ill-defined or unknown.	—	—	1	—	—	—	1	—	—	—	—	—	—	2	—	—	29

YORKSHIRE, NORTH RIDING—*cont.*

	Causes of Death.	Richmond R.D.		Scarborough R.D.		Startforth R.D.		Stokesley R.D.		Thirsk R.D.		Wath R.D.		Whitby R.D.				
		M	F	M	F	M	F	M	F	M	F	M	F	M	F			
	ALL CAUSES	63	63	46	34	34	29	89	83	85	93	12	18	54	56			
1	Enteric fever	—	—	—	—	—	—	1	—	—	1	—	—	—	—			1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—			2
3	Measles	1	—	—	—	—	—	—	—	—	—	—	—	—	—			3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—			4
5	Whooping cough ...	—	—	1	—	—	—	—	—	—	—	—	—	—	—			5
6	Diphtheria and croup ...	—	—	—	1	1	1	1	1	—	—	1	—	—	—			6
7	Influenza	1	1	2	3	1	—	1	4	3	—	2	1	1	2			7
8	Erysipelas	—	—	—	—	—	—	—	1	—	—	—	—	—	—			8
9	Pulmonary tuberculosis	6	3	—	2	4	1	4	5	3	6	—	1	4	5			9
10	Tuberculous meningitis	1	—	—	—	—	—	1	1	1	—	—	—	—	—			10
11	Other tuberculous diseases	1	1	—	—	—	1	—	—	2	1	—	—	1	2			11
12	Cancer, malignant disease	3	5	4	1	—	5	8	10	4	8	—	2	3	7			12
13	Rheumatic fever... ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—			13
14	Meningitis	—	1	—	—	—	—	—	2	—	—	—	—	—	1			14
15	Organic heart disease ...	12	17	4	3	7	7	15	17	12	14	—	3	8	9			15
16	Bronchitis	4	2	6	3	1	—	7	5	7	4	1	2	6	5			16
17	Pneumonia (all forms) ...	6	1	1	—	3	2	11	4	4	2	—	—	3	1			17
18	Other respiratory diseases	—	—	1	1	1	—	1	4	—	2	—	1	—	1			18
19	Diarrhœa, &c.(under 2 yrs.)	—	1	—	1	—	—	1	—	—	—	—	—	—	—			19
20	Appendicitis and typhlitis	1	—	—	—	—	—	1	1	—	—	—	—	1	—			20
21	Cirrhosis of liver ...	—	—	—	—	2	—	2	—	—	—	—	—	—	1			21
21A	Alcoholism	—	—	—	—	—	—	1	1	1	—	—	—	—	—			21A
22	Nephritis and Bright's dis.	2	1	2	1	1	3	1	1	2	3	—	—	2	—			22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—			23
24	Parturition, apart from 23	—	1	—	1	—	—	—	—	—	8	—	—	—	1			24
25	Congenital debility, &c.	7	5	1	—	1	2	1	8	1	4	—	1	6	—			25
26	Violence, apart from 27...	2	—	7	2	1	1	5	—	1	2	1	1	1	—			26
27	Suicide	—	—	—	—	—	—	—	—	—	—	1	—	1	1			27
28	Other defined diseases ...	16	23	17	15	11	6	27	18	44	38	6	6	17	20			28
29	Causes ill-defined or unknown.	—	1	—	—	—	—	—	—	—	—	—	—	—	—			29

ADMINISTRATIVE AREAS, 1916—*continued.*

YORKSHIRE, WEST RIDING.

	Adwick le Street U.D.		Altofts U.D.		Ardsley U.D.		Ardsley East and West U.D.		Baildon U.D.		Barkisland U.D.		Barnoldswick U.D.		Batley M.B.		Bentley with Arksey U.D.		Bingley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	50	49	36	36	50	47	51	47	39	42	17	9	52	58	286	286	53	47	117	141	
1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	3	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	1	1	1	—	1	—	1	—	—	—	—	—	1	1	—	1	—	—	3
4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	4
5	—	3	—	1	1	2	2	—	—	—	—	—	2	1	5	4	2	2	1	1	5
6	—	1	—	2	—	—	—	—	—	1	—	—	—	—	9	12	1	4	—	—	6
7	2	—	—	—	1	3	1	—	—	1	—	—	—	1	5	7	—	—	1	1	7
8	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—	—	8
9	5	3	2	3	2	4	3	—	3	2	—	—	5	2	16	15	1	1	8	12	9
10	1	—	1	—	2	1	1	2	2	—	—	—	—	1	3	4	1	—	—	1	10
11	—	—	—	—	1	1	1	1	—	1	—	1	2	2	7	3	1	—	3	—	11
12	—	5	1	2	—	4	1	9	2	6	4	1	8	2	25	22	1	7	12	16	12
13	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	—	—	—	13
14	2	—	1	1	—	—	—	—	—	—	—	—	—	1	3	4	—	—	1	—	14
15	5	5	4	1	3	3	6	5	5	4	1	2	7	10	21	39	2	5	12	25	15
16	3	4	3	1	2	6	5	1	1	5	3	1	1	2	17	23	5	4	11	13	16
17	6	3	1	4	3	8	5	1	3	1	1	1	2	3	25	20	8	3	13	9	17
18	—	—	—	—	1	1	1	—	—	—	—	—	—	—	2	4	—	—	—	2	18
19	3	6	—	—	5	2	1	1	—	—	—	—	1	—	2	8	3	1	1	—	19
20	—	—	—	—	—	—	—	—	2	1	—	—	—	1	3	1	—	—	—	—	20
21	1	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—	—	—	1	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	2	1	1	1	1	1	1	1	1	—	2	1	1	2	16	9	1	1	3	5	22
23	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	1	23
24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	1	—	—	24
25	5	6	5	7	5	—	2	3	2	3	—	1	2	3	16	15	7	4	8	5	25
26	5	3	2	—	10	1	2	—	—	1	—	—	2	3	15	4	6	—	3	2	26
27	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	2	1	—	1	—	27
28	10	6	13	8	12	9	16	23	16	15	5	1	17	21	91	77	12	13	36	47	28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	2	1	29

YORKSHIRE, WEST RIDING—*cont.*

	Birkenshaw U.D.		Birstal U.D.		Bolton upon Dearne U.D.		Brighouse M.B.		Burley in Wharfedale U.D.		Calverley U.D.		Castleford U.D.		Clayton U.D.		Clayton West U.D.		Cudworth U.D.		Darfield U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	14	12	51	62	69	57	143	173	20	21	20	29	214	167	25	35	7	15	44	44	31	35	
1	—	—	1	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	5	—	—	2	—	—	—	—	2	7	—	—	—	—	2	—	—	—	3
4	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	4
5	—	2	—	1	2	7	1	1	—	—	—	—	—	2	—	1	—	—	—	1	2	—	5
6	—	—	4	5	2	—	1	7	—	—	—	—	1	1	1	—	—	—	—	—	—	—	6
7	—	—	—	1	1	2	1	4	2	—	—	—	2	2	—	1	—	2	1	1	1	—	7
8	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	8
9	—	—	3	5	1	3	15	8	2	—	1	1	23	10	3	1	—	—	2	1	2	4	9
10	—	—	—	1	—	—	—	3	—	1	—	1	3	2	—	—	—	—	1	—	—	—	10
11	—	—	1	—	2	1	4	9	—	1	1	—	2	7	—	2	—	—	—	—	2	1	11
12	—	2	3	5	1	6	9	21	—	5	—	5	8	2	2	1	—	—	2	5	—	4	12
13	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	13
14	—	—	—	1	—	—	1	—	—	—	—	—	3	—	—	1	—	—	1	—	—	—	14
15	4	1	5	7	2	2	16	21	3	4	—	6	12	20	2	3	1	4	2	3	4	5	15
16	1	—	4	2	8	4	16	19	—	2	2	—	25	20	2	1	—	2	6	7	1	—	16
17	1	2	5	1	6	5	8	7	—	—	2	2	28	14	1	2	—	1	2	4	7	4	17
18	—	—	—	—	1	1	2	2	1	—	—	—	1	1	3	2	—	—	1	2	—	—	18
19	—	—	1	2	2	1	—	—	—	—	—	—	8	11	—	—	—	—	1	2	2	2	19
20	—	—	—	—	—	—	3	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	20
21	—	—	1	—	—	—	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	1	3	2	2	4	3	1	—	—	2	11	9	—	—	—	—	3	2	—	2	22
23	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	2	—	2	—	1	—	1	—	—	—	3	—	—	—	—	—	1	—	1	24
25	—	—	—	—	7	5	1	7	1	1	1	1	20	10	—	1	2	—	9	5	3	3	25
26	3	—	2	—	5	—	6	2	—	—	—	—	15	5	—	—	—	—	1	1	3	—	26
27	—	—	2	—	2	—	1	1	—	—	—	—	1	—	—	—	—	—	1	—	—	—	27
28	5	4	16	26	19	14	50	51	10	6	13	11	43	38	11	19	4	6	8	8	4	8	28
29	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	29

YORKSHIRE, WEST RIDING—*cont.*

	Causes of Death.	Darton U.D.		Denby and Cumberworth U.D.		Denholme U.D.		Dodworth U.D.		Doncaster M.B.		Drighlington U.D.		Earby U.D.		Elland U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	75	68	18	21	24	19	20	22	421	314	29	33	27	29	69	79	
1	Enteric fever	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	—	17	15	—	—	—	—	1	2	3
4	Scarlet fever	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	4
5	Whooping cough ...	6	—	—	—	—	—	—	—	1	3	—	—	—	1	—	1	5
6	Diphtheria and croup ...	—	1	—	—	—	—	—	—	6	4	—	1	1	—	—	—	6
7	Influenza	1	—	—	1	2	1	—	—	4	6	1	1	—	—	—	1	7
8	Erysipelas	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	8
9	Pulmonary tuberculosis	3	4	—	1	2	1	—	1	38	27	1	1	2	—	2	5	9
10	Tuberculous meningitis	—	—	—	—	—	—	—	—	1	2	—	1	—	1	—	—	10
11	Other tuberculous diseases	—	—	—	1	—	—	—	—	7	5	—	—	1	—	1	1	11
12	Cancer, malignant disease	2	6	4	1	3	1	—	—	31	23	2	7	1	3	3	7	12
13	Rheumatic fever... ...	—	—	—	—	—	1	—	—	1	3	2	1	—	1	1	—	13
14	Meningitis	—	—	—	—	—	—	2	—	4	2	—	—	1	—	1	1	14
15	Organic heart disease ...	6	7	1	3	2	1	1	2	41	38	2	4	2	6	9	12	15
16	Bronchitis	7	5	4	2	3	4	—	2	40	37	1	—	2	—	7	4	16
17	Pneumonia (all forms) ...	15	3	1	—	2	1	1	3	26	24	4	3	1	—	3	5	17
18	Other respiratory diseases	—	2	—	2	1	—	—	1	9	2	—	—	1	2	2	—	18
19	Diarrhœa, &c.(under 2 yrs.)	3	1	—	—	—	—	1	2	11	8	—	—	—	—	—	2	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	1	—	3	2	—	—	—	—	—	1	20
21	Cirrhosis of liver ...	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	2	—	—	—	—	4	—	9	1	1	2	2	1	2	1	22
23	Puerperal fever	—	3	—	—	—	—	—	—	—	2	—	1	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	—	—	—	—	4	—	—	—	—	—	1	24
25	Congenital debility, &c.	8	8	2	2	1	2	2	1	28	9	2	—	1	2	3	1	25
26	Violence, apart from 27	5	1	—	—	—	—	3	—	17	6	1	2	1	—	4	1	26
27	Suicide	—	—	—	—	—	—	—	—	3	1	2	—	1	—	2	—	27
28	Other defined diseases ...	17	23	5	8	8	7	4	10	115	88	9	9	10	10	27	32	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	—	7	1	—	—	—	1	—	—	29

YORKSHIRE, WEST RIDING—*cont.*

	Causes of Death.	Emley U.D.		Farnley Tyas U.D.		Farsley U.D.		Featherstone U.D.		Flockton U.D.		Garforth U.D.		Gildersome U.D.		Golcar U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	8	6	4	5	53	36	113	92	7	10	26	24	19	15	72	69	
1	Enteric fever	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	5
6	Diphtheria and croup ...	—	—	—	—	—	1	—	1	—	—	—	—	—	—	1	—	6
7	Influenza	1	—	—	—	—	—	1	1	—	—	—	—	1	1	—	—	7
8	Erysipelas	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	1	—	—	—	3	1	11	7	—	—	2	1	—	—	2	4	9
10	Tuberculous meningitis	—	1	—	—	—	—	1	5	—	1	1	—	—	—	—	—	10
11	Other tuberculous diseases	1	1	—	—	2	2	2	1	—	—	—	—	—	—	1	—	11
12	Cancer, malignant disease	—	2	—	—	6	4	5	6	1	2	2	2	—	—	7	11	12
13	Rheumatic fever... ...	—	—	—	—	1	—	1	3	—	—	—	—	—	—	2	—	13
14	Meningitis	—	—	—	—	—	2	1	1	—	—	—	1	—	—	—	2	14
15	Organic heart disease ...	1	1	1	1	4	3	10	5	—	—	3	2	5	2	3	5	15
16	Bronchitis	1	—	1	—	7	7	6	10	—	2	—	3	1	—	6	7	16
17	Pneumonia (all forms) ...	—	—	—	2	6	2	13	9	1	—	2	1	—	3	5	2	17
18	Other respiratory diseases	—	—	—	—	—	—	3	—	—	—	1	—	1	—	3	3	18
19	Diarrhœa, &c.(under 2 yrs.)	—	—	—	—	1	1	11	6	—	—	—	—	—	1	—	4	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	21A
22	Nephritis and Bright's dis.	—	—	—	—	4	1	5	4	—	—	1	1	—	—	4	1	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	2	24
25	Congenital debility, &c.	—	—	—	—	—	2	13	8	1	2	—	1	2	3	5	2	25
26	Violence, apart from 27	1	—	—	—	1	2	4	6	—	—	5	1	—	—	8	1	26
27	Suicide	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	27
28	Other defined diseases ...	2	1	2	2	18	8	22	12	3	2	8	9	9	4	21	22	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	2	29

ADMINISTRATIVE AREAS, 1916—*continued.*

YORKSHIRE, WEST RIDING—*cont.*

	Goole U.D.		Greasbrough U.D.		Greetland U.D.		Guiseley U.D.		Gunthwaite and Ingbirchworth U.D.		Handsworth U.D.		Harrogate M.B.		Haworth U.D.		Hebden Bridge U.D.		Heckmondwike U.D.		Hipperholme U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	148	135	12	23	23	34	27	29	5	4	89	86	179	233	45	61	43	57	56	54	34	23	
1	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	1	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	14	11	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	1	—	—	—	—	3
4	—	—	—	1	—	—	—	—	—	—	1	—	—	2	1	—	—	1	—	—	—	—	4
5	1	2	1	—	—	—	—	—	—	—	2	4	—	—	—	—	—	2	—	—	—	—	5
6	5	8	—	—	—	—	2	1	—	—	2	1	—	1	—	—	1	1	—	1	—	—	6
7	1	—	—	—	—	—	1	—	—	—	1	2	4	1	1	—	2	—	—	1	2	2	7
8	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	8
9	17	10	—	1	1	—	2	—	—	—	4	6	11	14	3	5	2	5	4	2	2	—	9
10	5	—	—	—	—	—	—	—	—	—	1	—	2	3	—	—	—	—	1	—	1	—	10
11	4	1	—	—	—	—	1	—	—	—	—	1	2	1	1	—	3	—	—	—	1	—	11
12	7	10	—	1	1	2	5	4	2	—	7	5	18	35	2	8	6	5	5	8	—	2	12
13	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	13
14	2	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	1	14
15	7	7	—	1	4	2	3	1	—	2	7	16	16	32	11	13	4	6	6	7	10	2	15
16	7	5	—	2	7	7	3	6	—	—	6	11	9	23	2	5	2	3	6	4	2	1	16
17	3	15	—	2	2	1	—	—	—	—	5	4	4	7	5	3	1	2	8	2	1	—	17
18	2	2	—	—	—	—	—	—	—	—	2	1	3	3	—	1	2	—	1	4	1	—	18
19	—	—	2	1	—	—	1	—	—	—	1	—	3	1	1	—	—	—	—	—	—	—	19
20	1	—	—	—	—	1	—	—	—	—	—	1	1	2	—	1	—	1	1	—	—	—	20
21	2	1	—	—	—	—	—	—	—	—	4	—	4	2	—	2	—	—	—	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	21A
22	5	3	3	1	2	1	1	—	—	—	4	5	9	8	—	1	1	3	3	2	4	2	22
23	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24	—	2	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	1	—	1	—	—	24
25	11	11	—	2	2	—	1	2	—	—	5	5	17	6	2	2	3	1	2	1	2	1	25
26	11	1	—	1	—	1	—	—	—	—	9	1	9	8	—	—	—	2	1	1	—	4	26
27	—	1	—	—	—	—	—	—	—	—	1	—	2	1	—	—	2	—	1	—	—	—	27
28	40	44	6	10	4	18	6	13	3	2	24	20	62	81	16	20	13	22	17	19	8	7	28
29	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	29

YORKSHIRE, WEST RIDING—*cont.*

	Holme U.D.		Holmfirth U.D.		Honley U.D.		Horbury U.D.		Horsforth U.D.		Hoyland Nether U.D.		Hoyland Swaine U.D.		Hunsworth U.D		Ilkley U.D.		Keighley M.B.		Kirkburton U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	2	2	74	68	36	31	51	52	62	67	114	73	3	3	12	10	35	54	299	312	25	19	
1	—	—	1	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	2	1	2	—	—	1	1	—	1	—	—	—	—	—	—	—	—	—	1	3
4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	5
6	—	—	1	—	—	—	2	2	1	1	—	1	—	—	—	—	—	—	2	8	—	—	6
7	—	—	4	2	—	—	—	—	—	—	4	—	—	—	—	—	1	2	7	2	—	—	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	8
9	1	—	4	7	4	3	2	3	5	4	4	—	—	—	—	—	3	3	33	18	1	—	9
10	—	—	3	—	1	—	—	1	1	1	2	—	—	—	—	—	—	1	3	5	—	—	10
11	—	—	3	1	3	—	—	1	4	3	2	2	—	—	—	—	—	—	6	6	1	1	11
12	—	—	8	9	1	1	2	2	4	6	10	2	—	—	4	—	6	7	20	29	3	1	12
13	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	3	—	—	—	13
14	—	—	—	—	—	—	3	5	—	—	1	1	—	—	—	—	—	—	3	2	—	—	14
15	—	1	11	11	7	2	7	7	6	11	10	7	—	—	3	4	7	8	37	54	4	2	15
16	—	—	5	4	1	5	6	6	4	7	10	12	1	—	—	—	2	1	26	28	1	—	16
17	—	—	5	4	3	—	4	2	6	2	11	6	—	—	2	—	2	3	23	28	4	3	17
18	—	—	—	2	1	1	2	—	2	2	1	—	—	—	—	—	—	—	5	3	—	1	18
19	—	—	—	1	—	—	—	—	—	—	6	1	—	—	—	—	—	—	4	4	—	1	19
20	—	—	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	2	2	—	—	20
21	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	1	2	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	—	1	5	1	1	3	2	1	5	5	4	—	—	1	1	—	—	12	20	—	2	22
23	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	2	—	—	23
24	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	2	—	—	24
25	—	—	4	2	—	1	2	2	4	—	9	6	—	—	1	—	1	3	15	8	2	—	25
26	—	—	3	1	1	—	1	—	3	—	14	—	—	—	—	—	—	—	3	6	1	—	26
27	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	1	1	—	—	27
28	1	1	21	14	11	14	17	16	18	22	20	24	2	3	1	4	12	24	89	82	7	7	28
29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	29

YORKSHIRE, WEST RIDING—*cont.*

	Causes of Death.	Kirkheaton U.D.		Knaresborough U.D.		Knottingley U.D.		Lepton U.D.		Linthwaite U.D.		Luddenden Foot U.D.		Marsden U.D.		Meltham U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	21	11	45	49	54	49	16	26	75	68	18	32	36	35	37	46	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	4	4	—	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	1	—	—	—	—	1	—	2	—	1	—	—	—	—	—	—	5
6	Diphtheria and croup ...	1	—	2	—	1	—	—	—	1	1	—	2	—	—	—	—	6
7	Influenza	1	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	8
19	Pulmonary tuberculosis	1	—	3	3	6	4	1	—	5	2	2	6	6	2	—	1	9
10	Tuberculous meningitis	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	10
11	Other tuberculous diseases	—	—	1	1	—	1	—	—	1	1	—	1	2	2	—	—	11
12	Cancer, malignant disease	—	1	6	8	2	6	3	4	3	7	2	4	—	2	3	4	12
13	Rheumatic fever... ...	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1	13
14	Meningitis	—	—	1	2	—	—	—	—	2	—	—	—	—	—	1	1	14
15	Organic heart disease ...	2	3	8	6	2	2	3	6	9	14	3	3	5	5	7	5	15
16	Bronchitis	2	1	4	3	4	2	3	2	8	4	2	1	7	5	3	8	16
17	Pneumonia (all forms) ...	3	1	1	1	3	4	—	2	7	3	4	3	3	—	2	3	17
18	Other respiratory diseases	1	—	3	1	—	1	—	—	3	1	—	1	—	—	3	2	18
19	Diarrhœa, &c.(under 2 yrs.)	1	—	1	—	3	1	—	—	1	2	—	—	1	—	1	—	19
20	Appendicitis and typhlitis	—	—	—	2	—	—	—	—	—	—	1	—	1	—	1	—	20
21	Cirrhosis of liver ...	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	1	1	1	1	1	2	2	1	1	1	1	—	3	1	1	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	—	—	—	—	1	—	1	—	2	—	2	24
25	Congenital debility, &c.	2	—	2	—	4	8	—	—	5	1	—	—	—	1	4	1	25
26	Violence, apart from 27	1	—	1	1	4	1	—	—	2	2	1	—	1	—	—	—	26
27	Suicide	—	—	—	—	—	1	1	—	—	—	—	—	—	1	3	—	27
28	Other defined diseases ...	4	3	10	18	17	10	3	6	26	25	2	9	8	11	7	17	28
29	Causes ill-defined or unknown.	—	—	—	1	1	1	—	—	—	1	—	—	2	—	—	—	29

YORKSHIRE, WEST RIDING—*cont.*

	Causes of Death.	Methley U.D.		Mexborough U.D.		Midgley U.D.		Mirfield U.D.		Monk Bretton U.D.		Morley M.B.		Mytholmroyd U.D.		New Mill U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	37	32	101	97	9	12	75	80	40	33	149	144	39	35	27	29	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	3	2	—	—	—	—	—	2	—	—	—	3	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	3	—	—	2	3	—	—	—	—	—	—	—	—	5
6	Diphtheria and croup ...	2	—	—	2	—	—	1	—	2	1	1	4	—	—	—	1	6
7	Influenza	1	—	—	1	—	—	—	1	1	—	7	2	1	—	1	3	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	1	—	2	10	—	1	5	2	3	3	15	12	2	2	2	—	9
10	Tuberculous meningitis	—	1	—	—	—	—	2	2	—	—	—	—	1	1	—	—	10
11	Other tuberculous diseases	—	1	4	2	—	1	2	1	—	—	—	2	1	—	—	1	11
12	Cancer, malignant disease	—	2	6	7	2	2	4	11	3	2	10	17	3	3	3	2	12
13	Rheumatic fever... ...	—	1	1	1	—	—	—	—	1	—	—	1	—	—	1	—	13
14	Meningitis	—	—	2	—	—	—	1	—	—	—	—	1	—	—	—	1	14
15	Organic heart disease ...	6	3	4	9	2	1	8	13	2	1	12	20	8	6	3	5	15
16	Bronchitis	7	4	14	10	—	2	4	6	5	2	10	9	2	6	2	—	16
17	Pneumonia (all forms) ...	1	2	17	11	—	1	7	2	3	4	13	9	2	1	1	—	17
18	Other respiratory diseases	2	—	2	2	—	—	—	1	2	—	3	2	—	—	1	—	18
19	Diarrhœa, &c.(under 2 yrs.)	2	—	7	2	—	—	—	1	1	3	6	4	—	—	—	—	19
20	Appendicitis and typhlitis	—	—	—	2	—	—	2	—	1	—	2	—	—	—	—	1	20
21	Cirrhosis of liver ...	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	1	1	2	—	—	5	4	1	—	5	11	6	4	—	2	22
23	Puerperal fever	—	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	3	—	—	—	1	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	—	—	4	4	1	1	3	3	3	2	7	6	5	1	3	3	25
26	Violence, apart from 27	3	1	7	2	—	—	5	—	2	1	8	—	1	1	2	—	26
27	Suicide	—	—	—	—	—	—	3	—	2	—	—	—	—	—	—	1	27
28	Other defined diseases ...	9	13	29	22	4	3	20	26	8	14	49	38	7	9	8	9	28
29	Causes ill-defined or unknown.	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

YORKSHIRE, WEST RIDING—*cont.*

	Normanton U.D.		Oakworth U.D.		Ossett M.B.		Otley U.D.		Oxenhope U.D.		Penistone U.D.		Pontefract U.D.		Pudsey M.B.		Queensbury U.D.		Rawdon U.D.		Rawmarsh U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	96	90	29	33	114	98	71	46	20	10	25	13	98	113	103	94	31	46	20	23	150	135	
1	1	1	—	—	—	—	—	—	—	—	—	—	4	1	—	—	1	1	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	3	3	—	—	—	—	—	3	—	—	—	—	—	—	—	3	—	3
4	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	4
5	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	2	5
6	—	1	—	—	1	2	1	—	—	—	1	1	—	—	—	—	—	—	—	—	1	1	6
7	1	1	2	—	1	1	—	—	—	—	1	2	3	1	1	—	1	—	3	—	3	1	7
8	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	8
9	9	7	—	3	6	1	7	5	2	—	1	—	12	7	7	3	3	2	—	2	11	5	9
10	2	2	—	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	5	10
11	5	3	1	—	2	—	1	—	1	1	—	—	—	2	1	2	—	—	—	—	4	4	11
12	5	6	3	3	12	10	4	4	—	2	5	1	3	16	6	9	2	10	2	5	8	9	12
13	—	—	—	—	—	1	—	—	—	—	—	—	1	3	1	—	—	—	—	—	—	—	13
14	1	—	—	—	1	—	1	—	—	—	—	—	—	1	2	1	—	1	—	—	2	3	14
15	6	12	6	9	4	8	6	4	6	—	2	—	6	13	17	14	4	3	1	1	8	7	15
16	7	8	—	2	14	9	10	8	1	2	1	—	9	5	8	6	1	4	4	3	13	13	16
17	5	4	1	2	11	7	3	4	—	—	2	4	7	8	10	3	2	—	1	1	15	16	17
18	1	—	—	1	3	3	—	—	—	—	—	—	1	1	1	1	1	—	—	—	—	3	18
19	6	8	—	—	1	1	—	—	—	—	—	1	4	3	1	—	1	—	—	—	7	5	19
20	—	1	—	1	—	1	—	—	—	—	—	—	1	—	—	1	—	1	1	—	2	2	20
21	1	—	—	1	1	—	—	—	—	—	—	—	—	—	5	—	—	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	1	3	—	—	9	8	5	1	1	—	1	—	1	4	2	5	3	1	—	2	3	7	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	23
24	—	1	—	—	—	1	—	—	—	—	—	—	—	1	—	3	—	—	—	—	—	1	24
25	10	9	5	2	9	7	6	2	1	—	1	1	7	8	6	6	1	2	—	1	8	12	25
26	9	3	—	—	6	1	1	1	—	2	2	—	5	6	2	1	2	1	1	2	11	2	26
27	1	—	—	—	—	—	1	—	—	—	—	1	1	1	—	—	—	—	1	—	1	1	27
28	24	18	11	8	31	32	21	16	6	3	8	2	30	31	32	38	9	20	4	6	47	33	28
29	—	—	—	—	1	—	—	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	29

YORKSHIRE, WEST RIDING—*cont.*

	Ripon M.B.		Rishworth U.D.		Rothwell U.D.		Royston U.D.		Saddleworth U.D.		Scammonden U.D.		Selby U.D.		Shelf U.D.		Shelley U.D.		Shepley U.D.		Shipley U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	80	64	7	11	106	80	55	50	104	98	1	1	63	63	23	20	15	11	12	16	227	223	
1	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	1	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	2	2	—	—	1	3	—	—	—	—	—	—	—	—	—	—	1	1	3
4	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	1	1	4
5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
6	1	3	—	—	1	—	1	1	1	1	—	—	3	—	—	—	—	1	—	—	8	8	6
7	2	2	—	—	1	1	—	1	—	4	—	—	—	—	—	2	—	—	—	—	2	5	7
8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	8
9	6	6	—	—	1	4	3	1	5	6	—	—	7	6	—	—	—	—	—	1	15	16	9
10	—	1	—	—	—	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	1	2	10
11	—	—	—	—	1	3	—	1	1	2	—	—	—	2	—	—	—	—	—	1	2	6	11
12	1	5	1	1	3	6	3	2	9	8	—	—	5	5	—	1	1	2	2	3	18	14	12
13	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	3	1	13
14	3	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	3	3	14
15	9	8	—	1	11	11	2	4	18	15	—	1	6	8	1	2	1	2	1	2	28	32	15
16	9	6	1	2	14	8	5	5	6	4	—	—	3	5	2	3	—	—	—	—	14	18	16
17	6	4	—	—	14	7	6	13	9	8	—	—	3	1	2	2	1	2	—	2	20	14	17
18	—	2	—	—	—	1	2	1	—	—	—	—	1	—	2	1	—	—	—	—	3	5	18
19	1	—	—	—	1	3	5	4	1	—	—	—	1	1	1	—	—	—	—	—	4	5	19
20	1	1	—	—	—	—	1	—	1	1	—	—	1	2	—	—	—	1	—	—	—	2	20
21	1	—	—	—	—	—	—	—	—	2	—	—	—	2	—	1	1	—	—	—	2	1	21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	—	1	1	—	2	1	1	—	5	5	—	—	1	2	1	—	—	—	3	—	9	7	22
23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	—	—	—	—	3	—	2	—	—	—	2	—	—	—	—	—	—	—	4	24
25	2	2	—	—	10	2	4	—	6	2	—	—	6	6	—	—	1	1	—	—	16	10	25
26	4	1	—	—	7	2	5	2	2	2	—	—	4	2	—	—	1	—	—	—	10	4	26
27	—	1	—	—	2	—	1	—	2	—	—	—	—	—	—	—	1	—	—	—	1	—	27
28	32	20	4	7	33	27	16	11	33	29	1	—	19	18	14	8	8	2	6	7	64	61	28
29	—	—	—	—	1	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	1	2	29

YORKSHIRE, WEST RIDING—*cont.*

	Causes of Death.	Silsden U.D.		Skelmanthorpe U.D.		Skipton U.D.		Slaithwaite U.D.		South Crosland U.D.		Southowram U.D.		Sowerby U.D.		Sowerby Bridge U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	36	32	32	25	76	81	46	50	28	14	17	11	8	34	101	82	
1	Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	5
6	Diphtheria and croup ...	—	—	—	1	3	1	—	—	—	—	—	—	—	—	—	2	6
7	Influenza	—	—	—	—	2	2	—	—	1	—	2	—	—	—	—	2	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	2	1	1	—	5	7	4	5	1	—	4	1	—	4	10	8	9
10	Tuberculous meningitis	—	—	1	—	—	1	—	—	1	1	—	1	—	—	—	1	10
11	Other tuberculous diseases	—	—	—	—	2	2	1	—	—	—	—	—	1	—	4	1	11
12	Cancer, malignant disease	5	1	2	—	8	4	2	2	1	4	1	—	—	7	6	12	12
13	Rheumatic fever... ...	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	1	13
14	Meningitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14
15	Organic heart disease ...	6	9	4	9	10	16	9	6	5	1	—	1	—	2	18	16	15
16	Bronchitis	1	2	2	—	8	8	6	3	1	—	3	2	2	2	11	9	16
17	Pneumonia (all forms) ...	3	4	3	2	5	2	4	4	3	—	1	—	2	1	5	3	17
18	Other respiratory diseases	—	—	3	—	1	—	2	—	—	2	—	—	—	—	1	2	18
19	Diarrhœa, &c.(under 2 yrs.)	1	—	—	1	2	1	—	—	—	—	—	—	1	—	—	1	19
20	Appendicitis and typhlitis	—	1	—	—	—	2	—	—	—	—	—	—	—	1	—	—	20
21	Cirrhosis of liver ...	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	1	—	3	2	3	4	—	—	—	—	—	1	4	3	22
23	Puerperal fever	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	—	1	—	2	1	1	2	—	—	—	—	1	—	1	2	5	25
26	Violence, apart from 27	1	—	3	—	3	2	—	3	—	—	—	—	—	1	3	1	26
27	Suicide	1	—	—	—	—	1	1	2	—	—	—	—	—	—	1	—	27
28	Other defined diseases ...	16	10	11	9	20	24	10	21	15	6	6	5	2	14	35	15	28
29	Causes ill-defined or unknown.	—	2	—	—	—	1	—	—	—	—	—	—	—	—	1	—	29

YORKSHIRE, WEST RIDING—*cont.*

	Causes of Death.	Soyland U.D.		Spenborough U.D.		Springhead U.D.		Stainland with Old Lindley U.D.		Stanley U.D.		Stocksbridge U.D.		Swinton U.D.		Thurlstone U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	32	26	246	222	45	35	26	40	83	85	63	43	101	73	20	21	
1	Enteric fever	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	2	—	1	—	—	—	2	2	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—	4
5	Whooping cough ...	—	—	2	1	—	—	—	—	—	1	—	—	1	2	—	—	5
6	Diphtheria and croup ...	—	—	4	2	1	1	—	—	—	—	—	—	—	1	1	—	6
7	Influenza	—	—	2	2	—	—	1	1	—	—	—	1	—	1	—	—	7
8	Erysipelas	—	—	1	1	—	—	—	—	—	—	—	—	1	—	—	—	8
9	Pulmonary tuberculosis	1	1	11	10	8	5	1	1	4	5	8	5	13	3	1	—	9
10	Tuberculous meningitis	1	—	4	5	—	—	—	—	—	1	—	—	—	—	—	—	10
11	Other tuberculous diseases	3	1	4	5	—	2	1	—	—	—	1	—	2	1	—	1	11
12	Cancer, malignant disease	3	1	19	15	4	2	2	3	5	10	5	3	4	5	3	4	12
13	Rheumatic fever... ...	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis	—	—	—	2	1	—	—	—	—	1	—	—	1	1	—	1	14
15	Organic heart disease ...	4	3	20	37	6	10	5	6	13	11	5	7	9	5	1	1	15
16	Bronchitis	2	3	19	16	1	4	—	2	2	5	6	6	11	7	1	3	16
17	Pneumonia (all forms) ...	—	1	20	10	3	2	2	5	17	7	13	2	12	11	—	3	17
18	Other respiratory diseases	1	1	3	3	1	—	—	1	—	—	5	2	1	—	—	—	18
19	Diarrhœa, &c.(under 2 yrs.)	—	—	2	3	1	—	—	—	4	5	2	—	4	3	—	—	19
20	Appendicitis and typhlitis	—	—	4	2	—	—	—	—	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	2	1	1	—	—	—	—	—	—	—	—	1	—	—	21
21A	Alcoholism	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	1	12	11	2	—	1	3	—	1	1	—	3	2	—	—	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	1	23
24	Parturition, apart from 23	—	—	—	1	—	—	—	1	—	3	—	—	—	—	—	—	24
25	Congenital debility, &c.	2	2	9	9	4	2	—	—	5	9	5	2	5	5	4	—	25
26	Violence, apart from 27	1	—	9	4	1	—	—	2	8	1	3	2	6	2	2	—	26
27	Suicide	1	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	27
28	Other defined diseases ...	12	12	92	82	10	6	13	14	23	22	7	12	27	19	7	7	28
29	Causes ill-defined or unknown.	—	—	1	—	—	1	—	1	—	—	—	1	—	—	—	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

YORKSHIRE, WEST RIDING—*cont.*

	Thurnscoe U.D.		Thurstonland U.D.		Tickhill U.D.		Todmorden M.B.		Wath upon Dearne U.D.		Whitley Upper U.D.		Whitwood U.D.		Wombwell U.D.		Worsborough U.D.		Yeadon U.D.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
	26	28	11	4	23	10	173	212	82	72	6	6	54	48	141	121	84	76	52	54		
1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1		1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		2
3	5	2	—	—	1	1	1	—	—	—	—	—	1	1	1	—	—	—	—	—		3
4	—	—	—	—	—	—	—	—	1	1	—	—	1	—	1	—	—	—	—	—		4
5	4	3	—	—	—	—	—	—	1	1	—	—	—	—	2	5	—	—	—	—		5
6	—	—	—	—	—	—	1	3	—	1	—	—	—	1	3	2	—	2	2	1		6
7	1	—	—	—	1	—	6	2	1	—	—	—	—	—	1	—	—	—	1	2		7
8	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		8
9	—	3	2	—	1	—	12	6	6	8	—	—	4	4	6	4	5	3	6	5		9
10	—	—	—	—	—	—	—	1	—	1	—	—	—	1	2	—	1	2	1	—		10
11	1	—	2	1	—	—	5	5	3	2	—	—	3	1	1	3	1	1	—	3		11
12	—	4	1	1	1	—	18	19	2	6	1	—	2	1	4	3	4	7	2	8		12
13	—	—	—	—	—	—	4	3	—	—	—	—	1	—	1	—	—	—	—	—		13
14	—	—	1	—	1	—	1	4	1	—	—	—	—	—	2	—	2	—	—	—		14
15	—	—	2	1	1	—	18	26	11	6	1	1	5	4	13	10	6	8	5	5		15
16	2	4	—	—	2	1	24	19	9	6	—	1	7	7	18	16	11	7	4	3		16
17	5	5	1	—	1	—	8	14	5	5	1	—	6	7	7	8	8	4	2	2		17
18	—	—	—	—	—	—	1	1	3	—	—	—	1	1	2	1	—	—	2	1		18
19	1	1	—	—	—	1	—	1	1	—	—	—	4	3	4	5	8	4	—	—		19
20	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	—	—	—		20
21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	2	—	—	—	—		21
21A	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		21A
22	1	—	—	—	—	—	1	5	2	3	—	2	5	1	4	3	4	3	4	2		22
23	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—		23
24	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	4	—	1	—	1		24
25	2	1	—	—	2	—	5	2	5	10	—	—	5	1	11	15	6	12	3	2		25
26	—	1	—	—	2	1	6	11	10	1	—	—	3	1	15	4	10	3	1	1		26
27	—	—	—	—	1	—	2	2	1	1	—	—	1	1	—	1	1	—	—	—		27
28	4	4	2	1	9	5	59	82	20	18	3	2	5	13	37	34	17	19	18	17		28
29	—	—	—	—	—	—	—	3	—	—	—	—	—	—	1	—	—	—	1	—		29

YORKSHIRE, WEST RIDING—*cont.*

		Barnsley R.D.		Bishopthorpe R.D.		Bowland R.D.		Doncaster R.D.		Goole R.D.		Great Ouseburn R.D.		Halifax R.D.		Hemsworth R.D.		Hunslet R.D.		Keighley R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
		30	25	9	13	27	25	255	208	59	51	71	60	39	43	324	256	47	49	35	34	
1		—	—	—	—	—	—	—	1	3	2	—	—	1	—	—	—	—	—	—	—	1
2		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3		—	—	—	—	—	—	5	1	—	—	—	—	—	—	10	4	—	—	—	—	3
4		1	—	—	—	—	—	1	—	—	—	—	—	—	—	4	1	—	—	—	—	4
5		—	—	—	—	—	—	7	5	—	—	—	—	—	—	5	6	—	—	—	—	5
6		—	—	—	—	—	—	2	1	3	1	—	—	1	—	6	1	—	—	2	—	6
7		—	—	—	—	3	—	2	1	—	—	2	2	—	3	4	1	2	—	—	—	7
8		—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	8
9		—	3	—	2	—	1	20	14	3	2	4	5	2	—	24	23	1	5	1	2	9
10		—	—	—	—	1	—	8	2	1	—	—	—	—	3	6	3	—	1	—	—	10
11		—	—	1	1	—	—	3	7	1	1	1	1	—	—	9	3	—	2	1	—	11
12		3	2	—	3	2	4	8	12	8	5	11	13	1	4	16	22	4	2	2	4	12
13		—	—	1	—	1	—	1	1	—	—	—	—	1	1	1	2	—	—	—	—	13
14		1	—	1	1	—	—	4	1	—	—	—	—	—	—	1	1	—	—	—	2	14
15		2	—	—	—	1	2	13	12	6	3	8	9	6	8	19	21	3	7	2	1	15
16		4	3	—	1	1	2	23	21	3	3	6	5	4	4	26	31	4	4	5	1	16
17		2	2	1	—	2	—	28	17	3	3	4	4	4	4	27	19	5	1	3	4	17
18		—	1	—	—	—	—	5	4	3	—	2	—	1	2	4	—	—	1	—	—	18
19		1	—	—	—	—	—	17	19	—	—	1	—	—	1	25	19	1	1	—	—	19
20		—	—	—	—	—	—	2	—	—	2	—	1	1	—	2	—	—	1	1	—	20
21		—	—	—	—	—	—	2	1	—	—	1	—	—	—	2	—	—	—	—	—	21
21A		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22		—	3	—	—	3	2	3	2	3	1	1	1	1	2	13	9	2	1	1	1	22
23		—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	23
24		—	1	—	—	—	—	—	1	—	1	—	—	—	—	—	5	—	—	—	—	24
25		1	2	1	2	—	2	20	16	1	1	2	3	1	2	27	29	—	3	—	1	25
26		2	—	1	—	—	—	18	6	4	—	2	1	5	—	23	4	5	4	3	1	26
27		—	—	—	—	1	—	1	2	—	—	—	—	—	—	1	—	—	—	1	1	27
28		13	7	3	3	12	12	61	56	17	26	26	15	9	9	67	50	19	15	13	16	28
29		—	—	—	—	—	—	1	4	—	—	—	—	1	—	2	1	—	—	—	—	29

YORKSHIRE, WEST RIDING—*cont.*

	Causes of Death.	Kiveton Park R.D.		Knaresborough R.D.		Pateley Bridge R.D.		Penistone R.D.		Pontefract R.D.		Ripon R.D.		Rotherham. R.D.		Sedbergh R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	82	78	46	54	54	38	37	30	119	100	49	49	224	200	34	17	
1	Enteric fever	—	—	1	—	—	—	1	3	—	1	—	—	1	—	1	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	1	1	—	—	—	—	—	5	4	—	—	—	2	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—	4
5	Whooping cough ...	—	1	—	—	—	—	—	—	—	1	—	—	2	4	—	—	5
6	Diphtheria and croup ...	1	1	—	1	—	—	—	1	1	1	1	—	1	1	—	—	6
7	Influenza	1	—	—	1	1	1	1	1	3	2	1	2	3	5	2	—	7
8	Erysipelas	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	8
9	Pulmonary tuberculosis	6	4	5	5	5	2	—	3	9	5	4	—	15	13	1	2	9
10	Tuberculous meningitis	1	1	1	—	—	1	—	—	2	—	1	—	6	1	—	—	10
11	Other tuberculous diseases	3	1	1	2	5	—	1	—	2	1	—	2	6	2	—	—	11
12	Cancer, malignant disease	4	8	3	6	4	2	3	3	6	9	10	4	4	5	2	2	12
13	Rheumatic fever... ...	—	—	1	1	—	—	—	—	—	—	—	1	—	2	—	—	13
14	Meningitis	—	3	—	1	—	—	—	—	—	—	—	—	2	4	—	—	14
15	Organic heart disease ...	5	6	7	10	6	5	2	—	6	16	6	4	13	16	6	1	15
16	Bronchitis	9	5	1	1	4	3	4	—	9	12	9	5	15	16	—	3	16
17	Pneumonia (all forms) ...	6	5	1	—	2	1	1	3	18	11	6	3	35	32	—	—	17
18	Other respiratory diseases	2	1	1	1	5	—	2	—	2	2	—	1	6	8	1	—	18
19	Diarrhœa,&c.(under 2 yrs.)	3	1	1	—	—	—	1	—	7	1	—	—	10	8	—	—	19
20	Appendicitis and typhlitis	1	—	—	—	—	—	—	—	1	—	—	—	1	2	—	—	20
21	Cirrhosis of liver ...	—	—	—	—	—	—	1	—	—	—	1	—	1	1	1	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	1	2	—	1	—	2	1	3	2	—	2	—	5	3	—	22
23	Puerperal fever	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	23
24	Parturition, apart from 23	—	2	—	2	—	—	—	1	—	2	—	2	—	2	—	—	24
25	Congenital debility, &c.	6	6	5	4	1	4	6	2	4	5	1	1	21	14	—	1	25
26	Violence, apart from 27	7	3	2	—	1	—	2	1	8	1	—	—	22	6	1	—	26
27	Suicide	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	27
28	Other defined diseases ...	25	28	13	18	19	19	10	9	31	23	9	21	54	48	15	8	28
29	Causes ill-defined or unknown.	—	—	—	1	—	—	—	1	1	—	—	1	3	—	1	—	29

YORKSHIRE, WEST RIDING—*cont.*

	Causes of Death.	Selby R.D.		Settle R.D.		Skipton R.D.		Tadcaster R.D.		Thorne R.D.		Todmorden R.D.		Wakefield R.D.		Wetherby R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	35	32	91	70	135	135	183	181	67	65	28	43	105	100	104	92	
1	Enteric fever	—	1	—	—	1	1	4	1	—	—	—	—	—	1	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	1	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	4
5	Whooping cough ...	—	—	—	1	—	—	2	1	—	2	—	1	—	—	—	—	5
6	Diphtheria and croup ...	—	—	—	1	—	—	1	—	1	—	2	2	4	1	—	1	6
7	Influenza	—	—	3	1	3	4	2	6	1	—	—	2	—	—	8	4	7
8	Erysipelas	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	—	3	2	3	7	5	9	14	4	3	—	3	7	9	7	5	9
10	Tuberculous meningitis	—	1	—	—	—	2	3	1	—	1	—	1	—	2	1	—	10
11	Other tuberculous diseases	—	—	—	1	2	2	5	1	—	—	—	1	1	1	1	—	11
12	Cancer, malignant disease	—	7	10	9	10	17	14	16	6	7	2	7	9	12	8	15	12
13	Rheumatic fever... ...	—	—	1	—	—	4	1	1	—	1	—	—	—	—	—	1	13
14	Meningitis	—	—	—	—	1	1	3	3	—	2	—	1	1	—	1	—	14
15	Organic heart disease ..	6	3	17	13	20	16	15	21	8	8	3	4	11	9	17	10	15
16	Bronchitis	3	—	4	1	15	14	19	14	4	3	3	3	5	8	5	9	16
17	Pneumonia (all forms) ...	1	3	—	2	4	6	12	8	7	3	2	1	4	5	6	2	17
18	Other respiratory diseases	—	—	2	2	2	3	1	3	—	—	—	—	1	2	1	1	18
19	Diarrhœa,&c.(under 2 yrs.)	1	—	—	—	1	2	6	6	2	—	—	—	2	2	1	2	19
20	Appendicitis and typhlitis	—	—	2	1	1	—	1	1	—	—	1	—	3	—	—	2	20
21	Cirrhosis of liver ...	—	—	1	1	3	1	2	—	—	—	—	—	—	1	2	1	21
21A	Alcoholism	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	3	—	6	1	7	6	1	2	3	3	3	—	5	4	2	4	22
23	Puerperal fever	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	—	—	—	—	3	—	1	—	2	—	—	—	—	24
25	Congenital debility, &c.	2	3	4	4	3	4	13	16	4	3	2	—	11	12	4	6	25
26	Violence, apart from 27	6	—	6	1	8	2	8	10	5	—	—	1	6	4	8	1	26
27	Suicide	—	1	1	—	—	1	2	—	—	1	—	1	—	—	—	—	27
28	Other defined diseases ...	12	10	32	26	45	42	54	51	22	27	10	13	34	24	32	28	28
29	Causes ill-defined or unknown.	—	—	—	2	2	1	2	1	—	—	—	—	1	—	—	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

YORKSHIRE, WEST RIDING—*cont.* ANGLESEY.

	Wharfedale R.D.		Wortley R.D.						Amlwch U.D.		Beaumaris M.B.		Holyhead U.D.		Llangefni U.D.		Menai Bridge U.D.						
	M	F	M	F					M	F	M	F	M	F	M	F	M	F					
	42	43	192	186					35	34	17	12	90	64	8	16	13	11					
1	—	—	—	—					—	—	—	—	—	—	—	—	1	—					1
2	—	—	—	—					—	—	—	—	—	—	—	—	—	—					2
3	—	1	1	2					—	—	1	—	2	—	—	—	—	—					3
4	1	1	—	—					—	1	—	—	—	—	—	—	—	—					4
5	—	—	—	2					—	—	—	—	—	—	—	—	—	—					5
6	—	1	2	4					—	—	—	—	4	—	—	—	—	—					6
7	1	1	5	4					2	—	—	—	1	3	—	—	—	—					7
8	—	—	—	—					—	—	—	—	—	—	—	—	—	—					8
9	3	1	8	16					2	—	1	—	7	5	1	1	2	2					9
10	1	—	—	1					1	—	—	—	2	2	—	—	—	—					10
11	1	1	5	3					1	2	—	—	—	—	—	—	1	—					11
12	2	9	14	15					2	3	1	—	8	5	1	—	—	1					12
13	—	—	2	1					—	—	—	—	—	1	—	—	—	—					13
14	—	—	—	3					—	1	—	—	—	—	—	—	—	—					14
15	7	3	26	34					4	7	2	1	10	8	1	1	1	—					15
16	1	1	14	15					2	5	1	3	7	5	1	3	—	1					16
17	4	2	25	11					4	2	1	1	3	5	—	1	—	—					17
18	1	2	3	2					1	—	—	—	1	—	1	—	1	2					18
19	—	—	1	3					—	—	—	—	1	1	—	—	—	—					19
20	—	1	3	—					—	—	—	—	—	—	—	—	—	—					20
21	—	—	—	—					—	—	—	—	—	1	—	—	1	—					21
21A	—	—	—	—					—	—	—	—	—	—	—	—	—	—					21A
22	3	—	8	4					1	1	1	1	2	1	—	1	1	—					22
23	—	—	—	—					—	—	—	—	—	—	—	—	—	—					23
24	—	—	—	2					—	—	—	—	—	—	—	—	—	—					24
25	3	—	11	8					3	1	1	1	9	5	1	—	—	—					25
26	—	1	11	2					4	—	1	—	3	—	—	—	—	—					26
27	—	—	3	—					—	—	—	—	—	—	—	—	—	—					27
28	13	18	50	54					8	10	7	5	29	20	2	9	5	5					28
29	1	—	—	—					—	1	—	—	1	2	—	—	—	—					29

ANGLESEY—*cont.* BRECKNOCKSHIRE.

	Aethwy R.D.		Dwyran R.D.		Twrcelyn R.D.		Valley R.D.				Brecknock U.D.*		Brynmawr U.D.		Builth Wells U.D.		Hay U.D.		Llanwrtyd U.D.				
	M	F	M	F	M	F	M	F			M	F	M	F	M	F	M	F	M	F			
	64	64	29	20	70	59	88	85			46	42	57	58	4	18	13	12	11	4			
1	2	1	—	—	—	—	—	—			—	—	2	1	—	—	—	—	—	—			1
2	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—			2
3	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—			3
4	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—			4
5	—	—	—	—	—	—	3	3			—	1	1	1	—	—	—	—	—	—			5
6	—	—	—	—	—	—	—	—			1	—	—	—	—	1	—	—	—	—			6
7	3	6	3	2	4	2	5	5			—	—	3	3	—	—	—	—	—	—			7
8	—	1	—	—	—	—	—	—			—	—	—	—	—	—	—	—	1	—			8
9	5	7	3	2	9	6	6	9			1	1	3	2	—	2	2	1	—	—			9
10	—	1	—	—	—	—	1	—			—	—	—	1	—	1	—	—	—	—			10
11	3	1	3	—	2	2	—	3			—	1	—	1	—	—	—	—	—	—			11
12	6	8	1	2	7	8	6	12			3	3	4	1	—	1	2	1	1	—			12
13	—	—	—	—	—	—	1	1			—	—	—	1	—	—	—	—	—	—			13
14	—	1	—	—	—	1	—	—			—	3	2	—	—	—	—	—	—	—			14
15	8	4	4	2	7	9	8	12			6	4	4	3	—	2	2	2	1	—			15
16	4	2	—	3	4	7	6	2			5	4	7	7	1	2	1	1	1	—			16
17	1	2	—	1	4	1	8	3			8	2	5	7	—	1	1	—	1	—			17
18	—	—	1	—	1	2	—	1			1	—	1	1	—	—	—	—	1	—			18
19	1	1	—	1	2	—	—	—			—	—	—	—	—	—	—	—	—	—			19
20	—	—	—	—	—	—	—	—			1	—	1	—	—	—	—	1	—	—			20
21	1	1	—	—	1	—	—	2			—	—	1	—	—	—	—	—	—	—			21
21A	—	—	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—			21A
22	5	3	—	—	1	—	3	3			—	1	1	3	—	—	1	—	—	—			22
23	—	—	—	—	—	1	—	1			—	—	—	—	—	—	—	—	—	—			23
24	—	1	—	—	—	1	—	1			—	2	—	—	—	—	—	—	—	—			24
25	4	1	1	2	5	2	3	2			5	2	2	2	1	1	—	—	—	—			25
26	2	—	1	—	3	—	6	2			2	—	3	2	—	—	—	—	—	—			26
27	—	—	1	—	—	—	2	—			1	—	—	1	—	—	—	—	—	—			27
28	19	23	11	4	18	17	30	23			12	17	17	20	2	7	4	6	5	4			28
29	—	—	—	1	2	—	—	—			—	1	—	1	—	—	—	—	—	—			29

* Brecknock U.D. includes Brecknock M.B. and the Civil Parishes of Castle Inn and Christ's College.

BRECKNOCKSHIRE—*cont.*

	Causes of Death.	Brecknock R.D.		Builth R.D.		Crickhowell R.D.		Hay R.D.		Vaynor and Penderyn R.D.		Ystradgynlais R.D.		Llanwrthwl C.P.*		Ystradfellte C.P.†		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	61	70	21	28	54	48	30	25	40	22	76	60	1	—	4	—	
1	Enteric fever	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	—	—	—	1	5	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	4
5	Whooping cough ...	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—	—	5
6	Diphtheria and croup ...	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	6
7	Influenza	—	1	—	—	2	6	—	1	—	—	2	1	—	—	—	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	2	7	4	2	1	5	2	1	3	5	7	5	—	—	—	—	9
10	Tuberculous meningitis	—	1	—	—	1	—	—	—	1	—	2	—	—	—	—	—	10
11	Other tuberculous diseases	1	1	—	—	—	—	—	1	—	—	1	1	—	—	—	—	11
12	Cancer, malignant disease	5	6	2	2	2	5	1	2	2	1	1	3	—	—	1	—	12
13	Rheumatic fever... ...	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	13
14	Meningitis	3	2	—	—	1	—	—	—	1	—	—	—	—	—	—	—	14
15	Organic heart disease ...	8	6	2	5	13	5	7	8	5	4	2	4	—	—	—	—	15
16	Bronchitis	2	4	3	3	5	6	2	—	3	2	7	5	—	—	—	—	16
17	Pneumonia (all forms) ...	3	5	—	—	4	3	4	2	5	—	10	3	—	—	—	—	17
18	Other respiratory diseases	3	—	1	—	—	—	—	—	2	—	6	1	1	—	—	—	18
19	Diarrhœa,&c.(under 2 yrs.)	1	—	2	—	1	—	—	—	1	—	3	1	—	—	1	—	19
20	Appendicitis and typhlitis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	1	—	1	—	—	—	1	—	3	—	1	—	—	—	—	—	22
23	Puerperal fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	2	—	—	—	—	—	—	—	—	—	2	—	—	—	—	24
25	Congenital debility, &c.	1	8	—	1	—	1	2	—	2	2	7	6	—	—	—	—	25
26	Violence, apart from 27	2	1	1	—	5	1	1	—	1	1	10	2	—	—	—	—	26
27	Suicide	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	27
28	Other defined diseases ...	27	23	5	15	15	10	10	10	11	7	13	17	—	—	2	—	28
29	Causes ill-defined or unknown.	2	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	29

CARDIGANSHIRE.

	Causes of Death.			Aberayron U.D.		Aberystwyth M.B.		Cardigan M.B.		Lampeter M.B.		New Quay U.D.				Aberayron R.D.		
				M	F	M	F	M	F	M	F	M	F			M	F	
	ALL CAUSES			17	12	44	59	39	37	11	16	9	16			67	63	
1	Enteric fever			—	—	—	—	—	—	—	—	1	—			—	—	1
2	Small-pox			—	—	—	—	—	—	—	—	—	—			—	—	2
3	Measles			—	—	—	—	1	1	—	—	—	—			—	—	3
4	Scarlet fever			—	—	—	—	—	—	—	—	—	—			—	—	4
5	Whooping cough ...			—	—	—	—	—	—	—	—	—	—			—	—	5
6	Diphtheria and croup ...			—	1	—	1	1	—	—	—	—	—			—	1	6
7	Influenza			—	1	—	—	—	1	—	—	—	—			2	1	7
8	Erysipelas			—	—	—	—	—	—	—	—	—	—			—	—	8
9	Pulmonary tuberculosis			2	1	4	5	3	3	1	1	—	—			7	9	9
10	Tuberculous meningitis			1	—	1	1	—	—	—	—	—	—			—	—	10
11	Other tuberculous diseases			1	—	1	—	—	—	—	—	—	—			—	—	11
12	Cancer, malignant disease			1	1	4	7	3	2	1	—	—	—			2	2	12
13	Rheumatic fever... ...			—	—	1	—	—	1	—	—	—	—			—	—	13
14	Meningitis			—	—	—	—	—	—	—	—	—	—			—	—	14
15	Organic heart disease ...			2	2	5	13	9	4	2	1	3	3			15	16	15
16	Bronchitis			2	—	2	4	1	2	—	1	—	1			4	3	16
17	Pneumonia (all forms) ...			1	1	3	2	6	4	1	—	—	—			3	3	17
18	Other respiratory diseases			—	—	—	—	—	1	1	—	1	—			1	2	18
19	Diarrhœa, &c. (under 2 yrs.)			—	—	1	—	—	1	—	—	—	—			—	—	19
20	Appendicitis and typhlitis			—	—	—	—	—	—	—	—	—	—			—	—	20
21	Cirrhosis of liver ...			—	—	—	—	—	—	—	—	—	—			1	—	21
21A	Alcoholism			—	—	—	—	—	—	—	—	—	—			—	—	21A
22	Nephritis and Bright's dis.			—	1	2	4	2	1	—	1	1	2			7	1	22
23	Puerperal fever			—	—	—	—	—	—	—	—	—	—			—	1	23
24	Parturition, apart from 23			—	—	—	—	—	1	—	—	—	—			—	—	24
25	Congenital debility, &c.			—	1	1	—	1	—	—	1	—	—			2	2	25
26	Violence, apart from 27			1	—	4	—	1	—	—	—	1	1			4	—	26
27	Suicide			—	—	—	—	—	—	—	1	—	—			4	1	27
28	Other defined diseases ...			6	3	15	21	11	15	5	10	2	9			15	21	28
29	Causes ill-defined or unknown.			—	—	—	1	—	—	—	—	—	—			—	—	29

* Administered by Rhayader R.D.C. (Radnorshire). † Administered by Neath R.D.C. (Glamorganshire).

ADMINISTRATIVE AREAS, 1916—*continued.*

CARDIGANSHIRE—*cont.* CARMARTHENSHIRE.

	Aberystwyth R.D.		Cardigan R.D.		Lampeter R.D.		Llandyssil R.D.		Tregaron R.D.		Ysgubory coed C.P.*			Ammanford U.D.		Burry Port U.D.		Carmarthen M.B.		Cwmamman U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	
	111	124	20	42	25	38	66	68	57	62	4	3		22	45	48	47	70	80	29	24	
1	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	3	—	—		1	2	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	1	—	—	—	—		—	—	1	—	—	1	1	1	4
5	—	1	—	—	—	—	—	1	—	—	—	—		—	—	—	—	—	—	—	—	5
6	—	—	—	—	—	—	1	—	1	—	—	—		—	2	1	1	2	1	—	—	6
7	—	—	—	—	1	—	2	—	—	1	—	—		—	1	1	1	1	—	—	1	7
8	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	1	—	8
9	10	12	3	3	2	3	9	5	10	8	1	—		2	5	4	4	9	7	2	2	9
10	1	2	1	—	—	—	—	1	—	1	—	—		1	1	—	—	1	—	—	—	10
11	3	2	—	—	—	2	1	—	—	1	—	—		—	—	—	1	—	1	1	1	11
12	8	16	1	5	2	6	4	5	3	8	—	—		1	3	—	2	6	6	—	3	12
13	—	2	1	—	—	—	—	1	—	—	—	—		—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	14
15	21	16	3	7	2	6	5	9	11	12	1	1		1	5	10	5	14	13	3	2	15
16	9	13	2	8	—	2	7	8	5	3	—	—		—	3	3	3	2	5	2	—	16
17	4	5	1	3	—	—	1	2	2	—	1	—		1	3	4	3	2	—	3	1	17
18	6	3	—	1	—	—	1	1	2	1	—	—		—	1	—	1	1	1	1	—	18
19	1	—	—	—	—	2	—	1	—	—	—	—		1	3	—	2	5	1	2	3	19
20	—	—	—	1	—	—	—	—	—	1	—	—		—	1	—	—	—	—	—	—	20
21	1	—	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	1	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	—	—		—	—	1	—	—	—	—	—	21A
22	3	10	—	—	3	2	2	3	2	2	—	—		—	—	1	—	7	6	—	—	22
23	—	—	—	—	—	1	—	—	—	—	—	—		—	1	—	1	—	2	—	1	23
24	—	1	—	1	—	1	—	3	—	1	—	—		—	—	—	—	—	3	—	—	24
25	6	3	1	2	2	1	2	1	4	4	—	—		1	2	—	5	1	1	1	2	25
26	5	1	1	1	—	—	4	2	2	1	—	—		4	1	4	1	3	—	3	1	26
27	2	—	1	—	—	1	1	1	—	—	—	—		—	—	1	—	—	—	—	—	27
28	28	36	4	10	13	11	25	21	15	15	1	2		8	11	16	17	16	30	9	6	28
29	3	1	1	—	—	—	1	2	—	—	—	—		1	—	1	—	—	1	—	—	29

CARMARTHENSHIRE—*cont.*

	Kidwelly M.B.		Llandilo U.D.		Llandovery M.B.		Llanelly M.B.		Newcastle Emlyn U.D.			Carmarthen R.D.		Llandilo Fawr R.D.		Llandovery R.D.		Llanelly R.D.		Llanybyther R.D.		
	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	M	F	M	F	
	31	20	18	16	12	11	250	228	6	12		205	171	146	152	59	66	213	196	29	31	
1	—	—	—	—	—	—	2	—	—	—		—	—	1	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	2	2	—	—		—	2	1	3	—	—	2	2	2	—	3
4	—	—	—	—	—	—	1	3	—	—		—	—	—	—	—	—	1	1	—	—	4
5	—	—	—	1	—	—	3	4	—	—		—	1	—	1	—	—	—	1	—	—	5
6	1	—	—	—	—	—	3	4	—	—		1	2	6	2	—	—	1	4	—	—	6
7	—	—	—	—	—	—	—	—	—	—		3	2	1	5	—	—	2	1	—	1	7
8	—	—	—	—	—	—	3	—	—	—		1	—	—	—	—	—	1	—	—	—	8
9	4	2	2	1	1	2	17	17	—	1		20	15	6	13	2	4	11	21	5	3	9
10	—	1	—	—	—	—	2	2	—	—		2	1	1	1	1	1	4	4	—	1	10
11	2	—	—	—	1	1	4	1	—	—		2	3	—	2	—	—	1	2	—	2	11
12	2	1	1	1	1	1	12	13	2	1		19	23	9	16	3	8	7	8	2	1	12
13	—	—	—	—	—	—	2	1	—	—		1	—	1	1	1	1	1	3	—	—	13
14	—	1	—	—	—	—	4	1	—	—		1	1	3	1	—	—	5	3	—	—	14
15	6	4	3	3	2	1	32	31	2	4		23	27	12	22	11	12	10	20	4	4	15
16	2	—	—	—	—	—	16	13	—	2		18	11	11	5	1	2	24	17	4	1	16
17	1	1	2	3	1	—	21	17	—	—		14	12	8	13	1	9	17	10	1	2	17
18	—	—	—	1	—	—	4	2	—	—		5	—	1	—	—	—	3	5	—	—	18
19	—	—	—	—	—	—	6	2	—	—		3	4	—	2	1	1	3	5	—	—	19
20	—	—	—	—	—	—	1	2	—	—		1	1	—	—	1	1	1	—	1	—	20
21	—	—	—	—	—	—	1	1	1	—		—	1	—	—	—	1	1	—	—	—	21
21A	—	—	1	—	—	—	1	—	—	—		—	—	—	—	—	—	—	—	—	—	21A
22	—	—	2	—	—	—	6	8	—	—		9	5	6	1	5	1	7	3	3	3	22
23	—	—	—	—	—	—	—	5	—	—		—	1	—	—	—	1	—	2	—	—	23
24	—	—	—	—	—	—	—	1	—	—		—	1	—	1	—	1	—	4	—	—	24
25	3	3	2	—	1	2	12	12	—	—		15	2	13	8	1	3	24	10	1	—	25
26	1	—	1	—	—	1	10	4	—	—		6	2	12	2	2	1	22	1	—	—	26
27	1	—	1	—	—	—	3	2	—	—		1	1	—	3	2	—	2	1	1	—	27
28	8	7	2	6	5	3	80	80	1	4		57	50	53	50	27	19	57	67	5	13	28
29	—	—	1	—	—	—	2	—	—	—		3	3	1	—	—	—	6	1	—	—	29

* Administered by Machynlleth R.D.C. (Montgomeryshire).

CARMARTHENSHIRE—*cont.* CARNARVONSHIRE.

	Causes of Death.	Newcastle in Emlyn R.D.		Whitland R.D.			Bangor M.B.		Bethesda U.D.		Bettws y Coed U.D.		Carnarvon M.B.		Conway M.B.		
		M	F	M	F		M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	36	47	29	42		81	81	31	49	8	9	77	105	33	31	
1	Enteric fever	—	1	—	—		—	2	—	—	—	—	—	—	—	1	1
2	Small-pox	—	—	—	—		—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—		—	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—		—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	1	—	—		—	—	—	—	—	—	1	3	—	—	5
6	Diphtheria and croup ...	1	—	—	—		2	1	—	—	—	—	4	4	2	1	6
7	Influenza	1	1	—	1		—	1	2	3	—	—	—	1	—	2	7
8	Erysipelas	—	1	—	—		—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	5	6	5	5		7	9	1	4	—	—	6	13	2	1	9
10	Tuberculous meningitis	—	—	—	—		2	3	—	—	—	—	2	—	—	—	10
11	Other tuberculous diseases	1	—	1	1		—	—	—	—	—	—	—	—	—	1	11
12	Cancer, malignant disease	3	4	2	6		9	8	3	5	2	1	6	5	4	3	12
13	Rheumatic fever... ...	—	1	—	—		—	—	—	—	—	—	1	—	—	—	13
14	Meningitis	—	—	—	—		—	1	—	—	—	—	—	3	—	—	14
15	Organic heart disease ...	3	3	1	5		6	7	7	4	1	1	8	7	3	4	15
16	Bronchitis	1	4	3	4		3	3	3	3	2	—	3	6	2	2	16
17	Pneumonia (all forms) ...	2	1	1	1		6	3	1	3	—	2	6	5	2	—	17
18	Other respiratory diseases	1	—	—	—		2	1	—	2	—	1	6	3	1	—	18
19	Diarrhœa, &c. (under 2 yrs.)	1	2	—	—		1	1	—	—	—	—	1	1	—	1	19
20	Appendicitis and typhlitis	—	1	—	—		1	—	—	1	—	—	—	—	1	—	20
21	Cirrhosis of liver ...	—	—	1	—		1	—	1	—	—	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—		—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	2	2	1	1		3	3	1	2	—	1	6	11	1	—	22
23	Puerperal fever	—	—	—	—		—	1	—	—	—	—	—	—	—	1	23
24	Parturition, apart from 23	—	—	—	—		—	—	—	1	—	1	—	1	—	—	24
25	Congenital debility, &c.	2	—	1	2		7	2	2	1	—	—	3	4	4	—	25
26	Violence, apart from 27	1	1	—	1		1	3	1	1	—	—	2	2	1	—	26
27	Suicide	—	1	—	—		—	1	—	—	—	—	—	—	—	—	27
28	Other defined diseases ...	12	16	13	13		30	30	9	19	3	2	22	35	10	14	28
29	Causes ill-defined or unknown.	—	1	—	2		—	1	—	—	—	—	—	1	—	—	29

CARNARVONSHIRE—*cont.*

	Causes of Death.	Criccieth U.D.		Llandudno U.D.		Llanfairfechan U.D.		Penmaenmawr U.D.		Portmadoc U.D.		Pwllheli M.B.				Conway R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F			M	F	
	ALL CAUSES	11	15	51	70	17	20	29	25	35	31	19	26			43	47	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—			—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—			—	—	2
3	Measles	—	—	—	—	—	—	—	—	—	—	—	—			—	1	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—			—	—	4
5	Whooping cough ...	—	—	—	—	—	—	—	—	—	—	—	—			—	—	5
6	Diphtheria and croup ...	—	—	—	—	—	—	—	—	1	—	1	—			1	2	6
7	Influenza	1	2	1	1	1	—	—	—	—	1	—	—			4	4	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—			—	—	8
9	Pulmonary tuberculosis	—	1	6	4	3	4	—	3	5	—	1	2			4	7	9
10	Tuberculous meningitis	—	—	—	—	—	—	1	—	—	—	—	—			—	2	10
11	Other tuberculous diseases	—	2	2	2	1	1	1	1	—	—	—	—			1	—	11
12	Cancer, malignant disease	—	3	4	10	1	2	1	3	3	5	2	2			4	4	12
13	Rheumatic fever... ...	—	1	—	—	—	—	—	—	—	—	—	—			—	1	13
14	Meningitis	—	—	—	—	—	—	2	—	—	1	—	1			2	1	14
15	Organic heart disease ...	1	—	6	16	2	1	5	5	5	4	3	7			3	7	15
16	Bronchitis	1	—	3	3	1	1	2	1	3	1	2	—			1	—	16
17	Pneumonia (all forms) ...	2	1	1	1	—	1	5	1	—	—	1	2			2	1	17
18	Other respiratory diseases	—	—	1	1	—	—	2	—	1	1	—	2			—	1	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	2	1	—	—	—	—	—	—	—	—			—	—	19
20	Appendicitis and typhlitis	—	—	1	1	—	—	—	—	—	—	—	—			—	—	20
21	Cirrhosis of liver ...	—	—	—	1	—	—	1	—	2	—	1	—			—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—			—	—	21A
22	Nephritis and Bright's dis.	1	—	1	3	2	—	1	1	2	4	1	—			1	1	22
23	Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	1			—	—	23
24	Parturition, apart from 23	—	—	—	1	—	—	—	1	—	—	—	—			—	1	24
25	Congenital debility, &c.	—	—	—	—	—	1	1	—	—	2	1	—			5	1	25
26	Violence, apart from 27	1	—	4	1	—	1	—	—	—	—	2	1			1	2	26
27	Suicide	—	—	2	—	—	—	—	—	—	1	—	—			—	—	27
28	Other defined diseases ...	4	5	17	22	6	8	7	9	13	11	4	8			14	10	28
29	Causes ill-defined or unknown.	—	—	—	1	—	—	—	—	—	—	—	—			—	1	29

ADMINISTRATIVE AREAS, 1916—*continued.*

CARNARVONSHIRE—*cont.*

	Geirionydd R.D.		Glaslyn R.D.		Gwyrfai R.D.		Lleyn R.D.		Ogwen R.D.		
	M	F	M	F	M	F	M	F	M	F	
	23	35	28	25	219	207	123	141	42	62	
1	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	—	—	—	—	—	—	—	3
4	—	1	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	2	—	—	—	—	5
6	1	2	—	—	5	1	—	2	—	—	6
7	—	1	—	—	2	7	5	4	2	2	7
8	—	—	—	—	—	1	1	—	—	—	8
9	2	2	5	1	35	25	9	16	3	3	9
10	—	—	—	—	1	2	1	2	—	—	10
11	1	—	—	1	6	1	1	2	2	2	11
12	2	2	1	4	16	20	9	14	4	11	12
13	—	—	—	—	1	1	—	—	—	—	13
14	—	—	—	1	1	—	3	—	—	—	14
15	4	5	4	3	30	32	15	20	3	8	15
16	—	2	2	1	16	19	4	12	4	5	16
17	2	—	2	1	7	1	6	5	2	3	17
18	—	—	1	2	6	—	7	4	1	1	18
19	—	—	—	—	1	2	—	1	—	—	19
20	—	—	1	—	1	—	—	1	—	1	20
21	—	—	—	—	—	—	1	—	—	—	21
21A	—	—	—	—	—	—	—	—	—	—	21A
22	1	1	1	1	16	12	4	3	2	1	22
23	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	2	—	1	—	—	24
25	1	1	2	1	6	4	5	2	4	3	25
26	1	2	1	1	7	2	6	4	—	2	26
27	—	—	—	—	—	—	—	—	—	—	27
28	8	16	8	8	62	70	45	47	15	20	28
29	—	—	—	—	—	3	1	1	—	—	29

DENBIGHSHIRE.

	Abergele and Pensarn U.D.		Colwyn Bay and Colwyn U.D.		Denbigh M.B.		Llangollen U.D.		Llanrwst U.D.		
	M	F	M	F	M	F	M	F	M	F	
	18	24	64	73	48	51	22	23	14	20	
1	—	—	—	—	—	—	—	—	—	—	1
2	—	—	—	—	—	—	—	—	—	—	2
3	—	—	—	1	—	—	—	—	—	—	3
4	—	—	—	—	—	—	—	—	—	—	4
5	—	—	—	—	—	—	—	—	—	—	5
6	—	—	—	—	—	3	—	—	—	—	6
7	6	6	4	1	—	1	3	4	—	2	7
8	—	—	—	—	—	—	—	—	—	—	8
9	2	5	5	7	5	2	3	1	1	—	9
10	—	—	2	2	—	1	1	—	—	—	10
11	—	—	—	3	—	—	—	—	—	—	11
12	1	1	7	14	2	6	4	2	1	2	12
13	—	—	—	—	1	—	—	—	—	—	13
14	—	—	—	—	—	—	—	—	—	—	14
15	1	1	10	10	10	11	2	2	3	2	15
16	—	2	2	6	3	7	—	1	1	3	16
17	1	1	4	2	4	4	1	—	—	1	17
18	—	—	3	2	2	—	—	—	1	—	18
19	—	—	—	1	—	—	1	—	—	—	19
20	—	—	—	1	—	1	—	1	—	—	20
21	—	—	—	—	—	—	—	—	—	—	21
21A	—	—	—	1	—	—	—	—	—	—	21A
22	—	1	—	—	2	1	—	1	—	—	22
23	—	—	—	—	—	—	—	—	—	—	23
24	—	—	—	—	—	—	—	—	—	—	24
25	—	1	3	2	1	1	—	1	1	—	25
26	1	1	2	1	1	3	—	—	1	2	26
27	—	—	1	—	1	—	—	—	—	—	27
28	6	5	21	19	16	10	7	10	5	8	28
29	—	—	—	—	—	—	—	—	—	—	29

DENBIGHSHIRE—*cont.*

	Ruthin M.B.		Wrexham M.B.		Chirk R.D.		Llangollen R.D.		Llanrwst R.D.		Llansilin R.D.		Ruthin R.D.		St. Asaph (Denbigh) R.D.		Uwchaled R.D.		Wrexham R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	25	23	130	110	38	46	19	29	49	29	20	23	56	67	56	55	20	18	479	406	
1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1	4	3
4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	2	4
5	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	5
6	—	—	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	3	3	6
7	—	1	4	3	3	2	—	1	3	1	—	2	—	1	2	3	3	2	5	12	7
8	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	8
9	4	3	12	8	5	4	1	7	7	1	3	—	4	1	4	5	—	1	26	33	9
10	1	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	5	2	10
11	1	—	3	3	1	1	—	—	—	—	—	—	1	1	1	1	—	—	3	4	11
12	1	2	11	4	1	4	2	3	3	1	2	1	4	6	7	6	1	1	36	24	12
13	—	—	2	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	13
14	1	—	2	—	—	1	—	—	—	—	—	2	—	—	1	—	—	—	1	3	14
15	3	3	18	12	7	8	5	4	7	7	5	6	7	12	7	7	4	2	41	45	15
16	1	4	11	8	2	1	2	2	1	1	1	1	4	7	1	—	4	3	61	45	16
17	—	1	7	5	4	2	1	2	7	2	—	—	6	3	6	6	—	1	37	26	17
18	1	—	3	1	2	—	—	1	1	—	—	1	1	1	—	3	—	—	9	7	18
19	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	1	—	—	7	4	19
20	—	1	1	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	4	—	20
21	—	—	2	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	1	21
21A	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	21A
22	1	—	—	4	2	2	—	1	1	—	—	—	1	1	—	—	1	1	12	14	22
23	—	—	—	2	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	2	23
24	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	8	24
25	1	1	6	6	2	3	1	1	—	—	1	2	1	2	4	1	2	—	33	28	25
26	1	—	6	2	1	3	2	—	3	—	2	—	2	1	2	1	1	—	43	11	26
27	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	1	—	—	1	3	27
28	7	7	37	40	7	6	4	7	13	13	4	6	23	31	18	18	4	7	143	122	28
29	—	—	1	3	—	2	—	—	—	—	—	—	—	—	—	—	—	—	4	1	29

DENBIGHSHIRE—*cont.* FLINTSHIRE.

	Causes of Death.	Llanelian and Llansantffraid C.P's.*				Buckley U.D.		Connah's Quay U.D.		Flint M.B.		Holywell U.D.		Mold U.D.		Prestatyn U.D.		
		M	F			M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	13	7			46	37	32	26	62	50	22	19	44	35	15	15	
1	Enteric fever	—	—			—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—			—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—			—	—	—	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—			—	—	1	2	—	1	—	—	—	—	—	—	4
5	Whooping cough ...	—	—			—	1	—	1	1	1	—	—	—	—	—	1	5
6	Diphtheria and croup ...	—	—			1	—	—	—	—	—	—	—	—	1	—	—	6
7	Influenza	—	1			1	—	—	2	2	2	—	—	—	—	1	—	7
8	Erysipelas	—	—			—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	1	1			3	—	3	4	3	6	1	2	4	—	1	1	9
10	Tuberculous meningitis	—	—			1	—	—	—	1	2	—	—	—	—	3	—	10
11	Other tuberculous diseases	—	—			1	1	—	—	2	—	—	—	—	—	—	—	11
12	Cancer, malignant disease	1	1			2	4	1	—	5	4	3	—	5	3	—	2	12
13	Rheumatic fever... ...	—	1			—	—	—	1	—	—	—	—	—	—	—	—	13
14	Meningitis	—	—			—	—	1	—	1	1	—	—	—	1	—	—	14
15	Organic heart disease ...	—	—			2	2	2	2	4	—	7	3	2	2	1	1	15
16	Bronchitis	—	—			6	5	4	—	6	5	1	—	3	6	—	1	16
17	Pneumonia (all forms) ...	1	—			4	1	3	1	3	6	3	2	8	5	1	1	17
18	Other respiratory diseases	—	—			1	—	—	—	2	—	—	1	1	—	1	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	1			2	—	—	1	3	1	—	1	—	—	—	1	19
20	Appendicitis and typhlitis	—	—			—	—	—	—	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—			—	—	—	—	—	—	—	—	—	—	—	—	21
21A	Alcoholism	—	—			—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—			4	2	—	—	—	—	2	—	1	—	—	1	22
23	Puerperal fever	—	—			—	—	—	—	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—			—	—	—	1	—	—	—	—	—	—	—	—	24
25	Congenital debility, &c.	1	—			4	4	3	2	6	1	—	2	4	2	—	1	25
26	Violence, apart from 27	—	—			1	1	2	1	5	—	1	1	2	1	1	—	26
27	Suicide	—	—			—	—	—	—	—	—	1	—	—	—	—	—	27
28	Other defined diseases ...	9	1			12	15	12	7	17	19	3	6	14	13	6	4	28
29	Causes ill-defined or unknown.	—	1			1	1	—	1	1	1	—	1	—	1	—	1	29

FLINTSHIRE—*cont.* GLAMORGANSHIRE.

	Causes of Death.	Rhyl U.D.				Hawarden R.D.		Holywell R.D.		Overton R.D.		St. Asaph (Flint) R.D.				Aberavon M.B.		
		M	F			M	F	M	F	M	F	M	F			M	F	
	ALL CAUSES	60	77			151	135	205	191	38	34	62	54			107	80	
1	Enteric fever	—	—			—	—	1	1	—	—	—	—			—	—	1
2	Small-pox	—	—			—	—	—	—	—	—	—	—			—	—	2
3	Measles	—	—			—	1	1	1	—	—	—	—			—	—	3
4	Scarlet fever	—	—			—	4	1	—	—	—	1	—			—	1	4
5	Whooping cough ...	—	2			—	1	—	1	—	—	—	—			—	—	5
6	Diphtheria and croup ...	1	—			2	2	4	2	—	—	1	2			—	—	6
7	Influenza	1	6			5	—	4	7	2	—	6	5			—	—	7
8	Erysipelas	—	—			1	1	—	—	—	—	—	—			—	—	8
9	Pulmonary tuberculosis	2	6			6	8	28	10	—	1	7	5			6	7	9
10	Tuberculous meningitis	2	—			1	—	1	1	—	—	1	1			1	—	10
11	Other tuberculous diseases	—	—			—	—	4	4	—	—	—	1			—	—	11
12	Cancer, malignant disease	10	12			12	13	17	18	4	2	4	5			5	10	12
13	Rheumatic fever ...	—	—			—	1	—	1	—	—	—	—			—	1	13
14	Meningitis	—	—			—	2	1	—	—	—	—	—			3	3	14
15	Organic heart disease ...	8	13			20	20	26	20	5	7	4	4			15	6	15
16	Bronchitis	3	6			9	12	11	7	5	2	4	2			8	6	16
17	Pneumonia (all forms) ...	2	1			11	9	13	14	3	1	4	4			9	8	17
18	Other respiratory diseases	2	—			3	1	3	4	1	—	1	1			—	—	18
19	Diarrhœa,&c.(under 2 yrs.)	—	1			7	1	2	2	—	—	1	2			5	4	19
20	Appendicitis and typhlitis	—	—			—	1	2	—	—	—	—	—			—	1	20
21	Cirrhosis of liver ...	1	1			—	1	2	—	—	—	—	—			—	—	21
21A	Alcoholism	—	—			—	—	—	—	—	—	—	—			—	—	21A
22	Nephritis and Bright's dis.	—	2			3	4	9	5	5	3	2	1			3	1	22
23	Puerperal fever	—	—			—	—	—	1	—	—	—	1			—	—	23
24	Parturition, apart from 23	—	—			—	4	—	1	—	—	—	—			—	—	24
25	Congenital debility, &c.	3	1			5	1	9	8	—	1	4	2			3	8	25
26	Violence, apart from 27	3	1			13	4	6	—	1	1	2	2			10	3	26
27	Suicide	—	—			—	—	—	1	—	—	—	—			1	—	27
28	Other defined diseases ...	20	23			49	41	53	82	12	14	19	16			38	20	28
29	Causes ill-defined or unknown.	2	2			4	3	7	—	—	2	1	—			—	1	29

* Llanelian yn Rhôs and Llansantffraid Glan Conway C.P.'s.—Administered by Conway R.D.C. (Carnarvonshire).

ADMINISTRATIVE AREAS, 1916—*continued.*

GLAMORGANSHIRE—*cont.*

	Aberdare U.D.		Barry U.D.		Bridgend U.D.		Briton Ferry U.D.		Caerphilly U.D.		Cowbridge M.B.		Gelligaer U.D.		Glyncorwg U.D.		Maesteg U.D.		Margam U.D.		Mountain Ash U.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	372	344	248	189	47	39	66	49	206	198	5	6	236	205	67	54	194	164	92	78	281	229	
1	1	1	1	—	—	—	1	—	—	2	—	—	—	1	1	—	—	—	—	—	1	—	1
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	—	—	2	6	—	—	—	—	6	3	—	—	—	—	—	—	—	1	—	—	4	4	3
4	—	2	—	—	—	—	—	—	—	3	—	—	—	1	—	—	1	2	1	—	—	1	4
5	1	1	1	1	—	—	—	—	4	12	—	—	3	5	—	—	1	—	—	—	3	4	5
6	7	6	8	7	1	1	—	—	6	4	1	—	3	6	—	1	3	5	2	1	9	8	6
7	3	3	4	1	—	—	2	3	7	1	—	1	2	2	—	—	3	—	2	2	5	5	7
8	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	8
9	23	39	20	16	1	5	12	5	16	18	—	—	11	15	8	4	14	13	7	9	16	16	9
10	6	1	4	—	—	—	—	1	2	4	—	1	3	5	1	—	2	3	—	1	2	6	10
11	8	8	5	3	—	1	1	1	1	6	—	—	6	4	1	2	3	9	1	1	7	7	11
12	18	21	11	14	6	6	3	3	1	14	—	1	9	11	1	2	11	7	7	1	5	13	12
13	2	1	—	3	—	1	—	1	1	2	—	—	2	3	—	—	1	1	—	—	1	3	13
14	4	2	1	1	1	—	2	—	2	3	—	—	3	1	1	—	1	—	—	1	5	—	14
15	37	33	24	13	10	6	4	5	13	17	—	1	20	17	2	2	18	10	8	10	23	17	15
16	33	27	17	11	4	2	5	12	12	15	1	1	25	16	6	2	15	13	4	5	31	13	16
17	28	22	17	12	4	3	1	1	24	12	—	1	19	14	9	5	19	13	5	6	19	14	17
18	14	2	8	5	—	—	1	—	2	1	—	—	4	5	—	1	6	1	1	1	7	1	18
19	11	4	9	9	—	1	—	—	7	1	—	—	6	2	5	3	7	8	1	—	13	6	19
20	—	1	1	1	—	—	1	—	—	—	—	—	2	—	—	2	1	—	1	—	1	3	20
21	—	2	2	1	—	—	—	1	2	—	—	—	3	—	—	—	1	1	—	—	—	—	21
21A	1	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	21A
22	12	8	7	3	2	3	—	—	5	1	—	—	8	6	1	2	8	2	2	6	10	6	22
23	—	1	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	23
24	—	13	—	2	—	—	—	—	—	2	—	—	—	5	—	2	—	4	—	—	—	4	24
25	30	11	15	12	5	2	6	3	18	14	—	—	19	16	8	5	14	14	9	1	26	15	25
26	22	4	25	3	2	—	5	1	20	—	—	—	21	3	4	1	14	3	11	—	27	3	26
27	1	1	—	—	—	—	—	—	1	2	—	—	—	—	—	1	5	—	—	2	2	—	27
28	108	130	62	63	11	8	22	12	55	58	3	—	67	66	19	18	45	52	29	31	62	76	28
29	1	—	2	—	—	—	—	—	1	2	—	—	—	1	—	—	—	2	1	—	1	2	29

GLAMORGANSHIRE—*cont.*

	Neath M.B.		Ogmore and Garw U.D.		Oystermouth U.D.		Penarth U.D.		Pontypridd U.D.		Porthcawl U.D.		Rhondda U.D.			Cowbridge R.D.		Gower R.D.		Llandaff and Dinas Powis R.D.		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F		M	F	M	F	M	F	
	119	114	182	161	39	43	91	119	312	251	16	30	1039	908		68	34	72	47	194	199	
1	—	—	—	—	—	—	—	—	3	1	—	—	3	2		—	—	—	—	—	—	1
2	—	—	—	—	—	—	2	2	—	—	—	—	—	—		—	—	—	—	—	—	2
3	—	—	6	4	—	—	1	1	2	5	—	—	26	16		—	—	2	—	—	—	3
4	1	1	—	1	—	—	—	1	—	—	—	—	3	5		—	—	—	—	1	—	4
5	—	—	—	—	—	—	—	3	1	7	—	—	7	7		—	1	1	—	1	—	5
6	4	2	3	1	—	—	—	3	2	2	—	—	6	11		1	—	—	—	2	3	6
7	—	—	3	5	2	1	1	—	2	2	—	—	16	12		1	4	3	—	5	5	7
8	—	—	—	1	—	—	—	—	3	1	—	—	1	—		—	—	—	—	1	—	8
9	13	11	10	11	5	7	8	10	25	31	2	5	59	60		5	1	9	6	12	17	9
10	1	1	1	1	—	—	1	2	—	1	—	—	7	6		—	3	1	—	2	1	10
11	2	—	2	2	1	—	1	3	7	—	—	—	14	10		—	1	—	1	2	4	11
12	7	6	9	10	5	5	8	14	18	12	1	2	49	60		6	5	4	8	11	12	12
13	1	1	1	2	—	—	—	1	1	4	—	—	4	6		—	—	—	—	2	1	13
14	2	—	1	2	—	—	—	—	1	2	—	—	6	14		—	—	—	—	1	1	14
15	15	13	17	11	4	10	6	14	16	29	1	6	85	100		11	2	2	6	30	31	15
16	11	8	14	9	1	2	7	3	24	17	—	1	112	71		3	2	3	3	13	12	16
17	4	5	22	10	—	1	7	3	29	14	—	—	112	101		3	1	4	1	14	6	17
18	—	2	5	3	3	1	—	—	3	2	—	—	17	12		1	—	1	—	1	4	18
19	3	9	8	7	—	1	—	—	8	6	—	—	42	43		1	—	1	1	1	2	19
20	—	1	2	1	1	—	1	—	5	1	—	—	4	1		1	—	—	—	—	—	20
21	—	—	—	—	2	—	—	—	1	1	2	—	3	1		—	—	—	—	1	—	21
21A	—	—	1	—	—	—	—	—	—	—	—	—	—	—		—	—	1	—	—	—	21A
22	2	3	2	6	—	—	6	1	5	5	1	—	30	20		1	1	1	1	2	2	22
23	—	—	—	2	—	—	—	1	—	—	—	1	—	8		—	—	—	2	—	1	23
24	—	—	—	3	—	—	—	—	—	4	—	2	—	15		—	—	—	—	—	3	24
25	13	6	17	14	—	2	9	7	27	17	—	—	86	66		6	4	4	—	21	8	25
26	7	2	21	4	1	1	4	1	26	2	2	1	95	21		8	1	15	1	10	7	26
27	—	1	1	—	1	—	—	—	—	—	—	—	—	4		—	—	1	—	4	1	27
28	32	41	35	51	12	12	29	49	101	83	7	12	251	231		20	7	18	17	57	78	28
29	1	1	1	—	1	—	—	—	2	2	—	—	1	5		—	1	1	—	—	—	29

GLAMORGANSHIRE—*cont.*

	Causes of Death.	Llantrisant and Llantwitfardre R.D.		Neath R.D.		Penybont R.D.		Pontardawe R.D.		Swansea R.D.				Bala U.D.		Barmouth U.D.		
		M	F	M	F	M	F	M	F	M	F			M	F	M	F	
	ALL CAUSES	130	106	294	259	129	133	209	206	299	275			17	11	10	12	
1	Enteric fever	—	1	2	1	—	—	—	2	1	—			—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—			—	—	—	—	2
3	Measles	4	2	1	—	2	—	—	3	—	1			—	—	—	—	3
4	Scarlet fever	—	—	1	2	—	1	2	—	3	—			—	—	—	—	4
5	Whooping cough ...	—	1	1	3	—	—	2	—	—	2			—	—	—	—	5
6	Diphtheria and croup ...	1	3	7	9	—	4	3	1	5	3			—	—	—	—	6
7	Influenza	1	1	1	2	3	1	—	2	1	1			—	—	1	1	7
8	Erysipelas	—	—	—	1	—	—	—	—	3	—			—	—	—	—	8
9	Pulmonary tuberculosis	7	10	19	22	7	6	13	25	17	19			1	—	1	2	9
10	Tuberculous meningitis ...	3	1	2	3	—	2	6	7	3	3			—	—	—	—	10
11	Other tuberculous diseases	—	2	4	4	3	1	4	3	4	3			—	—	—	—	11
12	Cancer, malignant disease	7	4	10	17	5	15	13	16	17	19			5	3	2	5	12
13	Rheumatic fever ...	1	1	2	1	—	1	2	2	2	6			—	—	—	—	13
14	Meningitis	1	—	5	5	—	—	2	—	2	4			—	—	—	—	14
15	Organic heart disease ...	12	17	19	22	10	18	17	17	13	36			1	3	1	1	15
16	Bronchitis	8	7	22	22	7	—	24	9	24	23			1	2	—	—	16
17	Pneumonia (all forms) ..	9	9	25	18	12	5	14	11	36	28			1	3	1	—	17
18	Other respiratory diseases	4	1	6	7	1	1	4	3	4	1			—	—	1	1	18
19	Diarrhœa,&c.(under 2 yrs.)	4	3	8	5	1	1	4	5	14	10			—	—	1	—	19
20	Appendicitis and typhlitis	1	—	1	3	—	—	4	1	4	2			—	—	—	—	20
21	Cirrhosis of liver ...	—	1	—	1	—	1	1	—	1	—			—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—			—	—	—	—	21A
22	Nephritis and Bright's dis.	3	4	5	2	6	6	6	6	7	9			2	—	1	1	22
23	Puerperal fever	—	—	—	4	—	1	—	2	—	2			—	—	—	—	23
24	Parturition, apart from 23	—	1	—	6	—	4	—	4	—	6			—	—	—	—	24
25	Congenital debility, &c.	12	7	29	20	12	10	13	15	31	22			1	—	—	—	25
26	Violence, apart from 27	9	2	32	4	13	5	14	1	29	3			—	—	—	—	26
27	Suicide	—	1	2	1	—	—	3	—	—	1			2	—	—	—	27
28	Other defined diseases ...	42	27	90	73	47	50	58	69	76	70			3	—	1	1	28
29	Causes ill-defined or unknown.	1	—	—	1	—	—	—	2	2	1			—	—	—	—	29

MERIONETHSHIRE—*cont.*

	Causes of Death.	Dolgelley U.D.		Ffestiniog U.D.		Mallwyd U.D.		Towyn U.D.				Deudraeth R.D.		Dolgelley R.D.		Edeirnion R.D.		
		M	F	M	F	M	F	M	F			M	F	M	F	M	F	
	ALL CAUSES	17	22	84	83	7	7	20	33			54	51	66	61	20	36	
1	Enteric fever	—	—	—	—	—	—	—	—			—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—			—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	—			—	—	1	—	—	—	3
4	Scarlet fever	—	—	1	—	—	—	—	—			—	—	—	—	—	—	4
5	Whooping cough ...	—	—	—	—	—	—	1	1			1	2	1	—	—	1	5
6	Diphtheria and croup ...	—	—	2	1	—	—	—	—			3	1	—	—	—	1	6
7	Influenza	—	2	3	3	—	—	—	—			—	3	2	—	—	—	7
8	Erysipelas	—	—	1	2	—	—	1	—			—	1	—	—	—	—	8
9	Pulmonary tuberculosis	2	3	11	7	—	—	2	2			2	3	9	4	—	6	9
10	Tuberculous meningitis	—	—	1	—	—	—	—	2			1	1	1	—	—	—	10
11	Other tuberculous diseases	—	—	2	1	—	—	—	—			—	—	—	2	—	—	11
12	Cancer, malignant disease	1	5	8	6	1	2	1	4			4	9	7	6	3	4	12
13	Rheumatic fever... ...	—	—	—	—	—	—	—	—			1	—	—	—	—	—	13
14	Meningitis	—	—	—	2	—	—	3	—			1	—	—	—	—	—	14
15	Organic heart disease ...	2	6	4	10	2	—	3	7			5	2	9	12	5	4	15
16	Bronchitis	1	2	3	7	—	—	2	1			2	2	4	2	2	1	16
17	Pneumonia (all forms) ...	6	—	8	1	—	2	1	2			2	1	6	7	1	1	17
18	Other respiratory diseases	1	—	3	4	—	—	—	—			—	—	2	3	—	—	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	2	—	—	—	—	—			2	1	—	—	—	1	19
20	Appendicitis and typhlitis	—	—	—	—	—	—	—	—			—	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	1	—	—	—	—	—			1	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—			—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	2	—	3	8	—	—	—	2			5	1	6	5	—	2	22
23	Puerperal fever	—	—	—	—	—	—	—	—			—	—	—	—	—	—	23
24	Parturition, apart from 23	—	—	—	1	—	—	—	—			—	1	—	—	—	—	24
25	Congenital debility, &c.	—	—	2	1	1	—	—	1			3	3	—	2	2	1	25
26	Violence, apart from 27	1	—	—	1	1	—	—	—			1	—	4	—	1	—	26
27	Suicide	—	—	—	—	—	—	—	—			—	—	1	—	—	—	27
28	Other defined diseases ...	1	4	29	28	2	2	6	11			20	19	13	17	5	14	28
29	Causes ill-defined or unknown.	—	—	—	—	—	1	—	—			—	1	—	1	1	—	29

ADMINISTRATIVE AREAS, 1916—*continued.*

MERIONETHSHIRE—*cont.* MONTGOMERYSHIRE.

	Penllyn R.D.		Pennal C.P.*				Llanfyllin M.B.		Llanidloes M.B.		Machynlleth U.D.		Montgomery M.B.		Newtown and Llanllwchaiarn U.D.		Welshpool M.B.				Forden R.D.		
	M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F			M	F	
	26	32	6	6			12	13	13	15	16	17	9	9	31	41	35	47			47	33	
1	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—			—	—	1
2	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—			—	—	2
3	1	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—			—	—	3
4	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—			—	—	4
5	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—			—	—	5
6	—	—	—	—			—	—	—	—	—	1	—	—	—	—	—	—			—	—	6
7	—	1	—	3			—	—	1	1	—	—	—	2	—	—	2	2			1	—	7
8	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—			—	—	8
9	1	4	—	1			—	1	1	—	—	1	1	—	1	—	2	2			2	2	9
10	—	—	—	—			—	—	—	—	1	1	—	—	—	—	—	—			—	1	10
11	—	—	—	—			—	—	—	—	1	—	—	—	2	—	—	—			—	1	11
12	2	2	—	—			2	—	4	3	4	1	3	1	3	6	3	8			6	4	12
13	—	—	—	—			—	—	—	—	—	—	—	—	—	—	1	—			1	—	13
14	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—			—	—	14
15	2	7	2	1			3	1	1	1	4	4	—	—	6	3	3	6			7	3	15
16	2	2	1	—			—	—	1	—	1	2	—	—	3	5	2	2			2	—	16
17	7	1	—	1			1	—	—	2	—	—	1	1	1	—	2	3			—	2	17
18	—	—	1	—			—	—	—	—	—	1	1	—	1	—	1	2			—	—	18
19	—	—	—	—			—	—	—	—	—	—	—	—	—	—	3	1			—	—	19
20	—	1	—	—			—	—	—	—	—	1	—	—	—	1	1	—			—	—	20
21	—	—	—	—			—	—	—	—	—	—	—	—	1	—	—	1			1	—	21
21A	—	—	—	—			—	—	—	—	—	—	—	—	1	—	—	—			—	—	21A
22	4	—	1	—			—	—	—	—	—	—	—	—	1	1	1	2			1	—	22
23	—	—	—	—			—	1	—	—	—	—	—	1	—	—	—	—			—	—	23
24	—	1	—	—			—	—	—	—	—	—	—	—	—	—	—	—			—	2	24
25	3	3	—	—			—	—	1	1	—	—	—	—	—	2	1	1			2	3	25
26	—	—	—	—			—	—	1	—	—	—	—	—	—	1	—	—			2	—	26
27	—	—	—	—			—	—	—	2	—	—	—	—	1	—	1	—			1	—	27
28	4	10	1	—			6	10	3	5	5	5	3	4	9	22	10	15			20	15	28
29	—	—	—	—			—	—	—	—	—	—	—	—	1	—	2	2			1	—	29

MONTGOMERYSHIRE—*cont.* PEMBROKESHIRE.

	Llanfyllin R.D.		Machynlleth R.D.		Newtown and Llanidloes R.D.				Fishguard U.D.		Haverfordwest M.B.		Milford Haven U.D.		Narberth U.D.		Neyland U.D.		Pembroke M.B.		Tenby M.B.		
	M	F	M	F	M	F			M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	87	87	36	38	82	77			21	21	50	53	47	40	5	7	20	30	95	97	19	46	
1	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
2	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	1	—	—	—	—	—			—	—	1	—	—	—	—	—	—	—	—	2	—	1	3
4	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	1	—	—	4
5	—	—	—	—	—	—			—	—	1	—	—	—	—	—	—	—	—	—	—	—	5
6	—	—	—	—	—	—			—	—	—	—	1	—	—	—	2	1	2	1	—	—	6
7	5	6	—	1	4	4			—	—	1	—	1	—	—	—	—	—	—	1	—	4	7
8	—	—	—	—	—	—			—	—	—	—	—	1	—	—	—	—	—	—	—	—	8
9	4	6	5	1	4	10			—	1	2	6	2	3	—	1	3	3	10	12	6	2	9
10	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	1	1	—	1	10
11	—	—	—	—	—	2			1	1	3	2	—	—	1	—	1	—	2	2	—	—	11
12	4	7	4	5	7	4			—	—	4	8	3	1	—	2	3	3	6	8	1	2	12
13	1	1	—	—	1	—			1	—	—	—	—	—	—	—	—	—	—	—	—	—	13
14	—	—	—	—	—	1			—	—	1	—	—	—	—	—	—	—	2	—	—	—	14
15	14	15	2	8	8	7			3	4	4	3	3	7	2	—	1	3	19	14	1	7	15
16	7	7	5	1	7	11			2	2	4	6	2	5	—	—	1	—	8	9	1	1	16
17	4	2	3	1	5	1			2	3	—	2	5	2	—	—	1	5	3	3	1	2	17
18	1	2	—	—	3	1			—	—	—	1	—	—	—	1	1	—	3	—	—	1	18
19	1	—	—	—	2	2			1	—	2	2	6	5	—	1	—	—	1	1	1	—	19
20	—	—	—	—	—	—			—	1	—	—	—	1	—	—	—	—	—	1	—	—	20
21	1	—	—	—	—	—			—	—	3	2	—	1	—	—	—	—	—	—	—	—	21
21A	—	—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	1	—	—	21A
22	1	1	1	—	8	4			1	1	3	1	—	—	—	—	1	1	3	3	—	1	22
23	—	—	—	—	—	—			—	3	—	—	—	—	—	—	—	—	—	—	—	—	23
24	—	1	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	2	—	—	24
25	9	10	2	3	2	4			2	1	2	1	6	—	—	—	3	3	5	2	—	1	25
26	3	1	1	—	4	1			1	—	1	2	4	2	—	—	—	—	3	1	—	1	26
27	3	—	—	—	1	—			—	—	1	—	1	—	—	—	—	—	—	—	1	—	27
28	27	26	12	17	26	25			7	4	15	17	12	12	2	2	3	10	25	29	7	21	28
29	1	2	1	1	—	—			—	—	2	—	1	—	—	—	—	—	2	3	—	1	29

* Administered by Machynlleth R.D.C. (Montgomeryshire).

Causes of Death in Administrative Areas, 1916—*continued.*

PEMBROKESHIRE—*cont.* RADNORSHIRE.

	Causes of Death.	Haverfordwest R.D.		Llanfyrnach R.D.		Narberth R.D.		Pembroke R.D.		St. Dogmells R.D.		Knighton U.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	158	168	18	26	70	83	50	61	57	77	16	17	
1	Enteric fever	—	—	—	—	—	—	1	1	1	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	1	—	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	1	—	—	—	—	4
5	Whooping cough ...	3	3	—	—	1	1	2	1	—	—	—	—	5
6	Diphtheria and croup ...	1	2	—	—	1	3	1	—	—	—	—	—	6
7	Influenza	2	2	—	—	1	2	—	2	—	—	2	1	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	16	14	2	4	4	9	4	4	5	7	1	2	9
10	Tuberculous meningitis	1	—	—	—	—	—	—	—	—	—	1	1	10
11	Other tuberculous diseases	2	6	—	1	—	—	—	1	—	—	—	—	11
12	Cancer, malignant disease	10	16	5	1	9	5	4	3	5	6	—	4	12
13	Rheumatic fever... ...	1	1	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis	—	2	—	1	—	—	—	—	—	—	—	1	14
15	Organic heart disease ...	19	29	4	3	8	12	5	8	10	19	3	1	15
16	Bronchitis	10	11	—	2	5	2	2	5	5	3	4	—	16
17	Pneumonia (all forms) ...	13	7	—	1	4	3	2	1	3	7	—	—	17
18	Other respiratory diseases	1	1	1	—	3	3	—	—	—	2	1	—	18
19	Diarrhœa, &c. (under 2 yrs.)	7	5	—	—	—	—	2	—	2	—	—	—	19
20	Appendicitis and typhlitis	2	—	—	—	—	—	—	—	—	—	—	—	20
21	Cirrhosis of liver ...	2	—	—	—	—	—	—	—	—	—	—	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	5	—	—	—	3	2	1	2	1	1	—	—	22
23	Puerperal fever	—	—	—	1	—	—	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	1	—	—	—	—	—	—	24
25	Congenital debility, &c.	9	19	1	1	6	2	1	5	—	3	—	—	25
26	Violence, apart from 27	14	3	—	—	2	2	6	1	2	2	1	1	26
27	Suicide	2	—	—	1	2	—	—	1	—	—	—	—	27
28	Other defined diseases ...	38	44	5	10	21	35	19	20	23	27	3	6	28
29	Causes ill-defined or unknown.	—	1	—	—	—	1	—	5	—	—	—	—	29

RADNORSHIRE—*cont.*

	Causes of Death.	Llandrindod Wells U.D.		Presteigne U.D.		Colwyn R.D.		Knighton R.D.		New Radnor R.D.		Painscastle R.D.		Rhayader R.D.		
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	ALL CAUSES	13	22	8	16	14	11	32	30	21	22	15	14	45	44	
1	Enteric fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
3	Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
4	Scarlet fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
5	Whooping cough ...	—	1	—	1	—	—	—	—	—	—	—	—	—	—	5
6	Diphtheria and croup ...	—	—	—	—	—	—	—	2	—	—	—	—	—	—	6
7	Influenza	—	—	2	—	—	—	4	2	1	—	—	—	1	—	7
8	Erysipelas	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
9	Pulmonary tuberculosis	3	1	—	3	—	2	1	4	1	1	1	1	3	2	9
10	Tuberculous meningitis	—	—	—	—	1	—	—	1	—	—	—	—	—	—	10
11	Other tuberculous diseases	1	1	—	—	—	—	—	—	—	—	—	1	—	1	11
12	Cancer, malignant disease	1	3	2	4	1	2	3	2	1	4	—	5	6	2	12
13	Rheumatic fever ...	—	—	—	1	—	—	—	—	—	—	—	—	—	—	13
14	Meningitis	—	—	—	1	—	—	—	—	1	—	—	—	—	—	14
15	Organic heart disease ...	3	4	—	1	4	2	6	5	4	7	3	4	6	12	15
16	Bronchitis	—	2	—	1	2	—	—	2	—	1	—	—	4	3	16
17	Pneumonia (all forms) ...	—	—	—	1	1	1	1	1	3	1	—	—	1	2	17
18	Other respiratory diseases	—	—	—	—	—	—	—	1	—	—	—	1	1	2	18
19	Diarrhœa, &c. (under 2 yrs.)	—	—	—	—	—	—	—	—	—	—	—	—	—	1	19
20	Appendicitis and typhlitis	—	—	—	1	—	—	—	—	1	—	—	—	—	—	20
21	Cirrhosis of liver ...	—	—	—	—	—	—	—	—	—	—	—	—	1	—	21
21A	Alcoholism	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21A
22	Nephritis and Bright's dis.	—	—	—	—	—	2	1	3	—	—	1	—	—	1	22
23	Puerperal fever	—	—	—	—	—	—	—	1	—	—	—	—	—	—	23
24	Parturition, apart from 23	—	1	—	—	—	—	—	—	—	1	—	—	—	2	24
25	Congenital debility, &c.	—	1	1	—	—	—	5	1	—	2	1	—	4	1	25
26	Violence, apart from 27	—	—	—	—	1	—	—	—	1	—	1	—	1	2	26
27	Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	27
28	Other defined diseases ...	5	8	3	2	4	2	10	4	8	5	7	2	17	13	28
29	Causes ill-defined or unknown.	—	—	—	—	—	—	1	1	—	—	1	—	—	—	29

1916.

VIOLENT DEATHS.

VIOLENT DEATHS, 1916.

(The deaths in these tables include those of non-civilians).

England and Wales.—Deaths from Accident, Negligence, Battle, and Execution at different Periods of Life in the Year 1916—Males.

(Note.—*Deaths in cases where "Open Verdicts" are recorded at inquests, are included under* "Accidents" as follows :—International List No. 165 8 Males, 8 Females, No. 167 11 M, 14 F, No. 168 22 M, 28 F, No. 169 916 M, 256 F, No. 170 4 M, 1 F, No. 172 18 M, 5 F, No. 173 3 M, No. 175, 28 M, 6 F, No. 185 29 M, 9 F, and No. 186 34 M, 15 F).

International List No.	Cause or Character of Accident.	Ages at Death.																									
		All Ages.	Under 1 Month.	Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
				1—	3—	6—																					
	TOTAL	16,205	184	150	108	101	297	338	247	201	789	625	1141	2128	1607	1266	1209	1022	922	880	701	644	570	441	326	188	120
164	POISONING BY FOOD :—																										
	Ptomaine	45	—	—	—	1	1	2	1	1	7	5	1	3	2	3	7	3	1	2	1	1	1	1	—	1	—
	Food poisoning	15	—	—	—	—	—	—	—	—	5	3	—	—	1	1	1	1	1	1	—	1	—	—	—	—	—
165	OTHER ACUTE POISONINGS :—																										
	Carbolic acid	8	—	—	—	—	—	1	—	1	—	1	—	—	—	—	1	1	2	—	—	1	—	—	—	—	—
	Opium, morphia, laudanum	8	—	—	—	—	—	—	—	—	—	—	—	1	2	1	1	1	—	2	—	—	—	—	—	—	—
	Sting of insect	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	2	1	—	—	—	—	—
	Other poisons (*or kind not stated*)* ...	55	—	1	1	2	2	3	3	1	1	3	—	2	3	2	2	4	4	5	4	3	5	1	2	1	—
166	CONFLAGRATION :—																										
	On ships	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—
	Others	31	—	—	—	—	1	2	—	1	2	2	—	—	—	4	2	3	3	1	3	—	3	—	1	3	—
167	BURNS (CONFLAGRATION EXCEPTED) :—																										
	By lamp accident	5	—	—	—	1	1	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—
	By molten metal	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	1	—	—	—	—
	By hot metal	3	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—
	By flannelette clothes¶	25	—	—	—	1	4	5	6	2	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	By clothes (*other or not described*)¶ ...	133	—	1	1	10	24	33	18	8	23	2	2	1	—	—	—	—	2	1	2	—	1	1	2	—	1
	Playing with fire, matches, &c.... ...	8	—	—	—	—	—	6	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	By bursting of portable burner... ...	6	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	1	1	—	1	—	—	—	—	—	—
	By fall into fire	16	—	—	—	2	2	1	—	—	1	—	—	—	—	—	1	—	1	—	1	1	1	—	4	—	1
	In ships	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	Otherwise (*or not stated how*)†¶ ...	271	—	3	2	8	42	37	37	24	12	6	4	3	6	2	8	9	5	8	10	2	12	8	7	3	4
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
	SCALDS :—																										
	By steam on ships	4	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	1	—	—	—	—	—
	By steam boiler	8	—	—	—	—	—	—	—	—	—	—	1	2	3	—	2	—	—	—	—	—	—	—	—	—	—
	By steam (*not otherwise described*) ...	4	—	—	—	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
	By drinking hot liquids	17	—	—	—	—	2	7	5	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise (*or not stated how*)	397	—	1	4	17	109	105	61	29	23	5	1	1	5	2	6	4	8	6	1	1	2	1	3	1	1
	EXPLOSION :—																										
	In munition works	45	—	—	—	—	—	—	—	—	—	—	2	3	11	6	9	7	5	1	—	—	—	1	—	—	—
	Of coal gas on ship	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise (*or undefined*)‡	5	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	1	—	1	—	—	—	—	—	—
168	ABSORPTION OF DELETERIOUS GASES :—																										
	By suffocation in bed	363	142	119	72	25	2	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—
	By suffocation in cot, cradle	12	1	3	6	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	By coal gas	41	—	—	—	—	1	1	2	—	3	2	1	3	—	1	2	—	3	2	4	1	7	—	3	4	1
	By nitrous fumes	5	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	1	—	—	1	—	—	—	—	—	—
	By carbon dioxide—																										
	In ships	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
	Others	3	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	1	—	—	—	—	—
	By carbon monoxide—																										
	In ships	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Others	22	—	—	—	—	—	—	—	—	—	1	—	3	1	2	1	4	1	2	2	2	1	2	—	—	—
	By other fumes on ships	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
	By fumes (*other or kind not stated*)§ ...	32	—	—	—	—	—	1	—	1	—	1	4	2	2	1	—	6	2	2	5	1	1	2	1	—	—
	Smothered by heavy substance ...	7	—	—	—	—	—	—	—	—	—	2	2	—	—	—	1	—	—	1	1	—	—	—	—	—	—
	Suffocation otherwise (*or not stated how*)‖	53	17	4	3	3	1	1	—	1	—	—	—	—	1	3	3	3	1	4	1	3	—	1	3	—	—
169	ACCIDENTAL DROWNING :—																										
	Bathing	203	—	—	—	—	—	—	—	—	28	65	60	19	9	7	3	3	3	4	—	—	1	1	—	—	—
	Shipwreck	68	—	—	—	—	—	—	—	—	—	—	6	8	10	11	9	9	8	4	1	—	—	2	—	—	—
	Boat upset, fall overboard	217	—	—	—	—	—	—	—	2	6	8	25	26	28	25	31	24	13	11	6	6	3	2	1	—	—
	Collision	12	—	—	—	—	1	—	—	—	1	—	1	1	1	2	—	2	1	2	—	—	—	—	—	—	—
	Sliding, skating	20	—	—	—	—	—	—	—	—	4	12	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise (*or not stated how*)	907	1	—	1	1	29	55	40	35	208	106	57	39	39	29	44	41	38	38	23	34	20	15	9	4	1
	"Found" (open verdict)	916	9	1	1	—	6	1	5	3	20	9	29	42	63	94	120	129	103	102	45	54	39	22	10	7	2
170	INJURY BY FIREARMS	143	—	—	—	—	—	1	—	—	6	15	23	27	13	14	13	13	9	5	2	1	1	—	—	—	—

* Including caustic soda 1, oxalic acid 2, acetic acid 2, vitriol 1, spirits of salts 1, prussic acid 1, potassium cyanide 2, potassium permanganate 1, aconite 2, strychnine 2, belladonna 2, belladonna and strychnine 1, sodium nitrate 2, acute lead 1, chloral 1, veronal 2, formalin 1, chloroform 1, atropine lotion 1, iodine 2, thymo-cresol 1, phosphorus 1, turpentine and hartshorn 1, turpentine embrocation 1, camphorated oil 1, A.C.B. liniment 1, liniment (*kind not stated*) 2, Jeyes fluid 1, Izal 1, disinfectant (*kind not stated*) 1, neat rum 1, methyl alcohol 2, wood spirit 1, coal tar 1, sheep dip 1, sheep foot rot dressing 1, vegetable (*kind not stated*) 1, narcotic (*kind not stated*) 2, corrosive (*kind not stated*) 2.

† Including vitriol 1, carbolic acid 1.

‡ „ cylinder of acetylene 3, drum of sulphuric acid 1, coal gas 1.

§ „ sulphuric acid 1, sulphur 1, nitrogen peroxide 1, sewer gas 2, paraffin lamp 2, black damp in disused coal pit 1, kiln 1, gas stove 1, gas geyser 2, gas (*kind not stated*) 13.

‖ „ at breast 2, in push cart 1, during sleep (*not otherwise described*) 2.

¶ „ burns at unguarded grate—flannelette clothes 4, other clothes 9, otherwise 4.

ENGLAND AND WALES.—DEATHS from ACCIDENT, ETC., at DIFFERENT PERIODS of LIFE in the YEAR 1916—MALES—*continued.*

International List No.	Cause or Character of Accident.	Ages at Death.																								
		All Ages.	Under 1 Month.	Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
				1—	3—	6—																				
171	INJURY BY CUTTING OR PIERCING INSTRUMENTS.	28	—	—	—	1	3	1	—	2	5	4	1	2	1	—	2	2	2	—	—	1	—	1	—	—	—
172	INJURY BY FALL:—																									
	Diving	4	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	—	—	—	—	—	—	—	—	—	—
	From window	104	—	—	—	1	—	1	—	3	1	1	4	4	11	6	6	16	2	10	7	10	4	3	5	3	6
	Down stairs	375	—	2	1	—	—	4	2	3	6	3	1	2	2	8	15	18	30	39	30	46	41	50	42	18	12
	In room	91	—	—	—	3	8	1	2	—	—	—	—	—	1	—	4	3	3	1	3	4	9	12	14	13	10
	Down lift well	27	—	—	—	—	—	—	—	—	—	10	4	—	1	1	1	1	4	1	2	1	1	—	—	—	—
	From horse	37	—	—	—	—	—	—	—	—	—	1	7	2	1	5	6	2	4	5	2	1	—	1	—	—	—
	Falls in ships and docks, &c.:—																									
	From rigging	4	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	1	—	—	1	—	—	—	—
	Into hold	89	—	—	—	—	—	—	—	—	—	3	4	4	3	7	12	12	14	14	9	3	4	—	—	—	—
	Into dock	53	—	—	—	—	—	—	—	—	—	—	1	5	3	7	8	8	6	6	4	2	2	—	1	—	—
	Otherwise (*or not stated*)	54	—	—	—	—	—	—	—	—	—	1	6	4	3	3	6	4	6	6	6	5	3	1	—	—	—
	Falls in building operations:—																									
	From roof, scaffold	166	—	—	—	—	—	—	—	—	—	—	7	3	4	10	16	14	13	26	22	30	17	3	1	—	—
	Otherwise (*or not stated*)	32	—	—	—	—	—	—	—	—	—	—	—	2	2	2	6	2	2	3	3	4	2	4	—	—	—
	Fall (*not otherwise described*)*	1,082	1	2	2	4	10	14	5	14	59	31	33	19	32	38	41	70	61	67	78	72	98	106	98	75	52
173	INJURY IN MINES AND QUARRIES:—																									
	(a) *Coal mines:—*																									
	Fall of coal, stone, &c....	627	—	—	—	—	—	—	—	—	—	10	54	57	52	89	76	72	77	47	44	33	13	2	1	—	—
	Crushing	16	—	—	—	—	—	—	—	—	—	—	5	—	4	2	1	—	1	1	1	—	1	—	—	—	—
	Fall in pit or shaft	17	—	—	—	—	—	—	—	—	—	1	4	1	—	1	3	1	2	3	1	—	—	—	—	—	—
	Fall (*not otherwise described*)... ...	18	—	—	—	—	—	—	—	—	—	—	6	2	—	1	—	2	1	3	1	2	—	—	—	—	—
	Machinery	41	—	—	—	—	—	—	—	—	—	4	12	2	5	4	3	3	3	3	1	1	—	—	—	—	—
	Wagon, tram, &c.	99	—	—	—	—	—	—	—	—	—	9	20	8	9	4	11	5	9	10	2	8	2	2	—	—	—
	Tub	141	—	—	—	—	—	—	—	1	—	20	59	10	6	5	3	5	5	11	7	6	2	—	—	—	1
	Blasting...	10	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	2	3	1	1	—	—	—	—	—	—
	Blow	12	—	—	—	—	—	—	—	—	—	1	4	—	—	1	1	1	1	1	1	—	1	—	—	—	—
	Explosion of gas	15	—	—	—	—	—	—	—	—	—	—	—	1	—	1	5	3	3	2	—	—	—	—	—	—	—
	Explosion (*not otherwise described*) ...	12	—	—	—	—	—	—	—	—	—	—	—	1	2	1	3	1	3	1	—	—	—	—	—	—	—
	Horse	8	—	—	—	—	—	—	—	—	—	3	4	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Carbon monoxide	4	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
	Fumes (*not otherwise described*) ...	5	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—	1	—	—	—
	Drowning	7	—	—	—	—	—	—	—	—	—	—	—	2	—	—	4	—	—	1	—	—	—	—	—	—	—
	Electric shock	8	—	—	—	—	—	—	—	—	—	—	—	3	2	1	1	—	1	—	—	—	—	—	—	—	—
	Burns	5	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	1	—	2	—	—	—	—	—	—
	Strain	8	—	—	—	—	—	—	—	—	—	—	—	3	—	—	1	1	—	3	—	—	—	—	—	—	—
	Otherwise (*or not stated how*) ...	41	—	—	—	—	—	—	—	—	—	—	6	3	2	6	3	2	7	4	3	3	2	—	—	—	—
	(b) *Other mines:*—																										
	Fall of stone, wood, &c.	25	—	—	—	—	—	—	—	—	—	—	—	3	3	3	2	5	6	2	1	—	—	—	—	—	—
	Fall (*not otherwise described*) ...	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	1	—	—	—
	Otherwise (*or not stated how*)† ...	5	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	1	—	1	—	—	—	—
	(c) *Quarries:*—																										
	Fall of stone, slate, &c.	15	—	—	—	—	—	—	—	—	—	—	2	—	2	—	2	2	—	4	1	1	1	—	—	—	—
	Fall	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	2	1	—	1	—	—	—	—
	Machinery	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
	Wagon, tram	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
	Blasting	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	2	1	—	1	—	—	—	—
	Otherwise (*or not stated how*) ...	3	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—
174	INJURY BY MACHINES:—																										
	In metal works	58	—	—	—	—	—	—	—	—	—	5	13	2	6	1	8	6	4	5	1	3	2	1	1	—	—
	In munition works	11	—	—	—	—	—	—	—	—	—	—	3	—	—	3	2	—	—	1	1	—	1	—	—	—	—
	In textile factories	25	—	—	—	—	—	—	—	—	—	4	5	—	2	1	2	2	2	1	5	—	1	—	—	—	—
	In other factories	39	—	—	—	—	—	—	—	1	4	6	2	3	6	7	2	1	3	1	1	1	1	—	—	—	—
	Agricultural machinery	25	—	—	—	—	—	—	—	1	1	3	—	2	2	2	2	3	2	—	2	2	2	1	—	—	—
	Lift	41	—	—	—	—	—	—	—	1	6	11	2	1	—	1	4	1	8	3	3	—	—	—	—	—	—
	Crane, winch	27	—	—	—	—	—	—	—	1	1	2	1	2	5	5	1	2	2	3	2	—	—	—	—	—	—
	In ships, boats, docks	22	—	—	—	—	—	—	—	—	—	—	1	2	4	—	4	2	4	2	2	1	—	—	—	—	—
	Other machinery‡	63	—	—	—	—	—	—	—	—	5	11	3	5	3	4	7	6	5	2	4	1	6	1	—	—	—
175	INJURY BY OTHER CRUSHING (VEHICLES, RAILWAYS, LANDSLIDES, &C.).																										
	(a) *Railways:*—																										
	Run over on line	561	—	—	—	—	—	1	2	1	13	25	42	27	32	42	53	51	55	73	43	40	35	16	9	1	—
	Collision...	23	—	—	—	—	—	—	—	—	—	1	—	6	—	2	4	4	2	3	—	—	—	1	—	—	—
	Fall from carriage or engine	70	—	—	—	—	—	—	—	3	3	—	5	10	6	9	6	4	8	2	4	5	2	1	2	—	—
	Falls (*not otherwise described*) ...	14	—	—	—	—	—	—	—	—	—	—	1	1	1	3	1	—	1	1	3	1	1	—	—	—	—
	Crushing by carriage or engine ...	142	—	—	—	—	—	—	—	—	—	5	21	15	11	16	16	13	8	13	9	6	6	3	—	—	—
	Striking against bridge	4	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—
	Fall of heavy substance	6	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	4	1	—	—	—	—	—	—	—
	Otherwise	22	—	—	—	—	—	—	—	—	—	1	4	—	1	2	2	3	2	1	3	3	—	—	—	—	—

* Including 61 aged 65 years and upwards from fracture of leg.
† „ wagon 2, machinery 2, blasting 1.
‡ „ boiler explosion 2.

ENGLAND AND WALES.—DEATHS from ACCIDENT, ETC., at DIFFERENT PERIODS of LIFE in the YEAR 1916—MALES—*continued.*

International List No.	Cause or Character of Accident.	Ages at Death.																								
		All Ages.	Under 1 Month.	Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
				1—	3—	6—																				
175	INJURY BY OTHER CRUSHING (VEHICLES, RAILWAYS, LANDSLIDES, &C.)—*cont.*																									
	(b) *Other vehicles mechanically propelled* :—																									
	Electric tramcar	40	—	—	—	—	1	4	—	—	2	2	—	—	—	2	6	3	2	3	2	3	4	2	1	2	1
	Motor car	397	—	1	—	—	2	3	7	12	73	26	12	15	13	16	16	24	31	19	23	24	25	23	24	7	1
	Motor cab	88	—	—	—	—	—	—	1	2	16	4	2	—	2	4	5	8	4	6	6	5	8	5	4	4	2
	Motor omnibus	205	—	—	—	—	—	2	8	2	31	15	10	6	5	13	7	16	14	16	14	14	9	8	8	6	1
	Motor char-a-banc	6	—	—	—	—	—	—	1	—	1	1	—	—	—	—	1	—	2	—	—	—	—	—	—	—	—
	Motor ambulance	12	—	—	—	—	—	—	1	—	1	1	—	1	1	—	1	1	—	—	—	1	—	2	—	1	1
	Motor van, &c.	306	—	—	—	—	1	6	8	7	66	45	18	11	12	13	9	17	20	12	14	10	14	11	6	5	1
	Motor cycle	99	—	—	—	—	—	—	—	1	4	1	11	18	13	12	11	6	1	10	4	—	2	4	1	—	—
	Steam wagon, &c.	45	—	—	—	—	—	1	1	5	8	4	6	2	2	2	1	1	—	5	3	1	2	—	1	—	—
	Traction engine	34	—	—	—	—	—	1	—	—	7	3	4	4	1	2	4	4	2	1	—	1	—	—	—	—	—
	Aeroplane	157	—	—	—	—	—	—	—	—	—	1	28	64	42	15	4	1	—	—	2	—	—	—	—	—	—
	Motor vehicle (*others or undefined*)*	14	—	—	—	—	—	1	—	—	1	1	—	—	—	1	2	1	1	—	2	2	1	—	1	—	—
	(c) *Horse-drawn vehicles and horses* :—																									
	Dogcart, trap	27	—	—	—	—	—	—	—	—	1	—	1	—	—	1	4	3	3	3	1	4	3	1	2	—	—
	Cab	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	1
	Van, wagon	104	—	—	—	—	4	4	2	5	8	7	6	4	4	1	6	5	9	5	4	4	8	6	5	1	6
	Cart	194	—	1	1	—	9	6	3	4	16	13	14	4	9	6	6	10	19	11	21	12	11	8	4	4	2
	Carriage	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Dray	11	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	1	3	2	2	—	1	—	—
	Roller	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
	Gun carriage	4	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—	—	—	—	—	—
	Others (*kind not stated*)	7	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	1	1	2	1	—	—
	Horses	23	—	—	—	—	—	—	—	—	—	—	2	4	1	2	1	1	2	1	—	1	3	4	1	—	—
	(d) *Other and undefined vehicles* :—																									
	Omnibus	13	—	—	—	—	—	—	—	—	2	—	1	—	—	—	1	2	1	1	—	—	1	2	—	1	1
	Tramcar	177	—	—	1	—	2	2	3	5	3	3	2	2	3	7	8	12	19	18	17	17	24	12	9	4	4
	Cab	7	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	1	—	3	—	—	—	—
	Carriage	5	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—
	Brake	6	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	3	—	—	—	—
	Van, wagon	190	—	—	—	1	2	3	4	6	18	22	17	7	9	11	16	4	12	13	11	13	9	9	2	1	—
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
	Dray	37	—	—	—	—	2	2	—	—	5	6	2	—	2	—	1	1	1	6	2	4	1	—	1	1	—
	Bicycle, tricycle	160	—	—	—	—	—	—	1	1	2	9	24	14	8	13	6	11	10	12	6	9	12	11	8	2	1
	Perambulator	5	—	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Others (*or kind not stated*)†	32	—	—	—	—	—	1	1	1	3	2	1	1	—	2	3	5	3	4	—	3	—	2	—	—	—
	(e) *Other crushing* :—																										
	Fall of heavy substance—																										
	In ships and boats	47	—	—	—	—	—	—	—	—	—	—	2	3	5	7	11	2	10	1	2	2	1	1	—	—	—
	In building operations	28	—	—	—	—	—	—	—	—	—	—	—	—	2	2	4	5	4	6	2	1	2	—	—	—	—
	In excavations	8	—	—	—	—	—	—	—	—	—	1	1	1	1	1	—	—	—	1	—	—	2	—	—	—	—
	By fall of trees	29	—	—	—	—	—	—	1	—	—	2	—	1	—	2	1	3	3	1	4	6	2	—	1	2	—
	Others (*or not stated how*)	133	—	—	—	—	3	1	2	1	15	7	7	2	12	9	18	13	7	6	17	5	3	4	1	—	—
	Other crushings (*not stated how*)—																										
	In ships and boats	19	—	—	—	—	—	—	—	—	—	—	2	—	1	3	—	4	2	2	2	2	—	1	—	—	—	—
	Others	27	—	—	—	—	—	—	—	—	1	1	2	1	3	1	4	2	1	—	2	6	2	—	1	—	—	—
176	INJURY BY ANIMALS :—																										
	By horse	90	—	—	—	—	—	1	3	1	3	4	8	6	6	4	10	9	8	3	10	7	3	—	2	1	1
	By bull or cow	11	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	2	2	2	—	1	—	1	—	—
	By other animals‡	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1
177	STARVATION	16	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	1	2	1	3	2	2	2	—	—	—
178	EXCESSIVE COLD :—																										
	Frostbite	8	—	—	—	—	—	—	—	—	—	—	1	2	2	1	—	1	—	—	1	—	—	—	—	—	—
	Trench feet	9	—	—	—	—	—	—	—	—	—	—	3	3	1	2	—	—	—	—	—	—	—	—	—	—	—
	Exposure to cold	131	—	—	—	—	—	1	—	—	—	1	4	1	2	5	4	11	12	7	19	14	10	24	10	5	1
179	EFFECTS OF HEAT	88	—	1	1	2	1	4	4	1	10	3	—	5	3	5	4	4	4	10	7	4	5	3	4	3	—
180	LIGHTNING	11	—	—	—	—	—	—	—	—	—	1	1	1	1	—	—	1	—	4	2	—	—	—	—	—	—
181	ELECTRICITY	34	—	—	—	—	—	—	—	—	1	2	5	7	6	5	4	2	1	—	1	—	—	—	—	—	—
185	FRACTURES (cause not specified)	53	2	1	—	1	—	1	1	2	—	—	—	2	2	3	4	5	3	4	4	6	6	4	—	2	—

* Including motor coach 2.
† „ cart 2, handcart 2, roller 2.
‡ „ donkey 1, pig 1, rat 1.

ENGLAND AND WALES.—DEATHS from ACCIDENT, ETC., at DIFFERENT PERIODS of LIFE in the YEAR 1916—MALES—*continued.*

International List No.	Cause or Character of Accident.	Ages at Death.																								
		All Ages.	Under 1 month.	Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
				1—	3—	6—																				
186	OTHER VIOLENCE :—																									
	Swallowing foreign body	28	1	—	—	4	2	2	1	1	1	1	—	—	1	1	2	1	2	2	2	1	1	2	—	—	—
	Suffocation by food	73	5	9	8	5	6	2	1	1	1	1	1	2	2	1	1	6	2	4	6	1	4	1	2	—	1
	Blow—																										
	In ships, &c.	10	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	1	3	1	1	—	—	—	—	—	—
	Otherwise	52	—	—	—	—	1	1	2	—	3	3	1	5	2	2	1	5	5	5	2	6	5	3	—	—	—
	Fighting, wrestling	4	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	2	—	—	—	—	—	—	—	—
	Football	9	—	—	—	—	—	—	—	—	2	2	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—
	Cricket	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Strangulation	15	2	—	—	2	1	1	1	—	—	4	1	1	—	—	—	—	—	—	—	1	—	1	—	—	—
	Explosions—																										
	In ships, &c.	12	—	—	—	—	—	—	—	—	—	—	1	3	2	1	—	2	1	2	—	—	—	—	—	—	—
	In munition works	120	—	—	—	—	—	—	—	—	—	—	10	15	20	15	14	10	15	11	7	3	—	—	—	—	—
	Shell, bomb, grenade	67	—	—	—	—	—	—	—	—	—	—	10	27	13	6	4	3	—	2	2	—	—	—	—	—	—
	Gun	6	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1	1	—	—	—	—	1	—	—	—	—
	Otherwise (*or not stated how*)* ...	41	—	—	—	—	—	—	—	—	2	—	1	3	5	5	4	7	4	3	4	2	1	—	—	—	—
	Exposure	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	Strain	4	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	1	—	—	—	—	—
	Other accidents (*not stated how*)—																										
	In ships and boats	8	—	—	—	—	—	—	—	—	—	—	1	—	2	1	—	—	2	—	1	1	—	—	—	—	—
	Others	37	1	—	—	—	2	1	—	—	3	2	—	2	2	—	1	3	2	2	2	6	3	2	2	1	—
	Violence (*cause or kind not stated*) ...	24	2	—	—	—	1	—	—	—	2	2	—	—	—	1	—	3	1	3	3	2	2	2	—	—	—
	Battle, air raids, &c.	3,909	—	—	—	2	2	2	1	4	12	10	313	1469	940	527	347	136	73	31	20	11	5	1	—	1	2
	Execution	11	—	—	—	—	—	—	—	—	—	—	—	—	3	—	3	3	—	2	—	—	—	—	—	—	—
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)

* Including detonator 4, acetylene 3, gunpowder 3, in chemical works 4, Roburite ammonal works 3.

England and Wales.—Deaths from Accident, Negligence and Battle at different Periods of Life in the Year 1916.—Females.

(Note.—*Deaths in cases where "Open Verdicts" are recorded at inquests, are included under* "Accidents," *see page 478.*)

		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
	TOTAL	5,168	165	130	90	93	238	210	175	188	442	204	166	140	120	140	155	160	181	200	221	235	268	341	382	262	262
164	POISONING BY FOOD :—																										
	Ptomaine	34	—	—	—	—	—	3	1	—	5	2	2	4	2	1	5	—	2	4	2	—	—	—	—	1	—
	Food poisoning	5	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
165	OTHER ACUTE POISONINGS :—																										
	Ammonia	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—
	Hydrochloric acid	4	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	1	—	—	—	—	—	—	—	—	—
	Opium, morphia, laudanum	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—
	Veronal	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—
	Strychnine...	6	—	—	—	—	1	—	—	—	—	—	—	1	1	2	—	—	—	—	1	—	—	—	—	—	—
	Other poisons (*or kind not stated*)* ...	39	—	—	—	—	5	3	1	3	2	—	1	2	2	5	5	2	—	—	1	1	3	1	2	—	—
166	CONFLAGRATION	44	—	—	—	1	2	2	—	1	5	2	1	1	2	1	1	2	1	4	—	4	4	6	3	1	—
167	BURNS (CONFLAGRATION EXCEPTED) :—																										
	By lamp accident...	13	—	—	—	—	—	—	—	1	—	—	1	—	—	—	1	1	—	1	—	—	1	4	1	1	1
	By flannelette clothes§	73	—	—	—	1	4	7	5	8	23	5	3	—	4	3	1	—	—	—	—	2	2	1	4	—	—
	By clothes (*other or not described*)§ ...	443	1	2	1	5	23	31	23	37	98	53	19	8	8	8	10	10	10	10	4	15	18	15	15	11	8
	Playing with fire, matches, &c.... ...	14	—	—	—	—	2	2	4	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	At explosives works	9	—	—	—	—	—	—	—	—	—	1	1	4	1	—	—	—	—	1	1	—	—	—	—	—	—
	By fall into fire	23	—	—	—	1	2	—	—	1	1	—	—	—	—	2	1	1	2	1	1	1	3	1	1	3	1
	Otherwise (*or not stated how*)†§ ...	560	1	—	6	13	31	35	42	59	110	50	24	13	6	5	6	9	14	13	14	19	19	23	25	10	13
	Scalds :—																										
	By drinking hot liquids	3	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Otherwise (*or not stated how*)‡ ...	265	1	1	2	26	89	48	39	13	13	1	1	3	1	2	1	1	2	1	3	1	3	3	6	1	3

* Including mercuric chloride 2, chloral 2, belladonna liniment 2, chlorodyne 2, vegetable (*kind not stated*) 2, arsenic 1, lead 1, sulphuric acid 1, salts of lemon 1, carbolic acid 1, prussic acid 1, Izal 1, Sanitas 1, disinfectant (*kind not stated*) 1, sulphonal 1, quinine 1, phosphorus 1, sulphate of zinc 1, creosote 1, paraffin 1, chloroform 1, paregoric 1, coal tar 1, soap liniment 1, aconite, belladonna and chloroform liniment 1, dog daisies 1, yew berries 1, deadly nightshade 1, laurustinus berries 1, foxglove 1, sheep dressing 1, fly bite 1, corrosive (*kind not stated*) 1.

† Including bed clothes 3, ignition of hair 1, celluloid comb 1, found dead sitting on fire 1, explosion of gas 1.

‡ „ steam 1, drinking corrosive liquid 1.

§ „ burns at unguarded grate—flannelette clothes 16, other clothes 34, otherwise 12.

ENGLAND AND WALES.—DEATHS from ACCIDENT, ETC., at DIFFERENT PERIODS of LIFE, in the YEAR 1916.—FEMALES—*continued.*

International List No.	Cause or Character of Accident.	Ages at Death. All Ages.	Under 1 Month.	Months. 1—	3—	6—	1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
168	ABSORPTION OF DELETERIOUS GASES :—																										
	By suffocation in bed	316	127	102	65	11	6	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	1	—	1	—
	By suffocation in cot, cradle	7	—	1	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	By coal gas...	28	—	—	—	—	—	1	—	—	1	—	1	—	1	1	2	—	1	1	2	3	2	—	8	3	1
	By carbon monoxide	7	—	—	—	—	—	1	—	1	—	—	—	1	—	2	—	—	—	1	—	—	—	1	—	—	—
	By fumes (*other or kind not stated*)* ...	17	—	—	—	2	—	—	—	—	2	1	3	—	1	1	—	2	1	—	1	1	—	1	—	—	1
	Suffocation otherwise (*or not stated how*)†	51	18	10	4	2	3	—	—	—	—	—	—	1	1	1	2	3	—	1	3	—	—	1	1	—	—
169	ACCIDENTAL DROWNING :—																										
	Bathing	12	—	—	—	—	—	—	—	—	—	—	3	3	2	2	—	—	—	—	2	—	—	—	—	—	—
	Boat upset, fall overboard	11	—	—	—	—	—	—	—	—	—	—	—	2	2	1	3	2	—	—	—	—	1	—	—	—	—
	Otherwise (*or not stated how*)	180	—	—	—	3	19	15	14	14	30	7	10	6	2	5	9	7	7	9	5	2	4	4	7	1	—
	"Found" (*open verdict*)...	256	6	1	—	1	1	3	1	—	2	7	20	26	18	21	23	24	24	17	17	21	13	7	2	1	—
170	INJURY BY FIREARMS	14	—	—	—	—	—	1	—	—	2	2	—	3	2	—	—	1	2	—	—	—	—	—	1	—	—
171	INJURY BY CUTTING OR PIERCING INSTRUMENTS.	3	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
172	INJURY BY FALL :—																										
	From window	50	—	—	—	—	1	1	2	—	2	—	2	1	—	2	4	1	3	6	8	2	3	1	3	6	2
	Downstairs...	476	—	—	—	2	4	2	2	3	3	2	2	2	3	10	10	16	33	31	39	40	51	71	66	50	34
	In room	171	—	1	—	3	5	2	1	1	2	—	—	—	1	1	2	3	1	5	3	8	11	27	40	22	32
	Fall (*not otherwise described*)‡	849	—	1	—	7	7	12	6	4	13	9	8	3	9	7	12	13	13	19	38	55	64	119	145	133	152
174	INJURY BY MACHINES :—																										
	In textile factories	6	—	—	—	—	—	—	—	—	—	3	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—
	In other factories...	5	—	—	—	—	—	—	—	—	—	—	2	1	1	—	—	1	—	—	—	—	—	—	—	—	—
	Agricultural machinery	5	—	—	—	—	—	—	—	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other machinery§	7	—	—	—	—	—	—	—	—	—	—	3	3	—	1	—	—	—	—	—	—	—	—	—	—	—
175	INJURY BY OTHER CRUSHING (VEHICLES, RAILWAYS, LANDSLIDES, &C.) :—																										
	(*a*) *Railways* :—																										
	Run over on line	41	—	—	—	—	3	2	1	—	2	—	5	3	4	1	3	3	4	3	—	—	2	4	1	—	—
	Fall from carriage or engine	17	—	—	—	—	—	—	1	—	1	1	—	4	—	1	—	1	1	1	3	—	2	—	1	—	—
	Otherwise‖	4	—	—	—	—	—	—	—	1	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
(*b*) *Other vehicles mechanically propelled*:—																										
Electric tramcar	27	—	—	—	—	1	1	2	—	3	1	—	2	2	—	—	2	3	3	4	—	—	—	2	—	1
Motor car	160	—	—	—	—	1	2	4	8	30	10	5	1	7	9	8	7	9	9	12	9	8	7	9	4	1
Motor cab	42	—	—	—	—	—	—	2	—	1	3	3	1	1	2	—	5	4	2	4	6	5	3	—	—	—
Motor omnibus	69	—	—	—	—	—	1	1	—	7	10	2	3	1	6	2	1	6	7	4	4	6	4	4	—	—
Motor van, &c.	75	—	—	—	—	2	3	2	6	14	7	5	—	3	3	4	1	4	4	5	3	4	1	2	1	1
Motor cycle	19	—	—	—	—	—	—	—	1	1	1	1	—	2	1	1	—	—	4	2	1	1	2	1	—	—
Steam wagon, &c.	12	—	—	—	—	—	—	—	—	1	1	1	2	—	1	—	1	2	—	—	1	1	—	1	—	—
Motor vehicles (*other or undefined*)¶	10	—	—	—	—	—	1	—	—	1	1	1	—	1	1	—	—	1	—	1	2	—	—	—	—	—
(*c*) *Horse drawn vehicles and horses*:—																										
Dog cart, trap	7	—	—	—	—	—	1	—	—	—	—	—	—	—	2	1	—	—	—	1	—	1	—	—	—	1
Van, wagon	22	—	—	—	—	2	6	2	—	4	—	1	—	—	—	—	—	—	—	1	1	2	2	1	—	—
Cart	38	—	1	—	—	6	4	—	5	6	2	—	—	1	1	1	—	—	1	1	1	1	4	1	1	1
Dray	4	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
Others**	6	—	—	—	—	—	1	1	—	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	1	—
Horses	3	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
(*d*) *Other and undefined vehicles*:—																										
Omnibus	7	—	—	—	—	—	—	—	1	1	—	—	2	—	1	—	—	1	—	—	—	1	—	—	—	—
Tramcar	73	—	—	—	—	—	4	2	3	3	1	2	2	2	2	4	5	8	8	9	6	5	4	3	—	—
Van, wagon	20	—	—	—	—	—	3	1	1	2	2	1	1	—	1	—	1	1	2	1	1	2	—	—	—	—
Bicycle, tricycle	35	—	—	—	—	—	—	—	—	2	1	3	2	2	2	3	2	1	2	—	1	3	4	6	1	—
Others (*or kind not stated*)†† ...	12	—	—	—	1	1	1	1	—	1	1	—	—	—	—	—	1	—	—	1	—	—	—	2	2	—
(*e*) *Other crushing*:—																										
By fall of tree	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
By fall of heavy substance	14	—	—	—	—	1	—	—	2	3	2	—	—	1	1	2	—	1	—	—	—	—	—	—	—	1

* Including ammonia 1, camphorated oil 1, incandescent oil lamp 2, smoke 1, black damp in disused coal pit 1, gas warming appliance 2, gas geyser 1, gas (*kind not stated*) 8.
† „ at breast 4, in perambulator 3, in chair 2, during sleep (*not otherwise described*) 3.
‡ „ 127 aged 65 years and upwards from fracture of leg, diving 1, down lift well 2, from horse 1, *down ship's hold*, 1.
§ „ metal works machinery 2, lift 4, winch in paper mill 1.
‖ „ crushing by carriage or engine 1, collision 1, fall of heavy substance on 1.
¶ „ motor ambulance 2, motor charabanc 1, steam omnibus 1.
** „ cab 2, ambulance 1, mourning coach 1.
†† „ carriage 2, dray 1, timber carriage 1, barrow 2, perambulator 3.

ENGLAND AND WALES.—DEATHS from ACCIDENT, ETC., AT DIFFERENT PERIODS of LIFE, in the YEAR 1916.—FEMALES—*continued.*

International List No.	Cause or Character of Accident.	All Ages.	Ages at Death.																								
			Under 1 Month.	Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	—80	85 and upwards.
				1—	3—	6—																					
176	INJURY BY ANIMALS :—																										
	By horse	7	—	—	—	—	—	2	1	—	2	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
177	STARVATION	15	—	—	—	—	1	1	—	—	—	—	—	—	—	—	1	—	—	3	1	3	3	—	2	—	—
178	EXCESSIVE COLD :—																										
	Exposure to cold*	29	—	—	1	—	—	—	—	—	1	1	—	—	1	—	1	—	1	5	3	3	2	3	3	2	2
179	EFFECTS OF HEAT	45	1	—	—	2	2	1	—	2	7	—	4	1	1	1	1	1	3	1	3	2	4	2	3	2	1
180	LIGHTNING	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
185	FRACTURES (*cause not specified*)	21	2	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	2	1	1	3	—	1	1	2	5
186	OTHER VIOLENCE :—																										
	Swallowing foreign body	26	—	2	—	2	—	1	3	2	3	—	1	1	—	2	—	2	1	—	2	1	2	1	—	—	—
	Suffocation by food	46	3	7	7	6	2	3	1	2	1	2	—	—	—	1	—	2	1	4	—	1	2	1	—	—	—
	Blow	16	1	—	—	—	2	—	—	2	2	—	—	1	1	—	1	2	—	—	2	—	—	2	—	—	—
	Strangulation	10	1	—	—	1	4	—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—
	Explosions—																										
	In Munition Works	14	—	—	—	—	—	—	—	—	—	—	5	3	—	1	1	2	1	1	—	—	—	—	—	—	—
	Shell, grenade	31	—	—	—	—	2	—	—	1	2	2	3	4	4	4	3	4	1	1	—	—	—	—	—	—	—
	Others †	5	—	—	—	—	—	—	—	—	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—
	Exposure	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Strain	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Other forms of accident	15	—	—	—	—	—	—	—	1	2	—	1	—	—	2	—	—	—	—	2	—	—	3	4	—	—
	Violence (*cause not stated*)	9	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	1	2	—	—	—
	Air raids, &c.	142	—	1	—	1	2	1	3	1	11	8	9	15	10	8	15	14	7	7	9	4	8	4	4	—	—

* Including frostbite, 1.
† „ gunpowder 2, guncotton 2, bursting of cylinder 1.

England and Wales.—Deaths from Suicide at Different Periods of Life in the Year 1916.—Males.

International List No.	Method of Suicide.	Ages at Death.																	
		All Ages.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
	TOTAL	2,063	—	4	38	83	148	196	257	224	204	212	197	170	170	90	47	14	9
155	BY POISON :—																		
	Ammonia	7	—	—	—	—	—	—	1	—	—	2	1	2	1	—	—	—	—
	Hydrochloric acid	14	—	—	2	1	1	2	—	—	—	2	3	—	1	2	—	—	—
	Potassium cyanide	12	—	—	—	—	2	—	—	1	4	1	—	2	—	2	—	—	—
	Prussic acid	12	—	—	—	—	—	2	1	1	2	3	—	2	—	1	—	—	—
	Oxalic acid	9	—	—	—	—	1	1	—	2	2	3	—	—	—	—	—	—	—
	Carbolic acid	14	—	—	—	2	2	2	—	—	3	1	1	—	2	1	—	—	—
	Opium, laudanum, morphia	8	—	—	—	—	—	—	1	1	1	—	2	—	3	—	—	—	—
	Others (*or kind not stated*)*	54	—	—	—	2	3	9	4	13	2	6	8	2	4	1	—	—	—
156	BY ASPHYXIA :—																		
	By coal gas	61	—	—	—	2	5	2	10	6	7	7	3	10	9	—	—	—	—
	Others (*or kind not stated*)†	16	—	—	—	2	1	3	1	1	—	4	2	2	—	—	—	—	—
157	BY HANGING or STRANGULATION	552	—	1	10	13	29	36	53	50	57	51	70	71	61	25	18	2	5
158	BY DROWNING	364	—	—	6	17	27	23	49	46	32	36	34	29	32	19	11	2	1
159	BY FIREARMS	243	—	3	15	23	30	38	34	19	17	20	11	10	12	7	3	1	—
160	BY CUTTING or PIERCING INSTRUMENTS	544	—	—	—	14	34	67	81	62	62	62	44	31	35	28	13	8	3
161	BY JUMPING from HIGH PLACES	54	—	—	—	2	2	3	11	9	3	5	6	6	4	2	1	—	—
162	BY CRUSHING :—																		
	On railways	88	—	—	3	5	8	8	9	13	12	8	10	3	5	2	1	1	—
	Other vehicles	6	—	—	1	—	2	—	2	—	—	1	—	—	—	—	—	—	—
163	OTHER SUICIDES‡	5	—	—	1	—	1	—	—	—	—	—	2	—	1	—	—	—	—

* Including arsenic 1, arsenical weed killer 3, corrosive sublimate 2, sulphur chloride 1, hydrochloric and sulphuric acid 1, sulphuric acid 1, nitric acid 2, acetic acid 1, salicylic and sulphuric acid 1, potassium bichromate 1, potassium chloride 1, aconite 1, strychnine 4, veronal 3, sulphonal 1, chloroform 2, belladonna 2, nicotine 3, chlorodyne 1, lysol 1, cresol 1, creosote 1, laudanum and camphor 1, weed killer 1, corrosive (*kind not stated*) 3.

† „ gas fumes (*kind not stated*) 2, vaporizing fumigation 1.

‡ „ burns by lamp 1, explosion of gunpowder 1.

ENGLAND AND WALES.—DEATHS from SUICIDE at DIFFERENT PERIODS of LIFE in the YEAR 1916.—FEMALES.

International List No.	Method of Suicide.	Ages at Death.																	
		All Ages.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
	TOTAL	792	—	3	57	53	61	63	95	82	84	72	68	65	46	23	15	3	2
155	BY POISON :—																		
	Ammonia	8	—	—	1	1	—	2	1	—	1	—	1	—	—	1	—	—	—
	Hydrochloric acid	17	—	—	—	2	2	1	3	3	2	2	1	—	1	—	—	—	—
	Potassium cyanide	4	—	—	1	—	1	—	1	1	—	—	—	—	—	—	—	—	—
	Oxalic acid	17	—	—	—	2	2	2	3	2	—	4	—	1	1	—	—	—	—
	Carbolic acid	31	—	—	5	1	4	2	4	3	5	3	1	—	2	—	1	—	—
	Opium, laudanum, morphia	5	—	—	1	—	—	—	2	—	—	—	1	—	—	1	—	—	—
	Strychnine	7	—	—	2	1	—	—	1	—	1	—	—	1	—	1	—	—	—
	Others (*or kind not stated*) *...	26	—	—	1	3	2	4	3	4	—	2	2	3	2	—	—	—	—
156	BY ASPHYXIA :—																		
	By coal gas	36	—	—	1	2	2	4	4	5	4	4	5	2	2	—	1	—	—
	Others†	10	—	—	—	—	2	1	—	2	2	—	—	1	—	1	1	—	—
157	BY HANGING or STRANGULATION	152	—	—	1	3	7	6	10	11	21	22	24	24	12	6	3	1	1
158	BY DROWNING	319	—	3	38	33	23	28	43	30	27	25	26	15	14	8	5	1	—
159	BY FIREARMS	8	—	—	1	1	2	1	—	1	1	—	—	—	1	—	—	—	—
160	BY CUTTING or PIERCING INSTRUMENTS	97	—	—	2	2	9	9	10	13	12	8	5	9	9	4	3	1	1
161	BY JUMPING from HIGH PLACES	33	—	—	1	1	4	1	6	4	5	1	1	6	1	1	1	—	—
162	By CRUSHING :—																		
	On railways	17	—	—	2	1	1	1	3	2	2	1	1	2	1	—	—	—	—
163	OTHER SUICIDES :—																		
	Burns	5	—	—	—	—	—	1	1	1	1	—	—	1	—	—	—	—	—

* Including arsenic 1, mercuric chloride 2, acetic acid 1, phosphorus 1, veronal 2, atropine 1, iodine 1, liniment 1, benzoline 1, camphor 2, creosote 1, yew tree leaves 1, weed killer 1, corrosive (*kind not stated*) 3.
† „ carbon monoxide 1, carbonic gas 1, chloroform 1.

England and Wales.—Deaths from Murder at different Periods of Life, in the Year 1916.

International List No.	Method of Murder.	Ages at Death.																										
		All Ages.	0—3 Months.	3—6 Months.	6—12 Months.	1—	2—	3	4—	Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
										MALES.																	
	TOTAL	73	33	3	1	4	3	1	3	48	5	1	3	—	1	2	5	1	2	1	—	1	—	2	—	1	—
182	BY FIREARMS	7	—	—	—	—	—	—	—	—	1	—	2	—	—	—	1	1	—	—	—	—	—	1	—	1	—
183	BY CUTTING OR PIERCING INSTRUMENTS	17	—	1	—	1	1	—	2	5	2	—	1	—	1	1	4	—	2	1	—	—	—	—	—	—	—
184	BY OTHER MEANS—																										
	Strychnine	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Drowning	7	2	—	1	2	—	—	1	6	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Strangulation	15	14	—	—	—	—	—	—	14	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Suffocation (*otherwise or not stated how*)	9	6	—	—	1	1	1	—	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Blow, kick	4	1	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
	Fracture	2	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Starvation	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Untied umbilical cord	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Neglect	2	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Murder (*not otherwise described*) ...	7	5	—	—	—	1	—	—	6	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
										FEMALES.																	
	TOTAL	93	27	6	1	3	1	—	1	39	1	2	5	8	5	8	10	2	3	3	3	3	—	1	—	—	—
182	BY FIREARMS	7	—	—	—	—	—	—	—	—	—	—	1	2	—	1	1	—	—	—	1	1	—	—	—	—	—
183	BY CUTTING OR PIERCING INSTRUMENTS	27	6	2	—	2	—	—	—	10	1	—	1	—	1	3	4	1	1	2	2	—	—	1	—	—	—
184	BY OTHER MEANS—																										
	Morphine...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Drowning	6	2	3	—	—	—	—	1	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Suffocation	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Blow	5	2	—	—	—	—	—	—	2	—	—	—	—	—	—	2	—	—	—	—	1	—	—	—	—	—
	Paper in mouth	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Strangulation	18	10	—	1	1	—	—	—	12	—	2	1	—	—	—	1	—	—	1	—	1	—	—	—	—	—
	Attempt to procure abortion :—																										
	By operation	7	—	—	—	—	—	—	—	—	—	—	2	2	2	1	—	—	—	—	—	—	—	—	—	—	—
	By hot fluid...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Not stated how	7	—	—	—	—	—	—	—	—	—	—	—	3	2	1	1	—	—	—	—	—	—	—	—	—	—
	Starvation	1	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Fracture	4	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
	Murder (*not otherwise described*) ...	7	3	—	—	—	1	—	—	4	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—	—

England and Wales.—Deaths from Manslaughter and Justifiable Homicide at different Periods of Life, in the Year 1916.

International List No.	Method of Manslaughter.	Ages at Death.																									
		All Ages.	0—3 Months.	3—6 Months.	6—12 Months.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 and upwards.
		MALES.																									
	Total	43	4	2	—	2	1	—	—	9	2	3	1	—	3	2	6	3	5	4	3	2	—	—	—	—	—
182	By Firearms (*Justifiable homicide*) ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
183	By Cutting or Piercing Instruments*	3	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—	—
184	By other means :—																										
	Motor vehicles	9	—	—	—	—	—	—	—	—	1	2	—	—	2	—	1	1	—	1	—	1	—	—	—	—	—
	Other vehicles	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Blow, kick†	16	—	—	—	—	—	—	—	—	—	—	1	—	—	1	4	2	2	3	2	1	—	—	—	—	—
	Fracture	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Exposure	2	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Neglect	5	1	1	—	2	—	—	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Starvation	3	1	1	—	—	1	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Manslaughter (*not otherwise described*)...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Justifiable homicide (*not otherwise described*).	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
		FEMALES.																									
	Total	48	3	3	2	3	—	—	1	12	1	—	1	5	5	7	7	2	3	1	—	1	1	—	—	1	1
182	By Firearms (*Justifiable homicide*) ...	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
184	By other means :—																										
	Motor vehicles	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—
	Burns	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pillow on face	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Neglect	10	1	3	1	3	—	—	1	9	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Exposure	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Pulled through a window	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	Blow	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1	—	—	—	—
	Starvation	3	1	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
	Attempt to procure abortion :—																										
	By drugs...	9	—	—	—	—	—	—	—	—	—	—	—	3	—	3	2	—	—	1	—	—	—	—	—	—	—
	By operation	13	—	—	—	—	—	—	—	—	—	—	—	2	4	2	4	1	—	—	—	—	—	—	—	—	—
	Not stated how	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Manslaughter (*not otherwise described*)...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—

* Including 2 deaths of persons killed by sentries in the execution of their duties.

† Including 2 deaths returned as justifiable homicide.

Printed under the authority of His Majesty's Stationery Office
By Darling and Son, Limited, Bacon Street, E.2.

WELLCOME
LIBRARY
INSTITUTE